## **Overview**

	Passed	Failed	Known	Undefined	Total	%Passed
Features	2	20	0	0	22	9%
Scenarios	21	<b>76</b>	0	0	97	22%
Steps	474	<b>76</b>	0	421	971	49%

Overall Duration: 1h 24m 31s

## **Table of Contents**

- 1. Verify login functionality on One pulse App
  - 1. Launch the app and select the country as per specified lbu
  - 2. login to the app with correct credentials using "Continue with Email"
  - 3. Verify the Invalid Email id in login screen using "Continue with Email"
  - 4. Verify the User not registerd email in login screen using "Continue with Email"
  - 5. User should be able to retrieve the reset password using forget password link
  - 6. Verify Account should be locked after entering more than 5 times incorrect passwords
  - 7. Verify the Login Functionality using "Continue with Google"
- 2. Verify registration functionality on one pulse App
  - 1. <u>User should be able to register on app with correct credentials using "Continue with Email"</u>
  - 2. verify the field label on registration screen
  - 3. verify the validation message for mandatory fields
  - 4. verify validation message when user enters Invalid password: Pulse@1 on registration page
  - 5. <u>verify validation message when user enters Invalid password: Pulse123 on registration page</u>
  - 6. Verify the validation message when user enter already registered email id on registration page
  - 7. Verify the mobile number screen validation using "Continue with Email"
  - 8. Verify the Gender screen validation using "Continue with Email"
  - 9. Verify the resend OTP functionality on Enter OTP Screen using "Continue with Email"
- 3. Verify that user can view air quality details under My Environment screen
  - 1. Verify that user can view previous air quality details under My Environment Home page
  - 2. Verify that user can view Current air quality details under My Environment Home page
  - 3. Verify that user can view air quality details for next few days under My Environment Home page
  - 4. <u>Verify that user can access and view Neighbourhood air quality details under My</u>
    Environment Home page
  - 5. Verify that user can access and view Fires nearby under My Environment Home page
  - 6. Verify that user can view effects of the poor environment and upcoming activities under My Environment Home page
  - 7. Verify that User can view coming soon activities under My Environment Home
- 4. Verify the BabyLon call 995 flow on Pulse Health & Wealth app
  - 1. <u>User should be able to login on app with correct credentials and the BabyLon call 995 flow</u> must be verified
- 5. Verify the BabyLon Perianal lump workflow is working as expected
  - 1. <u>User should be able to access Babylon from Pulse app and perform Perianal lump</u> workflow

- 6. Verify the BabyLon Maligant Neoplasm Breast lump workflow is working as expected
  - 1. User should be able to access Babylon from Pulse app and perform Breast lump workflow
- 7. Verify the BabyLon Human Immune Virus workflow is working as expected
  - 1. <u>User should be able to access Babylon from Pulse app and perform Human Immune Virus Rash workflow</u>
- 8. Verify the BabyLon Groin Mass workflow is working as expected
  - 1. User should be able to access Babylon from Pulse app and perform Groin mass workflow
- 9. Verify the BabyLon Prostatic HyperPlasia workflow is working as expected
  - 1. <u>User should be able to access Babylon from Pulse app and perform Prostatic Hyperplasia</u> workflow
  - 2. <u>User should be able to view the chat history in Babylon system checker screen after consultation</u>
- 10. Verify the BabyLon Rib Fracture workflow is working as expected and user can the chat history after consultation
  - 1. User should be able to access Babylon from Pulse app and perform Rib Fracture workflow
- 11. Verify Dietician Negative Flow functionality on one pulse App
  - 1. Verify the Home screen validation using "Continue with Email"
  - 2. Verify User should be able to navigate to Dietician page
  - 3. Verify User should be able to navigate to specialisation page
  - 4. Verify User should be able to navigate to Educational Details page
- 12. Verify Dietician Positive Flow functionality on one pulse App
  - 1. Verify the Home screen validation using "Continue with Email"
  - 2. Verify User should be able to navigate to Dietician page
  - 3. Verify User should be able to navigate to specialisation page
  - 4. Verify User should be able to navigate to Educational Details page
  - 5. Verify User should be able to navigate to Services Offered page
  - 6. Verify User should be able to navigate to Seminar(s) Attended page
  - 7. Verify User should be able to navigate to Take a Picture page
  - 8. Verify User should be able to navigate to schedule Calendar page
- 13. Verify Medicine Remainder Positive Flow functionality on one pulse App
  - 1. Verify the Home screen validation using "Continue with Email"
  - 2. Verify User should be able to navigate to Dietician page
  - 3. Verify User should be able to navigate to Dietician page
  - 4. Verify User should be able to navigate to Dietician page
  - 5. Verify User should be able to navigate to Dietician page
- 14. Verify that user can locate near by Hospitals, clinics using PruShoppe Location feature
  - 1. User should be able to locate Hospitals using PruShoppe location
  - 2. User should be able to locate cli using PruShoppe location
- 15. Verify Notification Center functionality on one pulse App
  - 1. Verify User should be able to register on app using email account
  - 2. Verify User should be able navigate to Notification Center
  - 3. Verify User should be able to see the Notification screen texts
  - 4. Verify User should be able to login using already registered credentials
  - 5. Verify User should be able navigate to Notification Center
- 16. Verify My Communities on One Pluse App
  - 1. Launch the app and select the country as per specified lbu
  - 2. User should be able to login on app with correct credentials using "Continue with Gmail"
  - 3. User should be able to login on app with correct credentials using "Continue with Gmail" and Verify the Mycommunities screen
  - 4. Leave the community if already joined
  - 5. Verify the All Communities Post screen

- 6. Verify the Likes and comments counts in All communities tab
- 7. Verify the Share with Friends Functionality in All communities tab
- 8. Verify the Post Functionality in All communities
- 9. Verify the Category list and search feature
- 10. Leave the community if already joined
- 17. Verify MyContent functionality on one pulse App
  - 1. Verify the Home screen validation using "Continue with Email"
  - 2. Verify User should be able to navigate to Health channel page
  - 3. Verify User should be able to Like the post
  - 4. Verify User should be able to Share the post
  - 5. Verify User should be able to Comment the post
  - 6. Verify User should be able to see the Like, Share, Comment options on full page article post
  - 7. Verify User should be able to Like the post-Full page article post
- 18. Verify that user can view his registered policies under My Policies
  - 1. Login to the one pulse app
  - 2. Verify that user can access his policies from Home screen
- 19. Verify legal and legacy on One Pluse App
  - 1. User should be able to login on app with correct credentials using "Continue with Gmail"
  - 2. Verify the Terms and condition should be displayed
  - 3. Verify the Privacy screen should be displayed
  - 4. Verify the Regulator screen should be displayed
- 20. Verify Edit Profile functionality on Pulse Health & Wealth app
  - 1. Verify User should be able to navigate to Edit profile screen and should be able to change the profile on app
  - 2. Verify User should be able to change the profile picture in edit profile screen
  - 3. Verify user can able to change the details in edit profile screen
  - 4. Verify the email and COR fields are non-editable in edit profile screen
  - 5. Verify User should be able to see the registration required pop up if user not completed MyDoc Registration
  - 6. Verify User should not be able to edit Gender and DOB fields on myDoc registration page once the user submitted their gender and DOB in edit profile
  - 7. Verify User should be able to update NRIC number & upload NRIC Image in Online Consultation screen
- 21. Verify MySettings functionality in Account screen
  - 1. User should be able to login on app with correct credentials using "Continue with Gmail"
  - 2. Verify the My Feedback screen in Account tab
  - 3. Verify the submit functionality in My feedback screen
  - 4. Verify the Pulse Personalised tab
  - 5. Verify the Marketing Consent in Account tab
- 22. Verify share with friends functionality in onepulse app
  - 1. Launch the app and select the country as per specified lbu
  - 2. login to the app with correct credentials using "Continue with Email"
  - 3. Verify User should be able to share the link with Whatsapp
  - 4. Verify User should be able to share the link with Contacts app
  - 5. Verify User should be able to share the link with Messenger app
  - 6. Verify User should be able to share the link with Viber app
  - 7. Verify User should be able to share the link with Line app


## **Detailed Results Report**

Featur	e: Verify login function	ality on One pulse App		
Passed: 4	Failed: 3	Undefined: 0	Duration: 452.55s	
Scer	nario: Launch the app	and select the country a	s per specified lbu	
Passo	ed: 8	Failed: 0	Undefined: 0	<b>Duration: 36.89s</b>
Befo	ore			0.13s
(	Given User has pulse ap	р		10.65s
A	and I assign "\${login.er	- nail.id}'' to variable ''P	ULSE_EMAIL''	0.01s
A	and user click on "CON	TINUE WITH EMAII	L'' with Email button	12.63s
1	Then I change the count	ry as required on regis	tration page	1.57s
1	Then I wait for 5 sec			5.00s
1	Then I change the langu	age as required on regi	stration page	0.31s
A	and I click the Sign in li	nk		4.96s
	Then I verify below language	guage options on toggle	bar as per specified lbu on login	1.63s
Afte	er			0.00s
Back	to Table of Contents			
Scer	nario: login to the app v	vith correct credentials	using "Continue with Email"	
Passo		Failed: 1	Undefined: 0	Duration: 56.95s
Befo	ore			0.00s
	Fiven I select the langua	ge option on toggle bar	as required on login page	0.28s
	When user enters crede	<u> </u>	and to desire the second secon	17.72s
	UserName \${PULSE			
	Password \${login.pa			
A	and User clicks on signi			0.35s
	and I wait for 5 sec			5.00s
_		pulse app for user ema	il ''\${PULSE_EMAIL}''	28.50s
	Then user should be lan			5.09s
a a a a a	LoginSteps.java:92)	Assert.java:94) NotEquals(Assert.java::rtTrue(Assert.java:42) rtTrue(Assert.java:52) pdefinitions.mobilestep		re:23)
Afte	er			0.00s
Back	to Table of Contents			
Scer	nario: Verify the Invali	d Email id in login scre	en using "Continue with Email"	
Passe	ed: 16	Failed: 0	Undefined: 0	<b>Duration: 64.87s</b>
Befo	ore			0.00s
	Given User has pulse ap	p		7.73s
_	Then I wait for 2 sec			2.00s
A	and user click on "CON	TINUE WITH EMAIL	L'' with Email button	12.55s

	Then I change the count	ry as required on r	registration page	1.53s
	Then I wait for 5 sec	5.01s		
	Then I change the langu	age as required on	registration page	0.32s
	And I click the Sign in li	nk		4.91s
	And I select the languag	e option on toggle l	oar as required on login pag	e 1.58s
	When user enters creder	ntials		18.26s
	UserName t@gmai			
	Password Pas\$1234			
	And I scroll down			4.55s
	And User clicks on signin button			0.29s
	Then verify invalid email	il message ''Email i	is required''	0.72s
	Then User clicks on For	got Password butto	on	0.23s
	Then enter the email to	request the new pa	ssword	3.55s
	Email t@gmai			
	Then User clicks on Sen	d button		0.79s
	Then verify invalid emai		l.invalid.text}"	0.85s
Af	ter			0.00s
Bac	ck to Table of Contents			
Sc	enario: Verify the User n	ot registerd email i	in login screen using "Conti	nue with Email''
	sed: 17	Failed: 0	Undefined: 0	Duration: 64.52s
Be	fore			0.00s
	Given I generate randon	n number and assig	on to variable	
	"RANDOM_NUMBER		511 00 1 111 111 111 111	0.01s
	And I assign value to fol	lowing variables		0.00s
			NUMBER}@mailinator.com	
	USER_PASSWORD		,	
	Given User has pulse ap			8.42s
	• •	<u> </u>	IAIL" with Email button	12.81s
	Then I change the count	ry as required on r	registration page	1.52s
	Then I wait for 5 sec			5.00s
	Then I change the langu	age as required on	registration page	0.34s
	And I click the Sign in li	<del></del>		4.93s
	And I select the languag	e option on toggle l	oar as required on login pag	e 1.68s
	When user enters crede	ntials		18.23s
	UserName \${USER_N	NAME}		
	Password \${USER_I	PASSWORD}		
	And I scroll down			4.54s
	And User clicks on signi	n button		0.29s
	Then verify invalid email		id.credential.message}''	1.07s
	Then User clicks on For	got Password butto	on	0.21s
	Then enter the email to	request the new pa	ssword	3.56s
	Email \${USER_NAM	<b>E</b> }		
	Then User clicks on Sen	d button		0.76s

fter ack to Table of Contents		1.16s
ack to Table of Contents		0.00s
cenario: User should be a	ble to retrieve the reset password using forget passwor	d link
assed: 6	Failed: 1 Undefined: 0	Duration: 40.
efore		0.00s
And Lassign "\${forgot.	password.email.id}'' to variable "PULSE_EMAIL"	0.00s
	request the new password	3.64s
Email \${PULSE_EM		51045
		0.50
Then User clicks on Ser		0.76s
	emailid "\${PULSE_EMAIL}" using mailsac api and	26.56s
store into a variable "E		0.05
Then I enter ''\${EMAII	L_OTP}" reset code	0.27s
Then I wait for 7 sec		7.00s
Then Verify message: "	\${password.reset.success.text}'' for Reset Password	<b>2.45</b> s
System info: host: 'TM'os.version: '10.0', java.v Driver info: io.appium, Capabilities {appActiviuat, automationName: prudential.pulse.MainAUiAutomator2, deviceNplatformName: android	2.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12 003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', oversion: '11.0.2' java_client.android.AndroidDriver ty: com.prudential.pulse.MainAc, appPackage: com.pulautomator2, databaseEnabled: false, desired: {appAac, appPackage: com.prudential.pulse.uat, automationame: Android-Test, newCommandTimeout: 10000, no.1}, deviceApiLevel: 30, deviceManufacturer: Google, deC241FDD40043P, deviceScreenDensity: 440, deviceDensity: 440, deviceScreenDensity: 440, deviceScreenDensity: 440,	os.arch: 'amd6 prudential.puls ctivity: com. nName: Reset: true,

```
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.onepulse.app.screens.TestBasePage.getElementText(TestBasePage.java:255)
at com.onepulse.app.screens.PulseLoginScreen.getResetPasswordText(PulseLoginScreen.java:
318)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.verifyResetPasswordMsg
(LoginSteps.java:120)
at .Then Verify message: "${password.reset.success.text}" for Reset Password(features
/PulseLoginTest.feature:85)
```



Then user should be landed to "Home" screen	5.44s
And I click the Account icon in Home screen	<b>7.4</b> 5s
	7.45s  The located on the page options  4:26.12Z' The solution of the page options  4:26.12Z' The solution of the page options  4:26.12Z' The solution of the page option of the page op
*** Element info: {Using=xpath, value=(//android.widget.ScrollView/proandroid.view.ViewGroup//android.widget.ImageView)[1]}	stance0(Native
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.nev (DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createExc (W3CHttpResponseCodec.java:187)	a:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCo158)	ommandExecutor.java
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDat io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGjava:42)	
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver) at org.openqa.selenium.remote.RemoteWebDriver.findElement(Remote) at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java)	WebDriver.java:317)

java at id (De at id at id at o	rg.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(Rema:419) b.appium.java_client.DefaultGenericMobileDriver.findElementByXPath faultGenericMobileDriver.java:152)	
(De at id at id at o		
at io at io at o	faultGenericMobileDriver.java:152)	
at io at o		• 1
at o	o.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver. o.appium.java_client.android.AndroidDriver.findElementByXPath(Androi	
	rg.openga.selenium.By\$ByXPath.findElement(By.java:353)	iuDiivei.java.
ut U	rg.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebD	river.java:309
	o.appium.java_client.DefaultGenericMobileDriver.findElement	J
	faultGenericMobileDriver.java:58)	
	o.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)	
	o.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.	
	om.prudential.tap.selenium.Commands\$15.executeCommand(Commands,om.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand)	•
ai C 19)	om.prudential.tap.selemum.ExecuteCommand.executeCommand(ExecuteC	Commanu.jav
	om.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164	4)
	om.onepulse.app.screens.PulseRegistrationScreen.accountButton(PulseReg	
	a:670)	
	om.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.accountBut	ton
	gistrationSteps.java:143)	107)
	And I click the Account icon in Home screen(features/PulseLoginTest.features/P	
	I Click the sign out from pulse app	0.00s
	en I wait for 2 sec	0.00s
	en I enter invalid password on login screen and verify the error message	0.00s
_	Pas\$123##\${invalid.credential.message}	
-	Pas\$123##\${invalid.credential.message}	
]	Pas\$123##\${invalid.credential.message}	
	Pas\$123##\${account.locked.message}	



And user click	k on "CONTINUE V	/ITH EMAIL" with Email button	13.26s
Then I wait for 2 sec			2.01s
Then I change the country as required on registration page			0.31s
Then I wait for 5 sec			5.01s
Then I change the language as required on registration page			0.31s
When user enters registration details			5.17s
FirstName	testAutomation		
	testAutomation		
Email	\${PULSE_EMAIL}		
Password			
Original erro Build info: ve System info: le os.version: '10 Driver info: le Capabilities { uat, automati prudential.pu UiAutomator platformNam Pixel 5, device 1080x2340, de false, network pixelRatio: 2. statBarHeigh 1080}, warnir Session ID: a' *** Element is /following::ar at java.base/je Method) at java.base/je (NativeConstrat java.base/je	r: socket hang up or sion: '3.12.0', revision host: 'TM003LSIN', in the sign of the sign o	android.AndroidDriver idential.pulse.MainAc, appPackage: or2, databaseEnabled: false, desired: {ackage: com.prudential.pulse.uat, automoid-Test, newCommandTimeout: 1000 piLevel: 30, deviceManufacturer: Goog 0043P, deviceScreenDensity: 440, device 0D40043P, javascriptEnabled: true, locatrue, newCommandTimeout: 10000, na., platformName: Android, platformVelot: true, viewportRect: {height: 2015, labled: false} 0db4-e793f38579ea alue=//android.widget.TextView[contaixt[1]} ativeConstructorAccessorImpl.newInstaiva:62) elegatingConstructorAccessorImpl.newInstaiva:62)	com.prudential.pulse appActivity: com. nationName: 0, noReset: true, gle, deviceModel: eScreenSize: ationContextEnable noReset: true, ersion: 11, eft: 0, top: 145, width ins(@text,'Email')] ance0(Native
-			
		tructor.newInstance(Constructor.java:	490)
at org.openqa	O .	p.W3CHttpResponseCodec.createExce	
~ -		p.W3CHttpResponseCodec.decode	
•	sponseCodec.java:12		
W3CHttpRe	sponseCodec.java:49		
at org.openqa 158)	.selenium.remote.Ht	tpCommandExecutor.execute(HttpCon	nmandExecutor.jav
'		ppiumCommandExecutor.execute	
	mandExecutor.java:		
at arg anenga	.selenium.remote.Re	moteWebDriver.execute(RemoteWebD	river.java:543)

at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver	icMobileDriver.	
java:42)		
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)	1)	
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)		
at io.appium.java_client.DefaultGenericMobileDriver.findElement		
(DefaultGenericMobileDriver.java:62)		
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)		
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver	r.java:1)	
$at\ org. open qa. selenium. remote. Remote WebDriver. find Element By XP ath (Remote WebDriver. find Element By $	moteWebDriver.	
java:419)		
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)		
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver)		
$at\ io. appium. java\_client. and roid. And roid Driver. find Element By XP ath (And roid Driver. find Element By XP a$	oidDriver.java:1)	
at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)		
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWeb	Driver.java:309)	
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58)		
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)		
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver	r.iava:1)	
at com.prudential.tap.selenium.Commands\$12.executeCommand(Command		
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execut	•	
19)		
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:262)		
$at \'com. one pulse. app. screens. Test Base Page. set Text With Tab (Test Base Page. jakes to the pulse of $		
$at\ com. one pulse. app. screens. Test Base Page. set Text With Tab (Test Base Page. jata com. one pulse. app. screens. Pulse Registration Screen. enter Registration Details at com. one pulse. app. screens. Pulse Registration Screen. enter Registration Details at com. one pulse. App. screens. Pulse Registration Screen. enter Registration Details at com. one pulse. App. screens. Pulse Registration Screens. App. screens. App. screens. Pulse Registration Screens. App. screen$		
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.ja at com.onepulse.app.screens.PulseRegistrationScreen.enterRegistrationDetai(PulseRegistrationScreen.java:205)	ils	
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.ja at com.onepulse.app.screens.PulseRegistrationScreen.enterRegistrationDetai (PulseRegistrationScreen.java:205) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.enterRegi	ils	
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.ja at com.onepulse.app.screens.PulseRegistrationScreen.enterRegistrationDetai (PulseRegistrationScreen.java:205) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.enterRegi (RegistrationSteps.java:37)	ils strationDetails	
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.ja at com.onepulse.app.screens.PulseRegistrationScreen.enterRegistrationDetai (PulseRegistrationScreen.java:205) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.enterRegi (RegistrationSteps.java:37) at .When user enters registration details(features/PulseRegistrationTest.features	ils strationDetails	
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.ja at com.onepulse.app.screens.PulseRegistrationScreen.enterRegistrationDetai (PulseRegistrationScreen.java:205) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.enterRegi (RegistrationSteps.java:37) at .When user enters registration details(features/PulseRegistrationTest.featuAnd taps on continue "Sign_Up" button	ils strationDetails ure:15)	
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.ja at com.onepulse.app.screens.PulseRegistrationScreen.enterRegistrationDetai (PulseRegistrationScreen.java:205) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.enterRegi (RegistrationSteps.java:37) at .When user enters registration details(features/PulseRegistrationTest.features	strationDetails ure:15) 0.00s	
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.ja at com.onepulse.app.screens.PulseRegistrationScreen.enterRegistrationDetai (PulseRegistrationScreen.java:205) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.enterRegi (RegistrationSteps.java:37) at .When user enters registration details(features/PulseRegistrationTest.featuret And taps on continue "Sign_Up" button  And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	strationDetails ure:15) 0.00s 0.00s	
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.ja at com.onepulse.app.screens.PulseRegistrationScreen.enterRegistrationDetai (PulseRegistrationScreen.java:205) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.enterRegi (RegistrationSteps.java:37) at .When user enters registration details(features/PulseRegistrationTest.featuAnd taps on continue "Sign_Up" button  And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"  Then I wait for 2 sec	ils strationDetails ure:15) 0.00s 0.00s 0.00s	
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.ja at com.onepulse.app.screens.PulseRegistrationScreen.enterRegistrationDetai (PulseRegistrationScreen.java:205) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.enterRegi (RegistrationSteps.java:37) at .When user enters registration details(features/PulseRegistrationTest.featuAnd taps on continue "Sign_Up" button And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" Then I wait for 2 sec And I enter the "mobile number" in welcome to pulse	ils strationDetails ure:15) 0.00s 0.00s 0.00s	
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.ja at com.onepulse.app.screens.PulseRegistrationScreen.enterRegistrationDetai (PulseRegistrationScreen.java:205) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.enterRegi (RegistrationSteps.java:37) at .When user enters registration details(features/PulseRegistrationTest.featuret And taps on continue "Sign_Up" button  And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"  Then I wait for 2 sec  And I enter the "mobile number" in welcome to pulse  mobileNumber \${registration.mobile.number}	strationDetails ure:15) 0.00s 0.00s 0.00s 0.00s	
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.ja at com.onepulse.app.screens.PulseRegistrationScreen.enterRegistrationDetai (PulseRegistrationScreen.java:205) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.enterRegi (RegistrationSteps.java:37) at .When user enters registration details(features/PulseRegistrationTest.featuAnd taps on continue "Sign_Up" button And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" Then I wait for 2 sec And I enter the "mobile number" in welcome to pulse mobileNumber \${registration.mobile.number} And I click the continue button	ils strationDetails ure:15) 0.00s 0.00s 0.00s 0.00s	
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.ja at com.onepulse.app.screens.PulseRegistrationScreen.enterRegistrationDetai (PulseRegistrationScreen.java:205) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.enterRegi (RegistrationSteps.java:37) at .When user enters registration details(features/PulseRegistrationTest.features and taps on continue "Sign_Up" button  And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"  Then I wait for 2 sec  And I enter the "mobile number" in welcome to pulse mobileNumber \${registration.mobile.number}  And I click the continue button  And I choose my wellness goals under wellness plan screen	ils strationDetails ure:15) 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s	
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.ja at com.onepulse.app.screens.PulseRegistrationScreen.enterRegistrationDetai(PulseRegistrationScreen.java:205) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.enterRegi (RegistrationSteps.java:37) at .When user enters registration details(features/PulseRegistrationTest.featuAnd taps on continue "Sign_Up" button And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" Then I wait for 2 sec And I enter the "mobile number" in welcome to pulse mobileNumber \${registration.mobile.number}} And I click the continue button And I choose my wellness goals under wellness plan screen And I click the continue button	ils strationDetails ure:15) 0.00s 0.00s 0.00s 0.00s 0.00s	
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.ja at com.onepulse.app.screens.PulseRegistrationScreen.enterRegistrationDetai(PulseRegistrationScreen.java:205) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.enterRegi (RegistrationSteps.java:37) at .When user enters registration details(features/PulseRegistrationTest.featuAnd taps on continue "Sign_Up" button And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" Then I wait for 2 sec And I enter the "mobile number" in welcome to pulse mobileNumber \${registration.mobile.number}} And I click the continue button And I click the continue button And I click the date in Date of Birth field	ils strationDetails ure:15) 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s	
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.ja at com.onepulse.app.screens.PulseRegistrationScreen.enterRegistrationDetai(PulseRegistrationScreen.java:205) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.enterRegi (RegistrationSteps.java:37) at .When user enters registration details(features/PulseRegistrationTest.featu And taps on continue "Sign_Up" button And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" Then I wait for 2 sec And I enter the "mobile number" in welcome to pulse mobileNumber \${registration.mobile.number} And I click the continue button And I click the continue button And I click the continue button And I click the date in Date of Birth field And I click the Done icon	ils strationDetails ure:15) 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s	
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.ja at com.onepulse.app.screens.PulseRegistrationScreen.enterRegistrationDetai(PulseRegistrationScreen.java:205) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.enterRegi (RegistrationSteps.java:37) at .When user enters registration details(features/PulseRegistrationTest.featuAnd taps on continue "Sign_Up" button And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" Then I wait for 2 sec And I enter the "mobile number" in welcome to pulse mobileNumber \${registration.mobile.number}} And I click the continue button And I click the continue button And I click the date in Date of Birth field And I click the Done icon And I click the continue button	ils strationDetails ure:15) 0.00s	
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.ja at com.onepulse.app.screens.PulseRegistrationScreen.enterRegistrationDetai (PulseRegistrationScreen.java:205) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.enterRegi (RegistrationSteps.java:37) at .When user enters registration details(features/PulseRegistrationTest.featu And taps on continue "Sign_Up" button And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" Then I wait for 2 sec And I enter the "mobile number" in welcome to pulse mobileNumber \${registration.mobile.number} And I click the continue button And I click the continue button And I click the date in Date of Birth field And I click the date in Date of Birth field And I click the continue button And I click the continue button And I select the Male icon And I click the continue button	ils strationDetails ure:15) 0.00s	
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.ja at com.onepulse.app.screens.PulseRegistrationScreen.enterRegistrationDetai (PulseRegistrationScreen.java:205) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.enterRegi (RegistrationSteps.java:37) at .When user enters registration details(features/PulseRegistrationTest.featu And taps on continue "Sign_Up" button  And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" Then I wait for 2 sec  And I enter the "mobile number" in welcome to pulse  mobileNumber \${registration.mobile.number}  And I click the continue button  And I click the continue button  And I click the date in Date of Birth field  And I click the continue button  And I click the continue button  And I select the Male icon  And I click the continue button	ils strationDetails ure:15) 0.00s	
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.ja at com.onepulse.app.screens.PulseRegistrationScreen.enterRegistrationDetai (PulseRegistrationScreen.java:205) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.enterRegi (RegistrationSteps.java:37) at .When user enters registration details(features/PulseRegistrationTest.featu And taps on continue "Sign_Up" button And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" Then I wait for 2 sec And I enter the "mobile number" in welcome to pulse	ils strationDetails ure:15) 0.00s	
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.ja at com.onepulse.app.screens.PulseRegistrationScreen.enterRegistrationDetai (PulseRegistrationScreen.java:205) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.enterRegi (RegistrationSteps.java:37) at .When user enters registration details(features/PulseRegistrationTest.featu And taps on continue "Sign_Up" button And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" Then I wait for 2 sec And I enter the "mobile number" in welcome to pulse mobileNumber \${registration.mobile.number}} And I click the continue button And I click the continue button And I click the date in Date of Birth field And I click the date in Date of Birth field And I click the continue button And I select the Male icon And I click the continue button	ils strationDetails ure:15) 0.00s	
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.ja at com.onepulse.app.screens.PulseRegistrationScreen.enterRegistrationDetai (PulseRegistrationScreen.java:205) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.enterRegi (RegistrationSteps.java:37) at .When user enters registration details(features/PulseRegistrationTest.featu And taps on continue "Sign_Up" button And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" Then I wait for 2 sec And I enter the "mobile number" in welcome to pulse	ils strationDetails ure:15) 0.00s	

And I select my favor	ite food dietary	0.00s			
And I click the contin	-	0.00s			
And I answer as "Yes	" to "Any Food allergies?"	0.00s			
And I click the contin		0.00s			
And I verify that "Tra	acking your activity is trending" is displayed	0.00s			
And I click on connec	t Later button	0.00s			
And I see that "Welco	ome to Pulse'' text is displayed	0.00s			
And I click the contin	ue button	0.00s			
And I see that fitness:	subscription exclusive offers screen is displayed	0.00s			
And I click on close ic	on	0.00s			
Then I click skip butte	ons	0.00s			
Then user should be la	anded to "Home" screen	0.00s			
And I click the Accoun	nt icon in Home screen	0.00s			
And I click the sign ou	ıt from pulse app	0.00s			
Then I wait for 4 sec		0.00s			
When user enters pass	sword credentials in sigin screen	0.00s			
Password Pas\$1234	4				
And User clicks on sig		0.00s			
Then I wait for 8 sec		0.00s			
	anded to "Home" screen	0.00s			
After		0.00s			
Back to Table of Contents		10000			
Scenario: verify the field	label on registration screen				
•	label on registration screen  Failed: 0 Undefined: 0	Duration: 27.25s			
Passed: 8	Failed: 0 Undefined: 0	Duration: 27.25s 0.00s			
Passed: 8 Before	Failed: 0 Undefined: 0	0.00s			
Passed: 8 Before Given User has pulse	Failed: 0 Undefined: 0	0.00s 7.25s			
Passed: 8 Before Given User has pulse a Then I wait for 2 sec	Failed: 0 Undefined: 0	0.00s 7.25s 2.01s			
Passed: 8  Before  Given User has pulse a  Then I wait for 2 sec  And user click on "Co	Failed: 0 Undefined: 0	0.00s 7.25s 2.01s 12.57s			
Passed: 8  Before  Given User has pulse: Then I wait for 2 sec And user click on "Co Then I wait for 2 sec	Failed: 0 Undefined: 0  app  ONTINUE WITH EMAIL'' with Email button	0.00s 7.25s 2.01s 12.57s 2.00s			
Passed: 8  Before  Given User has pulse of the I wait for 2 sec  And user click on "CO Then I wait for 2 sec  Then I change the cou	Failed: 0 Undefined: 0	0.00s 7.25s 2.01s 12.57s 2.00s 0.28s			
Passed: 8  Before  Given User has pulse a Then I wait for 2 sec And user click on "Co Then I wait for 2 sec Then I change the cou Then I wait for 2 sec	Failed: 0 Undefined: 0  app  ONTINUE WITH EMAIL'' with Email button  Intry as required on registration page	0.00s 7.25s 2.01s 12.57s 2.00s 0.28s 2.01s			
Passed: 8 Before Given User has pulse a Then I wait for 2 sec And user click on "Co Then I wait for 2 sec Then I change the cou Then I wait for 2 sec Then I change the lan	Failed: 0 Undefined: 0  app  ONTINUE WITH EMAIL" with Email button  Intry as required on registration page  guage as required on registration page	0.00s 7.25s 2.01s 12.57s 2.00s 0.28s 2.01s 0.28s			
Passed: 8  Before  Given User has pulse of the I wait for 2 sec  And user click on "Co Then I wait for 2 sec Then I change the courten I wait for 2 sec Then I wait for 2 sec Then I change the lan Then I verify followin	Failed: 0  Undefined: 0  app  ONTINUE WITH EMAIL'' with Email button  Intry as required on registration page  guage as required on registration page  g field label should be displayed on registration scree	0.00s 7.25s 2.01s 12.57s 2.00s 0.28s 2.01s 0.28s			
Passed: 8 Before  Given User has pulse a Then I wait for 2 sec And user click on "Co Then I wait for 2 sec Then I change the cou Then I wait for 2 sec Then I change the lan Then I verify followin  \${firstname.label.te	Failed: 0 Undefined: 0  app  ONTINUE WITH EMAIL'' with Email button  untry as required on registration page  guage as required on registration page  g field label should be displayed on registration scree  ext}	0.00s 7.25s 2.01s 12.57s 2.00s 0.28s 2.01s 0.28s			
Passed: 8 Before Given User has pulse a Then I wait for 2 sec And user click on "Co Then I wait for 2 sec Then I change the cou Then I wait for 2 sec Then I change the lan Then I verify followin \${firstname.label.te} \${lastname.label.te}	Failed: 0 Undefined: 0  app  ONTINUE WITH EMAIL'' with Email button  untry as required on registration page  guage as required on registration page  g field label should be displayed on registration scree  ext}	0.00s 7.25s 2.01s 12.57s 2.00s 0.28s 2.01s 0.28s			
Passed: 8  Before  Given User has pulse and user click on "Control Then I wait for 2 sect and user click on "Control I wait for 2 sect and I change the countries I wait for 2 sect and I change the land Then I wait for 2 sect and I change the land Then I verify following \$\{\text{firstname.label.te}\}\{\text{lastname.label.te}\}\{\text{lastname.label.te}\}\{\text{lastname.label.te}\}\{\text{lastname.label.te}\}\{\text{lastname.label.te}\}\}\{\text{lastname.label.te}\}\}\{\text{lastname.label.te}\}\}\}\}\}\	Failed: 0 Undefined: 0  app  ONTINUE WITH EMAIL'' with Email button  untry as required on registration page  guage as required on registration page  g field label should be displayed on registration scree  ext}	0.00s 7.25s 2.01s 12.57s 2.00s 0.28s 2.01s 0.28s			
Passed: 8 Before  Given User has pulse and user click on "Control Then I wait for 2 sect and user click on "Control I change the countries I change the lange the lange I change I	Failed: 0 Undefined: 0  app  ONTINUE WITH EMAIL'' with Email button  untry as required on registration page  guage as required on registration page  g field label should be displayed on registration scree  ext}	0.00s 7.25s 2.01s 12.57s 2.00s 0.28s 2.01s 0.28s 0.28s			
Passed: 8 Before  Given User has pulse and user click on "Control I wait for 2 sect and user click on "Control I wait for 2 sect and	Failed: 0 Undefined: 0  app  ONTINUE WITH EMAIL'' with Email button  untry as required on registration page  guage as required on registration page  g field label should be displayed on registration scree  ext}	0.00s 7.25s 2.01s 12.57s 2.00s 0.28s 2.01s 0.28s			
Passed: 8 Before  Given User has pulse: Then I wait for 2 sec And user click on "Co Then I wait for 2 sec Then I change the cou Then I wait for 2 sec Then I change the lan Then I verify followin  \${firstname.label.te} \${astname.label.te} \${astname.label.te} \${password.text}  After  Back to Table of Contents	Failed: 0  Undefined: 0  App  ONTINUE WITH EMAIL'' with Email button  Intry as required on registration page  guage as required on registration page  g field label should be displayed on registration scree  ext}  ext	0.00s 7.25s 2.01s 12.57s 2.00s 0.28s 2.01s 0.28s 0.28s 0.28s			
Passed: 8 Before  Given User has pulse and user click on "Content I wait for 2 sect Then I wait for 2 sect Then I change the countent I change the lange the lange I change the lange I change the lange I change	Failed: 0  Undefined: 0  app  ONTINUE WITH EMAIL" with Email button  Intry as required on registration page  guage as required on registration page  g field label should be displayed on registration scree  ext}  ext}  lation message for mandatory fields	0.00s 7.25s 2.01s 12.57s 2.00s 0.28s 2.01s 0.28s 0.28s 0.28s			
Passed: 8 Before  Given User has pulse: Then I wait for 2 sec And user click on "Co Then I wait for 2 sec Then I change the cou Then I wait for 2 sec Then I change the lan Then I verify followin  \${firstname.label.te} \${astname.label.te} \${astname.label.te} \${password.text}  After  Back to Table of Contents Scenario: verify the valid Passed: 2	Failed: 0  Undefined: 0  App  ONTINUE WITH EMAIL'' with Email button  Intry as required on registration page  guage as required on registration page  g field label should be displayed on registration scree  ext}  ext	0.00s 7.25s 2.01s 12.57s 2.00s 0.28s 2.01s 0.28s 0.28s 0.86s			
Passed: 8 Before  Given User has pulse: Then I wait for 2 sec And user click on "Co Then I wait for 2 sec Then I change the cou Then I wait for 2 sec Then I change the lan Then I verify followin  \${firstname.label.te} \${astname.label.te} \${astname.label.te} \${password.text}  After  Back to Table of Contents  Scenario: verify the valid Passed: 2 Before	Failed: 0 Undefined: 0  app  ONTINUE WITH EMAIL'' with Email button  Intry as required on registration page  guage as required on registration page  g field label should be displayed on registration scree  ext}  ext  Lation message for mandatory fields  Failed: 0 Undefined: 0	0.00s 7.25s 2.01s 12.57s 2.00s 0.28s 2.01s 0.28s 0.28s 0.86s  Duration: 1.72s 0.00s			
Passed: 8 Before  Given User has pulse: Then I wait for 2 sec And user click on "Co Then I wait for 2 sec Then I change the cou Then I wait for 2 sec Then I change the lan Then I verify followin  \${firstname.label.te} \${astname.label.te} \${email.text} \${password.text}  After  Back to Table of Contents  Scenario: verify the valid Passed: 2	Failed: 0 Undefined: 0  app  ONTINUE WITH EMAIL'' with Email button  Intry as required on registration page  guage as required on registration page  g field label should be displayed on registration scree  ext}  ext  Lation message for mandatory fields  Failed: 0 Undefined: 0	0.00s 7.25s 2.01s 12.57s 2.00s 0.28s 2.01s 0.28s 0.28s 0.86s			

r	Then I verify the valida registration page	ntion error messa	age is displayed for following field on	1.47s
Ė	FirstName \${firstname	ma mandataryFi	iold mossaga	
	LastName \${lastname	<u> </u>		
		nandatoryField.		
	Password \${passwo			
A C4		ru.vanuauon.me	essage}	0.00
Afte				0.00s
	x to Table of Contents			
	•	alidation messag	ge when user enters Invalid password: P	ulse@1 on
	istration page		T. 100 10	D 11 0.11
	ed: 3	Failed: 0	Undefined: 0	Duration: 2.44s
Befo				0.00s
Z	When user enters regis	tration details		1.42s
	Password Pulse@1			
_	And taps on continue "			0.25s
	registration page		age is displayed for following field on	0.76s
	Password \${passwor	d.validation.mes	ssage}	
Afte				0.00s
Back	to Table of Contents			
	nario Outline: verify valistration page	alidation messag	ge when user enters Invalid password: P	ulse123 on
Pass	ed: 3	Failed: 0	Undefined: 0	Duration: 3.05s
			Undermed: 0	Duration: 5.058
Befo	ore		Ondermed: 0	0.00s
_	ore When user enters regis		Undermed: 0	
_			Undermed: 0	0.00s
Ŋ	When user enters regis Password Pulse123	tration details		0.00s
<u> </u>	When user enters regis Password Pulse123 And taps on continue "	tration details Sign_Up'' button		0.00s 1.96s
<u> </u>	When user enters regis Password Pulse123 And taps on continue " Then I verify the validatesistration page	tration details Sign_Up'' buttontion error messa	n age is displayed for following field on	0.00s 1.96s 0.29s
<u> </u>	When user enters regis Password Pulse123 And taps on continue " Then I verify the validategistration page Password \${password}	tration details Sign_Up'' buttontion error messa	n age is displayed for following field on	0.00s 1.96s 0.29s
Afte	When user enters regis Password Pulse123 And taps on continue " Then I verify the validategistration page Password \${password}	tration details Sign_Up'' buttontion error messa	n age is displayed for following field on	0.00s 1.96s 0.29s 0.80s
Afte Back Scen	When user enters regis  Password Pulse123  And taps on continue "  Then I verify the validate registration page  Password \${password}  The contents to Table of Contents	tration details Sign_Up'' button ation error messa	n age is displayed for following field on	0.00s 1.96s 0.29s 0.80s 0.00s
Afte Back Scen	When user enters regis Password Pulse123 And taps on continue " Then I verify the validategistration page Password \${passworder}  The Contents  The Contents of Contents  The Contents of Contents  The Contents of Contents  The Contents of Contents of Contents  The Contents of Contents of Contents of Contents  The Contents of Cont	tration details Sign_Up'' button ation error messa	n age is displayed for following field on ssage}	0.00s 1.96s 0.29s 0.80s 0.00s
Afte Back Scen	When user enters regis  Password Pulse123  And taps on continue " Then I verify the validate registration page  Password \${passworder}  The Contents of Contents o	tration details  Sign_Up'' button  ation error messa  d.validation.mes  ation message wl	n age is displayed for following field on ssage} hen user enter already registered email	0.00s 1.96s 0.29s 0.80s 0.00s
Afte Back Scer regi Pass Befo	When user enters regis  Password Pulse123  And taps on continue " Then I verify the validate registration page  Password \${passworder}  The Table of Contents  T	tration details  Sign_Up'' button  Ation error messa  rd.validation.mes  ation message wl	n age is displayed for following field on ssage} hen user enter already registered email	0.00s 1.96s 0.29s 0.80s 0.00s  Duration: 37.39s 0.00s
Afte Back Scer regi Passe Befo	When user enters regis  Password Pulse123  And taps on continue " Then I verify the validate registration page  Password \${passworder}  The Contents of Contents o	tration details  Sign_Up'' button  Ation error messa  rd.validation.mes  ation message wl	n age is displayed for following field on ssage} hen user enter already registered email	0.00s 1.96s 0.29s 0.80s 0.00s  Duration: 37.39s
Afte Back Scer regi Pass Befo	When user enters regis  Password Pulse123  And taps on continue " Then I verify the validate registration page  Password \${password}  The Table of Contents  The	tration details  Sign_Up'' buttontion error messard.validation.mes  ation message wl	n age is displayed for following field on ssage} hen user enter already registered email Undefined: 0	0.00s 1.96s 0.29s 0.80s 0.00s  Duration: 37.39s 0.00s 8.51s
Afte Back Scerregi Pass Befo	When user enters regis  Password Pulse123  And taps on continue " Then I verify the validate registration page  Password \${password} \${pas	tration details  Sign_Up'' buttontion error messard.validation.mes  ation message wl	n age is displayed for following field on ssage} hen user enter already registered email	0.00s 1.96s 0.29s 0.80s 0.00s  Duration: 37.39s 0.00s 8.51s 2.02s 12.64s
Afte Back Scen regi Pass Befo	When user enters regis  Password Pulse123  And taps on continue " Then I verify the validate registration page  Password \${passworder}  Sto Table of Contents  Pario: Verify the validate registration page  ed: 10  ore  Given User has pulse applied in I wait for 2 section of the I wait for 2 section I wa	tration details  Sign_Up'' button  ation error messa  d.validation.mes  ation message wl  Failed: 0	n age is displayed for following field on ssage}  hen user enter already registered email Undefined: 0  EMAIL' with Email button	0.00s 1.96s 0.29s 0.80s 0.00s  Duration: 37.39s 0.00s 8.51s 2.02s 12.64s 2.00s
Afte Back Scer regi Passe Befo	When user enters regis  Password Pulse123  And taps on continue " Then I verify the validate registration page  Password \${password} \${pas	tration details  Sign_Up'' button  ation error messa  d.validation.mes  ation message wl  Failed: 0	n age is displayed for following field on ssage}  hen user enter already registered email Undefined: 0  EMAIL' with Email button	0.00s 1.96s 0.29s 0.80s 0.00s  Duration: 37.39s 0.00s 8.51s 2.02s 12.64s 2.00s 0.30s
Afte Back Scer regi Passs Befo	When user enters regis  Password Pulse123  And taps on continue " Then I verify the validate registration page  Password \${passworder}  Sto Table of Contents  Pario: Verify the validate registration page  ed: 10  ore  Given User has pulse applied in I wait for 2 section of the I wait for 2 section I wa	tration details  Sign_Up'' button  ation error messa  d.validation.mes  ation message wl  Failed: 0  pp  NTINUE WITH	n age is displayed for following field on ssage}  hen user enter already registered email Undefined: 0  EMAIL' with Email button on registration page	0.00s 1.96s 0.29s 0.80s 0.00s  Duration: 37.39s 0.00s 8.51s 2.02s 12.64s 2.00s

When user enters registration details	7.96s				
FirstName testAutomation					
LastName testAutomation					
Email \$\{\login.email.id\}					
Password Pas\$1234					
And taps on continue "Sign_Up" button	0.41s				
Then I verify the validation error message is displayed for following field on	1.25s				
registration page	1.203				
Email \${user.exist.text}					
After 0.00s					
Back to Table of Contents					
Scenario: Verify the mobile number screen validation using "Continue with Email	<u> ''</u>				
Passed: 18 Failed: 0 Undefined: 0	Duration: 85.2s				
Before	0.00s				
Given I generate random number and assign to variable "RANDOM_NUMBER"	0.00s				
And I assign ''pulse\${RANDOM_NUMBER}@mailsac.com'' to variable ''PULSE_EMAIL''	0.00s				
Given User has pulse app	8.28s				
Then I wait for 2 sec	2.02s				
And user click on "CONTINUE WITH EMAIL" with Email button	12.68s				
Then I wait for 2 sec	2.01s				
Then I change the country as required on registration page	0.31s				
Then I wait for 2 sec	2.01s				
Then I change the language as required on registration page	0.28s				
When user enters registration details	7.95s				
FirstName NewAutomation					
LastName NewAutomation					
Email \${PULSE_EMAIL}					
Password Pas\$1234					
And taps on continue "Sign_Up" button	0.28s				
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	30.46s				
Then I wait for 3 sec	3.02s				
Then I verify the country code should be displayed correctly on phone number screen	0.10s				
And I enter the ''mobile number'' in welcome to pulse	10.37s				
mobileNumber 917670					
And I click the continue button	0.22s				
Then I wait for 5 sec	5.02s				
Then verify Again invalid Mobile message ''\${invalid.mobile.text}''	0.20s				
After	0.00s				
Back to Table of Contents					
Scenario: Verify the Gender screen validation using "Continue with Email"					
Passed: 31 Failed: 0 Undefined: 0	Duration: 45.65s				

Before	0.00s			
Given I enter the "mobile number" in welcome to pulse	9.89s			
mobileNumber \${registration.mobile.number}				
And I click the continue button	0.19s			
Then I wait for 1 sec	1.01s			
And I click the continue button	0.28s			
Then verify validation message ''\${wellness.goal.alert.text}'' on registration workflow screen	0.76s			
And I choose my wellness goals under wellness plan screen	0.43s			
And I click the continue button	0.77s			
Then I wait for 1 sec	1.01s			
And I click the continue button	0.59s			
Then verify validation message ''\${dob.alert.text}'' on registration workflow screen	0.62s			
And I click the date in Date of Birth field	5.25s			
And I click the Done icon	3.21s			
And I click the continue button	1.14s			
Then I wait for 1 sec	1.02s			
And I click the continue button	0.53s			
Then verify validation message "\${gender.alert.text}" on registration workflow screen	1.29s			
And I select the Male icon	5.68s			
And I click the continue button	0.82s			
Then I wait for 1 sec	1.02s			
And I click the continue button	0.92s			
Then verify validation message "\${bmi.alert.text}" on registration workflow screen	0.83s			
And I click on Calculate BMI button	0.66s			
And I click the continue button	0.89s			
Then I wait for 1 sec	1.00s			
And I click the continue button	0.72s			
Then verify validation message ''\${activity.level.alert.text}'' on registration workflow screen	1.01s			
And I select the "How active are you?" in doing exercise	0.40s			
And I click the continue button	0.96s			
Then I wait for 1 sec	1.01s			
And I click the continue button	0.73s			
Then verify validation message ''\${diet.preference.alert.text}'' on registration workflow screen	1.03s			
After	0.00s			
Back to Table of Contents				
Scenario: Verify the resend OTP functionality on Enter OTP Screen using "Contin	ue with Email"			
Passed: 2 Failed: 1 Undefined: 13	Duration: 7.58s			
Before	0.00s			

Given I generate random number and assign to variable "RANDOM_NUMBER"	0.00s
And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"	0.00s
And User has pulse app	<b>7.58</b> s
com.prudential.tap.exception.TapException: Driver not create for [android to create a new session because 'createSession' which takes HttpClient, Inpu was not found or it is not accessible Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26 System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10 os.version: '10.0', java.version: '11.0.2' Driver info: driver.version: TapDriver] at com.onepulse.app.screens.TestBasePage.launchApp(TestBasePage.java:1 at com.onepulse.app.stepdefinitions.mobilesteps.BaseSteps.userHasPulseAp (BaseSteps.java:43)	utStream and long 6.12Z' 0', os.arch: 'amd64
at .And User has pulse app(features/PulseRegistrationTest.feature:181)	
Then I wait for 2 sec	0.00s
And user click on "CONTINUE WITH EMAIL" with Email button	0.00s
Then I wait for 2 sec	0.00s
Then I change the country as required on registration page	0.00s
Then I wait for 2 sec	0.00s
Then I change the language as required on registration page	0.00s
When user enters registration details	0.00s
FirstName testAutomation  LastName testAutomation  Email \${PULSE_EMAIL}  Password Pas\$1234	
And taps on continue "Sign_Up" button	0.00s
Then I wait for 90 sec	0.00s
Then I click the Resend button in OTP screen	0.00s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	0.00s
And I wait for 2 sec	0.00s
And I verify enter otp screen is not displayed	0.00s
ter	0.00s
k to Table of Contents	
re: Verify that user can view air quality details under My Environment scre	en
Equation: 147.71s Equation: 147.71s	
enario: Verify that user can view previous air quality details under My Envi	ronment Home pa
sed: 6 Undefined: 5	Duration: 87.2
fore	0.00s
	7.34s
Given User has pulse app	
Given User has pulse app  And user click on "CONTINUE WITH GOOGLE" with Google button	5.51s
4 4	5.51s 15.49s

Password pulsesgqa@123	
Then user should be landed home screen	0.01s
When I clicks on Health button	4.92s
And I clicks on My Environment icon	24.93s
Then User must be landed in My Environment Home Page	29.09s
java.lang.AssertionError: The following asserts failed: Environment screen Home Page title is not matching with the UI, Please re-corre and try again expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.screens.MyEnvironmentsScreen.validateMyEnvironmentsH (MyEnvironmentsScreen.java:63) at com.onepulse.app.stepdefinitions.mobilesteps.MyEnvironmentSteps. userMustBeLandedInMyEnvironmentHomePage(MyEnvironmentSteps.java:32) at .Then User must be landed in My Environment Home Page(features/sg/health	IomeScreen
/MyEnvironments.feature:16)	0.00
When User clicks on Previous Air quality button  Then User can view "Previous" Air quality growth gaves	0.00s
Then User can view "Previous" Air quality search screen  When User clicks on "Swine Up for Details" button to view the Previous day oir	0.00s
When User clicks on "Swipe Up for Details" button to view the Previous day air quality details	0.00s
Then User can see the ''Previous'' Air Quality Details	0.00s
When User clicks on "Swipes Down To Close" button to close the details  6:32	0.00s
6:32 ♥ M m ♥ • • • • • • • • • • • • • • • • • •	0.00s
€32 P M M P P P P P P P P P P P P P P P P	0.00s
Search here  Search here	0.00s
Coogle  ◆ Search here	
*List drawn on lift yangs is not subassitive  *Congle	0.00s
*List drawn as this pegut in not subscribe  *Congle  *List drawn as this pegut in not subscribe  *Congle  *List drawn as this pegut in not subscribe  *Lis	0.00s

And User clicks on "Back" icon from "Previous Air Quality" screen to move to 7.99sMy Environments HomePage Then User must be landed in My Environment Home Page 30.06s java.lang.AssertionError: The following asserts failed: Environment screen Home Page title is not matching with the UI, Please re-correct the Xpath and try again expected [true] but found [false], Back button image is not displayed in the Previous Air Quality Air Quality Screen, Environment screen Home Page title is not matching with the UI, Please re-correct the Xpath and try again expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.screens.MyEnvironmentsScreen.validateMyEnvironmentsHomeScreen (MyEnvironmentsScreen.java:63) at com.onepulse.app.stepdefinitions.mobilesteps.MyEnvironmentSteps. userMustBeLandedInMyEnvironmentHomePage(MyEnvironmentSteps.java:32) at .Then User must be landed in My Environment Home Page(features/sg/health /MyEnvironments.feature:26) 6:32 (D) bil mi (D) + 0.90 ← Search here • 0.00sAfter **Back to Table of Contents** Scenario: Verify that user can view air quality details for next few days under My Environment Home page Passed: 1 Failed: 1 **Undefined: 5** Duration: 21.99s

		0.00s
	"Current Air Quality" screen to move to	8.00s
	ronment Home Page	14.00s
		rect the Xnat
		Teet the Apac
ge is not displayed in	the Previous Air Quality Air Quality Screen	
		rect the Xpat
		en.
ected [true] but foun	nd [false]	
		TT - C - 22 - 22
	onmentsScreen.validateMyEnvironments	HomeScreen
	obilestens MyEnvironmentSteps.	
		2)
s.feature:36)		
		0.00s
		0.00s
		0.00s
o the "FereCast" Air	· Ovality Datails	0.00s
		0.00s
on Swipes Down 1	o Close Button to close the details	0.00s
ta		0.003
	Lyiow Noighbourhood oir quality details v	ndor My
page	view Neighbourhood air quanty details d	muer wry
Failed: 1	Undefined: 2	Duration: .07
Failed: 1	Undefined: 2	Duration: .07
		0.00s
	"Next Few Days Air Quality" screen to	
	s HomePage be landed in My Environerror: The following the Home Page title in ected [true] but found ge is not displayed in een Home Page title in ected [true] but found ge is not displayed in een Home Page title in ected [true] but found ge is not displayed in een Home Page title in ected [true] but found ge is not displayed in een Home Page title in ected [true] but found ge is not displayed in een Home Page title in ected [true] but found ge is not displayed in een Home Page finitions. In ected [true] but found ge is not displayed in ected [true] but found ge is no	be landed in My Environment Home Page  on Error: The following asserts failed: been Home Page title is not matching with the UI, Please re-cornected [true] but found [false], ge is not displayed in the Previous Air Quality Air Quality Screen Home Page title is not matching with the UI, Please re-cornected [true] but found [false], ge is not displayed in the Current Air Quality Air Quality Screen Home Page title is not matching with the UI, Please re-cornected [true] but found [false] rts.SoftAssert.assertAll(SoftAssert.java:43) app.screens.MyEnvironmentsScreen.validateMyEnvironments sscreen.java:63) app.stepdefinitions.mobilesteps.MyEnvironmentSteps. edInMyEnvironmentHomePage(MyEnvironmentSteps.java:3 st be landed in My Environment Home Page(features/sg/healt s.feature:36) on "How is my air quality over the next few days" icon in ome Page ew "Forecast" Air quality search screen on "Swipe Up for Details" button to view current day air e the "ForeCast" Air Quality Details on "Swipes Down To Close" button to close the details  ts t user can access and view Neighbourhood air quality details to

Environment screen Home Page title is not matching with the UI, Please re-correct the Xpath and try again expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.screens.MyEnvironmentsScreen.validateMyEnvironmentsHomeScreen (MyEnvironmentsScreen.java:63) at com.onepulse.app.stepdefinitions.mobilesteps.MyEnvironmentSteps. userMustBeLandedInMyEnvironmentHomePage(MyEnvironmentSteps.java:32) at .Then User must be landed in My Environment Home Page(features/sg/health /MyEnvironments.feature:46) After 0.00s**Back to Table of Contents** Scenario: Verify that user can access and view Fires nearby under My Environment Home page Failed: 1 Undefined: 4 **Duration: .14s** Passed: 1 Before 0.00sAnd User clicks on "Back" icon from "Neighbourhood Air Quality" screen to 0.07smove to My Environments HomePage Then User must be landed in My Environment Home Page 0.07sjava.lang.AssertionError: The following asserts failed: Environment screen Home Page title is not matching with the UI, Please re-correct the Xpath and try again expected [true] but found [false], Back button image is not displayed in the Previous Air Quality Air Quality Screen, Environment screen Home Page title is not matching with the UI, Please re-correct the Xpath and try again expected [true] but found [false], Back button image is not displayed in the Current Air Quality Air Quality Screen, Environment screen Home Page title is not matching with the UI, Please re-correct the Xpath and try again expected [true] but found [false], Back button image is not displayed in the Next Few Days Air Quality Air Quality Screen, Environment screen Home Page title is not matching with the UI, Please re-correct the Xpath and try again expected [true] but found [false]. Back button image is not displayed in the Neighbourhood Air Quality Air Quality Screen, Environment screen Home Page title is not matching with the UI, Please re-correct the Xpath and try again expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.iava:43) at com.onepulse.app.screens.MyEnvironmentsScreen.validateMyEnvironmentsHomeScreen (MyEnvironmentsScreen.java:63) at com.onepulse.app.stepdefinitions.mobilesteps.MyEnvironmentSteps. userMustBeLandedInMyEnvironmentHomePage(MyEnvironmentSteps.java:32) at .Then User must be landed in My Environment Home Page(features/sg/health /MyEnvironments.feature:56) 0.00sAfter

sed: 1	Failed: 1	Undefined: 2	Duration: .00
fore			0.00s
And User click Environments		"Fires Nearby" screen to move to My	0.03s
Then User mu	ist be landed in My Env	vironment Home Page	0.04s
Environment and try again Back button in Back button in Environment and try again Back button in Environment	expected [true] but four mage is not displayed in screen Home Page title expected [true] but four mage is not displayed in screen Home Page title expected [true] but four mage is not displayed in screen Home Page title expected [true] but four mage is not displayed in	is not matching with the UI, Please re-co nd [false], in thePrevious Air Quality Air Quality Scr is not matching with the UI, Please re-co nd [false], in theCurrent Air Quality Air Quality Scr is not matching with the UI, Please re-co nd [false], in theNext Few Days Air Quality Air Qual is not matching with the UI, Please re-co	reen, rrect the Xpat een, rrect the Xpat ity Screen, rrect the Xpat
Back button in Environment and try again at org.testng.a at com.onepul (MyEnvironm at com.onepul userMustBeLat .Then User/MyEnvironm When User clienvironment I	screen Home Page title expected [true] but four asserts.SoftAssert.assert lse.app.screens.MyEnvinentsScreen.java:63) lse.app.stepdefinitions.mandedInMyEnvironments be landed in My latents.feature:66) licks on "Why is it importanted the Page	nd [false], n theFires Nearby Air Quality Screen, is not matching with the UI, Please re-co nd [false] tAll(SoftAssert.java:43) ronmentsScreen.validateMyEnvironmen mobilesteps.MyEnvironmentSteps. ntHomePage(MyEnvironmentSteps.java: Environment Home Page(features/sg/hea	tsHomeScreen 32) Ith 0.00s
Back button in Environment and try again at org.testng.a at com.onepul (MyEnvironm at com.onepul userMustBeL at .Then User /MyEnvironm When User clienvironment I Then User can	mage is not displayed in screen Home Page title expected [true] but four asserts. Soft Assert. assert (se. app. screens. My Environments Screen. java: 63) (se. app. step definitions. In anded In My Environments be landed in My Intents. feature: 66) (icks on "Why is it imposited to the screen in the series of the screen in the series of the screen in the series of the screen in	nd [false], n theFires Nearby Air Quality Screen, is not matching with the UI, Please re-co nd [false] tAll(SoftAssert.java:43) ronmentsScreen.validateMyEnvironmen mobilesteps.MyEnvironmentSteps. ntHomePage(MyEnvironmentSteps.java: Environment Home Page(features/sg/hea	tsHomeScreen  32) Ith  0.00s  0.00s
Back button in Environment and try again at org.testng.a at com.onepul (MyEnvironmat com.onepul userMustBeLat.Then User/MyEnvironm When User clienvironment I Then User canter	mage is not displayed in screen Home Page title expected [true] but four asserts.SoftAssert.assert se.app.screens.MyEnvinentsScreen.java:63) se.app.stepdefinitions.mandedInMyEnvironments be landed in My latents.feature:66) icks on "Why is it importance Page a view short term and leading to the screen an	nd [false], n theFires Nearby Air Quality Screen, is not matching with the UI, Please re-co nd [false] tAll(SoftAssert.java:43) ronmentsScreen.validateMyEnvironmen mobilesteps.MyEnvironmentSteps. ntHomePage(MyEnvironmentSteps.java: Environment Home Page(features/sg/hea	tsHomeScreen 32) Ith 0.00s
Back button in Environment and try again at org.testng.a at com.onepul (MyEnvironmat com.onepul userMustBeLat.Then User/MyEnvironm When User clienvironment In Then User can be to Table of Company to the to Table of Company to	mage is not displayed in screen Home Page title expected [true] but four asserts.SoftAssert.assert se.app.screens.MyEnvinentsScreen.java:63) se.app.stepdefinitions.mandedInMyEnvironments be landed in My latents.feature:66) icks on "Why is it importanted to be a view short term and latents.	nd [false], n theFires Nearby Air Quality Screen, is not matching with the UI, Please re-co nd [false] tAll(SoftAssert.java:43) ronmentsScreen.validateMyEnvironmen mobilesteps.MyEnvironmentSteps. ntHomePage(MyEnvironmentSteps.java: Environment Home Page(features/sg/hea ortant to monitor my environment" icon i	tsHomeScreen  32) Ith  0.00s  0.00s  0.00s
Back button in Environment and try again at org.testng.a at com.onepul (MyEnvironmat com.onepul userMustBeLat.Then User/MyEnvironm When User clienvironment In Then User carter to Table of Communic Verify	mage is not displayed in screen Home Page title expected [true] but four asserts.SoftAssert.assert se.app.screens.MyEnvirontsScreen.java:63) se.app.stepdefinitions.nandedInMyEnvironments be landed in My latents.feature:66) icks on "Why is it importanted and latents term and latents that User can view compared to the state of the series	nd [false], n theFires Nearby Air Quality Screen, is not matching with the UI, Please re-co nd [false] tAll(SoftAssert.java:43) ronmentsScreen.validateMyEnvironmen mobilesteps.MyEnvironmentSteps. ntHomePage(MyEnvironmentSteps.java: Environment Home Page(features/sg/hea) rtant to monitor my environment" icon i ong term effects screen	tsHomeScreen  32) Ith  0.00s  0.00s  0.00s
Back button in Environment and try again at org.testng.a at com.onepul (MyEnvironment com.onepul userMustBeLat.Then User/MyEnvironment later ek to Table of Comario: Verify sed: 1	mage is not displayed in screen Home Page title expected [true] but four asserts.SoftAssert.assert se.app.screens.MyEnvinentsScreen.java:63) se.app.stepdefinitions.mandedInMyEnvironments be landed in My latents.feature:66) icks on "Why is it importanted to be a view short term and latents.	nd [false], n theFires Nearby Air Quality Screen, is not matching with the UI, Please re-co nd [false] tAll(SoftAssert.java:43) ronmentsScreen.validateMyEnvironmen mobilesteps.MyEnvironmentSteps. ntHomePage(MyEnvironmentSteps.java: Environment Home Page(features/sg/hea ortant to monitor my environment" icon i	tsHomeScreen  32) Ith  0.00s  0.00s  0.00s  Duration: .11
Back button in Environment and try again at org.testng.a at com.onepul (MyEnvironment com.onepul userMustBeLat.Then User chenvironment I Then User care teres to Table of Comencies of Come	mage is not displayed in screen Home Page title expected [true] but four asserts.SoftAssert.assert se.app.screens.MyEnvirontsScreen.java:63) se.app.stepdefinitions.mandedInMyEnvironments be landed in My latents.feature:66) icks on "Why is it importanted that User can view companients  that User can view companients  Failed: 1	nd [false], n theFires Nearby Air Quality Screen, is not matching with the UI, Please re-co nd [false] tAll(SoftAssert.java:43) ronmentsScreen.validateMyEnvironmen mobilesteps.MyEnvironmentSteps. ntHomePage(MyEnvironmentSteps.java: Environment Home Page(features/sg/hea prtant to monitor my environment'' icon i cong term effects screen  undefined: 1  "Effects of Poor Air Quality" screen to	tsHomeScreen  32) Ith  0.00s  0.00s  0.00s

and try again expected [true] but found [false],

Back button image is not displayed in the Previous Air Quality Air Quality Screen,

Environment screen Home Page title is not matching with the UI, Please re-correct the Xpath and try again expected [true] but found [false],

Back button image is not displayed in the Current Air Quality Air Quality Screen,

Environment screen Home Page title is not matching with the UI, Please re-correct the Xpath and try again expected [true] but found [false],

Back button image is not displayed in the Next Few Days Air Quality Air Quality Screen,

Environment screen Home Page title is not matching with the UI, Please re-correct the Xpath and try again expected [true] but found [false],

Back button image is not displayed in the Neighbourhood Air Quality Air Quality Screen,

Environment screen Home Page title is not matching with the UI, Please re-correct the Xpath and try again expected [true] but found [false],

Back button image is not displayed in theFires Nearby Air Quality Screen,

Environment screen Home Page title is not matching with the UI, Please re-correct the Xpath and try again expected [true] but found [false],

Back button image is not displayed in the Effects of Poor Air Quality Air Quality Screen,

Environment screen Home Page title is not matching with the UI, Please re-correct the Xpath and try again expected [true] but found [false]

at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)

at com.onepulse.app.screens.MyEnvironmentsScreen.validateMyEnvironmentsHomeScreen (MyEnvironmentsScreen.java:63)

at com.onepulse.app.stepdefinitions.mobilesteps.MyEnvironmentSteps.

userMustBeLandedInMyEnvironmentHomePage(MyEnvironmentSteps.java:32)

at .Then User must be landed in My Environment Home Page(features/sg/health/MyEnvironments.feature:73)

Then User can see the upcoming air quality check programs

After

0.00s

Duration: 157.24

**Back to Table of Contents** 

Feature: Verify the BabyLon call 995 flow on Pulse Health & Wealth app

Passed: 0 Failed: 1 Undefined: 0 Duration: 157.24s

Scenario: User should be able to login on app with correct credentials and the BabyLon call 995 flow must be verified

Pa	ssed	l: 13		Failed: 1	Undefined: 0	s
3e	efor	'e				0.00s
	Gi	ven User ha	as pulse ap	р		8.48s
	An	nd I assign '	'\${Babylor	n.call}'' to varia	ble "PULSE_EMAIL"	0.00s
	W	hen I navig	ate to login	n page		7.03s
	W	hen user en	ters credei	ntials		17.76s
		UserName	\${PULSE_	EMAIL}		
		Password	\${Passwor	d.text}		
	An	nd User clic	ks on signi	n button		0.32s
		T 1,0	10			10.00

And User clicks on signin button	0.32s
Then I wait for 10 sec	10.00s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	27.86s
And I navigate to Babylon Symptoms Page	12.60s
Then I enter "Suicide" symptoms on Babylon screen And select "Thinking	

about ending your life.''	41.48s
Then I wait for 2 sec	2.01s
Then I verify following conditions are displayed	0.16s
I'm sorry you're having thoughts of self-harm or suicide. I'm sthis is beyond my capability. You can talk to someone from the (SOS) at 1800-221 4444. If this is an emergency, call 995 imme not alone.	e Samaritans of Singapore
Then I close the babylon symptoms checker screen	0.42s
Then user views chat history	2.28s
Then I sign out from pulse app	26.84s
org.openqa.selenium.WebDriverException: An unknown server-sprocessing the command. Original error: Could not proxy comma Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08 System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Wos.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPa atat, automationName: UiAutomator2, databaseEnabled: false, de prudential.pulse.MainAc, appPackage: com.prudential.pulse.ua UiAutomator2, deviceName: Android-Test, newCommandTimeore platformName: android}, deviceApiLevel: 30, deviceManufacture pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 44 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: false, networkConnectionEnabled: true, newCommandTimeout: pixelRatio: 2.75, platform: LINUX, platformName: Android, plate statBarHeight: 145, takesScreenshot: true, viewportRect: {height 1080}, warnings: {}, webStorageEnabled: false} Session ID: 743c1fff-2306-4760-b2a4-7e2dd0eb5c17 at jdk.internal.reflect.GeneratedConstructorAccessorIn (DelegatingConstructorAccessorImpl.java:45)	and to the remote server.  8T14:04:26.12Z' Vindows 10', os.arch: 'amd64  ackage: com.prudential.puls esired: {appActivity: com. at, automationName: at: 10000, noReset: true, er: Google, deviceModel: 40, deviceScreenSize: true, locationContextEnable 10000, noReset: true, tformVersion: 11, t: 2015, left: 0, top: 145, wide  ance(Unknown Source) mpl.newInstance
at java.base/java.lang.reflect.Constructor.newInstance(Construct at org.openqa.selenium.remote.http.W3CHttpResponseCodec.cre (W3CHttpResponseCodec.java:187)	
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.dec (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.dec	
(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(158)	
at io.appium.java_client.remote.AppiumCommandExecutor.exec(AppiumCommandExecutor.java:231)	
at org.openqa.selenium.remote.RemoteWebDriver.execute(Remo at io.appium.java_client.DefaultGenericMobileDriver.execute(De java:46)	efaultGenericMobileDriver.
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.ja at io.appium.java_client.android.AndroidDriver.execute(Android at org.openqa.selenium.remote.	

RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSize(RemoteWebDriver. iava:804) at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432) at com.onepulse.app.screens.PulseLoginScreen.clickSignOut(PulseLoginScreen.java:350) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.signOutFromPulseApp (LoginSteps.java:101) at .Then I sign out from pulse app(features/sg/health/babylon/BabyLonCall995.feature:44) After 0.00s**Back to Table of Contents** Feature: Verify the BabyLon Perianal lump workflow is working as expected Following condition should meet to run this script: Age:48 Sex:Male Country:Singapore Passed: 0 Failed: 1 Undefined: 0 Duration: 307.69s Scenario: User should be able to access Babylon from Pulse app and perform Perianal lump workflow **Duration: 307.69** Failed: 1 Passed: 10 Undefined: 8 Before 0.00sGiven User has pulse app 7.37s And I assign "\${Babylon.AnalLump}" to variable "PULSE EMAIL" 0.00sWhen I navigate to login page 7.40s When user enters credentials 18.41s UserName \${PULSE EMAIL} Password \${Password.text} And User clicks on signin button 0.46sThen I wait for 10 sec 10.01s And I enter OTP in one pulse app for user email "\${PULSE EMAIL}" 28.62s And I navigate to Babylon Symptoms Page 12.45s Then I enter "Anal Lump" symptoms on Babylon screen And select "Feeling a 39.40s lump around the opening of the back passage" Then I click on Ok button after noting the caseid: 0.60stext Thanks for taking part in user testing. Please record the following case id Then I handle questions and answer 182.97s Other people with your symptoms sometimes experience pain around No the buttocks or anus. Have you experienced this? This is a bit personal, but have you noticed any of these problems Skin around your anus? irritation##Submit One symptom that can be concerning is bleeding from the anus. Have Yes you experienced this? Mixed in with my Where have you seen the blood? stools I have to strain to pass a Have you noticed any of these issues when you pass stool?

	stool##Submit
Do any of these describe your poos (stools)?	None of the above##Submit
Have you gained or lost weight recently without trying to?	No
Have you ever had sex (vaginal or anal)?	Yes
Have you had sex (vaginal or anal) in the past 6 months?	No
Please select any of the following sexual activities that apply to you, I ask this question because some sexual activities can increase your risk of infection.	None of the above##Submit
How long have you had all of your symptoms for?	For months
Do you have any pain in your abdomen?	No
Do you have or have you recently had a fever?	No
Have you experienced any difficulty breathing?	None of the above##Submit
Is your heart beating faster than usual?	No
Have you felt dizzy or light-headed recently?	No
Has there been a significant change in your bowel habits, lasting for a few days or more?	Yes

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',

os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java\_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com. prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName:

**UiAutomator2**, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel:

Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize:

1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled:

false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,

pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11,

statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width:

1080}, warnings: {}, webStorageEnabled: false}

Session ID: 5c2bcdb5-dbd1-4aae-bb9e-5e96c391f165

at jdk.internal.reflect.GeneratedConstructorAccessor30.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance

(Delegating Constructor Accessor Impl. java: 45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException

(W3CHttpResponseCodec.java:187)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode

(W3CHttpResponseCodec.java:122)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode

(W3CHttpResponseCodec.java:49)


 $at\ org. open qa. selenium. remote. Http Command Executor. execute (Http Command Executor. java: at\ org. open qa. selenium. remote. Http Command Executor. execute (Http Command Executor. java: at\ org. open qa. selenium. remote. Http Command Executor. execute (Http Command Executor. java: at\ org. open qa. selenium. remote. Http Command Executor. execute (Http Command Executor. java: at\ org. open qa. selenium. remote. Http Command Executor. execute (Http Command Executor. java: at\ org. open qa. selenium. remote. Http Command Executor. execute (Http Command Executor. java: at\ org. open qa. selenium. executor. execute (Http Command Executor. ex$ 

158)	
at io.appium.java_client.remote.AppiumCommandExecutor.execute	
(AppiumCommandExecutor.java:231)	
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDr	iver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGen	
java:46)	
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)	
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.ja	nva:1)
at org.openqa.selenium.remote.	4 <b>11</b> 7 1 <b>1</b> 5 1
RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSize(Rijava:804)	emote webDriver.
at com.prudential.tap.appium.AppiumCommands.swipe(AppiumComman	de java•432)
at com.onepulse.app.screens.babylon.BabylonSymptomsScreen.enterQues	
(BabylonSymptomsScreen.java:202)	
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.enterQuesti	onsAndAnswer
(BabylonSteps.java:136)	
at .Then I handle questions and answer(features/sg/health/babylon/Babylo	nAnalLump.feature:
37)	
Then I verify the closure summary and click on continue button	0.00s
Great, we're all done. Please remember, this service is only for gene	eral information
text purposes and isn't a personal or medical diagnosis. If your sympton	ns persist, change or
worsen, or you are concerned seek further advice.	
Then I click on view results to see the possible causes	0.00s
And Verify following possible causes are displayed	0.00s
Piles or haemorrhoids	
Something potentially serious	
When I select on "Piles or haemorrhoids" cause with offset 100 in report	0.00s
Then I verify following conditions are displayed	0.00s
Piles or haemorrhoids	0.000
This can usually be treated by a pharmacist.	
Why this condition could be the potential cause?	
Some of your answers indicate that this condition could be the cause:	
Straining when passing stool	
Fresh blood in stool	
Lump around anus	
Anus irritation	
And I click on back button to move back to possible causes screen	0.00s
When I select on ''Something potentially serious'' cause with offset 500 in 1	eport 0.00s
Then I verify following conditions are displayed	0.00s
Something potentially serious	
This usually requires seeing a GP.	
Why this condition could be the potential cause?	
Change in bowel habit	
Straining when passing stool	
Fresh blood in stool	
Lump around anus	
Anus irritation	
Augo II Mattoli	

After				0.00s	
Back to Table of Co	<u>ntents</u>				
eature: Verify the	BabyLon Malig	ant Neoplasm Breast lur	np workflow is working as	expected	
ollowing condition ge:54 ex:Female ountry:Singapore	should meet to r	un this script:			
nssed: 0	Failed: 1	Undefined: 0	Duration: 136.05s		
	hould be able to	access Babylon from Pu	lse app and perform Breas	t lump	
workflow Passed: 9	Failed: 1	Undefined	: 11	Duration: 136.05	
Dofowo				0.00s	
Before	110.6	•	NI ( 177	U.UUS	
"PULSE_EM	IAIL"	on.breastlump.usernam	e}'' to variable	0.00s	
And User has				7.31s	
	ate to login page			7.09s	
	ters credentials			18.27s	
	\${PULSE_EMA \${Password.text				
And User clic	ks on signin butt	on		0.42s	
	Then I wait for 10 sec 10.00s				
		app for user email "\${P	ULSE_EMAIL}"	28.13s	
	te to Babylon Syr	<u> </u>		12.52s	
	"Breast Lump" s r the skin of the		creen And select "A lump	37.72s	
Then I click of	on Ok button afte	er noting the caseid:		14.58s	
text Thank	ks for taking part	t in user testing. Please r	ecord the following case id	l	
using the give For documen /no_such_elen Build info: ve System info: i os.version: '1' Driver info: i Capabilities { uat, automati prudential.pu UiAutomator platformNam Pixel 5, device	en search parametation on this ernent.html ersion: '3.12.0', rehost: 'TM003LSI 0.0', java.version o.appium.java_c appActivity: con onName: UiAuto alse.MainAc, ap 2, deviceName: A e: android}, deviceName: OC241FI eviceUDID: OC24	eters. cor, please visit: http://seevision: '7c6e0b3', time: IN', ip: '192.168.1.124', ou: '11.0.2' lient.android.AndroidDin.prudential.pulse.Mainomator2, databaseEnablepPackage: com.prudenticeApiLevel: 30, deviceMDD40043P, deviceScreentalFDD40043P, javascrip	Ac, appPackage: com.pr ed: false, desired: {appAct tial.pulse.uat, automationN nandTimeout: 10000, noRo Manufacturer: Google, dev Density: 440, deviceScreen otEnabled: true, locationCo	arch: 'amd64', udential.pulse. ivity: com. Name: eset: true, iceModel: nSize: ontextEnabled:	

```
statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width:
1080}, warnings: {}, webStorageEnabled: false}
Session ID: 47c03fcf-d457-4e73-81f0-1eb771bed653
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='OK']}
at jdk.internal.reflect.GeneratedConstructorAccessor32.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164)
at com.onepulse.app.screens.babylon.BabylonSymptomsScreen.clickOkButton
(BabylonSymptomsScreen.java:160)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.
verifyCaseIdTextAndClickOkBtn(BabylonSteps.java:144)
at .Then I click on Ok button after noting the caseid:(features/sg/health/babylon
/BabylonBreastLump.feature:38)
```

Have you had any pain in your breasts?	No
Have you noticed any of the following changes in your breast(s)?	Nipple pointing inwards##Submit
Does your breast feel hot to touch?	No
Have you had any discharge from your nipple recently?	Yes
How would you describe your nipple discharge?	Bloody or blood- stained
Have either of your parents, or any siblings, ever been diagnosed with breast cancer?	Yes
Has your mother, or any sisters, ever been diagnosed with ovarian cancer?	No
Can you feel a lump in your armpit?	Yes
Have you gained or lost weight recently without trying to?	No
Have you recently injured your breast?	No
How long have you had all of your symptoms for?	For weeks
Do you have or have you recently had a fever?	No
Does the slightest knock or bump cause you to bruise?	No
Do you have pain in your bones?	No
Do you have a significantly weakened immune system due to an existing condition or from taking medication?	No
Then I verify the closure summary and click on continue button	0.00s
text If your symptoms persist, change or worsen, or you are concerned	seek further advice.
Then I click on view results to see the possible causes	0.00s
And Verify following possible causes are displayed	0.00s
Something potentially serious	
Breast abscess	
When I select on "Something potentially serious" cause with offset 100 in	report 0.00s
Then I verify following conditions are displayed	0.00s
Something potentially serious	
This usually requires seeing a GP.	
Why this condition could be the potential cause?	
Some of your answers indicate that this condition could be the cause:	
Lump or mass in armpit	
Inverted nipple	
Blood-stained nipple discharge	
Family history of breast cancer	
Family history of breast cancer Breast lump	
Breast lump	0.00s
	0.00s 0.00s
Breast lump And I click on back button to move back to possible causes screen	
Breast lump  And I click on back button to move back to possible causes screen When I select on "Breast abscess" cause with offset 500 in report Then I verify following conditions are displayed	0.00s
Breast lump And I click on back button to move back to possible causes screen When I select on "Breast abscess" cause with offset 500 in report Then I verify following conditions are displayed Breast abscess	0.00s
Breast lump  And I click on back button to move back to possible causes screen When I select on "Breast abscess" cause with offset 500 in report Then I verify following conditions are displayed	0.00s
Breast lump And I click on back button to move back to possible causes screen When I select on "Breast abscess" cause with offset 500 in report Then I verify following conditions are displayed Breast abscess This usually requires seeing a GP urgently.	0.00s



```
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.
prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName:
UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true,
platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel:
Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize:
1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled:
false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,
pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11,
statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width:
1080}, warnings: {}, webStorageEnabled: false}
Session ID: 22b8377b-85a5-4021-99b3-64976d40e7f9
*** Element info: {Using=xpath, value=//android.widget.EditText[@text='Email']}
at jdk.internal.reflect.GeneratedConstructorAccessor30.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
```


at io.appium.java_client.AppiumDriver.findElement(A at io.appium.java_client.android.AndroidDriver.findEl at com.prudential.tap.selenium.Commands\$16.execute(at com.prudential.tap.selenium.ExecuteCommand.execute(19))	ement(AndroidDriver.ja Command(Commands.ja	va:148)	
at com.onepulse.app.screens.TestBasePage.setTextWith at com.onepulse.app.screens.PulseLoginScreen.enterLogin	oginCredentials(PulseLog	inScreen.java:	
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSjava:52) at .When user enters credentials(features/sg/health/bab			
feature:12)  And User clicks on signin bytton		0.00s	
And User clicks on signin button Then I weit for 10 see		0.00s	
Then I wait for 10 sec  And I enter OTP in one pulse app for user email '\\${PU}	II SE EMAIL!!	0.00s	
And I navigate to Babylon Symptoms Page	LOL_ENIAIL;	0.00s	
Then I enter "Rash" symptoms on Babylon screen And	d select "Change in	0.00s	
appearance of skin colour or texture"		0.00	
Then I click on Ok button after noting the caseid:		0.00s	
text Thanks for taking part in user testing. Please re	cord the following case id	-	
Then I handle questions and answer		0.00s	
Does your rash become lighter in colour when you press on it?	Yes		
Have you experienced any difficulty breathing?	I don't know##Submit		
Do you have any problems with your tongue?	None of the above##Sub	above##Submit	
Does any part of your face look swollen?	I don't know		
Do you have any of these problems with your eyelid (s)?	I don't know##Submit		
Do you have or have you recently had a fever?	Yes		
Do you have a cough?	Yes		
Is it a dry cough or are you bringing something up?	Dry		
Have you been coughing a lot more at night?	No		
Do you have a sore throat or any of these problems?	Swollen tonsils##Submit		
How long have you had all of your symptoms for?	For months		
Have you gained or lost weight recently without trying to?	Lost weight unexpectedly	y	
Does the slightest knock or bump cause you to bruise?	No		
Do you have pain in your bones?	No		
Do you have a significantly weakened immune system due to an existing condition or from taking medication?	No		
Is there an unusual lump or swelling in the front middle part of your neck?	Yes		
Have either of your parents or any siblings been diagnosed with an overactive thyroid?	Yes		
Have either of your parents, or any siblings, ever			

been diagnosed with thyroid cancer?	Yes							
Do you have any pain in your abdomen?								
Do any of these describe your poos (stools)?	atery (diarrhoea), e often than							
Have you had diarrhoea more than 6 times in one day?								
Do you regularly have diarrhoea at night?								
Have you noticed your skin or the whites of your eyes going yellow?	e you noticed your skin or the whites of your							
Then I verify the closure summary and click on conti	inue button	0.00s						
Great, we're all done. Please remember, this s text purposes and isn't a personal or medical diag worsen, or you are concerned seek further ad	nosis. If your symptom vice.							
Then I click on view results to see the possible causes								
and Verify following possible causes are displayed		0.00s						
Overactive thyroid								
Thyrotoxic crisis								
When I select on ''Overactive thyroid'' cause with of	fset 100 in report	0.00s						
Then I verify following conditions are displayed								
Overactive thyroid								
This usually requires seeing a GP.								
Why this condition could be the potential cause?								
Some of your answers indicate that this condition could be the cause:								
Family history of hyperthyroidism								
Unintentional weight loss								
Diarrhoea								
Severe diarrhoea								
Rash that becomes lighter when pressed								
Swelling in neck								
And I click on back button to move back to possible causes screen								
When I select on "Thyrotoxic crisis" cause with offset 500 in report								
Then I verify following conditions are displayed								
Thyrotoxic crisis								
This is usually treated at the emergency departme	ent.							
Why this condition could be the potential cause?								
Family history of hyperthyroidism								
Unintentional weight loss								
Diarrhoea								
Severe diarrhoea  Rash that becomes lighter when pressed								
								Fever
Swelling in neck								
and I click on back button to move back to home		0.00s						
hen I sign out from pulse app		0.00s						

P	After							0.00s	
Back to Table of Contents									
Feature: Verify the BabyLon Groin Mass workflow is working as expected									
Following condition should meet to run this script: Age:55 Sex:Male Country:Singapore									
	ed: 0		Failed: 1		Undefined: 0		Duration: 543.61s		
Scenario: User should be able to access Babylon from Pulse app and perform Groin mass workflow									
I	Passed: 2	22		Failed: 1		Undefined: 0		Duration: 543.61	
1	Before							0.00s	
	Give	en User h	as pulse ap	p				7.37s	
	And	I assign	"\${Babylor	n.hernia	}'' to variable '	'PULSE_EN	MAIL''	0.00s	
	Whe	en I navig	gate to logir	n page				7.66s	
	Whe	en user ei	nters crede	ntials				17.83s	
	U	JserName	e \${PULSE_	_EMAII	L}				
	P	assword	\${Passwor	rd.text}					
	And	User cli	cks on signi	n buttor	1			0.32s	
	Then I wait for 10 sec							10.00s	
	And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"								
	The	n I wait f	or 14 sec					14.01s	
	And I navigate to Babylon Symptoms Page								
	Then I wait for 6 sec								
	Then I enter "Groin mass" symptoms on Babylon screen And select "A lump under the skin at the hip crease."								
	The	n I click (	on Ok butto	on after	noting the case	id:		0.65s	
	te	ext Thanl	ks for takin	g part iı	n user testing. l	Please record	d the following case id		
	The	n verify u	ıser is lande	ed to ing	guinal hernia co	onsultation s	creen	3.99s	
	When I handle questions and answer							275.37s	
	What best describes the sw		the swell	lling in your groin?		It comes and goes dep position or if I press o			
	H	Have you	injured you	ır groin	recently?		No		
	Do you have pain in your gi		your gro	oin?		No			
	Do you have any pain in your a			r abdomen?		No			
	D	Do you have any pain in your testicles? No					No		
		Have you noticed any of these changes in your testicles?  None of the above##Submit							
	Does it hurt or sting when you urinate? No								
		When urinating, have you noticed any of the following?  None of the above##Submit							
	D	Do you have or have you recently had a fever? No							
	D	Do you feel sick or have you vomited?  None of the above##St					ubmit		

How long have you had all of your symptoms for?	For months	
Have you gained or lost weight recently without trying	Lost weight unexpectedly	J.
to?	· ·	
Have you ever had sex (vaginal or anal)?	No	
Do you have a cough?	No	
Do any of these describe your poos (stools)?	None of the above##Subn	nit
One symptom that can be concerning is bleeding from the anus. Have you experienced this?	n No	
Have you been diagnosed with either of these thyroic conditions?	No	
Then I verify the closure summary and click on continu	e button 6.2	26s
Great, we're all done. Please remember, this servetext purposes and isn't a personal or medical diagnost worsen, or you are concerned seek further advice	is. If your symptoms persist	
Then I click on view results to see the possible causes	11.	.15s
When I click on "inguinal hernia" cause	0.4	14s
Then I verify following conditions are displayed	2.1	.8s
Uncomplicated inguinal hernia		
This usually requires seeing a GP.		
Reducible groin mass		
Groin mass or lump		
And I click on back button to move back to possible cau	ses screen 0.3	32s
When I click on "femoral hernia" cause	1.8	
Then I verify following conditions are displayed	2.0	
Uncomplicated femoral hernia		
This usually requires seeing a GP.		
Reducible groin mass		
Groin mass or lump		
And I click on back button to move back to home	12.	.78s
Then I sign out from pulse app		.86s
Then I sign out from puise app	03.	.005
org.openqa.selenium.NoSuchElementException: An eleusing the given search parameters. For documentation on this error, please visit: http://sele/no_such_element.html Build info: version: '3.12.0', revision: '7c6e0b3', time: '2System info: host: 'TM003LSIN', ip: '192.168.1.124', os. os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDrivCapabilities {appActivity: com.prudential.pulse.MainA	niumhq.org/exceptions 018-05-08T14:04:26.12Z' name: 'Windows 10', os.arcl ver c, appPackage: com.prude	h: 'amd64', ntial.pulse.
uat, automationName: UiAutomator2, databaseEnabled prudential.pulse.MainAc, appPackage: com.prudential.uiAutomator2, deviceName: Android-Test, newCommaplatformName: android}, deviceApiLevel: 30, deviceMaPixel 5, deviceName: 0C241FDD40043P, deviceScreenD1080x2340, deviceUDID: 0C241FDD40043P, javascriptlfalse, networkConnectionEnabled: true, newCommand	al.pulse.uat, automationNam andTimeout: 10000, noReset: anufacturer: Google, deviceN ensity: 440, deviceScreenSiz Enabled: true, locationConte	ne: : true, Model: e: extEnabled:

```
pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11,
statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width:
1080}, warnings: {}, webStorageEnabled: false}
Session ID: 26bc7baa-6a80-4356-b88b-7bdadad4dae8
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Sign out')]}
at jdk.internal.reflect.GeneratedConstructorAccessor32.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164)
at com.onepulse.app.screens.PulseLoginScreen.clickSignOut(PulseLoginScreen.java:351)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.signOutFromPulseApp
(LoginSteps.java:101)
at .Then I sign out from pulse app(features/sg/health/babylon/BabylonInguinalHernia.feature:
110)
```



Feature: Verify the BabyLon Prostatic HyperPlasia workflow is working as expected

Following condition should meet to run this script:

Age:58 Sex:Male

Country:Singapore

assed: 0	Failed: 2	Undefin	ed: 0 Duration: 399.469	5
Scenario: U Hyperplasia		able to access Ba	bylon from Pulse app and perform	Prostatic
Passed: 10		Failed: 1	Undefined: 10	Duration: 295.36
Before				0.00s
	assign ''\${pulse _EMAIL''	e.babylon.prosta	tic.username}'' to variable	0.00s
And I as	sign ''\${parity.	password}" to v	ariable "USER_PASSWORD"	0.00s
Given U	ser has pulse a	pp		8.36s
When I	navigate to log	in page		7.18s
When I	login into pulse	app with below	details	18.73s
	Name \${PULSI vord \${USER_	E_EMAIL} _PASSWORD}		
Then I w	vait for 10 sec			10.01s
And I en	ter OTP in on	e pulse app for u	ser email ''\${PULSE_EMAIL}''	28.24s
And I na	vigate to Baby	lon Page and Ac	ccept TermsAndCondition	29.32s
Then I e	nter "Difficult	y passing urine"	symptoms on Babylon screen And	select

Problems passing urine."		40.56s		
en I click on Ok button after noting the cas		1.28s		
text Thanks for taking part in user testing. Please record the following case id				
en I handle questions and answer		151.68s		
Which problems are you having when urinating?	Flow isn't as strong as usual##Dri urinating##Submit	bbling after		
Does it hurt or sting when you urinate?	No			
When urinating, have you noticed any of the following?	Urinating more often than usual# needing to urinate##Difficulty sta urinate##Submit			
Does your urine look different to usual?	Yes			
In what way does your urine look different?	None of the above##Submit			
Have you ever been diagnosed with 3 or more urinary tract infections in a single year?	No			
Do any of these describe your poos (stools)?	I don't know##Submit			
Do you have any pain in your abdomen?	No			
Do you feel sick or have you vomited?	None of the above##Submit			
Do you have or have you recently had a fever?	No			
How long have you had all of your symptoms for?	For days			
Have you noticed any of these issues when you pass stool?	None of the above##Submit			
One symptom that can be concerning is bleeding from the anus. Have you experienced this?	No			
Have you gained or lost weight recently without trying to?	Lost weight unexpectedly			
Do you have pain in your back?	No			
Have you noticed any abnormal muscle weakness lately?	None of the above##Submit			
This might sound a bit strange but does your anus feel numb when wiping?	No			
Do you have bowel incontinence?	No			
Have you been involved in a traffic accident recently?	No			
Do you currently have any of these prostate conditions?	No##Submit			
Have you been shivering intensely or uncontrollably?	No			
Have you had any of these problems with your penis?	None of the above##Submit			
Do you have any pain in your testicles?	No			

```
org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command, Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.
prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName:
UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true,
platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel:
Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize:
1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled:
false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,
pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11,
statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width:
1080}, warnings: {}, webStorageEnabled: false}
Session ID: 81ea32a3-1f74-4662-9299-6067bd93d34f
at jdk.internal.reflect.GeneratedConstructorAccessor30.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at iava.base/iava.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:46)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.
RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.
iava:804)
at com.onepulse.app.screens.babylon.BabylonSymptomsScreen.enterAnswerAndroid
(BabylonSymptomsScreen.java:283)
at com.onepulse.app.screens.babylon.BabylonSymptomsScreen.enterQuestionsAnswer
(BabylonSymptomsScreen.java:200)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.enterQuestionsAndAnswer
(BabylonSteps.java:136)
at .Then I handle questions and answer(features/sg/health/babylon
/BabylonProstaticHyperplasia.feature:46)
```

Then I click on v	iew results to see the possible causes	0.00s
And Verify follo	wing possible causes are displayed	0.00s
Something po	tentially serious	
Benign Prosta	atic Hyperplasia	
When I select on	"Benign Prostatic Hyperplasia" cause with offset 10	0.00s
Then I verify fol	lowing conditions are displayed	0.00s
Benign Prosta	atic Hyperplasia	
This usually 1	requires seeing a GP.	
Why this con	dition could be the potential cause?	
Some of your	answers indicate that this condition could be the cau	se:
Difficulty star	rting urination	
	quency of urination	
Urgent need t		
Decreased flo		
Dribbling of a		
	ack button to move back to possible causes screen	0.00s
	"Something potentially serious" cause with offset 50	
	lowing conditions are displayed	0.00s
	tentially serious	
	requires seeing a GP.	
	dition could be the potential cause?	
Unintentional		
	rting urination	
	quency of urination	
Urgent need t		
Decreased flo		
Dribbling of u		
	ack button to move back to home	0.00s
Then I sign out f		0.00s
	Tom puise app	
fter		0.00s
ack to Table of Conte		
	ald be able to view the chat history in Babylon system	i checker screen after
onsultation	T 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	D (1 1041
assed: 9	Failed: 1 Undefined: 13	Duration: 104.1
efore		0.00s
"PULSE_EMAI		0.00s
And I assign "\${	parity.password}'' to variable ''USER_PASSWORD	'' 0.00s
Given User has p	pulse app	7.20s
When I navigate	to login page	6.96s
When I login int	o pulse app with below details	17.89s
UserName \${1	PULSE_EMAIL}	
Password \${	USER_PASSWORD}	
Then I wait for 4		45.01s

Given I create connection for api service	0.00s
And I set endpoint url for reading email as 'https://mailsac.com/api/addresses /\${PULSE_EMAIL}/messages/''	0.00s
And I send request to ''get'' the otp with ''https://mailsac.com/api/raw /\${PULSE_EMAIL}/'' stored into variable ''EMAIL_OTP''	1.68s
And I enter ''\${EMAIL_OTP}'' OTP	25.35s

java.lang.ArrayIndexOutOfBoundsException: Index 1 out of bounds for length 1 at com.onepulse.app.api.PulseMailSacApi.getMessageIdFromMailsacEmail(PulseMailSacApi.java:56)

at com.onepulse.app.api.PulseMailSacApi.getOTPFromEmail(PulseMailSacApi.java:100) at com.onepulse.app.screens.PulseRegistrationScreen.enterOTP(PulseRegistrationScreen.java: 251)

at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.enterOTP (RegistrationSteps.java:47)

at .And I enter ''\${EMAIL\_OTP}'' OTP(features/sg/health/babylon/BabylonProstaticHyperplasia.feature:140)

0.00s
0.00s

		6:59 🕟 Þi 🗪 🗘 🔹		<b>⊕</b> ♥ <b>1</b>					
		← Enter code to contin							
		Enter code to contin	iue						
		വച	۵ <u>۵</u> ,						
		by Pruder	ntial						
		Improve your Fitness		ıd					
			,						
		We sent a verific	cation code to						
		androidhraparity7	@mailsac.com	1					
		Didn't receive the co	nde? Besend (1	20s)					
		If you haven't received the	verification email	l in your					
		primary inbox, it is worth junk fo		am or					
	Aft	tor						0.00s	
		ck to Table of Cor	atonte					0.008	
	Roo	<u>.K to Table of Col</u>	<u>Itents</u>						
Fea	atu			n Rib Fra	cture workflow	is working	as expected a	nd user can the chat	,
Fea	atu	re: Verify the lay after consult		n Rib Fra	cture workflow	is working	as expected a	nd user can the chat	,
ea nis	atu tor	y after consult	ation			is working	as expected a	nd user can the chat	,
Fea	tor llow	y after consult wing condition 9	ation			is working	as expected a	nd user can the chat	
For Agree	tor llow e:39	y <mark>after consult</mark> wing condition 9 Iale	ation			is working	as expected a	nd user can the chat	
For Age	llow e:39	y after consult wing condition 9 Iale try:Singapore	ation should		n this script:	is working			
For Age Sex Cor	llow e:39 x:M	y after consult wing condition 9 Iale try:Singapore : 0	ation should	meet to rui	n this script:  Undefined: 0		Duration: 35.9	5s	
For Age Sex Cor	llow e:39 x:M unt	y after consult wing condition 9 Iale try:Singapore : 0	ation should	meet to rui	n this script:  Undefined: 0		Duration: 35.9		
For Age Con	aturtor, llowe:35 e:35 e:35 e:35 e:35 e:35 e:35 e:35	y after consult wing condition 9 fale try:Singapore : 0	ation should a Failed: 1 nould be	meet to rui	u this script:  Undefined: 0  ccess Babylon f		Duration: 35.9	5s	
For Age Con Pas	aturitor, llowe:39: w:Munt Scee wo Pas	y after consult wing condition 9 fale try:Singapore : 0 enario: User shorkflow	ation should a Failed: 1 nould be	meet to run	u this script:  Undefined: 0  ccess Babylon f	rom Pulse a	Duration: 35.9	5s m Rib Fracture	
For Age Con Pas	aturtor  llow e:35 e:35 wo Pass Bef	y after consult wing condition 9 fale try:Singapore : 0 enario: User shorkflow ssed: 4 fore	ation should i Failed: 1 nould be	meet to run e able to ac	u this script:  Undefined: 0  ccess Babylon f	rom Pulse a	Duration: 35.9	5s <b>m Rib Fracture</b> Duration: 35	
For Age Con Pas	aturitor; llowe:39 we:39 unt See: Wo Pass Bef	y after consult wing condition 9 Tale try:Singapore : 0 enario: User shorkflow sed: 4 fore Given User ha	should a Failed: 1 nould be	meet to run e able to ac Failed: 1	u this script:  Undefined: 0  ccess Babylon f	rom Pulse a	Duration: 35.9 pp and perfor	5s m Rib Fracture Duration: 35 0.00s	
For Age Con Pas	llowe:39	y after consult wing condition 9 Tale try:Singapore : 0 enario: User shorkflow sed: 4 fore Given User ha	should in the state of the stat	meet to run e able to ac Failed: 1 app ylon.rib}'' (	Undefined: 0 ccess Babylon f	rom Pulse a	Duration: 35.9 pp and perfor	5s  m Rib Fracture  Duration: 35 0.00s 9.39s	
For Age Con Pas	llowe:39 e:39 Exercise Sceening Bet	y after consult wing condition g fale try:Singapore to penario: User shorkflow sed: 4 fore Given User ha And I assign "	Failed: 1 nould be as pulse '\${Baby ate to lo	meet to run  e able to ac  Failed: 1  app vlon.rib}'' to	Undefined: 0 ccess Babylon f	rom Pulse a	Duration: 35.9 pp and perfor	Duration: 35 0.00s 9.39s 0.00s	
For Age Con Pas	llowe:39 e:39 Exercise Sceening Bet	y after consult wing condition 9 Tale try:Singapore 0 enario: User shorkflow sed: 4 fore Given User ha And I assign '' When I naviga	Failed: 1 nould be as pulse \$\frac{1}{8}\$ (Baby) ate to lo	meet to run e able to ac Failed: 1 app vlon.rib}'' togin page dentials	Undefined: 0 ccess Babylon for the variable "PU	rom Pulse a	Duration: 35.9 pp and perfor	5s  m Rib Fracture  Duration: 35 0.00s 9.39s 0.00s 8.08s	
For Age Con Pas	llowe:39 e:39 Exercise Sceening Bet	y after consult wing condition g fale try:Singapore to User shorkflow sed: 4 fore Given User ha And I assign '' When I naviga	Failed: 1 hould be as pulse '\${Baby ate to lo ters cree \${PULS	reable to accept the second se	Undefined: 0 ccess Babylon for the variable "PU	rom Pulse a	Duration: 35.9 pp and perfor	5s  m Rib Fracture  Duration: 35 0.00s 9.39s 0.00s 8.08s	
For Age Con Pas	aturitor  llow e:39 e:39 wo Pass Bet	wing condition  y  Iale try:Singapore  to User shorkflow  sed: 4  fore  Given User ha And I assign '' When I naviga When user ent UserName	Failed: 1 nould be as pulse s{Baby ate to lo ters cre s{PULS}	Failed: 1  app vlon.rib}'' to gin page dentials SE_EMAIl vord.text}	Undefined: 0 Ccess Babylon for to variable "PU	rom Pulse a	Duration: 35.9 pp and perfor	5s  m Rib Fracture  Duration: 35 0.00s 9.39s 0.00s 8.08s	
For Age Con Pas	aturitor  llow e:39 e:39 wo Pass Bet	wing condition  Jale And I assign '' When I naviga When user ent Password	Failed: 1 nould be as pulse s{Baby ate to lo ters cre s{PULS}	Failed: 1  app vlon.rib}'' to gin page dentials SE_EMAIl vord.text}	Undefined: 0 Ccess Babylon for to variable "PU	rom Pulse a	Duration: 35.9 pp and perfor	Duration: 35 0.00s 9.39s 0.00s 8.08s 18.35s	
For Age Con Pas	llowe:35 wo Passed:	wing condition  Jale And I assign '' When I naviga When user ent UserName Password And User click  And User click  And User click	Failed: 1 hould be as pulse '\${Baby} ate to lo ters cre \${PULS} \${Passy} ks on sig	Failed: 1  app vlon.rib}'' to gin page dentials SE_EMAIl word.text} gnin button	undefined: 0 ccess Babylon fi to variable "PU L}	rom Pulse apudefined: 18  ULSE_EMA	Duration: 35.9 pp and perfor  IL''  erver-side err	5s m Rib Fracture  Duration: 35 0.00s 9.39s 0.00s 8.08s 18.35s  0.14s  or occurred while	
For Age Con Pas	aturitor  llow e:39 x:M unt sed: Sce wo Pass Bef	wing condition  Jale  And I assign ''  When I naviga  When user ent  UserName  Password  And User click  org.openqa.sel processing the	Failed: 1 nould be as pulse s {Baby ate to lo ters cre \${PULS} \${Passy ks on sig	railed: 1  app vlon.rib}" to gin page dentials SE_EMAID word.text} gnin button WebDrive and. Origin	undefined: 0 ccess Babylon fi to variable "PU L}	rom Pulse apudefined: 18  ULSE_EMA	Duration: 35.9 pp and perfor  IL''  erver-side err	Duration: 35 0.00s 9.39s 0.00s 8.08s 18.35s	
For Age Con Pas	aturitor  llow e:39 e:39 c:M unt ssed: Scee wo Pass Bel	wing condition  Jale  And I assign '' When I naviga When user ent  UserName Password  And User click  And User click  And User click  Original error	Failed: 1 nould be as pulse as	Failed: 1  app vlon.rib}" to gin page dentials SE_EMAIL word.text} gnin button WebDrive and. Origin thang up	undefined: 0 ccess Babylon fi to variable "PU L}	rom Pulse apadefined: 18  ULSE_EMA  unknown s d not proxy	Duration: 35.9  pp and perfor  (L''  erver-side errommand to	Duration: 35 0.00s 9.39s 0.00s 8.08s 18.35s  0.14s  or occurred while the remote server.	

```
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.
prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName:
UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true,
platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel:
Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize:
1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled:
false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,
pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11,
statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width:
1080}, warnings: {}, webStorageEnabled: false}
Session ID: 05930b5d-30e4-43ac-ad93-a4cf13f8923f
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Sign In']}
at jdk.internal.reflect.GeneratedConstructorAccessor30.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
```

at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya: **19**) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164) at com.onepulse.app.screens.PulseLoginScreen.clickSignIn(PulseLoginScreen.java:194) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.clickSignInButton(LoginSteps. java:132) at .And User clicks on signin button(features/sg/health/babylon/BabylonRibFracture.feature: **15**) text Thanks for taking part in user testing. Please record the following case in text purposes and isn't a personal or medical diagnosis. If your symptoms persist, change or

	esults to see the possib	ne causes	0.00s
And Verify following 3	3 possible causes are d	lisplayed	0.00s
When I click on "Ches	st strain" cause		0.00s
Then I verify following	g conditions are displa	nyed	0.00s
Chest wall muscle s	strain		
This can usually be	treated at home.		
Why this condition	could be the potential	l cause?	
Some of your answe			
Injury of chest wall			
Pain in chest made			
Right sided chest pa	ain		
Dull chest pain			
Painful to press on	chest		
And I click on back by	itton to move back to	possible causes screen	0.00s
When I click on "Cost			0.00s
Then I verify following		nyed	0.00s
Costochondritis			
This can usually be	treated at home.		
	could be the potential	l cause?	
Injury of chest wall	^		
	worse with movement	t of ribs	
Right sided chest pa			
Dull chest pain			
Painful to press on	chest		
And I click on back bu		home	0.00s
Then I sign out from p		nome	0.00s
Then I bight out it out p			
After			0.00s
After Back to Table of Contents			
After Back to Table of Contents ature: Verify Dietician Ne			0.00s
After Back to Table of Contents	egative Flow functiona Undefined: 0	llity on one pulse App  Duration: 203.58	0.00s
After  Back to Table of Contents  ature: Verify Dietician Neused: 0  Failed: 4	Undefined: 0		0.00s
After  Back to Table of Contents  Ature: Verify Dietician Newson Seed: 0 Failed: 4  Scenario Outline: Verify	Undefined: 0 the Home screen valid	Duration: 203.58	0.00s
After Back to Table of Contents Ature: Verify Dietician Newsed: 0 Failed: 4 Scenario Outline: Verify Passed: 28	Undefined: 0	Duration: 203.58	0.00s  Samail''  Duration: 129.69
After  Back to Table of Contents  Ature: Verify Dietician Newson Seed: 0 Failed: 4  Scenario Outline: Verify	Undefined: 0 the Home screen valid	Duration: 203.58	0.00s
After Back to Table of Contents Ature: Verify Dietician Newsed: 0 Failed: 4 Scenario Outline: Verify Passed: 28	Undefined: 0 the Home screen valid Failed: 1 om number and assign	Duration: 203.58  lation using "Continue with E  Undefined: 6	0.00s  Ss  Smail''  Duration: 129.69
After  Back to Table of Contents  Ature: Verify Dietician Newson Seed: 0 Failed: 4  Scenario Outline: Verify Passed: 28  Before  Given I generate rando "RANDOM_NUMBER	Undefined: 0 the Home screen valid Failed: 1 om number and assign R''	Duration: 203.58  lation using "Continue with E  Undefined: 6	0.00s  Samail''  Duration: 129.69  s  0.00s
After  Back to Table of Contents  Ature: Verify Dietician Newson Seed: 0 Failed: 4  Scenario Outline: Verify  Passed: 28  Before  Given I generate rando "RANDOM_NUMBE And I assign "pulse\${1}	Undefined: 0 the Home screen valid Failed: 1 om number and assign R'' RANDOM_NUMBER	Duration: 203.58  lation using "Continue with E  Undefined: 6  n to variable	0.00s    Duration: 129.6    S
After  Back to Table of Contents  Ature: Verify Dietician Newson Seed: 0  Failed: 4  Scenario Outline: Verify  Passed: 28  Before  Given I generate rando "RANDOM_NUMBE! And I assign "pulse\${1 "PULSE_EMAIL" And User has pulse applied to the second	Undefined: 0  the Home screen valid  Failed: 1  om number and assign  RANDOM_NUMBER  OP	Duration: 203.58  lation using "Continue with E  Undefined: 6  n to variable	0.00s    Duration: 129.69   S
After  Back to Table of Contents  Ature: Verify Dietician Newson Seed: 0  Failed: 4  Scenario Outline: Verify  Passed: 28  Before  Given I generate rando "RANDOM_NUMBE! And I assign "pulse\${1 "PULSE_EMAIL" And User has pulse ap And user click on "CO	Undefined: 0  the Home screen valid  Failed: 1  om number and assign  R''  RANDOM_NUMBER  OP  ONTINUE WITH EM	Duration: 203.58  lation using "Continue with E  Undefined: 6  n to variable  2}@mailsac.com" to variable	0.00s
After  Back to Table of Contents  Ature: Verify Dietician Newson Seed: 0 Failed: 4 Scenario Outline: Verify Seed: 28 Before  Given I generate rando "RANDOM_NUMBE And I assign "pulse\${1 "PULSE_EMAIL" And User has pulse ap And user click on "CO When user enters registed."	Undefined: 0  the Home screen valid  Failed: 1  om number and assign  R''  RANDOM_NUMBER  OP  ONTINUE WITH EM	Duration: 203.58  lation using "Continue with E  Undefined: 6  n to variable  2}@mailsac.com" to variable	0.00s    Duration: 129.66     S
After  Back to Table of Contents  Ature: Verify Dietician Newson Seed: 0  Failed: 4  Scenario Outline: Verify  Passed: 28  Before  Given I generate rando "RANDOM_NUMBE! And I assign "pulse\${1 "PULSE_EMAIL" And User has pulse ap And user click on "CO	Undefined: 0  the Home screen valid  Failed: 1  om number and assign  R''  RANDOM_NUMBER  OP  ONTINUE WITH EM	Duration: 203.58  lation using "Continue with E  Undefined: 6  n to variable  2}@mailsac.com" to variable	0.00s    Duration: 129.66     S

And taps on continue "Sign_Up" button	0.39s
Then I wait for 10 sec	10.01s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	28.58s
Then I wait for 5 sec	5.01s
And I enter the ''mobile number'' in welcome to pulse	10.57s
mobileNumber 98678419	
And I click the continue button	0.22s
And I choose my wellness goals under wellness plan screen	1.58s
And I click the continue button	0.89s
And I click the date in Date of Birth field	6.58s
And I click the Done icon	3.21s
And I click the continue button	1.18s
And I select the Male icon	5.97s
And I click the continue button	0.89s
And I enter my height and weight details	2.46s
And I click on Calculate BMI button	0.74s
And I click the continue button	0.94s
And I select the "How active are you?" in doing exercise	1.89s
And I click the continue button	1.65s
And I select my favorite food dietary	1.95s
And I click the continue button	1.65s
And I answer as "Yes" to "Food Allergies are common?"	3.16s
And I click the continue button	1.12s
And I verify that "Tracking your activity is trending" is displayed	2.13s
And I click the continue button	8.45s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no-such\_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java\_client.android.AndroidDriver


Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: c833f569-e054-48b4-a766-d0258f67b54f

```
*** Element info: {Using=xpath, value=//android.widget.TextView[contains
(@text,'Continue')]}
at jdk.internal.reflect.GeneratedConstructorAccessor32.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.jaya client.AppiumDriver.findElementByXPath(AppiumDriver.jaya:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164)
at com.onepulse.app.screens.PulseRegistrationScreen.continueButton(PulseRegistrationScreen.
java:538)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.continueButton
(RegistrationSteps.java:100)
at .And I click the continue button(features/sg/health/dietician/Dietician_NegativeFlow.feature:
41)
```

And I click on close		0.00s
Then I click skip bu		0.00s
	landed home screen	0.00s
fter		0.00s
ack to Table of Contents		
cenario: Verify User s	hould be able to navigate to Dietician pag	e
assed: 0	Failed: 1 Undefined: 9	Duration: 29.5
efore		0.00s
Then I click the Hes	lth icon in Home screen	29.56s
using the given sear For documentation /no_such_element.h Build info: version: System info: host: 'os.version: '10.0', ja Driver info: io.appin Capabilities {appAcuat, automationNamprudential.pulse.MaUiAutomator2, deviplatformName: and Pixel 5, deviceName 1080x2340, deviceUfalse, networkConnpixelRatio: 2.75, plastatBarHeight: 145, 1080}, warnings: {}, Session ID: c833f56*** Element info: {Ufollowing::androidat jdk.internal.refleat java.base/jdk.internal.refleat java.base/jdk.internal.refleat java.base/java.larat org.openqa.seleni(W3CHttpResponseat org.openqa.selen	on this error, please visit: http://seleniumftml  '3.12.0', revision: '7c6e0b3', time: '2018-02  [M003LSIN', ip: '192.168.1.124', os.name: va.version: '11.0.2'  Im.java_client.android.AndroidDriver tivity: com.prudential.pulse.MainAc, apne: UiAutomator2, databaseEnabled: false inAc, appPackage: com.prudential.pulse ceName: Android-Test, newCommandTimroid}, deviceApiLevel: 30, deviceManufac: 0C241FDD40043P, deviceScreenDensityDID: 0C241FDD40043P, javascriptEnable ectionEnabled: true, newCommandTimeotform: LINUX, platformName: Android, takesScreenshot: true, viewportRect: {heiwebStorageEnabled: false} 0-e054-48b4-a766-d0258f67b54f  Using=xpath, value=//android.widget.Textwidget.TextView[contains(@text,'Health') ct.GeneratedConstructorAccessor32.newIestorAccessorImpl.java:45)  Ig.reflect.DelegatingConstructorAccessorstorAccessorImpl.java:45)  Ig.reflect.Constructor.newInstance(Construm.remote.http.W3CHttpResponseCodec Codec.java:187)  um.remote.http.W3CHttpResponseCodec Codec.java:122)  um.remote.http.W3CHttpResponseCodec Codec.java:49)  um.remote.HttpCommandExecutor.executient.remote.AppiumCommandExecutor.executient.executient.executient.executient.executient.executient.executient.ex	hq.org/exceptions 5-08T14:04:26.12Z' : 'Windows 10', os.arch: 'amd64' opPackage: com.prudential.pulse, desired: {appActivity: com. e.uat, automationName: meout: 10000, noReset: true, eturer: Google, deviceModel: 440, deviceScreenSize: ed: true, locationContextEnable ut: 10000, noReset: true, platformVersion: 11, ight: 2015, left: 0, top: 145, widt  View[contains(@text,'Home')] )]} instance(Unknown Source) orImpl.newInstance  ructor.java:490) c.createException c.decode

at io.appium.java_client.android.AndroidDriver.execute(AndroidDrive at org.openqa.selenium.remote.RemoteWebDriver.findElement(Remote	
at org.openqa.seiemum.remote.kemotevvebDriver.imdEiement(kemote at io.appium.java_client.DefaultGenericMobileDriver.findElement	ewebDriver.java:517)
(DefaultGenericMobileDriver.java:62)	
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.jav	va:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidI	
$at\ org. open qa. selenium. remote. Remote Web Driver. find Element By XP at the context of th$	h(RemoteWebDriver.
java:419)	
at io.appium.java_client.DefaultGenericMobileDriver.findElementByX	Path
(DefaultGenericMobileDriver.java:152) at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumI	Dnivan java 1)
at io.appium.java_client.appiumDriver.imdElementByXPath(Appium at io.appium.java_client.android.AndroidDriver.findElementByXPath(	
at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)	AndroidDirect.java.1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(Remote	eWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement	,
(DefaultGenericMobileDriver.java:58)	
$at\ io. appium. java\_client. Appium Driver. find Element (Appium Driver. java) appium Driver. java appiu$	
at io.appium.java_client.android.AndroidDriver.findElement(AndroidI	
at com.prudential.tap.selenium.Commands\$15.executeCommand(Com	· · · · · · · · · · · · · · · · · · ·
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Ex	xecuteCommand.java:
19)	160
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.ja	
at com.onepulse.app.screens.CustomerConnectScreen.HealthIcons(Cusjava:1332)	tomerConnectScreen.
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps	g Ugolthiaang
(CustomerConnectSteps.java:411)	s.meanmeons
at .Then I click the Health icon in Home screen(features/sg/health/dietic	i a m
/Dietician_NegativeFlow.feature:55)	1910
TOTAL CONTROL OF THE POST OF T	ાસા
Then I click the Dietician in Health Screen	0.00s
Then I click the Dietician in Health Screen And I clicks on ''Doctor'' in app screen	0.00s 0.00s
Then I click the Dietician in Health Screen And I clicks on "Doctor" in app screen And I click the continue button	0.00s 0.00s 0.00s
Then I click the Dietician in Health Screen And I clicks on "Doctor" in app screen And I click the continue button Then I wait for 3 sec	0.00s 0.00s 0.00s 0.00s
Then I click the Dietician in Health Screen And I clicks on "Doctor" in app screen And I click the continue button Then I wait for 3 sec And Enter the Service Number in Service Number Screen	0.00s 0.00s 0.00s
Then I click the Dietician in Health Screen And I clicks on "Doctor" in app screen And I click the continue button Then I wait for 3 sec And Enter the Service Number in Service Number Screen ServiceNumber 05	0.00s 0.00s 0.00s 0.00s
Then I click the Dietician in Health Screen And I clicks on "Doctor" in app screen And I click the continue button Then I wait for 3 sec And Enter the Service Number in Service Number Screen ServiceNumber 05 And Enter the Issue Organization in Service Number Screen	0.00s 0.00s 0.00s 0.00s
Then I click the Dietician in Health Screen And I clicks on "Doctor" in app screen And I click the continue button Then I wait for 3 sec And Enter the Service Number in Service Number Screen ServiceNumber 05 And Enter the Issue Organization in Service Number Screen ServiceNumber 07	0.00s 0.00s 0.00s 0.00s 0.00s
Then I click the Dietician in Health Screen And I clicks on "Doctor" in app screen And I click the continue button Then I wait for 3 sec And Enter the Service Number in Service Number Screen ServiceNumber 05 And Enter the Issue Organization in Service Number Screen ServiceNumber 07 And Enter the Valid Till im Service Number Screen	0.00s 0.00s 0.00s 0.00s
Then I click the Dietician in Health Screen And I clicks on "Doctor" in app screen And I click the continue button Then I wait for 3 sec And Enter the Service Number in Service Number Screen ServiceNumber 05 And Enter the Issue Organization in Service Number Screen ServiceNumber 07 And Enter the Valid Till im Service Number Screen ServiceNumber 124-12-2025	0.00s 0.00s 0.00s 0.00s 0.00s
Then I click the Dietician in Health Screen And I clicks on "Doctor" in app screen And I click the continue button Then I wait for 3 sec And Enter the Service Number in Service Number Screen ServiceNumber 05 And Enter the Issue Organization in Service Number Screen ServiceNumber 07 And Enter the Valid Till im Service Number Screen ServiceNumber 124-12-2025 And I clicks on "What is your service number?" in app screen	0.00s 0.00s 0.00s 0.00s 0.00s 0.00s
Then I click the Dietician in Health Screen And I clicks on "Doctor" in app screen And I click the continue button Then I wait for 3 sec And Enter the Service Number in Service Number Screen ServiceNumber 05 And Enter the Issue Organization in Service Number Screen ServiceNumber 07 And Enter the Valid Till im Service Number Screen ServiceNumber 124-12-2025 And I clicks on "What is your service number?" in app screen	0.00s 0.00s 0.00s 0.00s 0.00s 0.00s
Then I click the Dietician in Health Screen And I clicks on "Doctor" in app screen And I click the continue button Then I wait for 3 sec And Enter the Service Number in Service Number Screen ServiceNumber 05 And Enter the Issue Organization in Service Number Screen ServiceNumber 07 And Enter the Valid Till im Service Number Screen ServiceNumber 124-12-2025	0.00s 0.00s 0.00s 0.00s 0.00s
Then I click the Dietician in Health Screen And I clicks on "Doctor" in app screen And I click the continue button Then I wait for 3 sec And Enter the Service Number in Service Number Screen ServiceNumber 05 And Enter the Issue Organization in Service Number Screen ServiceNumber 07 And Enter the Valid Till im Service Number Screen ServiceNumber 124-12-2025 And I clicks on "What is your service number?" in app screen	0.00s 0.00s 0.00s 0.00s 0.00s 0.00s
Then I click the Dietician in Health Screen And I clicks on "Doctor" in app screen And I click the continue button Then I wait for 3 sec And Enter the Service Number in Service Number Screen ServiceNumber 05 And Enter the Issue Organization in Service Number Screen ServiceNumber 07 And Enter the Valid Till im Service Number Screen ServiceNumber 124-12-2025 And I clicks on "What is your service number?" in app screen	0.00s 0.00s 0.00s 0.00s 0.00s 0.00s
Then I click the Dietician in Health Screen And I clicks on "Doctor" in app screen And I click the continue button Then I wait for 3 sec And Enter the Service Number in Service Number Screen ServiceNumber 05 And Enter the Issue Organization in Service Number Screen ServiceNumber 07 And Enter the Valid Till im Service Number Screen ServiceNumber 124-12-2025 And I clicks on "What is your service number?" in app screen	0.00s 0.00s 0.00s 0.00s 0.00s 0.00s
Then I click the Dietician in Health Screen And I clicks on "Doctor" in app screen And I click the continue button Then I wait for 3 sec And Enter the Service Number in Service Number Screen ServiceNumber 05 And Enter the Issue Organization in Service Number Screen ServiceNumber 07 And Enter the Valid Till im Service Number Screen ServiceNumber 124-12-2025 And I clicks on "What is your service number?" in app screen	0.00s 0.00s 0.00s 0.00s 0.00s 0.00s
Then I click the Dietician in Health Screen And I clicks on "Doctor" in app screen And I click the continue button Then I wait for 3 sec And Enter the Service Number in Service Number Screen ServiceNumber 05 And Enter the Issue Organization in Service Number Screen ServiceNumber 07 And Enter the Valid Till im Service Number Screen ServiceNumber 124-12-2025 And I clicks on "What is your service number?" in app screen	0.00s 0.00s 0.00s 0.00s 0.00s 0.00s
Then I click the Dietician in Health Screen And I clicks on "Doctor" in app screen And I click the continue button Then I wait for 3 sec And Enter the Service Number in Service Number Screen ServiceNumber 05 And Enter the Issue Organization in Service Number Screen ServiceNumber 07 And Enter the Valid Till im Service Number Screen ServiceNumber 124-12-2025 And I clicks on "What is your service number?" in app screen	0.00s 0.00s 0.00s 0.00s 0.00s 0.00s
Then I click the Dietician in Health Screen And I clicks on "Doctor" in app screen And I click the continue button Then I wait for 3 sec And Enter the Service Number in Service Number Screen ServiceNumber 05 And Enter the Issue Organization in Service Number Screen ServiceNumber 07 And Enter the Valid Till im Service Number Screen ServiceNumber 124-12-2025 And I clicks on "What is your service number?" in app screen	0.00s 0.00s 0.00s 0.00s 0.00s 0.00s



Af	ter			0.00s				
Ba	Back to Table of Contents							
Sc	Scenario: Verify User should be able to navigate to specialisation page							
Pas	ssed: 1	Failed: 1	Undefined: 12	Duration: 11.29s				
Be	Before 0.							
	Then I wait for 3 sec	3.02s						
	And I clicks on "General	8.28s						

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no-such\_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java\_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com. prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: c833f569-e054-48b4-a766-d0258f67b54f

```
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"General
Physician'')]}
at jdk.internal.reflect.GeneratedConstructorAccessor32.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164)
at com.onepulse.app.screens.CustomerConnectScreen.clickButton(CustomerConnectScreen.
java:1685)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickUploadIcon
(CustomerConnectSteps.java:533)
at .And I clicks on "General Physician" in app screen(features/sg/health/dietician
/Dietician_NegativeFlow.feature:71)
```

And Enter the Degree N	lame in Eductaion Details Screen	0.00s
ServiceNumber MBE		
	me in Eductaion Details Screen	0.00s
ServiceNumber Deni		
	ional Details'' in app screen	0.00s
	ne in Eductaion Details Screen	0.00s
ServiceNumber 2020		
and Enter the year Nan	ne in Eductaion Details Screen	0.00s
ServiceNumber 2020	20	
and I clicks on "Educat	ional Details'' in app screen	0.00s
and Enter the universit	y Name in Eductaion Details Screen	0.00s
ServiceNumber 2020	20	
and I clicks on "Educat	ional Details'' in app screen	0.00s
And I click the continue	button	0.00s
My Wellness Plan Set yourself up far seccess  Tracking your activity is trending Go for lid Connect a Fitness Tracker or App with P Studies show that consistent use of Fitness Track increase your steps per day by more than a mile.  Don't have a Fitness Tracker? Don't worry! You ca connect Google Fit/ Apple Health app on your ph with Pulse.  Connect to Application	er can	
Tracking your activity is trending Go for it! Connect a Fitness Tracker or App with P Studies show that consistent use of Fitness Track increase your steps per day by more than a mile. Don't have a Fitness Tracker? Don't worry! You ca connect Google Fit/ Apple Health app on your ph with Pulse.	er can	
Tracking your activity is trending Go for it! Connect a Fitness Tracker or App with P Studies show that consistent use of Fitness Track increase your steps per day by more than a mile.  Don't have a Fitness Tracker? Don't worry! You ca connect Google Fit/ Apple Health app on your ph with Pulse.  Connect to Application  Connect to Fitness Tracker  Fitbit	er can	
Tracking your activity is trending Go for iti Connect a Fitness Tracker or App with P Studies show that consistent use of Fitness Track Increase your steps per day by more than a mile. Don't have a Fitness Tracker? Don't worry! You ca connect Google Fit/ Apple Health app on your ph with Pulse.  Connect to Application  Connect to Fitness Tracker	er can	
Tracking your activity is trending Go for it! Connect a Fitness Tracker or App with P Studies show that consistent use of Fitness Track increase your steps per day by more than a mile.  Don't have a Fitness Tracker? Don't worry! You ca connect Google Fit/ Apple Health app on your ph with Pulse.  Connect to Application  Connect to Fitness Tracker  Fitbit	er can	
Tracking your activity is trending Go for it! Connect a Fitness Tracker or App with P Studies show that consistent use of Fitness Track increase your steps per day by more than a mile.  Don't have a Fitness Tracker? Don't worry! You ca connect Google Fit/ Apple Health app on your ph with Pulse.  Connect to Application  Connect to Fitness Tracker  Fitbit	er can	
Tracking your activity is trending Go for it! Connect a Fitness Tracker or App with P Studies show that consistent use of Fitness Track increase your steps per day by more than a mile.  Don't have a Fitness Tracker? Don't worry! You ca connect Google Fit' Apple Health app on your ph with Pulse.  Connect to Application  Connect to Fitness Tracker  Fitbit	er can	
Tracking your activity is trending Go for it! Connect a Fitness Tracker or App with P Studies show that consistent use of Fitness Track increase your steps per day by more than a mile.  Don't have a Fitness Tracker? Don't worry! You ca connect Google Fit/ Apple Health app on your ph with Pulse.  Connect to Application  Connect to Fitness Tracker  Fitbit  Garmin  Connect Later	er can	
Tracking your activity is trending Go for it! Connect a Fitness Tracker or App with P Studies show that consistent use of Fitness Track Increase your steps per day by more than a mile.  Don't have a Fitness Tracker? Don't worry! You ca connect Google Fit/ Apple Health app on your ph with Pulse.  Connect to Application  Connect to Fitness Tracker  Fitbit  Garmin  Connect Later	er can	0.00s
Tracking your activity is trending Go for iti Connect a Fitness Tracker or App with P Studies show that consistent use of Fitness Track increase your steps per day by more than a mile. Den't have a Fitness Tracker? Don't worry! You ca connect Google Fit' Apple Health app on your ph with Pulse.  Connect to Application  Google Fit  Connect to Fitness Tracker  Fitbit  Garmin  Connect Later	er can in still one,	
Tracking your activity is trending Go for it! Connect a Fitness Tracker or App with P Studies show that consistent use of Fitness Track increase your steps per day by more than a mile.  Don't have a Fitness Tracker? Don't worry! You ca connect Google Fit Apple Health app on your ph with Pulse.  Connect to Application  Google Fit  Connect to Fitness Tracker  Fitbit  Garmin  Connect Later  Connect User Shou	ld be able to navigate to Educational Details p	age
Tracking your activity is trending Go for iti Connect a Fitness Tracker or App with P Studies show that consistent use of Fitness Track Increase your steps per day by more than a mile.  Den't have a Fitness Tracker? Don't worry! You ca connect Google Fit' Apple Health app on your ph with Pulse.  Connect to Application  Connect to Fitness Tracker  Fitbit  Garmin  Connect Later  Connect Later  Connect Contents  ario: Verify User shouled: 0	er can in still one,	age Duration: 3
Tracking your activity is trending Go for lit Connect a Fitness Tracker or App with P Studies show that consistent use of Fitness Track increase your steps per day by more than a mile. Den't have a Fitness Tracker? Don't worry! You ca connect Google Fit' Apple Health app on your ph with Pulse.  Connect to Application  Google Fit  Fitbit  Garmin  Connect Later  Connect Later  Connect Table of Contents  ario: Verify User shou ed: 0  Ore	Id be able to navigate to Educational Details p Failed: 1  Undefined: 8	age Duration: 3 0.00s
Tracking your activity is trending Go for lit Connect a Fitness Tracker or App with P Studies show that consistent use of Fitness Track Increase your steps per day by more than a mile. Don't have a Fitness Tracker? Don't worry! You ca connect Google Fit/ Apple Health app on your ph with Pulse.  Connect to Application  Google Fit  Fitbit  Garmin  Connect to Fitness Tracker  Connect to Fitness Tracker  Connect to Fitness Tracker  Connect to Fitness Tracker	ld be able to navigate to Educational Details p	age Duration: 3 0.00s

```
For documentation on this error, please visit: http://seleniumhq.org/exceptions
/no such element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.
prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName:
UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true,
platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel:
Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize:
1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled:
false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,
pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11,
statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width:
1080}, warnings: {}, webStorageEnabled: false}
Session ID: c833f569-e054-48b4-a766-d0258f67b54f
*** Element info: {Using=xpath, value=//android.widget.EditText[contains(@text,''Enter
Hospital/Clinic Name'')]}
at jdk.internal.reflect.GeneratedConstructorAccessor32.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
```

at io.appium.java\_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java\_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java\_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at com.prudential.tap.selenium.Commands\$16.executeCommand(Commands.java:148)

at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:

at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:261)


at com.onepulse.app.screens.CustomerConnectScreen.Enternames(CustomerConnectScreen. java:1779)

at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.

i\_Enter\_the\_in\_in\_home\_screen(CustomerConnectSteps.java:566)

at .And I Enter the "Enter Hospital/Clinic Name" in "Test University" in home screen(features /sg/health/dietician/Dietician NegativeFlow.feature:95)

<u> </u>	
And I Enter the "Enter Location" in "Singapore" in home screen	0.00s
And I Enter the "Start Date" in "10" in dynamic Experience screen	0.00s
And I Enter the "End Date" in "10" in dynamic Experience screen	0.00s
And I Enter the "Start Date" in "2021" in dynamic years Experience screen	0.00s
And I Enter the "End Date" in "2020" in dynamic years Experience screen	0.00s
And I Enter the "Enter profile title if any" in "MBBSDOCTOR" in home	0.00s
screen	0.008
And I click the continue button	0.00s
Then verify Add Experience message "Add Experience"	0.00s



After	0.00s
Back to Table of Contents	

Feature: Verify Dietician Positive Flow functionality on one pulse App

Failed: 8 Undefined: 0 Passed: 0 Duration: 99.37s

	: Verify the Home screen validation using "Continue with	
ssed: 9	Failed: 1 Undefined: 25	Duration: 80.0
fore		0.00s
Given I genera ''RANDOM_N	ate random number and assign to variable NUMBER''	0.00s
And I assign " "PULSE_EMA	pulse\${RANDOM_NUMBER}@mailsac.com'' to variabl AIL''	0.00s
And User has	pulse app	9.53s
And user click	on "CONTINUE WITH EMAIL" with Email button	13.21s
When user ent	ters registration details	9.38s
FirstName LastName Email Password	Test \${PULSE_EMAIL}	
	ontinue "Sign_Up" button	0.47s
Then I wait fo	<u> </u>	10.00s
	TP in one pulse app for user email ''\${PULSE_EMAIL}''	
Then I wait for		5.00s
And I enter th	e ''mobile number'' in welcome to pulse	4.75s
org.openqa.sel processing the Original error Build info: ver System info: h os.version: '10	lenium.WebDriverException: An unknown server-side er command. Original error: Could not proxy command to ex socket hang up ersion: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:0 tost: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Window 0.0', java.version: '11.0.2' o.appium.java_client.android.AndroidDriver	the remote server. 4:26.12Z'
org.openqa.sel processing the Original error Build info: ver System info: h os.version: '10 Driver info: io Capabilities {a uat, automatio prudential.pul UiAutomator2 platformName Pixel 5, device 1080x2340, defalse, network pixelRatio: 2.7	lenium.WebDriverException: An unknown server-side er command. Original error: Could not proxy command to c: socket hang up csion: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:0 lost: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Window 0.0', java.version: '11.0.2'	the remote server.  4:26.12Z' 7s 10', os.arch: 'amd64'  : com.prudential.puls {appActivity: com. omationName: 000, noReset: true, ogle, deviceModel: iceScreenSize: ocationContextEnable noReset: true, /ersion: 11,

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode	
(W3CHttpResponseCodec.java:122)	
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode	
(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCo	mmandEvacutor java
158)	immanuizzecutor.java.
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)	
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebl	Driver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGejava:42)	enericMobileDriver.
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)	
$at\ io. appium. java\_client. and roid. And roid Driver. execute (And roid Driver) and roid Driver and roid Driver and roid Driver. The provided High Properties and the provided High Provided Hight$	
at org.openqa.selenium.remote. RemoteWebDriver.findElement (RemoteWebDriver.findElement)	WebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement	
(DefaultGenericMobileDriver.java:62)	
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java	
at io.appium.java_client.android.AndroidDriver.findElement(AndroidD	
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPathjava:419)	i(KemotevvenDriver.
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXF	Path
(DefaultGenericMobileDriver.java:152)	
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumD	river.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(A	
at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)	
${\bf at\ org.open qa. selenium. remote. Remote WebDriver. find Element (Remote WebDriver. find Element)}$	WebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement	
(DefaultGenericMobileDriver.java:58)	
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java	
at io.appium.java_client.android.AndroidDriver.findElement(AndroidD at com.prudential.tap.selenium.Commands\$16.executeCommand(Comn	
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Ex	
19)	ecuteCommanu.java.
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePa	ge.iava:261)
at com.onepulse.app.screens.PulseRegistrationScreen.enterMobileNumb	· · · · · · · · · · · · · · · · · · ·
(PulseRegistrationScreen.java:466)	
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.enter	MobileNumber
(RegistrationSteps.java:162)	
at .And I enter the ''mobile number'' in welcome to pulse(features/sg/hea	alth/dietician
/Dietician_PositiveFlow.feature:24)	
And I click the continue button	0.00s
And I choose my wellness goals under wellness plan screen	0.00s
And I click the continue button	0.00s
And I click the date in Date of Birth field	0.00s
And I click the Done icon	0.00s
And I click the continue button	0.00s
And I select the Male icon	0.00s
And I click the continue button	
And I enter my height and weight details	0.00s
Allu I CIIICI IIIV IICIZIII AIIU WEIZIII UCIAIIS	0.00s 0.00s
And I click on Calculate BMI button	0.00s 0.00s 0.00s

And I click the	e continue button	0.00s
And I select th	e "How active are you?" in doing exercise	0.00s
And I click the	e continue button	0.00s
And I select m	y favorite food dietary	0.00s
And I click th	e continue button	0.00s
And I answer	as ''Yes'' to ''Food Allergies are common?''	0.00s
And I click th	e continue button	0.00s
And I verify the	nat ''Tracking your activity is trending'' is displayed	0.00s
And I click th	e continue button	0.00s
And I see that	"Welcome to Pulse" text is displayed	0.00s
And I click the	e continue button	0.00s
And I see that	fitness subscription exclusive offers screen is displayed	0.00s
And I click on	close icon	0.00s
Then I click sl	xip buttons	0.00s
Then user sho	uld be landed home screen	0.00s
ter		0.00s
ck to Table of Cor	itents	
enario: Verify	User should be able to navigate to Dietician page	
ssed: 0	Failed: 1 Undefined: 8	Duration: 8.07
,500.0	2 44404 2	
fore		0.00s
org.openqa.se	enium.WebDriverException: An unknown server-side error command. Original error: Could not proxy command to the	
Then I click the org.openqa.se processing the Original error	enium.WebDriverException: An unknown server-side error command. Original error: Could not proxy command to the socket hang up	8.07s coccurred while e remote server.
Then I click the org.openqa.se processing the Original error Build info: ver	enium.WebDriverException: An unknown server-side error command. Original error: Could not proxy command to the socket hang up rsion: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:2	8.07s coccurred while e remote server. 26.12Z'
Then I click the org.openqa.se processing the Original error Build info: ver System info: h	lenium.WebDriverException: An unknown server-side error command. Original error: Could not proxy command to the socket hang up sion: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:2 ost: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 1	8.07s coccurred while e remote server. 26.12Z'
Then I click the org.openqa.se processing the Original error Build info: versystem info: hos.version: '10	denium.WebDriverException: An unknown server-side error command. Original error: Could not proxy command to the socket hang up rsion: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:2 ost: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 1.0', java.version: '11.0.2'	8.07s coccurred while e remote server. 26.12Z'
Then I click the org.openqa.se processing the Original error Build info: version the os.version: '10 Driver info: ic	denium.WebDriverException: An unknown server-side error command. Original error: Could not proxy command to the socket hang up sion: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:2 ost: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 1.0', java.version: '11.0.2' .appium.java_client.android.AndroidDriver	8.07s coccurred while e remote server. 26.12Z' .0', os.arch: 'amd64
Then I click the org.openqa.se processing the Original error Build info: ver System info: hos.version: '10 Driver info: io Capabilities {a	enium.WebDriverException: An unknown server-side error command. Original error: Could not proxy command to the socket hang up sion: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:2 ost: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 1.0', java.version: '11.0.2' .appium.java_client.android.AndroidDriver appActivity: com.prudential.pulse.MainAc, appPackage: compactivity: com.prudential.pulse.MainAc,	8.07s coccurred while e remote server. 26.12Z' 0', os.arch: 'amd64
Then I click the org.openqa.se processing the Original error Build info: version: '10 os.version: '10 Driver info: io Capabilities {a uat, automatic	denium.WebDriverException: An unknown server-side error command. Original error: Could not proxy command to the socket hang up rsion: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:2 ost: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 1.0', java.version: '11.0.2' .appium.java_client.android.AndroidDriver appActivity: com.prudential.pulse.MainAc, appPackage: conName: UiAutomator2, databaseEnabled: false, desired: {appium.	8.07s coccurred while e remote server. 26.12Z' 0', os.arch: 'amd64 om.prudential.pulse
Then I click the org.openqa.se processing the Original error Build info: version: '10 Driver info: in Capabilities {a uat, automatic prudential.put	enium.WebDriverException: An unknown server-side error command. Original error: Could not proxy command to the socket hang up sion: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:2 ost: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 1.0', java.version: '11.0.2' .appium.java_client.android.AndroidDriver appActivity: com.prudential.pulse.MainAc, appPackage: compactivity: com.prudential.pulse.MainAc,	8.07s coccurred while e remote server. 26.12Z' 0', os.arch: 'amd64 om.prudential.pulse ppActivity: com. ationName:
Then I click the org.openqa.se processing the Original error Build info: ver System info: hos.version: '10 Driver info: io Capabilities {auat, automatic prudential.put	denium.WebDriverException: An unknown server-side error command. Original error: Could not proxy command to the socket hang up sion: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:20st: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 1.0', java.version: '11.0.2' .appium.java_client.android.AndroidDriver appActivity: com.prudential.pulse.MainAc, appPackage: conName: UiAutomator2, databaseEnabled: false, desired: {asse.MainAc, appPackage: com.prudential.pulse.uat, automater.	8.07s coccurred while eremote server. 26.12Z' 0', os.arch: 'amd64 om.prudential.pulsopActivity: com. ationName:
Then I click the org.openqa.se processing the Original error Build info: version: '10 Driver info: in Capabilities {a uat, automatic prudential.put UiAutomator platformName Pixel 5, device	denium.WebDriverException: An unknown server-side error command. Original error: Could not proxy command to the socket hang up sion: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:20st: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 1.0', java.version: '11.0.2' .appium.java_client.android.AndroidDriver appActivity: com.prudential.pulse.MainAc, appPackage: conName: UiAutomator2, databaseEnabled: false, desired: {asse.MainAc, appPackage: com.prudential.pulse.uat, automated. deviceName: Android-Test, newCommandTimeout: 10000 e: android}, deviceApiLevel: 30, deviceManufacturer: GoogleName: 0C241FDD40043P, deviceScreenDensity: 440, device	8.07s coccurred while e remote server. 26.12Z' 0', os.arch: 'amd64 om.prudential.pulse ppActivity: com. ationName: con.proceed: true, e, deviceModel: ScreenSize:
Then I click the org.openqa.se processing the Original error Build info: version: '10 Driver info: in Capabilities {a uat, automatic prudential.put UiAutomator platformName Pixel 5, device 1080x2340, de	denium.WebDriverException: An unknown server-side error command. Original error: Could not proxy command to the socket hang up rsion: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:2 ost: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 1.0', java.version: '11.0.2' .appium.java_client.android.AndroidDriver appActivity: com.prudential.pulse.MainAc, appPackage: conName: UiAutomator2, databaseEnabled: false, desired: {ase.MainAc, appPackage: com.prudential.pulse.uat, automate, deviceName: Android-Test, newCommandTimeout: 10000 e: android}, deviceApiLevel: 30, deviceManufacturer: GoogleName: 0C241FDD40043P, deviceScreenDensity: 440, deviceviceUDID: 0C241FDD40043P, javascriptEnabled: true, local	8.07s coccurred while eremote server. 26.12Z' 0', os.arch: 'amd64 om.prudential.pulsepActivity: com. ationName: connected true, e, deviceModel: ScreenSize: tionContextEnable
Then I click the org.openqa.se processing the Original error Build info: version: '10 Driver info: in Capabilities {a uat, automatic prudential.pu UiAutomator platformName Pixel 5, device 1080x2340, defalse, network	denium.WebDriverException: An unknown server-side error command. Original error: Could not proxy command to the socket hang up sion: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:20st: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 1.0', java.version: '11.0.2' .appium.java_client.android.AndroidDriver appActivity: com.prudential.pulse.MainAc, appPackage: conName: UiAutomator2, databaseEnabled: false, desired: {ase.MainAc, appPackage: com.prudential.pulse.uat, automate, deviceName: Android-Test, newCommandTimeout: 10000 e: android}, deviceApiLevel: 30, deviceManufacturer: GoogleName: 0C241FDD40043P, deviceScreenDensity: 440, deviceViceUDID: 0C241FDD40043P, javascriptEnabled: true, localConnectionEnabled: true, newCommandTimeout: 10000, not	8.07s coccurred while eremote server. 26.12Z' 0', os.arch: 'amd64' om.prudential.pulse ppActivity: com. ationName: connection true, e, deviceModel: ScreenSize: tionContextEnable or contextEnable or contextEnabl
Then I click the org.openqa.se processing the Original error Build info: version: '10 Driver info: in Capabilities {a uat, automatic prudential.put UiAutomator platformName Pixel 5, device 1080x2340, defalse, network pixelRatio: 2.2	denium.WebDriverException: An unknown server-side error command. Original error: Could not proxy command to the socket hang up sion: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:20st: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 1.0', java.version: '11.0.2' .appium.java_client.android.AndroidDriver appActivity: com.prudential.pulse.MainAc, appPackage: conName: UiAutomator2, databaseEnabled: false, desired: {asse.MainAc, appPackage: com.prudential.pulse.uat, automate. deviceName: Android-Test, newCommandTimeout: 10000 e: android}, deviceApiLevel: 30, deviceManufacturer: GoogleName: 0C241FDD40043P, deviceScreenDensity: 440, deviceviceUDID: 0C241FDD40043P, javascriptEnabled: true, local ConnectionEnabled: true, newCommandTimeout: 10000, not some supplied in the content of the connectionEnabled: true, newCommandTimeout: 10000, not some supplied in the content of the connectionEnabled: true, newCommandTimeout: 10000, not some supplied in the connectionEnabled: true, newCommandTimeout: 10000, not supplied in the content of the connectionEnabled: true, newCommandTimeout: 10000, not supplied in the content of the connectionEnabled: true, newCommandTimeout: 10000, not supplied in the content of the connectionEnabled: true, newCommandTimeout: 10000, not supplied in the content of the content	8.07s coccurred while eremote server. 26.12Z' 0', os.arch: 'amd64 om.prudential.pulsoppActivity: com. ationName: comeset: true, e, deviceModel: ScreenSize: tionContextEnable oReset: true, esion: 11,
Then I click the org.openqa.se processing the Original error Build info: version: '10 Driver info: in Capabilities {a uat, automatic prudential.put UiAutomator platformName Pixel 5, device 1080x2340, de false, network pixelRatio: 2.7 statBarHeight	denium.WebDriverException: An unknown server-side error command. Original error: Could not proxy command to the socket hang up rsion: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:20st: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 1.0', java.version: '11.0.2' .appium.java_client.android.AndroidDriver appActivity: com.prudential.pulse.MainAc, appPackage: conName: UiAutomator2, databaseEnabled: false, desired: {asse.MainAc, appPackage: com.prudential.pulse.uat, automate, deviceName: Android-Test, newCommandTimeout: 10000 e: android}, deviceApiLevel: 30, deviceManufacturer: Google Name: 0C241FDD40043P, deviceScreenDensity: 440, device viceUDID: 0C241FDD40043P, javascriptEnabled: true, local ConnectionEnabled: true, newCommandTimeout: 10000, no for the properties of the prope	8.07s coccurred while eremote server. 26.12Z' 0', os.arch: 'amd64 om.prudential.pulse ppActivity: com. ationName: connectionName: connectionContextEnable or
Then I click the org.openqa.se processing the Original error Build info: version: '10 Driver info: in Capabilities {a uat, automatic prudential.pu UiAutomator platformName Pixel 5, device 1080x2340, defalse, network pixelRatio: 2.' statBarHeight 1080}, warnin	lenium.WebDriverException: An unknown server-side error command. Original error: Could not proxy command to the socket hang up sion: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:20st: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 1.0', java.version: '11.0.2' .appium.java_client.android.AndroidDriver appActivity: com.prudential.pulse.MainAc, appPackage: conName: UiAutomator2, databaseEnabled: false, desired: {ase.MainAc, appPackage: com.prudential.pulse.uat, automator2, deviceName: Android-Test, newCommandTimeout: 10000 e: android}, deviceApiLevel: 30, deviceManufacturer: GoogleName: 0C241FDD40043P, deviceScreenDensity: 440, deviceviceUDID: 0C241FDD40043P, javascriptEnabled: true, locatonnectionEnabled: true, newCommandTimeout: 10000, notestionEnabled: 10000, notestionEnabled: 10000, notestionEnabled: 10000, notestionEnabled: 10000, notestionEnabled: 10000, notes	8.07s coccurred while eremote server. 26.12Z' 0', os.arch: 'amd64 om.prudential.pulsoppActivity: com. ationName: comeset: true, e, deviceModel: ScreenSize: tionContextEnable oReset: true, esion: 11,
Then I click the org.openqa.se processing the Original error Build info: version: '10 Driver info: in Capabilities (a uat, automatic prudential.put UiAutomator platformName Pixel 5, device 1080x2340, defalse, network pixelRatio: 2.2 statBarHeight 1080}, warnin Session ID: 21	denium.WebDriverException: An unknown server-side error command. Original error: Could not proxy command to the socket hang up rsion: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:20st: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 1.0', java.version: '11.0.2' .appium.java_client.android.AndroidDriver appActivity: com.prudential.pulse.MainAc, appPackage: conName: UiAutomator2, databaseEnabled: false, desired: {ase.MainAc, appPackage: com.prudential.pulse.uat, automator2, deviceName: Android-Test, newCommandTimeout: 10000 e: android}, deviceApiLevel: 30, deviceManufacturer: Google Name: 0C241FDD40043P, deviceScreenDensity: 440, device viceUDID: 0C241FDD40043P, javascriptEnabled: true, loca ConnectionEnabled: true, newCommandTimeout: 10000, not 5, platform: LINUX, platformName: Android, platformVer: 145, takesScreenshot: true, viewportRect: {height: 2015, legs: {}, webStorageEnabled: false} de1046-e6e0-42ef-9c76-8b345dfd2309	8.07s coccurred while e remote server. 26.12Z' 0', os.arch: 'amd64 com.prudential.pulse ppActivity: com. ationName: com. noReset: true, e, deviceModel: ScreenSize: tionContextEnable oReset: true, sion: 11, ft: 0, top: 145, width
Then I click the org.openqa.se processing the Original error Build info: version: '10 Driver info: in Capabilities {a uat, automatic prudential.put UiAutomator platformName Pixel 5, device 1080x2340, defalse, network pixelRatio: 2.7 statBarHeight 1080}, warnin Session ID: 21 at jdk.interna	denium.WebDriverException: An unknown server-side error command. Original error: Could not proxy command to the socket hang up rsion: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:20st: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 1.0', java.version: '11.0.2' .appium.java_client.android.AndroidDriver appActivity: com.prudential.pulse.MainAc, appPackage: conName: UiAutomator2, databaseEnabled: false, desired: {asse.MainAc, appPackage: com.prudential.pulse.uat, automator2, deviceName: Android-Test, newCommandTimeout: 10000 e: android}, deviceApiLevel: 30, deviceManufacturer: GoogleName: 0C241FDD40043P, deviceScreenDensity: 440, deviceNiceUDID: 0C241FDD40043P, javascriptEnabled: true, local ConnectionEnabled: true, newCommandTimeout: 10000, not some content of the properties of the particle of the pa	8.07s coccurred while eremote server. 26.12Z' 0', os.arch: 'amd64 om.prudential.pulse ppActivity: com. ationName: c, noReset: true, e, deviceModel: ScreenSize: tionContextEnable oReset: true, sion: 11, ft: 0, top: 145, widtenown Source)
Then I click the org.openqa.se processing the Original error Build info: version: '10 Driver info: in Capabilities {a uat, automatic prudential.pu UiAutomator platformName Pixel 5, device 1080x2340, defalse, network pixelRatio: 2.' statBarHeight 1080}, warnin Session ID: 21 at jdk.interna at java.base/jo	lenium.WebDriverException: An unknown server-side error command. Original error: Could not proxy command to the socket hang up sion: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:20st: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 1.0', java.version: '11.0.2' .appium.java_client.android.AndroidDriver appActivity: com.prudential.pulse.MainAc, appPackage: conName: UiAutomator2, databaseEnabled: false, desired: {ase.MainAc, appPackage: com.prudential.pulse.uat, automator2, deviceName: Android-Test, newCommandTimeout: 10000 e: android}, deviceApiLevel: 30, deviceManufacturer: GoogleName: 0C241FDD40043P, deviceScreenDensity: 440, deviceViceUDID: 0C241FDD40043P, javascriptEnabled: true, locatonnectionEnabled: true, newCommandTimeout: 10000, notestionEnabled: true, newCommandTimeout: 10000, notestionEnabled: true, viewportRect: {height: 2015, letters: {}, webStorageEnabled: false} de1046-e6e0-42ef-9c76-8b345dfd2309 .reflect.GeneratedConstructorAccessor30.newInstance(Unklk.internal.reflect.DelegatingConstructorAccessorImpl.newI	8.07s coccurred while eremote server. 26.12Z' 0', os.arch: 'amd64 om.prudential.pulse ppActivity: com. ationName: c, noReset: true, e, deviceModel: ScreenSize: tionContextEnable oReset: true, sion: 11, ft: 0, top: 145, widtenown Source)
org.openqa.se processing the Original error Build info: ver System info: hos.version: '10 Driver info: io Capabilities {a uat, automatic prudential.pu UiAutomator: platformName Pixel 5, device 1080x2340, defalse, network pixelRatio: 2.3 statBarHeight 1080}, warnin Session ID: 21 at jdk.interna at java.base/jo (DelegatingCo	denium.WebDriverException: An unknown server-side error command. Original error: Could not proxy command to the socket hang up rsion: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:20st: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 1.0', java.version: '11.0.2' .appium.java_client.android.AndroidDriver appActivity: com.prudential.pulse.MainAc, appPackage: conName: UiAutomator2, databaseEnabled: false, desired: {asse.MainAc, appPackage: com.prudential.pulse.uat, automator2, deviceName: Android-Test, newCommandTimeout: 10000 e: android}, deviceApiLevel: 30, deviceManufacturer: GoogleName: 0C241FDD40043P, deviceScreenDensity: 440, deviceNiceUDID: 0C241FDD40043P, javascriptEnabled: true, local ConnectionEnabled: true, newCommandTimeout: 10000, not some content of the properties of the particle of the pa	8.07s coccurred while eremote server. 26.12Z' 0', os.arch: 'amd64 com.prudential.pulso ppActivity: com. ationName: com. ationName: com. ationContextEnable or cortextEnable or c
org.openqa.se processing the Original error Build info: ver System info: hos.version: '10 Driver info: io Capabilities {a uat, automatic prudential.pu UiAutomator platformName Pixel 5, device 1080x2340, defalse, network pixelRatio: 2.7 statBarHeight 1080}, warnin Session ID: 21 at jdk.interna at java.base/jd (DelegatingCoat java.base/ja	lenium.WebDriverException: An unknown server-side error command. Original error: Could not proxy command to the socket hang up sion: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:20st: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 1.0', java.version: '11.0.2'  appium.java_client.android.AndroidDriver appActivity: com.prudential.pulse.MainAc, appPackage: conName: UiAutomator2, databaseEnabled: false, desired: {ase.MainAc, appPackage: com.prudential.pulse.uat, automator2, deviceName: Android-Test, newCommandTimeout: 10000 er android}, deviceApiLevel: 30, deviceManufacturer: GoogleName: 0C241FDD40043P, deviceScreenDensity: 440, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, local ConnectionEnabled: true, newCommandTimeout: 10000, notestionEnabled: true, newCommandTimeout: 10000, notestionEnabled: true, viewportRect: {height: 2015, legs: {}, webStorageEnabled: false} de1046-e6e0-42ef-9c76-8b345dfd2309  l.reflect.GeneratedConstructorAccessor30.newInstance(Unklk.internal.reflect.DelegatingConstructorAccessorImpl.newInstructorAccessorImpl.java:45)	8.07s coccurred while eremote server. 26.12Z' 0', os.arch: 'amd64 om.prudential.pulse ppActivity: com. ationName: connected, noReset: true, e, deviceModel: ScreenSize: tionContextEnable or Reset: true, sion: 11, ft: 0, top: 145, width nown Source) nstance
org.openqa.se processing the Original error Build info: ver System info: hos.version: '10 Driver info: io Capabilities {a uat, automatic prudential.pu UiAutomator platformName Pixel 5, device 1080x2340, defalse, network pixelRatio: 2.2 statBarHeight 1080}, warnin Session ID: 21 at jdk.interna at java.base/jo (DelegatingCoat java.base/ja at org.openqa (W3CHttpRession ID: 20 at java.base/ja at org.openqa (W3CHttpRession ID: 20 at java.base/ja at org.openqa (W3CHttpRession ID: 21 at java.base/ja at org.open	denium.WebDriverException: An unknown server-side error command. Original error: Could not proxy command to the socket hang up sion: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:20st: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 1.0', java.version: '11.0.2' Lappium.java_client.android.AndroidDriver appActivity: com.prudential.pulse.MainAc, appPackage: conName: UiAutomator2, databaseEnabled: false, desired: {ase.MainAc, appPackage: com.prudential.pulse.uat, automate, deviceName: Android-Test, newCommandTimeout: 10000 and command a	8.07s coccurred while eremote server. 26.12Z' 0', os.arch: 'amd64 om.prudential.pulse ppActivity: com. ationName: connected, noReset: true, e, deviceModel: ScreenSize: tionContextEnable or Reset: true, sion: 11, ft: 0, top: 145, width nown Source) nstance

(W3CHttpResponseCodec.java:122)	
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode	
(W3CHttpResponseCodec.java:49)	
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpC 158)	ommandExecutor.java:
at io.appium.java_client.remote.AppiumCommandExecutor.execute	
(AppiumCommandExecutor.java:231)	
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWeb	· · · · · · · · · · · · · · · · · · ·
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGiava:46)	senericMobileDriver.
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)	
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver)	
at org.openqa.selenium.remote.	,
RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSiz	e(RemoteWebDriver.
java:804)	
at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommat com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBase))	
at com.onepulse.app.screens.CustomerConnectScreen.HealthIcons(CustomerConnectScreen.HealthIcons)	
java:1331)	
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectStep	s.Healthicons
(CustomerConnectSteps.java:411)	
at .Then I click the Health icon in Home screen(features/sg/health/dietic	cian
/Dietician_PositiveFlow.feature:60) Then I click the Dietician in Health Screen	0.00s
And I clicks on "Doctor" in app screen	0.00s
And I click the continue button	0.00s
And Enter the Service Number in Service Number Screen	0.00s
ServiceNumber 05	0.003
And Enter the Issue Organization in Service Number Screen	0.00s
ServiceNumber 07	0.008
	0.00
And Enter the Valid Till im Service Number Screen	0.00s
ServiceNumber 12	0.00
And I clicks on "What is your service number?" in app screen	0.00s
And I click the continue button	0.00s
After	0.00s
Back to Table of Contents	
Scenario: Verify User should be able to navigate to specialisation page	
Passed: 0 Failed: 1 Undefined: 5	Duration: .03s
Before	0.00s
And I clicks on "General Physician" in app screen	0.03s
org.openqa.selenium.WebDriverException: An unknown server-side er	
processing the command. Original error: Could not proxy command to Original error: socket hang up	tne remote server.
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:0	)4:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Window	
os.version: '10.0', java.version: '11.0.2'	
Driver info: io.appium.java_client.android.AndroidDriver	

```
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.
prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName:
UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true,
platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel:
Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize:
1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled:
false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,
pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11,
statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width:
1080}, warnings: {}, webStorageEnabled: false}
Session ID: 21de1046-e6e0-42ef-9c76-8b345dfd2309
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"General
Physician'')]}
at idk.internal.reflect.GeneratedConstructorAccessor30.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
```

-	e.app.screens.TestBasePage.clickButton(TestBasePage.java:16	
-	e.app.screens.CustomerConnectScreen.clickButton(Customer	ConnectScreen
java:1685) at com onenulse	app.stepdefinitions.mobilesteps.CustomerConnectSteps.click	UnloadIcon
-	nectSteps.java:533)	reploadicon
at .And I clicks	on ''General Physician'' in app screen(features/sg/health/dieti	ician
	iveFlow.feature:89)	
And I click the o		0.00s
And I verify foll	lowing texts are displayed	0.00s
Add Super S	pecialisation	
And Enter the A	Add Super Specialization Till im pulse for Experts Screen	0.00s
ServiceNumb	per MBBS	
And I clicks on	"Add Super Specialisation" in app screen	0.00s
And I click the o	continue button	0.00s
ter		0.00s
k to Table of Conte	ents	
enario: Verify U	ser should be able to navigate to Educational Details page	
sed: 0	Failed: 1 Undefined: 16	Duration: .03
fore		0.00s
And I verify foll	lowing texts are displayed	0.03s
	wing texts are displayed	0.038
Educational		0.038
java.lang.Assert Educational Det	Details  tionError: The following asserts failed: tails text is displayed on page expected [true] but found [false]	
java.lang.Assert Educational Det at org.testng.ass	Details  tionError: The following asserts failed: tails text is displayed on page expected [true] but found [false] serts.SoftAssert.assertAll(SoftAssert.java:43)	]
java.lang.Assert Educational Det at org.testng.ass at com.onepulse	Details  tionError: The following asserts failed: tails text is displayed on page expected [true] but found [false] serts.SoftAssert.assertAll(SoftAssert.java:43) c.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnS	]
java.lang.Assert Educational Det at org.testng.ass at com.onepulse (MyDocSteps.ja	Details  tionError: The following asserts failed: tails text is displayed on page expected [true] but found [false] serts.SoftAssert.assertAll(SoftAssert.java:43) c.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnStva:717)	]
java.lang.Assert Educational Det at org.testng.ass at com.onepulse (MyDocSteps.ja at .And I verify	Details  tionError: The following asserts failed: tails text is displayed on page expected [true] but found [false] serts.SoftAssert.assertAll(SoftAssert.java:43) e.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnStva:717) following texts are displayed(features/sg/health/dietician	]
java.lang.Assert Educational Det at org.testng.ass at com.onepulse (MyDocSteps.ja at .And I verify /Dietician_Posit	Details  tionError: The following asserts failed: tails text is displayed on page expected [true] but found [false] serts.SoftAssert.assertAll(SoftAssert.java:43) c.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnStva:717) following texts are displayed(features/sg/health/dietician iveFlow.feature:100)	] Screen
java.lang.Assert Educational Det at org.testng.ass at com.onepulse (MyDocSteps.ja at .And I verify /Dietician_Posit	Details  tionError: The following asserts failed: tails text is displayed on page expected [true] but found [false] serts.SoftAssert.assertAll(SoftAssert.java:43) c.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnStva:717) following texts are displayed(features/sg/health/dietician iveFlow.feature:100) Degree Name in Eductaion Details Screen	]
java.lang.Assert Educational Det at org.testng.ass at com.onepulse (MyDocSteps.ja at .And I verify /Dietician_Posit And Enter the I	Details  tionError: The following asserts failed: tails text is displayed on page expected [true] but found [false] serts.SoftAssert.assertAll(SoftAssert.java:43) e.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnStva:717) following texts are displayed(features/sg/health/dietician iveFlow.feature:100) Degree Name in Eductaion Details Screen Der MBBS	Screen 0.00s
java.lang.Assert Educational Det at org.testng.ass at com.onepulse (MyDocSteps.ja at .And I verify /Dietician_Posit And Enter the I ServiceNumb	Details  tionError: The following asserts failed: tails text is displayed on page expected [true] but found [false] serts.SoftAssert.assertAll(SoftAssert.java:43) c.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnStva:717) following texts are displayed(features/sg/health/dietician iveFlow.feature:100) Degree Name in Eductaion Details Screen ber MBBS tudy Name in Eductaion Details Screen	] Screen
java.lang.Assert Educational Det at org.testng.ass at com.onepulse (MyDocSteps.ja at .And I verify /Dietician_Posit And Enter the I ServiceNumb	Details  tionError: The following asserts failed: tails text is displayed on page expected [true] but found [false] serts.SoftAssert.assertAll(SoftAssert.java:43) c.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnSva:717) following texts are displayed(features/sg/health/dietician iveFlow.feature:100) Degree Name in Eductaion Details Screen ber MBBS tudy Name in Eductaion Details Screen Denist	0.00s
java.lang.Assert Educational Det at org.testng.ass at com.onepulse (MyDocSteps.ja at .And I verify /Dietician_Posit And Enter the I ServiceNumb And I clicks on	Details  tionError: The following asserts failed: tails text is displayed on page expected [true] but found [false] serts.SoftAssert.assertAll(SoftAssert.java:43) e.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnSva:717) following texts are displayed(features/sg/health/dietician iveFlow.feature:100) Degree Name in Eductaion Details Screen Der MBBS tudy Name in Eductaion Details Screen Der Denist "Educational Details" in app screen	0.00s 0.00s
java.lang.Assert Educational Det at org.testng.ass at com.onepulse (MyDocSteps.ja at .And I verify /Dietician_Posit And Enter the I ServiceNumb And Enter the s ServiceNumb And I clicks on And Enter the y	Details  tionError: The following asserts failed: tails text is displayed on page expected [true] but found [false] serts.SoftAssert.assertAll(SoftAssert.java:43) c.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnSva:717) following texts are displayed(features/sg/health/dietician iveFlow.feature:100) Degree Name in Eductaion Details Screen Der MBBS tudy Name in Eductaion Details Screen Der Denist "Educational Details" in app screen rear Name in Eductaion Details Screen	0.00s
java.lang.Assert Educational Det at org.testng.ass at com.onepulse (MyDocSteps.ja at .And I verify /Dietician_Posit And Enter the I ServiceNumb And I clicks on And Enter the y ServiceNumb	Details  tionError: The following asserts failed: tails text is displayed on page expected [true] but found [false] serts.SoftAssert.assertAll(SoftAssert.java:43) c.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnSva:717) following texts are displayed(features/sg/health/dietician iveFlow.feature:100) Degree Name in Eductaion Details Screen ber MBBS tudy Name in Eductaion Details Screen ber Denist "Educational Details" in app screen rear Name in Eductaion Details Screen	0.00s 0.00s 0.00s 0.00s
java.lang.Assert Educational Det at org.testng.ass at com.onepulse (MyDocSteps.ja at .And I verify /Dietician_Posit And Enter the I ServiceNumb And I clicks on And Enter the y ServiceNumb And I clicks on	Details  tionError: The following asserts failed: tails text is displayed on page expected [true] but found [false] terts.SoftAssert.assertAll(SoftAssert.java:43) teapp.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnStava:717) following texts are displayed(features/sg/health/dietician iveFlow.feature:100) Degree Name in Eductaion Details Screen Der MBBS tudy Name in Eductaion Details Screen Der Denist "Educational Details" in app screen rear Name in Eductaion Details Screen Der 2012 "Educational Details" in app screen	0.00s 0.00s 0.00s 0.00s 0.00s
java.lang.Assert Educational Det at org.testng.ass at com.onepulse (MyDocSteps.ja at .And I verify /Dietician_Posit And Enter the I ServiceNumb And I clicks on And Enter the y ServiceNumb And I clicks on And I clicks on And I clicks on And I clicks on	Details  tionError: The following asserts failed: tails text is displayed on page expected [true] but found [false] serts.SoftAssert.assertAll(SoftAssert.java:43) c.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnStva:717) following texts are displayed(features/sg/health/dietician iveFlow.feature:100) Degree Name in Eductaion Details Screen Der MBBS tudy Name in Eductaion Details Screen Der Denist  "Educational Details" in app screen tear Name in Eductaion Details Screen Der 2012  "Educational Details" in app screen miversity Name in Eductaion Details Screen	0.00s 0.00s 0.00s 0.00s
java.lang.Assert Educational Det at org.testng.ass at com.onepulse (MyDocSteps.ja at .And I verify /Dietician_Posit And Enter the I ServiceNumb And I clicks on And Enter the y ServiceNumb And I clicks on And I clicks on And I clicks on And Enter the u ServiceNumb	Details  tionError: The following asserts failed: tails text is displayed on page expected [true] but found [false] terts.SoftAssert.assertAll(SoftAssert.java:43) tapp.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnStva:717) following texts are displayed(features/sg/health/dietician iveFlow.feature:100) Degree Name in Eductaion Details Screen Der MBBS tudy Name in Eductaion Details Screen Der Denist  "Educational Details" in app screen Tear Name in Eductaion Details Screen Der 2012  "Educational Details" in app screen miversity Name in Eductaion Details Screen Der 2020	0.00s 0.00s 0.00s 0.00s 0.00s 0.00s
java.lang.Assert Educational Det at org.testng.ass at com.onepulse (MyDocSteps.ja at .And I verify /Dietician_Posit And Enter the I ServiceNumb And I clicks on And Enter the y ServiceNumb And I clicks on	Details  tionError: The following asserts failed: tails text is displayed on page expected [true] but found [false] serts.SoftAssert.assertAll(SoftAssert.java:43) c.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnStva:717) following texts are displayed(features/sg/health/dietician iveFlow.feature:100) Degree Name in Eductaion Details Screen Der MBBS tudy Name in Eductaion Details Screen Der Denist "Educational Details" in app screen rear Name in Eductaion Details Screen Der 2012 "Educational Details" in app screen miversity Name in Eductaion Details Screen Der 2020 "Educational Details" in app screen	0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s
java.lang.Assert Educational Det at org.testng.ass at com.onepulse (MyDocSteps.ja at .And I verify /Dietician_Posit And Enter the I ServiceNumb And I clicks on And Enter the y ServiceNumb And I clicks on And Enter the u ServiceNumb And I clicks on	Details  tionError: The following asserts failed: tails text is displayed on page expected [true] but found [false] text.SoftAssert.assertAll(SoftAssert.java:43) text.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnSva:717) following texts are displayed(features/sg/health/dietician iveFlow.feature:100) Degree Name in Eductaion Details Screen Der MBBS tudy Name in Eductaion Details Screen Der Denist  "Educational Details" in app screen Der 2012  "Educational Details" in app screen miversity Name in Eductaion Details Screen Der 2020  "Educational Details" in app screen Continue button	0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s
java.lang.Assert Educational Det at org.testng.ass at com.onepulse (MyDocSteps.ja at .And I verify /Dietician_Posit And Enter the I ServiceNumb And I clicks on And Enter the y ServiceNumb And I clicks on	Details  tionError: The following asserts failed: tails text is displayed on page expected [true] but found [false] serts.SoftAssert.assertAll(SoftAssert.java:43) c.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnStva:717) following texts are displayed(features/sg/health/dietician iveFlow.feature:100) Degree Name in Eductaion Details Screen Der MBBS tudy Name in Eductaion Details Screen Der Denist "Educational Details" in app screen rear Name in Eductaion Details Screen Der 2012 "Educational Details" in app screen miversity Name in Eductaion Details Screen Der 2020 "Educational Details" in app screen	0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s
java.lang.Assert Educational Det at org.testng.ass at com.onepulse (MyDocSteps.ja at .And I verify /Dietician_Posit And Enter the I ServiceNumb And I clicks on And Enter the y ServiceNumb And I clicks on And I click the of	Details  tionError: The following asserts failed: tails text is displayed on page expected [true] but found [false] text.SoftAssert.assertAll(SoftAssert.java:43) text.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnSva:717) following texts are displayed(features/sg/health/dietician iveFlow.feature:100) Degree Name in Eductaion Details Screen Der MBBS tudy Name in Eductaion Details Screen Der Denist  "Educational Details" in app screen Der 2012  "Educational Details" in app screen miversity Name in Eductaion Details Screen Der 2020  "Educational Details" in app screen Continue button	0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s

	'Start Date" in "10" in dynamic Experience screen	0.00s
	'End Date'' in "10" in dynamic Experience screen	0.00s
	'Start Date" in "2010" in dynamic years Experience screen	0.00s
	'End Date'' in "2030" in dynamic years Experience screen	0.00s
And I Enter the "screen		0.00s
And I click the co	ontinue hutton	0.00s
fter		0.00s
ck to Table of Content	te e	0.003
	er should be able to navigate to Services Offered page	
ssed: 1	Failed: 1 Undefined: 7	Duration: 3.0
efore	raneu: 1 Unuermeu: 7	0.00s
	200	
Then I wait for 3		3.01s
And I verify follows  Services Offer	wing texts are displayed	0.04s
/Dietician_Positiv	ollowing texts are displayed(features/sg/health/dietician veFlow.feature:125)  'Services Offered' in "MBBSDOCTOR" in dynamic	0.00s
at .And I verify for /Dietician_Positive And I Enter the 'Experience screen And I click the co	bllowing texts are displayed(features/sg/health/dietician veFlow.feature:125)  'Services Offered'' in ''MBBSDOCTOR'' in dynamic in the continue button wing texts are displayed	0.00s 0.00s 0.00s
at .And I verify for /Dietician_Positive And I Enter the 'Experience screen And I click the contact And I verify follow Achievements	bllowing texts are displayed(features/sg/health/dietician veFlow.feature:125)  'Services Offered'' in ''MBBSDOCTOR'' in dynamic in the continue button wing texts are displayed	0.00s
at .And I verify for /Dietician_Positive And I Enter the 'Experience screen And I click the contact And I verify follow Achievements And I Enter the 'Experience Screen And I Enter the 'Experi	bllowing texts are displayed(features/sg/health/dietician veFlow.feature:125)  'Services Offered'' in ''MBBSDOCTOR'' in dynamic ontinue button wing texts are displayed  & Awards	0.00s 0.00s
at .And I verify for /Dietician_Positive And I Enter the 'Experience screen And I click the contained And I verify follow Achievements And I Enter the 'And I Enter the 'Enter t	bllowing texts are displayed(features/sg/health/dietician veFlow.feature:125)  'Services Offered'' in "MBBSDOCTOR" in dynamic ontinue button wing texts are displayed  & Awards  'Enter title of the award" in "TEST TITLE" in home screen	0.00s 0.00s
at .And I verify for /Dietician_Positive And I Enter the 'Experience screen And I click the control Achievements And I Enter the 'And I Enter the 'Enter t	bllowing texts are displayed(features/sg/health/dietician reFlow.feature:125)  'Services Offered'' in ''MBBSDOCTOR'' in dynamic in the button wing texts are displayed  & Awards  'Enter title of the award'' in ''TEST TITLE'' in home screen 'Enter organisation name (Awarded by)'' in ''TEST TITLE''  'Year'' in ''2020'' in home screen	0.00s 0.00s 0.00s
at .And I verify for /Dietician_Positive And I Enter the 'Experience screen And I click the control Achievements And I Enter the 'Experience And I Enter the 'Experience Screen And I click the control Enter Screen And I click the Control Ente	bllowing texts are displayed(features/sg/health/dietician reFlow.feature:125)  'Services Offered'' in ''MBBSDOCTOR'' in dynamic in the button wing texts are displayed  & Awards  'Enter title of the award'' in ''TEST TITLE'' in home screen 'Enter organisation name (Awarded by)'' in ''TEST TITLE''  'Year'' in ''2020'' in home screen	0.00s 0.00s 0.00s 0.00s
at .And I verify for /Dietician_Positive And I Enter the ''Experience screen And I click the control Achievements And I Enter the ''And I Enter the ''In home screen And I Enter the ''And I Click the control And I click the	bllowing texts are displayed(features/sg/health/dietician reFlow.feature:125)  'Services Offered'' in "MBBSDOCTOR" in dynamic in the button wing texts are displayed  & Awards  'Enter title of the award" in "TEST TITLE" in home screen 'Enter organisation name (Awarded by)" in "TEST TITLE"  'Year" in "2020" in home screen ontinue button	0.00s 0.00s 0.00s 0.00s 0.00s
at .And I verify for /Dietician_Positive And I Enter the 'Experience screen And I click the control Achievements And I Enter the 'Experience screen And I Enter the 'Experience screen And I Enter the 'Experience And I click the control Experience And I click the control Experience And I Content to Table of Content to Tabl	bllowing texts are displayed(features/sg/health/dietician reFlow.feature:125)  'Services Offered'' in "MBBSDOCTOR" in dynamic in the button wing texts are displayed  & Awards  'Enter title of the award" in "TEST TITLE" in home screen 'Enter organisation name (Awarded by)" in "TEST TITLE"  'Year" in "2020" in home screen ontinue button	0.00s 0.00s 0.00s 0.00s 0.00s
at .And I verify for /Dietician_Positive And I Enter the 'Experience screen And I click the control Achievements And I Enter the 'Experience screen And I Enter the 'Experience to Table of Contents at a control to the control of the	bllowing texts are displayed(features/sg/health/dietician reFlow.feature:125)  'Services Offered'' in ''MBBSDOCTOR'' in dynamic in the continue button wing texts are displayed  & Awards  'Enter title of the award'' in ''TEST TITLE'' in home screen in the companisation name (Awarded by)'' in ''TEST TITLE''  'Year'' in ''2020'' in home screen in the continue button i	0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s
at .And I verify for /Dietician_Positive And I Enter the 'Experience screen And I click the control Achievements And I Enter the 'Experience screen And I Enter the 'Experience to Control Con	bllowing texts are displayed(features/sg/health/dietician reFlow.feature:125)  'Services Offered'' in ''MBBSDOCTOR'' in dynamic in the button wing texts are displayed  & Awards  'Enter title of the award'' in ''TEST TITLE'' in home screen renter organisation name (Awarded by)'' in ''TEST TITLE''  'Year'' in ''2020'' in home screen ontinue button  ts  er should be able to navigate to Seminar(s) Attended page	0.00s 0.00s 0.00s 0.00s 0.00s 0.00s
at .And I verify for /Dietician_Positive And I Enter the 'Experience screen And I click the continuous Achievements And I Enter the 'Experience screen And I Enter the 'Experience And I click the confiter ack to Table of Contents assed: 1	bllowing texts are displayed(features/sg/health/dietician reFlow.feature:125)  'Services Offered" in "MBBSDOCTOR" in dynamic in intinue button wing texts are displayed  & Awards  'Enter title of the award" in "TEST TITLE" in home screen 'Enter organisation name (Awarded by)" in "TEST TITLE"  'Year" in "2020" in home screen ontinue button  ts  er should be able to navigate to Seminar(s) Attended page  Failed: 1 Undefined: 7	0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s
at .And I verify for /Dietician_Positive And I Enter the 'Experience screen And I click the continuous Achievements And I Enter the 'Enter the	bllowing texts are displayed(features/sg/health/dietician reFlow.feature:125)  'Services Offered" in "MBBSDOCTOR" in dynamic in intinue button wing texts are displayed  & Awards  'Enter title of the award" in "TEST TITLE" in home screen 'Enter organisation name (Awarded by)" in "TEST TITLE"  'Year" in "2020" in home screen ontinue button  ts  er should be able to navigate to Seminar(s) Attended page  Failed: 1 Undefined: 7	0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s

at .And I veri	ify following texts are	displayed(features/sg/health/dietician	
	sitiveFlow.feature:138	· /	
		le" in "TEST TITLE" in home screen	0.00s
		in "SINGAPORE" in home screen	0.00s
And I Enter t	the "Year" in "2020"	in home screen	0.00s
	ne continue button		0.00s
And I Enter the home screen			0.00s
And I Enter	the "Enter Location"	in "SINGAPORE" in home screen	0.00s
And I click th	ne continue button		0.00s
ter			0.00s
ck to Table of Co	ontents		
enario: Verify	User should be able t	to navigate to Take a Picture page	
ssed: 0	Failed: 1	Undefined: 8	Duration: .03
fore			0.00s
And I clicks	on "Take a Picture" ir	n ann screen	0.03s
Original erro Build info: ve System info: os.version: '1 Driver info: i Capabilities {	er: socket hang up ersion: '3.12.0', revisio host: 'TM003LSIN', ip 0.0', java.version: '11. o.appium.java_client. (appActivity: com.pru	android.AndroidDriver dential.pulse.MainAc, appPackage: com.p	note server. 2Z' os.arch: 'amd6 orudential.pul
Original erro Build info: ve System info: os.version: '1 Driver info: i Capabilities { uat, automati prudential.pu	or: socket hang up ersion: '3.12.0', revisio host: 'TM003LSIN', ij 0.0', java.version: '11. o.appium.java_client. (appActivity: com.pru ionName: UiAutomato ulse.MainAc, appPac	error: Could not proxy command to the remon: '7c6e0b3', time: '2018-05-08T14:04:26.12p: '192.168.1.124', os.name: 'Windows 10', o.0.2' android.AndroidDriver dential.pulse.MainAc, appPackage: com.por2, databaseEnabled: false, desired: {appAckage: com.prudential.pulse.uat, automation	note server.  2Z'  os.arch: 'amd6  orudential.puls ctivity: com. nName:
Original erro Build info: ve System info: os.version: '1 Driver info: i Capabilities { uat, automati prudential.pu UiAutomator	or: socket hang up ersion: '3.12.0', revision host: 'TM003LSIN', ip 0.0', java.version: '11. o.appium.java_client. appActivity: com.pru ionName: UiAutomatonlse.MainAc, appPace 2, deviceName: Andro	error: Could not proxy command to the remon: '7c6e0b3', time: '2018-05-08T14:04:26.12p: '192.168.1.124', os.name: 'Windows 10', o.0.2' android.AndroidDriver dential.pulse.MainAc, appPackage: com.por2, databaseEnabled: false, desired: {appA	note server.  2Z'  9s.arch: 'amd6  prudential.pulse  ctivity: com.  nName:  Reset: true,
Original erro Build info: ve System info: os.version: '1 Driver info: i Capabilities { uat, automati prudential.pu UiAutomator platformNam Pixel 5, device	or: socket hang up ersion: '3.12.0', revision host: 'TM003LSIN', ip 0.0', java.version: '11. o.appium.java_client.fappActivity: com.prufonName: UiAutomatolse.MainAc, appPact2, deviceName: Android}, deviceApeName: 0C241FDD40	error: Could not proxy command to the remon: '7c6e0b3', time: '2018-05-08T14:04:26.12p: '192.168.1.124', os.name: 'Windows 10', og.0.2' android.AndroidDriver dential.pulse.MainAc, appPackage: com.por2, databaseEnabled: false, desired: {appAckage: com.prudential.pulse.uat, automation oid-Test, newCommandTimeout: 10000, not biLevel: 30, deviceManufacturer: Google, de 043P, deviceScreenDensity: 440, devic	note server.  ZZ'  prudential.pulsectivity: com.  nName: Reset: true, eviceModel: eenSize:
Original erro Build info: ve System info: os.version: '1 Driver info: i Capabilities { uat, automati prudential.pu UiAutomator platformNam Pixel 5, device 1080x2340, d	or: socket hang up ersion: '3.12.0', revision host: 'TM003LSIN', ip 0.0', java.version: '11. o.appium.java_client. appActivity: com.pru ionName: UiAutomato alse.MainAc, appPace '2, deviceName: Andro ne: android}, deviceAp eName: 0C241FDD40 eviceUDID: 0C241FD	error: Could not proxy command to the remon: '7c6e0b3', time: '2018-05-08T14:04:26.12p: '192.168.1.124', os.name: 'Windows 10', og.0.2' android.AndroidDriver idential.pulse.MainAc, appPackage: com.por2, databaseEnabled: false, desired: {appAckage: com.prudential.pulse.uat, automation oid-Test, newCommandTimeout: 10000, nobiLevel: 30, deviceManufacturer: Google, de 1043P, deviceScreenDensity: 440, deviceScreenD40043P, javascriptEnabled: true, location	note server.  2Z'  2Z'  2S.arch: 'amd6  2rudential.puls  ctivity: com.  nName:  Reset: true,  eviceModel:  eenSize:  ContextEnable
Original erro Build info: ve System info: os.version: '1 Driver info: i Capabilities { uat, automati prudential.pu UiAutomator platformNam Pixel 5, device 1080x2340, d false, network	or: socket hang up ersion: '3.12.0', revision host: 'TM003LSIN', ij 0.0', java.version: '11. o.appium.java_client. appActivity: com.pru ionName: UiAutomato else.MainAc, appPace 2, deviceName: Andro else android deviceApeName: 0C241FDD40 eviceUDID: 0C241FD kConnectionEnabled:	error: Could not proxy command to the reson: '7c6e0b3', time: '2018-05-08T14:04:26.12p: '192.168.1.124', os.name: 'Windows 10', og.0.2' android.AndroidDriver dential.pulse.MainAc, appPackage: com.por2, databaseEnabled: false, desired: {appAckage: com.prudential.pulse.uat, automation oid-Test, newCommandTimeout: 10000, nobiLevel: 30, deviceManufacturer: Google, de 043P, deviceScreenDensity: 440, deviceScreenDensity: 440, deviceScreenDensity: 10000, no lough of the property of the proxy of the	note server.  2Z'  2Z'  2S.arch: 'amd6  2Ctivity: com.  2Ctivi
Original erro Build info: ve System info: os.version: '1 Driver info: i Capabilities { uat, automati prudential.pu UiAutomator platformNam Pixel 5, device 1080x2340, d false, network	or: socket hang up ersion: '3.12.0', revision host: 'TM003LSIN', ip 0.0', java.version: '11. o.appium.java_client. appActivity: com.pru ionName: UiAutomato llse.MainAc, appPact2, deviceName: Android deviceApeName: 0C241FDD40 eviceUDID: 0C241FD kConnectionEnabled: '75, platform: LINUX	error: Could not proxy command to the renon: '7c6e0b3', time: '2018-05-08T14:04:26.12p: '192.168.1.124', os.name: 'Windows 10', o.0.2' android.AndroidDriver dential.pulse.MainAc, appPackage: com.por2, databaseEnabled: false, desired: {appAckage: com.prudential.pulse.uat, automation oid-Test, newCommandTimeout: 10000, not piLevel: 30, deviceManufacturer: Google, deviceScreenDensity: 440, deviceScreenD40043P, javascriptEnabled: true, location true, newCommandTimeout: 10000, noRes, platformName: Android, platformVersion	note server.  2Z'  5s.arch: 'amd6  ctivity: com.  nName: Reset: true, eviceModel: eenSize: ContextEnable et: true, :: 11,
Original erro Build info: ve System info: os.version: '1 Driver info: i Capabilities { uat, automati prudential.pu UiAutomator platformNam Pixel 5, device 1080x2340, d false, networl pixelRatio: 2 statBarHeigh	or: socket hang up ersion: '3.12.0', revision host: 'TM003LSIN', ip 0.0', java.version: '11. o.appium.java_client. appActivity: com.pru ionName: UiAutomato llse.MainAc, appPact2, deviceName: Android deviceApeName: 0C241FDD40 eviceUDID: 0C241FD kConnectionEnabled: '75, platform: LINUX	error: Could not proxy command to the remon: '7c6e0b3', time: '2018-05-08T14:04:26.12p: '192.168.1.124', os.name: 'Windows 10', og.0.2' android.AndroidDriver idential.pulse.MainAc, appPackage: com.por2, databaseEnabled: false, desired: {appAckage: com.prudential.pulse.uat, automation oid-Test, newCommandTimeout: 10000, nobiLevel: 30, deviceManufacturer: Google, dout 3P, deviceScreenDensity: 440, deviceScreenDensity: 440, deviceScreenDensity: 440, deviceScreenDensity: newCommandTimeout: 10000, noRest, platformName: Android, platformVersion ot: true, viewportRect: {height: 2015, left: 0	note server.  2Z'  5s.arch: 'amd6  ctivity: com.  nName: Reset: true, eviceModel: eenSize: ContextEnable et: true, :: 11,
Original erro Build info: ve System info: os.version: '1 Driver info: i Capabilities { uat, automati prudential.pu UiAutomator platformNam Pixel 5, device 1080x2340, d false, network pixelRatio: 2, statBarHeigh 1080}, warning Session ID: 2	or: socket hang up ersion: '3.12.0', revision host: 'TM003LSIN', ip 0.0', java.version: '11. o.appium.java_client. appActivity: com.pru ionName: UiAutomato llse.MainAc, appPact2, deviceName: Android deviceApeName: 0C241FDD40 eviceUDID: 0C241FD kConnectionEnabled: '75, platform: LINUX at: 145, takesScreensholds: {}, webStorageEnabled: '6, w	error: Could not proxy command to the renon: '7c6e0b3', time: '2018-05-08T14:04:26.12p: '192.168.1.124', os.name: 'Windows 10', o.0.2' android.AndroidDriver dential.pulse.MainAc, appPackage: com.por2, databaseEnabled: false, desired: {appAckage: com.prudential.pulse.uat, automation oid-Test, newCommandTimeout: 10000, noinLevel: 30, deviceManufacturer: Google, deviceScreenDensity: 440, deviceScreenDensity: 440, deviceScreenDensity: 440, deviceScreenDensity: newCommandTimeout: 10000, no Rest, platformName: Android, platformVersion ot: true, viewportRect: {height: 2015, left: 0 tabled: false}	note server.  2Z'  5s.arch: 'amd6  5rudential.puls  6ctivity: com.  6Name: Reset: true,  eviceModel:  eenSize: ContextEnable  et: true,  11,  11,  145, wid
Original erro Build info: ve System info: os.version: '1 Driver info: i Capabilities { uat, automati prudential.pu UiAutomator platformNam Pixel 5, device 1080x2340, d false, network pixelRatio: 2, statBarHeigh 1080}, warning Session ID: 2	or: socket hang up ersion: '3.12.0', revision host: 'TM003LSIN', ip 0.0', java.version: '11. o.appium.java_client. appActivity: com.pru ionName: UiAutomato llse.MainAc, appPact2, deviceName: Android deviceApeName: 0C241FDD40 eviceUDID: 0C241FD kConnectionEnabled: '75, platform: LINUX at: 145, takesScreensholds: {}, webStorageEnabled: '6, w	error: Could not proxy command to the remon: '7c6e0b3', time: '2018-05-08T14:04:26.12p: '192.168.1.124', os.name: 'Windows 10', ol.0.2' android.AndroidDriver idential.pulse.MainAc, appPackage: com.por2, databaseEnabled: false, desired: {appAckage: com.prudential.pulse.uat, automation oid-Test, newCommandTimeout: 10000, nobiLevel: 30, deviceManufacturer: Google, deviceScreenDensity: 440, deviceScreenD40043P, javascriptEnabled: true, location true, newCommandTimeout: 10000, noRes, platformName: Android, platformVersion ot: true, viewportRect: {height: 2015, left: 0 tabled: false}	note server.  2Z'  5s.arch: 'amd6  5rudential.puls  6ctivity: com.  6Name: Reset: true,  eviceModel:  eenSize: ContextEnable  et: true,  11,  11,  145, wid
Original erro Build info: ve System info: os.version: '1 Driver info: i Capabilities { uat, automati prudential.pu UiAutomator platformNam Pixel 5, device 1080x2340, d false, network pixelRatio: 2 statBarHeight 1080}, warning Session ID: 2 *** Element Picture'')]}	or: socket hang up ersion: '3.12.0', revision host: 'TM003LSIN', ij 0.0', java.version: '11. o.appium.java_client. appActivity: com.pru ionName: UiAutomato ilse.MainAc, appPact2, deviceName: Androide: android}, deviceApeName: 0C241FDD40 eviceUDID: 0C241FD kConnectionEnabled: 1.75, platform: LINUX it: 145, takesScreenshongs: {}, webStorageEn1de1046-e6e0-42ef-9ctinfo: {Using=xpath, value in the context of t	error: Could not proxy command to the renon: '7c6e0b3', time: '2018-05-08T14:04:26.12p: '192.168.1.124', os.name: 'Windows 10', o.0.2' android.AndroidDriver idential.pulse.MainAc, appPackage: com.por2, databaseEnabled: false, desired: {appAckage: com.prudential.pulse.uat, automation oid-Test, newCommandTimeout: 10000, nobiLevel: 30, deviceManufacturer: Google, do.043P, deviceScreenDensity: 440, deviceScreenD40043P, javascriptEnabled: true, location true, newCommandTimeout: 10000, noRest, platformName: Android, platformVersion ot: true, viewportRect: {height: 2015, left: 0 tabled: false} 76-8b345dfd2309 alue=//android.widget.TextView[contains(@alue=//android.widget.TextView[contains	note server.  2Z'  2Z'  2S.arch: 'amd6  2Ctivity: com.  2Ctivi
Original erro Build info: ve System info: os.version: '1 Driver info: i Capabilities { uat, automati prudential.pu UiAutomator platformNam Pixel 5, device 1080x2340, d false, network pixelRatio: 2, statBarHeigh 1080}, warning Session ID: 2 *** Element Picture'')]} at jdk.interna	or: socket hang up bersion: '3.12.0', revision host: 'TM003LSIN', ip 0.0', java.version: '11. o.appium.java_client. appActivity: com.pru ionName: UiAutomato alse.MainAc, appPactivity. deviceApename: 0C241FDD40 eviceUDID: 0C241FD kConnectionEnabled: '75, platform: LINUX at: 145, takesScreensholds: {}, webStorageEn1de1046-e6e0-42ef-9c2info: {Using=xpath, valanceflect.GeneratedCo	error: Could not proxy command to the renon: '7c6e0b3', time: '2018-05-08T14:04:26.12p: '192.168.1.124', os.name: 'Windows 10', o.0.2' android.AndroidDriver dential.pulse.MainAc, appPackage: com.por2, databaseEnabled: false, desired: {appAckage: com.prudential.pulse.uat, automation oid-Test, newCommandTimeout: 10000, not piLevel: 30, deviceManufacturer: Google, deviceScreenDensity: 440, deviceScreenD40043P, javascriptEnabled: true, location true, newCommandTimeout: 10000, noRest, platformName: Android, platformVersion ot: true, viewportRect: {height: 2015, left: 0 tabled: false} 76-8b345dfd2309 alue=//android.widget.TextView[contains(@constructorAccessor30.newInstance(Unknow) on the constructorAccessor30.newInstance(Unknow) on the constructorAccessor30.newIns	note server.  2Z'  2Z'  2S.arch: 'amd6  2rudential.puls  2ctivity: com.  nName: Reset: true,  eviceModel: eenSize: ContextEnable et: true,  11,  top: 145, wid  2text,''Take a
Original erro Build info: ve System info: os.version: '1 Driver info: i Capabilities { uat, automati prudential.pu UiAutomator platformNam Pixel 5, device 1080x2340, d false, networl pixelRatio: 2 statBarHeigh 1080}, warning Session ID: 2 *** Element Picture'')]} at jdk.interna at java.base/j	or: socket hang up bersion: '3.12.0', revision host: 'TM003LSIN', ip 0.0', java.version: '11. o.appium.java_client. appActivity: com.pru ionName: UiAutomato alse.MainAc, appPactivity. deviceApename: 0C241FDD40 eviceUDID: 0C241FD kConnectionEnabled: '75, platform: LINUX at: 145, takesScreensholds: {}, webStorageEn1de1046-e6e0-42ef-9c2info: {Using=xpath, valanceflect.GeneratedCo	error: Could not proxy command to the renon: '7c6e0b3', time: '2018-05-08T14:04:26.12p: '192.168.1.124', os.name: 'Windows 10', og.0.2' android.AndroidDriver idential.pulse.MainAc, appPackage: com.por2, databaseEnabled: false, desired: {appAckage: com.prudential.pulse.uat, automation oid-Test, newCommandTimeout: 10000, not oiLevel: 30, deviceManufacturer: Google, de 0043P, deviceScreenDensity: 440, deviceScreenD40043P, javascriptEnabled: true, location true, newCommandTimeout: 10000, noRest, platformName: Android, platformVersion ot: true, viewportRect: {height: 2015, left: 0 tabled: false} 76-8b345dfd2309 alue=//android.widget.TextView[contains(@onstructorAccessor30.newInstance(UnknowlegatingConstructorAccessorImpl.newInstance)	note server.  2Z'  2Z'  2S.arch: 'amd6  2rudential.puls  2ctivity: com.  nName: Reset: true,  eviceModel: eenSize: ContextEnable et: true,  11,  top: 145, wid  2text,''Take a
Original erro Build info: ve System info: os.version: '1 Driver info: i Capabilities { uat, automati prudential.pu UiAutomator platformNam Pixel 5, device 1080x2340, d false, network pixelRatio: 2, statBarHeight 1080}, warning Session ID: 2 *** Element Picture'')]} at jdk.interna at java.base/j (DelegatingC	or: socket hang up bersion: '3.12.0', revision host: 'TM003LSIN', ij 0.0', java.version: '11. o.appium.java_client. fappActivity: com.pru fonName: UiAutomato llse.MainAc, appPact2, deviceName: Android deviceApeName: 0C241FDD40 eviceUDID: 0C241FD kConnectionEnabled: 175, platform: LINUX tt: 145, takesScreenshongs: {}, webStorageEn1de1046-e6e0-42ef-9ct linfo: {Using=xpath, valareflect.GeneratedCodk.internal.reflect.DefonstructorAccessorIm	error: Could not proxy command to the renon: '7c6e0b3', time: '2018-05-08T14:04:26.12p: '192.168.1.124', os.name: 'Windows 10', og.0.2' android.AndroidDriver idential.pulse.MainAc, appPackage: com.por2, databaseEnabled: false, desired: {appAckage: com.prudential.pulse.uat, automation oid-Test, newCommandTimeout: 10000, not oiLevel: 30, deviceManufacturer: Google, de 0043P, deviceScreenDensity: 440, deviceScreenD40043P, javascriptEnabled: true, location true, newCommandTimeout: 10000, noRest, platformName: Android, platformVersion ot: true, viewportRect: {height: 2015, left: 0 tabled: false} 76-8b345dfd2309 alue=//android.widget.TextView[contains(@onstructorAccessor30.newInstance(UnknowlegatingConstructorAccessorImpl.newInstance)	note server.  2Z'  2Z'  2S.arch: 'amd6  2rudential.puls  2ctivity: com.  nName: Reset: true,  eviceModel: eenSize: ContextEnable et: true,  11,  top: 145, wid  2text,''Take a
Original erro Build info: ve System info: os.version: '1 Driver info: i Capabilities { uat, automati prudential.pu UiAutomator platformNam Pixel 5, device 1080x2340, d false, networl pixelRatio: 2 statBarHeigh 1080}, warnin Session ID: 2 *** Element Picture'')]} at jdk.interna at java.base/j (Delegating Cat java.base/j at org.openqa	or: socket hang up ersion: '3.12.0', revision host: 'TM003LSIN', ij 0.0', java.version: '11. o.appium.java_client. appActivity: com.pru ionName: UiAutomato alse.MainAc, appPace 2, deviceName: Androie: android}, deviceApeName: 0C241FDD40 eviceUDID: 0C241FD kConnectionEnabled: '75, platform: LINUX it: 145, takesScreensholds: {}, webStorageEn1de1046-e6e0-42ef-9c/info: {Using=xpath, valareflect.GeneratedCodk.internal.reflect.DefonstructorAccessorImava.lang.reflect.Constax.selenium.remote.http	error: Could not proxy command to the renon: '7c6e0b3', time: '2018-05-08T14:04:26.12 p: '192.168.1.124', os.name: 'Windows 10', og.0.2' android.AndroidDriver dential.pulse.MainAc, appPackage: com.por2, databaseEnabled: false, desired: {appAckage: com.prudential.pulse.uat, automation oid-Test, newCommandTimeout: 10000, noboiLevel: 30, deviceManufacturer: Google, de 043P, deviceScreenDensity: 440, deviceScreenD40043P, javascriptEnabled: true, location true, newCommandTimeout: 10000, noRest, platformName: Android, platformVersion ot: true, viewportRect: {height: 2015, left: 0 tabled: false} 76-8b345dfd2309 alue=//android.widget.TextView[contains(@onstructorAccessor30.newInstance(UnknowlegatingConstructorAccessorImpl.newInstance].java:45) tructor.newInstance(Constructor.java:490) p.W3CHttpResponseCodec.createException	note server.  2Z'  2Z'  2S.arch: 'amd6  2rudential.puls  2ctivity: com.  nName: Reset: true, eviceModel: eenSize: ContextEnable et: true, :: 11, , top: 145, wid  2text,''Take a  2n Source) ince
Original erro Build info: ve System info: os.version: '1 Driver info: i Capabilities { uat, automati prudential.pu UiAutomator platformNam Pixel 5, devic 1080x2340, d false, network pixelRatio: 2 statBarHeigh 1080}, warnin Session ID: 2 *** Element Picture'')]} at jdk.interna at java.base/j (DelegatingCat java.base/j at org.openqa (W3CHttpRe	or: socket hang up bersion: '3.12.0', revision host: 'TM003LSIN', ij 0.0', java.version: '11. o.appium.java_client. fappActivity: com.pru ionName: UiAutomato ilse.MainAc, appPactivity: com.pru ionName: UiAutomato ilse.MainAc, appPactivity: com.pru ionName: OC241FDD40 eviceUDID: OC241FD kConnectionEnabled: '75, platform: LINUX it: 145, takesScreenshongs: {}, webStorageEn 1de1046-e6e0-42ef-9ct info: {Using=xpath, valar.reflect.GeneratedCodk.internal.reflect.DeionstructorAccessorIm ava.lang.reflect.Consta.selenium.remote.httpsponseCodec.java:187	error: Could not proxy command to the renon: '7c6e0b3', time: '2018-05-08T14:04:26.12 p: '192.168.1.124', os.name: 'Windows 10', og.0.2' android.AndroidDriver dential.pulse.MainAc, appPackage: com.por2, databaseEnabled: false, desired: {appAckage: com.prudential.pulse.uat, automation oid-Test, newCommandTimeout: 10000, notoiLevel: 30, deviceManufacturer: Google, de 043P, deviceScreenDensity: 440, deviceScreenD40043P, javascriptEnabled: true, location true, newCommandTimeout: 10000, noRest, platformName: Android, platformVersion ot: true, viewportRect: {height: 2015, left: 0 tabled: false} 76-8b345dfd2309 alue=//android.widget.TextView[contains(@onstructorAccessor30.newInstance(UnknowlegatingConstructorAccessorImpl.newInstancel.java:45) tructor.newInstance(Constructor.java:490) p.W3CHttpResponseCodec.createException 70	note server.  2Z'  2Z'  2S.arch: 'amd6  2rudential.puls  2ctivity: com.  nName: Reset: true, eviceModel: eenSize: ContextEnable et: true, :: 11, , top: 145, wid  2text,''Take a  2n Source) ince
Original erro Build info: ve System info: os.version: '1 Driver info: i Capabilities { uat, automati prudential.pu UiAutomator platformNam Pixel 5, devic 1080x2340, d false, network pixelRatio: 2 statBarHeigh 1080}, warning Session ID: 2 *** Element Picture'')]} at jdk.interna at java.base/j (DelegatingC at java.base/j at org.openqa (W3CHttpRe at org.openqa	or: socket hang up bersion: '3.12.0', revision host: 'TM003LSIN', ij 0.0', java.version: '11. o.appium.java_client. fappActivity: com.pru ionName: UiAutomato ilse.MainAc, appPactivity: com.pru ionName: UiAutomato ilse.MainAc, appPactivity: com.pru ionName: OC241FDD40 eviceUDID: OC241FD kConnectionEnabled: '75, platform: LINUX it: 145, takesScreenshongs: {}, webStorageEn 1de1046-e6e0-42ef-9ct info: {Using=xpath, valar.reflect.GeneratedCodk.internal.reflect.DeionstructorAccessorIm ava.lang.reflect.Consta.selenium.remote.httpsponseCodec.java:187	error: Could not proxy command to the renon: '7c6e0b3', time: '2018-05-08T14:04:26.12 p: '192.168.1.124', os.name: 'Windows 10', og.0.2' android.AndroidDriver dential.pulse.MainAc, appPackage: com.por2, databaseEnabled: false, desired: {appAckage: com.prudential.pulse.uat, automation oid-Test, newCommandTimeout: 10000, noboiLevel: 30, deviceManufacturer: Google, de 1043P, deviceScreenDensity: 440, deviceScreenD40043P, javascriptEnabled: true, location true, newCommandTimeout: 10000, noRest, platformName: Android, platformVersion ot: true, viewportRect: {height: 2015, left: 0 tabled: false} 76-8b345dfd2309 alue=//android.widget.TextView[contains(@onstructorAccessor30.newInstance(UnknowlegatingConstructorAccessorImpl.newInstanpl.java:45) tructor.newInstance(Constructor.java:490) p.W3CHttpResponseCodec.createException 70, p.W3CHttpResponseCodec.decode	note server.  2Z'  2Z'  2S.arch: 'amd6  2rudential.puls  2ctivity: com.  nName: Reset: true, eviceModel: eenSize: ContextEnable et: true, :: 11, , top: 145, wid  2text,''Take a  2n Source) ince

(W3CHttpResponseC	Codec.iava:49)		
		CommandExecutor.execute(Htt	pCommandExecutor.java:
158)			
		iumCommandExecutor.execut	2
(AppiumCommandE	•		
		oteWebDriver.execute(Remote	· ·
	ient.DefaultGene	ericMobileDriver.execute(Defai	iltGenericMobileDriver.
java:42)	iont Annium Driv	ver.execute(AppiumDriver.java	1)
	* *	droidDriver.execute(AndroidD	*
		oteWebDriver.findElement(Rei	
O		ericMobileDriver.findElement	note ((espinoriguraisir)
(DefaultGenericMob			
	•	ver.findElement(AppiumDrive	r.java:1)
		droidDriver.findElement(Andr	
at org.openqa.seleniu java:419)	ım.remote.Remo	teWebDriver.findElementByX	Path(RemoteWebDriver.
at io.appium.java_cli (DefaultGenericMob		ericMobileDriver.findElementI 52)	<b>SyXPath</b>
	•	ver.findElementByXPath(Appi	umDriver.java:1)
		droidDriver.findElementByXP	
		.findElement(By.java:353)	,
at org.openqa.seleniu	ım.remote.Remo	teWebDriver.findElement(Rei	noteWebDriver.java:309)
		ericMobileDriver.findElement	
(DefaultGenericMob	· ·		
		ver.findElement(AppiumDrive	
		droidDriver.findElement(Andr	
		mands\$15.executeCommand(C uteCommand.executeComman	
19)	p.setemum.Pxect	uteCommand.executeComman	u(ExecuteCommand.java.
	screens.TestBase	ePage.clickButton(TestBasePage	ge.java:164)
		erConnectScreen.clickButton(	
java:1685)			
	_	nobilesteps.CustomerConnectS	teps.clickUploadIcon
(CustomerConnectSt			
		in app screen(features/sg/healt)	ı/dietician
/Dietician_PositiveFl			0.00
And I give camera po			0.00s
Then I take picture f			0.00s
And I click the contin			0.00s
Then I wait for 3 sec			0.00s
And I scroll down			0.00s
Then I wait for 2 sec			0.00s
And I click Agree bu	tton ''Terms and	d Conditions" confirm screen	0.00s
And I clicks on "Ter	ms and Conditio	ns'' text in app screen	0.00s
After			0.00s
Back to Table of Contents			
Scenario: Verify User sl	hould be able to		
		navigate to schedule Calendar	page
Passed: 1	Failed: 1	navigate to schedule Calendar Undefined: 6	page Duration: 5.05s

fore		0.00s
Then I wait for 5 sec		5.01s
And I clicks on "Sch	nedule Calendar'' in app screen	0.04s
org.openqa.selenium processing the comm Original error: sock Build info: version: System info: host: 'Tos.version: '10.0', ja' os.version: '10.0', device Ulfalse, network Conne pixel Ratio: 2.75, pla stat Bar Height: 145, 1080}, warnings: {}, Session: ID: 21de 104 os.version: '10.0', ja' os.ve	n.WebDriverException: An unknown server-signand. Original error: Could not proxy commandet hang up '3.12.0', revision: '7c6e0b3', time: '2018-05-0877M003LSIN', ip: '192.168.1.124', os.name: 'Wilva.version: '11.0.2' um.java_client.android.AndroidDriver tivity: com.prudential.pulse.MainAc, appPache: UiAutomator2, databaseEnabled: false, despinAc, appPackage: com.prudential.pulse.uatceName: Android-Test, newCommandTimeourroid}, deviceApiLevel: 30, deviceManufacturer: 0C241FDD40043P, javascriptEnabled: trectionEnabled: true, newCommandTimeout: 10tform: LINUX, platformName: Android, platftakesScreenshot: true, viewportRect: {height: webStorageEnabled: false} 6-e6e0-42ef-9c76-8b345dfd2309 Using=xpath, value=//android.widget.TextViewet.GeneratedConstructorAccessor30.newInstancenal.reflect.DelegatingConstructorAccessorImectorAccessorImpl.java:45) ug.reflect.Constructor.newInstance(Constructorum.remote.http.W3CHttpResponseCodec.crea	de error occurred while nd to the remote server.  F14:04:26.12Z' ndows 10', os.arch: 'amd6  ckage: com.prudential.pul- sired: {appActivity: com. c, automationName: t: 10000, noReset: true, r: Google, deviceModel: 0, deviceScreenSize: rue, locationContextEnable 0000, noReset: true, formVersion: 11, 2015, left: 0, top: 145, wid  v[contains(@text,''Schedul nce(Unknown Source) npl.newInstance or.java:490)
(W3CHttpResponse	um.remote.http. W3 CH ttp Response Codec. decoder constant and the second co	
(W3CHttpResponse		
at io.appium.java_cl (AppiumCommandl at org.openqa.seleni	lient.remote.AppiumCommandExecutor.execu Executor.java:231) um.remote.RemoteWebDriver.execute(Remote lient.DefaultGenericMobileDriver.execute(Defa	eWebDriver.java:543)
at io.appium.java_cl at org.openqa.seleni at io.appium.java_cl (DefaultGenericMol at io.appium.java_cl	lient.AppiumDriver.execute(AppiumDriver.jav lient.android.AndroidDriver.execute(AndroidI um.remote.RemoteWebDriver.findElement(Re lient.DefaultGenericMobileDriver.findElement bileDriver.java:62) lient.AppiumDriver.findElement(AppiumDrive lient.android.AndroidDriver.findElement(And	Driver.java:1) emoteWebDriver.java:317 t er.java:1)

(Defat io at io at io (Defat io at io at co	aultGenericMobile appium.java_clien appium.java_clien g.openqa.selenium appium.java_clien aultGenericMobile appium.java_clien appium.prudential.tap. appium.onepulse.app.se	eDriver.java:152) nt.AppiumDriver.find nt.android.AndroidD n.By\$ByXPath.findEl n.remote.RemoteWeb nt.DefaultGenericMo eDriver.java:58) nt.AppiumDriver.find nt.android.AndroidD selenium.Commands selenium.ExecuteCor	dElementByXPath(AppiumDriver) driver.findElementByXPath(Andlement(By.java:353) dDriver.findElement(RemoteWebbileDriver.findElement dElement(AppiumDriver.java:1) driver.findElement(AndroidDriver.findElement(AndroidDriver.findElement(Command) \$15.executeCommand(Command) mand.executeCommand(ExecuteCommand)	er.java:1) roidDriver.java:1) bDriver.java:309) er.java:1) ds.java:141) ateCommand.java:
at co (Cus at .A /Die And	stomerConnectSte and I clicks on "Sc tician_PositiveFlo	ps.java:533) hedule Calendar'' in	steps.CustomerConnectSteps.clicapp screen(features/sg/health/di	
And	I Select the Date i	n calendar field		0.00s
		Your Availability icon	n in calendar screen	0.00s
		AM'' in app screen	The Control of Control	0.00s
		dar" Image in app so	araan	0.00s
	1 clicks the conve	rsation History icon i	n app screen	0.00s
After				0.00s
Back to '	<u>Fable of Contents</u>			
Feature: <b>\</b>	erify Medicine Re	mainder Positive Flo	w functionality on one pulse Ap	0
Passed: 0	Failed: 5	Undefined: 0		
		1	dation using "Continue with Em	oil"
Passed: 2	•	Failed: 1	Undefined: 7	Duration: 129.75
Before				0.00s
"RA	NDOM_NUMBE			0.00s
"PU	LSE_EMAIL''		R}@mailsac.com" to variable	0.00s
	User has pulse ap			8.61s
			IAIL" with Email button	12.59s
Whe	en user enters regi	stration details		9.35s
F	irstName Diet			
L	astName Test			
E	mail \${PULS	E_EMAIL}		
P	assword Pas\$123	4		

And taps on continue ''Sign_Up'' button	0.30s
Then I wait for 10 sec	10.00s
And I enter OTP in one pulse app for user email ''\${PULSE_EMAIL}''	28.78s
Then I wait for 5 sec	5.01s
And I enter the ''mobile number'' in welcome to pulse	10.31s
mobileNumber 98678419	
And I click the continue button	0.18s
And I choose my wellness goals under wellness plan screen	1.73s
And I click the continue button	0.87s
And I click the date in Date of Birth field	6.52s
And I click the Done icon	3.20s
And I click the continue button	1.16s
And I select the Male icon	5.34s
And I click the continue button	0.88s
And I enter my height and weight details	2.31s
And I click on Calculate BMI button	0.67s
And I click the continue button	0.87s
And I select the "How active are you?" in doing exercise	1.85s
And I click the continue button	0.95s
And I select my favorite food dietary	1.88s
And I click the continue button	1.02s
And I answer as "Yes" to "Any Food allergies?"	3.66s
And I click the continue button	0.86s
And I verify that "Tracking your activity is trending" is displayed	2.38s
And I click the continue button	8.47s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no-such\_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java\_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com. prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width:

1080}, warnings: {}, webStorageEnabled: false}

Session ID: 2058ee75-ee37-40fa-b3fd-97f8287e826f


\*\*\* Element info: {Using=xpath, value=//android.widget.TextView[contains

(@text,'Continue')]}

```
at idk.internal.reflect.GeneratedConstructorAccessor32.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.jaya client.android.AndroidDriver.findElementByXPath(AndroidDriver.jaya:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164)
at com.onepulse.app.screens.PulseRegistrationScreen.continueButton(PulseRegistrationScreen.
iava:538)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.continueButton
(RegistrationSteps.java:100)
at .And I click the continue button(features/sg/health/dietician/Medicine Remainder.feature:
39)
```

Then I click skip butt		0.00s
	anded to "Home" screen	0.00s
And I click the pulsen	nate pop up in Customerconnect screen	0.00s
fter		0.00s
ack to Table of Contents		
cenario: Verify User sh	ould be able to navigate to Dietician pag	ge
assed: 0	Failed: 1 Undefined: 13	Duration: 29.3
efore		0.00s
Then I click the Healt	h icon in Home screen	29.35s
using the given search For documentation or /no_such_element.htm Build info: version: '3 System info: host: 'TN os.version: '10.0', java Driver info: io.appium Capabilities {appActivat, automationName prudential.pulse.Main UiAutomator2, device platformName: andro Pixel 5, deviceName: (1080x2340, deviceUD) false, networkConnec pixelRatio: 2.75, platf statBarHeight: 145, ta 1080}, warnings: {}, w Session ID: 2058ee75-*** Element info: {Us /following::android.w at jdk.internal.reflectat java.base/jdk.intern (DelegatingConstructat java.base/java.lang at org.openqa.selenium (W3CHttpResponseCat org.openqa	this error, please visit: http://seleniumlal. 12.0', revision: '7c6e0b3', time: '2018-0a/1003LSIN', ip: '192.168.1.124', os.names a.version: '11.0.2' a.java_client.android.AndroidDriver vity: com.prudential.pulse.MainAc, ap: UiAutomator2, databaseEnabled: false aAc, appPackage: com.prudential.pulse.Name: Android-Test, newCommandTimoid}, deviceApiLevel: 30, deviceManufactoC241FDD40043P, deviceScreenDensityID: 0C241FDD40043P, javascriptEnabletionEnabled: true, newCommandTimeo orm: LINUX, platformName: Android, akesScreenshot: true, viewportRect: {heir rebStorageEnabled: false} ea37-40fa-b3fd-97f8287e826f ing=xpath, value=//android.widget.Textidget.TextView[contains(@text,'Health'.GeneratedConstructorAccessorAccessorImpl.java:45)reflect.Constructor.newInstance(ConstructorAccessorAccessorImpl.java:45)reflect.Constructor.newInstance(ConstructorAccessorAccessorImpl.java:45) .reflect.Constructor.newInstance(ConstructorAccessorAccessorImpl.java:45) .reflect.Constructor.newInstance(ConstructorAccessorAccessorImpl.java:45) .reflect.Constructor.newInstance(ConstructorAccessorAccessorImpl.java:45) .reflect.Constructor.newInstance(ConstructorAccessorAccessorImpl.java:45) .reflect.Constructor.newInstance(ConstructorAccessorAccessorImpl.yava:45) .reflect.Constructor.newInstance(ConstructorAccessorAccessorImpl.yava:45) .reflect.Constructor.newInstance(ConstructorAccessorAccessorImpl.yava:45) .reflect.Constructor.newInstance(ConstructorAccessorAccessorImpl.yava:45)	hq.org/exceptions  5-08T14:04:26.12Z' : 'Windows 10', os.arch: 'amd64'  ppPackage: com.prudential.pulse, desired: {appActivity: com. se.uat, automationName: meout: 10000, noReset: true, eturer: Google, deviceModel: v: 440, deviceScreenSize: ed: true, locationContextEnable out: 10000, noReset: true, platformVersion: 11, ight: 2015, left: 0, top: 145, widte tview[contains(@text,'Home')]  [View[contains(@text,'Home')]  [Instance(Unknown Source) sorImpl.newInstance  ructor.java:490) e.createException

at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.ja at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWeb at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1 at io.appium.java_client.android.AndroidDriver.findElement(AndroidDrivat org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(Rijava:419) at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(AppiumDrivat io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDrivat io.appium.java_client.AppiumDriver.findElement(By.java:353) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWeb at io.appium.java_client.DefaultGenericMobileDriver.findElement(AndroidDrivat io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1 at io.appium.java_client.AppiumDriver.findElement(AndroidDrivat com.prudential.tap.selenium.Commands\$15.executeCommand(Comman at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execute) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:19) at com.onepulse.app.screens.CustomerConnectScreen.HealthIcons(Custom java:1332) at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.He(CustomerConnectSteps.java:411)	ebDriver.java:317)  ver.java:1) kemoteWebDriver.  h ver.java:1) droidDriver.java:1) ebDriver.java:309)  l) ver.java:1) nds.java:141) uteCommand.java: :164) nerConnectScreen. ealthicons
at .Then I click the Health icon in Home screen(features/sg/health/dietician/Medicine_Remainder.feature:53)	
And I clicks on click here icon in medical Remainder	0.00s
Then I wait for 3 sec	0.00s
And I clicks on "Add New Reminder" in app screens	0.00s
And I Enter the "Enter Medicine Name" in "GAS" in home screen	0.00s
And I click the Medicine Info field	0.00s
And I clicks on Schdule Field in Add medicine screen	0.00s
And I clicks on ''Select Strength/Unit'' in app screens	0.00s
And I clicks on ''Tablet (unit)'' in app screens	0.00s
And I clicks on Next icon in app screens	0.00s
And I verify following text displayed in Add medicine screen	0.00s
Frequency Dosage Timing Start Date	
And I clicks on Timing in Add medcine screen	0.00s
And I clicks on "Before meal" in app screens	0.00s
And I clicks on Next icon in app screens	0.00s




ter et e		0.00s
ck to Table of Contents		
enario: Verify User s	should be able to navigate to Dietician page	
ssed: 0	Failed: 1 Undefined: 23	Duration: 8.09s
efore		0.00s
And I verify followi	ng text displayed in Add medicine screen	8.09s
<b>More Setting</b>		
	displayed on page expected [true] but found [false] s.SoftAssert.assertAll(SoftAssert.java:43) s.stendefinitions mobilestens MyDocStens VerifyAddMed	dicine(MyDocStens
at com.onepulse.app java:885) at .And I verify follo /Medicine_Remaind	s.SoftAssert.assertAll(SoftAssert.java:43) p.stepdefinitions.mobilesteps.MyDocSteps.VerifyAddMed owing text displayed in Add medicine screen(features/sg/l ler.feature:74)	health/dietician
at com.onepulse.app java:885) at .And I verify follo /Medicine_Remaind And I Enter the "Co	s.SoftAssert.assertAll(SoftAssert.java:43) p.stepdefinitions.mobilesteps.MyDocSteps.VerifyAddMed owing text displayed in Add medicine screen(features/sg/l ler.feature:74) ondition" in "NORMAL" in home screen	
at com.onepulse.app java:885) at .And I verify follo /Medicine_Remaind And I Enter the "Co And I Enter the "Ho	s.SoftAssert.assertAll(SoftAssert.java:43) p.stepdefinitions.mobilesteps.MyDocSteps.VerifyAddMed owing text displayed in Add medicine screen(features/sg/l ler.feature:74) ondition" in "NORMAL" in home screen ow many pills do you have in your stock?" in "10" in	health/dietician
at com.onepulse.app java:885) at .And I verify follo /Medicine_Remaind And I Enter the "Co	s.SoftAssert.assertAll(SoftAssert.java:43) p.stepdefinitions.mobilesteps.MyDocSteps.VerifyAddMed owing text displayed in Add medicine screen(features/sg/l ler.feature:74) ondition" in "NORMAL" in home screen ow many pills do you have in your stock?" in "10" in e screen	health/dietician  0.00s
at com.onepulse.app java:885) at .And I verify follo /Medicine_Remaind And I Enter the "Co And I Enter the "Hodynamic Experience Then I wait for 3 seconds.	s.SoftAssert.assertAll(SoftAssert.java:43) p.stepdefinitions.mobilesteps.MyDocSteps.VerifyAddMed owing text displayed in Add medicine screen(features/sg/l ler.feature:74) ondition" in "NORMAL" in home screen ow many pills do you have in your stock?" in "10" in e screen	health/dietician  0.00s  0.00s
at com.onepulse.app java:885) at .And I verify follow /Medicine_Remained And I Enter the "Control of the And I Enter the "Hodynamic Experience Then I wait for 3 second of I clicks the Donal	s.SoftAssert.assertAll(SoftAssert.java:43) p.stepdefinitions.mobilesteps.MyDocSteps.VerifyAddMed owing text displayed in Add medicine screen(features/sg/l ler.feature:74) ondition'' in ''NORMAL'' in home screen ow many pills do you have in your stock?'' in ''10'' in e screen	health/dietician  0.00s  0.00s  0.00s
at com.onepulse.app java:885) at .And I verify follow /Medicine_Remained And I Enter the "Control of the And I Enter the "Hodynamic Experience Then I wait for 3 second of I clicks the Donal	s.SoftAssert.assertAll(SoftAssert.java:43) p.stepdefinitions.mobilesteps.MyDocSteps.VerifyAddMed owing text displayed in Add medicine screen(features/sg/l ler.feature:74) ondition'' in ''NORMAL'' in home screen ow many pills do you have in your stock?'' in ''10'' in the screen contended to button in Add medicine screen ing texts are displayed	health/dietician  0.00s  0.00s  0.00s  0.00s  0.00s
at com.onepulse.app java:885) at .And I verify following. Remained And I Enter the "Company of the approximately a	s.SoftAssert.assertAll(SoftAssert.java:43) p.stepdefinitions.mobilesteps.MyDocSteps.VerifyAddMed owing text displayed in Add medicine screen(features/sg/l ler.feature:74) ondition'' in ''NORMAL'' in home screen ow many pills do you have in your stock?'' in ''10'' in the screen contended to button in Add medicine screen ing texts are displayed	health/dietician  0.00s  0.00s  0.00s  0.00s  0.00s
at com.onepulse.app java:885) at .And I verify following the Medicine_Remaind And I Enter the "Company of the Theory of the Theo	S.SoftAssert.assertAll(SoftAssert.java:43) p.stepdefinitions.mobilesteps.MyDocSteps.VerifyAddMed owing text displayed in Add medicine screen(features/sg/l ler.feature:74) ondition'' in ''NORMAL'' in home screen ow many pills do you have in your stock?'' in ''10'' in e screen c ne button in Add medicine screen ng texts are displayed essfully!	0.00s 0.00s 0.00s 0.00s 0.00s
at com.onepulse.app java:885) at .And I verify following the Medicine_Remaind And I Enter the "Company of the Theory of the Theo	S.SoftAssert.assertAll(SoftAssert.java:43) p.stepdefinitions.mobilesteps.MyDocSteps.VerifyAddMed owing text displayed in Add medicine screen(features/sg/l ler.feature:74) ondition'' in ''NORMAL'' in home screen ow many pills do you have in your stock?'' in ''10'' in e screen c ne button in Add medicine screen ng texts are displayed essfully! ld another Med'' in app screens nter Medicine Name'' in ''GAS'' in home screen	0.00s 0.00s 0.00s 0.00s 0.00s 0.00s

And I cl	clicks on "Select Strength/Unit" in app screens		0.00s
And I cl	clicks on "Tablet (unit)" in app screens		0.00s
And I cl	elicks on Next icon in app screens		0.00s
And I vo	verify following text displayed in Add medicine screen		0.00s
Freq	quency		
Dosa	age Timing		
Start	t Date		
And I cl	clicks on Timing in Add medcine screen		0.00s
And I cl	clicks on ''Before meal'' in app screens		0.00s
And I cl	clicks on Next icon in app screens		0.00s
And I vo	verify following text displayed in Add medicine screen		0.00s
More	re Setting		
	Enter the "Condition" in "NORMAL" in home screen		0.00s
	Enter the "How many pills do you have in your stock?" i	n ''10'' in	0.00
	ic Experience screen		0.00s
Then I	wait for 3 sec		0.00s
And I cl	clicks the Done button in Add medicine screen		0.00s
And I vo	verify following texts are displayed		0.00s
GAS	S added successfully!		
And I cl	clicks on "Add another Med" in app screens		0.00s
And I cl 7:08 ©  My Wellner Set yourself up to Studies show increase your Don't have a connect Goog with Pulse. Connect to A	Plicks on "Add another Med" in app screens  O C C C C C C C C C C C C C C C C C C		0.00s
And I cl  7:08 ©  My Wellner Set yourself up to  Tracking ye Go for lit Conn Studies show increase your Don't have a 1 connect to 2  Connect to 2	Policition "Add another Med" in app screens  of the property o		0.00s
My Wellnesset yourself up to  Tracking you Go for it! Conn Studies show increase your Increase your Don't have a Formect Goog with Pulse.  Connect to I	ess Plan  ter success  your activity is trending meet a Fitness Tracker or App with Pulse. With tonsisterit use of Fitness a make. If fitness Tracker? Don't worry! You can still tigle Fitr Apple Health app on your phone,  Application  Google Fit		0.00s
My Wellnesset yourself up to  Tracking you Go for it! Conn Studies show increase your Don't have a Formect Goog with Pulse.  Connect to I	Policition "Add another Med" in app screens  of the property o		0.00s
My Wellner Set yourself up to  Tracking you Go for lit Come Studies show increase your Don't have a F connect to for  Connect to for  Connect to for  F	ess Plan  ter success  your activity is trending meet a Fitness Tracker or App with Pulse. With tonsisterit use of Fitness a make. If fitness Tracker? Don't worry! You can still tigle Fitr Apple Health app on your phone,  Application  Google Fit		0.00s
My Wellner Set yourself up to  Tracking you Go for it! Come Studies your Don't have a F connect to for  Connect to for  Connect to for  F	ess Plan  Resuccess  your activity is trending  nnect a Fitness Tracker or App with Pulse.  or stage part day by more than a male.  If fitness Tracker? Don't worny! You can still  ngle Fit/ Apple Health app on your phone,  Application  Google Fit  Fithit		0.00s
My Wellner Set yourself up to  Tracking you Go for lit Come Studies your Don't have a F connect to go With Pulsa.  Connect to go Connect to go O	clicks on "Add another Med" in app screens  consistent use of Fitness Tracker on a still age fit? Apple Health app on your phone,  Application  Google Fit  Garmin		0.00s
And I cl  7:00 ©  My Wellner Set yourself up to Set yourself up to Studies show increase your Don't have a F connect to G  Connect to G  Connect to G	clicks on "Add another Med" in app screens  consistent use of Fitness Tracker on a still age fit? Apple Health app on your phone,  Application  Google Fit  Garmin		
My Wellnesseryouself up to  Tracking you Go for its Conn Studies show increase you Dan't have a F connect to or With Pulse.  Connect to I	clicks on "Add another Med" in app screens  our activity is trending met a Riness Tracker or App with Pulse. that consistent use of Finness Tracker can recept per day more than are. Intress Tracker? Don't werry! You can still agic Fit Apple Health app on your phone, Application  Google Fit  Fibit  Connect Later  Connect Later		
And I cl  7:00 ©  My Wellner Set yourself up to  Tracking you Go for it! Conn Studies show increase your Don't have a F connect to it  Kell (a Table)	clicks on "Add another Med" in app screens  our activity is trending meet a Riness Tracker or App with Pulse. What consistent use of Finess Tracker can is steps per day by more than a mile. Fitness Tracker? Don't worry! You can still gigle Fit/ Apple Health app on your phone,  Application  Google Fit  Garmin  Connect Later		

```
And I Enter the "Enter Medicine Name" in "GAS" in home screen
                                                                            35.86s
org.openga.selenium.NoSuchElementException: An element could not be located on the page
using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions
/no such element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.
prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName:
UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true,
platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel:
Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize:
1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled:
false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,
pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11,
statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width:
1080}, warnings: {}, webStorageEnabled: false}
Session ID: 2058ee75-ee37-40fa-b3fd-97f8287e826f
*** Element info: {Using=xpath, value=//android.widget.EditText[contains(@text,"Enter
Medicine Name'')]}
at jdk.internal.reflect.GeneratedConstructorAccessor32.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
```

at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.findElementByXPath(AndroidDriver.findElementByXPath(AndroidDriver.findElementByXPath(AndroidDriver.findElementByXPath(AndroidDriver.findElementByXPath(AndroidDriver.findElementByXPath(AndroidDriver.findElementByXPath(AndroidDriver.findElementByXPath(AndroidDriver.findElementByXPath(AndroidDriver.findElementByXPath(AndroidDriver.findElement(AndroidDriver.findElem	droidDriver.java:1 ebDriver.java:309) ) ver.java:1) nds.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand)	uteCommand.java
(9) at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.	iove-261)
nt com.onepulse.app.screens.1estbaserage.set1extwith1ab(1estbaserage, nt com.onepulse.app.screens.CustomerConnectScreen.Enternames(Custom	
ava:1779)	
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.	
_Enter_the_in_in_home_screen(CustomerConnectSteps.java:566) at .And I Enter the "Enter Medicine Name" in "GAS" in home screen(feat	a/aa/haalth
dietician/Medicine_Remainder.feature:108)	ures/sg/neaim
And I click the Medicine Info field	0.00s
And I clicks on Schdule Field in Add medicine screen	0.00s
And I clicks on "Select Strength/Unit" in app screens	0.00s
And I clicks on "Tablet (unit)" in app screens	0.00s
And I clicks on Next icon in app screens	0.00s
And I verify following text displayed in Add medicine screen	0.00s
Frequency Dosage Timing Start Date	
And I clicks on Timing in Add medcine screen	0.00s
And I clicks the start Date in Calendar field	0.00s
And I clicks on "Okay" in app screens	0.00s
And I clicks on "Before meal" in app screens	0.00s
And I clicks on Next icon in app screens	0.00s
And I Enter the "Condition" in "NORMAL" in home screen	0.00s
And I Enter the ''How many pills do you have in your stock?'' in ''10'' in lynamic Experience screen	0.00s
Then I wait for 3 sec	0.00s
And I clicks the Done button in Add medicine screen	0.00s
And I verify following texts are displayed	0.00s
GAS added successfully!	
GILD waded baccobbining	0.00s
And I clicks on Not now icon in app screen	0.000



After			0.00s				
Back to Table of Conte	Back to Table of Contents						
Scenario: Verify U	Scenario: Verify User should be able to navigate to Dietician page						
Passed: 1	Failed: 1	Undefined: 0	Duration: 12.94s				
Before	Before 0.00s						
When I scroll down 4.							
And I click the	calendar in Health tab		8.39s				

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no-such\_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'


System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',

os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java\_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com. prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 2058ee75-ee37-40fa-b3fd-97f8287e826f

```
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Click
Here')]/following::android.widget.ImageView[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor32.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164)
at com.onepulse.app.screens.DieticianScreen.Calendar icon(DieticianScreen.java:404)
at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps.Calendar_Health
(DieticianSteps.java:205)
at .And I click the calendar in Health tab(features/sg/health/dietician/Medicine Remainder.
feature:139)
```



After	0.00s

**Back to Table of Contents** 

ssed: 2	Failed: 0	Undefined: 0	Duration: 309.72s	
Scenario: Use	r should be a	ble to locate Hospitals	using PruShoppe location	
Passed: 20		Failed: 0	Undefined: 0	Duration: 161.9
Before				0.00s
Given User	has pulse ap	р		8.54s
And user c	lick on "CON	TINUE WITH GOO	GLE" with Google button	6.65s
And I click	the "Email"	in Continue with Gm	ail	15.57s
Emailid	\${facebook	.text}		
Passwor	rd pulsesgqa@	123		
Then user	should be lan	ded home screen		0.01s
When I cli	cks on Health	button		5.06s
Then I clic	ks on Locatio	n button		14.32s
When I cli	cks on Search	here text field		5.59s
And I click	s on ''Hospita	als'' under Pulse Searc	ch	1.21s
Then User	can see the li	st of "Hospitals" near	by to user's current location	3.63s
	can see that C '' search resu	,	Details links are displayed under	76.59s
When I cli	cks on See De	tails button on First r	esult	0.97s
Then I can buttons	see the "Hos	pital" Information sci	een with Navigate and Call Now	11.03s
	cks on "Speci			0.46s

				l	
	Then I verify the Specia	<del></del>		0.97s	
	When I clicks on "Docto	ors" tab		0.42s	
	Then I verify the Doctor	rs screen is displayed		1.30s	
	When I clicks on "Room	ns'' tab		0.39s	
	Then I verify the Rooms	s screen is displayed		6.83s	
	When I clicks on back b	utton in See Details scr	een	0.44s	
	And I clicks on back but	tton in "Hospitals" scr	een	2.03s	
A	After				
Ba	ack to Table of Contents				
	cenario: User should be a	ble to locate cli using P	ruShoppe location		
Pa	assed: 14	Failed: 0	Undefined: 0	Duration: 147.74	
В	efore			0.00s	
	Given User has pulse ap	р		8.47s	
	And user click on "CON	NTINUE WITH GOOG	LE'' with Google button	5.58s	
	And I click the "Email"	in Continue with Gma	il	15.42s	
	Emailid \${facebook Password pulsesgqa@				
	Then user should be lan	ded home screen		0.01s	
	Then I clicks on Health	button		4.41s	
	Then I clicks on Locatio	on button		14.34s	
	When I clicks on Search	here text field		5.62s	
	And I clicks on "Clinics	" under Pulse Search		1.24s	
	Then User can see the li	st of "Clinics" near by	to user's current location	3.14s	
	And User can see that C "Clinics" search results		Details links are displayed under	75.19s	
	When I clicks on See De	etails button on First re	sult	0.73s	
	Then I can see the "Climbuttons	nic" Information screen	with Navigate and Call Now	10.18s	
	When I clicks on back b	outton in See Details scr	reen	0.35s	
	And I clicks on back but	tton in "Clinic" screen		3.08s	
A	fter			0.00s	
Ba	ack to Table of Contents				
Feat	ure: Verify Notification C	Center functionality on	one pulse App		
Passe	d: 2 Failed: 3	Undefined: 0	Duration: 255.0s		
Se	cenario: Verify User shou	ld be able to register or	n app using email account		
Pa	assed: 10	Failed: 0	Undefined: 0	Duration: 144.79	
В	efore			0.00s	
	Given I generate randor "RANDOM_NUMBER	<u> </u>	o variable	0.00s	
			mailsac.com'' to variable	0.00s	
	Given User has pulse ap	p		8.54s	

And user click on "CO	NTINUE WITH EMAIL" with Email button	12.63s
When user enters regist		8.77s
FirstName Notificati		
LastName CenterTe		
	E_EMAIL}	
Password Pas\$1234		
And taps on continue "		0.33s
	e pulse app for user email "\${PULSE_EMAIL}"	29.62s
Then I click skip buttor	n	63.94s
Then I wait for 15 sec		15.01s
Then user should be lar	nded to ''Home'' screen	5.96s
fter		0.00s
ack to Table of Contents		
cenario: Verify User shou	uld be able navigate to Notification Center	
assed: 0	Failed: 1 Undefined: 0	Duration: 7.80
efore		0.00s
Then I paying to to notif	fication center page	7.86s
org.openqa.selenium.Nousing the given search proceedings of the commentation on the commentation of the co	this error, please visit: http://seleniumhq.org/exception   12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.003LSIN', ip: '192.168.1.124', os.name: 'Windows 10' version: '11.0.2'	ons .12Z'
org.openqa.selenium.Nousing the given search proceedings of the commentation on the commentation of the co	parameters. this error, please visit: http://seleniumhq.org/exception/ 12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26. 003LSIN', ip: '192.168.1.124', os.name: 'Windows 10' version: '11.0.2'	ons .12Z'
org.openqa.selenium.No using the given search p For documentation on to /no_such_element.html Build info: version: '3.1 System info: host: 'TMo os.version: '10.0', java.v Driver info: io.appium.	parameters. this error, please visit: http://seleniumhq.org/exception. 12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26. 003LSIN', ip: '192.168.1.124', os.name: 'Windows 10'	ons .12Z' ', os.arch: 'amd64
org.openqa.selenium.Nousing the given search proceedings of the commentation on the commentation of the co	parameters. this error, please visit: http://seleniumhq.org/exception. [2.0], revision: '7c6e0b3', time: '2018-05-08T14:04:26. [003LSIN], ip: '192.168.1.124', os.name: 'Windows 10' version: '11.0.2' java_client.android.AndroidDriver ty: com.prudential.pulse.MainAc, appPackage: con UiAutomator2, databaseEnabled: false, desired: {app	ons .12Z' ', os.arch: 'amd64 n.prudential.puls oActivity: com.
org.openqa.selenium.Nousing the given search procumentation on the following the given search procumentation on the following the given search procumentation on the following the following the given info: version: '3.1 System info: host: 'TMO os.version: '10.0', java.version: '10.0', j	parameters. this error, please visit: http://seleniumhq.org/exception. [2.0], revision: '7c6e0b3', time: '2018-05-08T14:04:26. [003LSIN], ip: '192.168.1.124', os.name: 'Windows 10' version: '11.0.2' java_client.android.AndroidDriver ty: com.prudential.pulse.MainAc, appPackage: com. UiAutomator2, databaseEnabled: false, desired: {appAc, appPackage: com.prudential.pulse.uat, automatom.	ons .12Z' ', os.arch: 'amd64 n.prudential.puls oActivity: com. ionName:
org.openqa.selenium.Nousing the given search procumentation on the such element.html Build info: version: '3.1 System info: host: 'TMO os.version: '10.0', java.subriver info: io.appium. Capabilities {appActivition automation automation automation automation automator 2, device automato	parameters. this error, please visit: http://seleniumhq.org/exception. [2.0], revision: '7c6e0b3', time: '2018-05-08T14:04:26. [003LSIN', ip: '192.168.1.124', os.name: 'Windows 10' version: '11.0.2' java_client.android.AndroidDriver ty: com.prudential.pulse.MainAc, appPackage: con UiAutomator2, databaseEnabled: false, desired: {appAc, appPackage: com.prudential.pulse.uat, automatical.e	ons .12Z' ', os.arch: 'amd64 n.prudential.puls pActivity: com. ionName: noReset: true,
org.openqa.selenium.Nousing the given search procumentation on the such element.html Build info: version: '3.1 System info: host: 'TMO os.version: '10.0', java.v Driver info: io.appium. Capabilities {appActivities, automationName: prudential.pulse.MainA UiAutomator2, deviceN platformName: android	this error, please visit: http://seleniumhq.org/exception/ (2.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.003LSIN', ip: '192.168.1.124', os.name: 'Windows 10' version: '11.0.2' java_client.android.AndroidDriver ty: com.prudential.pulse.MainAc, appPackage: com.UiAutomator2, databaseEnabled: false, desired: {appAc, appPackage: com.prudential.pulse.uat, automatomator2. Ac, appPackage: com.prudential.pulse.uat, automatomator2. Android-Test, newCommandTimeout: 10000, red}, deviceApiLevel: 30, deviceManufacturer: Google,	ons .12Z' ', os.arch: 'amd64 n.prudential.puls pActivity: com. ionName: noReset: true, deviceModel:
org.openqa.selenium.Nousing the given search procumentation on the following the given search procuments on the following the given search procuments on the following the given search procuments of the following	parameters. this error, please visit: http://seleniumhq.org/exception. [2.0], revision: '7c6e0b3', time: '2018-05-08T14:04:26. [003LSIN', ip: '192.168.1.124', os.name: 'Windows 10' version: '11.0.2' java_client.android.AndroidDriver ty: com.prudential.pulse.MainAc, appPackage: con UiAutomator2, databaseEnabled: false, desired: {appAc, appPackage: com.prudential.pulse.uat, automatical.e	ons .12Z' ', os.arch: 'amd64 n.prudential.puls oActivity: com. ionName: noReset: true, deviceModel: creenSize:
org.openqa.selenium.Nousing the given search proceedings of the for documentation on the following the given search procedure info: to search proced	parameters. this error, please visit: http://seleniumhq.org/exception/ [2.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26. 003LSIN', ip: '192.168.1.124', os.name: 'Windows 10' version: '11.0.2' java_client.android.AndroidDriver ty: com.prudential.pulse.MainAc, appPackage: com UiAutomator2, databaseEnabled: false, desired: {app Ac, appPackage: com.prudential.pulse.uat, automation Jame: Android-Test, newCommandTimeout: 10000, red}, deviceApiLevel: 30, deviceManufacturer: Google, C241FDD40043P, deviceScreenDensity: 440, deviceSco D: 0C241FDD40043P, javascriptEnabled: true, location C241FDD40043P, javascriptEnabled: true, location	ons .12Z' .1, os.arch: 'amd64 n.prudential.puls oActivity: com. ionName: noReset: true, deviceModel: creenSize: onContextEnable deset: true,
org.openqa.selenium.Nousing the given search produced from the search p	parameters. this error, please visit: http://seleniumhq.org/exception 12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.003LSIN', ip: '192.168.1.124', os.name: 'Windows 10' version: '11.0.2' java_client.android.AndroidDriver ty: com.prudential.pulse.MainAc, appPackage: comUiAutomator2, databaseEnabled: false, desired: {appAc, appPackage: com.prudential.pulse.uat, automatoration appPackage: com.prudential.pulse.uat, automatoration appPackage: com.prudential.pulse.uat, automatoration appPackage: 30, deviceManufacturer: Google, C241FDD40043P, deviceScreenDensity: 440, deviceS	ons .12Z' ', os.arch: 'amd6a' n.prudential.puls oActivity: com. ionName: noReset: true, deviceModel: creenSize: onContextEnable deset: true, on: 11,
org.openqa.selenium.Nousing the given search procumentation on the ford documentation on the following the given search procession: '3.1 System info: host: 'TMO os.version: '10.0', java.subriver info: io.appium. Capabilities {appActivities {appac	parameters. this error, please visit: http://seleniumhq.org/exception 12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.003LSIN', ip: '192.168.1.124', os.name: 'Windows 10' version: '11.0.2' java_client.android.AndroidDriver ty: com.prudential.pulse.MainAc, appPackage: com UiAutomator2, databaseEnabled: false, desired: {app Ac, appPackage: com.prudential.pulse.uat, automation Name: Android-Test, newCommandTimeout: 10000, red Ac., deviceApiLevel: 30, deviceManufacturer: Google, C241FDD40043P, deviceScreenDensity: 440, deviceScreenDensity: 440, deviceScreenDensity: 440, deviceScreenDensity: 440, deviceScreenDensity: 440, deviceScreenSensity: 440, devi	ons .12Z' ', os.arch: 'amd64 n.prudential.puls oActivity: com. ionName: noReset: true, deviceModel: creenSize: onContextEnable deset: true, on: 11,
org.openqa.selenium.Nousing the given search proceedings of the given search procedure that the given search procedure that the given search procedure to th	parameters. this error, please visit: http://seleniumhq.org/exception/ [2.0], revision: '7c6e0b3', time: '2018-05-08T14:04:26. [003LSIN], ip: '192.168.1.124', os.name: 'Windows 10' version: '11.0.2' java_client.android.AndroidDriver ty: com.prudential.pulse.MainAc, appPackage: com UiAutomator2, databaseEnabled: false, desired: {app Ac, appPackage: com.prudential.pulse.uat, automation Idame: Android-Test, newCommandTimeout: 10000, red Id, deviceApiLevel: 30, deviceManufacturer: Google, C241FDD40043P, deviceScreenDensity: 440, deviceScreenDensity: 440, deviceScreenDensity: 440, deviceScreenDensity: true, location C241FDD40043P, javascriptEnabled: true, location C241FDD40043P, javascriptEnabled: true, location C3241FDD40043P, javascriptEnabled: true, location C4241FDD40043P, javascriptEnabled: true, location C5241FDD40043P, javascriptEnabled: true, location C6241FDD40043P, javascriptEnabled: true, location	ons .12Z' ', os.arch: 'amd64 n.prudential.puls oActivity: com. ionName: noReset: true, deviceModel: creenSize: onContextEnable deset: true, on: 11,
org.openqa.selenium.Nousing the given search procumentation on the for documentation on the following the given search procuments. It is system info: version: '3.1 System info: host: 'TMO os.version: '10.0', java.v Driver info: io.appium. Capabilities {appActivities {appActivities {appActivities } automationName: prudential.pulse.MainAUiAutomator2, deviceName: 00.1080x2340, deviceUDIE false, networkConnection pixelRatio: 2.75, platforstatBarHeight: 145, tak 1080}, warnings: {}, we Session ID: 3b1ab985-1	parameters. this error, please visit: http://seleniumhq.org/exception 12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.003LSIN', ip: '192.168.1.124', os.name: 'Windows 10' version: '11.0.2' java_client.android.AndroidDriver ty: com.prudential.pulse.MainAc, appPackage: com UiAutomator2, databaseEnabled: false, desired: {app Ac, appPackage: com.prudential.pulse.uat, automation Name: Android-Test, newCommandTimeout: 10000, red Ac., deviceApiLevel: 30, deviceManufacturer: Google, C241FDD40043P, deviceScreenDensity: 440, deviceScreenDensity: 440, deviceScreenDensity: 440, deviceScreenDensity: 440, deviceScreenDensity: 440, deviceScreenSensity: 440, devi	ons .12Z' ', os.arch: 'amd64 n.prudential.puls oActivity: com. ionName: noReset: true, deviceModel: creenSize: onContextEnable leset: true, on: 11, co, top: 145, widt
org.openqa.selenium.Nousing the given search proceedings of the given search procedure that the given search procedure that the given search procedure to th	this error, please visit: http://seleniumhq.org/exception/line error, please visit: http://seleniumhq.org/exception/version: '17.66e0b3', time: '2018-05-08T14:04:26.  003LSIN', ip: '192.168.1.124', os.name: 'Windows 10' oversion: '11.0.2' java_client.android.AndroidDriver ty: com.prudential.pulse. wappPackage: com UiAutomator2, databaseEnabled: false, desired: {app Ac, appPackage: com.prudential.pulse.uat, automation lame: Android-Test, newCommandTimeout: 10000, rd d}, deviceApiLevel: 30, deviceManufacturer: Google, C241FDD40043P, deviceScreenDensity: 440, deviceSco D: 0C241FDD40043P, javascriptEnabled: true, location DEnabled: true, newCommandTimeout: 10000, noR rm: LINUX, platformName: Android, platformVersion SesScreenshot: true, viewportRect: {height: 2015, left: bStorageEnabled: false} D: 5f5-43eb-a609-a6c14c569a06 ng=xpath, value=(//android.widget.ScrollView/precedup//android.widget.ImageView)[1]}	ons .12Z' .1, os.arch: 'amd64 .1.prudential.puls oActivity: com. ionName: noReset: true, deviceModel: creenSize: onContextEnable deset: true, on: 11, co, top: 145, widt
org.openqa.selenium.Nousing the given search proceedings of the given search procedure for documentation on the such element.html Build info: version: '3.1 System info: host: 'TMO os.version: '10.0', java.v Driver info: io.appium. Capabilities {appActivition uat, automationName: prudential.pulse.MainAUiAutomator2, deviceNplatformName: android Pixel 5, deviceName: 001080x2340, deviceUDIE false, networkConnection pixelRatio: 2.75, platforstatBarHeight: 145, tak 1080}, warnings: {}, we session ID: 3b1ab985-1*** Element info: {Usin android.view.ViewGround ijdk.internal.reflect.Ground in the search procedure for the se	this error, please visit: http://seleniumhq.org/exception/2.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.003LSIN', ip: '192.168.1.124', os.name: 'Windows 10' version: '11.0.2' java_client.android.AndroidDriver ty: com.prudential.pulse.MainAc, appPackage: com.UiAutomator2, databaseEnabled: false, desired: {appAc, appPackage: com.prudential.pulse.uat, automatoral.pulse.android-Test, newCommandTimeout: 10000, rdd}, deviceApiLevel: 30, deviceManufacturer: Google, C241FDD40043P, deviceScreenDensity: 440, deviceScol: 0C241FDD40043P, javascriptEnabled: true, locationEnabled: true, newCommandTimeout: 10000, noRm: LINUX, platformName: Android, platformVersionesScreenshot: true, viewportRect: {height: 2015, left: bStorageEnabled: false}.5f5-43eb-a609-a6c14c569a06 ng=xpath, value=(//android.widget.ScrollView/precedup//android.widget.ImageView)[1]} GeneratedConstructorAccessor32.newInstance(Unknown)	ons  .12Z' ', os.arch: 'amd64  n.prudential.puls oActivity: com. ionName: noReset: true, deviceModel: creenSize: onContextEnable deset: true, on: 11, : 0, top: 145, widt
org.openqa.selenium.Nousing the given search proceedings of the given search procedured the given search procedure	parameters. this error, please visit: http://seleniumhq.org/exception 12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.003LSIN', ip: '192.168.1.124', os.name: 'Windows 10' version: '11.0.2' java_client.android.AndroidDriver ty: com.prudential.pulse.MainAc, appPackage: com UiAutomator2, databaseEnabled: false, desired: {app Ac, appPackage: com.prudential.pulse.uat, automator Name: Android-Test, newCommandTimeout: 10000, red Note: Android-Test, newCommandTimeout: 10000, red C241FDD40043P, deviceScreenDensity: 440, deviceScreenDensity: 440, deviceScreenDensity: 440, deviceScreenSensity: 10000, noR C241FDD40043P, javascriptEnabled: true, locationEnabled: true, newCommandTimeout: 10000, noR C241FDD40043P, javascriptEnabled: true, locationEnabled: true, lo	ons  .12Z' ', os.arch: 'amd64  n.prudential.puls oActivity: com. ionName: noReset: true, deviceModel: creenSize: onContextEnable deset: true, on: 11, : 0, top: 145, widt
org.openqa.selenium.Nousing the given search proceedings on the for documentation on the control of the control	parameters. this error, please visit: http://seleniumhq.org/exception. 12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26. 1003LSIN', ip: '192.168.1.124', os.name: 'Windows 10' version: '11.0.2' java_client.android.AndroidDriver ty: com.prudential.pulse.MainAc, appPackage: con UiAutomator2, databaseEnabled: false, desired: {app Ac, appPackage: com.prudential.pulse.uat, automation Name: Android-Test, newCommandTimeout: 10000, red Ac., appPackage: 30, deviceManufacturer: Google, 12241FDD40043P, deviceScreenDensity: 440, deviceSco 122221FDD40043P, javascriptEnabled: true, location 1222221FDD40043P, javascriptEnabled: true, location 1222222222222222222222222222222222222	ons  .12Z' .1, os.arch: 'amd64 .1.prudential.puls oActivity: com. ionName: noReset: true, deviceModel: creenSize: onContextEnable deset: true, on: 11, : 0, top: 145, widt ing-sibling:: own Source) stance
org.openqa.selenium.Nousing the given search proceedings on the for documentation on the control of the control	parameters. this error, please visit: http://seleniumhq.org/exception. [2.0], revision: '7c6e0b3', time: '2018-05-08T14:04:26. [003LSIN', ip: '192.168.1.124', os.name: 'Windows 10' version: '11.0.2' java_client.android.AndroidDriver ty: com.prudential.pulse.MainAc, appPackage: com UiAutomator2, databaseEnabled: false, desired: {appAc, appPackage: com.prudential.pulse.uat, automation and the command the co	ons  .12Z' ', os.arch: 'amd64  m.prudential.puls pActivity: com. ionName: noReset: true, deviceModel: creenSize: onContextEnable deset: true, on: 11, co, top: 145, widt  ling-sibling:: own Source) stance  0)
org.openqa.selenium.Nousing the given search proceedings on the for documentation on the control of the control	parameters. this error, please visit: http://seleniumhq.org/exception. [2.0], revision: '7c6e0b3', time: '2018-05-08T14:04:26. [003LSIN], ip: '192.168.1.124', os.name: 'Windows 10' version: '11.0.2' java_client.android.AndroidDriver ty: com.prudential.pulse.MainAc, appPackage: con UiAutomator2, databaseEnabled: false, desired: {app Ac, appPackage: com.prudential.pulse.uat, automativame: Android-Test, newCommandTimeout: 10000, rd d}, deviceApiLevel: 30, deviceManufacturer: Google, C241FDD40043P, deviceScreenDensity: 440, deviceSc D: 0C241FDD40043P, javascriptEnabled: true, locationEnabled: true, newCommandTimeout: 10000, noR rm: LINUX, platformName: Android, platformVersionersecreenshot: true, viewportRect: {height: 2015, left: bStorageEnabled: false} .5f5-43eb-a609-a6c14c569a06 ng=xpath, value=(//android.widget.ScrollView/precedup//android.widget.ImageView)[1]} GeneratedConstructorAccessor32.newInstance(Unknotal.reflect.DelegatingConstructorAccessorImpl.newInstance(Constructor.java:490.remote.http.W3CHttpResponseCodec.createExceptidec.java:187)	ons  .12Z' ', os.arch: 'amd64  m.prudential.puls pActivity: com. ionName: noReset: true, deviceModel: creenSize: onContextEnable deset: true, on: 11, co, top: 145, widt  ling-sibling:: own Source) stance  0)
org.openqa.selenium.Neusing the given search proceedings on the for documentation on the control of the formula	parameters. this error, please visit: http://seleniumhq.org/exception. 12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.003LSIN', ip: '192.168.1.124', os.name: 'Windows 10' version: '11.0.2' java_client.android.AndroidDriver ty: com.prudential.pulse.MainAc, appPackage: con UiAutomator2, databaseEnabled: false, desired: {app Ac, appPackage: com.prudential.pulse.uat, automativame: Android-Test, newCommandTimeout: 10000, rd d}, deviceApiLevel: 30, deviceManufacturer: Google, C241FDD40043P, javascriptEnabled: true, locationEnabled: true, newCommandTimeout: 10000, noR rm: LINUX, platformName: Android, platformVersionesScreenshot: true, viewportRect: {height: 2015, left: bStorageEnabled: false} .5f5-43eb-a609-a6c14c569a06 ng=xpath, value=(//android.widget.ScrollView/precedup//android.widget.ImageView)[1]} GeneratedConstructorAccessor32.newInstance(UnknowledenstructorAccessor32.newInstance(UnknowledenstructorAccessor32.newInstance(UnknowledenstructorAccessorImpl.newInstance(Constructor.java:490remote.http.W3CHttpResponseCodec.createExceptiones.java:187) .remote.http.W3CHttpResponseCodec.decode	ons  .12Z' ', os.arch: 'amd64  m.prudential.puls pActivity: com. ionName: noReset: true, deviceModel: creenSize: onContextEnable deset: true, on: 11, co, top: 145, widt  ling-sibling:: own Source) stance  0)

```
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164)
at com.onepulse.app.screens.PulseManageProfileScreen.navigateToMyNotifications
(PulseManageProfileScreen.java:1283)
at com.onepulse.app.stepdefinitions.mobilesteps.EditProfileSteps.
iNavigateToNotificationCenterPage(EditProfileSteps.java:343)
at .Then I navigate to notification center page(features/sg/home/NotificationCenter.feature:22)
```



<u>fter</u>			0.00s
ack to Table of Co	<u>ntents</u>		
cenario: Verify	User should be able	to see the Notification screen texts	
assed: 0	Failed: 1	Undefined: 0	Duration: 15.63
efore			0.00s
And I verify f	ollowing texts are dis	played	15.63s
No Notifica	ntions Yet		
You do not java.lang.Asso No Notificatio	t have any notificationertionError: The follows Yet text is display	ns yet, check this section regularly for owing asserts failed: red on page expected [true] but found yet, check this section regularly for a	l [false],



/no\_such\_element.html

After			0.00s
Back to Table of Contents			
Scenario: Verify User s	hould be able to lo	gin using already registered credentia	ıls
Passed: 7	Failed: 0	Undefined: 0	Duration: 78.81
Before			0.00s
Given User has puls	e app		9.64s
When I navigate to I	ogin page		7.43s
When user enters cr	edentials		17.79s
UserName \${PUI	SE_EMAIL}		
Password Pas\$12			
And User clicks on s	ignin button		0.30s
Then I wait for 10 se	ec		10.01s
And I enter OTP in	one pulse app for <b>u</b>	ıser email ''\${PULSE_EMAIL}''	28.11s
Then user should be			5.53s
After			0.00s
Back to Table of Contents			
Scenario: Verify User s	hould be able navi	gate to Notification Center	
Passed: 0	Failed: 1	Undefined: 4	Duration: 7.91s
Before			0.00s
Then I navigate to n	otification center r	nage	7.91s

using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions

```
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.
prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName:
UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true,
platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel:
Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize:
1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled:
false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,
pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11,
statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width:
1080}, warnings: {}, webStorageEnabled: false}
Session ID: 2be9fda2-fc54-45b5-b2ff-3eb567cb27a7
*** Element info: {Using=xpath, value=(//android.widget.ScrollView/preceding-sibling::
android.view.ViewGroup//android.widget.ImageView)[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor32.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
```


at io.appium.java\_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.jaya client.android.AndroidDriver.findElement(AndroidDriver.jaya:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164) at com.onepulse.app.screens.PulseManageProfileScreen.navigateToMyNotifications (PulseManageProfileScreen.java:1283) at com.onepulse.app.stepdefinitions.mobilesteps.EditProfileSteps. iNavigateToNotificationCenterPage(EditProfileSteps.java:343) at .Then I navigate to notification center page(features/sg/home/NotificationCenter.feature:42) 0.91 pulse 90 0.00sAfter **Back to Table of Contents** Feature: Verify My Communities on One Pluse App Passed: 1 Failed: 9 **Undefined: 0** Duration: 393.07s Scenario: Launch the app and select the country as per specified lbu Passed: 8 Failed: 0 Undefined: 0 **Duration: 32.43s** Before 0.00s8.50sGiven User has pulse app And Logout of pulse app if user is logged in 0.00sAnd user click on "CONTINUE WITH EMAIL" with Email button 12.56s Then I change the country as required on registration page 1.51s

Then Lebense that			3.02s
Then I change the la	nguage as req	uired on registration page	0.35s
And I click the Sign i	in link		4.91s
Then I verify below l page	anguage optio	ons on toggle bar as per specified lbu on login	1.58s
After			0.00s
Back to Table of Contents	<u> </u>		
Scenario: User should b Gmail''	e able to logir	on app with correct credentials using "Contin	nue with
Passed: 6	Failed: 1	Undefined: 0	<b>Duration: 49.76</b>
Before			0.00s
And I assign "\${Com	munities.text	:}'' to variable ''PULSE_EMAIL''	0.00s
Given I select the lan	guage option	on toggle bar as required on login page	0.27s
When user enters cre			17.57s
UserName \${PUL Password \${pulse			
And User clicks on si			0.22s
Then I wait for 10 se	<u> </u>		10.02s
		for user email "\${PULSE_EMAIL}"	8.37s
Then user should be			13.32s
at org.testng.Assert.f at org.testng.Assert.f at org.testng.Assert.a	ail(Assert.jav ailNotEquals( assertTrue(As	(Assert.java:513) sert.java:42)	
at org.testng.Assert.f at org.testng.Assert.a at org.testng.Assert.a at org.testng.Assert.a at com.onepulse.app. (LoginSteps.java:92)	ail(Assert.jav ailNotEquals( assertTrue(As assertTrue(As stepdefinition	ra:94) (Assert.java:513) ssert.java:42) ssert.java:52) ns.mobilesteps.LoginSteps.landingPageValidati	
at org.testng.Assert.f at org.testng.Assert.a at org.testng.Assert.a at org.testng.Assert.a at com.onepulse.app. (LoginSteps.java:92)	ail(Assert.jav ailNotEquals( assertTrue(As assertTrue(As stepdefinition be landed to	ra:94) (Assert.java:513) (Sert.java:42) (Sert.java:52) ns.mobilesteps.LoginSteps.landingPageValidati "Home" screen(features/sg/home/mycommuni	
at org.testng.Assert.f at org.testng.Assert.a at org.testng.Assert.a at org.testng.Assert.a at com.onepulse.app. (LoginSteps.java:92) at .Then user should /PulseMyCommuniti	ail(Assert.jav ailNotEquals( assertTrue(As assertTrue(As stepdefinition be landed to	ra:94) (Assert.java:513) (Sert.java:42) (Sert.java:52) ns.mobilesteps.LoginSteps.landingPageValidati "Home" screen(features/sg/home/mycommuni	
at org.testng.Assert.f at org.testng.Assert.f at org.testng.Assert.a at org.testng.Assert.a at com.onepulse.app. (LoginSteps.java:92) at .Then user should /PulseMyCommuniti	ail(Assert.jav ailNotEquals( assertTrue(As assertTrue(As stepdefinition be landed to	ra:94) (Assert.java:513) (Sert.java:42) (Sert.java:52) ns.mobilesteps.LoginSteps.landingPageValidati "Home" screen(features/sg/home/mycommuni	ties
at org.testng.Assert.f at org.testng.Assert.f at org.testng.Assert.a at org.testng.Assert.a at com.onepulse.app. (LoginSteps.java:92) at .Then user should /PulseMyCommuniti  After  Back to Table of Contents  Scenario: User should b	ail(Assert.jav ailNotEquals( assertTrue(As assertTrue(As astepdefinition be landed to es.feature:23)	ra:94) (Assert.java:513) (Seert.java:42) (Seert.java:52) (Seert.java:52) (Seert.java:52) (Seert.java:52) (Seert.java:52) (Seert.java:52) (Seert.java:52) (Seert.java:52) (Seert.java:52) (Seert.java:42) (Seer	0.00s
at org.testng.Assert.f at org.testng.Assert.a at org.testng.Assert.a at com.onepulse.app. (LoginSteps.java:92) at .Then user should /PulseMyCommuniti	ail(Assert.jav ailNotEquals( assertTrue(As assertTrue(As astepdefinition be landed to es.feature:23)	ra:94) (Assert.java:513) (Seert.java:42) (Seert.java:52) (Seert.java:52) (Seert.java:52) (Seert.java:52) (Seert.java:52) (Seert.java:52) (Seert.java:52) (Seert.java:52) (Seert.java:52) (Seert.java:42) (Seer	0.00s
at org.testng.Assert.f at org.testng.Assert.a at org.testng.Assert.a at org.testng.Assert.a at com.onepulse.app. (LoginSteps.java:92) at .Then user should /PulseMyCommuniti After Back to Table of Contents Scenario: User should b Gmail" and Verify the N	ail(Assert.jav ail(Assert.jav ailNotEquals( assertTrue(As assertTrue(As astepdefinition be landed to be landed to es.feature:23)  e able to login Mycommuniti	a:94) (Assert.java:513) (Seert.java:42) (Seert.java:52) (Seert.java:42) (Seert	0.00s
at org.testng.Assert.f at org.testng.Assert.a at org.testng.Assert.a at org.testng.Assert.a at com.onepulse.app. (LoginSteps.java:92) at .Then user should /PulseMyCommuniti  After Back to Table of Contents Scenario: User should b Gmail" and Verify the Massed: 0  Before	ail(Assert.jav ail(Assert.jav ail(NotEquals( assertTrue(As assertTrue(As astepdefinition be landed to be landed to es.feature:23)  e able to logir Mycommuniti Failed: 1	a:94) (Assert.java:513) (Seert.java:42) (Seert.java:52) (Seert.java:42) (Seert	0.00s  nue with  Duration: 212.4

```
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.
prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName:
UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true,
platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel:
Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize:
1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled:
false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,
pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11,
statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width:
1080}, warnings: {}, webStorageEnabled: false}
Session ID: 25257b85-234f-4d40-b77b-bf988a474a5b
*** Element info: {Using=xpath, value=//android.widget.TextView[contains
(@text,'Communities')]}
at jdk.internal.reflect.GeneratedConstructorAccessor32.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
```

```
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  19)
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164)
  at com.onepulse.app.screens.mydocui.MyCommunitiesScreen.isMycommunitiesJoin
  (MyCommunitiesScreen.java:101)
  at com.onepulse.app.stepdefinitions.mobilesteps.MyCommunitiesSteps.isMycommunitiesJoin
  (MyCommunitiesSteps.java:31)
  at .And User should be verify "${my.communities.text}" tab in Home screen(features/sg/home
  /mycommunities/PulseMyCommunities.feature:26)
                                                                                0.00s
After
Back to Table of Contents
Scenario: Leave the community if already joined
                       Failed: 1
Passed: 0
                                             Undefined: 3
                                                                                Duration: 8.14s
Before
                                                                                0.00s
  And I clicks on "${mv.communities.text}" in app screen
                                                                                8.14s
  org.openga.selenium.NoSuchElementException: An element could not be located on the page
  using the given search parameters.
  For documentation on this error, please visit: http://seleniumhq.org/exceptions
  /no such element.html
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.
  prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName:
  UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true,
  platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel:
  Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize:
  1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled:
  false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,
  pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11,
  statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width:
  1080}, warnings: {}, webStorageEnabled: false}
  Session ID: 25257b85-234f-4d40-b77b-bf988a474a5b
  *** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,''My
  Communities")]}
  at jdk.internal.reflect.GeneratedConstructorAccessor32.newInstance(Unknown Source)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
  (DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
  (W3CHttpResponseCodec.java:187)
```

```
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164)
at com.onepulse.app.screens.CustomerConnectScreen.clickButton(CustomerConnectScreen.
java:1685)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickUploadIcon
(CustomerConnectSteps.java:533)
at .And I clicks on "${my.communities.text}" in app screen(features/sg/home/mycommunities
/PulseMyCommunities.feature:34)
```



Af	ter			0.00s		
Ba	Back to Table of Contents					
Sc	enario: Verify the All	Communities 1	Post screen			
Pas	ssed: 1	Failed: 1	Undefined: 7	Duration: 13.19s		
Be	Before 0.00s					
	Then I wait for 5 sec			5.02s		
	And I clicks on ''\${Al	ll.Communities	s.text}" in app screen	8.17s		

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no-such\_element.html


Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java\_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com. prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: 25257b85-234f-4d40-b77b-bf988a474a5b

```
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"All
Communities")]}
at jdk.internal.reflect.GeneratedConstructorAccessor32.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.jaya client.AppiumDriver.findElementByXPath(AppiumDriver.jaya:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164)
at com.onepulse.app.screens.CustomerConnectScreen.clickButton(CustomerConnectScreen.
java:1685)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickUploadIcon
(CustomerConnectSteps.java:533)
at .And I clicks on "\{All.Communities.text}" in app screen(features/sg/home/mycommunities
/PulseMyCommunities.feature:42)
```



```
UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true,
platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel:
Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize:
1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled:
false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,
pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11,
statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width:
1080}, warnings: {}, webStorageEnabled: false}
Session ID: 25257b85-234f-4d40-b77b-bf988a474a5b
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Hi
Pulsemate!')]}
at jdk.internal.reflect.GeneratedConstructorAccessor32.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164)
at com.onepulse.app.screens.TestBasePage.popupstart(TestBasePage.java:491)
```

at com.onepulse.app.screens.mydocui.MyCommunitiesScreen.ClickFeeds (MyCommunitiesScreen.java:294) at com.onepulse.app.stepdefinitions.mobilesteps.MyCommunitiesSteps.clickIcons (MyCommunitiesSteps.java:101) at .And I click the Post icon in My communities(features/sg/home/mycommunities /PulseMyCommunities.feature:57) 7:24 (9 lid an (9 • EN Improve your Health and Fitness Today pulse59328046427@mailsac.com Account is locked. Forgot Password? Don't have an account? Sign Up 0.00sAfter **Back to Table of Contents** Scenario: Verify the Share with Friends Functionality in All communities tab Passed: 0 Failed: 1 **Undefined: 3** Duration: 20.35s Before 0.00sAnd I click the share icon in Post screen 20.35s org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters. For documentation on this error, please visit: http://seleniumhq.org/exceptions /no such element.html Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

```
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.
prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName:
UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true,
platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel:
Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize:
1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled:
false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,
pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11,
statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width:
1080}, warnings: {}, webStorageEnabled: false}
Session ID: 25257b85-234f-4d40-b77b-bf988a474a5b
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Hi
Pulsemate!')]}
at jdk.internal.reflect.GeneratedConstructorAccessor32.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
```

at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19)

at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164)

at com.onepulse.app.screens.TestBasePage.popupstart(TestBasePage.java:491)


at com.onepulse.app.screens.mydocui.MyCommunitiesScreen.ClickShareIcon

(MyCommunitiesScreen.java:525)

at com.onepulse.app.stepdefinitions.mobilesteps.MyCommunitiesSteps.ClickShareIcon (MyCommunitiesSteps.java:164)

at .And I click the share icon in Post screen(features/sg/home/mycommunities/PulseMyCommunities.feature:67)

And Verify the pop up in "Share with Friends"	0.00s
And I click the phone icon in share with friends	0.00s
And I give camera permission	0.00s



After			0.00s
Back to Table of Cor	<u>itents</u>		
Scenario: Verify	the Post Functionality	in All communities	
Passed: 0	Failed: 1	Undefined: 11	Duration: 16.36s
Before			0.00s
Then I click sl	kin button in feeds scre	en	16.37s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no-such-element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',

os.version: '10.0', java.version: '11.0.2'


Driver info: io.appium.java client.android.AndroidDriver

```
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.
prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName:
UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true,
platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel:
Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize:
1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled:
false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,
pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11,
statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width:
1080}, warnings: {}, webStorageEnabled: false}
Session ID: 25257b85-234f-4d40-b77b-bf988a474a5b
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Hi
Pulsemate!')]}
at idk.internal.reflect.GeneratedConstructorAccessor32.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
```

at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164) at com.onepulse.app.screens.TestBasePage.popupstart(TestBasePage.java:491) at com.onepulse.app.screens.mydocui.MyCommunitiesScreen.ClickSkipfeedbutton (MyCommunitiesScreen.java:630) at com.onepulse.app.stepdefinitions.mobilesteps.MyCommunitiesSteps.clickSkipbutton (MyCommunitiesSteps.java:197) at .Then I click skip button in feeds screen(features/sg/home/mycommunities /PulseMyCommunities.feature:74) 7:24 😗 M 🗪 🐧 🔹 **⊕** ♥ **0** Improve your Health and Fitness Today pulse59328046427@mailsac.com ....... Ø Account is locked. Forgot Password? Don't have an account? Sign Up After 0.00s**Back to Table of Contents** Scenario: Verify the Category list and search feature Failed: 1 **Undefined: 5** Passed: 1 **Duration: 8.28s** 

fore		0.00s
And I click the Back i	con in Stay Active screen	0.35s
And I clicks on ''\${ca	egory.text}'' in app screen	7.93s
org.openqa.selenium. using the given search For documentation or /no_such_element.htm Build info: version: '3 System info: host: 'Th os.version: '10.0', java Driver info: io.appium Capabilities {appActi uat, automationName prudential.pulse.Main UiAutomator2, device platformName: andro Pixel 5, deviceName: 1080x2340, deviceUD false, networkConnec pixelRatio: 2.75, platf statBarHeight: 145, ta	NoSuchElementException: An element could not a parameters.  In this error, please visit: http://seleniumhq.org/exception.  I.12.0', revision: '7c6e0b3', time: '2018-05-08T14:0/1003LSIN', ip: '192.168.1.124', os.name: 'Windown.version: '11.0.2' In.java_client.android.AndroidDriver I.i.java_client.android.AndroidDriver I.i.java_client.android.androidI.i.java_client.android.androidI.i.java_client.android.android	be located on the page ceptions 04:26.12Z' ws 10', os.arch: 'amd64 e: com.prudential.pulse : {appActivity: com. tomationName: 0000, noReset: true, pogle, deviceModel: viceScreenSize: locationContextEnable 0, noReset: true, Version: 11,
Session ID: 25257b85 *** Element info: {Us Category'')]} at jdk.internal.reflect at java.base/jdk.inter (DelegatingConstruct at java.base/java.lang	rebStorageEnabled: false} -234f-4d40-b77b-bf988a474a5b ing=xpath, value=//android.widget.TextView[conding=xpath, value=	Unknown Source) ewInstance va:490)
at org.openqa.seleniu (W3CHttpResponseC	m.remote.http.W3CHttpResponseCodec.decode odec.java:122)	
(W3CHttpResponseC	m.remote.http.W3CHttpResponseCodec.decode odec.java:49) m.remote.HttpCommandExecutor.execute(HttpC	CommandExecutor.java
at io.appium.java_clio (AppiumCommandEx at org.openqa.seleniu	ent.remote.AppiumCommandExecutor.execute xecutor.java:231) m.remote.RemoteWebDriver.execute(RemoteWel ent.DefaultGenericMobileDriver.execute(DefaultC	
at io.appium.java_clio at io.appium.java_clio at org.openqa.seleniu at io.appium.java_clio (DefaultGenericMobi at io.appium.java_clio	ent.AppiumDriver.findElement(AppiumDriver.ja	er.java:1) teWebDriver.java:317) ava:1)
	ent.android.AndroidDriver.findElement(Android m.remote.RemoteWebDriver.findElementByXPa	

java:419) at io.appium.java_client.DefaultGenericMobileDriver.findElem (DefaultGenericMobileDriver.java:152) at io.appium.java_client.AppiumDriver.findElementByXPath(A at io.appium.java_client.android.AndroidDriver.findElementBy at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.findElement	AppiumDriver.java:1) yXPath(AndroidDriver.java:1) (RemoteWebDriver.java:309) ent river.java:1) androidDriver.java:1) and(Commands.java:141) mand(ExecuteCommand.java: ePage.java:164) on(CustomerConnectScreen. ectSteps.clickUploadIcon
/PulseMyCommunities.feature:91) And I verify the following texts ''Category'' in Screen	0.00s
Fitness Global Awareness Days Mental Health And I clicks on ''Mental Health'' in app screen	0.00s
And I clicks on "\${apply.button}" in app screen	0.00s
And I verify following texts are displayed	0.00s
\${no.post.found.text}	04000
And I click the Back icon in Stay Active screen	0.00s



After			0.00s
Back to Table of Contents			
Scenario: Leave the con	nmunity if alrea	dy joined	
Passed: 0	Failed: 1	Undefined: 3	Duration: 8.13s
Before			0.00s
And I clicks on "\${m	y.communities.	text}" in app screen	8.13s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no-such-element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'


Driver info: io.appium.java\_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com. prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 25257b85-234f-4d40-b77b-bf988a474a5b

\*\*\* Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,''My

```
Communities")]}
at idk.internal.reflect.GeneratedConstructorAccessor32.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.jaya client.android.AndroidDriver.findElementByXPath(AndroidDriver.jaya:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164)
at com.onepulse.app.screens.CustomerConnectScreen.clickButton(CustomerConnectScreen.
iava:1685)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickUploadIcon
(CustomerConnectSteps.java:533)
at .And I clicks on "${my.communities.text}" in app screen(features/sg/home/mycommunities
/PulseMyCommunities.feature:104)
```



And I enter the "mobile number" in welcome to pulse

mobileNumber 98678419

10.48s

And I click the continue button	0.19s
And I choose my wellness goals under wellness plan screen	1.72s
And I click the continue button	0.90s
And I click the date in Date of Birth field	6.59s
And I click the Done icon	3.20s
And I click the continue button	1.15s
And I select the Male icon	5.89s
And I click the continue button	0.83s
And I enter my height and weight details	2.07s
And I click on Calculate BMI button	1.38s
And I click the continue button	0.88s
And I select the "How active are you?" in doing exercise	1.88s
And I click the continue button	0.99s
And I select my favorite food dietary	1.88s
And I click the continue button	1.02s
And I answer as "Yes" to "Food Allergies are common?"	3.14s
And I click the continue button	0.86s
And I verify that "Tracking your activity is trending" is displayed	2.07s
And I click the continue button	8.07s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions /no\_such\_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java\_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com. prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled:

false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11,

statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width:

1080}, warnings: {}, webStorageEnabled: false}

Session ID: cff27fb8-ccaf-4dc9-b3c3-b77b65802249

\*\*\* Element info: {Using=xpath, value=//android.widget.TextView[contains (@text,'Continue')]}

at jdk.internal.reflect.GeneratedConstructorAccessor32.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance

(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException

(W3CHttpResponseCodec.java:187)

```
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:122)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:49)
  at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
  158)
  at io.appium.java_client.remote.AppiumCommandExecutor.execute
  (AppiumCommandExecutor.java:231)
  at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:62)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  iava:419)
  at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.jaya client.android.AndroidDriver.findElementByXPath(AndroidDriver.jaya:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164)
  at com.onepulse.app.screens.PulseRegistrationScreen.continueButton(PulseRegistrationScreen.
  java:538)
  at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.continueButton
  (RegistrationSteps.java:100)
  at .And I click the continue button(features/sg/home/mycontent/MyContent.feature:40)
After
                                                                              0.00s
Back to Table of Contents
Scenario: Verify User should be able to navigate to Health channel page
                         Failed: 1
                                               Undefined: 2
Passed: 0
                                                                              Duration: 8.1s
```

efore		0.00s
And I clicks on "Content	t'' in app screen	8.10s
using the given search p	arameters.	ent could not be located on the page
/no_such_element.html	his error, please visit: http://seleni	2 0 2
		18-05-08T14:04:26.12Z' ame: 'Windows 10', os.arch: 'amd64',
Capabilities {appActivituat, automationName: Uprudential.pulse.MainA	ava_client.android.AndroidDriver y: com.prudential.pulse.MainAc JiAutomator2, databaseEnabled: f c, appPackage: com.prudential.j ame: Android-Test, newCommand	., appPackage: com.prudential.pulse. false, desired: {appActivity: com. pulse.uat, automationName:
platformName: android Pixel 5, deviceName: 0C	}, deviceApiLevel: 30, deviceManu 241FDD40043P, deviceScreenDen	ufacturer: Google, deviceModel:
false, networkConnection pixelRatio: 2.75, platfor	onEnabled: true, newCommandTim: LINUX, platformName: Andro	meout: 10000, noReset: true, oid, platformVersion: 11,
1080}, warnings: {}, wel		{height: 2015, left: 0, top: 145, width
	g=xpath, value=//android.widget.7	TextView[contains(@text,"
	eneratedConstructorAccessor32.n l.reflect.DelegatingConstructorAc AccessorImpl.java:45)	
_	eflect.Constructor.newInstance(Corremote.http.W3CHttpResponseCollec.java:187)	
at org.openqa.selenium. (W3CHttpResponseCod	remote.http.W3CHttpResponseColec.java:122)	odec.decode
at org.openqa.selenium. (W3CHttpResponseCod	remote.http.W3CHttpResponseCo lec.java:49)	odec.decode
at org.openqa.selenium.	remote.HttpCommandExecutor.ex	xecute(HttpCommandExecutor.java
	c.remote.AppiumCommandExecut	tor.execute
at org.openqa.selenium.	remote.RemoteWebDriver.execute	e(RemoteWebDriver.java:543) ccute(DefaultGenericMobileDriver.
at io.appium.java_client at io.appium.java_client	AppiumDriver.execute(AppiumD android.AndroidDriver.execute(AppiumDri	AndroidDriver.java:1)
at io.appium.java_client (DefaultGenericMobilel	.DefaultGenericMobileDriver.find Oriver.java:62)	
at io.appium.java_client	a.AppiumDriver.findElement(Apple.android.AndroidDriver.findElemente.RemoteWebDriver.findElementeNeter.	

at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152) at io.appium.java\_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1) at io.appium.java\_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309) at io.appium.java\_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java\_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya: at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164) at com.onepulse.app.screens.CustomerConnectScreen.clickButton(CustomerConnectScreen. at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickUploadIcon (CustomerConnectSteps.java:533) at .And I clicks on "Content" in app screen(features/sg/home/mycontent/MyContent.feature: 7:27 🕝 04 🗪 🐧 🔹 Tracking your activity is trending Go for it! Connect a Fitness Tracker or App with Pulse Studies show that consistent use of Fitness Tracker can increase your steps per day by more than a mile Don't have a Fitness Tracker? Don't wornd You can still connect Google Fit/ Apple Health app on your phone, with Pulse. Connect to Application Google Fit Connect to Fitness Tracker Fitbit After 0.00s**Back to Table of Contents** Scenario: Verify User should be able to Like the post

And I read the Post count data in Covid-19 screen  7.41s  org.openqa.selenium.NoSuchElementException: An element could not be located on the pagusing the given search parameters. For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amdo os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pul uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com. prudential.pulse.MainAc, appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel:	assed: 0	Failed: 1	Undefined: 3	Duration: 7.41
org.openqa.selenium.NoSuchElementException: An element could not be located on the pagusing the given search parameters.  For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amdo os.version: '10.0', java.version: '11.0.2'  Driver info: io.appium.java_client.android.AndroidDriver  Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pul uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com. prudential.pulse.MainAc, appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true,	efore			0.00s
using the given search parameters. For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amdo os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.yutomationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.yutomationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true,	And I read the Po	st count data in Cov	rid-19 screen	7.41s
Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabledse, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, wid 1080}, warnings: {}, webStorageEnabled: false} Session ID: cff27fb8-ccaf-4dc9-b3c3-b77b65802249 *** Element info: {Using=xpath, value=(//android.widget.TextView[contains(@text,'Like')]	org.openqa.seleniusing the given selected for documentation of the selecte	um.NoSuchElementlarch parameters. on on this error, please. thtml n: '3.12.0', revision: ' 'TM003LSIN', ip: ' java.version: '11.0.2 pium.java_client.and Activity: com.pruder ame: UiAutomator2, MainAc, appPacka eviceName: Android- ndroid}, deviceApiLo nec 0C241FDD40043 eUDID: 0C241FDD40 nectionEnabled: tru platform: LINUX, pl. 15, takesScreenshot: {}, webStorageEnable b8-ccaf-4dc9-b3c3-b	Exception: An element could not be see visit: http://seleniumhq.org/excep '7c6e0b3', time: '2018-05-08T14:04:2192.168.1.124', os.name: 'Windows 12' droid.AndroidDriver ntial.pulse.MainAc, appPackage: c, databaseEnabled: false, desired: {auge: com.prudential.pulse.uat, autom-Test, newCommandTimeout: 10000 evel: 30, deviceManufacturer: Google 3P, deviceScreenDensity: 440, device 0043P, javascriptEnabled: true, local led: newCommandTimeout: 10000, not atformName: Android, platformVentrue, viewportRect: {height: 2015, led: false} 977b65802249	located on the page tions  26.12Z' 10', os.arch: 'amd64  com.prudential.puls appActivity: com. ationName: 0, noReset: true, le, deviceModel: eScreenSize: ationContextEnable oReset: true, rsion: 11, eft: 0, top: 145, widt
547)	at jdk.internal.re at java.base/jdk.i (DelegatingConst at java.base/java. at org.openqa.sel	nternal.reflect.DelegaructorAccessorImpl.lang.reflect.Construction.w.reflect.Monte.http.W	atingConstructorAccessorImpl.newl .java:45) ctor.newInstance(Constructor.java:4	Instance 490)
[1]} at jdk.internal.reflect.GeneratedConstructorAccessor32.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)	(W3CHttpResponatorg.openqa.sele	nseCodec.java:122) enium.remote.http.W		
at jdk.internal.reflect.GeneratedConstructorAccessor32.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException	at org.openqa.seld 158) at io.appium.java	enium.remote.HttpC _client.remote.Appiu	umCommandExecutor.execute	mandExecutor.jav
at jdk.internal.reflect.GeneratedConstructorAccessor32.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.http.CommandExecutor.execute(HttpCommandExecutor.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:49)	at org.openqa.seld at io.appium.java java:42)	enium.remote.Remot _client.DefaultGener	teWebDriver.execute(RemoteWebDricMobileDriver.execute(DefaultGen	
at jdk.internal.reflect.GeneratedConstructorAccessor32.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.ja 158) at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)	at io.appium.java at org.openqa.seld at io.appium.java (DefaultGenericN	_client.android.Android.Androiden.cemote.Remot _client.DefaultGener _fobileDriver.java:62	roidDriver.execute(AndroidDriver.j. teWebDriver.findElement(RemoteW ricMobileDriver.findElement	ebDriver.java:317
at jdk.internal.reflect.GeneratedConstructorAccessor32.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.ja 158) at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.e	at io.appium.java	_client.android.Andı	er.indElement(ApplumDriver.java: roidDriver.findElement(AndroidDri teWebDriver.findElementByXPath(l	iver.java:1)

java:419)

at io.appium.java\_client.DefaultGenericMobileDriver.findElementByXPath

(DefaultGenericMobileDriver.java:152)

at io.appium.java\_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)

at io.appium.java\_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)

at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)

at io.appium.java\_client.DefaultGenericMobileDriver.findElement

(DefaultGenericMobileDriver.java:58)

at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java\_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at com.onepulse.app.screens.TestBasePage.getElementText(TestBasePage.java:255)

at com.onepulse.app.screens.CustomerConnectScreen.readLikeCount

(CustomerConnectScreen.java:1191)


at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.

iReadThePostLikeCount(CustomerConnectSteps.java:363)

at .And I read the Post count data in Covid-19 screen(features/sg/home/mycontent/MyContent.

feature:62)

And I Like the post	0.00s
And I read the Post cound after click the Like button	0.00s
And I Like the post	0.00s



After			0.00s				
Back to Table of Contents							
Scenario: Verify U	Scenario: Verify User should be able to Share the post						
Passed: 0	Passed: 0 Failed: 1 Undefined: 1 Duration: 13.32s						
Before			0.00s				
And I share the	post		13.32s				

```
org.openqa.selenium.NoSuchElementException: An element could not be located on the page
using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions
/no such element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.
prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName:
UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true,
platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel:
Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize:
1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled:
false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,
pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11,
statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width:
1080}, warnings: {}, webStorageEnabled: false}
Session ID: cff27fb8-ccaf-4dc9-b3c3-b77b65802249
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Share']}
at jdk.internal.reflect.GeneratedConstructorAccessor32.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
```

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309) at io.appium.java client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java\_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java\_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164) at com.onepulse.app.screens.WealthScreen.clickShareButton(WealthScreen.java:185) at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iShareThePost(WealthSteps.java: **87**) at .And I share the post(features/sg/home/mycontent/MyContent.feature:68) Tracking your activity is trending Go for it! Connect a Fitness Tracker or App with Pulse Studies show that consistent use of Fitness Tracker can increase your steps per day by more than a mile. Don't have a Fitness Tracker? Don't worry! You can still connect Google Fit/ Apple Health app on your phone, with Pulse. Connect to Application Google Fit Connect to Fitness Tracker Fitbit 0.00sAfter **Back to Table of Contents** Scenario: Verify User should be able to Comment the post Passed: 0 Failed: 1 Undefined: 3 Duration: 7.49s Before 0.00sAnd I read the Comment count in Covid-19 screen 7.49s org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters. For documentation on this error, please visit: http://seleniumhq.org/exceptions /no such element.html Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

```
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.
prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName:
UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true,
platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel:
Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize:
1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled:
false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,
pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11,
statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width:
1080}, warnings: {}, webStorageEnabled: false}
Session ID: cff27fb8-ccaf-4dc9-b3c3-b77b65802249
*** Element info: {Using=xpath, value=(//android.widget.TextView[contains
(@text,'Comment')])[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor32.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.onepulse.app.screens.TestBasePage.getElementText(TestBasePage.java:255)
```


at com.onepulse.app.screens.CustomerConnectScreen.readCommentCount (CustomerConnectScreen.java:1214)

at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.

VerifyCommentPostClick(CustomerConnectSteps.java:373)

at .And I read the Comment count in Covid-19 screen(features/sg/home/mycontent/MyContent. feature:72)

10000010112)	
And I click the comment icon in Covid-19 screen	0.00s
And I commented in the posts "\${Health.topic.comment}"	0.00s
And I read the Post count after click the comments button	0.00s



After 0.00s

## **Back to Table of Contents**

Scenario: Verify User should be able to see the Like, Share, Comment options on full page article post

Passed: 0	Failed: 1	Undefined: 1	<b>Duration: 24.9s</b>
Before			0.00s
Then I click on Covid-19	9 topic for details full vi	ew	24.90s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no-such\_element.html


Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'


Driver info: io.appium.java\_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com. prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName:

```
UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true,
platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel:
Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize:
1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled:
false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,
pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11,
statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width:
1080}, warnings: {}, webStorageEnabled: false}
Session ID: cff27fb8-ccaf-4dc9-b3c3-b77b65802249
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Category')]
/following::android.widget.ImageView[2]}
at jdk.internal.reflect.GeneratedConstructorAccessor32.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164)
at com.onepulse.app.screens.CustomerConnectScreen.clickfirstImageIcon
```



```
UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true,
platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel:
Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize:
1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled:
false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,
pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11,
statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width:
1080}, warnings: {}, webStorageEnabled: false}
Session ID: cff27fb8-ccaf-4dc9-b3c3-b77b65802249
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Like']}
at jdk.internal.reflect.GeneratedConstructorAccessor32.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164)
at com.onepulse.app.screens.WealthScreen.clickLikeButton(WealthScreen.java:157)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iLikeThePost(WealthSteps.java:
```



	Then User can see the	e list of linked po	licies	2.84s	
	Then Verify the policy	y details on my p	olicies home screen	1.16s	
	When User clicks on 'Vaccine	itton to access the PruSafe COVID	0.61s		
	Then User will be lane	ded in Policy Info	o screen	3.16s	
	<b>And Verify the Policy</b>	Info screen UI		44.53s	
	When User clicks on '	<b>'Benefits &amp; Inve</b>	stment" tab	0.53s	
	Then User can verify	the benefits scre	en UI	20.01s	
	When User click on "	Policy Contract'	' tab	0.49s	
	Then User can verify	the Policy Contr	act screen UI	2.89s	
	When User clicks on S	0.50s			
	Then User can see an	authentication p	op-up to authenticate the transaction	1.64s	
	When User clicks on I	Mobile number c	checkbox	0.13s	
	And User clicks on Se	end button		0.16s	
	Then User can see OT	TP verification sc	reen	2.45s	
	When User enters Inv	alid OTP and cli	icks on Continue button	22.21s	
	OTP 123456				
	Then User can see tha	nt Invalid OTP er	rror message	8.81s	
	And User clicks on Ca	ancel button		0.14s	
A	fter			0.00s	
B	ack to Table of Contents			<del></del>	
Foot	ure: Verify legal and le	gooy on One Plus	so App		
Passe		Undefi			
S			app with correct credentials using "Cor	tinue with	
P	assed: 4	Failed: 0	Undefined: 0	Duration: 30.07s	
В	efore			0.00s	
	Given User has pulse	app		8.53s	
			H GOOGLE'' with Google button	5.97s	
	And I click the "Emai			15.56s	
	Emailid \${facebo				
	Then user should be l	anded home scre	een	0.02s	
A	fter			0.00s	
B	ack to Table of Contents				
S	cenario: Verify the Ter	ms and condition	should be displayed		
	assed: 0	Failed: 1	Undefined: 2	Duration: 9.66s	
	efore			0.00s	
	And I click the Accou	nt icon in Home	screen	9 67s	
	And I click the Account icon in Home screen  org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.  For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html				

```
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.
prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName:
UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true,
platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel:
Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize:
1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled:
false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,
pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11,
statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width:
1080}, warnings: {}, webStorageEnabled: false}
Session ID: 807238ff-0eb1-4066-9dfd-a8f2f901417e
*** Element info: {Using=xpath, value=(//android.widget.ScrollView/preceding-sibling::
android.view.ViewGroup//android.widget.ImageView)[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor32.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
```

at io.appium.java\_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: **19**) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164) at com.onepulse.app.screens.PulseRegistrationScreen.accountButton(PulseRegistrationScreen. iava:670) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.accountButton (RegistrationSteps.java:143) at .And I click the Account icon in Home screen(features/sg/profile/LegalAndLegacy.feature: **18**) pulse **0** 0 Fitness 0.00sAfter **Back to Table of Contents** Scenario: Verify the Privacy screen should be displayed Passed: 1 Failed: 1 Undefined: 2 Duration: 29.43s Before 0.00s11.33s And I click the Privacy icon in legal screen And I click the pulse icon in Account screen 18.10s org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.


```
For documentation on this error, please visit: http://seleniumhq.org/exceptions
/no such element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.
prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName:
UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true,
platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel:
Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize:
1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled:
false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,
pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11,
statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width:
1080}, warnings: {}, webStorageEnabled: false}
Session ID: 807238ff-0eb1-4066-9dfd-a8f2f901417e
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Hi
Pulsemate!')]}
at jdk.internal.reflect.GeneratedConstructorAccessor32.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
iava:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
```

at io.appium.java client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java\_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164) at com.onepulse.app.screens.TestBasePage.popupstart(TestBasePage.java:491) at com.onepulse.app.screens.CustomerConnectScreen.clickPulseicon(CustomerConnectScreen. java:620) at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickpulseIcon (CustomerConnectSteps.java:170) at .And I click the pulse icon in Account screen(features/sg/profile/LegalAndLegacy.feature: 28) 0.98 pulse **9** 0 0.00sAfter **Back to Table of Contents** Scenario: Verify the Regulator screen should be displayed Failed: 1 Passed: 2 **Undefined: 2** Duration: 69.3s 0.00sBefore And I click the Regulatory icon in legal screen 10.60s And I click the clinical safety icon in Account screen 17.92s Then I verify following texts are dispplayed in terms and condition screen 40.78s Clinical Safety AI in Healthcare

Localisation **Privacy & Data Protection** Raising Concerns & Reporting issues java.lang.AssertionError: The following asserts failed: Clinical Safety text is displayed on page expected [true] but found [false], AI in Healthcare text is displayed on page expected [true] but found [false], Localisation text is displayed on page expected [true] but found [false], Privacy & Data Protection text is displayed on page expected [true] but found [false], Raising Concerns & Reporting issues text is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps.VerifyTermsandCondition (DieticianSteps.java:243) at .Then I verify following texts are dispplayed in terms and condition screen(features/sg/profile /LegalAndLegacy.feature:36) 0.90 pulse **9** 0 0.00sAfter **Back to Table of Contents** Feature: Verify Edit Profile functionality on Pulse Health & Wealth app Passed: 0 Failed: 7 Undefined: 0 Duration: 296.12s Scenario: Verify User should be able to navigate to Edit profile screen and should be able to change the profile on app **Duration: 134.75** Passed: 8 Failed: 1 **Undefined: 2** 0.00sBefore Given User has pulse app 9.61s

And I assign "\${onepulse.login.edit.profile}" to variable "PULSE_EMAIL"	0.00s
When I navigate to login page	7.71s
When user enters credentials	17.26s
UserName \${PULSE_EMAIL}	
Password \${pulse.edit}	
And User clicks on signin button	0.27s
Then I wait for 59 sec	59.00s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	27.71s
Then user should be landed to "Home" screen	5.47s
Then user navigate to account page	7.73s
org.openqa.selenium.NoSuchElementException: An element could not be locating the given search parameters. For documentation on this error, please visit: http://seleniumhq.org/exceptio/no_such_element.html Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26. System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appprudential.pulse.MainAc, appPackage: com.prudential.pulse.uat, automatiUiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noplatformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceSc 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationalse, networkConnectionEnabled: true, newCommandTimeout: 10000, noRepixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersionatalBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 1080}, warnings: {}, webStorageEnabled: false} Session ID: b92c4322-87dd-43b1-85c9-63f37af7d431 **** Element info: {Using=xpath, value=(//android.widget.ScrollView/precediandroid.view.ViewGroup//android.widget.ImageView)[1]} at jdk.internal.reflect.GeneratedConstructorAccessor3.newInstance(Unknotat java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(GonstructorAccessorImpl.newInstance) DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:129) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpRespon	ns  12Z' , os.arch: 'amd64',  a.prudential.pulse. Activity: com. onName: oReset: true, deviceModel: reenSize: onContextEnabled: eset: true, on: 11,     0, top: 145, width: ing-sibling:: wm Source) tance

at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:	
at io.appium.java_client.android.AndroidDriver.execute(AndroidDri	
at org.openqa.selenium.remote.RemoteWebDriver.findElement(Rem	
at io.appium.java_client.DefaultGenericMobileDriver.findElement	,
DefaultGenericMobileDriver.java:62)	
t io.appium.java_client.AppiumDriver.findElement(AppiumDriver.	java:1)
t io.appium.java_client.android.AndroidDriver.findElement(Android	
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXP	
ava:419)	(
at io.appium.java_client.DefaultGenericMobileDriver.findElementBy	vXPath
DefaultGenericMobileDriver.java:152)	) <del> </del>
at io.appium.java_client.AppiumDriver.findElementByXPath(Appium)	mDriver.iava:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPat	
at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)	( <del></del>
at org.openqa.selenium.remote.RemoteWebDriver.findElement(Rem	oteWebDriver.iava:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement	
DefaultGenericMobileDriver.java:58)	
nt io.appium.java_client.AppiumDriver.findElement(AppiumDriver.	iava:1)
at io.appium.java_client.android.AndroidDriver.findElement(Androi	
at com.prudential.tap.selenium.Commands\$15.executeCommand(Co	
nt com.prudential.tap.selenium.ExecuteCommand.executeCommand	
(9)	(Lixecute Commandijava
nt com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage	e iava·164)
at com.onepulse.app.screens.PulseLoginScreen.clickOnAccountButto	
it com.onepuise.app.screens.ruiseLogmScreen.chckOnAccountButto [105]	m(1 uiseLogiiiScreen.jav
	igataTaAccountPaga
${\bf at\ com.one pulse.app.step definitions.mobile steps. Login Steps. user Navigations and the common particles of the common$	igateToAccountPage
nt com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.userNavi LoginSteps.java:458)	
nt com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.userNavi LoginSteps.java:458) nt .Then user navigate to account page(features/sg/profile/PulseEditP	ProfileTest.feature:17)
nt com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.userNavi LoginSteps.java:458) nt .Then user navigate to account page(features/sg/profile/PulseEditP And user click on Edit profile link	ProfileTest.feature:17) 0.00s
t com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.userNavi LoginSteps.java:458) t .Then user navigate to account page(features/sg/profile/PulseEditPand user click on Edit profile link	ProfileTest.feature:17)
t com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.userNavi LoginSteps.java:458) t .Then user navigate to account page(features/sg/profile/PulseEditPand user click on Edit profile link	ProfileTest.feature:17) 0.00s
t com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.userNavi LoginSteps.java:458) t .Then user navigate to account page(features/sg/profile/PulseEditP and user click on Edit profile link	ProfileTest.feature:17) 0.00s
t com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.userNavi LoginSteps.java:458) t .Then user navigate to account page(features/sg/profile/PulseEditP and user click on Edit profile link	ProfileTest.feature:17) 0.00s
t com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.userNavi LoginSteps.java:458) t .Then user navigate to account page(features/sg/profile/PulseEditPand user click on Edit profile link	ProfileTest.feature:17) 0.00s
t com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.userNavi LoginSteps.java:458) t .Then user navigate to account page(features/sg/profile/PulseEditP and user click on Edit profile link	ProfileTest.feature:17) 0.00s
t com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.userNavi LoginSteps.java:458) t .Then user navigate to account page(features/sg/profile/PulseEditPand user click on Edit profile link	ProfileTest.feature:17) 0.00s
t com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.userNavi LoginSteps.java:458) t .Then user navigate to account page(features/sg/profile/PulseEditP and user click on Edit profile link	ProfileTest.feature:17) 0.00s
t com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.userNavi LoginSteps.java:458) t .Then user navigate to account page(features/sg/profile/PulseEditP and user click on Edit profile link	ProfileTest.feature:17) 0.00s
t com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.userNavi LoginSteps.java:458) t .Then user navigate to account page(features/sg/profile/PulseEditP and user click on Edit profile link	ProfileTest.feature:17) 0.00s
nt com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.userNavi LoginSteps.java:458) nt .Then user navigate to account page(features/sg/profile/PulseEditP And user click on Edit profile link	ProfileTest.feature:17) 0.00s
t com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.userNavi LoginSteps.java:458) It .Then user navigate to account page(features/sg/profile/PulseEditPand user click on Edit profile link	ProfileTest.feature:17) 0.00s
nt com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.userNavi LoginSteps.java:458) nt .Then user navigate to account page(features/sg/profile/PulseEditP And user click on Edit profile link	ProfileTest.feature:17) 0.00s
nt com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.userNavi LoginSteps.java:458) nt .Then user navigate to account page(features/sg/profile/PulseEditP And user click on Edit profile link	ProfileTest.feature:17) 0.00s
nt com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.userNavi LoginSteps.java:458) nt .Then user navigate to account page(features/sg/profile/PulseEditP And user click on Edit profile link	ProfileTest.feature:17) 0.00s
nt com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.userNavi LoginSteps.java:458) nt .Then user navigate to account page(features/sg/profile/PulseEditP And user click on Edit profile link	ProfileTest.feature:17) 0.00s
nt com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.userNavi LoginSteps.java:458) nt .Then user navigate to account page(features/sg/profile/PulseEditP And user click on Edit profile link	ProfileTest.feature:17) 0.00s
nt com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.userNavi LoginSteps.java:458) nt .Then user navigate to account page(features/sg/profile/PulseEditP And user click on Edit profile link	ProfileTest.feature:17) 0.00s
	ProfileTest.feature:17) 0.00s
nt com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.userNavi LoginSteps.java:458) nt .Then user navigate to account page(features/sg/profile/PulseEditP And user click on Edit profile link	ProfileTest.feature:17) 0.00s
nt com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.userNavi LoginSteps.java:458) nt .Then user navigate to account page(features/sg/profile/PulseEditP And user click on Edit profile link	ProfileTest.feature:17) 0.00s



After			0.00s				
Back to Table of Contents	Back to Table of Contents						
Scenario: Verify User sho	uld be able to change th	e profile picture in edit profile scre	en				
Passed: 0	Failed: 1	Undefined: 1	<b>Duration: 20.77s</b>				
Before 0.00s							
Then I give manage pr	ofile camera permission	l	20.77s				

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no\_such\_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java\_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com. prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: b92c4322-87dd-43b1-85c9-63f37af7d431
\*\*\* Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Change

```
Photo')]}
at idk.internal.reflect.GeneratedConstructorAccessor32.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.jaya client.android.AndroidDriver.findElementByXPath(AndroidDriver.jaya:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164)
at com.onepulse.app.screens.PulseManageProfileScreen.allowCameraPermission
(PulseManageProfileScreen.java:1230)
at com.onepulse.app.stepdefinitions.mobilesteps.EditProfileSteps.iGiveCameraPermission
(EditProfileSteps.java:315)
at .Then I give manage profile camera permission(features/sg/profile/PulseEditProfileTest.
feature:34)
```



A	ici						0.008
Ba	ck t	o Table of Content	<u>ts</u>				
Sc	ena	ario: Verify use	r can able to chan	ge the deta	ils in edit profile s	creen	
Pa	ssed	l <b>:</b> 0	Failed: 1		Undefined: 1		<b>Duration: 43.93s</b>
Be	for	·e					0.00s
	Th	ien change pers	onal details				43.93s
		FirstName	Automation				
		LastName	Testing				
		PhoneNumber	81069586				
		Address	Singapore				
		PostalCode	576612				
		DOB	13-January-2003				

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no-such\_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',


os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java\_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com. prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize:

0.00


```
1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled:
false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,
pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11,
statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width:
1080}, warnings: {}, webStorageEnabled: false}
Session ID: b92c4322-87dd-43b1-85c9-63f37af7d431
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"First
Name / Given Name'')]/following::android.widget.EditText[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor32.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:261)
at com.onepulse.app.screens.PulseManageProfileScreen.editUserProfileDetails
(PulseManageProfileScreen.java:243)
at com.onepulse.app.stepdefinitions.mobilesteps.EditProfileSteps.changeProfileDetails
```




```
pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11,
statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width:
1080}, warnings: {}, webStorageEnabled: false}
Session ID: b92c4322-87dd-43b1-85c9-63f37af7d431
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"
Update")]}
at jdk.internal.reflect.GeneratedConstructorAccessor32.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
iava:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164)
at com.onepulse.app.screens.PulseManageProfileScreen.clickSaveButton
(PulseManageProfileScreen.java:177)
at com.onepulse.app.stepdefinitions.mobilesteps.EditProfileSteps.clickSaveButton
(EditProfileSteps.java:59)
at .And click on save button(features/sg/profile/PulseEditProfileTest.feature:53)
```

Then I wait for 5 sec			0.00s
	nts.back.button}'' button	on the app	0.00s
7:37 <b>3</b> M <b>3 </b>	0.91	^^	
pulse"	90		
My My My My My Mg Health Communities Content Policies	PSU Stuppe		
П			
	DO DOMINATO		
My Challenges My Communi  Join activity challenges, track progress, top the leaderboard! to be healther	ire.		
Home Health Food Fitness	Wealth		
After			0.00s
Aitei			10.005
Back to Table of Contents			0000
Back to Table of Contents Scenario: Verify User sh	ould be able to see the re	gistration required non ur	-
	ould be able to see the re	gistration required pop up	-
Scenario: Verify User sh	ould be able to see the re	gistration required pop up Undefined: 2	-
Scenario: Verify User sh MyDoc Registration			o if user not completed
Scenario: Verify User sh MyDoc Registration Passed: 1 Before			Duration: 20.45s
Scenario: Verify User sh MyDoc Registration Passed: 1 Before	Failed: 1 nedical records screen		Duration: 20.45s 0.00s
Scenario: Verify User sh MyDoc Registration Passed: 1 Before When I navigate to m	Failed: 1  nedical records screen g texts are displayed		Duration: 20.45s 0.00s 3.77s
Scenario: Verify User sh MyDoc Registration  Passed: 1  Before  When I navigate to m And I verify following  Registration Requ	Failed: 1  edical records screen g texts are displayed ired		Duration: 20.45s 0.00s 3.77s 16.68s
Scenario: Verify User sh MyDoc Registration Passed: 1 Before When I navigate to m And I verify following Registration Requ You are currently	Failed: 1  redical records screen g texts are displayed ired not registered. Please re	Undefined: 2 gister yourself before conti	Duration: 20.45s 0.00s 3.77s 16.68s
Scenario: Verify User sh MyDoc Registration  Passed: 1  Before  When I navigate to m And I verify following Registration Requ You are currently  java.lang.AssertionEn	Failed: 1  dedical records screen g texts are displayed ired not registered. Please re-	Undefined: 2 gister yourself before conti	Duration: 20.45s 0.00s 3.77s 16.68s inuing.
Scenario: Verify User sh MyDoc Registration Passed: 1 Before When I navigate to m And I verify following Registration Required You are currently java.lang.AssertionEn	Failed: 1  nedical records screen g texts are displayed ired not registered. Please re-	Undefined: 2  gister yourself before conti ts failed: ge expected [true] but foun	Duration: 20.45s 0.00s 3.77s 16.68s inuing.
Scenario: Verify User sh MyDoc Registration Passed: 1 Before When I navigate to m And I verify following Registration Required You are currently java.lang.AssertionEn	Failed: 1  redical records screen g texts are displayed ired not registered. Please registered: The following assert text is displayed on page tregistered. Please registered. Please registered.	Undefined: 2 gister yourself before conti	Duration: 20.45s 0.00s 3.77s 16.68s inuing.
Scenario: Verify User sh MyDoc Registration Passed: 1 Before When I navigate to m And I verify following Registration Required You are currently java.lang.AssertionEn Registration Required You are currently not on page expected [true at org.testng.asserts.S	Failed: 1  redical records screen g texts are displayed ired not registered. Please registered on page t registered. Please registered. Please registered but found [false] SoftAssert.assertAll(SoftAssert.assert.assertAll(SoftAssert.a	Undefined: 2  gister yourself before continue ts failed: ge expected [true] but foun er yourself before continue Assert.java:43)	Duration: 20.45s 0.00s 3.77s 16.68s inuing. d [false], ing. text is displayed
Scenario: Verify User sh MyDoc Registration  Passed: 1  Before  When I navigate to m And I verify following Registration Requ You are currently  java.lang.AssertionEn Registration Require You are currently not on page expected [tru at org.testng.asserts.Sat com.onepulse.app.s	Failed: 1  redical records screen g texts are displayed ired not registered. Please registered on page t registered. Please registered please registered please registered but found [false] SoftAssert.assertAll(SoftAstepdefinitions.mobileste	Undefined: 2  gister yourself before conti  ts failed: ge expected [true] but foun er yourself before continu	Duration: 20.45s 0.00s 3.77s 16.68s inuing. d [false], ing. text is displayed
Scenario: Verify User sh MyDoc Registration  Passed: 1  Before  When I navigate to m And I verify following Registration Requ You are currently  java.lang.AssertionEn Registration Require You are currently not on page expected [tru at org.testng.asserts.Sat com.onepulse.app.s. (MyDocSteps.java:71	Failed: 1  redical records screen g texts are displayed ired not registered. Please registered on page t registered. Please registered please registered please registered please registered please registered but found [false] SoftAssert.assertAll(SoftAstepdefinitions.mobilestered)	Undefined: 2  gister yourself before continue ts failed: ge expected [true] but foun er yourself before continue Assert.java:43) ps.MyDocSteps.verifyText	Duration: 20.45s 0.00s 3.77s 16.68s inuing. d [false], ing. text is displayed sOnScreen
Scenario: Verify User sh MyDoc Registration  Passed: 1  Before  When I navigate to m And I verify following Registration Requ You are currently  java.lang.AssertionEn Registration Require You are currently not on page expected [tru at org.testng.asserts.Sat com.onepulse.app.s. (MyDocSteps.java:71	Failed: 1  redical records screen g texts are displayed ired not registered. Please registered on page t registered. Please registered please registered please registered please registered please registered but found [false] SoftAssert.assertAll(SoftAstepdefinitions.mobilestered)	Undefined: 2  gister yourself before continue ts failed: ge expected [true] but foun er yourself before continue Assert.java:43)	Duration: 20.45s 0.00s 3.77s 16.68s inuing. d [false], ing. text is displayed sOnScreen
Scenario: Verify User sh MyDoc Registration  Passed: 1  Before  When I navigate to m And I verify following Registration Requ You are currently  java.lang.AssertionEn Registration Require You are currently not on page expected [tru at org.testng.asserts.S at com.onepulse.app.s (MyDocSteps.java:71 at .And I verify follow 60)	Failed: 1  redical records screen g texts are displayed ired not registered. Please registered on page t registered. Please registered please registered please registered please registered please registered but found [false] SoftAssert.assertAll(SoftAstepdefinitions.mobilestered)	Undefined: 2  gister yourself before continue ts failed: ge expected [true] but foun er yourself before continue Assert.java:43) ps.MyDocSteps.verifyText	Duration: 20.45s 0.00s 3.77s 16.68s inuing. d [false], ing. text is displayed sOnScreen
Scenario: Verify User sh MyDoc Registration  Passed: 1  Before  When I navigate to m And I verify following Registration Requ You are currently  java.lang.AssertionEn Registration Require You are currently not on page expected [tru at org.testng.asserts.S at com.onepulse.app.s (MyDocSteps.java:71 at .And I verify follow 60)	Failed: 1  redical records screen g texts are displayed ired not registered. Please registered on page t registered. Please registered Ple	Undefined: 2  gister yourself before continue ts failed: ge expected [true] but foun er yourself before continue Assert.java:43) ps.MyDocSteps.verifyText	Duration: 20.45s 0.00s 3.77s 16.68s inuing. d [false], ing. text is displayed sOnScreen itProfileTest.feature:
Scenario: Verify User sh MyDoc Registration  Passed: 1  Before  When I navigate to m And I verify following Registration Required You are currently  java.lang.AssertionEn Registration Required You are currently not on page expected [tru at org.testng.asserts.S at com.onepulse.app.s (MyDocSteps.java:71 at .And I verify following LATER REGISTER NOW	Failed: 1  redical records screen g texts are displayed ired not registered. Please registered on page t registered. Please registered please registered please registered but found [false] SoftAssert.assertAll(SoftAstepdefinitions.mobilestered) ving texts are displayed for the played for th	Undefined: 2  gister yourself before continue ts failed: ge expected [true] but foun er yourself before continue Assert.java:43) ps.MyDocSteps.verifyText	Duration: 20.45s 0.00s 3.77s 16.68s inuing. d [false], ing. text is displayed sOnScreen itProfileTest.feature: 0.00s
Scenario: Verify User sh MyDoc Registration  Passed: 1  Before  When I navigate to m And I verify following Registration Required You are currently  java.lang.AssertionEn Registration Required You are currently not on page expected [true at org.testng.asserts.Sat com.onepulse.app.st (MyDocSteps.java:71 at .And I verify following LATER	Failed: 1  redical records screen g texts are displayed ired not registered. Please registered on page t registered. Please registered please registered please registered but found [false] SoftAssert.assertAll(SoftAstepdefinitions.mobilestered) ving texts are displayed for the played for th	Undefined: 2  gister yourself before continue ts failed: ge expected [true] but foun er yourself before continue Assert.java:43) ps.MyDocSteps.verifyText	Duration: 20.45s 0.00s 3.77s 16.68s inuing. d [false], ing. text is displayed sOnScreen itProfileTest.feature:

	0 P B		
← Dietician Records			
Q Search by Doctor Name			
ter		0.0	00s
ck to Table of Conte	ents		
ge once the user	submitted their gen	der and DOB in edit profile	
ge once the user ssed: 1	Failed: 1		ration: 13.7
ssed: 1	Failed: 1	Undefined: 2 Dur	
ssed: 1 fore Then I wait for	Failed: 1 5 sec	Undefined: 2  0.0  5.0  are displayed on "Online Consultation"	00s 2s
ssed: 1 fore Then I wait for	Failed: 1  5 sec y the following texts	Undefined: 2	00s 2s
ssed: 1 fore Then I wait for Then user verify	Failed: 1  5 sec y the following texts	Undefined: 2  0.0  5.0  are displayed on "Online Consultation"	00s 2s
fore Then I wait for Then user verify registration pag	Failed: 1  5 sec y the following texts	Undefined: 2  0.0  5.0  are displayed on "Online Consultation"	00s 2s
Then I wait for Then user verify registration pag Online Const	Failed: 1  5 sec y the following texts ge ultation tionError: The following	Undefined: 2  0.0  5.0  are displayed on ''Online Consultation''  8.7  wing asserts failed:	2s 4s
Then I wait for Then user verify registration pag Online Const java.lang.Assert Online Consulta	Failed: 1  5 sec y the following texts ge ultation tionError: The following	Undefined: 2 Dur 0.0  5.0  are displayed on "Online Consultation" 8.7	2s 4s
Then I wait for Then user verify registration pag Online Consulta [false]	Failed: 1  5 sec  y the following texts ge ultation  tionError: The following text is displayed	Undefined: 2  0.0  5.0  are displayed on "Online Consultation"  8.7  wing asserts failed: d on page Online Consultation expected [true] but	2s 4s
Then I wait for Then user verify registration pag Online Const java.lang.Assert Online Consulta [false] at org.testng.ass	Failed: 1  5 sec  y the following texts ge ultation  tionError: The following texts is displayed to the following texts.  serts.SoftAssert.assert.	Undefined: 2  0.0  5.0  are displayed on ''Online Consultation''  8.7  wing asserts failed: d on page Online Consultation expected [true] but rtAll(SoftAssert.java:43)	2s 4s
Then I wait for Then user verify registration pag Online Consulta [false] at org.testng.ass at com.onepulse	Failed: 1  5 sec  y the following texts ge ultation  tionError: The following texts displaye serts.SoftAssert.asse	Undefined: 2  0.0  are displayed on "Online Consultation"  8.7  wing asserts failed: d on page Online Consultation expected [true] but rtAll(SoftAssert.java:43) .mydocuisteps.MyDocUiSteps.	2s 4s ut found
Then I wait for Then user verify registration pag Online Consulta java.lang.Assert Online Consulta [false] at org.testng.ass at com.onepulse userVerifyTheF	Failed: 1  5 sec  y the following texts ge ultation  tionError: The following text is displayed to the following text is	Undefined: 2  0.0  5.0  are displayed on ''Online Consultation''  wing asserts failed: d on page Online Consultation expected [true] but rtAll(SoftAssert.java:43) .mydocuisteps.MyDocUiSteps. isplayedOnRegistrationPage(MyDocUiSteps.java	2s 24s ut found
Then I wait for Then I wait for Then user verify registration pag Online Consulta [false] at org.testng.ass at com.onepulse userVerifyTheF at .Then user ve	Failed: 1  5 sec  y the following texts ge ultation  tionError: The following text is displaye serts.SoftAssert.as	Undefined: 2  0.0  5.0  are displayed on "Online Consultation"  wing asserts failed: d on page Online Consultation expected [true] but rtAll(SoftAssert.java:43) .mydocuisteps.MyDocUiSteps. isplayedOnRegistrationPage(MyDocUiSteps.javaxts are displayed on "Online Consultation" regis	2s 24s ut found
Then I wait for Then user verify registration pag Online Consulta [false] at org.testng.ass at com.onepulse userVerifyTheF at .Then user verify page(features/sg	Failed: 1  5 sec  y the following texts ge  ultation  tionError: The following text is displayed in text is displayed in text.  serts.SoftAssert.asse	Undefined: 2  0.0  5.0  are displayed on ''Online Consultation''  wing asserts failed: d on page Online Consultation expected [true] but rtAll(SoftAssert.java:43) .mydocuisteps.MyDocUiSteps. isplayedOnRegistrationPage(MyDocUiSteps.java	2s 24s ut found a:116) stration
Then I wait for Then user verify registration pag Online Consulta [false] at org.testng.ass at com.onepulse userVerifyTheF at .Then user verifyTheF at .Then user verifyTheF at .Then user very page(features/sg	Failed: 1  5 sec  y the following texts ge ultation  tionError: The following text is displayed to text is displayed to text. SoftAssert. asserts. SoftAssert. asserts app. stepdefinitions following TextsAre Displayed to the following text is displayed to the following text in the follo	Undefined: 2  0.0  5.0  are displayed on ''Online Consultation''  wing asserts failed: d on page Online Consultation expected [true] but rtAll(SoftAssert.java:43) .mydocuisteps.MyDocUiSteps. isplayedOnRegistrationPage(MyDocUiSteps.java xts are displayed on ''Online Consultation'' regis rofileTest.feature:71) be editable in mydoc Registration Screen  0.0	2s 4s ut found a:116) stration 0s
Then I wait for Then user verify registration pag Online Consulta [false] at org.testng.ass at com.onepulse userVerifyTheF at .Then user verifyTheF at .Then user verifyTheF at .Then user veryage(features/sg	Failed: 1  5 sec  y the following texts ge ultation  tionError: The following text is displayed to text is displayed to text. SoftAssert. asserts. SoftAssert. asserts app. stepdefinitions following TextsAre Displayed to the following text is displayed to the following text in the follo	Undefined: 2  0.0  5.0  are displayed on "Online Consultation"  wing asserts failed: d on page Online Consultation expected [true] but rtAll(SoftAssert.java:43) .mydocuisteps.MyDocUiSteps. isplayedOnRegistrationPage(MyDocUiSteps.java xts are displayed on "Online Consultation" registrofileTest.feature:71)	2s 4s ut found a:116) stration 0s
Then I wait for Then user verify registration pag Online Consulta [false] at org.testng.ass at com.onepulse userVerifyTheF at .Then user verifyTheF at .Then user verifyTheF at .Then user veryage(features/sg	Failed: 1  5 sec  y the following texts ge ultation  tionError: The following text is displayed to text is displayed to text. SoftAssert. asserts. SoftAssert. asserts app. stepdefinitions following TextsAre Displayed to the following text is displayed to the following text in the follo	Undefined: 2  0.0  5.0  are displayed on ''Online Consultation''  wing asserts failed: d on page Online Consultation expected [true] but rtAll(SoftAssert.java:43) .mydocuisteps.MyDocUiSteps. isplayedOnRegistrationPage(MyDocUiSteps.java xts are displayed on ''Online Consultation'' regis rofileTest.feature:71) be editable in mydoc Registration Screen  0.0	2s 4s ut found a:116) stration 0s
Then I wait for Then user verify registration pag Online Consulta [false] at org.testng.ass at com.onepulse userVerifyTheF at .Then user verifyTheF at .Then user verifyTheF at .Then user veryage(features/sg	Failed: 1  5 sec  y the following texts ge ultation  tionError: The following text is displayed to text is displayed to text. SoftAssert. asserts. SoftAssert. asserts app. stepdefinitions following TextsAre Displayed to the following text is displayed to the following text in the follo	Undefined: 2  0.0  5.0  are displayed on ''Online Consultation''  wing asserts failed: d on page Online Consultation expected [true] but rtAll(SoftAssert.java:43) .mydocuisteps.MyDocUiSteps. isplayedOnRegistrationPage(MyDocUiSteps.java xts are displayed on ''Online Consultation'' regis rofileTest.feature:71) be editable in mydoc Registration Screen  0.0	2s 4s ut found a:116) stration 0s
Then I wait for Then user verify registration pag Online Consulta [false] at org.testng.ass at com.onepulse userVerifyTheF at .Then user verifyTheF at .Then user verifyTheF at .Then user veryage(features/sg	Failed: 1  5 sec  y the following texts ge ultation  tionError: The following text is displayed to text is displayed to text. SoftAssert. asserts. SoftAssert. asserts app. stepdefinitions following TextsAre Displayed to the following text is displayed to the following text in the follo	Undefined: 2  0.0  5.0  are displayed on ''Online Consultation''  wing asserts failed: d on page Online Consultation expected [true] but rtAll(SoftAssert.java:43) .mydocuisteps.MyDocUiSteps. isplayedOnRegistrationPage(MyDocUiSteps.java xts are displayed on ''Online Consultation'' regis rofileTest.feature:71) be editable in mydoc Registration Screen  0.0	2s 4s ut found a:116) stration 0s
Then I wait for Then user verify registration pag Online Consulta [false] at org.testng.ass at com.onepulse userVerifyTheF at .Then user verifyTheF at .Then user verifyTheF at .Then user veryage(features/sg	Failed: 1  5 sec  y the following texts ge ultation  tionError: The following text is displayed to text is displayed to text. SoftAssert. asserts. SoftAssert. asserts app. stepdefinitions following TextsAre Displayed to the following text is displayed to the following text in the follo	Undefined: 2  0.0  5.0  are displayed on ''Online Consultation''  wing asserts failed: d on page Online Consultation expected [true] but rtAll(SoftAssert.java:43) .mydocuisteps.MyDocUiSteps. isplayedOnRegistrationPage(MyDocUiSteps.java xts are displayed on ''Online Consultation'' regis rofileTest.feature:71) be editable in mydoc Registration Screen  0.0	2s 4s ut found a:116) stration 0s
Then I wait for Then user verify registration pag Online Consulta [false] at org.testng.ass at com.onepulse userVerifyTheF at .Then user verifyTheF at .Then user verifyTheF at .Then user veryage(features/sg	Failed: 1  5 sec  y the following texts ge ultation  tionError: The following text is displayed to text is displayed to text. SoftAssert. asserts. SoftAssert. asserts app. stepdefinitions following TextsAre Displayed to the following text is displayed to the following text in the follo	Undefined: 2  0.0  5.0  are displayed on ''Online Consultation''  wing asserts failed: d on page Online Consultation expected [true] but rtAll(SoftAssert.java:43) .mydocuisteps.MyDocUiSteps. isplayedOnRegistrationPage(MyDocUiSteps.java xts are displayed on ''Online Consultation'' regis rofileTest.feature:71) be editable in mydoc Registration Screen  0.0	2s 4s ut found a:116) stration 0s
Then I wait for Then user verify registration pag Online Consulta [false] at org.testng.ass at com.onepulse userVerifyTheF at .Then user verifyTheF at .Then user verifyTheF at .Then user veryage(features/sg	Failed: 1  5 sec  y the following texts ge ultation  tionError: The following text is displayed to text is displayed to text. SoftAssert. asserts. SoftAssert. asserts app. stepdefinitions following TextsAre Displayed to the following text is displayed to the following text in the follo	Undefined: 2  0.0  5.0  are displayed on ''Online Consultation''  wing asserts failed: d on page Online Consultation expected [true] but rtAll(SoftAssert.java:43) .mydocuisteps.MyDocUiSteps. isplayedOnRegistrationPage(MyDocUiSteps.java xts are displayed on ''Online Consultation'' regis rofileTest.feature:71) be editable in mydoc Registration Screen  0.0	2s 4s ut found a:116) stration 0s



```
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='NRIC/FIN']
/following::android.widget.EditText[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor32.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:261)
at com.onepulse.app.screens.mydoc.MyDocRegistrationScreen.enterNric
(MyDocRegistrationScreen.java:646)
at com.onepulse.app.stepdefinitions.mydocuisteps.MyDocUiSteps.iEnterTheMandatoryFields
(MyDocUiSteps.java:128)
at .Then I enter the mandatory fields "${NRIC}"(features/sg/profile/PulseEditProfileTest.
feature:79)
```



/no\_such\_element.html

```
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.
prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName:
UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true,
platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel:
Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize:
1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled:
false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,
pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11,
statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width:
1080}, warnings: {}, webStorageEnabled: false}
Session ID: 95e68476-ab48-4818-b730-e2a10eb6d9c5
*** Element info: {Using=xpath, value=(//android.widget.ScrollView/preceding-sibling::
android.view.ViewGroup//android.widget.ImageView)[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor32.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
```

at io.appium.java\_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: **19**) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164) at com.onepulse.app.screens.PulseRegistrationScreen.accountButton(PulseRegistrationScreen. iava:670) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.accountButton (RegistrationSteps.java:143) at .And I click the Account icon in Home screen(features/sg/profile/PulseMySettings.feature: 45) pulse 80 Fitness 0.00sAfter **Back to Table of Contents** Scenario: Verify the submit functionality in My feedback screen Passed: 1 Failed: 1 Undefined: 1 Duration: 51.64s Before 0.00s11.14s And I click the Health Articles icon in Account screen And I enter the "Feedback" in welcome to Feedback Screen 40.50s mobileNumber 98678419

```
org.openga.selenium.NoSuchElementException: An element could not be located on the page
using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions
/no such element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.
prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName:
UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true,
platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel:
Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize:
1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled:
false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,
pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11,
statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width:
1080}, warnings: {}, webStorageEnabled: false}
Session ID: 95e68476-ab48-4818-b730-e2a10eb6d9c5
*** Element info: {Using=xpath, value=//android.widget.EditText}
at jdk.internal.reflect.GeneratedConstructorAccessor32.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
```

at io.appium.java\_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)

at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)

at io.appium.java\_client.DefaultGenericMobileDriver.findElement

(DefaultGenericMobileDriver.java:58)

at io.appium.java\_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java\_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at com.prudential.tap.selenium.Commands\$16.executeCommand(Commands.java:148)

at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19)


at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:261)

at com.onepulse.app.screens.CustomerConnectScreen.enterMobileNumber

(CustomerConnectScreen.java:792)

at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.enterMobileNumber (CustomerConnectSteps.java:230)

at .And I enter the ''Feedback'' in welcome to Feedback Screen(features/sg/profile /PulseMySettings.feature:56)



Fitness

Aft	ter			0.00s		
Bac	Back to Table of Contents					
Sco	Scenario: Verify the Pulse Personalised tab					
Pas	ssed: 1	Failed: 1 Undefined: 2 Duration: 34.54s				
Be	Before					
	And I click the Pulse by Personalised icons					
	And I click the save button in pulse personalised icons			23.32s		

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

```
For documentation on this error, please visit: http://seleniumhq.org/exceptions
/no such element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.
prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName:
UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true,
platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel:
Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize:
1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled:
false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,
pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11,
statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width:
1080}, warnings: {}, webStorageEnabled: false}
Session ID: 95e68476-ab48-4818-b730-e2a10eb6d9c5
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'SAVE')]}
at jdk.internal.reflect.GeneratedConstructorAccessor32.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at iava.base/iava.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
```

(DefaultGenericMobileDriver.java:58)

at io.appium.java\_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java\_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141)

at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19)

at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164)

at com.onepulse.app.screens.CustomerConnectScreen.clickSaveButtonPersonalised

(CustomerConnectScreen.java:840)

at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.


clickSavebuttonpersonalized(CustomerConnectSteps.java:244)

at .And I click the save button in pulse personalised icons(features/sg/profile/PulseMySettings. feature:62)

And I click the Ok button in pulse personlised screen

And I click the Back icon in pulse personalised screen

0.00s



After			0.00s		
Back to Table of Contents					
Scenario: Verify the Marketing Consent in Account tab					
Passed: 0	Failed: 1	Undefined: 4	Duration: 28.04s		
Before			0.00s		

And I click the Marketing content 28.04s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no-such\_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'


System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',

```
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.
prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName:
UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true,
platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel:
Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize:
1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled:
false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,
pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11,
statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width:
1080}, warnings: {}, webStorageEnabled: false}
Session ID: 95e68476-ab48-4818-b730-e2a10eb6d9c5
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Marketing
Consent')]}
at jdk.internal.reflect.GeneratedConstructorAccessor32.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
```

at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: **19**) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164) at com.onepulse.app.screens.CustomerConnectScreen.clickMarketContent (CustomerConnectScreen.java:889) at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickMarketContent (CustomerConnectSteps.java:260) at .And I click the Marketing content(features/sg/profile/PulseMySettings.feature:67) 0.90 pulse **0** 0 session on Fitness, Food Top Picks For You 0.00sAfter **Back to Table of Contents** Feature: Verify share with friends functionality in onepulse app Passed: 1 Failed: 6 Undefined: 0 Duration: 137.63s Scenario: Launch the app and select the country as per specified lbu Passed: 9 Failed: 0 Undefined: 0 **Duration: 39.7s** Before 0.00sGiven User has pulse app 8.84s And Logout of pulse app if user is logged in 0.00sAnd I assign "\${login.email.id}" to variable "PULSE\_EMAIL" 0.00sAnd user click on "CONTINUE WITH EMAIL" with Email button 12.61s Then I change the country as required on registration page 1.49s

Th	hen I wait for 10 sec		10.01s
Then I change the language as required on registration page			0.36s
Aı	And I click the Sign in link		
Then I verify below language options on toggle bar as per specified lbu on login page			1.53s
After	r		0.00s
Back t	to Table of Contents		
Scena	ario: login to the app	with correct credentials using "Continue with Email"	
Passed	d <b>: 4</b>	Failed: 1 Undefined: 0	Duration: 45.4s
Befor	re		0.00s
W	hen user enters cred	lentials	18.28s
	UserName \${PULS}	E_EMAIL}	
	Password \${pulse.j	password}	
Aı	nd User clicks on sig	nin button	0.25s
	nd I wait for 5 sec		5.02s
Aı	nd I enter OTP in on	ne pulse app for user email ''\${PULSE_EMAIL}''	8.48s
Tł	hen user should be la	anded to "Home" screen	13.38s
at at at at at	org.testng.Assert.fai org.testng.Assert.fai org.testng.Assert.ass org.testng.Assert.ass com.onepulse.app.st	ror: expected [true] but found [false] il(Assert.java:94) ilNotEquals(Assert.java:513) sertTrue(Assert.java:42) sertTrue(Assert.java:52) tepdefinitions.mobilesteps.LoginSteps.landingPageValidat	ion
at at at at (L at 23	corg.testng.Assert.fai corg.testng.Assert.ass corg.testng.Assert.ass corg.testng.Assert.ass com.onepulse.app.st LoginSteps.java:92) c.Then user should b	il(Assert.java:94) ilNotEquals(Assert.java:513) sertTrue(Assert.java:42) sertTrue(Assert.java:52)	nds.feature:
at at at at at (L at 23	c org.testng.Assert.fai c org.testng.Assert.fai c org.testng.Assert.ass c org.testng.Assert.ass c com.onepulse.app.st LoginSteps.java:92) c.Then user should b	il(Assert.java:94) ilNotEquals(Assert.java:513) sertTrue(Assert.java:42) sertTrue(Assert.java:52) tepdefinitions.mobilesteps.LoginSteps.landingPageValidat	
at at at at at (L at 23	c org.testng.Assert.fai c org.testng.Assert.fai c org.testng.Assert.ass c org.testng.Assert.ass c com.onepulse.app.st LoginSteps.java:92) c .Then user should b B)	il(Assert.java:94) ilNotEquals(Assert.java:513) sertTrue(Assert.java:42) sertTrue(Assert.java:52) tepdefinitions.mobilesteps.LoginSteps.landingPageValidati e landed to ''Home'' screen(features/share/ShareWithFrie	nds.feature:
at at at at at (L at 23  After Back t	c org.testng.Assert.fai c org.testng.Assert.fai c org.testng.Assert.ass c org.testng.Assert.ass c com.onepulse.app.st LoginSteps.java:92) c.Then user should b b com.onepulse.app.st LoginSteps.java:92) c.Then user should b do Table of Contents ario: Verify User should	il(Assert.java:94) ilNotEquals(Assert.java:513) sertTrue(Assert.java:42) sertTrue(Assert.java:52) tepdefinitions.mobilesteps.LoginSteps.landingPageValidat be landed to "Home" screen(features/share/ShareWithFrie	nds.feature: 0.00s
at at at at at (L at 23  After Back t	c org.testng.Assert.fai c org.testng.Assert.fai c org.testng.Assert.ass c org.testng.Assert.ass c com.onepulse.app.st LoginSteps.java:92) c.Then user should b discomplete of Contents ario: Verify User should:0	il(Assert.java:94) ilNotEquals(Assert.java:513) sertTrue(Assert.java:42) sertTrue(Assert.java:52) tepdefinitions.mobilesteps.LoginSteps.landingPageValidati e landed to ''Home'' screen(features/share/ShareWithFrie	0.00s  Duration: 8.17s
at at at at at (L at 23  After Back to Scena Passed Before	c org.testng.Assert.fai c org.testng.Assert.fai c org.testng.Assert.ass c org.testng.Assert.ass c com.onepulse.app.st LoginSteps.java:92) c.Then user should b discomplete of Contents ario: Verify User should:0	il(Assert.java:94) ilNotEquals(Assert.java:513) sertTrue(Assert.java:42) sertTrue(Assert.java:52) tepdefinitions.mobilesteps.LoginSteps.landingPageValidati be landed to "Home" screen(features/share/ShareWithFrie	0.00s  Duration: 8.17s 0.00s
at at at at at (L at 23  After Back to Scena Passed Before	c org.testng.Assert.fai c org.testng.Assert.fai c org.testng.Assert.ass c org.testng.Assert.ass c com.onepulse.app.st LoginSteps.java:92) c.Then user should b discomplete of Contents ario: Verify User should:0	il(Assert.java:94) ilNotEquals(Assert.java:513) sertTrue(Assert.java:42) sertTrue(Assert.java:52) tepdefinitions.mobilesteps.LoginSteps.landingPageValidati be landed to "Home" screen(features/share/ShareWithFrie	0.00s  Duration: 8.17s

```
Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize:
1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled:
false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true,
pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11,
statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width:
1080}, warnings: {}, webStorageEnabled: false}
Session ID: 1d81ea06-ca8c-4ee7-8667-0bef71269fc2
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Invite Your
Friends Via']/following::android.view.ViewGroup[3]}
at jdk.internal.reflect.GeneratedConstructorAccessor32.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164)
at com.onepulse.app.screens.PulseLoginScreen.clickWhatsappIcon(PulseLoginScreen.java:
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iVerifyTheShareWithFriendsLinks
```



/no such element.html


Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com. prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

```
Session ID: 1d81ea06-ca8c-4ee7-8667-0bef71269fc2
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Invite Your
Friends Via']/following::android.view.ViewGroup[5]}
at jdk.internal.reflect.GeneratedConstructorAccessor32.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164)
at com.onepulse.app.screens.PulseLoginScreen.clickContactsIcon(PulseLoginScreen.java:650)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iVerifyTheContactsShareIcon
(LoginSteps.java:300)
at .Then I verify the contacts share icon(features/share/ShareWithFriends.feature:29)
```



After			0.00s		
Back to Table of Contents					
Scenario: Verify User should be able to share the link with Messenger app					
Passed: 0	Failed: 1	Undefined: 0	Duration: 13.63s		
Before			0.00s		
Then I verify the fb messenger share icon			13.63s		

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no-such-element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'


Driver info: io.appium.java\_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com. prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 1d81ea06-ca8c-4ee7-8667-0bef71269fc2

\*\*\* Element info: {Using=xpath, value=//android.widget.TextView[@text='Invite Your

```
Friends Via']/following::android.view.ViewGroup[7]}
at idk.internal.reflect.GeneratedConstructorAccessor32.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.jaya client.android.AndroidDriver.findElementByXPath(AndroidDriver.jaya:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164)
at com.onepulse.app.screens.PulseLoginScreen.clickMessengerIcon(PulseLoginScreen.java:
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iVerifyTheFbMessengerShareIcon
(LoginSteps.java:411)
at .Then I verify the fb messenger share icon(features/share/ShareWithFriends.feature:31)
```



After			0.00s		
Back to Table of Contents					
Scenario: Verify User should be able to share the link with Viber app					
Passed: 0	Failed: 1	Undefined: 0	Duration: 8.61s		
Before Before		0.00s			
Then I verify the Vibe	8.61s				

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no-such\_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'


Driver info: io.appium.java\_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com. prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 1d81ea06-ca8c-4ee7-8667-0bef71269fc2

\*\*\* Element info: {Using=xpath, value=//android.widget.TextView[@text='Invite Your

```
Friends Via']/following::android.view.ViewGroup[9]}
at idk.internal.reflect.GeneratedConstructorAccessor32.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.jaya client.android.AndroidDriver.findElementByXPath(AndroidDriver.jaya:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164)
at com.onepulse.app.screens.PulseLoginScreen.clickViberIcon(PulseLoginScreen.java:670)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iVerifyTheViberShareIcon
(LoginSteps.java:317)
at .Then I verify the Viber share icon(features/share/ShareWithFriends.feature:33)
```



Af	fter			0.00s		
Ba	Back to Table of Contents					
Sc	Scenario: Verify User should be able to share the link with Line app					
Passed: 0		Failed: 1 Undefined: 0		<b>Duration: 8.52s</b>		
Ве	efore			0.00s		
	Then I verify the Line share icon			8.52s		

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no-such-element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java\_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com. prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 1d81ea06-ca8c-4ee7-8667-0bef71269fc2

\*\*\* Element info: {Using=xpath, value=//android.widget.TextView[@text='Invite Your

```
Friends Via']/following::android.view.ViewGroup[11]}
at idk.internal.reflect.GeneratedConstructorAccessor32.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.jaya client.android.AndroidDriver.findElementByXPath(AndroidDriver.jaya:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164)
at com.onepulse.app.screens.PulseLoginScreen.clickLineIcon(PulseLoginScreen.java:665)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iVerifyTheLineShareIcon
(LoginSteps.java:312)
at .Then I verify the Line share icon(features/share/ShareWithFriends.feature:35)
```

