Overview

	Passed	Failed	Known	Undefined	Total	%Passed
Features	11	16	0	0	27	41%
Scenarios	141	142	0	0	283	50%
Steps	846	142	0	193	1,181	72%

Overall Duration: 4h 06m 42s

Table of Contents

1. Verify login functionality on One pulse App
    1. Launch the app and select the country as per specified lbu
    2. login to the app with correct credentials using "Continue with Email"
    3. Verify the Invalid Email id in login screen using "Continue with Email"
    4. Verify the User not registerd email in login screen using "Continue with Email"
    5. User should be able to retrieve the reset password using forget password link
    6. Verify Account should be locked after entering more than 7 times incorrect passwords
    7. Verify the Login Functionality using "Continue with Facebook"
2. Verify registration functionality on one pulse App
    1. User should be able to register on app with correct credentials using "Continue with Email"
    2. verify the field label on registration screen
    3. verify the validation message for mandatory fields
    4. verify validation message when user enters Invalid password: Pulse@1 on registration page
    5. verify validation message when user enters Invalid password: Pulse123 on registration page
    6. Verify the validation message when user enter already registered email id on registration page
    7. Verify the mobile number screen validation using "Continue with Email"
    8. Verify the Registration screen validation using "Continue with Email"
    9. Verify the resend OTP functionality on Enter OTP Screen using "Continue with Email"
3. Verify Edit Profile functionality on Pulse Health & Wealth app
    1. Launch the app and select the country as per specified lbu
    2. login to the app with correct credentials using "Continue with Email"
    3. Verify User should be able to navigate to Edit profile screen
    4. Verify User should be able to change the profile picture in edit profile screen
    5. Verify the email,country code and COR fields are non-editable in edit profile screen
    6. Verify user can able to change the details in edit profile screen
    7. Verify Details updated during pulse profile registration should be reflected in edit profile screen
    8. verify the user details should be correctly on babylon screen
    9. navigate back to health screen
4. Verify the Babylon Registration via HRA journey
    1. User should be able to Register for Babylon HRA
    2. User should be able to Register for Babylon HRA
5. Verify that user can locate near by Hospitals,clinics using PruShoppe Location feature
    1. Launch the app and select the country as per specified lbu
    2. login to the app with correct credentials using "Continue with Email"

3. User should be able to locate Hospitals using PruShoppe location
4. User can see details of listed hospitals in detail
5. User can see the details in speciality tab
6. User can see the details in doctor's tab
7. User can see the details in rooms tab
8. User can navigate out of the hospital details screen
9. User should be able to locate cli using PruShoppe location
10. User can verify the clinic page
11. User can view listed clinic details
12. User can view listed clinic info
13. User can view listed clinic info details
14. User can navigate back to clinics screen

6. Verify Medicine Reminder Positive Flow functionality on one pulse App
    1. User should be able to register on app with correct credentials using "Continue with Email"
    2. Verify User should be able to navigate to medical reminder page
    3. verify the static text on medicine reminder screen
    4. verify add medicine screen is launched and user can enter the required info on medical info screen
    5. verify user navigated to schedule screen and user can enter the required info
    6. Verify User should be able to navigate to More Setting page
    7. verify Add medicine screen is displayed when user click on add new reminder on success popup
    8. verify medicine reminder home screen is displayed when user click on not now button on success popup
    9. navigate to health screen
    10. Verify User should be able to navigate to calendar page
7. Verify MY Event channel functionality on one pulse App
    1. Launch the app and select the country as per specified lbu
    2. login to the app with correct credentials using "Continue with Email"
    3. Verify MyEvent Functionality in Home screen
    4. Verify Events Archive tab
    5. Verify Open Events tab
8. Verify My Health Content functionality on One Pulse App
    1. Launch the app and select the country as per specified lbu
    2. User should be able to login on app with correct credentials using "Continue with Email"
    3. Verify User should be able to navigate to Health page
    4. Verify User should be able to view the full page article post
    5. Verify User should be able to see the Like, Share, Comment options on full page article post
    6. Verify User should be able to Like the post in full article view screen
    7. Verify User should be able to Share the post in full article view screen
    8. Verify User can navigate to Health homepage
9. Verify Notification Center functionality on one pulse App
    1. User should be able to register on app with correct credentials using "Continue with Email"
    2. Navigate to notification screen via home screen
    3. Verify User should be able to see the Notification screen texts
10. Verify My Challenges on One Pulse App
    1. Launch the app and select the country as per specified lbu
    2. User should be able to login on app with correct credentials using "Continue with Email"

    3. Verify My Challenges texts
    4. Click on All challenges and and verify texts
11. Verify My Communities on One Pluse App
    1. Launch the app and select the country as per specified lbu
    2. User should be able to login on app with correct credentials using "Continue with Gmail"
    3. User should be able to login on app with correct credentials using "Continue with Email" and Verify the Mycommunities screen
    4. Leave the community if already joined
    5. Verify the All Communities Post screen
    6. Verify the Likes and comments counts in All communities tab
    7. Verify the Share with Friends Functionality in All communities tab
    8. Verify the Post Functionality in All communities
    9. Verify the Category list and search feature
    10. User navigates back to the community screen
    11. Leave the community if already joined
12. Verify Private My Communities on One Pulse App
    1. Launch the app and select the country as per specified lbu
    2. User should be able to login on app with correct credentials using "Continue with Email"
    3. Verify the My communities screen
    4. Verify the Private Communities in communities screen
13. Verify legal and legacy on One pulse App
    1. Launch the app and select the country as per specified lbu
    2. login to the app with correct credentials using "Continue with Email"
    3. Navigate to account screen
    4. Verify the Legacy and Privacy should be displayed
    5. Verify the Terms and condition screen should be displayed
    6. Verify the Privacy screen should be displayed
    7. Verify the Regulator screen should be displayed
14. Verify My accounts options in Account screen
    1. Launch the app and select the country as per specified lbu
    2. login to the app with correct credentials using "Continue with Email"
    3. Navigate to account screen and verify all the options
    4. Verify wearable screen in Account tab
    5. navigate back to account screen from my wearable screen
    6. Navigate to account screen
    7. Verify reward screen in Account tab
    8. User access My Rewards FAQ
    9. Verify the FAQ on my rewards screen
    10. Verify the FAQ on my rewards screen
    11. Verify the FAQ on my rewards screen
    12. Verify the FAQ on my rewards screen
    13. Verify the FAQ on my rewards screen
    14. Verify the FAQ on my rewards screen
    15. Verify the FAQ on my rewards screen
    16. Verify the FAQ on my rewards screen
    17. navigate back to account screen from my rewards screen
    18. Verify Notification screen in Account tab
    19. navigate back to account screen from Notification screen
    20. Verify my feedback screen in Account tab
    21. Verify the submit functionality in My feedback screen
    22. Verify the Pulse Personalised tab

    23. Save the consent with data privacy check
    24. Save the consent without data privacy check
    25. navigate back to account screen from pulse personalised screen
15. Verify MySettings functionality in Account screen
    1. Launch the app and select the country as per specified lbu
    2. login to the app with correct credentials using "Continue with Email"
    3. Navigate to account screen
    4. Verify my setting screen in Account tab
    5. navigate back to account screen from my setting screen
16. Verify My wearable functionality via fitness tab on Pulse Health & Wealth app
    1. Launch the app and select the country as per specified lbu
    2. login to the app with correct credentials using "Continue with Email"
    3. Verify the user can access My Wearables via Fitness
17. Verify the BabyLon HRA Report - Nutrition, Body, Activity
    1. Launch the app and select the country as per specified lbu
    2. login to the app with correct credentials using "Continue with Email"
    3. User should be able to access Babylon Health Risk Assessment Report
    4. Verify the HRA Activity Report
    5. Verify the HRA Activity Report
    6. Verify the HRA Nutrition Report
    7. Verify the HRA Report - Keep It Up sub-section
    8. Verify the HRA Report - Make a Change sub-section
    9. User should be able to access Babylon HRA - Healthcheck - Body
    10. navigate back to digital twin screen
    11. User should be able to access Babylon HRA - Healthcheck - Nutrition
    12. Navigate back to nutrition screen and validate the static text
    13. navigate back to digital twin screen
    14. User should be able to access Babylon HRA - Healthcheck - Activity
    15. Navigate back to Activity screen and validate the static text
    16. navigate back to digital twin screen
    17. User should be able to access Babylon HRA - Healthcheck - Mood
    18. navigate back to digital twin screen
18. Verify that user can access calendar under health section
    1. Launch the app and select the country as per specified lbu
    2. login to the app with correct credentials using "Continue with Email"
    3. User should be able to access Calendar screen
19. Verify that user can access Chinese Medicine feature
    1. User should be able to register on app with correct credentials using "Continue with Email"
    2. User should be able to access Chinese Medicine screen
    3. Verify the carousel on Chinese Medicine journey
    4. Verify the carousel on Chinese Medicine journey
    5. verify the text and button on final assessment carousel
    6. User should be able to complete Chinese Medicine profile
    7. Verify the Q&A on Chinese Medicine journey
    8. Verify the Q&A on Chinese Medicine journey
    9. Verify the Q&A on Chinese Medicine journey
    10. Verify the Q&A on Chinese Medicine journey
    11. Verify the Q&A on Chinese Medicine journey
    12. Verify the Q&A on Chinese Medicine journey
    13. Verify the Q&A on Chinese Medicine journey

14. **Verify the Q&A on Chinese Medicine journey**
15. **Verify the Q&A on Chinese Medicine journey**
16. **Verify the Q&A on Chinese Medicine journey**
17. **Verify the Q&A on Chinese Medicine journey**
18. **Verify the Q&A on Chinese Medicine journey**
19. **Verify the Q&A on Chinese Medicine journey**
20. **Verify the Q&A on Chinese Medicine journey**
21. **Verify the Q&A on Chinese Medicine journey**
22. **Verify the Q&A on Chinese Medicine journey**
23. **Verify the Q&A on Chinese Medicine journey**
24. **Verify the Q&A on Chinese Medicine journey**
25. **Verify the Q&A on Chinese Medicine journey**
26. **Verify the Q&A on Chinese Medicine journey**
27. **Verify the Q&A on Chinese Medicine journey**
28. **Verify the Q&A on Chinese Medicine journey**
29. **Verify the Q&A on Chinese Medicine journey**
30. **Verify the Q&A on Chinese Medicine journey**
31. **Verify the Q&A on Chinese Medicine journey**
32. **Verify the Q&A on Chinese Medicine journey**
33. **Verify the Q&A on Chinese Medicine journey**
34. **Verify the Q&A on Chinese Medicine journey**
35. **Verify the Q&A on Chinese Medicine journey**
36. **Verify the Q&A on Chinese Medicine journey**
37. **Verify the Q&A on Chinese Medicine journey**
38. **Verify the Q&A on Chinese Medicine journey**
39. **Verify the Q&A on Chinese Medicine journey**
40. **Verify the Q&A on Chinese Medicine journey**
41. **Verify the Q&A on Chinese Medicine journey**
42. **Verify the Q&A on Chinese Medicine journey**
43. **Verify the Q&A on Chinese Medicine journey**
44. **Verify the Q&A on Chinese Medicine journey**
45. **Verify the Q&A on Chinese Medicine journey**
46. **Verify the Q&A on Chinese Medicine journey**
47. **Verify the Q&A on Chinese Medicine journey**
48. **Verify the Q&A on Chinese Medicine journey**
49. **Verify the Q&A on Chinese Medicine journey**
50. **Verify the Q&A on Chinese Medicine journey**
51. **Verify the Q&A on Chinese Medicine journey**
52. **Verify the Q&A on Chinese Medicine journey**
53. **Verify the Q&A on Chinese Medicine journey**
54. **Verify the Q&A on Chinese Medicine journey**
55. **Verify the Q&A on Chinese Medicine journey**
56. **Verify the Q&A on Chinese Medicine journey**
57. **Verify the Q&A on Chinese Medicine journey**
58. **Verify the Q&A on Chinese Medicine journey**
59. **Verify the Q&A on Chinese Medicine journey**
60. **Verify the Q&A on Chinese Medicine journey**
61. **Verify the Q&A on Chinese Medicine journey**
62. **Verify the Q&A on Chinese Medicine journey**
63. **Verify the Q&A on Chinese Medicine journey**
64. **Verify the Q&A on Chinese Medicine journey**

65. Verify the Q&A on Chinese Medicine journey
66. Verify the Q&A on Chinese Medicine journey
67. Verify the Q&A on Chinese Medicine journey
68. Verify the Q&A on Chinese Medicine journey
69. Verify the Q&A on Chinese Medicine journey
70. Verify the Assessment completion screen
71. Verify the user can view the Assessment Record
72. Verify the Assessment Summary
73. Verify the "Constitution" Details of the Assessment
74. Verify the "Change In Tongue" Details of the Assessment

20. Verify Dietician Positive Flow for Doctor functionality on one pulse App
    1. Verify the Home screen validation using "Continue with Email"
    2. Verify User should be able to navigate to Dietician page
    3. Select the expert type as doctor and navigate to next screen
    4. Verify User should be able to navigate to specialisation page
    5. Verify User should be able to navigate to Educational Details page
    6. Verify User should be able to navigate to Add experience page
    7. Verify User should be able to navigate to Services Offered page
    8. Verify User should be able to navigate to achievement and awards screen
    9. Verify User should be able to navigate to Seminar(s) Attended page
    10. Verify User should be able to navigate to linked clinic page
    11. Verify User should be able to navigate to Take a Picture page
    12. Verify User should be able to navigate to schedule Calendar page
21. Verify that user can manage events via the Family Vaccine Calendar feature
    1. User should be able to register on app with correct credentials using "Continue with Email"
    2. User should be able to access my family vaccination calendar
    3. Verify the user can Add Vaccine Information
    4. enter information on add vaccination popup
    5. Verify the added item displayed on the Vaccine Schedule screen
    6. Verify reminder options in vaccine schedule
    7. Verify change reminder functionality in vaccine schedule screen
22. Verify that user can access Dengue Alert feature
    1. Launch the app and select the country as per specified lbu
    2. login to the app with correct credentials using "Continue with Email"
    3. Verify the map can be expanded
    4. User should be able to vew the Dengue Outbreak - Malaysia
    5. User should be able to vew the Dengue Cases - Malaysia
23. Verify Pru infectious disease cover functionality on one pulse App
    1. User should be able to register on app with correct credentials using "Continue with Email"
    2. Navigate to PRU Shoppe screen
    3. Verify User should be able to see the infectious disease cover screen options
    4. Verify User should be able to see the infectious disease cover Screen options
    5. Verify User should be able to see the infectious disease cover term and condition
    6. Verify User should be able to see the infectious disease cover term and condition
    7. Verify User should be able to see the infectious disease cover term and condition
    8. Verify User should be able to see the infectious disease cover term and condition
    9. verify that user can see agreement and proceed button
24. Verify Pru Shoppe My Coverage functionality on one pulse App
    1. Launch the app and select the country as per specified lbu

2. login to the app with correct credentials using "Continue with Email"
3. Verify user can access his policies from Pru Shoppe My Policies screen
4. Click on Link policy and verify screen to add policy number
5. Verify the error message when the Policy Number is blank
6. Verify the error message when the Policy Number is invalid or incorrect
7. Verify the error message when the Cancel Button

25. Verify wealth channel functionality on one pulse App
    1. Launch the app and select the country as per specified lbu
    2. login to the app with correct credentials using "Continue with Email"
    3. Verify User should be able to navigate to wealth page
    4. Verify User should be able to view the story post
    5. Verify User should be able to Like the post
    6. Verify User should be able to Share the post
    7. Verify User should be able to Comment the post
    8. Verify User should be able to view the full page article post
    9. Verify User should be able to see the Like, Share, Comment options on full page article post
    10. Verify User should be able to Like the post in full article view screen
    11. Verify User should be able to Share the post in full article view screen
    12. Verify User should be able to Comment the post in full article view screen
    13. Verify User can navigate to wealth homepage
26. Verify Notification Center functionality on one pulse App
    1. Navigate to notification screen via home screen
    2. Verify User should be able to see the Notification screen texts
27. Verify share with friends functionality in onepulse app
    1. Launch the app and select the country as per specified lbu
    2. login to the app with correct credentials using "Continue with Email"
    3. Verify User should be able to share the link with Whatsapp
    4. Verify User should be able to share the link with Contacts app
    5. Verify User should be able to share the link with Messenger app
    6. Verify User should be able to share the link with Viber app
    7. Verify User should be able to share the link with Line app

Detailed Results Report

Feature: Verify login functionality on One pulse App			
Passed: 6	Failed: 1	Undefined: 0	Duration: 1035.79s

Scenario: Launch the app and select the country as per specified lbu			
Passed: 8	Failed: 0	Undefined: 0	Duration: 83.76s
Before			0.43s

Given User has pulse app	8.50s
And I assign "${login.email.id}" to variable "PULSE_EMAIL"	0.01s
And user click on "CONTINUE WITH EMAIL" with Email button	48.51s
Then I change the country as required on registration page	19.44s
Then I wait for 2 sec	2.01s
Then I change the language as required on registration page	0.00s
And I click the Sign in link	2.06s
Then I verify below language options on toggle bar as per specified lbu on login	

page			2.80s
After			0.00s

Back to Table of Contents

Scenario: login to the app with correct credentials using "Continue with Email"

Passed: 6	Failed: 0	Undefined: 0	Duration: 92.28s
Before			0.00s
Given I select the language option on toggle bar as required on login page			3.71s
When user enters credentials			50.89s
UserName	${PULSE_EMAIL}		
Password	${login.password}		
And User clicks on signin button			1.85s
And I wait for 5 sec			5.03s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"			12.91s
Then user should be landed to "Home" screen			17.88s
After			0.00s

Back to Table of Contents

Scenario: Verify the Invalid Email id in login screen using "Continue with Email"

Passed: 15	Failed: 0	Undefined: 0	Duration: 177.41 s
Before			0.00s
Given User has pulse app			7.02s
Then I wait for 2 sec			2.01s
And user click on "CONTINUE WITH EMAIL" with Email button			48.60s
Then I change the country as required on registration page			19.06s
Then I wait for 2 sec			2.01s
And I click the Sign in link			2.13s
Then I wait for 2 sec			2.00s
And I select the language option on toggle bar as required on login page			3.43s
When user enters credentials			60.38s
UserName	t@gmai		
Password	Pas$1234		
And User clicks on signin button			1.64s
Then verify invalid email message "Email is required"			1.03s
Then User clicks on Forgot Password button			1.56s
Then enter the email to request the new password			24.68s
Email	t@gmai		
Then User clicks on Send button			1.40s
Then verify invalid email message "${email.invalid.text}"			0.46s
After			0.00s

Back to Table of Contents

Scenario: Verify the User not registerd email in login screen using "Continue with Email"

Passed: 17	Failed: 0	Undefined: 0	Duration: 174.87 s

Before		0.00s
Given I generate random number and assign to variable "RANDOM_NUMBER"		0.07s
And I assign value to following variables		0.00s
USER_NAME	taf-${RANDOM_NUMBER}@mailinator.com	
USER_PASSWORD	Pas$1234	
Given User has pulse app		7.02s
And user click on "CONTINUE WITH EMAIL" with Email button		30.52s
Then I change the country as required on registration page		19.95s
Then I wait for 2 sec		2.01s
And I click the Sign in link		1.97s
Then I wait for 2 sec		2.00s
And I select the language option on toggle bar as required on login page		3.34s
When user enters credentials		61.90s
UserName	${USER_NAME}	
Password	${USER_PASSWORD}	
And I scroll down		6.92s
And User clicks on signin button		1.37s
Then verify invalid email message "${invalid.credential.message}"		2.15s
Then User clicks on Forgot Password button		1.46s
Then enter the email to request the new password		31.57s
Email	${USER_NAME}	
Then User clicks on Send button		1.26s
Then verify invalid email message "${invalid.credential.message}"		1.36s
After		0.00s

Back to Table of Contents

Scenario: User should be able to retrieve the reset password using forget password link

Passed: 8	Failed: 0	Undefined: 0	Duration: 119.79 s
Before			0.00s
And I assign "${forgot.password.email.id}" to variable "PULSE_EMAIL"			0.00s
Then enter the email to request the new password			64.25s
Email	${PULSE_EMAIL}		
Then User clicks on Send button			1.27s
And I read the otp for emailid "${PULSE_EMAIL}" using mailsac api and store into a variable "EMAIL_OTP"			27.98s
Then I wait for 5 sec			5.00s
Then I enter "${EMAIL_OTP}" reset code			2.49s
Then I wait for 5 sec			5.01s
Then Verify message: "${password.reset.success.text}" for Reset Password			13.78s
After			0.00s

Back to Table of Contents

Scenario: Verify Account should be locked after entering more than 7 times incorrect passwords

Passed: 20	Failed: 0	Undefined: 0	Duration: 323.06 s
Before			0.00s
Given I generate random number and assign to variable "RANDOM_NUMBER"			0.00s
And I assign "pulse${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"			0.00s
And User has pulse app			7.38s
Then I wait for 2 sec			2.01s
And user click on "CONTINUE WITH EMAIL" with Email button			29.16s
Then I change the country as required on registration page			19.33s
Then I wait for 5 sec			5.01s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button			6.95s
Then I wait for 2 sec			2.01s
When user enters registration details			20.13s

FirstName	testAutomation
LastName	testAutomation
Email	${PULSE_EMAIL}
Password	Pas$1234

And taps on continue "Sign_Up" button	1.73s
Then I wait for otp screen after clicking on signup button	3.04s
Then I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	33.41s
Then I click skip button	103.92s
Then user should be landed to "Home" screen	15.66s
Then I wait for 4 sec	4.01s
And I click the Account icon in Home screen	1.88s
And I click the sign out from pulse app	12.60s
Then I wait for 2 sec	2.01s
Then I enter invalid password on login screen and verify the error message	52.83s

Pas$123##${invalid.credential.message}
Pas$123##${invalid.credential.message}
Pas$123##${invalid.credential.message}
Pas$123##${invalid.credential.message}
Pas$123##${invalid.credential.message}
Pas$123##${invalid.credential.message}
Pas$123##${invalid.credential.message}
Pas$123##${account.locked.message}

After			0.00s

Back to Table of Contents

Scenario: Verify the Login Functionality using "Continue with Facebook"

Passed: 4	Failed: 1	Undefined: 8	Duration: 64.63s
Before			0.00s
Given User has pulse app			8.20s

Then I wait for 2 sec	2.01s
And user click on "CONTINUE WITH EMAIL" with Email button	42.42s
Then I wait for 2 sec	2.02s
Then I change the country as required on registration page	6.68s

```
org.openqa.selenium.NoSuchElementException: An element could not be located on the page
using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions
/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:95b8:7a7:1d5b:
d396%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: ,
bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false,
newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS,
platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E,
webStorageEnabled: false}
Session ID: d59ec70e-da23-4e66-b7d6-5efae44ba842
*** Element info: {Using=xpath, value=//XCUIElementTypeStaticText[@name="Country"]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
```

```
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.onepulse.app.screens.TestBasePage.clickBasedOnElement(TestBasePage.java:490)
at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryName
(PulseRegistrationScreen.java:1025)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTheCountry
(RegistrationSteps.java:306)
at .Then I change the country as required on registration page(features/PulseLoginTest.
feature:149)
```

Then I wait for 2 sec	0.00s
Then I navigate to pulse registration page and select the lang on toggle bar	0.00s
Then I click on connect with facebook button	0.00s
Then I wait for 2 sec	0.00s
And I click the "Email" in Continue with Facebook	0.00s

Emailid	${emailid.text}
Password	${password.texts}

Then I wait for 10 sec	0.00s
Then user should be landed to "Home" screen	0.00s
And I logout from onepulse app	0.00s



After		**3.31s**

Back to Table of Contents

Feature: Verify registration functionality on one pulse App

Passed: 9	**Failed: 0**	**Undefined: 0**	**Duration: 1041.21s**

Scenario: User should be able to register on app with correct credentials using "Continue with Email"			
Passed: 47	Failed: 0	Undefined: 0	Duration: 283.85 s
Before			0.01s

Given I generate random number and assign to variable "RANDOM_NUMBER"	0.05s
And I assign "pulse${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"	0.00s
And User has pulse app	8.68s
Then I wait for 2 sec	2.01s
And user click on "CONTINUE WITH EMAIL" with Email button	28.53s
Then I wait for 2 sec	2.01s
Then I change the country as required on registration page	20.43s
Then I wait for 2 sec	2.01s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	7.01s
Then I wait for 2 sec	2.01s
When user enters registration details	20.72s

FirstName	testAutomation
LastName	testAutomation
Email	${PULSE_EMAIL}
Password	Pas$1234

And taps on continue "Sign_Up" button	0.83s
Then I wait for otp screen after clicking on signup button	3.23s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	33.86s
Then I wait for 2 sec	2.01s
And I enter the "mobile number" in welcome to pulse	10.73s

mobileNumber	${registration.mobile.number}

And I choose my wellness goals under wellness plan screen	4.44s
And I click the date in Date of Birth field	2.22s
And I click the Done icon	1.36s
And I click the continue button	1.51s
And I select the Male icon	1.62s
And I click the continue button	1.82s
And I click on Calculate BMI button	3.31s
And I click the continue button	2.32s
And I select the "How active are you?" in doing exercise	2.03s
And I click the continue button	1.76s
And I select my favorite food dietary	1.77s
And I click the continue button	2.54s
And I answer as "${option.yes.text}" to "Any Food allergies?"	4.98s
And I click the continue button	2.67s
And I verify that "Tracking your activity is trending" is displayed	1.60s
And I click on connect Later button	0.98s

And I enter the "mobile number" in welcome to pulse		8.27s
mobileNumber	${registration.mobile.number}	
And I see that "Welcome to Pulse" text is displayed		2.35s
And I see that fitness subscription exclusive offers screen is displayed		3.25s
And I click on close icon		5.43s
And I enter NRIC number last 4 digits "122F"		8.09s
Then I click skip buttons		5.47s
Then user should be landed to "Home" screen		15.84s
Then I wait for 4 sec		4.01s
And I click the Account icon in Home screen		2.13s
And I click the sign out from pulse app		12.38s
Then I wait for 4 sec		4.01s
When user enters password credentials in sigin screen		5.35s
Password	Pas$1234	
And User clicks on signin button		1.62s
Then I wait for 8 sec		8.01s
Then user should be landed to "Home" screen		16.61s
After		0.00s

Back to Table of Contents

Scenario: verify the field label on registration screen

Passed: 9	Failed: 0	Undefined: 0	Duration: 94.09s
Before			0.00s

Given User has pulse app		7.13s
Then I wait for 2 sec		2.01s
And user click on "CONTINUE WITH EMAIL" with Email button		46.24s
Then I wait for 2 sec		2.01s
Then I change the country as required on registration page		20.68s
Then I wait for 2 sec		2.00s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button		7.14s
Then I wait for 2 sec		2.00s
Then I verify following field label should be displayed on registration screen		4.89s
${firstname.label.text}		
${lastname.label.text}		
${email.text}		
${password.text}		
After		0.00s

Back to Table of Contents

Scenario: verify the validation message for mandatory fields

Passed: 2	Failed: 0	Undefined: 0	Duration: 6.8s
Before			0.00s

Given taps on continue "Sign_Up" button		1.71s
Then I verify the validation error message is displayed for following field on		

registration page		5.09s
FirstName	${firstname.mandatoryField.message}	
LastName	${lastname.mandatoryField.message}	
Email	${email.mandatoryField.message}	
Password	${password.validation.message}	
After		0.00s

Back to Table of Contents

Scenario Outline: verify validation message when user enters Invalid password: Pulse@1 on registration page

Passed: 3	Failed: 0	Undefined: 0	Duration: 6.67s
Before			0.00s
When user enters registration details			4.04s
Password	Pulse@1		
And taps on continue "Sign_Up" button			1.78s
Then I verify the validation error message is displayed for following field on registration page			0.85s
Password	${password.validation.message}		
After			0.00s

Back to Table of Contents

Scenario Outline: verify validation message when user enters Invalid password: Pulse123 on registration page

Passed: 3	Failed: 0	Undefined: 0	Duration: 7.53s
Before			0.00s
When user enters registration details			4.90s
Password	Pulse123		
And taps on continue "Sign_Up" button			1.84s
Then I verify the validation error message is displayed for following field on registration page			0.78s
Password	${password.validation.message}		
After			0.00s

Back to Table of Contents

Scenario: Verify the validation message when user enter already registered email id on registration page

Passed: 11	Failed: 0	Undefined: 0	Duration: 102.89 s
Before			0.00s
Given User has pulse app			7.56s
Then I wait for 2 sec			2.01s
And user click on "CONTINUE WITH EMAIL" with Email button			30.09s
Then I wait for 2 sec			2.01s
Then I change the country as required on registration page			21.71s
Then I wait for 2 sec			2.01s
Then I navigate to pulse registration page and select the lang on toggle bar then			

click on continue with email button	7.22s
Then I wait for 2 sec	2.01s
When user enters registration details	24.41s

FirstName	testAutomation
LastName	testAutomation
Email	${login.email.id}
Password	Pas$1234

And taps on continue "Sign_Up" button	1.83s
Then I verify the validation error message is displayed for following field on registration page	2.04s

Email	${user.exist.text}

After		0.00s

Back to Table of Contents

Scenario: Verify the mobile number screen validation using "Continue with Email"

Passed: 20	Failed: 0	Undefined: 0	Duration: 196.53 s
Before			0.00s

Given I generate random number and assign to variable "RANDOM_NUMBER"	0.03s
And I assign "pulse${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"	0.00s
Given User has pulse app	7.60s
Then I wait for 2 sec	2.01s
And user click on "CONTINUE WITH EMAIL" with Email button	41.57s
Then I wait for 2 sec	2.01s
Then I change the country as required on registration page	34.32s
Then I wait for 2 sec	2.01s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	8.61s
Then I wait for 2 sec	2.00s
When user enters registration details	30.17s

FirstName	NewAutomation
LastName	NewAutomation
Email	${PULSE_EMAIL}
Password	Pas$1234

And taps on continue "Sign_Up" button	2.23s
And I wait for otp screen after clicking on signup button	7.11s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	34.60s
Then I wait for 10 sec	10.01s
Then I verify the country code should be displayed correctly on phone number screen	0.72s
And I enter the "mobile number" in welcome to pulse	6.83s

mobileNumber	917670

And I click the continue button	1.89s

Then I wait for 2 sec		2.01s
Then verify Again invalid Mobile message "${invalid.mobile.text}"		0.84s
After		0.00s

Back to Table of Contents

Scenario: Verify the Registration screen validation using "Continue with Email"

Passed: 29	Failed: 0	Undefined: 0	Duration: 72.55s
Before			0.00s

Given I enter the "mobile number" in welcome to pulse		7.01s
mobileNumber	${registration.mobile.number}	
Then I wait for 1 sec		1.01s
And I click the continue button		2.14s
Then verify validation message "${wellness.goal.alert.text}" on registration workflow screen		3.95s
And I choose my wellness goals under wellness plan screen		4.77s
Then I wait for 1 sec		1.01s
And I click the continue button		1.90s
Then verify validation message "${dob.alert.text}" on registration workflow screen		3.89s
And I click the date in Date of Birth field		1.38s
And I click the Done icon		1.69s
And I click the continue button		2.31s
Then I wait for 1 sec		1.01s
And I click the continue button		1.88s
Then verify validation message "${gender.alert.text}" on registration workflow screen		3.85s
And I select the Male icon		1.05s
And I click the continue button		1.98s
Then I wait for 1 sec		1.01s
And I click the continue button		3.07s
Then verify BMI validation message "${bmi.alert.text}" on registration workflow screen		4.18s
And I click on Calculate BMI button		2.37s
And I click the continue button		2.35s
Then I wait for 1 sec		1.01s
And I click the continue button		2.64s
Then verify validation message "${activity.level.alert.text}" on registration workflow screen		4.01s
And I select the "How active are you?" in doing exercise		1.35s
And I click the continue button		2.18s
Then I wait for 1 sec		1.01s
And I click the continue button		2.52s
Then verify validation message "${diet.preference.alert.text}" on registration workflow screen		4.07s
After		0.00s

Back to Table of Contents

Scenario: Verify the resend OTP functionality on Enter OTP Screen using "Continue with Email"

Passed: 18	Failed: 0	Undefined: 0	Duration: 270.31 s
Before			0.00s

Given I generate random number and assign to variable "RANDOM_NUMBER"	0.01s
And I assign "pulse${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"	0.00s
And User has pulse app	7.58s
Then I wait for 2 sec	2.01s
And user click on "CONTINUE WITH EMAIL" with Email button	45.34s
Then I wait for 2 sec	2.01s
Then I change the country as required on registration page	21.95s
Then I wait for 2 sec	2.01s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	7.25s
Then I wait for 2 sec	2.01s
When user enters registration details	27.82s

FirstName	testAutomation
LastName	testAutomation
Email	${PULSE_EMAIL}
Password	Pas$1234

And taps on continue "Sign_Up" button	2.49s
Then I wait for otp screen after clicking on signup button	10.03s
Then I wait for 90 sec	90.01s
Then I click the Resend button in OTP screen	3.92s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	34.89s
And I wait for 2 sec	2.01s
And I verify enter otp screen is not displayed	8.98s
After	0.00s

Back to Table of Contents

Feature: Verify Edit Profile functionality on Pulse Health & Wealth app

Passed: 7	Failed: 2	Undefined: 0	Duration: 433.76s

Scenario: Launch the app and select the country as per specified lbu

Passed: 6	Failed: 0	Undefined: 0	Duration: 83.91s
Before			0.00s

Given User has pulse app	7.69s
And I assign "${onepulse.login.edit.profile}" to variable "PULSE_EMAIL"	0.00s
And user click on "CONTINUE WITH EMAIL" with Email button	47.64s
Then I change the country as required on registration page	21.94s
Then I wait for 5 sec	5.01s
And I click the Sign in link	1.62s
After	0.00s

Back to Table of Contents

Scenario: login to the app with correct credentials using "Continue with Email"			
Passed: 7	Failed: 0	Undefined: 0	Duration: 108.65 s
Before			0.00s
Given I select the language option on toggle bar as required on login page			3.76s
When user enters credentials			66.57s
UserName	${PULSE_EMAIL}		
Password	${pulse.edit}		
And User clicks on signin button			1.36s
And I wait for 5 sec			5.01s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"			11.30s
Then user should be landed to "Home" screen			15.65s
And I wait for 5 sec			5.01s
After			0.00s

Back to Table of Contents

Scenario: Verify User should be able to navigate to Edit profile screen			
Passed: 3	Failed: 0	Undefined: 0	Duration: 35.67s
Before			0.00s
Given user navigate to account page			15.76s
And user click on Edit profile link			14.88s
Then I wait for 5 sec			5.03s
After			0.00s

Back to Table of Contents

Scenario: Verify User should be able to change the profile picture in edit profile screen			
Passed: 2	Failed: 0	Undefined: 0	Duration: 25.75s
Before			0.00s
Then I give manage profile camera permission			22.25s
Then I take picture from Camera			3.49s
After			0.00s

Back to Table of Contents

Scenario: Verify the email,country code and COR fields are non-editable in edit profile screen			
Passed: 3	Failed: 0	Undefined: 0	Duration: 7.41s
Before			0.00s
And verify email field is non-editable			1.87s
And verify country code field is non-editable and country code is "${country.code}"			2.43s
And verify country of Residence is "${country.name}" and non-editable			3.11s
After			0.00s

Back to Table of Contents

Scenario: Verify user can able to change the details in edit profile screen			
Passed: 4	Failed: 0	Undefined: 0	Duration: 54.03s
Before			0.00s

Given I generate random number and assign to variable "RANDOM_NUMBER"	0.01s
And I assign value to following variables	0.00s

First Name	Automation-${RANDOM_NUMBER}
Last Name	Testing-${RANDOM_NUMBER}

Then I update following profile details in edit profile screen	27.10s

FirstName	${First Name}
LastName	${Last Name}

And I click on update button in edit profile screen	26.91s
After	0.00s

Back to Table of Contents

Scenario: Verify Details updated during pulse profile registration should be reflected in edit profile screen

Passed: 0	Failed: 1	Undefined: 1	Duration: 11.0s
Before			0.00s

Given user click on Edit profile link	8.88s

```
org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:95b8:7a7:1d5b:d396%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}
Session ID: c08a3382-c91d-417e-9710-ebbbab0693fa
*** Element info: {Using=xpath, value=//XCUIElementTypeStaticText[contains(@name," +60")]//parent::XCUIElementTypeOther//following-sibling::XCUIElementTypeOther/XCUIElementTypeOther}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
```

```
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.PulseManageProfileScreen.clickeditProfileLink
(PulseManageProfileScreen.java:180)
at com.onepulse.app.stepdefinitions.mobilesteps.EditProfileSteps.clickEditProfileLink
(EditProfileSteps.java:37)
at .Given user click on Edit profile link(features/editProfile/PulseEditProfileTest.feature:55)
```

Then I verify following values in edit profile screen	0.00s

FirstName	${First Name}
LastName	${Last Name}
Email	${onepulse.login.edit.profile}
Gender	${pulse.edit.gender}
PhoneNumber	${pulse.edit.number}



After		**2.12s**

Back to Table of Contents

Scenario: verify the user details should be correctly on babylon screen

Passed: 3	**Failed: 1**	**Undefined: 2**	**Duration: 99.63s**
Before			**0.00s**

Given I navigate to Home page from edit profile screen	**11.32s**
Then I navigate to Babylon health Assessment and Accept TermsAndCondition	**80.50s**
Then I wait for 2 sec	**2.09s**
Then I verify the default values in babylon registration page is updated as below	**1.50s**

Gender	**${pulse.edit.gender}**
FirstName	**${First Name}**
LastName	**${Last Name}**
Email	**${onepulse.login.edit.profile}**

java.lang.AssertionError: actual value is Automation-58030068638 expected [Automation-92414074741] but found [Automation-58030068638]
at org.testng.Assert.fail(Assert.java:94)
at org.testng.Assert.failNotEquals(Assert.java:513)
at org.testng.Assert.assertEqualsImpl(Assert.java:135)
at org.testng.Assert.assertEquals(Assert.java:116)
at org.testng.Assert.assertEquals(Assert.java:190)
at com.onepulse.app.screens.PulseManageProfileScreen.verifyDefaultValuesOnBabylonRegPage(PulseManageProfileScreen.java:534)
at com.onepulse.app.stepdefinitions.mobilesteps.EditProfileSteps.verifyDefaultValuesOnBabylonRegPage(EditProfileSteps.java:156)
at .Then I verify the default values in babylon registration page is updated as below(features/editProfile/PulseEditProfileTest.feature:67)

And verify email field is non-editable	0.00s
And verify country of Residence is "${country.name}" and non-editable	0.00s



After		4.23s

Back to Table of Contents

Scenario: navigate back to health screen

Passed: 2	Failed: 0	Undefined: 0	Duration: 7.71s

Before		0.00s
	Given I navigate to health page from babylon registration screen	2.70s
	And I wait for 5 sec	5.01s
After		0.00s

Back to Table of Contents

Feature: Verify the Babylon Registration via HRA journey

Passed: 2	Failed: 0	Undefined: 0	Duration: 472.11s

Scenario: User should be able to Register for Babylon HRA

Passed: 18	Failed: 0	Undefined: 0	Duration: 338.77 s

Before		0.00s
	Given I generate random number and assign to variable "RANDOM_NUMBER"	0.01s
	And I assign "pulse${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"	0.00s
	And User has pulse app	8.47s
	Then I wait for 2 sec	2.01s
	And user click on "CONTINUE WITH EMAIL" with Email button	56.45s
	Then I wait for 2 sec	2.01s

Then I change the country as required on registration page	26.83s
Then I wait for 2 sec	2.01s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	7.40s
Then I wait for 2 sec	2.01s
When user enters registration details	28.19s

FirstName	testAutomation
LastName	testAutomation
Email	${PULSE_EMAIL}
Password	Pas$1234

And taps on continue "Sign_Up" button	2.35s
And I wait for otp screen after clicking on signup button	6.31s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	37.22s
Then I wait for 2 sec	2.01s
Then I click skip button	131.99s
Then user should be landed to "Home" screen	19.49s
Then I wait for 4 sec	4.00s
After	0.00s

Back to Table of Contents

Scenario: User should be able to Register for Babylon HRA

Passed: 5	Failed: 0	Undefined: 0	Duration: 133.34 s
Before			0.00s

When I clicks on Health button	31.33s
And I navigate to Babylon health Assessment and Accept TermsAndCondition	61.90s
And I confirm the registration	14.51s
And I click on Babylon Health Assessment Get Started button	15.22s
Then I verify following options are present for assessment	10.37s

Full Assessment
Nutrition
Activity
Mood

After	0.01s

Back to Table of Contents

Feature: Verify that user can locate near by Hospitals,clinics using PruShoppe Location feature

Passed: 4	Failed: 10	Undefined: 0	Duration: 438.26s

Scenario: Launch the app and select the country as per specified lbu

Passed: 6	Failed: 0	Undefined: 0	Duration: 94.54s
Before			0.00s

Given User has pulse app	10.76s
And I assign "${login.email.id}" to variable "PULSE_EMAIL"	0.01s
And user click on "CONTINUE WITH EMAIL" with Email button	59.30s
Then I change the country as required on registration page	20.81s

Then I wait for 2 sec		2.01s
And I click the Sign in link		1.66s
After		0.00s

Back to Table of Contents

Scenario: login to the app with correct credentials using "Continue with Email"

Passed: 6	Failed: 0	Undefined: 0	Duration: 114.59 s
Before			0.00s

Given I select the language option on toggle bar as required on login page		5.81s
When user enters credentials		68.68s
UserName	${PULSE_EMAIL}	
Password	${login.password}	
And User clicks on signin button		1.34s
And I wait for 5 sec		5.01s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"		13.13s
Then user should be landed to "Home" screen		20.63s
After		0.00s

Back to Table of Contents

Scenario: User should be able to locate Hospitals using PruShoppe location

Passed: 5	Failed: 1	Undefined: 0	Duration: 86.32s
Before			0.00s

When I clicks on Health button	35.94s
Then I clicks on Location button	19.35s
When I clicks on Search here text field	15.53s
And I clicks on "Hospitals" under Pulse Search	5.15s
Then User can see the list of "Hospitals" near by to user's current location	6.82s
And User can see that Call, Navigate and See Details links are displayed under "Hospitals" search results	2.52s

```
java.lang.AssertionError: The following asserts failed:
Near you Hospitals are not displayed
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.screens.LocationScreen.verifySearchResults(LocationScreen.java:102)
at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.
userCanSeeThatCallNavigateAndSeeDetailsLinksAreDisplayedUnderSearchResults
(LocationSteps.java:51)
at .And User can see that Call, Navigate and See Details links are displayed under "Hospitals"
search results(features/health/Hospital_Clinic_Locator.feature:31)
```

After		1.01s

Back to Table of Contents

Scenario: User can see details of listed hospitals in detail

Passed: 1	Failed: 1	Undefined: 0	Duration: 27.64s

Before	0.00s
When I clicks on See Details button on First result	2.11s
Then I can see the "Hospital" Information screen with Navigate and Call Now buttons	24.36s

java.lang.AssertionError: The following asserts failed:
Near you Hospitals are not displayed ,
Near you search results are not displayed ,
Call Now button is not displayed for the firstHospital tile See Details screen expected [true] but found [false],
Navigate link is not displayed for the firstHospital tile See Details screen expected [true] but found [false],
hospital address is not displayed for the first Hospital tile See Details screen expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.screens.LocationScreen.verifyHospitalInformationScreen(LocationScreen.java:151)
at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.iCanSeeTheInformationScreenWithNavigateAndCallNowButtons(LocationSteps.java:81)
at .Then I can see the "Hospital" Information screen with Navigate and Call Now buttons (features/health/Hospital_Clinic_Locator.feature:35)

After		**1.18s**

Back to Table of Contents

Scenario: User can see the details in speciality tab

Passed: 0	**Failed: 1**	**Undefined: 1**	**Duration: 11.18s**

Before		**0.00s**

When I clicks on "Speciality" tab	**10.49s**

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:95b8:7a7:1d5b:d396%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}
Session ID: 2ce43b70-c8df-4385-a40f-37634a1290a8
***** Element info: {Using=xpath, value=//XCUIElementTypeOther[@name="Speciality, tab, 2 of 4"]}**
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

```
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.LocationScreen.clickOnHospitalTab(LocationScreen.java:140)
at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.iClicksOnTab(LocationSteps.
java:61)
at .When I clicks on "Speciality" tab(features/health/Hospital_Clinic_Locator.feature:38)
```

Then I verify the Speciality screen is displayed	0.00s



After		**0.69s**

Back to Table of Contents

Scenario: User can see the details in doctor's tab

Passed: 0	**Failed: 1**	**Undefined: 1**	**Duration: 8.78s**
Before			**0.00s**

When I clicks on "Doctors" tab	**8.01s**

```
org.openqa.selenium.NoSuchElementException: An element could not be located on the page
using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions
/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:95b8:7a7:1d5b:
d396%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: ,
bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false,
newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS,
platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E,
webStorageEnabled: false}
Session ID: 2ce43b70-c8df-4385-a40f-37634a1290a8
*** Element info: {Using=xpath, value=//XCUIElementTypeOther[@name="Doctors, tab, 3 of
4"]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
```

```
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.LocationScreen.clickOnHospitalTab(LocationScreen.java:140)
at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.iClicksOnTab(LocationSteps.
java:61)
at .When I clicks on "Doctors" tab(features/health/Hospital_Clinic_Locator.feature:42)
```

Then I verify the Doctors screen is displayed	0.00s



After		**0.76s**

Back to Table of Contents

Scenario: User can see the details in rooms tab

Passed: 0	**Failed: 1**	**Undefined: 1**	**Duration: 10.19s**
Before			**0.00s**

When I clicks on "Rooms" tab	**9.46s**

```
org.openqa.selenium.NoSuchElementException: An element could not be located on the page
using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions
/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:95b8:7a7:1d5b:
d396%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: ,
bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false,
newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS,
platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E,
webStorageEnabled: false}
Session ID: 2ce43b70-c8df-4385-a40f-37634a1290a8
*** Element info: {Using=xpath, value=//XCUIElementTypeOther[@name="Rooms, tab, 4 of
4"]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
```

```
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.LocationScreen.clickOnHospitalTab(LocationScreen.java:140)
at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.iClicksOnTab(LocationSteps.
java:61)
at .When I clicks on "Rooms" tab(features/health/Hospital_Clinic_Locator.feature:46)
```

Then I verify the Rooms screen is displayed	0.00s



After		**0.72s**

Back to Table of Contents

Scenario: User can navigate out of the hospital details screen

Passed: 0	**Failed: 1**	**Undefined: 0**	**Duration: 9.79s**
Before			**0.00s**

When I clicks on back button in See Details screen	**8.99s**

```
org.openqa.selenium.NoSuchElementException: An element could not be located on the page
using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions
/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:95b8:7a7:1d5b:
d396%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: ,
bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false,
newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS,
platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E,
webStorageEnabled: false}
Session ID: 2ce43b70-c8df-4385-a40f-37634a1290a8
*** Element info: {Using=xpath, value=//XCUIElementTypeOther[@name="Navigate"]/../..
/preceding-sibling:: XCUIElementTypeOther[1]/XCUIElementTypeOther}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
```

```
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.LocationScreen.navigateBackToListScreen(LocationScreen.java:
204)
at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.
iClicksOnBackButtonInSeeDetailsScreen(LocationSteps.java:86)
at .When I clicks on back button in See Details screen(features/health/Hospital_Clinic_Locator.
feature:50)
```

After		0.80s

Back to Table of Contents

Scenario: User should be able to locate cli using PruShoppe location

Passed: 3	Failed: 1	Undefined: 0	Duration: 34.35s

Before	0.01s
And I clicks on back button in "Hospitals" screen	5.03s
When I clicks on Search here text field	14.69s
And I clicks on "Clinics" under Pulse Search	6.07s
Then User can see the list of "Clinics" near by to user's current location	7.69s

```
java.lang.AssertionError: The following asserts failed:
Near you Hospitals are not displayed ,
Near you search results are not displayed ,
Call Now button is not displayed for the firstHospital tile See Details screen expected [true] but found [false],
Navigate link is not displayed for the firstHospital tile See Details screen expected [true] but found [false],
hospital address is not displayed for the first Hospital tile See Details screen expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.screens.LocationScreen.verifyHospitalScreenLaunch(LocationScreen.java:85)
at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.userCanSeeTheListOfNearByToUserSCurrentLocation(LocationSteps.java:46)
at .Then User can see the list of "Clinics" near by to user's current location(features/health/Hospital_Clinic_Locator.feature:57)
```

After		**0.87s**

Back to Table of Contents

Scenario: User can verify the clinic page

Passed: 0	**Failed: 1**	**Undefined: 0**	**Duration: 2.65s**

Before		**0.00s**
And User can see that Call, Navigate and See Details links are displayed under "Clinics" search results		**2.18s**

java.lang.AssertionError: The following asserts failed:
Near you Hospitals are not displayed ,
Near you search results are not displayed ,
Call Now button is not displayed for the firstHospital tile See Details screen expected [true] but found [false],
Navigate link is not displayed for the firstHospital tile See Details screen expected [true] but found [false],
hospital address is not displayed for the first Hospital tile See Details screen expected [true] but found [false],
Near you Clinics are not displayed
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.screens.LocationScreen.verifySearchResults(LocationScreen.java:102)
at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.
userCanSeeThatCallNavigateAndSeeDetailsLinksAreDisplayedUnderSearchResults
(LocationSteps.java:51)
at .And User can see that Call, Navigate and See Details links are displayed under "Clinics" search results(features/health/Hospital_Clinic_Locator.feature:60)

After		0.47s

Back to Table of Contents

Scenario: User can view listed clinic details

Passed: 1	Failed: 0	Undefined: 0	Duration: 2.16s
Before			0.00s
When I clicks on See Details button on First result			2.16s
After			0.00s

Back to Table of Contents

Scenario: User can view listed clinic info

Passed: 0	Failed: 1	Undefined: 0	Duration: 24.37s
Before			0.00s
Then I can see the "Clinic" Information screen with Navigate and Call Now buttons			23.88s

java.lang.AssertionError: The following asserts failed:
Near you Hospitals are not displayed ,
Near you search results are not displayed ,
Call Now button is not displayed for the firstHospital tile See Details screen expected [true] but found [false],
Navigate link is not displayed for the firstHospital tile See Details screen expected [true] but found [false],
hospital address is not displayed for the first Hospital tile See Details screen expected [true] but found [false],
Near you Clinics are not displayed ,
Near you search results are not displayed ,
Call Now button is not displayed for the firstClinic tile See Details screen expected [true] but found [false],

Navigate link is not displayed for the firstClinic tile See Details screen expected [true] but found [false],
hospital address is not displayed for the first Clinic tile See Details screen expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.screens.LocationScreen.verifyHospitalInformationScreen(LocationScreen.java:151)
at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.iCanSeeTheInformationScreenWithNavigateAndCallNowButtons(LocationSteps.java:81)
at .Then I can see the "Clinic" Information screen with Navigate and Call Now buttons (features/health/Hospital_Clinic_Locator.feature:66)

After		0.49s

Back to Table of Contents

Scenario: User can view listed clinic info details

Passed: 0	Failed: 1	Undefined: 0	Duration: 8.55s
Before			0.00s

When I clicks on back button in See Details screen	7.97s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:95b8:7a7:1d5b:d396%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test,

```
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false,
newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS,
platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E,
webStorageEnabled: false}
Session ID: 2ce43b70-c8df-4385-a40f-37634a1290a8
*** Element info: {Using=xpath, value=//XCUIElementTypeOther[@name="Navigate"]/../..
/preceding-sibling:: XCUIElementTypeOther[1]/XCUIElementTypeOther}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.LocationScreen.navigateBackToListScreen(LocationScreen.java:
204)
at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.
iClicksOnBackButtonInSeeDetailsScreen(LocationSteps.java:86)
```

at .When I clicks on back button in See Details screen(features/health/Hospital_Clinic_Locator.feature:69)

After		0.58s

Back to Table of Contents

Scenario: User can navigate back to clinics screen

Passed: 1	Failed: 0	Undefined: 0	Duration: 3.15s

Before		0.00s
And I clicks on back button in "Clinic" screen		3.15s
After		0.00s

Back to Table of Contents

Feature: Verify Medicine Reminder Positive Flow functionality on one pulse App

Passed: 4	Failed: 6	Undefined: 0	Duration: 790.67s

Scenario: User should be able to register on app with correct credentials using "Continue with Email"

Passed: 16	Failed: 0	Undefined: 0	Duration: 339.07 s

Before	0.00s
Given I generate random number and assign to variable "RANDOM_NUMBER"	0.03s
And I assign "pulse${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"	0.00s
And User has pulse app	10.75s
And user click on "CONTINUE WITH EMAIL" with Email button	62.48s
Then I wait for 2 sec	2.02s
Then I change the country as required on registration page	22.29s

Then I wait for 2 sec	2.00s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	8.45s
When user enters registration details	33.05s

FirstName	medicine
LastName	reminder
Email	${PULSE_EMAIL}
Password	Pas$1234

And taps on continue "Sign_Up" button	2.48s
And I wait for otp screen after clicking on signup button	4.71s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	34.49s
Then I wait for 2 sec	2.00s
Then I click skip button	129.71s
Then user should be landed to "Home" screen	20.61s
Then I wait for 4 sec	4.01s
After	0.00s

Back to Table of Contents

Scenario: Verify User should be able to navigate to medical reminder page

Passed: 4	Failed: 0	Undefined: 0	Duration: 62.38s
Before			0.00s

Then I click the Health icon in Home screen	1.80s
And I wait for 2 sec	2.01s
And I clicks on click here icon in medical Reminder	56.56s
Then I wait for 2 sec	2.01s
After	0.00s

Back to Table of Contents

Scenario: verify the static text on medicine reminder screen

Passed: 0	Failed: 1	Undefined: 2	Duration: 34.68s
Before			0.00s

And I verify following text displayed in Add medicine screen	31.89s

${no.medicine.text}
${Medicalremainder.text}
${track.medicine.text}
${important.dose.text}

```
java.lang.AssertionError: The following asserts failed:
No medicine added! text is displayed on page expected [true] but found [false],
Medicine Reminder text is displayed on page expected [true] but found [false],
Track the medicine and set reminder text is displayed on page expected [true] but found [false],
before for important dose text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.VerifyAddMedicine(MyDocSteps.
java:885)
at .And I verify following text displayed in Add medicine screen(features/health
/MedicineReminder.feature:35)
```

And I clicks on "${add.new.reminder}" in app screens	0.00s
And I wait for 2 sec	0.00s



After		**2.79s**

Back to Table of Contents

Scenario: verify add medicine screen is launched and user can enter the required info on medical info screen

Passed: 0	**Failed: 1**	**Undefined: 3**	**Duration: 28.48s**
Before			**0.01s**

And I verify following text displayed in Add medicine screen	**26.55s**

${medicine.info.field}
${schedule.field}
${more.setting.field}

java.lang.AssertionError: The following asserts failed:
Medicine Info text is displayed on page expected [true] but found [false],
Schedule text is displayed on page expected [true] but found [false],
More Setting text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.VerifyAddMedicine(MyDocSteps.java:885)
at .And I verify following text displayed in Add medicine screen(features/health/MedicineReminder.feature:45)

And I assign "Paracetamol" to variable "Medicine_Info"	0.00s
And I enter following details in add medicine screen	0.00s

Medicine Info	${Medicine_Info}
Unit	Tablet (unit)

Quantity	2

And I clicks on Next icon in app screens	0.00s



After		**1.91s**

[Back to Table of Contents](#)

Scenario: verify user navigated to schedule screen and user can enter the required info

Passed: 0	**Failed: 1**	**Undefined: 4**	**Duration: 48.79s**

Before		**0.00s**

And I verify following text displayed in Add medicine screen	**47.34s**

${frequency.text}
${dosage.timing.text}
${start.date.text}
${end.date.text}
${dose.intake.text}

java.lang.AssertionError: The following asserts failed:
Frequency text is displayed on page expected [true] but found [false],
Dosage Timing text is displayed on page expected [true] but found [false],
Start Date text is displayed on page expected [true] but found [false],
End Date text is displayed on page expected [true] but found [false],
Dose Intake text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.VerifyAddMedicine(MyDocSteps.java:885)
at .And I verify following text displayed in Add medicine screen(features/health/MedicineReminder.feature:58)

And I enter following details in add medicine screen	0.00s

Frequency	Once

And I clicks on Timing in Add medcine screen	0.00s
And I clicks on "${before.meal.text}" in app screens	0.00s
And I clicks on Next icon in app screens	0.00s



After		**1.44s**

Back to Table of Contents

Scenario: Verify User should be able to navigate to More Setting page

Passed: 1	**Failed: 1**	**Undefined: 2**	**Duration: 23.82s**

Before	**0.00s**

Given I wait for 2 sec	**2.01s**
And I enter following details in add medicine screen	**20.13s**

Medication For	fever
Medicine Stock	5

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:95b8:7a7:1d5b:d396%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E,

webStorageEnabled: false}
Session ID: 1472d116-80f9-4dec-8e02-49e20d6a9978
*** Element info: {Using=xpath, value=(//XCUIElementTypeStaticText[@name="What are you taking this medication for?"]/following::XCUIElementTypeTextField)[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:262)
at com.onepulse.app.screens.PulseHealthScreen.enterDetailsInAddMedScreen (PulseHealthScreen.java:392)
at com.onepulse.app.stepdefinitions.mobilesteps.MedicineReminderSteps. enterInfoInAddMedicineScreen(MedicineReminderSteps.java:30)
at .And I enter following details in add medicine screen(features/health/MedicineReminder. feature:72)

And I clicks the Done button in Add medicine screen	0.00s

And I verify following texts are displayed	0.00s
${Medicine_Info} added successfully!	



After		**1.67s**

Back to Table of Contents

Scenario: verify Add medicine screen is displayed when user click on add new reminder on success popup

Passed: 2	Failed: 1	Undefined: 7	Duration: 143.86 s

Before		**0.00s**
And I clicks on "${add.another.med}" in app screens		125.05s
And I assign "cold" to variable "Medicine_Info"		0.02s
And I enter following details in add medicine screen		17.56s

Medicine Info	${Medicine_Info}
Unit	Tablet (unit)
Quantity	5

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:95b8:7a7:1d5b:d396%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false,

```
newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS,
platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E,
webStorageEnabled: false}
Session ID: 1472d116-80f9-4dec-8e02-49e20d6a9978
*** Element info: {Using=xpath, value=(//XCUIElementTypeStaticText[@name="Medicine
Info"]/following::XCUIElementTypeTextField)[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:262)
at com.onepulse.app.screens.PulseHealthScreen.enterDetailsInAddMedScreen
(PulseHealthScreen.java:366)
at com.onepulse.app.stepdefinitions.mobilesteps.MedicineReminderSteps.
enterInfoInAddMedicineScreen(MedicineReminderSteps.java:30)
at .And I enter following details in add medicine screen(features/health/MedicineReminder.
feature:84)
```

And I clicks on Next icon in app screens	0.00s
And I enter following details in add medicine screen	0.00s
Frequency | Daily	
And I clicks on Timing in Add medcine screen	0.00s
And I clicks on "After meal" in app screens	0.00s
And I clicks on Next icon in app screens	0.00s
And I enter following details in add medicine screen	0.00s
Medication For | Cold Medicine Stock | 5	
And I clicks the Done button in Add medicine screen	0.00s



After		**1.22s**

Back to Table of Contents

Scenario: verify medicine reminder home screen is displayed when user click on not now button on success popup

Passed: 2	**Failed: 0**	**Undefined: 0**	**Duration: 49.4s**
Before			**0.00s**

And I clicks on Not now icon in app screen	48.20s
And I verify following text displayed in Add medicine screen	1.20s
${Medicalremainder.text}	

After		**0.00s**

Back to Table of Contents

Scenario: navigate to health screen

Passed: 1	**Failed: 0**	**Undefined: 0**	**Duration: 1.45s**
Before			**0.00s**

And I click the Back button in medical remainder		1.45s
After		0.00s

Back to Table of Contents

Scenario: Verify User should be able to navigate to calendar page

Passed: 3	Failed: 1	Undefined: 0	Duration: 58.76s
Before			0.00s

Given I wait for 2 sec	2.01s
When I scroll down	7.09s
Then I click on Calendar tile	23.38s
And I verify following text displayed in Add medicine screen	23.93s

${Medicalremainder.text}
${Medicine_Info}

```
java.lang.AssertionError: The following asserts failed:
Medicine Reminder text is displayed on page expected [true] but found [false],
cold text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.VerifyAddMedicine(MyDocSteps.
java:885)
at .And I verify following text displayed in Add medicine screen(features/health
/MedicineReminder.feature:111)
```

After		2.36s

```
com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.embedScenarioScreenshot(CucumberHook.
java:119)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:73)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.
java:62)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
```

```
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)
```

Back to Table of Contents

Feature: Verify MY Event channel functionality on one pulse App

Passed: 5	Failed: 0	Undefined: 0	Duration: 395.69s

Scenario: Launch the app and select the country as per specified lbu

Passed: 6	Failed: 0	Undefined: 0	Duration: 185.77 s
Before			0.00s
Given User has pulse app			109.60s
And I assign "${onepulse.events.user}" to variable "PULSE_EMAIL"			0.01s
And user click on "CONTINUE WITH EMAIL" with Email button			48.65s
Then I change the country as required on registration page			23.86s
Then I wait for 2 sec			2.01s
And I click the Sign in link			1.64s
After			0.00s

Back to Table of Contents

Scenario: login to the app with correct credentials using "Continue with Email"

Passed: 6	Failed: 0	Undefined: 0	Duration: 111.49 s
Before			0.00s
Given I select the language option on toggle bar as required on login page			4.75s
When user enters credentials			66.96s

UserName	${PULSE_EMAIL}
Password	${pulse.password}

And User clicks on signin button	1.24s
And I wait for 5 sec	5.01s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	14.04s
Then user should be landed to "Home" screen	19.49s

After			0.00s
Back to Table of Contents			
Scenario: Verify MyEvent Functionality in Home screen			
Passed: 4	Failed: 0	Undefined: 0	Duration: 25.32s
Before			0.00s
Given I wait for 2 sec			2.01s
And I click the MyEvent icons			9.60s
And I wait for 5 sec			5.00s
And I verify following texts are displayed			8.72s
You do not have any events enrolled yet			
Please choose from the open events and get started			
After			0.00s
Back to Table of Contents			
Scenario: Verify Events Archive tab			
Passed: 2	Failed: 0	Undefined: 0	Duration: 38.53s
Before			0.00s
And I click the Events Archive icon			31.97s
And I verify following texts are displayed			6.56s
You do not have any events in your archive.			
After			0.00s
Back to Table of Contents			
Scenario: Verify Open Events tab			
Passed: 2	Failed: 0	Undefined: 0	Duration: 34.59s
Before			0.00s
And I click the Open Events icon			34.58s
And I verify either static text or available open events are displayed on screen			0.00s
There are no events available at the moment			
Stay tuned for events on health and fitness			
After			0.00s
Back to Table of Contents			
Feature: Verify My Health Content functionality on One Pulse App			
Passed: 8	Failed: 0	Undefined: 0	Duration: 363.04s
Scenario: Launch the app and select the country as per specified lbu			
Passed: 5	Failed: 0	Undefined: 0	Duration: 101.58 s
Before			0.00s
Given User has pulse app			10.92s
And user click on "CONTINUE WITH EMAIL" with Email button			59.87s
Then I change the country as required on registration page			26.15s
Then I wait for 3 sec			3.02s
And I click the Sign in link			1.63s
After			0.00s

Back to Table of Contents

Scenario: User should be able to login on app with correct credentials using "Continue with Email"

Passed: 7	Failed: 0	Undefined: 0	Duration: 135.56 s
Before			0.00s
And I assign "${login.email.id}" to variable "PULSE_EMAIL"			0.00s
Given I select the language option on toggle bar as required on login page			7.44s
When user enters credentials			78.88s

UserName	${PULSE_EMAIL}
Password	${login.password}

And User clicks on signin button	4.83s
Then I wait for 10 sec	10.01s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	14.25s
Then user should be landed to "Home" screen	20.15s
After	0.00s

Back to Table of Contents

Scenario: Verify User should be able to navigate to Health page

Passed: 5	Failed: 0	Undefined: 0	Duration: 43.77s
Before			0.00s
Given I wait for 2 sec			2.01s
Then I navigate to Health Content screen			9.60s
Then I wait for 8 sec			8.01s
And I verify following texts are displayed			1.51s

Health Channels

And I verify the following texts "My Health Content" in Screen	22.64s

Category
Like
Share
Comment

After			0.00s

Back to Table of Contents

Scenario: Verify User should be able to view the full page article post

Passed: 2	Failed: 0	Undefined: 0	Duration: 37.81s
Before			0.00s
Then I click on "Health Channels" topic for details full view			27.81s
Then I wait for 10 sec			10.01s
After			0.00s

Back to Table of Contents

Scenario: Verify User should be able to see the Like, Share, Comment options on full page article post

Passed: 1	Failed: 0	Undefined: 0	Duration: 16.28s
Before			0.00s

And I verify the following texts "My Health Content" in Screen		16.28s
Like Share Comment		
After		0.00s

Back to Table of Contents

Scenario: Verify User should be able to Like the post in full article view screen

Passed: 2	Failed: 0	Undefined: 0	Duration: 13.68s
Before			0.00s
And I Like the post			6.91s
And I Like the post			6.78s
After			0.00s

Back to Table of Contents

Scenario: Verify User should be able to Share the post in full article view screen

Passed: 2	Failed: 0	Undefined: 0	Duration: 10.99s
Before			0.00s
And I share the post			6.22s
Then I navigate back to previous page			4.77s
After			0.00s

Back to Table of Contents

Scenario: Verify User can navigate to Health homepage

Passed: 1	Failed: 0	Undefined: 0	Duration: 3.36s
Before			0.00s
Then I navigate to story post page			3.36s
After			0.00s

Back to Table of Contents

Feature: Verify Notification Center functionality on one pulse App

Passed: 3	Failed: 0	Undefined: 0	Duration: 373.61s

Scenario: User should be able to register on app with correct credentials using "Continue with Email"

Passed: 18	Failed: 0	Undefined: 0	Duration: 369.66 s
Before			0.00s
Given I generate random number and assign to variable "RANDOM_NUMBER"			0.05s
And I assign "pulse${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"			0.00s
And User has pulse app			9.32s
Then I wait for 2 sec			2.02s
And user click on "CONTINUE WITH EMAIL" with Email button			68.57s
Then I wait for 2 sec			2.00s
Then I change the country as required on registration page			24.85s
Then I wait for 2 sec			2.00s

Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	8.25s
Then I wait for 2 sec	2.00s
When user enters registration details	34.55s

FirstName	testAutomation
LastName	testAutomation
Email	${PULSE_EMAIL}
Password	Pas$1234

And taps on continue "Sign_Up" button	2.70s
And I wait for otp screen after clicking on signup button	4.71s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	38.08s
Then I wait for 2 sec	2.01s
Then I click skip button	147.46s
Then user should be landed to "Home" screen	17.08s
Then I wait for 4 sec	4.01s
After	0.00s

Back to Table of Contents

Scenario: Navigate to notification screen via home screen

Passed: 2	Failed: 0	Undefined: 0	Duration: 3.33s

Before	0.00s
Given I navigate to notification screen from home page	1.30s
Then I wait for 2 sec	2.03s
After	0.00s

Back to Table of Contents

Scenario: Verify User should be able to see the Notification screen texts

Passed: 1	Failed: 0	Undefined: 0	Duration: .61s

Before	0.00s
And I verify following texts are displayed	0.61s
${notification.msg}	
After	0.00s

Back to Table of Contents

Feature: Verify My Challenges on One Pulse App

Passed: 1	Failed: 3	Undefined: 0	Duration: 159.71s

Scenario: Launch the app and select the country as per specified lbu

Passed: 5	Failed: 0	Undefined: 0	Duration: 82.36s

Before	0.00s
Given User has pulse app	11.97s
And user click on "CONTINUE WITH EMAIL" with Email button	44.23s
Then I change the country as required on registration page	21.51s
Then I wait for 3 sec	3.01s
And I click the Sign in link	1.64s
After	0.00s

Back to Table of Contents

Scenario: User should be able to login on app with correct credentials using "Continue with Email"

Passed: 2	Failed: 1	Undefined: 4	Duration: 27.83s
Before			0.00s

And I assign "${login.email.id}" to variable "PULSE_EMAIL"	0.01s
Given I select the language option on toggle bar as required on login page	5.12s
When user enters credentials	20.31s

UserName	${PULSE_EMAIL}
Password	${login.password}

```
com.prudential.tap.exception.TapException: Not able to find element on screen [By.xpath: //XCUIElementTypeKeyboard//XCUIElementTypeButton[@name='Return']]
at com.prudential.tap.appium.AppiumCommands.findElementNoWait(AppiumCommands.java:176)
at com.prudential.tap.appium.AppiumCommands.pressIOSKeyBoardKey(AppiumCommands.java:595)
at com.prudential.tap.appium.AppiumCommands.isKeyBoardKeyPresent(AppiumCommands.java:719)
at com.onepulse.app.screens.PulseLoginScreen.enterLoginCredentials(PulseLoginScreen.java:155)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.userEntersCredentials(LoginSteps.java:52)
at .When user enters credentials(features/home/mychallenges/PulseMyChallenges.feature:15)
```

And User clicks on signin button	0.00s
Then I wait for 10 sec	0.00s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	0.00s
Then user should be landed to "Home" screen	0.00s



After			**2.40s**
Back to Table of Contents			
Scenario: Verify My Challenges texts			
Passed: 0	**Failed: 1**	**Undefined: 2**	**Duration: 9.23s**
Before			**0.00s**

And I click on My Challenges tile on one pulse app	**8.42s**

com.prudential.tap.exception.TapException: Not able to find element on screen [By.xpath: //XCUIElementTypeOther[@name="dynamicHome_scroll"]/XCUIElementTypeScrollView /XCUIElementTypeOther[2]/XCUIElementTypeOther[4]]
at com.prudential.tap.appium.AppiumCommands.findElementNoWait(AppiumCommands. java:176)
at com.prudential.tap.appium.AppiumCommands.clickElementByCoordinateforBothXY (AppiumCommands.java:512)
at com.onepulse.app.screens.TestBasePage.clickElementByCoordinateForBothXY (TestBasePage.java:599)
at com.onepulse.app.screens.PulseLoginScreen.clickMyChallengesTile(PulseLoginScreen.java: 1221)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.myChallengesTile(LoginSteps. java:472)
at .And I click on My Challenges tile on one pulse app(features/home/mychallenges /PulseMyChallenges.feature:24)

And I verify following texts are displayed	**0.00s**

${my.challenges.text}
${do.not.have.challenges}
${challenge.getstarted}
${do.not.have.challenges}

And I verify the following texts "My challenges" in Screen	**0.00s**

${all.challenges.text}



After		**0.82s**

Back to Table of Contents

Scenario: Click on All challenges and and verify texts

Passed: 0	**Failed: 1**	**Undefined: 3**	**Duration: 40.29s**
Before			**0.00s**

And I clicks on "${all.challenges.text}" in app screen	**39.10s**

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:95b8:7a7:1d5b:d396%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}
Session ID: da15d349-d485-452d-b9b3-43ae209d2c19
***** Element info: {Using=xpath, value=//XCUIElementTypeOther[@name="All Challenges"]}**
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException

```
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.CustomerConnectScreen.clickButton(CustomerConnectScreen.
java:1730)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickUploadIcon
(CustomerConnectSteps.java:534)
at .And I clicks on "${all.challenges.text}" in app screen(features/home/mychallenges
/PulseMyChallenges.feature:36)
```

And I verify the following texts "My challenges" in Screen	0.00s
${my.challenges.text} ${all.challenges.text}	
And I verify following texts are displayed	0.00s
${no.challenges.available} ${notify.challenge}	
And I clicks on "${back.home}" in app screen	0.00s



After		1.19s

Back to Table of Contents

Feature: Verify My Communities on One Pluse App

Passed: 7	Failed: 4	Undefined: 0	Duration: 607.85s

Scenario: Launch the app and select the country as per specified lbu

Passed: 5	Failed: 0	Undefined: 0	Duration: 93.46s
Before			0.00s
Given User has pulse app			8.69s
And user click on "CONTINUE WITH EMAIL" with Email button			45.00s
Then I change the country as required on registration page			35.07s
Then I wait for 3 sec			3.03s
And I click the Sign in link			1.67s
After			0.00s

Back to Table of Contents

Scenario: User should be able to login on app with correct credentials using "Continue with Gmail"

Passed: 7	Failed: 0	Undefined: 0	Duration: 125.71 s
Before			0.00s
And I assign "${onepulse.login.global.id}" to variable "PULSE_EMAIL"			0.13s
Given I select the language option on toggle bar as required on login page			2.72s
When user enters credentials			74.14s

UserName	${PULSE_EMAIL}
Password	${pulse.password}

And User clicks on signin button	2.64s

Then I wait for 10 sec		10.01s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"		15.58s
Then user should be landed to "Home" screen		20.48s
After		0.00s

Back to Table of Contents

Scenario: User should be able to login on app with correct credentials using "Continue with Email" and Verify the Mycommunities screen

Passed: 5	Failed: 0	Undefined: 0	Duration: 27.57s
Before			0.00s

Then I wait for 6 sec		6.01s
And I click the MyCommunities icon		2.08s
Then I wait for 6 sec		6.00s
And I verify following texts are displayed		3.73s
${icon.communities}		
And I verify the following texts "All Communities" in Screen		9.76s
${my.communities.text} ${All.Communities.text}		
After		0.00s

Back to Table of Contents

Scenario: Leave the community if already joined

Passed: 3	Failed: 0	Undefined: 0	Duration: 44.92s
Before			0.00s

And I clicks on "${my.communities.text}" in app screen		29.53s
Then I wait for 5 sec		5.00s
Then I leave all joined communities by clicking on three dots menu icon on my My communities screen		10.39s
After		0.00s

Back to Table of Contents

Scenario: Verify the All Communities Post screen

Passed: 9	Failed: 0	Undefined: 0	Duration: 95.59s
Before			0.00s

Then I wait for 5 sec		5.01s
And I clicks on "${All.Communities.text}" in app screen		30.68s
And I click the Join button in Communties tab		4.78s
And I click the static Active icon in community screen		6.39s
And I click Edit icon in stay Active icon		14.76s
And Enter the post in community screen		6.03s
POST TEST1		
And Enter the post in community large text screen		7.62s
POST welcome		
And I click the Post icon in create post screen		3.00s
Then I verify the following text "TEST1" in post Screen		17.32s
TEST1		

welcome		
After		0.00s

Back to Table of Contents

Scenario: Verify the Likes and comments counts in All communities tab

Passed: 8	Failed: 0	Undefined: 0	Duration: 45.8s
Before			0.00s
And I click the Post icon in My communities			2.57s
And I wait for 5 sec			5.00s
And I click the like button in Post screen			1.38s
And Verify the like count in Post screen " 1 Likes" likes			9.68s
And I click the Comment icon in feed screen			1.48s
And Enter the comments in Feeds screen			4.50s
Comments TEST1			
And I click the submit icon in feeds screen			12.36s
And Verify the comments count in Feeds screen " 0 Comments" comments			8.84s
After			0.00s

Back to Table of Contents

Scenario: Verify the Share with Friends Functionality in All communities tab

Passed: 4	Failed: 0	Undefined: 0	Duration: 26.16s
Before			0.00s
And I click the share icon in Post screen			5.39s
And Verify the pop up in "Share with Friends"			4.74s
And I click the phone icon in share with friends			5.63s
And I give camera permission			10.39s
After			0.00s

Back to Table of Contents

Scenario: Verify the Post Functionality in All communities

Passed: 5	Failed: 1	Undefined: 6	Duration: 35.91s
Before			0.00s
Then I click skip button in feeds screen			13.42s
Then I wait for 2 sec			2.02s
And I click the Back icon in Stay Active screen			3.63s
Then I wait for 3 sec			3.01s
And I click Edit icon in stay Active icon			9.40s
And I click the Camera icon in create post screen			3.42s

```
org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:95b8:7a7:1d5b:d396%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
```

```
Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: ,
bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false,
newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS,
platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E,
webStorageEnabled: false}
Session ID: cf5a4850-9300-4769-bf60-4c979f860a8f
*** Element info: {Using=xpath, value=(//XCUIElementTypeTextField/following::
XCUIElementTypeOther/XCUIElementTypeOther)[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.mydocui.MyCommunitiesScreen.ClickCameraIcon
(MyCommunitiesScreen.java:627)
at com.onepulse.app.stepdefinitions.mobilesteps.MyCommunitiesSteps.ClickCameraIcon
```

(MyCommunitiesSteps.java:193)
at .And I click the Camera icon in create post screen(features/home/mycommunities/PulseMyCommunities.feature:80)

And I click the Upload Image icon	0.00s
And I give camera permission	0.00s
Then I take picture from Camera	0.00s
And Enter the post in community screen	0.00s
POST TEST1	
And Enter the post in community large text screen	0.00s
POST welcome	
And I click the Post icon in create post screen	0.00s



After		1.02s

[Back to Table of Contents](#)

Scenario: Verify the Category list and search feature

Passed: 1	Failed: 1	Undefined: 4	Duration: 52.95s
Before			0.00s

Then I wait for 15 sec	15.01s
And I clicks on "${category.text}" in app screen	37.15s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:95b8:7a7:1d5b:d396%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

```
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: ,
bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false,
newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS,
platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E,
webStorageEnabled: false}
Session ID: cf5a4850-9300-4769-bf60-4c979f860a8f
*** Element info: {Using=xpath, value=//XCUIElementTypeOther[@name="Category"]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.CustomerConnectScreen.clickButton(CustomerConnectScreen.
java:1730)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickUploadIcon
```

(CustomerConnectSteps.java:534)
at .And I clicks on "${category.text}" in app screen(features/home/mycommunities/PulseMyCommunities.feature:93)

And I verify the following texts "Category" in Screen	0.00s

COVID-19
Fitness
Global Awareness Days
Mental Health

And I clicks on "${no.post.category}" in app screen	0.00s
And I clicks on "${apply.button}" in app screen	0.00s
And I verify following texts are displayed	0.00s

${no.post.found.text}



After		0.79s

Back to Table of Contents

Scenario: User navigates back to the community screen

Passed: 0	Failed: 1	Undefined: 0	Duration: 21.68s
Before			0.01s

And I click the Back icon in Stay Active screen	20.83s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:95b8:7a7:1d5b:d396%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

```
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: ,
bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false,
newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS,
platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E,
webStorageEnabled: false}
Session ID: cf5a4850-9300-4769-bf60-4c979f860a8f
*** Element info: {Using=xpath, value=(//XCUIElementTypeOther[@name="Dance for
Wellness"])[2]/XCUIElementTypeOther}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.mydocui.MyCommunitiesScreen.Clickstaricon
(MyCommunitiesScreen.java:479)
```

at com.onepulse.app.stepdefinitions.mobilesteps.MyCommunitiesSteps.Clickstarutton (MyCommunitiesSteps.java:153)
at .And I click the Back icon in Stay Active screen(features/home/mycommunities /PulseMyCommunities.feature:105)



After		0.85s

Back to Table of Contents

Scenario: Leave the community if already joined

Passed: 0	Failed: 1	Undefined: 3	Duration: 38.08s
Before			0.00s

And I clicks on "${my.communities.text}" in app screen	36.94s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions /no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:95b8:7a7:1d5b: d396%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}
Session ID: cf5a4850-9300-4769-bf60-4c979f860a8f
*** Element info: {Using=xpath, value=//XCUIElementTypeOther[@name="My Communities"]}

```
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.CustomerConnectScreen.clickButton(CustomerConnectScreen.
java:1730)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickUploadIcon
(CustomerConnectSteps.java:534)
at .And I clicks on "${my.communities.text}" in app screen(features/home/mycommunities
/PulseMyCommunities.feature:108)
```

And I scroll down	0.00s
When I click on joined community three dots menu icon	0.00s
And I click on leave button for joined community	0.00s



After		1.14s

Back to Table of Contents

Feature: Verify Private My Communities on One Pulse App

Passed: 4	Failed: 0	Undefined: 0	Duration: 351.68s

Scenario: Launch the app and select the country as per specified lbu

Passed: 5	Failed: 0	Undefined: 0	Duration: 118.89 s
Before			0.00s

Given User has pulse app	8.95s
And user click on "CONTINUE WITH EMAIL" with Email button	80.28s
Then I change the country as required on registration page	24.11s
Then I wait for 3 sec	3.03s
And I click the Sign in link	2.51s

After		0.00s

Back to Table of Contents

Scenario: User should be able to login on app with correct credentials using "Continue with Email"

Passed: 7	Failed: 0	Undefined: 0	Duration: 103.1s
Before			0.00s

And I assign "${mychannel.private.user}" to variable "PULSE_EMAIL"	0.01s
Given I select the language option on toggle bar as required on login page	7.11s
When user enters credentials	49.53s

UserName	${PULSE_EMAIL}
Password	${login.password}

And User clicks on signin button	1.47s

Then I wait for 10 sec	10.01s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	11.79s
Then user should be landed to "Home" screen	23.19s
After	0.00s

Back to Table of Contents

Scenario: Verify the My communities screen

Passed: 5	Failed: 0	Undefined: 0	Duration: 20.56s

Before	0.00s
And I click the MyCommunities icon	2.69s
Then I wait for 3 sec	3.01s
And I verify following texts are displayed	1.94s
${icon.communities}	
And I verify the following texts "All Communities" in Screen	9.92s
${my.communities.text} ${All.Communities.text}	
Then I wait for 3 sec	3.00s
After	0.00s

Back to Table of Contents

Scenario: Verify the Private Communities in communities screen

Passed: 12	Failed: 0	Undefined: 0	Duration: 109.14 s

Before	0.00s
And I click the Private "${All.Communities.text}" in Communties screen	1.05s
And I Enter the "e.g. Be Healthy content, Challenges etc." in "Test" in home screen	11.47s
And I Enter the "e.g. Healthy content, forum for celebrities etc." in "2020" in home new screen	8.02s
And I clicks on "Take a Picture" in app screen	9.85s
And I click the Upload Image icon	2.25s
And I give camera permission	9.53s
Then I take picture from Camera	7.58s
Then I wait for 3 sec	3.01s
And I scroll down	6.90s
And I click the continue button	4.74s
Then I click skip button in feeds screen	12.07s
And I clicks on "OK" in app screen	32.67s
After	0.00s

Back to Table of Contents

Feature: Verify legal and legacy on One pulse App

Passed: 7	Failed: 0	Undefined: 0	Duration: 313.88s

Scenario: Launch the app and select the country as per specified lbu

Passed: 6	Failed: 0	Undefined: 0	Duration: 113.99 s

Before		0.00s
Given User has pulse app		12.49s
And I assign "${pulse.legal.privacy.login.id}" to variable "PULSE_EMAIL"		0.01s
And user click on "CONTINUE WITH EMAIL" with Email button		67.48s
Then I change the country as required on registration page		27.29s
Then I wait for 5 sec		5.01s
And I click the Sign in link		1.71s
After		0.00s

Back to Table of Contents

Scenario: login to the app with correct credentials using "Continue with Email"

Passed: 6	Failed: 0	Undefined: 0	Duration: 104.37 s
Before			0.00s
Given I select the language option on toggle bar as required on login page			5.30s
When user enters credentials			57.34s
UserName	${PULSE_EMAIL}		
Password	${pulse.edit}		
And User clicks on signin button			1.55s
And I wait for 5 sec			5.03s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"			11.36s
Then user should be landed to "Home" screen			23.79s
After			0.00s

Back to Table of Contents

Scenario: Navigate to account screen

Passed: 1	Failed: 0	Undefined: 0	Duration: 19.41s
Before			0.00s
Given user navigate to account page			19.41s
After			0.00s

Back to Table of Contents

Scenario: Verify the Legacy and Privacy should be displayed

Passed: 2	Failed: 0	Undefined: 0	Duration: 20.06s
Before			0.00s
And I click the Legacy and Privacy in Account screen			6.93s
Then I verify following texts are displayed in terms and condition screen			13.13s
${Terms.conditions.text}			
${icon.privacyNotice}			
${icon.regulatory}			
${app.version.text}			
After			0.00s

Back to Table of Contents

Scenario: Verify the Terms and condition screen should be displayed

Passed: 4	Failed: 0	Undefined: 0	Duration: 21.03s
Before			0.00s

And I click on "${Terms.conditions.text}" link in Account screen	1.24s
And I click the pulse icon in Account screen	3.84s
And I click the Back icon in pulse screen	9.79s
And I click the Back icon in Terms and conditions screen	6.16s
After	0.00s

Back to Table of Contents

Scenario: Verify the Privacy screen should be displayed

Passed: 4	Failed: 0	Undefined: 0	Duration: 14.16s

Before	0.00s
And I click the Privacy icon in legal screen	2.88s
And I click the pulse icon in Account screen	1.79s
And I click the Back icon in pulse screen	6.29s
And I click the Back icon in Privacy Notice	3.21s
After	0.00s

Back to Table of Contents

Scenario: Verify the Regulator screen should be displayed

Passed: 4	Failed: 0	Undefined: 0	Duration: 20.87s

Before	0.00s
Given I wait for 2 sec	2.00s
And I click the Regulatory icon in legal screen	1.39s
And I click the Babylons icon in Account screen	2.38s
Then I verify following texts are displayed in terms and condition screen	15.10s
${clinicalSafety.text}	
${ai.healthcare.text}	
${localisation.text}	
${privacy.date.protection.text}	
${concern.reporting.text}	
After	0.00s

Back to Table of Contents

Feature: Verify My accounts options in Account screen

1)My wearable
2)My Rewards
3)My Notifications
4)My Feedback
5)Pulse Personalised

Passed: 25	Failed: 0	Undefined: 0	Duration: 647.62s

Scenario: Launch the app and select the country as per specified lbu

Passed: 6	Failed: 0	Undefined: 0	Duration: 106.94 s

Before	0.00s
Given User has pulse app	10.60s
And I assign "${onepulse.login.edit.profile}" to variable "PULSE_EMAIL"	0.01s

And user click on "CONTINUE WITH EMAIL" with Email button		66.98s
Then I change the country as required on registration page		23.39s
Then I wait for 5 sec		5.01s
And I click the Sign in link		0.95s
After		0.00s

Back to Table of Contents

Scenario: login to the app with correct credentials using "Continue with Email"

Passed: 6	Failed: 0	Undefined: 0	Duration: 108.18 s
Before			0.00s

Given I select the language option on toggle bar as required on login page		4.42s
When user enters credentials		54.29s
UserName	${PULSE_EMAIL}	
Password	${pulse.edit}	
And User clicks on signin button		3.08s
And I wait for 5 sec		5.01s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"		19.48s
Then user should be landed to "Home" screen		21.92s
After		0.00s

Back to Table of Contents

Scenario: Navigate to account screen and verify all the options

Passed: 3	Failed: 0	Undefined: 0	Duration: 50.99s
Before			0.00s

Given user navigate to account page		19.24s
Then I wait for 2 sec		2.01s
And user should verify following options on account screen		29.75s
${my.wearable.text}		
${my.rewards.text}		
${my.notification.text}		
${icon.mySettings}		
${my.feedback.text}		
${icon.legal&Privacy}		
${pulsePersonalised.text}		
${sign.out.button.text}		
${logs.text}		
After		0.00s

Back to Table of Contents

Scenario: Verify wearable screen in Account tab

Passed: 4	Failed: 0	Undefined: 0	Duration: 18.28s
Before			0.00s

And I click on "${my.wearable.text}" link in Account screen		1.34s
Then I wait for 2 sec		2.01s
Then I verify following text are displayed under My Wearables screen		11.44s

${wearables.title}			
${wearables.subTitle}			
${wearables.description}			
${wearables.fitbitText}			
${wearables.garminText}			
And I verify following wearables are displayed as per the device			3.49s
${apple.health.text}##${wearables.googleFit}			
After			0.00s
Back to Table of Contents			
Scenario: navigate back to account screen from my wearable screen			
Passed: 2	Failed: 0	Undefined: 0	Duration: 4.73s
Before			0.00s
And user navigate back to the Home screen from My Wearables screen			2.73s
And I wait for 2 sec			2.00s
After			0.00s
Back to Table of Contents			
Scenario: Navigate to account screen			
Passed: 2	Failed: 0	Undefined: 0	Duration: 21.15s
Before			0.00s
Given user navigate to account page			19.14s
Then I wait for 2 sec			2.01s
After			0.00s
Back to Table of Contents			
Scenario: Verify reward screen in Account tab			
Passed: 3	Failed: 0	Undefined: 0	Duration: 22.85s
Before			0.00s
And I click on "${my.rewards.text}" link in Account screen			2.19s
Then I wait for 2 sec			2.00s
Then User verify following texts are displayed in My Rewards screen			18.67s
${myRewards.title}			
${myRewards.badges}			
${myRewards.vouchers}			
${myRewards.discover}			
${my.rewards.text}			
After			0.00s
Back to Table of Contents			
Scenario: User access My Rewards FAQ			
Passed: 3	Failed: 0	Undefined: 0	Duration: 10.41s
Before			0.00s
When I scroll down			6.97s
Then I wait for 2 sec			2.01s
Then User verify following texts are displayed in My Rewards screen			1.44s

${myRewards.faq.title}			
After			0.00s
Back to Table of Contents			
Scenario Outline: Verify the FAQ on my rewards screen			
Passed: 4	Failed: 0	Undefined: 0	Duration: 13.72s
Before			0.00s
Then User verify following faqs and answers "${myRewards.faq.1}" are displayed in My Rewards screen			4.08s
${myRewards.faq.1}			
And I expand faq "${myRewards.faq.1}" in My Rewards screen			2.38s
Then User verify following faqs and answers "${myRewards.faq.1.ans}" are displayed in My Rewards screen			3.98s
${myRewards.faq.1.ans}			
And I expand faq "${myRewards.faq.1}" in My Rewards screen			3.28s
After			0.00s
Back to Table of Contents			
Scenario Outline: Verify the FAQ on my rewards screen			
Passed: 4	Failed: 0	Undefined: 0	Duration: 13.5s
Before			0.00s
Then User verify following faqs and answers "${myRewards.faq.2}" are displayed in My Rewards screen			3.67s
${myRewards.faq.2}			
And I expand faq "${myRewards.faq.2}" in My Rewards screen			2.57s
Then User verify following faqs and answers "${myRewards.faq.2.ans}" are displayed in My Rewards screen			4.05s
${myRewards.faq.2.ans}			
And I expand faq "${myRewards.faq.2}" in My Rewards screen			3.21s
After			0.00s
Back to Table of Contents			
Scenario Outline: Verify the FAQ on my rewards screen			
Passed: 4	Failed: 0	Undefined: 0	Duration: 15.27s
Before			0.00s
Then User verify following faqs and answers "${myRewards.faq.3}" are displayed in My Rewards screen			4.22s
${myRewards.faq.3}			
And I expand faq "${myRewards.faq.3}" in My Rewards screen			2.71s
Then User verify following faqs and answers "${myRewards.faq.3.ans.subtext}" are displayed in My Rewards screen			3.69s
${myRewards.faq.3.ans.1}##${myRewards.faq.3.ans.2}##${myRewards.faq.3.ans.3}##${myRewards.faq.3.ans.4}##${myRewards.faq.3.ans.5}##${myRewards.faq.3.ans.6}##${myRewards.faq.3.ans.7}			
And I expand faq "${myRewards.faq.3}" in My Rewards screen			4.65s
After			0.00s

Back to Table of Contents

Scenario Outline: Verify the FAQ on my rewards screen			
Passed: 4	Failed: 0	Undefined: 0	Duration: 11.9s
Before			0.00s
Then User verify following faqs and answers "${myRewards.faq.5}" are displayed in My Rewards screen			2.15s
${myRewards.faq.5}			
And I expand faq "${myRewards.faq.5}" in My Rewards screen			3.11s
Then User verify following faqs and answers "${myRewards.faq.5.ans.subtext}" are displayed in My Rewards screen			3.85s
${myRewards.faq.5.ans.1}##${myRewards.faq.5.ans.2}##${myRewards.faq.5.ans.3}##${myRewards.faq.5.ans.4}			
And I expand faq "${myRewards.faq.5}" in My Rewards screen			2.80s
After			0.00s

Back to Table of Contents

Scenario Outline: Verify the FAQ on my rewards screen			
Passed: 4	Failed: 0	Undefined: 0	Duration: 13.66s
Before			0.00s
Then User verify following faqs and answers "${myRewards.faq.6}" are displayed in My Rewards screen			3.66s
${myRewards.faq.6}			
And I expand faq "${myRewards.faq.6}" in My Rewards screen			3.25s
Then User verify following faqs and answers "${myRewards.faq.6.ans}" are displayed in My Rewards screen			3.46s
${myRewards.faq.6.ans}			
And I expand faq "${myRewards.faq.6}" in My Rewards screen			3.29s
After			0.00s

Back to Table of Contents

Scenario Outline: Verify the FAQ on my rewards screen			
Passed: 4	Failed: 0	Undefined: 0	Duration: 17.16s
Before			0.00s
Then User verify following faqs and answers "${myRewards.faq.7}" are displayed in My Rewards screen			12.27s
${myRewards.faq.7}			
And I expand faq "${myRewards.faq.7}" in My Rewards screen			1.43s
Then User verify following faqs and answers "${myRewards.faq.7.ans}" are displayed in My Rewards screen			1.41s
${myRewards.faq.7.ans}			
And I expand faq "${myRewards.faq.7}" in My Rewards screen			2.05s
After			0.00s

Back to Table of Contents

Scenario Outline: Verify the FAQ on my rewards screen			
Passed: 4	Failed: 0	Undefined: 0	Duration: 17.0s

Before			0.01s
Then User verify following faqs and answers "${myRewards.faq.8}" are displayed in My Rewards screen			4.77s
${myRewards.faq.8}			
And I expand faq "${myRewards.faq.8}" in My Rewards screen			2.08s
Then User verify following faqs and answers "${myRewards.faq.8.ans.subtext}" are displayed in My Rewards screen			4.31s
${myRewards.faq.8.ans.1}##${myRewards.faq.8.ans.2}##${myRewards.faq.8.ans.3}			
And I expand faq "${myRewards.faq.8}" in My Rewards screen			5.84s
After			0.00s
Back to Table of Contents			
Scenario Outline: Verify the FAQ on my rewards screen			
Passed: 4	Failed: 0	Undefined: 0	Duration: 14.29s
Before			0.00s
Then User verify following faqs and answers "${myRewards.faq.9}" are displayed in My Rewards screen			2.28s
${myRewards.faq.9}			
And I expand faq "${myRewards.faq.9}" in My Rewards screen			3.32s
Then User verify following faqs and answers "${myRewards.faq.9.ans}" are displayed in My Rewards screen			4.89s
${myRewards.faq.9.ans}			
And I expand faq "${myRewards.faq.9}" in My Rewards screen			3.80s
After			0.00s
Back to Table of Contents			
Scenario: navigate back to account screen from my rewards screen			
Passed: 2	Failed: 0	Undefined: 0	Duration: 60.31s
Before			0.00s
Then I click on back button on my reward screen to navigate to account screen			58.30s
And I wait for 2 sec			2.01s
After			0.00s
Back to Table of Contents			
Scenario: Verify Notification screen in Account tab			
Passed: 2	Failed: 0	Undefined: 0	Duration: 7.32s
Before			0.00s
And I click on "${my.notification.text}" link in Account screen			3.47s
Then User verify following texts are displayed in My Notification screen			3.84s
${notification.msg}			
After			0.01s
Back to Table of Contents			
Scenario: navigate back to account screen from Notification screen			
Passed: 2	Failed: 0	Undefined: 0	Duration: 6.07s
Before			0.00s

Then I click on back button on notification screen to navigate to account screen			4.07s
And I wait for 2 sec			2.01s
After			0.00s

Back to Table of Contents

Scenario: Verify my feedback screen in Account tab

Passed: 4	Failed: 0	Undefined: 0	Duration: 31.12s
Before			0.00s
And I click on "${my.feedback.text}" link in Account screen			2.84s
Then User verify following texts are displayed in My feedback screen			9.03s
${feedback.static.text}			
${feedback.improvement}			
Then User verify following feedback options are displayed in My feedback screen			13.97s
${aime.text}			
${health.article.text}			
${bmi.text.uppercase}			
${wrinkle.text}			
${health.assessment.text}			
${babylon.symptom.checker}			
Then I verify following edit box sample text is displayed in account screen			5.28s
${share.thought.text}			
After			0.00s

Back to Table of Contents

Scenario: Verify the submit functionality in My feedback screen

Passed: 4	Failed: 0	Undefined: 0	Duration: 19.17s
Before			0.00s
Given I select "5" star in feedback screen			1.11s
Then I enter feedback			2.78s
Feedback	Test_12345		
And I click the Submit icon in Feedback Screen			13.28s
And I wait for 2 sec			2.00s
After			0.00s

Back to Table of Contents

Scenario: Verify the Pulse Personalised tab

Passed: 4	Failed: 0	Undefined: 0	Duration: 23.05s
Before			0.00s
And I click on "${pulsePersonalised.text}" link in Account screen			2.80s
And I wait for 2 sec			2.01s
Then User verify following texts are displayed in pulse personalised screen			4.74s
${pulsePersonalised.text}			
${data.privacy.text}			
Then I verify data and privacy consent in pulse personalised screen			13.51s
${pulse.personalised.consent.text1}			

${pulse.personalised.consent.text2}			
${pulse.personalised.consent.text3}			
${pulse.personalised.consent.text4}			
${pulse.personalised.consent.text5}			
${pulse.personalised.consent.text6}			
${pulse.personalised.consent.text7}			
After			0.00s
Back to Table of Contents			
Scenario: Save the consent with data privacy check			
Passed: 5	Failed: 0	Undefined: 0	Duration: 12.43s
Before			0.00s
Given I select the data privacy checkbox			1.84s
And I click the save button in pulse personalised icons			1.28s
Then User verify following texts are displayed in pulse personalised screen			5.85s
${consent.success.msg.text}			
And I click the Ok button in pulse personlised screen			1.47s
Then I wait for 2 sec			2.01s
After			0.00s
Back to Table of Contents			
Scenario: Save the consent without data privacy check			
Passed: 4	Failed: 0	Undefined: 0	Duration: 17.15s
Before			0.00s
Given I select the data privacy checkbox			5.68s
And I click the save button in pulse personalised icons			0.82s
Then User verify following texts are displayed in pulse personalised screen			8.96s
${consent.success.msg.text}			
And I click the Ok button in pulse personlised screen			1.68s
After			0.00s
Back to Table of Contents			
Scenario: navigate back to account screen from pulse personalised screen			
Passed: 2	Failed: 0	Undefined: 0	Duration: 10.97s
Before			0.00s
And I click the Back icon in pulse personalised screen			8.96s
And I wait for 2 sec			2.01s
After			0.00s
Back to Table of Contents			

Feature: Verify MySettings functionality in Account screen			
Passed: 5	Failed: 0	Undefined: 0	Duration: 254.74s
Scenario: Launch the app and select the country as per specified lbu			
Passed: 6	Failed: 0	Undefined: 0	Duration: 113.94 s
Before			0.00s

Given User has pulse app		13.68s
And I assign "${onepulse.login.edit.profile}" to variable "PULSE_EMAIL"		0.03s
And user click on "CONTINUE WITH EMAIL" with Email button		65.38s
Then I change the country as required on registration page		28.20s
Then I wait for 5 sec		5.01s
And I click the Sign in link		1.64s
After		0.00s

Back to Table of Contents

Scenario: login to the app with correct credentials using "Continue with Email"

Passed: 6	Failed: 0	Undefined: 0	Duration: 109.76 s
Before			0.00s

Given I select the language option on toggle bar as required on login page		6.52s
When user enters credentials		54.85s
UserName	${PULSE_EMAIL}	
Password	${pulse.edit}	
And User clicks on signin button		1.99s
And I wait for 5 sec		5.01s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"		12.86s
Then user should be landed to "Home" screen		28.52s
After		0.01s

Back to Table of Contents

Scenario: Navigate to account screen

Passed: 1	Failed: 0	Undefined: 0	Duration: 21.06s
Before			0.00s

Given user navigate to account page		21.06s
After		0.00s

Back to Table of Contents

Scenario: Verify my setting screen in Account tab

Passed: 3	Failed: 0	Undefined: 0	Duration: 5.58s
Before			0.00s

Given I wait for 2 sec		2.01s
And I click on "${icon.mySettings}" link in Account screen		1.57s
Then I wait for 2 sec		2.01s
After		0.00s

Back to Table of Contents

Scenario: navigate back to account screen from my setting screen

Passed: 2	Failed: 0	Undefined: 0	Duration: 4.4s
Before			0.00s

Then I click on back button on my settings screen to navigate to account screen		2.39s
And I wait for 2 sec		2.01s
After		0.00s

Back to Table of Contents

Feature: Verify My wearable functionality via fitness tab on Pulse Health & Wealth app

Passed: 2	Failed: 1	Undefined: 0	Duration: 264.13s

Scenario: Launch the app and select the country as per specified lbu

Passed: 6	Failed: 0	Undefined: 0	Duration: 111.72 s
Before			0.00s
Given User has pulse app			12.61s
And I assign "${login.email.id}" to variable "PULSE_EMAIL"			0.01s
And user click on "CONTINUE WITH EMAIL" with Email button			66.81s
Then I change the country as required on registration page			25.58s
Then I wait for 5 sec			5.01s
And I click the Sign in link			1.70s
After			0.00s

Back to Table of Contents

Scenario: login to the app with correct credentials using "Continue with Email"

Passed: 6	Failed: 0	Undefined: 0	Duration: 117.93 s
Before			0.00s
Given I select the language option on toggle bar as required on login page			5.26s
When user enters credentials			74.17s
UserName	${PULSE_EMAIL}		
Password	${login.password}		
And User clicks on signin button			2.95s
And I wait for 5 sec			5.01s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"			12.92s
Then user should be landed to "Home" screen			17.62s
After			0.01s

Back to Table of Contents

Scenario: Verify the user can access My Wearables via Fitness

Passed: 1	Failed: 1	Undefined: 2	Duration: 34.48s
Before			0.00s
When User clicks on Fitness tab			8.38s
Then I verify My Wearables tile on Fitness screen			20.04s
${fitness.myWearables}			
${fitness.myWearables.description}			

```
java.lang.AssertionError: The following asserts failed:
the expected text is: My Wearables expected [true] but found [false],
the expected text is: Track all your activities at the click of a button expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.OptionsInFooterSteps.verifyStaticTextOnFitnessScreen(OptionsInFooterSteps.java:40)
```

at .Then I verify My Wearables tile on Fitness screen(features/my/fitness/MyWearable.feature:25)

When I click on Connect Now button on Fitness screen	0.00s
Then I verify following text are displayed under My Wearables screen	0.00s

${wearables.title}
${wearables.subTitle}
${wearables.description}
${wearables.fitbitText}
${wearables.garminText}
${wearables.googleFit}



After		6.06s

Back to Table of Contents

Feature: Verify the BabyLon HRA Report - Nutrition, Body, Activity

Passed: 14	Failed: 4	Undefined: 0	Duration: 1583.19s

Scenario: Launch the app and select the country as per specified lbu

Passed: 6	Failed: 0	Undefined: 0	Duration: 109.75 s
Before			0.00s
Given User has pulse app			14.25s
And I assign "${hra.report.email.id}" to variable "PULSE_EMAIL"			0.03s
And user click on "CONTINUE WITH EMAIL" with Email button			62.38s
Then I change the country as required on registration page			26.33s
Then I wait for 5 sec			5.01s
And I click the Sign in link			1.73s
After			0.01s

Back to Table of Contents

Scenario: login to the app with correct credentials using "Continue with Email"

Passed: 8	Failed: 0	Undefined: 0	Duration: 252.92 s
Before			0.00s

Given I select the language option on toggle bar as required on login page	4.05s
When user enters credentials	58.55s

UserName	${PULSE_EMAIL}
Password	${hra.password}

And User clicks on signin button	2.38s
And I wait for 5 sec	5.01s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	13.06s
Then user should be landed to "Home" screen	21.44s
When I clicks on Health button	52.17s
And I navigate to Babylon health Assessment and Accept TermsAndCondition	96.24s
After	0.00s

Back to Table of Contents

Scenario: User should be able to access Babylon Health Risk Assessment Report

Passed: 2	Failed: 1	Undefined: 0	Duration: 131.22 s
Before			0.00s

When I click on "Report" link on digital twin screen	9.96s
And I wait for 5 sec	5.01s
Then I verify the HRA Results are displayed	111.77s

${babylon.hraReport.report.title}
${babylon.hraReport.report.subTitle}
${babylon.hraReport.report.percentage}
${babylon.hraReport.report.statement1}
${babylon.hraReport.report.statement2}
${babylon.hraReport.report.statement3}

```
java.lang.AssertionError: The following asserts failed:
the expected text is: Your Health Check score expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.verifyHRAResult(BabylonSteps.
java:616)
at .Then I verify the HRA Results are displayed(features/my/health/BabylonHRA_Report.
feature:28)
```

After		**4.48s**

Back to Table of Contents

Scenario: Verify the HRA Activity Report

Passed: 1	**Failed: 0**	**Undefined: 0**	**Duration: 209.18 s**
Before			**0.00s**

Then I verify the HRA Results are displayed	**209.17s**
${babylon.hraReport.summary.title}	
${babylon.hraReport.summary.description}	
${babylon.hraReport.summary.diseaseRisk}	
${babylon.hraReport.summary.diseaseRiskDescription}	
${babylon.hraReport.summary.diseaseRisk.statement1}	
${babylon.hraReport.summary.diseaseRisk.statement2}	
${babylon.hraReport.summary.diseaseRisk.statement3}	
${babylon.hraReport.summary.diseaseRisk.statement4}	
${babylon.hraReport.summary.organ.title}	
${babylon.hraReport.summary.organDescription}	
${babylon.hraReport.summary.organ.statement1}	
${babylon.hraReport.summary.organ.statement2}	

After		**0.01s**

Back to Table of Contents

Scenario: Verify the HRA Activity Report

Passed: 1	**Failed: 0**	**Undefined: 0**	**Duration: 75.17s**
Before			**0.00s**

Then I verify the HRA Results are displayed	**75.17s**

${babylon.hraReport.activity.title}	
${babylon.hraReport.activity.subTitle}	
${babylon.hraReport.activity.statement1}	
${babylon.hraReport.activity.statement2}	

After		0.00s

Back to Table of Contents

Scenario: Verify the HRA Nutrition Report

Passed: 1	Failed: 0	Undefined: 0	Duration: 189.25 s
Before			0.00s

Then I verify the HRA Results are displayed	189.25s
${babylon.hraReport.nutrition.title}	
${babylon.hraReport.nutrition.subTitle}	
${babylon.hraReport.nutrition.statement1}	
${babylon.hraReport.nutrition.statement2}	
${babylon.hraReport.nutrition.statement3}	
${babylon.hraReport.nutrition.statement4}	
${babylon.hraReport.nutrition.statement5}	
${babylon.hraReport.nutrition.statement6}	
${babylon.hraReport.nutrition.statement7}	
${babylon.hraReport.nutrition.statement8}	
${babylon.hraReport.nutrition.statement9}	

After		0.00s

Back to Table of Contents

Scenario: Verify the HRA Report - Keep It Up sub-section

Passed: 1	Failed: 0	Undefined: 0	Duration: 123.67 s
Before			0.00s

Then I verify the HRA Results are displayed	123.66s
${babylon.hraReport.keepItUp}	
${babylon.hraReport.lowFat}	
${babylon.hraReport.lowFat.description}	
${babylon.hraReport.lowAlcohol}	
${babylon.hraReport.lowAlcohol.description}	
${babylon.hraReport.redMeat}	
${babylon.hraReport.redMeat.description}	

After		0.00s

Back to Table of Contents

Scenario: Verify the HRA Report - Make a Change sub-section

Passed: 1	Failed: 0	Undefined: 0	Duration: 119.12 s
Before			0.00s

Then I verify the HRA Results are displayed	119.12s

${babylon.hraReport.makeAChange}			
${babylon.hraReport.change1}			
${babylon.hraReport.change2}			
${babylon.hraReport.change3}			
${babylon.hraReport.change4}			
${babylon.hraReport.change5}			
${babylon.hraReport.change6}			
After			0.00s

Back to Table of Contents

Scenario: User should be able to access Babylon HRA - Healthcheck - Body

Passed: 4	Failed: 0	Undefined: 0	Duration: 81.39s
Before			0.00s

When I click on "Healthcheck" link on digital twin screen	24.36s
When I click on "Body" link on digital twin screen	8.13s
Then I verify the HRA Results are displayed	12.63s
${babylon.hraReport.bodyButtton}	
Then I verify following text is displayed on HRA report	36.27s
${babylon.hraReport.body.bones}	
${babylon.hraReport.body.heart}	
${babylon.hraReport.body.brain}	
${babylon.hraReport.body.liver}	
After	0.00s

Back to Table of Contents

Scenario: navigate back to digital twin screen

Passed: 1	Failed: 0	Undefined: 0	Duration: 6.93s
Before			0.00s

And I click on "Back" link on digital twin screen	6.93s
After	0.00s

Back to Table of Contents

Scenario: User should be able to access Babylon HRA - Healthcheck - Nutrition

Passed: 3	Failed: 1	Undefined: 0	Duration: 105.67 s
Before			0.00s

When I click on "Nutrition" link on digital twin screen	14.52s
Then I verify the HRA Results are displayed	26.34s
${babylon.hraReport.nutrition}	
${babylon.hraReport.nutrition.description}	
When I click on "Retake Assessment" link on digital twin screen	49.94s
Then I verify the HRA Results are displayed	12.89s
${babylon.hraReport.nutrition.retake}	
java.lang.AssertionError: The following asserts failed: the expected text is: Nutrition is key to your energy levels and can affect your risk of some	

medical conditions expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.verifyHRAResult(BabylonSteps.java:616)
at .Then I verify the HRA Results are displayed(features/my/health/BabylonHRA_Report.feature:115)

After		1.98s

Back to Table of Contents

Scenario: Navigate back to nutrition screen and validate the static text

Passed: 2	Failed: 0	Undefined: 0	Duration: 21.09s
Before			0.00s
And I click on "Back" link on digital twin screen			5.71s
Then I verify the HRA Results are displayed			15.38s
${babylon.hraReport.aboutDisease}			
${babylon.hraReport.about.nutrition.description}			
After			0.00s

Back to Table of Contents

Scenario: navigate back to digital twin screen

Passed: 1	Failed: 0	Undefined: 0	Duration: 10.52s
Before			0.00s
And I click on "Back" link on digital twin screen			10.52s
After			0.00s

Back to Table of Contents

Scenario: User should be able to access Babylon HRA - Healthcheck - Activity

Passed: 3	Failed: 1	Undefined: 0	Duration: 69.69s

Before		0.00s
When I click on "Activity" link on digital twin screen		16.24s
Then I verify the HRA Results are displayed		15.40s
${babylon.hraReport.activity} ${babylon.hraReport.activity.subTitle}		
When I click on "Retake Assessment" link on digital twin screen		13.56s
Then I verify the HRA Results are displayed		23.15s
${babylon.hraReport.activity.retake} ${babylon.hraReport.activity.retake2}		

java.lang.AssertionError: The following asserts failed:
the expected text is: Exercise-wise, I can expected [true] but found [false],
the expected text is: How much time each week do you do moderate exercise like walking, casual cycling or cleaning? expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.verifyHRAResult(BabylonSteps.java:616)
at .Then I verify the HRA Results are displayed(features/my/health/BabylonHRA_Report.feature:134)

After		1.33s

Back to Table of Contents

Scenario: Navigate back to Activity screen and validate the static text

Passed: 2	Failed: 0	Undefined: 0	Duration: 13.96s
Before			0.00s
And I click on "Back" link on digital twin screen			5.69s
Then I verify the HRA Results are displayed			8.27s

${babylon.hraReport.aboutDesease}		
${babylon.hraReport.about.activity.description}		
After		0.00s

Back to Table of Contents

Scenario: navigate back to digital twin screen			
Passed: 1	Failed: 0	Undefined: 0	Duration: 7.56s
Before			0.00s
And I click on "Back" link on digital twin screen			7.56s
After			0.00s

Back to Table of Contents

Scenario: User should be able to access Babylon HRA - Healthcheck - Mood			
Passed: 3	Failed: 1	Undefined: 0	Duration: 48.69s
Before			0.01s
When I click on "Mood" link on digital twin screen			10.39s
Then I verify the HRA Results are displayed			16.02s
${babylon.hraReport.mood}			
${babylon.hraReport.mood.duration}			
And I start the assessment			7.47s
Then I verify the HRA Results are displayed			13.46s
${babylon.hraReport.mood.assessment}			

```
java.lang.AssertionError: The following asserts failed:
the expected text is: start by looking at your current mood, stress levels and things that can
affect good mental health expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.verifyHRAResult(BabylonSteps.
java:616)
at .Then I verify the HRA Results are displayed(features/my/health/BabylonHRA_Report.
feature:155)
```

After		1.34s

Back to Table of Contents

Scenario: navigate back to digital twin screen

Passed: 1	Failed: 0	Undefined: 0	Duration: 7.42s

Before	0.00s
And I click on "Back" link on digital twin screen	7.42s
After	0.00s

Back to Table of Contents

Feature: Verify that user can access calendar under health section

Passed: 0	Failed: 3	Undefined: 0	Duration: 149.02s

Scenario: Launch the app and select the country as per specified lbu

Passed: 3	Failed: 1	Undefined: 2	Duration: 67.79s

Before	0.00s
Given User has pulse app	15.51s
And I assign "${login.email.id}" to variable "PULSE_EMAIL"	0.01s
And user click on "CONTINUE WITH EMAIL" with Email button	45.05s
Then I change the country as required on registration page	6.13s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:95b8:7a7:1d5b:d396%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver

```
Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: ,
bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false,
newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS,
platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E,
webStorageEnabled: false}
Session ID: dbe075d7-dc2c-486d-900b-345d53388883
*** Element info: {Using=xpath, value=//XCUIElementTypeStaticText[@name="Country"]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.onepulse.app.screens.TestBasePage.clickBasedOnElement(TestBasePage.java:490)
at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryName
(PulseRegistrationScreen.java:1025)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTheCountry
(RegistrationSteps.java:306)
at .Then I change the country as required on registration page(features/my/health/Calendar.
feature:9)
```

Then I wait for 2 sec	0.00s
And I click the Sign in link	0.00s



After		**1.09s**

Back to Table of Contents

Scenario: login to the app with correct credentials using "Continue with Email"

Passed: 0	**Failed: 1**	**Undefined: 5**	**Duration: 13.13s**

Before		**0.00s**

Given I select the language option on toggle bar as required on login page	**9.31s**

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:95b8:7a7:1d5b:d396%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}
Session ID: dbe075d7-dc2c-486d-900b-345d53388883
***** Element info: {Using=xpath, value=(//XCUIElementTypeOther[@name="EN"])[1]}**
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)

```
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.PulseRegistrationScreen.selectTheLanguageToggle
(PulseRegistrationScreen.java:1067)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.selectTheLangOption
(RegistrationSteps.java:338)
at .Given I select the language option on toggle bar as required on login page(features/my
/health/Calendar.feature:15)
```

When user enters credentials	0.00s

UserName	${PULSE_EMAIL}
Password	${pulse.password}

And User clicks on signin button	0.00s
And I wait for 5 sec	0.00s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	0.00s
Then user should be landed to "Home" screen	0.00s



After		**3.82s**

Back to Table of Contents

Scenario: User should be able to access Calendar screen

Passed: 3	**Failed: 1**	**Undefined: 4**	**Duration: 68.1s**

Before	**0.00s**
And I wait for 3 sec	**3.02s**
When I clicks on Health button	**32.40s**
And I scroll down	**6.33s**
And I click on Calendar tile	**25.48s**

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:95b8:7a7:1d5b:d396%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}
Session ID: dbe075d7-dc2c-486d-900b-345d53388883
***** Element info: {Using=xpath, value=(//XCUIElementTypeOther[@name="Medicine Reminder Track and set reminder daily medicine. Click Here"])[1]/preceding::XCUIElementTypeOther[2]}**

```
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.PulseHealthScreen.clickCalendarTile(PulseHealthScreen.java:
292)
at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.iClicksOnCalendarButton
(LocationSteps.java:96)
at .And I click on Calendar tile(features/my/health/Calendar.feature:29)
```

And I wait for 3 sec	0.00s
Then I verify following texts are displayed	0.00s
${calendar.text} ${no.events.text}	
And I click on events dropdown button in calendar screen	0.00s

Then I verify the following texts "Calendar events" in Screen	0.00s

${medicine.reminders.text}
${appointments.text}
${vaccination.text}
${workout.text}
${pulse.tv.text}
${policy.remainder.text}



After		0.88s

Back to Table of Contents

Feature: Verify that user can access Chinese Medicine feature

Passed: 5	Failed: 69	Undefined: 0	Duration: 1430.94s

Scenario: User should be able to register on app with correct credentials using "Continue with Email"

Passed: 18	Failed: 0	Undefined: 0	Duration: 446.04 s
Before			0.00s

Given I generate random number and assign to variable "RANDOM_NUMBER"	0.03s
And I assign "pulse${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"	0.00s
And User has pulse app	15.28s
Then I wait for 2 sec	2.01s
And user click on "CONTINUE WITH EMAIL" with Email button	69.60s
Then I wait for 2 sec	2.01s
Then I change the country as required on registration page	44.86s

Then I wait for 2 sec	2.02s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	12.01s
Then I wait for 2 sec	2.01s
When user enters registration details	44.86s

FirstName	testAutomation
LastName	testAutomation
Email	${PULSE_EMAIL}
Password	Pas$1234

And taps on continue "Sign_Up" button	1.90s
And I wait for otp screen after clicking on signup button	6.28s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	37.80s
Then I wait for 2 sec	2.00s
Then I click skip button	173.95s
Then user should be landed to "Home" screen	25.40s
Then I wait for 4 sec	4.01s
After	0.01s

Back to Table of Contents

Scenario: User should be able to access Chinese Medicine screen

Passed: 4	Failed: 0	Undefined: 0	Duration: 95.56s
Before			0.00s

When I clicks on Health button	59.32s
And I click on Chinese Medicine button	15.45s
Then User verify following texts are displayed in Chinese Medicine screen	16.11s

${chineseMedicine.welcomeMessage}
${chineseMedicine.statement}
${chineseMedicine.pruLife}
${chineseMedicine.pruLife.research}

When I click on Continue button on Chinese Medicine screen	4.69s
After	0.00s

Back to Table of Contents

Scenario Outline: Verify the carousel on Chinese Medicine journey

Passed: 3	Failed: 0	Undefined: 0	Duration: 22.12s
Before			0.00s

Then User verify following texts are displayed in Chinese Medicine screen	5.67s

${chineseMedicine.page1.text}

Then I verify following button are displayed on chinese medicine carousal	2.01s

carousel1##${chineseMedicine.skipButton}

When I swipe to Right for chinese medicine on carousal "${chineseMedicine.page1.partialText}"	14.44s
After	0.00s

Back to Table of Contents

Scenario Outline: Verify the carousel on Chinese Medicine journey

Passed: 3	Failed: 0	Undefined: 0	Duration: 19.99s
Before			0.00s
Then User verify following texts are displayed in Chinese Medicine screen			1.71s
${chineseMedicine.page2.text}			
Then I verify following button are displayed on chinese medicine carousal			2.40s
carousel2##${chineseMedicine.skipButton}			
When I swipe to Right for chinese medicine on carousal "${chineseMedicine.page2.partialText}"			15.88s
After			0.00s

Back to Table of Contents

Scenario: verify the text and button on final assessment carousel

Passed: 2	Failed: 0	Undefined: 0	Duration: 5.19s
Before			0.00s
Then User verify following texts are displayed in Chinese Medicine screen			3.68s
${chineseMedicine.page3.text}			
Then I verify following button are displayed on chinese medicine carousal			1.51s
carousel3##${chineseMedicine.startAssessmentBtn}			
After			0.00s

Back to Table of Contents

Scenario: User should be able to complete Chinese Medicine profile

Passed: 5	Failed: 1	Undefined: 1	Duration: 106.61 s
Before			0.00s
When I click on Start Assessment button on Chinese Medicine screen			5.29s
And I wait for 5 sec			5.01s
Then User verify following texts are displayed in Chinese Medicine screen			7.08s
${chineseMedicine.profile.title}			
${chineseMedicine.profile.description}			
${chineseMedicine.profile.mandatoryFields}			
Then change Chinese Medicine user profile details			37.54s
City	${chineseMedicine.profile.cityValue}		
Smoking Habits	${chineseMedicine.profile.smokingHabitsValue}		
Drinking Habits	${chineseMedicine.profile.drinkingHabitsValue}		
Exercise Habits	${chineseMedicine.profile.exerciseHabitsValue}		
When I click on Next button on Chinese Medicine Profile screen			36.29s
When User verify following texts are displayed in Chinese Medicine screen			14.35s
${chineseMedicine.question.1}			
${chineseMedicine.statement.1}			

java.lang.AssertionError: The following asserts failed:
the expected text is: Based on your experience in past 3 months expected [true] but found [false],
the expected text is: I feel energetic most of the time. expected [true] but found [false]

at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.
verifyFollowingTextsDisplayedInChineseMedScreen(ChineseMedicineSteps.java:49)
at .When User verify following texts are displayed in Chinese Medicine screen(features/my
/health/ChineseMedicine.feature:74)

Then I verify following answer options are displayed on Chinese Medicine screen	0.00s

${chineseMedicine.answer.option1}
${chineseMedicine.answer.option2}
${chineseMedicine.answer.option3}
${chineseMedicine.answer.option4}
${chineseMedicine.answer.option5}

After		1.05s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)

at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Back to Table of Contents

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.15s
Before			**0.00s**
And user selects "${chineseMedicine.answer.1}" for the question "${chineseMedicine.question.1}"			9.13s

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"Based on your experience in past 3 months")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.1}" for the question "${chineseMedicine.question.1}"(features/my/health/ChineseMedicine.feature:88)

After		**1.02s**

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)

```
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)
```

Back to Table of Contents

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.21s
Before			**0.00s**
And user selects "${chineseMedicine.answer.2}" for the question "${chineseMedicine.question.2}"			9.19s

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains
(@name,"I get fatigued or tired easily.")] and Answer //XCUIElementTypeOther[@name="
Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:
168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA
(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.2}" for the question "${chineseMedicine.
question.2}"(features/my/health/ChineseMedicine.feature:88)
```

After		**1.02s**

```
com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
```

```
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)
```

Back to Table of Contents

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.18s
Before			**0.00s**

And user selects "${chineseMedicine.answer.3}" for the question "${chineseMedicine.question.3}"	9.13s

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains
(@name,"I suffer from insomnia")] and Answer //XCUIElementTypeOther[@name="
Disagree"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:
168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA
(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.3}" for the question "${chineseMedicine.
question.3}"(features/my/health/ChineseMedicine.feature:88)
```

After		1.05s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Back to Table of Contents

Scenario Outline: **Verify the Q&A on Chinese Medicine journey**

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.59s
Before			0.00s

	And user selects "${chineseMedicine.answer.4}" for the question "${chineseMedicine.question.4}"	9.55s

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains
(@name,"I adapt quickly to changes in the weather or the surrounding environment.")] and
Answer //XCUIElementTypeOther[@name="Strongly Disagree"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:
168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA
(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.4}" for the question "${chineseMedicine.
question.4}"(features/my/health/ChineseMedicine.feature:88)
```

After		1.04s

```
com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
```

at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Back to Table of Contents

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.16s
Before			0.00s
And user selects "${chineseMedicine.answer.5}" for the question "${chineseMedicine.question.5}"			9.14s

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"I am prone to catch a cold more often than most people.")] and Answer //XCUIElementTypeOther[@name="Strongly Agree"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.5}" for the question "${chineseMedicine.question.5}"(features/my/health/ChineseMedicine.feature:88)

After		1.02s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke

(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Back to Table of Contents

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.13s
Before			**0.00s**

And user selects "${chineseMedicine.answer.6}" for the question "${chineseMedicine.question.6}"	9.12s

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"I feel tense in my torso or lower body.")] and Answer //XCUIElementTypeOther [@name="Agree"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.6}" for the question "${chineseMedicine.question.6}"(features/my/health/ChineseMedicine.feature:88)

After		**1.02s**

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)

```
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)
```

Back to Table of Contents

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.18s
Before			**0.00s**

And user selects "${chineseMedicine.answer.7}" for the question "${chineseMedicine.question.7}"	9.15s

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains
(@name,"I cough or get asmethic symptoms due to changes in seasons")] and Answer
//XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:
168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA
(ChineseMedicineSteps.java:104)
```

at .And user selects "${chineseMedicine.answer.7}" for the question "${chineseMedicine.question.7}"(features/my/health/ChineseMedicine.feature:88)

After		1.03s

```
com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)
```

Back to Table of Contents

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.24s

Before		**0.00s**

And user selects "${chineseMedicine.answer.8}" for the question "${chineseMedicine.question.8}"	**9.23s**

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"I am allergic to drugs")] and Answer //XCUIElementTypeOther[@name=" Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.8}" for the question "${chineseMedicine. question.8}"(features/my/health/ChineseMedicine.feature:88)

After		**1.02s**

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java: 63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)

at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Back to Table of Contents

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.14s
Before			0.00s
And user selects "${chineseMedicine.answer.9}" for the question "${chineseMedicine.question.9}"			9.13s

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"I frequently catch a chill")] and Answer //XCUIElementTypeOther[@name=" Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.9}" for the question "${chineseMedicine. question.9}"(features/my/health/ChineseMedicine.feature:88)

After		1.01s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java: 63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Back to Table of Contents

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 11.56s
Before			0.00s
And user selects "${chineseMedicine.answer.10}" for the question "${chineseMedicine.question.10}"			10.54s

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"I can't stand feeling cold")] and Answer //XCUIElementTypeOther[@name=" Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.10}" for the question "${chineseMedicine. question.10}"(features/my/health/ChineseMedicine.feature:88)

After		1.02s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)

```
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)
```

Back to Table of Contents

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.17s
Before			**0.00s**

And user selects "${chineseMedicine.answer.11}" for the question "${chineseMedicine.question.11}"	9.15s

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains
(@name,"I feel uncomfortable after consuming cold food or beverages.")] and Answer
//XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:
168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA
(ChineseMedicineSteps.java:104)
```

at .And user selects "${chineseMedicine.answer.11}" for the question "${chineseMedicine.question.11}"(features/my/health/ChineseMedicine.feature:88)

After		1.02s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Back to Table of Contents

Scenario Outline: **Verify the Q&A on Chinese Medicine journey**

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.22s

Before		**0.00s**

And user selects "${chineseMedicine.answer.12}" for the question "${chineseMedicine.question.12}"	**9.19s**

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains
(@name,"I feel my face")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:
168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA
(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.12}" for the question "${chineseMedicine.
question.12}"(features/my/health/ChineseMedicine.feature:88)
```

After		**1.03s**

```
com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
```

at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Back to Table of Contents

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.16s
Before			0.00s

And user selects "${chineseMedicine.answer.13}" for the question "${chineseMedicine.question.13}"	9.15s

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"My hands and legs sweat even if the weather is not hot or when I'm not doing intense exercise.")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.13}" for the question "${chineseMedicine.question.13}"(features/my/health/ChineseMedicine.feature:88)

After		1.02s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke

(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Back to Table of Contents

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.15s
Before			0.00s
And user selects "${chineseMedicine.answer.14}" for the question "${chineseMedicine.question.14}"			9.13s

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"I feel that I have a weak voice.")] and Answer //XCUIElementTypeOther[@name=" Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.14}" for the question "${chineseMedicine. question.14}"(features/my/health/ChineseMedicine.feature:88)

After			1.02s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)

```
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)
```

Back to Table of Contents

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.14s
Before			**0.00s**

And user selects "${chineseMedicine.answer.15}" for the question "${chineseMedicine.question.15}"	9.12s

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains
(@name,"In general")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:
168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA
(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.15}" for the question "${chineseMedicine.
question.15}"(features/my/health/ChineseMedicine.feature:88)
```

After		1.02s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Back to Table of Contents

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 11.2s
Before			0.00s

And user selects "${chineseMedicine.answer.16}" for the question "${chineseMedicine.question.16}"		10.18s

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"I feel that my skin and lips are dry.")] and Answer //XCUIElementTypeOther [@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.16}" for the question "${chineseMedicine. question.16}"(features/my/health/ChineseMedicine.feature:88)

After		1.02s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java: 63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)

at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Back to Table of Contents

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.12s
Before			**0.00s**

And user selects "${chineseMedicine.answer.17}" for the question "${chineseMedicine.question.17}"	9.10s

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"I get bruises easily for no reason.")] and Answer //XCUIElementTypeOther [@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.17}" for the question "${chineseMedicine.question.17}"(features/my/health/ChineseMedicine.feature:88)

After		1.02s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke

```
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)
```

Back to Table of Contents

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.15s
Before			**0.00s**
And user selects "${chineseMedicine.answer.18}" for the question "${chineseMedicine.question.18}"			9.13s

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains
(@name,"I have broken out in hives (outbreak of swollen")] and Answer
//XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:
168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA
(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.18}" for the question "${chineseMedicine.
question.18}"(features/my/health/ChineseMedicine.feature:88)
```

After		1.02s

```
com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
```

```
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)
```

Back to Table of Contents

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.27s
Before			**0.00s**

And user selects "${chineseMedicine.answer.19}" for the question "${chineseMedicine.question.19}"	9.24s

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains
(@name,"I get purple rashes on my skin (purple blood spots")] and Answer
//XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:
168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA
(ChineseMedicineSteps.java:104)
```

at .And user selects "${chineseMedicine.answer.19}" for the question "${chineseMedicine.question.19}"(features/my/health/ChineseMedicine.feature:88)

After		1.03s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Back to Table of Contents

Scenario Outline: **Verify the Q&A on Chinese Medicine journey**

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.16s

Before		**0.00s**

And user selects "${chineseMedicine.answer.20}" for the question "${chineseMedicine.question.20}"	**9.14s**

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"I easily get scratch marks on my skin.")] and Answer //XCUIElementTypeOther [@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.20}" for the question "${chineseMedicine.question.20}"(features/my/health/ChineseMedicine.feature:88)

After		**1.03s**

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)

at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Back to Table of Contents

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 11.35s
Before			0.00s

And user selects "${chineseMedicine.answer.21}" for the question "${chineseMedicine.question.21}"	9.14s

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"I tend to feel depressed and moody.")] and Answer //XCUIElementTypeOther [@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.21}" for the question "${chineseMedicine.question.21}"(features/my/health/ChineseMedicine.feature:88)

After		2.22s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)

```
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)
```

Back to Table of Contents

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.18s
Before			**0.00s**
And user selects "${chineseMedicine.answer.22}" for the question "${chineseMedicine.question.22}"			9.16s

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains
(@name,"I easily forget things.")] and Answer //XCUIElementTypeOther[@name="
Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:
168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA
(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.22}" for the question "${chineseMedicine.
question.22}"(features/my/health/ChineseMedicine.feature:88)
```

After		1.02s

```
com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
```

```
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)
```

Back to Table of Contents

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.13s
Before			**0.00s**

And user selects "${chineseMedicine.answer.23}" for the question "${chineseMedicine.question.23}"	9.11s

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains
(@name,"I tend to feel tense and")] and Answer //XCUIElementTypeOther[@name="
Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:
168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA
(ChineseMedicineSteps.java:104)
```

at .And user selects "${chineseMedicine.answer.23}" for the question "${chineseMedicine.question.23}"(features/my/health/ChineseMedicine.feature:88)

After		1.02s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Back to Table of Contents

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.15s

Before		**0.00s**

And user selects "${chineseMedicine.answer.24}" for the question "${chineseMedicine.question.24}"	**9.13s**

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains
(@name,"I am sentimental and my feelings get hurt easily.")] and Answer
//XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:
168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA
(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.24}" for the question "${chineseMedicine.
question.24}"(features/my/health/ChineseMedicine.feature:88)
```

After		**1.01s**

```
com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
```

at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Back to Table of Contents

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 11.36s
Before			0.00s

And user selects "${chineseMedicine.answer.25}" for the question "${chineseMedicine.question.25}"	10.31s

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"I feel fearful")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.25}" for the question "${chineseMedicine.question.25}"(features/my/health/ChineseMedicine.feature:88)

After		1.04s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke

(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Back to Table of Contents

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.15s
Before			0.00s
And user selects "${chineseMedicine.answer.26}" for the question "${chineseMedicine.question.26}"			9.13s

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"I sigh often for no reason.")] and Answer //XCUIElementTypeOther[@name=" Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.26}" for the question "${chineseMedicine. question.26}"(features/my/health/ChineseMedicine.feature:88)

After		1.02s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)

```
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)
```

Back to Table of Contents

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.94s
Before			0.00s

And user selects "${chineseMedicine.answer.27}" for the question "${chineseMedicine.question.27}"	9.92s

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains
(@name,"I get dizzy when changing posture.")] and Answer //XCUIElementTypeOther
[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:
168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA
(ChineseMedicineSteps.java:104)
```

at .And user selects "${chineseMedicine.answer.27}" for the question "${chineseMedicine.question.27}"(features/my/health/ChineseMedicine.feature:88)

After		1.03s

```
com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)
```

Back to Table of Contents

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.15s

Before		**0.00s**

And user selects "${chineseMedicine.answer.28}" for the question "${chineseMedicine.question.28}"	**9.13s**

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"I have a pale or anemic complexion.")] and Answer //XCUIElementTypeOther [@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.28}" for the question "${chineseMedicine.question.28}"(features/my/health/ChineseMedicine.feature:88)

After		**1.02s**

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)

```
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)
```

Back to Table of Contents

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.16s
Before			**0.00s**
And user selects "${chineseMedicine.answer.29}" for the question "${chineseMedicine.question.29}"			9.14s

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains
(@name,"I have rosy cheeks.")] and Answer //XCUIElementTypeOther[@name=" 
Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:
168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA
(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.29}" for the question "${chineseMedicine.
question.29}"(features/my/health/ChineseMedicine.feature:88)
```

After		**1.02s**

```
com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
```

at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Back to Table of Contents

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.13s
Before			**0.00s**
And user selects "${chineseMedicine.answer.30}" for the question "${chineseMedicine.question.30}"			9.12s

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"I have visible blood veins on my cheeks")] and Answer //XCUIElementTypeOther [@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.30}" for the question "${chineseMedicine.question.30}"(features/my/health/ChineseMedicine.feature:88)

After		1.02s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)

```
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)
```

Back to Table of Contents

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.27s
Before			**0.00s**

And user selects "${chineseMedicine.answer.31}" for the question "${chineseMedicine.question.31}"	9.18s

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains
(@name,"I have a darker complexion and have pigmentation on my cheeks")] and Answer
//XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:
168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA
(ChineseMedicineSteps.java:104)
```

at .And user selects "${chineseMedicine.answer.31}" for the question "${chineseMedicine.question.31}"(features/my/health/ChineseMedicine.feature:88)

After		1.09s

```
com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)
```

Back to Table of Contents

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.21s

Before		**0.00s**

And user selects "${chineseMedicine.answer.32}" for the question "${chineseMedicine.question.32}"	**9.19s**

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"My nose and forehead frequently get oily")] and Answer //XCUIElementTypeOther [@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.32}" for the question "${chineseMedicine. question.32}"(features/my/health/ChineseMedicine.feature:88)

After		**1.02s**

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java: 63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)

at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Back to Table of Contents

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 12.26s
Before			0.00s
And user selects "${chineseMedicine.answer.33}" for the question "${chineseMedicine.question.33}"			11.24s

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"I get pimples easily")] and Answer //XCUIElementTypeOther[@name=" Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.33}" for the question "${chineseMedicine. question.33}"(features/my/health/ChineseMedicine.feature:88)

After		1.02s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java: 63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Back to Table of Contents

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.18s
Before			0.00s
And user selects "${chineseMedicine.answer.34}" for the question "${chineseMedicine.question.34}"			9.13s

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"I get panda eyes (dark eye bags) easily")] and Answer //XCUIElementTypeOther [@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.34}" for the question "${chineseMedicine.question.34}"(features/my/health/ChineseMedicine.feature:88)

After		1.05s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)

```
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)
```

Back to Table of Contents

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.13s
Before			**0.00s**

And user selects "${chineseMedicine.answer.35}" for the question "${chineseMedicine.question.35}"	9.11s

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains
(@name,"My lip color is generally gloomy / purplish / blueish")] and Answer
//XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:
168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA
(ChineseMedicineSteps.java:104)
```

at .And user selects "${chineseMedicine.answer.35}" for the question "${chineseMedicine.question.35}"(features/my/health/ChineseMedicine.feature:88)

After		1.02s

```
com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)
```

Back to Table of Contents

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.14s

Before		**0.00s**

And user selects "${chineseMedicine.answer.36}" for the question "${chineseMedicine.question.36}"	**9.12s**

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"My lip color is reddish")] and Answer //XCUIElementTypeOther[@name=" Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.36}" for the question "${chineseMedicine. question.36}"(features/my/health/ChineseMedicine.feature:88)

After		**1.02s**

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java: 63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)

at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Back to Table of Contents

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.21s
Before			0.00s
And user selects "${chineseMedicine.answer.37}" for the question "${chineseMedicine.question.37}"			9.19s

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"My lip color is slightly pale or whiteish")] and Answer //XCUIElementTypeOther [@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.37}" for the question "${chineseMedicine.question.37}"(features/my/health/ChineseMedicine.feature:88)

After		1.02s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)

```
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)
```

Back to Table of Contents

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.2s
Before			**0.00s**
And user selects "${chineseMedicine.answer.38}" for the question "${chineseMedicine.question.38}"			9.17s

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains
(@name,"I have puffy eyelids")] and Answer //XCUIElementTypeOther[@name="
Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:
168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA
(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.38}" for the question "${chineseMedicine.
question.38}"(features/my/health/ChineseMedicine.feature:88)
```

After		1.03s

```
com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
```

```
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)
```

Back to Table of Contents

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.91s
Before			**0.00s**

And user selects "${chineseMedicine.answer.39}" for the question "${chineseMedicine.question.39}"	9.89s

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains
(@name,"I have dry eyes or blurry vision")] and Answer //XCUIElementTypeOther[@name="
Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:
168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA
(ChineseMedicineSteps.java:104)
```

at .And user selects "${chineseMedicine.answer.39}" for the question "${chineseMedicine.question.39}"(features/my/health/ChineseMedicine.feature:88)

After		1.02s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Back to Table of Contents

Scenario Outline: **Verify the Q&A on Chinese Medicine journey**

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.14s

Before		**0.00s**

And user selects "${chineseMedicine.answer.40}" for the question "${chineseMedicine.question.40}"	**9.12s**

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"I tend to sneeze even if I am not sick")] and Answer //XCUIElementTypeOther [@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.40}" for the question "${chineseMedicine.question.40}"(features/my/health/ChineseMedicine.feature:88)

After		**1.02s**

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)

```
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)
```

Back to Table of Contents

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.19s
Before			**0.00s**
And user selects "${chineseMedicine.answer.41}" for the question "${chineseMedicine.question.41}"			9.16s

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains
(@name,"My nose gets clooged or runny even if I am not sick")] and Answer
//XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:
168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA
(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.41}" for the question "${chineseMedicine.
question.41}"(features/my/health/ChineseMedicine.feature:88)
```

After		**1.04s**

```
com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
```

```
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)
```

Back to Table of Contents

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.65s
Before			**0.00s**
And user selects "${chineseMedicine.answer.42}" for the question "${chineseMedicine.question.42}"			9.59s

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains
(@name,"I have a dry tongue")] and Answer //XCUIElementTypeOther[@name="
Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:
168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA
(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.42}" for the question "${chineseMedicine.
question.42}"(features/my/health/ChineseMedicine.feature:88)
```

After		1.06s

```
com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
```

```
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)
```

Back to Table of Contents

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.17s
Before			**0.00s**

And user selects "${chineseMedicine.answer.43}" for the question "${chineseMedicine.question.43}"	9.15s

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains
(@name,"I have sticky saliva")] and Answer //XCUIElementTypeOther[@name=" 
Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:
168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA
(ChineseMedicineSteps.java:104)
```

at .And user selects "${chineseMedicine.answer.43}" for the question "${chineseMedicine.question.43}"(features/my/health/ChineseMedicine.feature:88)

After		1.02s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Back to Table of Contents

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 12.79s

Before		**0.00s**

And user selects "${chineseMedicine.answer.44}" for the question "${chineseMedicine.question.44}"	**11.75s**

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"I tend to have a bitter taste in my mouth")] and Answer //XCUIElementTypeOther [@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.44}" for the question "${chineseMedicine.question.44}"(features/my/health/ChineseMedicine.feature:88)

After		**1.04s**

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)

at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Back to Table of Contents

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.16s
Before			0.00s

And user selects "${chineseMedicine.answer.45}" for the question "${chineseMedicine.question.45}"	9.13s

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"The surface of my tongue feels sticky")] and Answer //XCUIElementTypeOther [@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.45}" for the question "${chineseMedicine.question.45}"(features/my/health/ChineseMedicine.feature:88)

After		1.02s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)

```
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)
```

Back to Table of Contents

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.22s
Before			**0.00s**
And user selects "${chineseMedicine.answer.46}" for the question "${chineseMedicine.question.46}"			9.20s

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains
(@name,"I tend to have phlegm in my throat even if I am not sick")] and Answer
//XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:
168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA
(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.46}" for the question "${chineseMedicine.
question.46}"(features/my/health/ChineseMedicine.feature:88)
```

After		1.02s

```
com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
```

```
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)
```

Back to Table of Contents

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.21s
Before			**0.00s**

And user selects "${chineseMedicine.answer.47}" for the question "${chineseMedicine.question.47}"	9.17s

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains
(@name,"I tend to have throat irritating even if I am not sick")] and Answer
//XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:
168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA
(ChineseMedicineSteps.java:104)
```

at .And user selects "${chineseMedicine.answer.47}" for the question "${chineseMedicine.question.47}"(features/my/health/ChineseMedicine.feature:88)

After		1.03s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Back to Table of Contents

Scenario Outline: **Verify the Q&A on Chinese Medicine journey**

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.12s

Before		**0.00s**

And user selects "${chineseMedicine.answer.48}" for the question "${chineseMedicine.question.48}"	**9.10s**

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"I have tightness in my chest")] and Answer //XCUIElementTypeOther[@name=" Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.48}" for the question "${chineseMedicine. question.48}"(features/my/health/ChineseMedicine.feature:88)

After		**1.02s**

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java: 63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)

at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Back to Table of Contents

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.16s
Before			0.00s
And user selects "${chineseMedicine.answer.49}" for the question "${chineseMedicine.question.49}"			9.14s

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"I have asthma or feel the need to occassionally take deep breaths")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.49}" for the question "${chineseMedicine.question.49}"(features/my/health/ChineseMedicine.feature:88)

After		1.02s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Back to Table of Contents

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 12.04s
Before			0.00s
And user selects "${chineseMedicine.answer.50}" for the question "${chineseMedicine.question.50}"			11.02s

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"I feel conscious of sudden heart palpitations or increased heartbeat")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.50}" for the question "${chineseMedicine.question.50}"(features/my/health/ChineseMedicine.feature:88)

After		1.02s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)

```
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)
```

Back to Table of Contents

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.15s
Before			**0.00s**

And user selects "${chineseMedicine.answer.51}" for the question "${chineseMedicine.question.51}"	9.12s

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains
(@name,"I feel pain at the side of my chest or breasts")] and Answer
//XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:
168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA
(ChineseMedicineSteps.java:104)
```

at .And user selects "${chineseMedicine.answer.51}" for the question "${chineseMedicine.question.51}"(features/my/health/ChineseMedicine.feature:88)

After		1.03s

```
com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)
```

Back to Table of Contents

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.15s

Before		**0.00s**

And user selects "${chineseMedicine.answer.52}" for the question "${chineseMedicine.question.52}"	**9.12s**

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"My stomach fat is tender")] and Answer //XCUIElementTypeOther[@name=" Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.52}" for the question "${chineseMedicine. question.52}"(features/my/health/ChineseMedicine.feature:88)

After		**1.03s**

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java: 63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)

at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Back to Table of Contents

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.17s
Before			0.00s

And user selects "${chineseMedicine.answer.53}" for the question "${chineseMedicine.question.53}"	9.15s

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"My abdomen")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.53}" for the question "${chineseMedicine.question.53}"(features/my/health/ChineseMedicine.feature:88)

After		1.02s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke

```
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)
```

Back to Table of Contents

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.19s
Before			**0.00s**

And user selects "${chineseMedicine.answer.54}" for the question "${chineseMedicine.question.54}"	9.17s

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains
(@name,"I frequently get diarhea or stomach pains after consuming cold food or beverages")]
and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:
168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA
(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.54}" for the question "${chineseMedicine.
question.54}"(features/my/health/ChineseMedicine.feature:88)
```

After		**1.02s**

```
com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
```

```
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)
```

Back to Table of Contents

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.14s
Before			**0.00s**

And user selects "${chineseMedicine.answer.55}" for the question "${chineseMedicine.question.55}"	9.13s

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains
(@name,"I get constipations")] and Answer //XCUIElementTypeOther[@name=" 
Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:
168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA
(ChineseMedicineSteps.java:104)
```

at .And user selects "${chineseMedicine.answer.55}" for the question "${chineseMedicine.question.55}"(features/my/health/ChineseMedicine.feature:88)

After		1.02s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Back to Table of Contents

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 11.96s

Before		**0.00s**

And user selects "${chineseMedicine.answer.56}" for the question "${chineseMedicine.question.56}"	**10.93s**

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"I feel that my feces are sticky and not clean")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.56}" for the question "${chineseMedicine.question.56}"(features/my/health/ChineseMedicine.feature:88)

After		**1.03s**

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)

```
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)
```

Back to Table of Contents

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.15s
Before			**0.00s**
And user selects "${chineseMedicine.answer.57}" for the question "${chineseMedicine.question.57}"			9.13s

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains
(@name,"Apart from the first urination in the morning")] and Answer
//XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:
168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA
(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.57}" for the question "${chineseMedicine.
question.57}"(features/my/health/ChineseMedicine.feature:88)
```

After		**1.02s**

```
com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
```

at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Back to Table of Contents

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.13s
Before			**0.00s**
And user selects "${chineseMedicine.answer.58}" for the question "${chineseMedicine.question.58}"			9.12s

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"I feel feverish on my hands")] and Answer //XCUIElementTypeOther[@name=" Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.58}" for the question "${chineseMedicine. question.58}"(features/my/health/ChineseMedicine.feature:88)

After		1.02s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)

```
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)
```

Back to Table of Contents

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.13s
Before			**0.00s**

And user selects "${chineseMedicine.answer.59}" for the question "${chineseMedicine.question.59}"	9.09s

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains
(@name,"My feet and hands get cold easily")] and Answer //XCUIElementTypeOther
[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:
168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA
(ChineseMedicineSteps.java:104)
```

at .And user selects "${chineseMedicine.answer.59}" for the question "${chineseMedicine.question.59}"(features/my/health/ChineseMedicine.feature:88)

After		1.03s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Back to Table of Contents

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.14s

Before		**0.00s**

And user selects "${chineseMedicine.answer.60}" for the question "${chineseMedicine.question.60}"	**9.13s**

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"My body and limbs feel numb")] and Answer //XCUIElementTypeOther[@name=" Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.60}" for the question "${chineseMedicine. question.60}"(features/my/health/ChineseMedicine.feature:88)

After		**1.02s**

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java: 63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)

at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Back to Table of Contents

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 12.83s
Before			0.00s
And user selects "${chineseMedicine.answer.61}" for the question "${chineseMedicine.question.61}"			9.18s

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"My face")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.61}" for the question "${chineseMedicine.question.61}"(features/my/health/ChineseMedicine.feature:88)

After		3.65s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke

(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Back to Table of Contents

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.2s
Before			0.00s
And user selects "${chineseMedicine.answer.62}" for the question "${chineseMedicine.question.62}"			9.18s

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"My body feels pain easily")] and Answer //XCUIElementTypeOther[@name=" Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.62}" for the question "${chineseMedicine. question.62}"(features/my/health/ChineseMedicine.feature:88)

After		1.02s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)

```
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)
```

Back to Table of Contents

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.16s
Before			**0.00s**

And user selects "${chineseMedicine.answer.63}" for the question "${chineseMedicine.question.63}"	9.13s

```
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains
(@name,"My scrotum feels hot (Limited to men answer)")] and Answer
//XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:
168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA
(ChineseMedicineSteps.java:104)
```

at .And user selects "${chineseMedicine.answer.63}" for the question "${chineseMedicine.question.63}"(features/my/health/ChineseMedicine.feature:88)

After		1.02s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Back to Table of Contents

Scenario: **Verify the Assessment completion screen**

Passed: 1	Failed: 1	Undefined: 0	Duration: 34.61s

Before		**0.00s**

Given I wait for 5 sec	**5.01s**
Then User verify following texts are displayed in Chinese Medicine screen	**28.56s**

${chineseMedicine.viewAssessment.header}
${chineseMedicine.viewAssessment.subTitle}
${chineseMedicine.viewAssessment.description1}
${chineseMedicine.viewAssessment.description2}

java.lang.AssertionError: The following asserts failed:
the expected text is: Great!! expected [true] but found [false],
the expected text is: You've completed the assessment expected [true] but found [false],
the expected text is: This assessment and health related advice are provided by 'Research Center of Big Data, College of Management, Taipei Medical University' in cooperation with medical doctors. It is only for personal health management reference and does not represent a medical diagnosis. If you feel unwell, please seek the medical doctor's advice for any health conditions! expected [true] but found [false],
the expected text is: Your body constitution will change based on your diets, lifestyle, and environment. It is recommended to do the Chinese Constitution Assessment at least every three months to know whether your constitution has improved so as to master your own health! expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.verifyFollowingTextsDisplayedInChineseMedScreen(ChineseMedicineSteps.java:49)
at .Then User verify following texts are displayed in Chinese Medicine screen(features/my/health/ChineseMedicine.feature:158)

After		**1.03s**

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)

```
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)
```

Back to Table of Contents

Scenario: **Verify the user can view the Assessment Record**

Passed: 0	Failed: 1	Undefined: 1	Duration: 10.27s
Before			**0.00s**

When user clicks on View Results button on Chinese Medicine Assessment screen	9.25s

```
org.openqa.selenium.NoSuchElementException: An element could not be located on the page
using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions
/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:95b8:7a7:1d5b:
d396%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: ,
bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false,
newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS,
platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E,
webStorageEnabled: false}
Session ID: 2199449d-c92d-4cef-bb8f-1f1e4b4242cf
*** Element info: {Using=xpath, value=//XCUIElementTypeOther[@name="View Results"]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
```

```
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.ChineseMedicineScreen.clickViewResultsButton
(ChineseMedicineScreen.java:71)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.clickOnViewResults
(ChineseMedicineSteps.java:122)
at .When user clicks on View Results button on Chinese Medicine Assessment screen(features
/my/health/ChineseMedicine.feature:166)
```

Then User verify following texts are displayed in Chinese Medicine screen	0.00s

${chineseMedicine.assessment.header}
${chineseMedicine.assessment.subHeader}
${chineseMedicine.assessment.status}
${chineseMedicine.assessment.subStatus}
${chineseMedicine.assessment.status1}
${chineseMedicine.assessment.status2}
${chineseMedicine.assessment.status3}
${chineseMedicine.assessment.constitution.advice}

After		1.02s

```
com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)
```

Back to Table of Contents

Scenario: Verify the Assessment Summary

Passed: 0	Failed: 1	Undefined: 1	Duration: 15.4s
Before			**0.00s**

Then User verify following texts are displayed in Chinese Medicine screen	**14.34s**
${chineseMedicine.assessment.summary.title}	

${chineseMedicine.assessment.summary.description}

java.lang.AssertionError: The following asserts failed:
the expected text is: Assessment Summary expected [true] but found [false],
the expected text is: Your body has moderate deficiency of yang qi. You may easily feel weak and chills, and have cold limbs. This is a symptom of moderate yang deficiency.It is recommended that your eating habits be based on the principle of warmth, and you should eat more glutinous rice, black beans, yams, ginger and other foods, maintain the long-term regular habit of medium intensity exercise, and have daily care and acupoint care matching with four seasons, so that you can gradually improve your body constitution. expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.verifyFollowingTextsDisplayedInChineseMedScreen(ChineseMedicineSteps.java:49)
at .Then User verify following texts are displayed in Chinese Medicine screen(features/my/health/ChineseMedicine.feature:179)

When user clicks on View More button on Assessment Record screen	0.00s

After		**1.06s**

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)

at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Back to Table of Contents

Scenario Outline: Verify the "Constitution" Details of the Assessment

Passed: 0	Failed: 1	Undefined: 0	Duration: 8.21s
Before			0.00s
Then User verify Assessment Details for the "${chineseMedicine.assessment.details.constitution}" and "${chineseMedicine.assessment.details.constitutionDescription}"			7.17s

java.lang.AssertionError: Unable to find the Condition Meaning of Yang-deficiency constitution.
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.verifyAssessmentDetails (ChineseMedicineScreen.java:197)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.verifyAssessmentDetails(ChineseMedicineSteps.java:133)
at .Then User verify Assessment Details for the "${chineseMedicine.assessment.details.constitution}" and "${chineseMedicine.assessment.details.constitutionDescription}"(features/my/health/ChineseMedicine.feature:186)

After			1.05s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:

63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Back to Table of Contents

Scenario Outline: Verify the "Change In Tongue" Details of the Assessment

Passed: 0	Failed: 1	Undefined: 0	Duration: 8.12s
Before			**0.00s**
Then User verify Assessment Details for the "${chineseMedicine.assessment.details.changeInTongue}" and "${chineseMedicine.assessment.details.changeInTongueDescription}"			7.10s

java.lang.AssertionError: Unable to find the Condition Change in the tongue of Yang-deficiency constitution.
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.verifyAssessmentDetails
(ChineseMedicineScreen.java:197)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.
verifyAssessmentDetails(ChineseMedicineSteps.java:133)
at .Then User verify Assessment Details for the "${chineseMedicine.assessment.details.
changeInTongue}" and "${chineseMedicine.assessment.details.changeInTongueDescription}"
(features/my/health/ChineseMedicine.feature:186)

After		**1.02s**

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)

```
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)
```

Back to Table of Contents

Feature: Verify Dietician Positive Flow for Doctor functionality on one pulse App

Passed: 0	Failed: 12	Undefined: 0	Duration: 471.74s

Scenario: Verify the Home screen validation using "Continue with Email"

Passed: 13	Failed: 1	Undefined: 2	Duration: 231.09 s
Before			**0.00s**
Given I generate random number and assign to variable "RANDOM_NUMBER"			0.02s
And I assign "pulse${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"			0.00s

And User has pulse app	14.29s
And user click on "CONTINUE WITH EMAIL" with Email button	51.63s
Then I wait for 2 sec	2.01s
Then I change the country as required on registration page	34.66s
Then I wait for 2 sec	2.01s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	11.13s
When user enters registration details	40.49s

FirstName	Diet
LastName	Test
Email	${PULSE_EMAIL}
Password	Pas$1234

And taps on continue "Sign_Up" button	1.22s
And I wait for otp screen after clicking on signup button	8.49s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	41.46s
Then I wait for 2 sec	2.01s
Then I click skip button	20.70s

```
org.openqa.selenium.NoSuchElementException: An element could not be located on the page
using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions
/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:95b8:7a7:1d5b:
d396%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: ,
bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false,
newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS,
platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E,
webStorageEnabled: false}
Session ID: ed477eab-d022-4d61-b1e4-20f987cddd8c
*** Element info: {Using=xpath, value=(//XCUIElementTypeTextField)[2]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
```

```
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:262)
at com.onepulse.app.screens.PulseRegistrationScreen.clickSkipButton
(PulseRegistrationScreen.java:1166)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iClickSkipButton
(RegistrationSteps.java:377)
at .Then I click skip button(features/my/health/Dietician_Doctor.feature:23)
```

Then user should be landed to "Home" screen	0.00s
Then I wait for 4 sec	0.00s



After		**0.97s**

Back to Table of Contents

Scenario: Verify User should be able to navigate to Dietician page

Passed: 0	**Failed: 1**	**Undefined: 1**	**Duration: 10.13s**

Before		**0.00s**

Then I click the Health icon in Home screen	**8.70s**

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:95b8:7a7:1d5b:d396%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}
Session ID: ed477eab-d022-4d61-b1e4-20f987cddd8c
***** Element info: {Using=xpath, value=//XCUIElementTypeOther[@label='Health']}**
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException

```
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.CustomerConnectScreen.HealthIcons(CustomerConnectScreen.
java:1371)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.Healthicons
(CustomerConnectSteps.java:412)
at .Then I click the Health icon in Home screen(features/my/health/Dietician_Doctor.feature:
28)
```

Then I click the Dietician tab for my in Health Screen	0.00s



After		1.43s

Back to Table of Contents

Scenario: Select the expert type as doctor and navigate to next screen

Passed: 0	Failed: 1	Undefined: 9	Duration: 26.06s

Before	0.00s
Then I verify following text is displayed in dietician screen	25.36s

${choose.expertise.text}
${select.expert.type}
${what.expert.text}

```
java.lang.AssertionError: The following asserts failed:
Choose Expertise text is displayed on page expected [true] but found [false],
Select the expert type text is displayed on page expected [true] but found [false],
Please let us know what expert you are for our records text is displayed on page expected
[true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps.
VerifyStaticTextInDieticianScreen(DieticianSteps.java:265)
at .Then I verify following text is displayed in dietician screen(features/my/health
/Dietician_Doctor.feature:33)
```

And I clicks on "${doc.txt}" in app screen	0.00s
And I click the continue button	0.00s
Then I wait for 2 sec	0.00s
Then I verify following text is displayed in dietician screen	0.00s

${what.isyour.service.num.text}
${complete.details.text}

Then I verify following edit field sample text in dietician screen	0.00s

${enterservice.num.text}
${entername.of.institution.text}

And I assign value to following variables	0.00s

service num	05
issuing org	test org

And I enter following details in dietician screen	0.00s

${service.num.text}	${service num}
${issuing.org.text}	${issuing org}
${valid.till.text}	01-01-2030

And I click on field label "${valid.till.text}" to close keyboard on dietician screen	0.00s
And I click the continue button	0.00s



After		0.70s

Back to Table of Contents

Scenario: Verify User should be able to navigate to specialisation page

Passed: 0	Failed: 1	Undefined: 8	Duration: 31.38s
Before			0.00s

Then I verify following text is displayed in dietician screen	29.30s

${what.isyour.specialisation}
${specility.to.provide}
${choose.list.text}

java.lang.AssertionError: The following asserts failed:
What is your specialisation? text is displayed on page expected [true] but found [false],

It's important to know your speciality to provide you appropriate patients. text is displayed on page expected [true] but found [false],
Or choose from the list. text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps.
VerifyStaticTextInDieticianScreen(DieticianSteps.java:265)
at .Then I verify following text is displayed in dietician screen(features/my/health
/Dietician_Doctor.feature:57)

Then I verify following specialisation options are displayed in dietician screen	0.00s
${mental.health.text} ${psychologist.text} ${general.physician.text}	
Then I enter "${physician.text}" speciality on specilisation screen And select "${general.physician.text}"	0.00s
And I click the continue button	0.00s
And I verify following text is displayed in dietician screen	0.00s
${enter.super.specialisation.text} ${other.specialisation.text}	
And I assign value to following variables	0.00s
specialisation Hypertension	
And I enter following details in dietician screen	0.00s
${enter.super.specialisation.text} ${specialisation}	
And I click on field label "${enter.super.specialisation.text}" to close keyboard on dietician screen	0.00s
And I click the continue button	0.00s



After		**2.07s**

Back to Table of Contents

Scenario: Verify User should be able to navigate to Educational Details page

Passed: 0	Failed: 1	Undefined: 5	Duration: 25.09s
Before			0.00s

And I verify following text is displayed in dietician screen	21.10s
${education.details.text} ${add.degree.text}	

```
java.lang.AssertionError: The following asserts failed:
Educational Details text is displayed on page expected [true] but found [false],
Add your degree, diploma, certificates here text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps.
VerifyStaticTextInDieticianScreen(DieticianSteps.java:265)
at .And I verify following text is displayed in dietician screen(features/my/health
/Dietician_Doctor.feature:78)
```

And I verify following edit field sample text in dietician screen	0.00s
${enter.degree.name.text} ${enter.field.of.study.text} ${institution.name.enter.text}	

And I enter following details in dietician screen	0.00s

${degree1.text}	MBBS
${year.text}	2001
${university.text}	test university

Then I enter following details in edit text field in dietician screen	0.00s

${enter.field.of.study.text}	physician

And I click on field label "${education.details.text}" to close keyboard on dietician screen	0.00s
And I click the continue button	0.00s



After		**3.98s**

Back to Table of Contents

Scenario: Verify User should be able to navigate to Add experience page

Passed: 0	**Failed: 1**	**Undefined: 9**	**Duration: 21.09s**

Before		**0.00s**

And I verify following text is displayed in dietician screen	**20.30s**
${add.experience.txt}** **${share.experience.details}	
java.lang.AssertionError: The following asserts failed: **Add Experience text is displayed on page expected [true] but found [false],** **Please share with us your experience details. text is displayed on page expected [true] but found [false]** **at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)** **at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps.VerifyStaticTextInDieticianScreen(DieticianSteps.java:265)** **at .And I verify following text is displayed in dietician screen(features/my/health/Dietician_Doctor.feature:95)**	
And I verify following edit field sample text in dietician screen	**0.00s**
${enterHospital.text}	
Then I enter following details in edit text field in dietician screen	**0.00s**
${profile.title.text} **Test**	
And I enter following details in dietician screen	**0.00s**
${experience1.text} **Test University**	
Then I enter following details in edit text field in dietician screen	**0.00s**
${enterLocation.text}** **${country.name}	

And I Enter the "Start Date" in "10" in dynamic start date Experience screen	0.00s
And I Enter the "Start Date" in "2010" in dynamic start years Experience screen	0.00s
And I click on field label "${add.experience.txt}" to close keyboard on dietician screen	0.00s
Then I click on checkbox next to text "${currently.praticing.here}" in dietician screen	0.00s
And I click the continue button	0.00s



After		**0.80s**

Back to Table of Contents

Scenario: Verify User should be able to navigate to Services Offered page

Passed: 0	**Failed: 1**	**Undefined: 4**	**Duration: 9.77s**

Before		**0.00s**

And I verify following text is displayed in dietician screen	**8.93s**
${public.profile.tex}	

```
java.lang.AssertionError: The following asserts failed:
text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps.
VerifyStaticTextInDieticianScreen(DieticianSteps.java:265)
at .And I verify following text is displayed in dietician screen(features/my/health
/Dietician_Doctor.feature:113)
```

And I assign value to following variables	0.00s
service offered MBBS DOCTOR	
And I enter following details in dietician screen	0.00s

${service.offered.text}	${service offered}

And I click on field label "${service.offered.text}" to close keyboard on dietician screen	0.00s
And I click the continue button	0.00s



After		**0.84s**

Back to Table of Contents

Scenario: Verify User should be able to navigate to achievement and awards screen

Passed: 0	**Failed: 1**	**Undefined: 4**	**Duration: 19.96s**

Before		**0.00s**

And I verify following text is displayed in dietician screen	**19.24s**

${achievement.award.text}
${add.seminar.details.text}

java.lang.AssertionError: The following asserts failed:
Achievements & Awards text is displayed on page expected [true] but found [false],
Add seminar details whether you attended as a participant or as a speaker. text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps.VerifyStaticTextInDieticianScreen(DieticianSteps.java:265)
at .And I verify following text is displayed in dietician screen(features/my/health/Dietician_Doctor.feature:123)

And I enter following details in edit text field in dietician screen	0.00s

${enter.title.award.text}	TEST award
${enter.org.name.text}	Test

And I enter following details in dietician screen	0.00s

${year.text}	2020

And I click on field label "${add.seminar.details.text}" to close keyboard on dietician screen	0.00s
And I click the continue button	0.00s



After		**0.73s**

Back to Table of Contents

Scenario: Verify User should be able to navigate to Seminar(s) Attended page

Passed: 0	**Failed: 1**	**Undefined: 4**	**Duration: 21.23s**

Before		**0.00s**

And I verify following text is displayed in dietician screen	**19.82s**

${seminar.attended.text}	
${add.seminar.details}	

java.lang.AssertionError: The following asserts failed:
Seminar(s) Attended text is displayed on page expected [true] but found [false],
Add seminar details whether you attended as a participant or as a speaker. text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps.
VerifyStaticTextInDieticianScreen(DieticianSteps.java:265)
at .And I verify following text is displayed in dietician screen(features/my/health
/Dietician_Doctor.feature:135)

And I enter following details in edit text field in dietician screen	0.00s

${enter.seminar.title}	TEST seminar
${enterLocation.text}	SINGAPORE

And I enter following details in dietician screen	0.00s

${year.text}	2020

And I click on field label "${seminar.attended.text}" to close keyboard on dietician screen	0.00s
And I click the continue button	0.00s



After		**1.41s**

Back to Table of Contents

Scenario: Verify User should be able to navigate to linked clinic page

Passed: 0	**Failed: 1**	**Undefined: 3**	**Duration: 20.21s**

Before		**0.00s**

Given I verify following text is displayed in dietician screen	**18.01s**

${linked.clinic.text}
${add.clinic.info.text}

```
java.lang.AssertionError: The following asserts failed:
Linked Clinics/Hospitals text is displayed on page expected [true] but found [false],
Add Clinics and Hospitals details where you practice text is displayed on page expected [true]
but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps.
VerifyStaticTextInDieticianScreen(DieticianSteps.java:265)
at .Given I verify following text is displayed in dietician screen(features/my/health
/Dietician_Doctor.feature:147)
```

And I enter following details in edit text field in dietician screen	0.00s

${enter.name.of.clinic}	clinic1
${enterLocation.text}	SINGAPORE

And I click on field label "${linked.clinic.text}" to close keyboard on dietician	

screen	0.00s
And I click the continue button	0.00s



After		**2.20s**

Back to Table of Contents

Scenario: Verify User should be able to navigate to Take a Picture page

Passed: 0	**Failed: 1**	**Undefined: 11**	**Duration: 30.99s**

Before		**0.00s**

Given I verify following text is displayed in dietician screen	**30.12s**

${about.you.text}
${profile.photo.text}
${takephoto.instruction.text}

java.lang.AssertionError: The following asserts failed:
About You text is displayed on page expected [true] but found [false],
Profile Photo text is displayed on page expected [true] but found [false],
Please take/upload your profile photo text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps.
VerifyStaticTextInDieticianScreen(DieticianSteps.java:265)
at .Given I verify following text is displayed in dietician screen(features/my/health
/Dietician_Doctor.feature:157)

Then I verify following profile photo options are displayed in Dietician Screen	0.00s

${uploadfile.text}
${takepicture.text}

And I clicks on "${takepicture.text}" in app screen	0.00s
And I give camera permission	0.00s

Then I take picture from Camera	0.00s
And I click the continue button	0.00s
Then I wait for 3 sec	0.00s
Then I verify following text is displayed in dietician screen	0.00s

${confirmdetails.text}
${confirmdetails.text2}
${service num}
${issuing org}
${specialisation}
${service offered}

And I scroll down	0.00s
Then I wait for 2 sec	0.00s
And I click Agree button "Terms and Conditions" confirm screen	0.00s
And I clicks on "Terms and Conditions" text in app screen	0.00s



After		0.87s

Back to Table of Contents

Scenario: Verify User should be able to navigate to schedule Calendar page

Passed: 1	Failed: 1	Undefined: 6	Duration: 24.73s
Before			0.00s

Then I wait for 5 sec	5.02s
And I verify following text is displayed in dietician screen	18.98s

${conversation.history.text}
${no.appointmnt.now.text}

java.lang.AssertionError: The following asserts failed:

Conversation History text is displayed on page expected [true] but found [false],
No Appointments Now text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps.
VerifyStaticTextInDieticianScreen(DieticianSteps.java:265)
at .And I verify following text is displayed in dietician screen(features/my/health
/Dietician_Doctor.feature:184)

Then User verify following dynamic texts are displayed in Dietician screen	0.00s
${click.manage.your.availibility.text}	
And I clicks on "${schedule.cal.text}" in app screen	0.00s
And I verify following text is displayed in dietician screen	0.00s
${calendar.text}	
And I Select the Date in calendar field	0.00s
And I click the Select Your Availability icon in calendar screen	0.00s
And I clicks on "10:00 AM" in app screen	0.00s



After		**0.74s**

Back to Table of Contents

Feature: Verify that user can manage events via the Family Vaccine Calendar feature

Passed: 0	**Failed: 7**	**Undefined: 0**	**Duration: 352.1s**

Scenario: User should be able to register on app with correct credentials using "Continue with Email"

Passed: 15	**Failed: 1**	**Undefined: 2**	**Duration: 217.25 s**

Before	**0.00s**
Given I generate random number and assign to variable "RANDOM_NUMBER"	**0.05s**

And I assign "pulse${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"	0.00s
And User has pulse app	14.29s
Then I wait for 2 sec	2.01s
And user click on "CONTINUE WITH EMAIL" with Email button	63.76s
Then I wait for 2 sec	2.01s
Then I change the country as required on registration page	26.76s
Then I wait for 2 sec	2.01s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	7.97s
Then I wait for 2 sec	2.01s
When user enters registration details	28.44s

FirstName	testAutomation
LastName	testAutomation
Email	${PULSE_EMAIL}
Password	Pas$1234

And taps on continue "Sign_Up" button	4.23s
And I wait for otp screen after clicking on signup button	3.55s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	35.02s
Then I wait for 2 sec	2.01s
Then I click skip button	21.14s

```
org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:95b8:7a7:1d5b:d396%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}
Session ID: 9f390bfb-d805-4d7c-9c1f-4d05033c1697
*** Element info: {Using=xpath, value=(//XCUIElementTypeTextField)[2]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
```

```
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:262)
at com.onepulse.app.screens.PulseRegistrationScreen.clickSkipButton
(PulseRegistrationScreen.java:1166)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iClickSkipButton
(RegistrationSteps.java:377)
at .Then I click skip button(features/my/health/FamilyVaccineCalendar.feature:25)
```

Then user should be landed to "Home" screen	0.00s
Then I wait for 4 sec	0.00s



After		1.99s

Back to Table of Contents

Scenario: User should be able to access my family vaccination calendar

Passed: 4	Failed: 1	Undefined: 0	Duration: 58.13s

Before	0.00s
Given I clicks on Health button	30.63s
Then I wait for 2 sec	2.01s
Then I click on vaccine calendar tile	0.35s
Then I wait for 2 sec	2.01s
Then User verifies following texts are displayed in Vaccine Calendar screen	18.63s

${vaccineCalendar.title}
${vaccineCalendar.description}

```
java.lang.AssertionError: The following asserts failed:
Vaccine Schedule is present as expected expected [true] but found [false],
Check and track Vaccination schedules for your loved ones is present as expected expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.VaccineCalendarSteps.verifyVaccineCalText(VaccineCalendarSteps.java:38)
at .Then User verifies following texts are displayed in Vaccine Calendar screen(features/my/health/FamilyVaccineCalendar.feature:34)
```



After		**4.50s**

Back to Table of Contents

Scenario: Verify the user can Add Vaccine Information

Passed: 0	**Failed: 1**	**Undefined: 3**	**Duration: 9.96s**
Before			**0.00s**

When I click on Add more button in Vaccine Calendar screen	**9.26s**

```
org.openqa.selenium.NoSuchElementException: An element could not be located on the page
using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions
/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:95b8:7a7:1d5b:
d396%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: ,
bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false,
newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS,
platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E,
webStorageEnabled: false}
Session ID: 9f390bfb-d805-4d7c-9c1f-4d05033c1697
*** Element info: {Using=xpath, value=(//XCUIElementTypeOther[@name="Add more"])[4]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
```

```
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.PulseHealthScreen.clickAddMoreBtn(PulseHealthScreen.java:
325)
at com.onepulse.app.stepdefinitions.mobilesteps.VaccineCalendarSteps.clickAddMoreBtn
(VaccineCalendarSteps.java:43)
at .When I click on Add more button in Vaccine Calendar screen(features/my/health
/FamilyVaccineCalendar.feature:40)
```

And I wait for 2 sec	0.00s
Then User verifies following texts are displayed in Vaccine Calendar screen	0.00s
${vaccineCalendar.addMore.Title} ${vaccineCalendar.addMore.relation} ${vaccineCalendar.addMore.name} ${vaccineCalendar.addMore.dob}	
Then User verifies following buttons are displayed in Vaccine Calendar screen	0.00s
${vaccineCalendar.addMore.cancelButton} ${vaccineCalendar.addMore.saveButton}	



After		0.70s

Back to Table of Contents

Scenario: enter information on add vaccination popup

Passed: 1	Failed: 1	Undefined: 2	Duration: 20.46s

Before		0.00s

And I assign value to following variables	0.01s

relation	Child
name	testing_one

Then I add following information in Vaccine Calendar add information screen	19.80s

Name	${name}
Relation	${relation}

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:95b8:7a7:1d5b:d396%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}
Session ID: 9f390bfb-d805-4d7c-9c1f-4d05033c1697

```
*** Element info: {Using=xpath, value=//XCUIElementTypeOther[@name="Name"]
/XCUIElementTypeTextField}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:262)
at com.onepulse.app.screens.PulseHealthScreen.enterAddInformationForm
(PulseHealthScreen.java:340)
at com.onepulse.app.stepdefinitions.mobilesteps.VaccineCalendarSteps.
enterAddInformationDetails(VaccineCalendarSteps.java:50)
at .Then I add following information in Vaccine Calendar add information screen(features/my
/health/FamilyVaccineCalendar.feature:55)
```

Then I wait for 2 sec	0.00s
And I click on "${vaccineCalendar.addMore.saveButton}" button in Vaccine Calendar screen	0.00s



After		0.65s

Back to Table of Contents

Scenario: Verify the added item displayed on the Vaccine Schedule screen

Passed: 1	Failed: 1	Undefined: 6	Duration: 21.26s

Before	0.01s
Given I wait for 2 sec	2.02s
Then User verifies following dynamic texts are displayed in Vaccine Calendar screen	18.46s

${relation}
${name}

```
java.lang.AssertionError: The following asserts failed:
Child is present as expected expected [true] but found [false],
testing_one is present as expected expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.VaccineCalendarSteps.
verifyDynamicTextOnVaccineCal(VaccineCalendarSteps.java:78)
at .Then User verifies following dynamic texts are displayed in Vaccine Calendar screen
(features/my/health/FamilyVaccineCalendar.feature:64)
```

Then I click on "${name} ${relation}" button in Vaccine Calendar screen	0.00s
And I click on "${vaccineCalendar.continue.button}" button in Vaccine Calendar screen	0.00s
Then I wait for 2 sec	0.00s
Then User verifies following texts are displayed in Vaccine Calendar screen	0.00s

${vaccineCalendar.select.child.text}
${vaccine.text}

Then User verifies following dynamic texts are displayed in Vaccine Calendar screen	0.00s
${name}	
And I verify following texts are displayed	0.00s
${vaccine.bcg.text} ${vaccine.hep.text}	



After		0.77s

Back to Table of Contents

Scenario: Verify reminder options in vaccine schedule

Passed: 0	Failed: 1	Undefined: 2	Duration: 11.1s
Before			0.00s

Then I click reminder icon for BCG vaccine	10.08s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:95b8:7a7:1d5b:d396%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}

```
Session ID: 9f390bfb-d805-4d7c-9c1f-4d05033c1697
*** Element info: {Using=xpath, value=(//XCUIElementTypeOther[@name="1 dose"])[1]
/XCUIElementTypeOther/XCUIElementTypeOther[2]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.PulseHealthScreen.clickVaccineNotificationIcon
(PulseHealthScreen.java:431)
at com.onepulse.app.stepdefinitions.mobilesteps.VaccineCalendarSteps.
iClickReminderIconForBCGVaccine(VaccineCalendarSteps.java:84)
at .Then I click reminder icon for BCG vaccine(features/my/health/FamilyVaccineCalendar.
feature:82)
```

And I verify following texts are displayed	0.00s
${reminder.popup.text}	

And I click NO option	0.00s



After		1.03s

Back to Table of Contents

Scenario: Verify change reminder functionality in vaccine schedule screen

Passed: 0	Failed: 1	Undefined: 0	Duration: 13.94s

Before		0.00s

And I click Yes option	13.24s

```
org.openqa.selenium.NoSuchElementException: An element could not be located on the page
using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions
/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:95b8:7a7:1d5b:
d396%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: ,
bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false,
newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS,
platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E,
webStorageEnabled: false}
Session ID: 9f390bfb-d805-4d7c-9c1f-4d05033c1697
*** Element info: {Using=xpath, value=(//XCUIElementTypeOther[@name="1 dose"])[1]
/XCUIElementTypeOther/XCUIElementTypeOther[2]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
```

```
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.PulseHealthScreen.clickVaccineNotificationYesOption
(PulseHealthScreen.java:440)
at com.onepulse.app.stepdefinitions.mobilesteps.VaccineCalendarSteps.iClickYesOption
(VaccineCalendarSteps.java:94)
at .And I click Yes option(features/my/health/FamilyVaccineCalendar.feature:88)
```



After		0.70s

Back to Table of Contents

Feature: Verify that user can access Dengue Alert feature

Passed: 2	Failed: 3	Undefined: 0	Duration: 786.61s

Scenario: Launch the app and select the country as per specified lbu

Passed: 6	Failed: 0	Undefined: 0	Duration: 113.81 s
Before			0.00s
Given User has pulse app			16.34s
And I assign "${login.email.id}" to variable "PULSE_EMAIL"			0.01s
And user click on "CONTINUE WITH EMAIL" with Email button			59.45s
Then I change the country as required on registration page			26.11s
Then I wait for 10 sec			10.02s
And I click the Sign in link			1.88s
After			0.00s

Back to Table of Contents

Scenario: login to the app with correct credentials using "Continue with Email"

Passed: 6	Failed: 0	Undefined: 0	Duration: 119.64 s
Before			0.00s
Given I select the language option on toggle bar as required on login page			3.88s
When user enters credentials			68.38s

UserName	${PULSE_EMAIL}
Password	${pulse.password}

And User clicks on signin button	2.10s

And I wait for 5 sec		5.02s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"		15.77s
Then user should be landed to "Home" screen		24.49s
After		0.00s

Back to Table of Contents

Scenario: Verify the map can be expanded

Passed: 2	Failed: 1	Undefined: 1	Duration: 107.77 s
Before			0.00s

Given I clicks on Health button	62.25s
And I clicks on Dengue Alert tile	27.73s
And I click on the mapImage	10.55s

```
org.openqa.selenium.NoSuchElementException: An element could not be located on the page
using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions
/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:95b8:7a7:1d5b:
d396%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: ,
bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false,
newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS,
platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E,
webStorageEnabled: false}
Session ID: 956c5487-d95a-4352-b795-fcea5f895223
*** Element info: {Using=xpath, value=//XCUIElementTypeOther[@name="Malaysia"]
/preceding::XCUIElementTypeOther[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
```

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.DengueAlertScreen.clickMapImage(DengueAlertScreen.java:66)
at com.onepulse.app.stepdefinitions.mobilesteps.DengueAlertSteps.clickMap (DengueAlertSteps.java:35)
at .And I click on the mapImage(features/my/home/DengueAlert.feature:43)

And I click on map back button	0.00s



After		**7.24s**

[Back to Table of Contents](#)

Scenario: User should be able to vew the Dengue Outbreak - Malaysia

Passed: 0	Failed: 1	Undefined: 7	Duration: 192.32 s
Before			**0.00s**

Then I verify the following texts "Dengue Alert" in Screen	**189.65s**
Malaysia Outbreaks	
java.lang.AssertionError: The following asserts failed: Malaysia text is displayed on page Dengue Alert expected [true] but found [false], Outbreaks text is displayed on page Dengue Alert expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps. isStaticTextDisplayedOncommunitiesScreen(CustomerConnectSteps.java:90) at .Then I verify the following texts "Dengue Alert" in Screen(features/my/home/DengueAlert. feature:47)	
Then I verify following dynamic static text is displayed in Dengue Alert Screen	0.00s
${dengueAlert.outbreak.new} ${dengueAlert.outbreak.thisWeek} ${dengueAlert.outbreak.total} ${dengueAlert.outbreak.deaths} ${dengueAlert.outbreak.thisWeek}	
Then I verify following texts are displayed	0.00s
${dengueAlert.outbreak.total.title}	
When I scroll down	0.00s
Then I verify following texts are displayed	0.00s
${dengueAlert.zonal.title} ${dengueAlert.zonal.country}	
Then I verify following texts are displayed	0.00s
${dengueAlert.zone1} ${dengueAlert.zone2} ${dengueAlert.zone3} ${dengueAlert.zone4} ${dengueAlert.zone5} ${dengueAlert.zone6}	
When I scroll down	0.00s
Then I verify following texts are displayed	0.00s
${dengueAlert.zone7} ${dengueAlert.zone8} ${dengueAlert.zone9} ${dengueAlert.zone10} ${dengueAlert.zone11} ${dengueAlert.zone12} ${dengueAlert.zone13} ${dengueAlert.zone14} ${dengueAlert.zone15}	

${dengueAlert.zone16}



After		**2.67s**

[Back to Table of Contents](#)

Scenario: User should be able to vew the Dengue Cases - Malaysia

Passed: 1	**Failed: 1**	**Undefined: 7**	**Duration: 253.07 s**

Before	**0.00s**
When I scroll up till "${dengue.alert.map}" element displayed	**238.06s**
And I select "Cases" from outbreaks dropdown	**11.73s**

```
org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:95b8:7a7:1d5b:d396%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}
Session ID: 956c5487-d95a-4352-b795-fcea5f895223
*** Element info: {Using=xpath, value=//XCUIElementTypeOther[@name="Outbreaks"]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
```

```
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.DengueAlertScreen.selectFromOutBreakDropdown
(DengueAlertScreen.java:55)
at com.onepulse.app.stepdefinitions.mobilesteps.DengueAlertSteps.
selectFromOutBreakDropdown(DengueAlertSteps.java:30)
at .And I select "Cases" from outbreaks dropdown(features/my/home/DengueAlert.feature:88)
```

Then I verify following dynamic static text is displayed in Dengue Alert Screen	0.00s
${dengueAlert.cases.new}	
${dengueAlert.outbreak.thisWeek}	
${dengueAlert.cases.total}	
${dengueAlert.outbreak.deaths}	
${dengueAlert.outbreak.thisWeek}	
Then I verify following texts are displayed	0.00s

${dengueAlert.cases.total.title}	
Then I verify following texts are displayed	0.00s
${dengueAlert.zonal.title} ${dengueAlert.zonal.country}	
When I scroll down	0.00s
Then I verify following texts are displayed	0.00s
${dengueAlert.zone1} ${dengueAlert.zone2} ${dengueAlert.zone3} ${dengueAlert.zone4} ${dengueAlert.zone5} ${dengueAlert.zone6}	
When I scroll down	0.00s
Then I verify following texts are displayed	0.00s
${dengueAlert.zone7} ${dengueAlert.zone8} ${dengueAlert.zone9} ${dengueAlert.zone10} ${dengueAlert.zone11} ${dengueAlert.zone12} ${dengueAlert.zone13} ${dengueAlert.zone14} ${dengueAlert.zone15} ${dengueAlert.zone16}	
	
After	**3.28s**

Back to Table of Contents

Feature: Verify Pru infectious disease cover functionality on one pulse App

Passed: 9	Failed: 0	Undefined: 0	Duration: 660.62s

Scenario: User should be able to register on app with correct credentials using "Continue with Email"

Passed: 18	Failed: 0	Undefined: 0	Duration: 378.0s
Before			0.00s
Given I generate random number and assign to variable "RANDOM_NUMBER"			0.02s
And I assign "pulse${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"			0.00s
And User has pulse app			12.43s
Then I wait for 2 sec			2.02s
And user click on "CONTINUE WITH EMAIL" with Email button			61.01s
Then I wait for 2 sec			2.01s
Then I change the country as required on registration page			27.67s
Then I wait for 2 sec			2.00s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button			10.26s
Then I wait for 2 sec			2.01s
When user enters registration details			38.67s

FirstName	testAutomation
LastName	testAutomation
Email	${PULSE_EMAIL}
Password	Pas$1234

And taps on continue "Sign_Up" button			1.88s
And I wait for otp screen after clicking on signup button			6.43s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"			40.00s
Then I wait for 2 sec			2.01s
Then I click skip button			144.54s
Then user should be landed to "Home" screen			21.03s
Then I wait for 4 sec			4.01s
After			0.00s

Back to Table of Contents

Scenario: Navigate to PRU Shoppe screen

Passed: 1	Failed: 0	Undefined: 0	Duration: 2.06s
Before			0.00s
And I click on pru shoppe button on the home page			2.06s
After			0.00s

Back to Table of Contents

Scenario: Verify User should be able to see the infectious disease cover screen options

Passed: 12	Failed: 0	Undefined: 0	Duration: 147.11 s
Before			0.00s

Then I click on Proceed button on prushoppe screen	3.02s
Then I wait for 5 sec	5.01s
Then I click on pru infectious disease cover tile on prushoppe screen	1.38s
Then I wait for 5 sec	5.01s
And I verify following texts are displayed	22.17s
${infectious.disease.cover.text} ${infectious.disease.cover.info.1} ${infectious.disease.cover.info.2} ${infectious.disease.cover.info.3} ${infectious.disease.cover.info.4}	
And user click on following button "${show.more.text}" on prushoppe screen	24.84s
And I verify following texts are displayed	7.68s
${infectious.disease.cover.info.5} ${infectious.disease.cover.info.6}	
And user click on following button "${show.less.text}" on prushoppe screen	24.02s
And I verify following texts are displayed	28.46s
${infectious.disease.disclosure.text.1} ${infectious.disease.disclosure.text.2} ${infectious.disease.disclosure.text.3} ${infectious.disease.disclosure.text.4} ${infectious.disease.disclosure.text.5} ${infectious.disease.disclosure.text.6} ${infectious.disease.disclosure.text.7}	
And I verify following texts are displayed	4.13s
${your.details.text}	
And I scroll down	6.52s
And I verify following texts are displayed	14.87s
${my.name.as.nric.text} ${infectious.disease.gender.text} ${infectious.disease.dob}	
After	0.00s

Back to Table of Contents

Scenario: Verify User should be able to see the infectious disease cover Screen options

Passed: 4	Failed: 0	Undefined: 0	Duration: 57.39s
Before			0.00s

And I verify following texts are displayed	29.35s
${my.residential.text} ${my.country.of.residence} ${my.resedential.status} ${email.text} ${my.country.code} ${my.mobile.phone.number} ${my.referral.code}	

And I scroll down		6.78s
And I verify following texts are displayed		14.24s
${payment.summary.text} ${insurance.premium.text} ${total.premium.text}		
And I scroll down		7.02s
After		0.00s

Back to Table of Contents

Scenario Outline: Verify User should be able to see the infectious disease cover term and condition			
Passed: 1	Failed: 0	Undefined: 0	Duration: 5.82s
Before			0.00s
Given User accept the term and conitions "${infectious.disease.tnc.1}" in infectious disease cover Screen			5.82s
After			0.00s

Back to Table of Contents

Scenario Outline: Verify User should be able to see the infectious disease cover term and condition			
Passed: 1	Failed: 0	Undefined: 0	Duration: 5.14s
Before			0.00s
Given User accept the term and conitions "${infectious.disease.tnc.2}" in infectious disease cover Screen			5.14s
After			0.00s

Back to Table of Contents

Scenario Outline: Verify User should be able to see the infectious disease cover term and condition			
Passed: 1	Failed: 0	Undefined: 0	Duration: 5.52s
Before			0.00s
Given User accept the term and conitions "${infectious.disease.tnc.3}" in infectious disease cover Screen			5.52s
After			0.00s

Back to Table of Contents

Scenario Outline: Verify User should be able to see the infectious disease cover term and condition			
Passed: 1	Failed: 0	Undefined: 0	Duration: 7.52s
Before			0.00s
Given User accept the term and conitions "${infectious.disease.tnc.4}" in infectious disease cover Screen			7.52s
After			0.00s

Back to Table of Contents

Scenario: verify that user can see agreement and proceed button			
Passed: 2	Failed: 0	Undefined: 0	Duration: 52.07s
Before			0.00s
Given I verify following texts are displayed			48.35s
${infectious.disease.tnc.3.1} ${infectious.disease.tnc.4.1} ${infectious.disease.tnc.4.2}			

${infectious.disease.tnc.4.3}	
${infectious.disease.tnc.4.4}	
${infectious.disease.agreement.text.1}	
${infectious.disease.agreement.text.2}	
${infectious.disease.agreement.text.3}	
${infectious.disease.agreement.text.4}	
${infectious.disease.agreement.text.5}	
${infectious.disease.agreement.text.6}	
And I verify proceed button is displayed on pru shoppe screen	3.72s
After	0.00s

Back to Table of Contents

Feature: Verify Pru Shoppe My Coverage functionality on one pulse App

Passed: 2	Failed: 5	Undefined: 0	Duration: 342.05s

Scenario: Launch the app and select the country as per specified lbu

Passed: 6	Failed: 0	Undefined: 0	Duration: 116.2s
Before			0.00s
Given User has pulse app			13.17s
And I assign "${login.email.id}" to variable "PULSE_EMAIL"			0.01s
And user click on "CONTINUE WITH EMAIL" with Email button			65.41s
Then I change the country as required on registration page			30.86s
Then I wait for 5 sec			5.01s
And I click the Sign in link			1.73s
After			0.00s

Back to Table of Contents

Scenario: login to the app with correct credentials using "Continue with Email"

Passed: 6	Failed: 0	Undefined: 0	Duration: 102.88 s
Before			0.00s
Given I select the language option on toggle bar as required on login page			4.47s
When user enters credentials			58.03s

UserName	${PULSE_EMAIL}
Password	${login.password}

And User clicks on signin button	1.42s
And I wait for 5 sec	5.01s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	12.86s
Then user should be landed to "Home" screen	21.10s
After	0.00s

Back to Table of Contents

Scenario: Verify user can access his policies from Pru Shoppe My Policies screen

Passed: 4	Failed: 1	Undefined: 0	Duration: 68.95s
Before			0.00s
And I click on pru shoppe button on the home page			5.34s
And I wait for 5 sec			5.01s

And I click on my policies tile on prushoppe screen	31.97s
And I wait for 2 sec	2.01s
And I verify following texts are displayed	23.54s

${myCoverage.title}
${myCoverage.information}
${myCoverage.InformationDescription}

```
java.lang.AssertionError: The following asserts failed:
My Coverage text is displayed on page expected [true] but found [false],
Information text is displayed on page expected [true] but found [false],
Looks like no policies/certificates are linked to you at the moment. text is displayed on page
expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen
(MyDocSteps.java:717)
at .And I verify following texts are displayed(features/my/home/prushopee
/PruShoppeCoverage.feature:27)
```

After		1.08s

```
com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
```

```
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)
```

Back to Table of Contents

Scenario: Click on Link policy and verify screen to add policy number

Passed: 0	Failed: 1	Undefined: 3	Duration: 29.55s
Before			**0.00s**

And I clicks on "${myCoverage.linkPolicyButton}" in app screen	28.52s

```
org.openqa.selenium.NoSuchElementException: An element could not be located on the page
using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions
/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:95b8:7a7:1d5b:
d396%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: ,
bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false,
newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS,
platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E,
webStorageEnabled: false}
Session ID: f89edada-10ab-4ccc-aaf5-423ef83b9c11
*** Element info: {Using=xpath, value=//XCUIElementTypeOther[@name="Link Policy
/Certificate"]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
```

at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.CustomerConnectScreen.clickButton(CustomerConnectScreen.
java:1730)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickUploadIcon
(CustomerConnectSteps.java:534)
at .And I clicks on "${myCoverage.linkPolicyButton}" in app screen(features/my/home
/prushopee/PruShoppeCoverage.feature:33)

And I wait for 2 sec	0.00s
And I hide one pulse app mobile keyboard	0.00s
And I verify following texts are displayed	0.00s

${myCoverage.policyNumber.title}
${myCoverage.policyNumber.description}
${myCoverage.policyNumber.description1}

After		1.03s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)

```
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)
```

Back to Table of Contents

Scenario: Verify the error message when the Policy Number is blank

Passed: 0	Failed: 1	Undefined: 2	Duration: 3.09s
Before			**0.00s**

Then I click on policy number save button on my policies screen	2.07s

```
com.prudential.tap.exception.TapException: Not able to find element on screen [By.xpath:
//XCUIElementTypeStaticText[@name="Policy Number"]//following::
XCUIElementTypeTextField]
at com.prudential.tap.appium.AppiumCommands.findElementNoWait(AppiumCommands.
java:176)
at com.prudential.tap.appium.AppiumCommands.clickElementByCoordinateforBothXY
(AppiumCommands.java:512)
at com.onepulse.app.screens.TestBasePage.clickElementByCoordinateForBothXY
(TestBasePage.java:599)
at com.onepulse.app.screens.PruShoppeScreen.clickPolicyNumSaveBtn(PruShoppeScreen.
java:224)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.clickPolicyNumSaveBtn
```

(PruShoppeSteps.java:151)
at .Then I click on policy number save button on my policies screen(features/my/home/prushopee/PruShoppeCoverage.feature:42)

Then I click on policy number save button on my policies screen	0.00s
Then I verify following texts are displayed	0.00s
${myCoverage.policyNumber.errorMessage}	

After		1.02s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)

at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Back to Table of Contents

Scenario: Verify the error message when the Policy Number is invalid or incorrect

Passed: 0	Failed: 1	Undefined: 4	Duration: 18.34s
Before			0.00s

When I enter "1234" as the Policy number	17.31s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:95b8:7a7:1d5b:d396%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}
Session ID: f89edada-10ab-4ccc-aaf5-423ef83b9c11
*** Element info: {Using=xpath, value=//XCUIElementTypeStaticText[@name="Policy Number"]//following::XCUIElementTypeTextField}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.

java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:262)
at com.onepulse.app.screens.PruShoppeScreen.enterPolicyNumber(PruShoppeScreen.java:
139)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.enterPolicyNumber
(PruShoppeSteps.java:96)
at .When I enter "1234" as the Policy number(features/my/home/prushopee
/PruShoppeCoverage.feature:50)

And I hide one pulse app mobile keyboard	0.00s
Then I click on policy number save button on my policies screen	0.00s
And I wait for 2 sec	0.00s
Then I verify following texts are displayed	0.00s
${myCoverage.policyNumber.errorMessage}	

After		1.02s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke

(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Back to Table of Contents

Scenario: **Verify the error message when the Cancel Button**

Passed: 0	Failed: 1	Undefined: 1	Duration: 3.06s
Before			0.00s

Then I click on policy number cancel button on my policies screen	2.04s

com.prudential.tap.exception.TapException: Not able to find element on screen [By.xpath: //XCUIElementTypeStaticText[@name="Policy Number"]//following:: XCUIElementTypeTextField]
at com.prudential.tap.appium.AppiumCommands.findElementNoWait(AppiumCommands.java:176)
at com.prudential.tap.appium.AppiumCommands.clickElementByCoordinateforBothXY (AppiumCommands.java:512)
at com.onepulse.app.screens.TestBasePage.clickElementByCoordinateForBothXY (TestBasePage.java:599)
at com.onepulse.app.screens.PruShoppeScreen.clickPolicyNumCancelBtn(PruShoppeScreen.java:232)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.clickPolicyNumCancelBtn (PruShoppeSteps.java:156)
at .Then I click on policy number cancel button on my policies screen(features/my/home /prushopee/PruShoppeCoverage.feature:58)

Then user should be landed to "Home" screen	0.00s

After		1.02s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)

```
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:96)
at jdk.internal.reflect.GeneratedMethodAccessor43.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)
```

Back to Table of Contents

Feature: Verify wealth channel functionality on one pulse App

Passed: 2	Failed: 11	Undefined: 0	Duration: 613.19s

Scenario: Launch the app and select the country as per specified lbu

Passed: 6	Failed: 0	Undefined: 0	Duration: 105.9s
Before			0.00s

Given User has pulse app	10.70s
And I assign "${login.email.id}" to variable "PULSE_EMAIL"	0.01s
And user click on "CONTINUE WITH EMAIL" with Email button	57.63s
Then I change the country as required on registration page	25.80s
Then I wait for 10 sec	10.02s

And I click the Sign in link		1.74s
After		0.00s

Back to Table of Contents

Scenario: login to the app with correct credentials using "Continue with Email"

Passed: 6	Failed: 0	Undefined: 0	Duration: 109.7s
Before			0.00s

Given I select the language option on toggle bar as required on login page		3.90s
When user enters credentials		66.81s
UserName	${PULSE_EMAIL}	
Password	${pulse.password}	
And User clicks on signin button		1.28s
And I wait for 5 sec		5.01s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"		12.89s
Then user should be landed to "Home" screen		19.81s
After		0.00s

Back to Table of Contents

Scenario: Verify User should be able to navigate to wealth page

Passed: 0	Failed: 1	Undefined: 4	Duration: 17.98s
Before			0.00s

And I click the Wealth Channel tile for Malaysia	13.30s

com.prudential.tap.exception.TapException: Not able to find element on screen [By.xpath: //XCUIElementTypeStaticText[contains(@name,'Top Picks For You')]]
at com.prudential.tap.appium.AppiumCommands.findElementNoWait(AppiumCommands.java:176)
at com.prudential.tap.appium.AppiumCommands.clickElementByCoordinateforBothXY(AppiumCommands.java:512)
at com.onepulse.app.screens.TestBasePage.clickElementByCoordinateForBothXY(TestBasePage.java:599)
at com.onepulse.app.screens.WealthScreen.clickWealthChannelTileForMalaysia(WealthScreen.java:575)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.clickWealthChannelTileMalaysia(WealthSteps.java:338)
at .And I click the Wealth Channel tile for Malaysia(features/my/wealth/WealthChannel.feature:23)

Then I verify following texts are displayed	0.00s
Wealth Channels	
Then I verify following tile texts are displayed on wealth channel screen	0.00s
Investing 123	
Equip yourself with the basic investment tools	
First Steps	
The importance of investor education	
And I scroll down	0.00s
Then I verify following tile texts are displayed on wealth channel screen	0.00s
Remove The Weeds	

Dispel investment myths to achieve desired investment outcomes
Mutual Funds
Make mutual funds your first investment stop



After		**4.68s**

[Back to Table of Contents](#)

Scenario: Verify User should be able to view the story post

Passed: 0	**Failed: 1**	**Undefined: 4**	**Duration: 37.13s**
Before			**0.00s**

Then I click on "Mutual Funds" wealth channel topic	**33.51s**

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:95b8:7a7:1d5b:d396%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}
Session ID: e011bec6-5711-4b6e-9f0b-3b4a8db7e33d
***** Element info: {Using=xpath, value=(//XCUIElementTypeOther[contains(@name,"Mutual Funds")])[23]}**
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)

```
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.WealthScreen.clickWealthChannelTopic(WealthScreen.java:128)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iClickOnWealthChannelTopic
(WealthSteps.java:59)
at .Then I click on "Mutual Funds" wealth channel topic(features/my/wealth/WealthChannel.
feature:39)
```

Then I wait for 2 sec	0.00s
Then I verify following texts are displayed	0.00s
Mutual Funds	
Then I verify following tile texts are displayed on wealth channel screen	0.00s
Make mutual funds your first investment stop	
And I verify following social cite options are displayed	0.00s
[illegible]	

Like
Share
Comment



After		**3.62s**

Back to Table of Contents

Scenario: Verify User should be able to Like the post

Passed: 0	**Failed: 1**	**Undefined: 3**	**Duration: 53.22s**
Before			**0.00s**

And I read the "Mutual Funds" post like count	**50.17s**

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:95b8:7a7:1d5b:d396%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}
Session ID: e011bec6-5711-4b6e-9f0b-3b4a8db7e33d
***** Element info: {Using=xpath, value=(//XCUIElementTypeOther[@name="Like"])[1]/preceding::XCUIElementTypeOther[4]}**
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)

```
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$22.executeCommand(Commands.java:201)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.getElementAttributeValue(TestBasePage.java:594)
at com.onepulse.app.screens.WealthScreen.readLikeCount(WealthScreen.java:186)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iReadThePostLikeCount
(WealthSteps.java:85)
at .And I read the "Mutual Funds" post like count(features/my/wealth/WealthChannel.feature:
51)
```

And I Like the post	0.00s
Then I verify "Mutual Funds" post like count is increased	0.00s
And I Like the post	0.00s



After		**3.05s**

[Back to Table of Contents](#)

Scenario: Verify User should be able to Share the post

Passed: 0	**Failed: 1**	**Undefined: 1**	**Duration: 20.35s**
Before			**0.00s**

And I share the post	**17.03s**

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:95b8:7a7:1d5b:d396%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}
Session ID: e011bec6-5711-4b6e-9f0b-3b4a8db7e33d
***** Element info: {Using=xpath, value=(//XCUIElementTypeOther[@name="Share"])[1]}**
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException

```
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.WealthScreen.clickShareButton(WealthScreen.java:215)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iShareThePost(WealthSteps.java:
90)
at .And I share the post(features/my/wealth/WealthChannel.feature:57)
```

Then I Verify the share with friends popup	0.00s



After		**3.32s**

Back to Table of Contents

Scenario: Verify User should be able to Comment the post

Passed: 0	**Failed: 1**	**Undefined: 2**	**Duration: 25.21s**
Before			**0.00s**

And I read the "Mutual Funds" post comment count	**21.82s**

```
org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:95b8:7a7:1d5b:d396%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}
Session ID: e011bec6-5711-4b6e-9f0b-3b4a8db7e33d
*** Element info: {Using=xpath, value=(//XCUIElementTypeOther[@name="Like"])[1]/preceding::XCUIElementTypeOther[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
```

```
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$22.executeCommand(Commands.java:201)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.getElementAttributeValue(TestBasePage.java:594)
at com.onepulse.app.screens.WealthScreen.readCommentCount(WealthScreen.java:240)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iReadThePostCommentCount
(WealthSteps.java:100)
at .And I read the "Mutual Funds" post comment count(features/my/wealth/WealthChannel.
feature:61)
```

And I commented in the post "${wealth.topic.comment}"	0.00s
Then I verify "Mutual Funds" post comment count is increased	0.00s



After		**3.39s**

Back to Table of Contents

Scenario: Verify User should be able to view the full page article post

Passed: 0	**Failed: 1**	**Undefined: 0**	**Duration: 41.81s**
Before			**0.00s**

Then I click on "Mutual Funds" topic for details full view	**38.29s**

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:95b8:7a7:1d5b:d396%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}
Session ID: e011bec6-5711-4b6e-9f0b-3b4a8db7e33d
***** Element info: {Using=xpath, value=//XCUIElementTypeStaticText[@name="Mutual Funds"]/following:: XCUIElementTypeScrollView[1]/XCUIElementTypeOther/XCUIElementTypeOther[2]}**
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)

```
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.WealthScreen.clickWealthChannelTopicDetailView
(WealthScreen.java:135)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.
iClickOnTopicForDetailsFullView(WealthSteps.java:64)
at .Then I click on "Mutual Funds" topic for details full view(features/my/wealth
/WealthChannel.feature:66)
```



After		**3.52s**

Back to Table of Contents

Scenario: Verify User should be able to see the Like, Share, Comment options on full page article post

Passed: 1	**Failed: 1**	**Undefined: 0**	**Duration: 101.54 s**

Before		**0.00s**
Then I wait for 3 sec		**3.01s**
And I verify following social cite options are displayed		**95.60s**

Like
Share
Comment

java.lang.AssertionError: The following asserts failed:
Like text is displayed on page expected [true] but found [false],
Share text is displayed on page expected [true] but found [false],
Comment text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iVerifyFollowingSocialCiteOptionsAreDisplayed(WealthSteps.java:319)
at .And I verify following social cite options are displayed(features/my/wealth/WealthChannel.feature:70)



After		**2.93s**

Back to Table of Contents

Scenario: Verify User should be able to Like the post in full article view screen

Passed: 0	**Failed: 1**	**Undefined: 1**	**Duration: 37.67s**
Before			**0.00s**

And I Like the post	**33.68s**

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:95b8:7a7:1d5b:d396%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}
Session ID: e011bec6-5711-4b6e-9f0b-3b4a8db7e33d
***** Element info: {Using=xpath, value=(//XCUIElementTypeOther[@name="Like"])[1]}**
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException

```
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.WealthScreen.clickLikeButton(WealthScreen.java:175)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iLikeThePost(WealthSteps.java:
75)
at .And I Like the post(features/my/wealth/WealthChannel.feature:76)
```

And I Like the post	0.00s



After		**3.98s**

Back to Table of Contents

Scenario: Verify User should be able to Share the post in full article view screen

Passed: 0	**Failed: 1**	**Undefined: 1**	**Duration: 20.77s**
Before			**0.00s**

And I share the post	**18.29s**

```
org.openqa.selenium.NoSuchElementException: An element could not be located on the page
using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions
/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:95b8:7a7:1d5b:
d396%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: ,
bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false,
newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS,
platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E,
webStorageEnabled: false}
Session ID: e011bec6-5711-4b6e-9f0b-3b4a8db7e33d
*** Element info: {Using=xpath, value=(//XCUIElementTypeOther[@name="Share"])[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
```

```
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.WealthScreen.clickShareButton(WealthScreen.java:215)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iShareThePost(WealthSteps.java:
90)
at .And I share the post(features/my/wealth/WealthChannel.feature:80)
```

Then I navigate back to previous page	0.00s



After		**2.48s**

[Back to Table of Contents](#)

Scenario: Verify User should be able to Comment the post in full article view screen

Passed: 0	**Failed: 1**	**Undefined: 0**	**Duration: 19.75s**
Before			**0.00s**

And I comment in full view post article "${wealth.topic.comment}"	**15.31s**

```
org.openqa.selenium.NoSuchElementException: An element could not be located on the page
using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions
/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:95b8:7a7:1d5b:
d396%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: ,
bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false,
newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS,
platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E,
webStorageEnabled: false}
Session ID: e011bec6-5711-4b6e-9f0b-3b4a8db7e33d
*** Element info: {Using=xpath, value=(//XCUIElementTypeOther[@name="Comment"])[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
```

```
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.WealthScreen.enterCommentOnFullViewPage(WealthScreen.
java:280)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iCommentInFullViewPostArticle
(WealthSteps.java:115)
at .And I comment in full view post article "${wealth.topic.comment}"(features/my/wealth
/WealthChannel.feature:84)
```



After		**4.44s**

Back to Table of Contents

Scenario: Verify User can navigate to wealth homepage

Passed: 1	**Failed: 1**	**Undefined: 1**	**Duration: 22.17s**

Before	**0.00s**
Then I navigate to story post page	**3.47s**
Then I click on "Mutual Funds" back button	**16.34s**

```
org.openqa.selenium.NoSuchElementException: An element could not be located on the page
using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions
/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:95b8:7a7:1d5b:
d396%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: ,
bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false,
newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS,
platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E,
webStorageEnabled: false}
Session ID: e011bec6-5711-4b6e-9f0b-3b4a8db7e33d
*** Element info: {Using=xpath, value=(//XCUIElementTypeOther[@name="Mutual Funds"])
[2]/XCUIElementTypeOther}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
```

```
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.WealthScreen.clickBackButton(WealthScreen.java:110)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iClickOnBackButton
(WealthSteps.java:44)
at .Then I click on "Mutual Funds" back button(features/my/wealth/WealthChannel.feature:
88)
```

Then I click on "Wealth Channels" back button	0.00s



After		2.36s

Back to Table of Contents

Feature: Verify Notification Center functionality on one pulse App

Passed: 2	Failed: 0	Undefined: 0	Duration: 6.34s

Scenario: Navigate to notification screen via home screen

Passed: 2	Failed: 0	Undefined: 0	Duration: 3.76s
Before			0.00s
Given I navigate to notification screen from home page			1.75s
Then I wait for 2 sec			2.01s
After			0.00s

Back to Table of Contents

Scenario: Verify User should be able to see the Notification screen texts

Passed: 1	Failed: 0	Undefined: 0	Duration: 2.58s
Before			0.00s
And I verify following texts are displayed			2.58s
${notification.msg}			
After			0.00s

Back to Table of Contents

Feature: Verify share with friends functionality in onepulse app

Passed: 6	Failed: 1	Undefined: 0	Duration: 402.92s

Scenario: Launch the app and select the country as per specified lbu

Passed: 6	Failed: 0	Undefined: 0	Duration: 120.56 s
Before			0.00s

Given User has pulse app		14.50s
And I assign "${login.email.id}" to variable "PULSE_EMAIL"		0.01s
And user click on "CONTINUE WITH EMAIL" with Email button		72.82s
Then I change the country as required on registration page		26.06s
Then I wait for 2 sec		2.01s
And I click the Sign in link		5.16s
After		0.00s

Back to Table of Contents

Scenario: login to the app with correct credentials using "Continue with Email"

Passed: 6	Failed: 0	Undefined: 0	Duration: 111.07 s
Before			0.00s

And I select the language option on toggle bar as required on login page		4.57s
When user enters credentials		56.72s
UserName	${PULSE_EMAIL}	
Password	${login.password}	
And User clicks on signin button		1.34s
And I wait for 10 sec		10.01s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"		16.97s
Then user should be landed to "Home" screen		21.46s
After		0.00s

Back to Table of Contents

Scenario: Verify User should be able to share the link with Whatsapp

Passed: 1	Failed: 0	Undefined: 0	Duration: 20.3s
Before			0.00s

Then I verify the share with friends links		20.30s
After		0.00s

Back to Table of Contents

Scenario: Verify User should be able to share the link with Contacts app

Passed: 0	Failed: 1	Undefined: 0	Duration: 54.2s
Before			0.00s

Then I verify the contacts share icon	50.18s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:95b8:7a7:1d5b:d396%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS,

platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}
Session ID: 8ccef2fb-5f6f-4fec-8e46-6d2e19fe2a10
*** Element info: {Using=xpath, value=//XCUIElementTypeOther[@name="Skip"]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.PulseLoginScreen.clickContactsIcon(PulseLoginScreen.java:628)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iVerifyTheContactsShareIcon (LoginSteps.java:299)
at .Then I verify the contacts share icon(features/share/ShareWithFriends.feature:30)

After			4.03s
Back to Table of Contents			
Scenario: Verify User should be able to share the link with Messenger app			
Passed: 1	Failed: 0	Undefined: 0	Duration: 19.82s
Before			0.00s
Then I verify the fb messenger share icon			19.82s
After			0.00s
Back to Table of Contents			
Scenario: Verify User should be able to share the link with Viber app			
Passed: 1	Failed: 0	Undefined: 0	Duration: 37.42s
Before			0.00s
Then I verify the Viber share icon			37.42s
After			0.00s
Back to Table of Contents			
Scenario: Verify User should be able to share the link with Line app			
Passed: 1	Failed: 0	Undefined: 0	Duration: 39.54s
Before			0.00s
Then I verify the Line share icon			39.54s
After			0.00s
Back to Table of Contents			