Overview

	Passed	Failed	Known	Undefined	Total	%Passed
Features	4	23	0	0	27	15%
Scenarios	59	152	0	0	211	28%
Steps	499	152	0	383	1,034	48%

Overall Duration: 1h 28m 33s

Table of Contents

- 1. Verify login functionality on One pulse App
 - 1. Launch the app and select the country as per specified lbu
 - 2. login to the app with correct credentials using "Continue with Email"
 - 3. Verify the Invalid Email id in login screen using "Continue with Email"
 - 4. Verify the User not registerd email in login screen using "Continue with Email"
 - 5. User should be able to retrieve the reset password using forget password link
 - 6. Verify Account should be locked after entering more than 7 times incorrect passwords
 - 7. Verify the Login Functionality using "Continue with Facebook"
- 2. Verify registration functionality on one pulse App
 - 1. <u>User should be able to register on app with correct credentials using "Continue with Email"</u>
 - 2. verify the field label on registration screen
 - 3. verify the validation message for mandatory fields
 - 4. verify validation message when user enters Invalid password: Pulse@1 on registration page
 - 5. <u>verify validation message when user enters Invalid password: Pulse123 on registration page</u>
 - 6. Verify the validation message when user enter already registered email id on registration page
 - 7. Verify the mobile number screen validation using "Continue with Email"
 - 8. Verify the resend OTP functionality on Enter OTP Screen using "Continue with Email"
- 3. Verify Edit Profile functionality on Pulse Health & Wealth app
 - 1. Launch the app and select the country as per specified lbu
 - 2. login to the app with correct credentials using "Continue with Email"
 - 3. Verify User should be able to navigate to Edit profile screen
 - 4. Verify User should be able to change the profile picture in edit profile screen
 - 5. Verify the email, country code and COR fields are non-editable in edit profile screen
 - 6. Verify user can able to change the details in edit profile screen
 - 7. <u>Verify Details updated during pulse profile registration should be reflected in edit profile</u> screen
 - 8. verify the user details should be correctly on babylon screen
 - 9. navigate back to health screen
- 4. Verify MY Event channel functionality on one pulse App
 - 1. Launch the app and select the country as per specified lbu
 - 2. login to the app with correct credentials using "Continue with Email"
 - 3. Verify MyEvent Functionality in Home screen
 - 4. Verify Events Archive tab
 - 5. Verify Open Events tab
- 5. Verify My Health Content functionality on One Pulse App

- 1. Launch the app and select the country as per specified lbu
- 2. User should be able to login on app with correct credentials using "Continue with Email"
- 3. Verify User should be able to navigate to Health page
- 4. Verify User should be able to view the full page article post
- 5. Verify User should be able to see the Like, Share, Comment options on full page article post
- 6. Verify User should be able to Like the post in full article view screen
- 7. Verify User should be able to Share the post in full article view screen
- 8. Verify User can navigate to Health homepage
- 6. Verify Notification Center functionality on one pulse App
 - 1. <u>User should be able to register on app with correct credentials using "Continue with Email"</u>
 - 2. Navigate to notification screen via home screen
 - 3. Verify User should be able to see the Notification screen texts
 - 4. Then I navigate back to home screen from Notification Center
 - 5. Verify User should be able navigate to Notification Center via My account
 - 6. Verify User should be able to see the Notification screen texts
 - 7. Verify User should be able to login using already registered credentials
 - 8. Verify User should be able navigate to Notification Center
- 7. Verify My Challenges on One Pulse App
 - 1. Launch the app and select the country as per specified lbu
 - 2. User should be able to login on app with correct credentials using "Continue with Email"
 - 3. Verify My Challenges texts
 - 4. Click on All challenges and and verify texts
- 8. Verify Notification Center functionality on one pulse App
 - 1. Verify the Home screen validation using "Continue with Email"
 - 2. Navigate to notification screen via home screen
 - 3. Verify User should be able to see the Notification screen texts
 - 4. Then I navigate back to home screen from Notification Center
 - 5. Verify User should be able navigate to Notification Center via My account
 - 6. Verify User should be able to see the Notification screen texts
- 9. Verify My Communities on One Pluse App
 - 1. Launch the app and select the country as per specified lbu
 - 2. User should be able to login on app with correct credentials using "Continue with Gmail"
 - 3. User should be able to login on app with correct credentials using "Continue with Email" and Verify the Mycommunities screen
 - 4. Leave the community if already joined
 - 5. Verify the All Communities Post screen
 - 6. Verify the Likes and comments counts in All communities tab
 - 7. Verify the Share with Friends Functionality in All communities tab
 - 8. Verify the Post Functionality in All communities
 - 9. Verify the Category list and search feature
 - 10. <u>User navigates back to the community screen</u>
 - 11. Leave the community if already joined
- 10. Verify Private My Communities on One Pulse App
 - 1. Launch the app and select the country as per specified lbu
 - 2. User should be able to login on app with correct credentials using "Continue with Gmail"
 - 3. User should be able to login on app with correct credentials using "Continue with Gmail" and Verify the Mycommunities screen
 - 4. Verify the Private Communities in communities screen
- 11. Verify MySettings functionality in Account screen

- 1. User should be able to login on app with correct credentials using "Continue with Gmail"
- 2. Verify the My Feedback screen in Account tab
- 3. Verify the submit functionality in My feedback screen
- 4. Verify the Pulse Personalised tab
- 5. Verify the Marketing Consent in Account tab
- 12. Verify share with friends functionality in onepulse app
 - 1. Launch the app and select the country as per specified lbu
 - 2. login to the app with correct credentials using "Continue with Email"
 - 3. Verify User should be able to share the link with Whatsapp
 - 4. Verify User should be able to share the link with Contacts app
 - 5. Verify User should be able to share the link with Messenger app
 - 6. Verify User should be able to share the link with Viber app
 - 7. Verify User should be able to share the link with Line app
- 13. Verify My wearable functionality via fitness tab on Pulse Health & Wealth app
 - 1. Launch the app and select the country as per specified lbu
 - 2. login to the app with correct credentials using "Continue with Email"
 - 3. Verify the user can access My Wearables via Fitness
- 14. Verify Exercise Buddy functionality via Fitness tab on Pulse Health & Wealth app
 - 1. Launch the app and select the country as per specified Ibu
 - 2. login to the app with correct credentials using "Continue with Email"
 - 3. Verify the user can access Exercise Buddy via Fitness
 - 4. Verify the Take Challenge via Squats
 - 5. Verify the Start via Squats
 - 6. Verify the Preview via Squats
- 15. Verify My wearable functionality via fitness tab on Pulse Health & Wealth app
 - 1. Launch the app and select the country as per specified lbu
 - 2. login to the app with correct credentials using "Continue with Email"
 - 3. Verify the user can access My Wearables via Fitness
- 16. Verify wealth channel functionality on one pulse App
 - 1. Verify User should be able to login using email account
 - 2. Verify User should be able to navigate to Food page
 - 3. Verify User should be able to see the list of food schedule time
 - 4. Verify User should be able to time of the meal, add to cart and scan
 - 5. Verify User should be able to see the details after moving to "Breakfast"
 - 6. Verify User should be able to see the details after moving to "Lunch"
 - 7. Verify User should be able to see the details after moving to "Dinner"
 - 8. Verify User should be able to see log after add food is done
- 17. Verify the Babylon Registration via HRA journey for PH LBU
 - 1. User should be able to Register for Babylon HRA
 - 2. User should be able to Register for Babylon HRA
- 18. Verify the BabyLon HRA Report Nutrition, Body, Activity
 - 1. Launch the app and select the country as per specified lbu
 - 2. login to the app with correct credentials using "Continue with Email"
 - 3. User should be able to access Babylon Health Risk Assessment Report
 - 4. Verify the HRA Activity Summary
 - 5. Verify the HRA Activity Summary
 - 6. Verify the HRA Activity summary
 - 7. Verify the HRA Nutrition Report
 - 8. Verify the HRA Report Keep It Up sub-section
 - 9. Verify the HRA Report Make a Change sub-section
 - 10. User should be able to access Babylon HRA Healthcheck Body

- 11. navigate back to digital twin screen
- 12. User should be able to access Babylon HRA Healthcheck Nutrition
- 13. Navigate back to nutrition screen and validate the static text
- 14. navigate back to digital twin screen
- 15. User should be able to access Babylon HRA Healthcheck Activity
- 16. Navigate back to Activity screen and validate the static text
- 17. navigate back to digital twin screen
- 18. User should be able to access Babylon HRA Healthcheck Mood
- 19. navigate back to digital twin screen
- 19. Verify Consult doctor functionality on Pulse Health
 - 1. Verify the Home screen validation using "Continue with Email"
 - 2. Verify the online consultation screen user fields
 - 3. Verify the online consultation screen user fields after swipe down
 - 4. Verify User should be able to enter address and zipcode
 - 5. Verify User should be able to upload NRIC Image in Online Consultation screen
 - 6. Verify User should be presented with the symptoms checker questions log
 - 7. Verify User can able to chat with chatbot symptoms checker
 - 8. Verify User should be presented with the sample text on the Medical Profile screen as a first time user
 - 9. Verify User should be able to create the medical profile
 - 10. Verify User should be able to see the payment screen fields
 - 11. Verify User should be able enter the card details
 - 12. Verify User should be able see the added card successfully
 - 13. Verify User should be able to start online pre consultation
 - 14. Verify User should be able see the allocated doctor details
- 20. <u>Verify User should be able to Download as PDF Files & Validate the details in downloaded Mydoc Documents.</u>
 - 1. Verify User should be able to navigate to Consultation Summary and see all available Files
 - 2. Verify User should be able to see the Referral, Prescription and eMC Documents
 - 3. Verify User should be able to download eMC Document
 - 4. Verify User should be able to verify the eMC details in downloaded PDF file
 - 5. Verify User should be able to download Prescription Document
 - 6. Verify User should be able to verify the Prescription details in downloaded PDF file
 - 7. Verify User should be able to download the Referral Document
 - 8. Verify User should be able to verify the Referral details in downloaded PDF file
- 21. Verify My Heart clinic functionality in Account screen
 - 1. User should be able to login on app with correct credentials using "Continue with Gmail"
 - 2. Verify the popup for Health page is display properly
- 22. Verify MY Event channel functionality on one pulse App
 - 1. Launch the app and select the country as per specified lbu
 - 2. login to the app with correct credentials using "Continue with Email"
 - 3. Verify MyEvent Functionality in Home screen
 - 4. Verify Events Archive tab
 - 5. Verify Open Events tab
- 23. Verify Free PA with COVID+ Vaccine Protection functionality on one pulse App
 - 1. User should be able to register on app with correct credentials using "Continue with Email"
 - 2. Navigate to PRU Shoppe screen
 - 3. Verify first time User are presented with T&C to proceed to the Pru Shoppe
 - 4. Verify User should be able to navigate to Free PA with COVID+Vaccine Protection tile

- 5. Verify Free PA with COVID+Vaccine Protection coverage details and conditions are listed above Show More link
- 6. Verify the Show More link is clickable in Free PA with COVID+Vaccine Protection screen
- 7. Verify the Free PA with COVID+Vaccine Protection coverage details and conditions are listed on click Show More link
- 8. Verify the Show Less link is clickable in Free PA with COVID+Vaccine Protection screen
- 9. Verify the Your Details section in Free PA with COVID+Vaccine Protection screen
- 10. Verify all the field headers in Free PA with COVID+Vaccine Protection screen
- 11. Scroll down for further validation
- 12. Verify User should be able to see the fields in Your Details section
- 13. Scroll down for further validation
- 14. Verify the Terms and Conditions text in Free PA with COVID+Vaccine Protection screen
- 15. Verify the Terms and Conditions can be accepted in Free PA with COVID+Vaccine Protection screen
- 16. Scroll down for further validation
- 17. Verify the presence of PROCEED button
- 18. Verify the validation error messages on click of PROCEED button
- 19. Verify image of unauthorised ID not accepted
- 20. Verify user can enter other mandatory fields
- 24. Verify Group Yearly Renewable Term Insurance(GYRT) functionality on one pulse App
 - 1. <u>User should be able to register on app with correct credentials using "Continue with Email"</u>
 - 2. Navigate to PRU Shoppe screen
 - 3. Verify first time User are presented with T&C to proceed to the Pru Shoppe
 - 4. Verify User should be able to navigate to GYRT tile
 - 5. Verify the GYRT coverage details and conditions are listed above Show More link
 - 6. Verify the Show More link is clickable in GYRT screen
 - 7. Verify the GYRT coverage details and conditions are listed on click Show More link
 - 8. Verify the Show Less link is clickable in GYRT screen
 - 9. Verify the Your Details section in GYRT screen
 - 10. Verify all the field headers in GYRT screen
 - 11. Scroll down for further validation
 - 12. Verify User should be able to see the fields in Your Details section
 - 13. Scroll down for further validation
 - 14. Verify the Terms and Conditions text in GYRT screen
 - 15. Verify the Terms and Conditions can be accepted in GYRT screen
 - 16. Scroll down for further validation
 - 17. Verify the presence of PROCEED button
 - 18. Verify the validation error messages on click of PROCEED button
 - 19. Verify image of unauthorised ID not accepted
 - 20. Verify user can enter other mandatory fields
- 25. Verify that user can view his registered policies under My Policies
 - 1. Verify that No linked policies information message is displayed
 - 2. Verify that user can access his policies from Home screen
- 26. Verify wealth channel functionality on one pulse App
 - 1. Verify User should be able to login using email account
 - 2. Verify User should be able to navigate to wealth page
 - 3. Verify User should be able to view the story post
 - 4. Verify User should be able to see the story post Like, Share, Comment options
 - 5. Verify User should be able to Like the post
 - 6. Verify User should be able to Share the post

- 7. Verify User should be able to Comment the post
- 8. Verify User should be able to view the full page article post
- 9. Verify User should be able to see the Like, Share, Comment options on full page article post
- 10. Verify User should be able to Like the post in full article view screen
- 11. Verify User should be able to Share the post in full article view screen
- 12. Verify User should be able to Comment the post in full article view screen
- 13. Verify User can navigate to wealth homepage
- 27. Verify legal and legacy on One Pluse App
 - 1. User should be able to login on app with correct credentials using "Continue with Gmail"
 - 2. Verify the Terms and condition should be displayed
 - 3. Verify the Privacy screen should be displayed
 - 4. Verify the Regulator screen should be displayed

Detailed Results Report

d: 2	Failed: 5	Undefined: 0	Duration: 354.87	s
enario: <mark>Lau</mark>	nch the app and	select the country as p		
assed: 3	Faile	d: 1 Und	efined: 4	Duration: 22.44
efore				0.54s
Given User	has pulse app			12.15s
And I assig	n ''\${login.email.	.id}'' to variable ''PUI	LSE_EMAIL''	0.00s
And user cl	lick on "CONTIN	NUE WITH EMAIL"	with Email button	9.66s
Then I char	nge the country a	s required on registra	tion page	0.09s
os.version: Driver info	'10.0', java.versi : io.appium.java	on: '11.0.2' _client.android.Andro	24', os.name: 'Windows 10 oidDriver IainAc, appPackage: co	

```
Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance
(NativeConstructorAccessorImpl.java:62)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryName
(PulseRegistrationScreen.java:1016)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTheCountry
(RegistrationSteps.java:306)
at .Then I change the country as required on registration page(features/PulseLoginTest.
feature:9)
```


fter ck to Table of Contents			
ck to Table of Contents			0.00s
		dentials using "Continue wit	
ssed: 0	Failed: 1	Undefined: 5	Duration: .06
efore			0.00s
Given I select the lan	guage option on to	ggle bar as required on logi	n page 0.06s
processing the commoriginal error: socked Build info: version: 'System info: host: 'Tos.version: '10.0', jay Driver info: io.appiu Capabilities {appActuat, autoDismissAlerdesired: {appActivity autoDismissAlerts: tonewCommandTimed deviceManufacturer deviceScreenDensity jayascriptEnabled: tonewCommandTimed platformName: And to the command to the comma	nand. Original erroet hang up 3.12.0', revision: '7 M003LSIN', ip: '19 va.version: '11.0.2' m.java_client.andrevity: com.prudent vts: true, automation vts: true, automation vts: 10000, noReset vt: 440, deviceScreen rue, locationConte out: 10000, noReset rue, locationConte out: 10000, noReset rue; locationConte out: 10000, noReset rue; locationConte out: 10000, noReset roid, platformVers nt: 2015, left: 0, top	cial.pulse.MainAc, appPackonName: UiAutomator2, databulse.MainAc, appPackage me: UiAutomator2, deviceNe: true, platformName: androdel: Pixel 5, deviceName: 00 aSize: 1080x2340, deviceUDI xtEnabled: false, networkCot: true, pixelRatio: 2.75, platfion: 11, statBarHeight: 145, p: 145, width: 1080}, warning	d to the remote server. 14:04:26.12Z' dows 10', os.arch: 'amd6 kage: com.prudential.pulsabaseEnabled: false, com.prudential.pulse.ua ame: Android-Test, oid}, deviceApiLevel: 30, C241FDD40043P, D: 0C241FDD40043P, onnectionEnabled: true, form: LINUX, takesScreenshot: true,

	at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:	1)				
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebD					
	at io.appium.java_client.DefaultGenericMobileDriver.findElement	,				
	(DefaultGenericMobileDriver.java:62)					
	at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)					
	at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.j					
	at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(Remojava:419)	oteWebDriver.				
	gava:419) at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath					
	(DefaultGenericMobileDriver.java:152)					
	at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)					
	at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)					
	at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)					
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebD	river.java:309)				
	at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58)					
	at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)					
	at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java.1)	iava:1)				
	at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.					
	at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand)	Command.java:				
	19)					
	at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163					
	at com.onepulse.app.screens.PulseRegistrationScreen.selectTheLanguageToggle					
		gle 				
	(PulseRegistrationScreen.java:1067)					
	(PulseRegistrationScreen.java:1067) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.selectTheLa (RegistrationSteps.java:338) at .Given I select the language option on toggle bar as required on login page(for	angOption				
	(PulseRegistrationScreen.java:1067) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.selectTheLa (RegistrationSteps.java:338) at .Given I select the language option on toggle bar as required on login page(f /PulseLoginTest.feature:16)	angOption Ceatures				
	(PulseRegistrationScreen.java:1067) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.selectTheLa (RegistrationSteps.java:338) at .Given I select the language option on toggle bar as required on login page(fe) /PulseLoginTest.feature:16) When user enters credentials	angOption				
	(PulseRegistrationScreen.java:1067) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.selectTheLa (RegistrationSteps.java:338) at .Given I select the language option on toggle bar as required on login page(fe/PulseLoginTest.feature:16) When user enters credentials UserName \${PULSE_EMAIL}	angOption Ceatures				
	(PulseRegistrationScreen.java:1067) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.selectTheLa (RegistrationSteps.java:338) at .Given I select the language option on toggle bar as required on login page(fe) /PulseLoginTest.feature:16) When user enters credentials	angOption Ceatures				
	(PulseRegistrationScreen.java:1067) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.selectTheLa (RegistrationSteps.java:338) at .Given I select the language option on toggle bar as required on login page(fe/PulseLoginTest.feature:16) When user enters credentials UserName \${PULSE_EMAIL}	angOption Ceatures 0.00s				
	(PulseRegistrationScreen.java:1067) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.selectTheLa (RegistrationSteps.java:338) at .Given I select the language option on toggle bar as required on login page(fe/PulseLoginTest.feature:16) When user enters credentials UserName \${PULSE_EMAIL} Password \${login.password} And User clicks on signin button And I wait for 5 sec	angOption ceatures 0.00s 0.00s 0.00s				
	(PulseRegistrationScreen.java:1067) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.selectTheLa (RegistrationSteps.java:338) at .Given I select the language option on toggle bar as required on login page(fe/PulseLoginTest.feature:16) When user enters credentials UserName \${PULSE_EMAIL} Password \${login.password} And User clicks on signin button And I wait for 5 sec And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	angOption Ceatures 0.00s 0.00s 0.00s 0.00s 0.00s				
	(PulseRegistrationScreen.java:1067) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.selectTheLa (RegistrationSteps.java:338) at .Given I select the language option on toggle bar as required on login page(fe/PulseLoginTest.feature:16) When user enters credentials UserName \${PULSE_EMAIL} Password \${login.password} And User clicks on signin button And I wait for 5 sec And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" Then user should be landed to "Home" screen	angOption Ceatures 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s				
_	(PulseRegistrationScreen.java:1067) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.selectTheLa (RegistrationSteps.java:338) at .Given I select the language option on toggle bar as required on login page(fe) (PulseLoginTest.feature:16) When user enters credentials UserName \${PULSE_EMAIL} Password \${login.password} And User clicks on signin button And I wait for 5 sec And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" Then user should be landed to "Home" screen	angOption Ceatures 0.00s 0.00s 0.00s 0.00s 0.00s				
_	(PulseRegistrationScreen.java:1067) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.selectTheLa (RegistrationSteps.java:338) at .Given I select the language option on toggle bar as required on login page(fe/PulseLoginTest.feature:16) When user enters credentials UserName \${PULSE_EMAIL} Password \${login.password} And User clicks on signin button And I wait for 5 sec And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" Then user should be landed to "Home" screen	angOption Ceatures 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s				
Ba	(PulseRegistrationScreen.java:1067) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.selectTheLa (RegistrationSteps.java:338) at .Given I select the language option on toggle bar as required on login page(fe) (PulseLoginTest.feature:16) When user enters credentials UserName \${PULSE_EMAIL} Password \${login.password} And User clicks on signin button And I wait for 5 sec And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" Then user should be landed to "Home" screen	0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s				
Ba Sc	(PulseRegistrationScreen.java:1067) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.selectTheLa (RegistrationSteps.java:338) at .Given I select the language option on toggle bar as required on login page(f /PulseLoginTest.feature:16) When user enters credentials UserName \${PULSE_EMAIL} Password \${login.password} And User clicks on signin button And I wait for 5 sec And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" Then user should be landed to "Home" screen	0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s				
Ba Sc Pa	(PulseRegistrationScreen.java:1067) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.selectTheLa (RegistrationSteps.java:338) at .Given I select the language option on toggle bar as required on login page(fe) (PulseLoginTest.feature:16) When user enters credentials UserName \${PULSE_EMAIL} Password \${login.password} And User clicks on signin button And I wait for 5 sec And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" Then user should be landed to "Home" screen Eter Ck to Table of Contents enario: Verify the Invalid Email id in login screen using "Continue with Email"	angOption ceatures 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s				
Ba Sc Pa	(PulseRegistrationScreen.java:1067) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.selectTheLa (RegistrationSteps.java:338) at .Given I select the language option on toggle bar as required on login page(f /PulseLoginTest.feature:16) When user enters credentials UserName \${PULSE_EMAIL} Password \${login.password} And User clicks on signin button And I wait for 5 sec And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" Then user should be landed to "Home" screen feter ck to Table of Contents enario: Verify the Invalid Email id in login screen using "Continue with Email" ssed: 15 Failed: 0 Undefined: 0	0.00s				
Ba Sc Pa	(PulseRegistrationScreen.java:1067) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.selectTheLa (RegistrationSteps.java:338) at .Given I select the language option on toggle bar as required on login page(fe) (PulseLoginTest.feature:16) When user enters credentials UserName \${PULSE_EMAIL} Password \${login.password} And User clicks on signin button And I wait for 5 sec And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" Then user should be landed to "Home" screen fter ck to Table of Contents enario: Verify the Invalid Email id in login screen using "Continue with Email" ssed: 15 Failed: 0 Undefined: 0	0.00s				
Ba Sc Pa	(PulseRegistrationScreen.java:1067) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.selectTheLa (RegistrationSteps.java:338) at .Given I select the language option on toggle bar as required on login page(f/PulseLoginTest.feature:16) When user enters credentials UserName \${PULSE_EMAIL}} Password \${login.password}} And User clicks on signin button And I wait for 5 sec And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" Then user should be landed to "Home" screen Eter Ck to Table of Contents enario: Verify the Invalid Email id in login screen using "Continue with Email" ssed: 15 Failed: 0 Undefined: 0 Given User has pulse app Then I wait for 2 sec	0.00s				
Ba Sc Pa	(PulseRegistrationScreen.java:1067) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.selectTheLa (RegistrationSteps.java:338) at .Given I select the language option on toggle bar as required on login page(f/PulseLoginTest.feature:16) When user enters credentials UserName \${PULSE_EMAIL}\$ Password \${login.password}\$ And User clicks on signin button And I wait for 5 sec And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" Then user should be landed to "Home" screen Eter Ck to Table of Contents enario: Verify the Invalid Email id in login screen using "Continue with Email' ssed: 15 Failed: 0 Undefined: 0 Given User has pulse app Then I wait for 2 sec And user click on "CONTINUE WITH EMAIL" with Email button	0.00s				
Ba Sc Pa	(PulseRegistrationScreen.java:1067) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.selectTheLa (RegistrationSteps.java:338) at .Given I select the language option on toggle bar as required on login page(f /PulseLoginTest.feature:16) When user enters credentials UserName \${PULSE_EMAIL}} Password \${login.password}} And User clicks on signin button And I wait for 5 sec And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" Then user should be landed to "Home" screen fter ck to Table of Contents enario: Verify the Invalid Email id in login screen using "Continue with Email" ssed: 15 ffore Given User has pulse app Then I wait for 2 sec And user click on "CONTINUE WITH EMAIL" with Email button Then I change the country as required on registration page	0.00s				
Ba Sc Pa	(PulseRegistrationScreen.java:1067) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.selectTheLa (RegistrationSteps.java:338) at .Given I select the language option on toggle bar as required on login page(f //PulseLoginTest.feature:16) When user enters credentials UserName S{PULSE_EMAIL} Password S{login.password} And User clicks on signin button And I wait for 5 sec And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" Then user should be landed to "Home" screen feter ck to Table of Contents enario: Verify the Invalid Email id in login screen using "Continue with Email' ssed: 15	0.00s				
Ba Sc Pa	(PulseRegistrationScreen.java:1067) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.selectTheLa (RegistrationSteps.java:338) at .Given I select the language option on toggle bar as required on login page(f /PulseLoginTest.feature:16) When user enters credentials UserName \${PULSE_EMAIL}} Password \${login.password}} And User clicks on signin button And I wait for 5 sec And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" Then user should be landed to "Home" screen fter ck to Table of Contents enario: Verify the Invalid Email id in login screen using "Continue with Email" ssed: 15 ffore Given User has pulse app Then I wait for 2 sec And user click on "CONTINUE WITH EMAIL" with Email button Then I change the country as required on registration page	0.00s				

_			
		ge option on toggle bar as required on login page	2.29s
	When user enters crede	entials	9.82s
	UserName t@gmai		
	Password Pas\$1234	1	
	And User clicks on sign	nin button	0.24s
	Then verify invalid em	ail message "Email is required"	0.71s
	Then User clicks on Fo	rgot Password button	0.22s
	Then enter the email to	3.09s	
	Email t@gmai		
	Then User clicks on Ser	0.76s	
	Then verify invalid em	0.88s	
A1	iter		0.00s
	ck to Table of Contents		10000
		not registerd email in login screen using "Continue v	vith Email''
	ssed: 4	Failed: 1 Undefined: 12	Duration: 36.05s
	efore	rancu. 1	0.00s
		I was been and a seize to see 2.11.	0.000
	"RANDOM NUMBER	om number and assign to variable	0.01s
	And I assign value to for		0.00s
	USER NAME		0.008
		taf-\${RANDOM_NUMBER}@mailinator.com	
	USER_PASSWORI	Pas\$1234	
	C1 TT 1 1		0.04
	Given User has pulse a		9.94s
	And user click on "CO	NTINUE WITH EMAIL" with Email button	10.06s
	And user click on "CO		
	And user click on "CO Then I change the cour	NTINUE WITH EMAIL" with Email button try as required on registration page	10.06s 16.05s
	And user click on "CO Then I change the cour org.openqa.selenium.N	NTINUE WITH EMAIL" with Email button of the street of the	10.06s 16.05s
	And user click on "CO Then I change the cour org.openqa.selenium.N using the given search	NTINUE WITH EMAIL" with Email button try as required on registration page oSuchElementException: An element could not be loparameters.	10.06s 16.05s cated on the page
	And user click on "CO Then I change the cour org.openqa.selenium.N using the given search	NTINUE WITH EMAIL" with Email button try as required on registration page (oSuchElementException: An element could not be logarameters. this error, please visit: http://seleniumhq.org/exception	10.06s 16.05s cated on the page
	And user click on "CO Then I change the cour org.openqa.selenium.N using the given search For documentation on /no_such_element.html	NTINUE WITH EMAIL" with Email button try as required on registration page (oSuchElementException: An element could not be logarameters. this error, please visit: http://seleniumhq.org/exception	10.06s 16.05s cated on the page
	And user click on "CO Then I change the cour org.openqa.selenium.N using the given search For documentation on /no_such_element.html Build info: version: '3.1 System info: host: 'TM	NTINUE WITH EMAIL" with Email button atry as required on registration page OSuchElementException: An element could not be logarameters. this error, please visit: http://seleniumhq.org/exception 12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26 1003LSIN', ip: '192.168.1.124', os.name: 'Windows 10	10.06s 16.05s cated on the page ons 5.12Z'
	And user click on "CO Then I change the cour org.openqa.selenium.N using the given search processed to the course of the course	NTINUE WITH EMAIL" with Email button atry as required on registration page OSuchElementException: An element could not be logarameters. this error, please visit: http://seleniumhq.org/exception 12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26 1003LSIN', ip: '192.168.1.124', os.name: 'Windows 10 version: '11.0.2'	10.06s 16.05s cated on the page ons 5.12Z'
	And user click on "CO Then I change the cour org.openqa.selenium.N using the given search For documentation on /no_such_element.html Build info: version: '3.1 System info: host: 'TM os.version: '10.0', java. Driver info: io.appium.	NTINUE WITH EMAIL" with Email button try as required on registration page OSuchElementException: An element could not be logarameters. this error, please visit: http://seleniumhq.org/exception 12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26 1003LSIN', ip: '192.168.1.124', os.name: 'Windows 10 version: '11.0.2' .java_client.android.AndroidDriver	10.06s 16.05s cated on the page ons 5.12Z' ', os.arch: 'amd64',
	And user click on "CO Then I change the cour org.openqa.selenium.N using the given search For documentation on /no_such_element.html Build info: version: '3.1 System info: host: 'TM os.version: '10.0', java. Driver info: io.appium. Capabilities {appActivity	NTINUE WITH EMAIL" with Email button atry as required on registration page OSuchElementException: An element could not be logarameters. this error, please visit: http://seleniumhq.org/exception/lease. 12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:266003LSIN', ip: '192.168.1.124', os.name: 'Windows 10 version: '11.0.2' .java_client.android.AndroidDriver ity: com.prudential.pulse.MainAc, appPackage: cor	10.06s 16.05s cated on the page ons 5.12Z' ', os.arch: 'amd64', m.prudential.pulse.
	And user click on "CO Then I change the cour org.openqa.selenium.N using the given search For documentation on /no_such_element.html Build info: version: '3.3 System info: host: 'TM os.version: '10.0', java. Driver info: io.appium. Capabilities {appActivity uat, autoDismissAlerts	NTINUE WITH EMAIL" with Email button atry as required on registration page OSuchElementException: An element could not be logarameters. this error, please visit: http://seleniumhq.org/exception/li> 12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:266003LSIN', ip: '192.168.1.124', os.name: 'Windows 10 version: '11.0.2' .java_client.android.AndroidDriver ity: com.prudential.pulse.MainAc, appPackage: con: true, automationName: UiAutomator2, databaseEn	10.06s 16.05s cated on the page ons 5.12Z' ', os.arch: 'amd64', m.prudential.pulse. abled: false,
	And user click on "CO Then I change the cour org.openqa.selenium.N using the given search For documentation on /no_such_element.html Build info: version: '3.1 System info: host: 'TM os.version: '10.0', java. Driver info: io.appium. Capabilities {appActivi uat, autoDismissAlerts desired: {appActivity: o	NTINUE WITH EMAIL" with Email button atry as required on registration page OSuchElementException: An element could not be logarameters. this error, please visit: http://seleniumhq.org/exception/lease. 12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:266003LSIN', ip: '192.168.1.124', os.name: 'Windows 10 version: '11.0.2' .java_client.android.AndroidDriver ity: com.prudential.pulse.MainAc, appPackage: cor	10.06s 16.05s cated on the page ons 5.12Z' ', os.arch: 'amd64', m.prudential.pulse. abled: false, cudential.pulse.uat,
	And user click on "CO Then I change the cour org.openqa.selenium.N using the given search processes th	NTINUE WITH EMAIL" with Email button ntry as required on registration page (oSuchElementException: An element could not be logarameters. this error, please visit: http://seleniumhq.org/exception 12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26 1003LSIN', ip: '192.168.1.124', os.name: 'Windows 10 version: '11.0.2' .java_client.android.AndroidDriver ity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.MainAc	10.06s 16.05s cated on the page ons 5.12Z' ', os.arch: 'amd64', m.prudential.pulse. abled: false, cudential.pulse.uat, idroid-Test, ciceApiLevel: 30,
	And user click on "CO Then I change the cour org.openqa.selenium.N using the given search For documentation on /no_such_element.html Build info: version: '3.1 System info: host: 'TM os.version: '10.0', java. Driver info: io.appium. Capabilities {appActivity: autoDismissAlerts desired: {appActivity: autoDismissAlerts: true newCommandTimeout deviceManufacturer: Co	NTINUE WITH EMAIL" with Email button try as required on registration page [oSuchElementException: An element could not be logarameters. this error, please visit: http://seleniumhq.org/exception [12.0], revision: '7c6e0b3', time: '2018-05-08T14:04:26 [1003LSIN', ip: '192.168.1.124', os.name: 'Windows 10 version: '11.0.2' [java_client.android.AndroidDriver [ity: com.prudential.pulse.MainAc, appPackage: com.prude	10.06s 16.05s cated on the page ons 5.12Z' ', os.arch: 'amd64', m.prudential.pulse. abled: false, rudential.pulse.uat, droid-Test, riceApiLevel: 30, 040043P,
	And user click on "CO Then I change the cour org.openqa.selenium.N using the given search property of the commentation on the commentation of the	NTINUE WITH EMAIL" with Email button ntry as required on registration page CoSuchElementException: An element could not be logarameters. this error, please visit: http://seleniumhq.org/exception 12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26 1003LSIN', ip: '192.168.1.124', os.name: 'Windows 10 version: '11.0.2' .java_client.android.AndroidDriver ity: com.prudential.pulse.MainAc, appPackage: com.	10.06s 16.05s cated on the page ons 6.12Z' ', os.arch: 'amd64', m.prudential.pulse. abled: false, cudential.pulse.uat, idroid-Test, iceApiLevel: 30, 040043P, 1FDD40043P,
	And user click on "CO Then I change the cour org.openqa.selenium.N using the given search processes to documentation on longsuch_element.html Build info: version: '3.1 System info: host: 'TM os.version: '10.0', java. Driver info: io.appium. Capabilities {appActivity: autoDismissAlerts desired: {appActivity: autoDismissAlerts: true newCommandTimeout deviceManufacturer: OdeviceScreenDensity: 4 javascriptEnabled: true	NTINUE WITH EMAIL" with Email button try as required on registration page OSuchElementException: An element could not be logarameters. this error, please visit: http://seleniumhq.org/exception 12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26 1003LSIN', ip: '192.168.1.124', os.name: 'Windows 10 version: '11.0.2' .java_client.android.AndroidDriver ity: com.prudential.pulse.MainAc, appPackage: com.pru	10.06s 16.05s cated on the page ons 5.12Z' ', os.arch: 'amd64', m.prudential.pulse. abled: false, cudential.pulse.uat, idroid-Test, iceApiLevel: 30, 040043P, 1FDD40043P, nEnabled: true,
	And user click on "CO Then I change the cour org.openqa.selenium.N using the given search of For documentation on /no_such_element.html Build info: version: '3.1 System info: host: 'TM os.version: '10.0', java. Driver info: io.appium. Capabilities {appActivity: autoDismissAlerts desired: {appActivity: autoDismissAlerts: true newCommandTimeout deviceScreenDensity: 4 javascriptEnabled: tru newCommandTimeout	NTINUE WITH EMAIL" with Email button htry as required on registration page SoSuchElementException: An element could not be located parameters. this error, please visit: http://seleniumhq.org/exception/ 12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26/ 1003LSIN', ip: '192.168.1.124', os.name: 'Windows 10/ version: '11.0.2' ajava_client.android.AndroidDriver ity: com.prudential.pulse.MainAc, appPackage: c	10.06s 16.05s cated on the page ons 6.12Z' ', os.arch: 'amd64', m.prudential.pulse. abled: false, rudential.pulse.uat, droid-Test, riceApiLevel: 30, 040043P, 1FDD40043P, nEnabled: true, NUX,
	And user click on "CO Then I change the cour org.openqa.selenium.N using the given search property of the commentation on property of the commentation of	NTINUE WITH EMAIL' with Email button atry as required on registration page SoSuchElementException: An element could not be logarameters. this error, please visit: http://seleniumhq.org/exception/li> 12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26:003LSIN', ip: '192.168.1.124', os.name: 'Windows 10: version: '11.0.2' Java_client.android.AndroidDriver ity: com.prudential.pulse.MainAc, appPackage: com.pru	10.06s 16.05s cated on the page ons 6.12Z' ', os.arch: 'amd64', m.prudential.pulse. abled: false, rudential.pulse.uat, idroid-Test, riceApiLevel: 30, 040043P, 1FDD40043P, nEnabled: true, NUX, reenshot: true,
	And user click on "CO Then I change the cour org.openqa.selenium.N using the given search property of the commentation on property of the commentation of	NTINUE WITH EMAIL" with Email button htry as required on registration page SoSuchElementException: An element could not be located parameters. this error, please visit: http://seleniumhq.org/exception/ 12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26/ 1003LSIN', ip: '192.168.1.124', os.name: 'Windows 10/ version: '11.0.2' ajava_client.android.AndroidDriver ity: com.prudential.pulse.MainAc, appPackage: c	10.06s 16.05s cated on the page ons 6.12Z' ', os.arch: 'amd64', m.prudential.pulse. abled: false, rudential.pulse.uat, idroid-Test, riceApiLevel: 30, 040043P, 1FDD40043P, nEnabled: true, NUX, reenshot: true,
	And user click on "CO Then I change the cour org.openqa.selenium.N using the given search property of the commentation on the commentation of the	NTINUE WITH EMAIL' with Email button atry as required on registration page SoSuchElementException: An element could not be logarameters. this error, please visit: http://seleniumhq.org/exception/li> 12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26:003LSIN', ip: '192.168.1.124', os.name: 'Windows 10: version: '11.0.2' Java_client.android.AndroidDriver ity: com.prudential.pulse.MainAc, appPackage: com.pru	10.06s 16.05s cated on the page ons 6.12Z' ', os.arch: 'amd64', m.prudential.pulse. abled: false, rudential.pulse.uat, idroid-Test, riceApiLevel: 30, 040043P, 1FDD40043P, nEnabled: true, NUX, reenshot: true,

```
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native
Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance
(NativeConstructorAccessorImpl.java:62)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryName
(PulseRegistrationScreen.java:1016)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTheCountry
(RegistrationSteps.java:306)
at .Then I change the country as required on registration page(features/PulseLoginTest.
feature:56)
```

And I select the l When user enter			
When user enter	inguage option on toggic bar as re	quired on login page	0.00s
When user enter	credentials		0.00s
UserName \${U	SER_NAME}		
Password \${\textsup \}	SER_PASSWORD}		
And I scroll dow	1		0.00s
And User clicks	n signin button		0.00s
Then verify inval	id email message ''\${invalid.crede	ntial.message}''	0.00s
Then User clicks	on Forgot Password button		0.00s
Then enter the en	nail to request the new password		0.00s
Email \${USEI	NAME}		
Then User clicks			0.00s
	id email message "\${invalid.crede	 ntial.message}''	0.00s
ter			0.00s
ck to Table of Conter	te		0.005
	ld be able to retrieve the reset pas	eword using forgot posswe	red link
		sword using forget passwo	nu iiik
			Dunation, 12
ssed: 1		ined: 6	Duration: 12
ssed: 1 fore	Failed: 1 Under	ined: 6	0.00s
And I assign "\${\frac{1}{2}} Then enter the enter the enter the com.prudential.t	Failed: 1 Under Corgot.password.email.id}" to variable to request the new password E_EMAIL} up.exception.TapException: Not a	able "PULSE_EMAIL" ble to find element on scre	0.00s 0.00s 12.69s
And I assign "\${i Then enter the enter the enterthe enter	Failed: 1 Under orgot.password.email.id}" to variable to request the new password E_EMAIL} ap.exception.TapException: Not a EditText[contains(@text,'pulsesge	able "PULSE_EMAIL" ble to find element on scre	0.00s 0.00s 12.69s een [By.xpath:
ssed: 1 fore And I assign '\\${i Then enter the enter the enter the enterthe enterth	Failed: 1 Under Corgot.password.email.id}" to variable to request the new password E_EMAIL} up.exception.TapException: Not a	able "PULSE_EMAIL" ble to find element on scre	0.00s 0.00s 12.69s een [By.xpath:
And I assign "\${i Then enter the ent	Failed: 1 Under Corgot.password.email.id}" to variable to request the new password E_EMAIL} The properties of the prope	ined: 6 able "PULSE_EMAIL" ble to find element on scre [a')]] findElementNoWait(Appi	0.00s 0.00s 12.69s een [By.xpath: umCommands nds.java:406)
And I assign '\\${i Then enter the en	Failed: 1 Under Corgot.password.email.id}" to variable to request the new password E_EMAIL} ap.exception.TapException: Not a EditText[contains(@text,'pulsesgel.tap.appium.AppiumCommands.	ined: 6 able "PULSE_EMAIL" ble to find element on scre [a')]] findElementNoWait(Appi	0.00s 0.00s 12.69s een [By.xpath: umCommands nds.java:406)
And I assign "\${I Then enter the en Email \${PULS} com.prudential.t //android.widget. at com.prudentia java:176) at com.prudentia at com.onepulse.i java:224)	Failed: 1 Under Corgot.password.email.id}" to variable to request the new password E_EMAIL} The properties of the compassion of the compa	ined: 6 able "PULSE_EMAIL" ble to find element on scre [a')]] findElementNoWait(Appi cleartext(AppiumCommaierEmailForgotPassword(F	0.00s 0.00s 12.69s een [By.xpath: umCommands nds.java:406) PulseLoginScre
And I assign "\${i Then enter the ent	Failed: 1 Orgot.password.email.id}" to varinail to request the new password E_EMAIL} App.exception.TapException: Not a EditText[contains(@text,'pulsesgel.tap.appium.AppiumCommands.app.screens.PulseLoginScreen.entapp.stepdefinitions.mobilesteps.LoginScreens.Login	ined: 6 able "PULSE_EMAIL" ble to find element on scre [a')]] findElementNoWait(Appi cleartext(AppiumCommaierEmailForgotPassword(F	0.00s 0.00s 12.69s een [By.xpath: umCommands nds.java:406) PulseLoginScre
And I assign '\\${i Then enter the en	Failed: 1 Orgot.password.email.id}" to variable to request the new password E_EMAIL} App.exception.TapException: Not a EditText[contains(@text,'pulsesgel.tap.appium.AppiumCommands.app.screens.PulseLoginScreen.entapp.stepdefinitions.mobilesteps.LoginScreens.Login	ble to find element on scre [a']] findElementNoWait(Appi cleartext(AppiumComman erEmailForgotPassword(F	0.00s 0.00s 12.69s een [By.xpath: umCommands nds.java:406) PulseLoginScre wordEmail
And I assign "\${i Then enter the ent	Failed: 1 Orgot.password.email.id}" to varinail to request the new password E_EMAIL} App.exception.TapException: Not a EditText[contains(@text,'pulsesgel.tap.appium.AppiumCommands.app.screens.PulseLoginScreen.ent App.stepdefinitions.mobilesteps.LoginScreen.ent e email to request the new password	ble to find element on scre [a']] findElementNoWait(Appi cleartext(AppiumComman erEmailForgotPassword(F	0.00s 0.00s 12.69s en [By.xpath: umCommands nds.java:406) PulseLoginScre wordEmail
And I assign '\\${i Then enter the entertial.t. Email \${PULS} com.prudential.t. // android.widget.at com.prudential.t. at co	Failed: 1 Orgot.password.email.id}" to variable to request the new password E_EMAIL} App.exception.TapException: Not a EditText[contains(@text,'pulsesgel.tap.appium.AppiumCommands.app.screens.PulseLoginScreen.ent app.stepdefinitions.mobilesteps.LoginScreen.ent app.st	ble to find element on scre [a']] findElementNoWait(Appi cleartext(AppiumComman erEmailForgotPassword(F ginSteps.enterForgotPass rd(features/PulseLoginTes	0.00s 0.00s 12.69s een [By.xpath: umCommands nds.java:406) PulseLoginScre wordEmail st.feature:77) 0.00s
And I assign "\${i Then enter the ent	Failed: 1 Under corgot.password.email.id}" to variable to request the new password E_EMAIL} ap.exception.TapException: Not a EditText[contains(@text,'pulsesgel.tap.appium.AppiumCommands.app.screens.PulseLoginScreen.ent app.stepdefinitions.mobilesteps.LoginScreen.ent ap	ble to find element on scre [a']] findElementNoWait(Appi cleartext(AppiumComman erEmailForgotPassword(F ginSteps.enterForgotPass rd(features/PulseLoginTes	0.00s 0.00s 12.69s en [By.xpath: umCommands nds.java:406) PulseLoginScre wordEmail
And I assign '\\${i Then enter the en	Failed: 1 Orgot.password.email.id}" to variable to request the new password E_EMAIL} Open comparison of the password of the	ble to find element on scre [a']] findElementNoWait(Appi cleartext(AppiumComman erEmailForgotPassword(F ginSteps.enterForgotPass rd(features/PulseLoginTes	0.00s 0.00s 12.69s een [By.xpath: umCommands nds.java:406) PulseLoginScre wordEmail st.feature:77) 0.00s 0.00s
And I assign "\${i Then enter the ent	Failed: 1 Orgot.password.email.id}" to variable to request the new password E_EMAIL} App.exception.TapException: Not a EditText[contains(@text,'pulsesgel.tap.appium.AppiumCommands.app.screens.PulseLoginScreen.ent App.stepdefinitions.mobilesteps.LoginScreen.ent	ble to find element on scre [a']] findElementNoWait(Appi cleartext(AppiumComman erEmailForgotPassword(F ginSteps.enterForgotPass rd(features/PulseLoginTes	0.00s 0.00s 12.69s en [By.xpath: umCommands nds.java:406) PulseLoginScre wordEmail st.feature:77) 0.00s 0.00s
And I assign '\\${i Then enter the en	Failed: 1 Orgot.password.email.id}" to variable to request the new password E_EMAIL} In exception. TapException: Not a EditText[contains(@text,'pulsesgel.tap.appium.AppiumCommands.app.screens.PulseLoginScreen.ent app.stepdefinitions.mobilesteps.LoginScreen.ent app.ste	ble to find element on scre [a']] findElementNoWait(Appi cleartext(AppiumComman erEmailForgotPassword(F ginSteps.enterForgotPass rd(features/PulseLoginTes	een [By.xpath: umCommands nds.java:406) PulseLoginScre wordEmail st.feature:77) 0.00s 0.00s 0.00s
And I assign '\\${i Then enter the en	Failed: 1 Orgot.password.email.id}" to variable to request the new password E_EMAIL} Open comparison of the password of the	ble to find element on scre [a']] findElementNoWait(Appi cleartext(AppiumComman erEmailForgotPassword(F ginSteps.enterForgotPass rd(features/PulseLoginTes	0.00s 0.00s 12.69s een [By.xpath: umCommand nds.java:406) PulseLoginScrewordEmail st.feature:77) 0.00s 0.00s
And I assign "\${i Then enter the ent	Failed: 1 Orgot.password.email.id}" to variable to request the new password E_EMAIL} In exception. TapException: Not a EditText[contains(@text,'pulsesgel.tap.appium.AppiumCommands.app.screens.PulseLoginScreen.ent app.stepdefinitions.mobilesteps.LoginScreen.ent app.ste	ble to find element on scre [a']] findElementNoWait(Appi cleartext(AppiumComman erEmailForgotPassword(F ginSteps.enterForgotPass rd(features/PulseLoginTes	0.00s 0.00s 12.69s en [By.xpath: umCommands nds.java:406) PulseLoginScre wordEmail st.feature:77) 0.00s 0.00s



```
Then I click skip button
                                                                            4.16s
org.openga.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: db559934-bf9c-44a8-afaa-273c2701fdd8
*** Element info: {Using=xpath, value=//android.widget.TextView[@text="Continue" or
@text="Connect Later"]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
```

	at io.appium.java_clie at org.openqa.selenium at org.openqa.selenium at io.appium.java_clie (DefaultGenericMobil at io.appium.java_clie at io.appium.java_clie at io.appium.java_clie at com.prudential.tap. at com.prudential.tap. at com.onepulse.app.se (PulseRegistrationScreat com.onepulse.app.se (RegistrationSteps.javat.Then I click skip but to the com.one pulse.app.se (RegistrationSteps.javat.Then I click skip but to the com.one pulse.app.se (RegistrationSteps.javat.Then I click skip but to the com.one pulse.app.se (RegistrationSteps.javat.Then I click skip but to the com.one pulse.app.se (RegistrationSteps.javat.Then I click skip but to the com.one pulse.app.se (RegistrationSteps.javat.Then I click skip but to the com.one pulse.app.se (RegistrationSteps.javat.Then I click skip but to the com.one pulse.app.se (RegistrationSteps.javat.Then I click skip but to the com.one pulse.app.se (RegistrationSteps.javat.Then I click skip but to the com.one pulse.app.se (RegistrationSteps.javat.Then I click skip but to the com.one pulse.app.se (RegistrationSteps.javat.Then I click skip but to the com.one pulse.app.se (RegistrationSteps.javat.Then I click skip but to the com.one pulse.app.se (RegistrationSteps.javat.Then I click skip but to the com.one pulse.app.se (RegistrationSteps.javat.Then I click skip but to the com.one pulse.app.se (RegistrationSteps.javat.Then I click skip but to the com.one pulse.app.se (RegistrationSteps.javat.Then I click skip but to the com.one pulse.app.se (RegistrationSteps.javat.Then I click skip but to the com.one pulse.app.se (RegistrationSteps.javat.Then I click skip but to the com.one pulse.app.se (RegistrationSteps.javat.Then I click skip but to the com.one pulse.app.se (RegistrationSteps.javat.Then I click skip but to the com.one pulse.app.se (RegistrationSteps.javat.Then I click skip but to the com.one pulse.app.se (RegistrationSteps.javat.Then I click skip but to the com.one pulse.app.se (RegistrationSteps.javat.Then I click skip but to the com.one pulse.app.se (RegistrationSteps.javat.	nt.AppiumDriver nt.android.Andro n.By\$ByXPath.fin n.remote.Remote nt.DefaultGeneric eDriver.java:58) nt.AppiumDriver nt.android.Andro selenium.Comma selenium.Execute creens.PulseRegis een.java:1115) tepdefinitions.mo a:377) utton(features/Pu	r.findElementByXPath(AppiumDrive bidDriver.findElementByXPath(AndrindElement(By.java:353) WebDriver.findElement(RemoteWeb cMobileDriver.findElement r.findElement(AppiumDriver.java:1) bidDriver.findElement(AndroidDrive ands\$15.executeCommand(Command eCommand.executeCommand(ExecuteCommand.executeCommand(ExecuteCommand) bilesteps.RegistrationSteps.iClickSkipdlseLoginTest.feature:108)	oidDriver.java:1) Driver.java:309) r.java:1) s.java:141) eCommand.java: 63) pButton
	Then user should be la	anded to "Home"	screen	0.00s
	Then I wait for 4 sec			0.00s
	And I click the Accoun	nt icon in Home s	creen	0.00s
	And I click the sign ou	it from pulse app		0.00s
	Then I wait for 2 sec			0.00s
	Then I enter invalid pa	assword on login	screen and verify the error message	0.00s
	Pas\$123##\${invalid Pas\$123##\${invalid Pas\$123##\${invalid Pas\$123##\${invalid Pas\$123##\${invalid Pas\$123##\${invalid	l.credential.messa l.credential.messa l.credential.messa l.credential.messa l.credential.messa	nge} nge} nge} nge} nge} nge}	
Aft	er			0.00s
Bac	k to Table of Contents			
Sce	nario: Verify the Logi	n Functionality u	sing "Continue with Facebook"	
	sed: 13	Failed: 0	Undefined: 0	Duration: 95.25s
Be	ore			0.00s
	Given User has pulse a	арр		9.89s
	Then I wait for 2 sec			2.01s
	And user click on "CO	ONTINUE WITH	EMAIL" with Email button	13.53s
	Then I wait for 2 sec			2.01s
	Then I change the cou	ntry as required (on registration page	22.88s
	Then I wait for 2 sec			2.02s
			ge and select the lang on toggle bar	3.62s
	Then I click on connec	ct with facebook b	outton	0.23s
	Then I wait for 2 sec			2.01s

" in Continue witl	h Facebook		2.95s
.text}			
rd.texts}			
			10.01s
nded to "Home" s	screen		14.88s
pulse app			9.22s
			0.00s
functionality on or	ne pulse App		
Undefin	ned: 0	Duration: 342.5s	
able to register on	app with correct of	credentials using "(Continue with
Failed: 1	Undefined: 40		Duration: 42.01s
			0.00s
om number and as R''	ssign to variable		0.00s
RANDOM_NUMB	BER}@mailsac.com	ı'' to variable	0.00s
p			9.96s
			2.00s
NTINUE WITH I	EMAIL" with Ema	ail button	14.14s
			2.01s
ntry as required or	n registration page		13.91s
nd. Original error hang up 12.0', revision: '7c 1003LSIN', ip: '192 version: '11.0.2' .java_client.andro ity: com.prudential.pu e, automationNan t: 10000, noReset: Google, deviceMod 40, deviceScreenS te, locationContext t: 10000, noReset: id, platformVersio 2015, left: 0, top:	: Could not proxy of the could not proxy of t	command to the research command to the research section of the common of	mote server. 2Z' os.arch: 'amd64', prudential.pulse. oled: false, dential.pulse.uat, coid-Test, eApiLevel: 30, 0043P, DD40043P, nabled: true, UX, enshot: true, StorageEnabled:
	nded to "Home" soulse app functionality on of Undefinable to register on Failed: 1 The property of the prope	rd.texts} Inded to "Home" screen Dulse app Undefined: 0 Indefined: 0 Indefined: 1 Undefined: 40 Indefined: 40 Ind	inded to "Home" screen pulse app Undefined: 0

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)					
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)					
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode					
(W3CHttpResponseCodec.java:122)					
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode					
(W3CHttpResponseCodec.java:49)					
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandI	Executor.java:				
158)					
at io.appium.java_client.remote.AppiumCommandExecutor.execute					
(AppiumCommandExecutor.java:231)	- 10\				
at org.openqa.selenium.remote.RemoteWebDriver.ja	The state of the s				
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericM java:42)	oblieDriver.				
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)					
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)					
at io.appium.java_client.PerformsTouchActions.performTouchAction(Performs	TouchActions.				
java:41)					
at io.appium.java_client.TouchAction.perform(TouchAction.java:187)					
at com.prudential.tap.appium.AppiumCommands.scrollElement(AppiumComm	ands.java:876)				
at com.onepulse.app.screens.TestBasePage.scrollUpTillElementDisplayed(TestB	asePage.java:				
394)					
at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryName					
(PulseRegistrationScreen.java:1018) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTheCo	untwr				
(RegistrationSteps.java:306)	unti y				
	gistrationTest.				
at .Then I change the country as required on registration page(features/PulseReg	gistrationTest.				
at .Then I change the country as required on registration page(features/PulseReg feature:13)					
at .Then I change the country as required on registration page(features/PulseReg feature:13) Then I wait for 2 sec	0.00s				
at .Then I change the country as required on registration page(features/PulseRegfeature:13) Then I wait for 2 sec Then I navigate to pulse registration page and select the lang on toggle bar then					
at .Then I change the country as required on registration page(features/PulseReg feature:13) Then I wait for 2 sec	0.00s				
at .Then I change the country as required on registration page(features/PulseRegfeature:13) Then I wait for 2 sec Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	0.00s 0.00s				
at .Then I change the country as required on registration page(features/PulseRegfeature:13) Then I wait for 2 sec Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button Then I wait for 2 sec When user enters registration details	0.00s 0.00s 0.00s				
at .Then I change the country as required on registration page(features/PulseRegfeature:13) Then I wait for 2 sec Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button Then I wait for 2 sec	0.00s 0.00s 0.00s				
at .Then I change the country as required on registration page(features/PulseRegfeature:13) Then I wait for 2 sec Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button Then I wait for 2 sec When user enters registration details FirstName testAutomation	0.00s 0.00s 0.00s				
at .Then I change the country as required on registration page(features/PulseRegfeature:13) Then I wait for 2 sec Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button Then I wait for 2 sec When user enters registration details FirstName testAutomation LastName testAutomation Email \${PULSE_EMAIL}	0.00s 0.00s 0.00s				
at .Then I change the country as required on registration page(features/PulseRegistrature:13) Then I wait for 2 sec Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button Then I wait for 2 sec When user enters registration details FirstName testAutomation LastName testAutomation Email \${PULSE_EMAIL} Password Pas\$1234	0.00s 0.00s 0.00s 0.00s				
at .Then I change the country as required on registration page(features/PulseRegfeature:13) Then I wait for 2 sec Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button Then I wait for 2 sec When user enters registration details FirstName testAutomation LastName testAutomation Email \${PULSE_EMAIL} Password Pas\$1234 And taps on continue "Sign_Up" button	0.00s 0.00s 0.00s 0.00s				
at .Then I change the country as required on registration page(features/PulseRegfeature:13) Then I wait for 2 sec Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button Then I wait for 2 sec When user enters registration details FirstName testAutomation LastName testAutomation Email \${PULSE_EMAIL} Password Pas\$1234 And taps on continue "Sign_Up" button Then I wait for otp screen after clicking on signup button	0.00s 0.00s 0.00s 0.00s 0.00s				
at .Then I change the country as required on registration page(features/PulseRegfeature:13) Then I wait for 2 sec Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button Then I wait for 2 sec When user enters registration details FirstName testAutomation LastName testAutomation Email \${PULSE_EMAIL}{} Password Pas\$1234 And taps on continue "Sign_Up" button Then I wait for otp screen after clicking on signup button And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s				
at .Then I change the country as required on registration page(features/PulseRegfeature:13) Then I wait for 2 sec Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button Then I wait for 2 sec When user enters registration details FirstName testAutomation LastName testAutomation Email \${PULSE_EMAIL}\$ Password Pas\$1234 And taps on continue "Sign_Up" button Then I wait for otp screen after clicking on signup button And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" Then I wait for 2 sec	0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s				
at .Then I change the country as required on registration page(features/PulseRegfeature:13) Then I wait for 2 sec Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button Then I wait for 2 sec When user enters registration details FirstName testAutomation LastName testAutomation Email \${PULSE_EMAIL}{Password Pas\$1234} And taps on continue "Sign_Up" button Then I wait for otp screen after clicking on signup button And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" Then I wait for 2 sec And I enter the "mobile number" in welcome to pulse	0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s				
at .Then I change the country as required on registration page(features/PulseRegfeature:13) Then I wait for 2 sec Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button Then I wait for 2 sec When user enters registration details FirstName testAutomation LastName testAutomation Email \${PULSE_EMAIL}{Password Pas\$1234} And taps on continue "Sign_Up" button Then I wait for otp screen after clicking on signup button And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" Then I wait for 2 sec And I enter the "mobile number" in welcome to pulse mobileNumber \${registration.mobile.number}}	0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s				
at .Then I change the country as required on registration page(features/PulseRegfeature:13) Then I wait for 2 sec Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button Then I wait for 2 sec When user enters registration details FirstName testAutomation LastName testAutomation Email \${PULSE_EMAIL}{} Password Pas\$1234 And taps on continue "Sign_Up" button Then I wait for otp screen after clicking on signup button And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" Then I wait for 2 sec And I enter the "mobile number" in welcome to pulse mobileNumber \${registration.mobile.number}} And I choose my wellness goals under wellness plan screen	0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s				
at .Then I change the country as required on registration page(features/PulseRegfeature:13) Then I wait for 2 sec Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button Then I wait for 2 sec When user enters registration details FirstName testAutomation LastName testAutomation Email \${PULSE_EMAIL}{} Password Pas\$1234 And taps on continue "Sign_Up" button Then I wait for otp screen after clicking on signup button And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" Then I wait for 2 sec And I enter the "mobile number" in welcome to pulse mobileNumber \${registration.mobile.number}} And I choose my wellness goals under wellness plan screen And I click the date in Date of Birth field	0.00s				
at .Then I change the country as required on registration page(features/PulseRegfeature:13) Then I wait for 2 sec Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button Then I wait for 2 sec When user enters registration details FirstName testAutomation LastName testAutomation Email \${PULSE_EMAIL}{} Password Pas\$1234 And taps on continue "Sign_Up" button Then I wait for otp screen after clicking on signup button And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" Then I wait for 2 sec And I enter the "mobile number" in welcome to pulse mobileNumber \${registration.mobile.number}} And I choose my wellness goals under wellness plan screen And I click the date in Date of Birth field And I click the Done icon	0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s				
at .Then I change the country as required on registration page(features/PulseRegfeature:13) Then I wait for 2 sec Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button Then I wait for 2 sec When user enters registration details FirstName testAutomation LastName testAutomation Email \${PULSE_EMAIL}{} Password Pas\$1234 And taps on continue "Sign_Up" button Then I wait for otp screen after clicking on signup button And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" Then I wait for 2 sec And I enter the "mobile number" in welcome to pulse mobileNumber \${registration.mobile.number}} And I choose my wellness goals under wellness plan screen And I click the date in Date of Birth field	0.00s				

And I click the conti	inue button	0.00s
And I click on Calcu	ılate BMI button	0.00s
And I click the conti	inue button	0.00s
And I select the "Ho	ow active are you?" in doing exercise	0.00s
And I click the conti	inue button	0.00s
And I select my favo	orite food dietary	0.00s
And I click the conti	inue button	0.00s
And I answer as "\${	option.yes.text}" to "Any Food allergies?"	0.00s
And I click the conti	inue button	0.00s
And I verify that "T	racking your activity is trending" is displayed	0.00s
And I click on conne	ect Later button	0.00s
And I enter the "mo	bile number'' in welcome to pulse	0.00s
mobileNumber \$	{registration.mobile.number}	
And I see that "Wel	come to Pulse'' text is displayed	0.00s
	s subscription exclusive offers screen is displayed	0.00s
And I click on close		0.00s
	umber last 4 digits "122F"	0.00s
Then I click skip bu		0.00s
Then user should be	landed to "Home" screen	0.00s
Then I wait for 4 sec		0.00s
And I click the Acco	unt icon in Home screen	0.00s
And I click the sign	out from pulse app	0.00s
Then I wait for 4 sec		0.00s
When user enters pa	assword credentials in sigin screen	0.00s
Password Pas\$12	<u> </u>	
And User clicks on s		0.00s
Then I wait for 8 sec		0.00s
	landed to "Home" screen	0.00s
After	AMARICA DO AZOMO BOLOGIA	0.00s
Back to Table of Contents		0.005
	Alabel as resistantian same	
	d label on registration screen	D 41 F0 FF
Passed: 9 Before	Failed: 0 Undefined: 0	Duration: 58.75s
		0.00s
Given User has puls		8.89s
Then I wait for 2 sec		2.01s
	CONTINUE WITH EMAIL" with Email button	14.00s
Then I wait for 2 sec		2.01s
	ountry as required on registration page	22.91s
Then I wait for 2 sec		2.01s
Then I navigate to p click on continue wi	ulse registration page and select the lang on toggle bar then th email button	3.90s
Caron on continue WI		0.04
Then I wait for 2 sec		2.01s
Then I wait for 2 sec	ing field label should be displayed on registration screen	2.01s 1.02s

	\${lastname	e.label.text	t}					
	\${email.tex	xt}						
	\${password	d.text}						
Afte	er							0.00s
Back	to Table of Co	<u>ntents</u>						
Scen	nario: verify	the valida	tion message	for mand	atory fi	ields		
Passe	ed: 2		Failed: 0	I	Undefin	ed: 0		Duration: 1.86s
Befo	ore							0.00s
G	Siven taps on	continue	"Sign_Up" b	utton				0.29s
	Then I verify egistration p		tion error me	essage is d	isplaye	d for follov	ving field on	1.58s
	FirstName	\$ {firstnar	me.mandator;	yField.me	ssage}			
	LastName	\${lastnan	ne.mandatory	Field.mes	ssage}			
			nandatoryFie					
	Password	\${passwo	rd.validation	.message}				
Afte	er							0.00s
Back	to Table of Co	<u>ntents</u>						
	nario Outline stration page		alidation mes	sage when	user e	nters Inval	id password: 1	Pulse@1 on
Passe	ed: 3		Failed: 0	1	Undefin	ed: 0		Duration: 2.52s
Befo	re							0.00s
V	Vhen user en	ters regist	tration details	S				1.43s
	Password I	Pulse@1						
A	and taps on c	ontinue ''S	Sign_Up'' but	tton				0.32s
	Then I verify egistration p		tion error me	essage is d	isplaye	d for follow	ving field on	0.78s
	Password \$	{passwor	d.validation.r	message}				
Afte								0.00s
Back	to Table of Co	<u>ntents</u>						
	nario Outline stration page	•	alidation mess	sage when	user e	nters Inval	id password: 1	Pulse123 on
Passe			Failed: 0	l	Undefin	ed: 0		Duration: 3.11s
Befo	ore							0.00s
V	Vhen user en	ters regist	tration details	5				2.00s
	Password I	Pulse123						
A	and taps on c	ontinue ''S	Sign_Up'' but	tton				0.32s
	Then I verify egistration p		tion error me	essage is d	isplaye	d for follow	ving field on	0.79s
	Password \$	{passwor	d.validation.r	nessage}				
Afte								0.00s
Back	to Table of Co	<u>ntents</u>						
	nario: Verify stration page		ntion message	when use	er enter	already re	gistered email	id on
	1 - 8							

J	Passed: 11 Fa	iled: 0	Undefined: 0	Duration: 68.19s			
]	Before			0.00s			
	Given User has pulse app			11.09s			
	Then I wait for 2 sec			2.01s			
	And user click on "CONT	TINUE WITH EMAI	L'' with Email button	13.14s			
	Then I wait for 2 sec			2.00s			
	Then I change the country	y as required on regi	stration page	23.61s			
	Then I wait for 2 sec			2.01s			
	Then I navigate to pulse r click on continue with em		select the lang on toggle bar then	3.78s			
	Then I wait for 2 sec			2.02s			
	When user enters registra	ntion details		7.06s			
	FirstName testAutoma						
		LastName testAutomation					
	Email \${login.ema						
	Password Pas\$1234	,					
	And taps on continue "Sig	gn_Up'' button		0.28s			
	Then I verify the validation		lisplayed for following field on	1.19s			
	registration page			1.175			
	Email \${user.exist.text}	}					
4	After			0.00s			
1	Back to Table of Contents						
	Scenario: Verify the mobile 1	number screen valid	ation using "Continue with Email"				
]	Passed: 20 Fa	niled: 0	Undefined: 0	Duration: 126.78			
Ī	Before			0.00s			
	Given I generate random "RANDOM_NUMBER"	number and assign (o variable	0.00s			
	And I assign ''pulse\${RAI' ''PULSE_EMAIL''	NDOM_NUMBER}	@mailsac.com'' to variable	0.00s			
	Given User has pulse app			9.80s			
	Then I wait for 2 sec			2.01s			
	And user click on "CONT	TINUE WITH EMAI	L'' with Email button	13.07s			
	Then I wait for 2 sec	2.01s					
	Then I wait for 2 sec	Then I change the country as required on registration page					
		y as required on regi	stration page	23.76s			
	Then I change the country Then I wait for 2 sec			23.76s 2.01s			
	Then I change the country Then I wait for 2 sec	registration page and	select the lang on toggle har then				
	Then I change the country Then I wait for 2 sec Then I navigate to pulse r	registration page and	select the lang on toggle har then	2.01s			
	Then I change the country Then I wait for 2 sec Then I navigate to pulse r click on continue with ema	registration page and ail button	select the lang on toggle har then	2.01s 3.92s			
	Then I change the country Then I wait for 2 sec Then I navigate to pulse r click on continue with ema Then I wait for 2 sec	registration page and ail button	select the lang on toggle har then	2.01s 3.92s 2.01s			
	Then I change the country Then I wait for 2 sec Then I navigate to pulse r click on continue with em Then I wait for 2 sec When user enters registra	registration page and ail button ation details ation	select the lang on toggle har then	2.01s 3.92s 2.01s			
	Then I change the country Then I wait for 2 sec Then I navigate to pulse r click on continue with ema Then I wait for 2 sec When user enters registra FirstName NewAutoma	registration page and ail button ation details ation ation	select the lang on toggle har then	2.01s 3.92s 2.01s			
	Then I change the country Then I wait for 2 sec Then I navigate to pulse r click on continue with ema Then I wait for 2 sec When user enters registra FirstName NewAutoma LastName NewAutoma	registration page and ail button ation details ation ation	select the lang on toggle har then	2.01s 3.92s 2.01s			

	And taps on continue "S	Sign Up'' button	0.29s			
		n after clicking on signup button	4.78s			
		pulse app for user email '\\${PULSE_EMAIL}''	31.48s			
	Then I wait for 10 sec	*()	10.00s			
		y code should be displayed correctly on phone number	0.15s			
	And I enter the "mobile	number" in welcome to pulse	11.04s			
	mobileNumber 91767	70				
	And I click the continue	button	0.96s			
	Then I wait for 2 sec		2.01s			
		id Mobile message "\${invalid.mobile.text}"	0.23s			
Af	ter		0.00s			
	ck to Table of Contents		0000			
		l OTP functionality on Enter OTP Screen using "Contin	ue with Email"			
		Failed: 1 Undefined: 11	Duration: 39.26s			
_	fore	Charliea, 11	0.00s			
De						
	Given I generate random number and assign to variable "RANDOM_NUMBER" 0.00s					
	And I assign ''pulse\${RA ''PULSE_EMAIL''	ANDOM_NUMBER}@mailsac.com'' to variable	0.00s			
	And User has pulse app		9.92s			
	1 11					
	Then I wait for 2 sec		2.01s			
		NTINUE WITH EMAIL" with Email button	2.01s 14.07s			
		NTINUE WITH EMAIL" with Email button				
	And user click on "CON Then I wait for 2 sec Then I change the count	try as required on registration page	14.07s 2.01s 11.25s			
	And user click on "CONThen I wait for 2 sec Then I change the count org.openqa.selenium. Wo processing the command Original error: socket he Build info: version: '3.12 System info: host: 'TM0 os.version: '10.0', java.v Driver info: io.appium.j Capabilities {appActivity uat, autoDismissAlerts: desired: {appActivity: co autoDismissAlerts: true, newCommandTimeout: deviceManufacturer: Go deviceScreenDensity: 44 javascriptEnabled: true, newCommandTimeout: platformName: Android viewportRect: {height: 2 false}	try as required on registration page ebDriverException: An unknown server-side error occud. Original error: Could not proxy command to the remang up 2.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z	14.07s 2.01s 11.25s rred while of the server. 2' the serve			

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstanc	ee
(DelegatingConstructorAccessorImpl.java:45)	
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException	
(W3CHttpResponseCodec.java:187)	
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode	
(W3CHttpResponseCodec.java:122)	
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode	
(W3CHttpResponseCodec.java:49)	□
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandl 158)	Executor.java:
at io.appium.java_client.remote.AppiumCommandExecutor.execute	
(AppiumCommandExecutor.java:231)	
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.ja	va:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.execute(DefaultGenericMo	obileDriver.
java:42)	
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)	
at io.appium.java_client.PerformsTouchActions.performTouchAction(Performs'	TouchActions.
java:41)	
at io.appium.java_client.TouchAction.perform(TouchAction.java:187)	
${\bf at\ com.prudential.tap.appium. Appium Commands.scroll Element (Appium Commands).scroll Elem$	•
at com.onepulse.app.screens.TestBasePage.scrollUpTillElementDisplayed(TestBasePage.scrollUpTillElementDisplayed)	asePage.java:
394)	
394) at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryName	
394) at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryName (PulseRegistrationScreen.java:1018)	untry
394) at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryName	untry
at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryName (PulseRegistrationScreen.java:1018) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTheCor(RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/PulseRegistration)	
at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryName (PulseRegistrationScreen.java:1018) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTheCor(RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/PulseRegistration:202)	gistrationTest.
at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryName (PulseRegistrationScreen.java:1018) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTheCor(RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/PulseRegistration:202) Then I wait for 2 sec	gistrationTest.
at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryName (PulseRegistrationScreen.java:1018) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTheCor(RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/PulseRegistratioe:202) Then I wait for 2 sec Then I navigate to pulse registration page and select the lang on toggle bar then	gistrationTest.
at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryName (PulseRegistrationScreen.java:1018) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTheCor(RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/PulseRegistration:202) Then I wait for 2 sec	gistrationTest.
at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryName (PulseRegistrationScreen.java:1018) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTheCon(RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/PulseRegistratioe:202) Then I wait for 2 sec Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	0.00s 0.00s
at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryName (PulseRegistrationScreen.java:1018) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTheCou(RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/PulseRegistratioe:202) Then I wait for 2 sec Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button Then I wait for 2 sec	0.00s 0.00s 0.00s
at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryName (PulseRegistrationScreen.java:1018) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTheCor(RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/PulseRegfeature:202) Then I wait for 2 sec Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button Then I wait for 2 sec When user enters registration details	0.00s 0.00s 0.00s
at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryName (PulseRegistrationScreen.java:1018) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTheCon(RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/PulseRegistration:202) Then I wait for 2 sec Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button Then I wait for 2 sec When user enters registration details FirstName testAutomation	0.00s 0.00s 0.00s
at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryName (PulseRegistrationScreen.java:1018) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTheCon(RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/PulseRegistration:202) Then I wait for 2 sec Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button Then I wait for 2 sec When user enters registration details FirstName testAutomation LastName testAutomation	0.00s 0.00s 0.00s
at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryName (PulseRegistrationScreen.java:1018) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTheCon(RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/PulseRegistration Page) feature:202) Then I wait for 2 sec Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button Then I wait for 2 sec When user enters registration details FirstName testAutomation LastName testAutomation Email \${PULSE_EMAIL} Password Pas\$1234	0.00s 0.00s 0.00s
at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryName (PulseRegistrationScreen.java:1018) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTheCot(RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/PulseRegfeature:202) Then I wait for 2 sec Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button Then I wait for 2 sec When user enters registration details FirstName testAutomation LastName testAutomation Email \${PULSE_EMAIL}}	0.00s 0.00s 0.00s 0.00s
at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryName (PulseRegistrationScreen.java:1018) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTheCor(RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/PulseRegfeature:202) Then I wait for 2 sec Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button Then I wait for 2 sec When user enters registration details FirstName testAutomation LastName testAutomation Email \${PULSE_EMAIL} Password Pas\$1234 And taps on continue "Sign_Up" button	0.00s 0.00s 0.00s 0.00s 0.00s
at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryName (PulseRegistrationScreen.java:1018) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTheCor(RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/PulseRegfeature:202) Then I wait for 2 sec Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button Then I wait for 2 sec When user enters registration details FirstName testAutomation LastName testAutomation Email \${PULSE_EMAIL}{} Password Pas\$1234 And taps on continue "Sign_Up" button Then I wait for otp screen after clicking on signup button	0.00s 0.00s 0.00s 0.00s 0.00s 0.00s
at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryName (PulseRegistrationScreen.java:1018) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTheCot (RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/PulseRegfeature:202) Then I wait for 2 sec Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button Then I wait for 2 sec When user enters registration details FirstName testAutomation LastName testAutomation Email \${PULSE_EMAIL}} Password Pas\$1234 And taps on continue "Sign_Up" button Then I wait for otp screen after clicking on signup button Then I wait for 90 sec	0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s
at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryName (PulseRegistrationScreen.java:1018) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTheCot (RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/PulseRegfeature:202) Then I wait for 2 sec Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button Then I wait for 2 sec When user enters registration details FirstName testAutomation	0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s
at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryName (PulseRegistrationScreen.java:1018) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTheCon (RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/PulseReg feature:202) Then I wait for 2 sec Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button Then I wait for 2 sec When user enters registration details FirstName testAutomation LastName testAutomation Email \$(PULSE_EMAIL) Password Pas\$1234 And taps on continue "Sign_Up" button Then I wait for 90 sec Then I click the Resend button in OTP screen And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s
at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryName (PulseRegistrationScreen.java:1018) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTheCon (RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/PulseReg feature:202) Then I wait for 2 sec Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button Then I wait for 2 sec When user enters registration details FirstName testAutomation LastName testAutomation Email \${PULSE_EMAIL}{Password Pas\$1234} And taps on continue "Sign_Up" button Then I wait for 90 sec Then I click the Resend button in OTP screen And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" And I wait for 2 sec	0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s

eature: Verify Edit Profile	functionality on Pulse	Health & Wealth ar	p	
ssed: 0 Failed: 9	Undefined: 0		ntion: 102.57s	
Scenario: Launch the app	and select the countr	v as per specified lbu	1	
Passed: 3	Failed: 1	Undefined: 2		Duration: 35.13s
Before				0.00s
Given User has pulse a	ann			8.87s
	ılse.login.edit.profile}''	to variable "PULSI		0.00s
	ONTINUE WITH EMA			10.11s
	ntry as required on re			16.15s
using the given search For documentation on /no_such_element.htm Build info: version: '3. System info: host: 'TM os.version: '10.0', java Driver info: io.appium Capabilities {appActivity: autoDismissAlerts: tru newCommandTimeou deviceManufacturer: deviceScreenDensity: javascriptEnabled: tru newCommandTimeou platformName: Andro viewportRect: {height false} Session ID: 725d5ef3-(*** Element info: {Usi at jdk.internal.reflect. at java.base/jdk.intern (DelegatingConstructo at java.base/java.lang. at org.openqa.selenium (W3CHttpResponseCo at org.openqa.selenium at io.appium.java_clie java:42)	this error, please visited 1.12.0', revision: '7c6e0ld 1003LSIN', ip: '192.16'd .version: '11.0.2'd .java_client.android.Avity: com.prudential.puse: true, automationName: Unit: 10000, noReset: true Google, deviceModel: 1440, deviceScreenSize: ne, locationContextEnatt: 10000, noReset: true oid, platformVersion: 15: 2015, left: 0, top: 145: 1066b-467a-be76-39afcf ing=xpath, value=//and GeneratedConstructor nal.reflect.DelegatingCorAccessorImpl.java: 45: 1000c.java: 187) m.remote.http.W3CHttodec.java: 122) m.remote.http.W3CHttodec.java: 1490c.remote.http.W3CHttodec.java: 490c.remote.http.W3CHttodec.java: 490c.remo	: http://seleniumhq.do3', time: '2018-05-08.1.124', os.name: 'VandroidDriver alse.MainAc, appPme: UiAutomator2, device, platformName: an Pixel 5, deviceName: 1080x2340, deviceUabled: false, network e, pixelRatio: 2.75, pi. 1, statBarHeight: 14, width: 1080}, warn 76c16c droid.widget.Spinner Accessor20.newInstonstructorAccessorI5) wInstance(ConstructorAccessorI5) wInstance(ConstructorAccessorI5) appersonseCodec.cr	org/exceptions 8T14:04:26.12Z' Vindows 10', os.a cackage: com.prudent cackage: com.pru cackage: com.	arch: 'amd64', idential.pulse. l: false, itial.pulse.uat, id-Test, piLevel: 30, id3P, 040043P, bled: true, rageEnabled: Source) e

$\textbf{at io.appium.java_client.android.} And \textbf{roidDriver.execute} (\textbf{AndroidDriver.execute}) \\$	
$at\ org. open qa. selenium. remote. Remote Web Driver. find Element (Remote Web Driver. find Element) and the property of th$	teWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement	
(DefaultGenericMobileDriver.java:62)	
${\bf at~io.appium.java_client.AppiumDriver.findElement} ({\bf AppiumDriver.jau}) \\$	
${\bf at~io.appium.java_client.android.AndroidDriver.findElement} (Android and application) and {\bf application} and {\bf applicat$	
$at\ org. open qa. selenium. remote. Remote Web Driver. find Element By XPa$	th(RemoteWebDriver.
java:419)	
at io.appium.java_client.DefaultGenericMobileDriver.findElementByX	KPath
(DefaultGenericMobileDriver.java:152)	
$at\ io. appium. java_client. Appium Driver. find Element By XP ath (Appium Driver. find Elemen$	
${\bf at~io.appium.java_client.android.AndroidDriver.find Element By XP at hearth and a client a client and a client and a client and a client and a $	(AndroidDriver.java:1
at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)	
$at\ or {\bf g.open qa. selenium. remote. Remote Web Driver. find Element (Remote Web Driver. find Element (Remote Medical Remote Web Driver. find Element (Remote Medical Remote Medical R$	teWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement	
(DefaultGenericMobileDriver.java:58)	
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.ja	
$at\ io. appium. java_client. and roid. And roid Driver. find Element (And roid Driver. find Element) and roid Driver. find Element (And roid Driver. find Element) and roid Driver. find Element (And roid Driver. find Element) and roid Driver. find Element (And roid Driver. find Element) and roid Driver. find Element (And roid Driver. find Element) and roid Driver. find Element (And roid Driver. find Element) and roid Driver. find Element (And roid Driver. find Element) and roid Driver. find Element (And roid Driver. find Element) and roid Driver. find Element (And roid Driver. find Element) and roid Driver. find Element (And roid Driver. find Element) and roid Driver. find Element (And roid Driver. find Element) and roid Driver. find Element (And roid Driver. find Element) and roid Driver. find Element (And roid Driver. find Element) and roid Driver. find Element (And roid Driver. find Element) and roid Driver. find Element (And roid Driver. find Element) and roid Driver. find Element (And roid Driver. find Element) and roid Driver. find Element (And roid Driver. find$	Driver.java:1)
at com. prudential. tap. selenium. Commands \$15. execute Command (Command) and the command of	nmands.java:141)
$at\ com. prudential. tap. selenium. Execute Command. execute Command (Execute Command) and the command of the$	ExecuteCommand.java
19)	
$at\ com. one pulse. app. screens. Test Base Page. click Button (Test Base Page. july 1) and the pulse approximation of the puls$	java:163)
at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCoun	tryName
(PulseRegistrationScreen.java:1016)	
at com. one pulse. app. step definitions. mobile steps. Registration Steps. i Selection and the property of	ectTheCountry
(RegistrationSteps.java:306)	
at .Then I change the country as required on registration page(features	s/editProfile
PulseEditProfileTest.feature:9)	
Then I wait for 5 sec	0.00s
	0.00s

THEFT I WAIT TOT & SEC	0.005
And I click the Sign in link	0.00s

After ack to Table of Cocenario: login assed: 0 Before		credentials using "Continuous Undefined: 6	ue with Email''	0.00s Duration: 7.000s
ack to Table of Co	to the app with corr		ue with Email''	0.00s
	ontents			0.00s
fter				0.00s
ρυ	ılse`			

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 725d5ef3-066b-467a-be76-39afcf76c16c

```
*** Element info: {Using=xpath, value=//android.widget.TextView[@text=''EN'']}
at idk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.jaya client.android.AndroidDriver.findElementByXPath(AndroidDriver.jaya:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseRegistrationScreen.selectTheLanguageToggle
(PulseRegistrationScreen.java:1067)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.selectTheLangOption
(RegistrationSteps.java:338)
at .Given I select the language option on toggle bar as required on login page(features
/editProfile/PulseEditProfileTest.feature:14)
```

And I enter OTP Then user should And I wait for 5 s				0.009	
			{PULSE_EMA	\(\text{IL}\)'' \(\text{0.00s}\)	
And I wait for 5 c	be landed to "Hom	ne'' screen		0.009	
And I wait 101 38	ec			0.009	S
ter				0.00	S
ck to Table of Content	ts				
enario: Verify Use	r should be able to	navigate to Ed	t profile scree	n	
sed: 1	Failed: 1	Undef	ined: 1	Dura	tion: 18
fore				0.00	S
Given user naviga	nte to account page			10.69	9s
And user click on				8.069	
os.version: '10.0', Driver info: io.app Capabilities {app. uat, autoDismissA desired: {appActi autoDismissAlerts newCommandTir deviceScreenDens javascriptEnabled newCommandTir platformName: A	java.version: '11.0. pium.java_client.an Activity: com.prude Alerts: true, automa vity: com.prudentia s: true, automation neout: 10000, noRe rer: Google, deviceScre sity: 440, deviceScre	.2' ndroid.Androidential.pulse.MantionName: UiA nl.pulse.MainA Name: UiAutor set: true, platfor Model: Pixel 5, eenSize: 1080x2	Driver inAc, appPa automator2, da c, appPacka; mator2, device ormName: and deviceName: 2340, deviceUI alse, network(OID: 0C241FDD4004 ConnectionEnabled:	ial.pul se, pulse.u

at org.openqa.selenium.remote.RemoteWebDriver.execute(
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGene	ricMobileDriver.
java:42)	
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)	
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.jav	
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.findElement)	bDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement	
(DefaultGenericMobileDriver.java:62)	
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)	
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.findElement)	er.java:1)
$at\ org. open qa. selenium. remote. Remote Web Driver. find Element By XP ath (Remote Web Driver. find Elemen$	emoteWebDriver.
java:419)	
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath	1
(DefaultGenericMobileDriver.java:152)	
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriv	er.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(And	
at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)	
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWe	bDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement	y /
(DefaultGenericMobileDriver.java:58)	
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1))
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.findElement)	
at com.prudential.tap.selenium.Commands\$15.executeCommand(Comman	
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand)	
19)	ic Communa.java.
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:	163)
at com.onepulse.app.screens.PulseManageProfileScreen.clickeditProfileLin	
(PulseManageProfileScreen.java:180)	IX.
at com.onepulse.app.stepdefinitions.mobilesteps.EditProfileSteps.clickEditF	ProfileLink
(EditProfileSteps.java:37)	TomeLink
at .And user click on Edit profile link(features/editProfile/PulseEditProfileT	Test.feature: 27)
Then I wait for 5 sec	0.00s
Then I want for 5 sec	0.008



After				0.00s
Back to Table of Contents				
Scenario: Verify User sho	ould be able to change th	e profile picture in e	edit profile scre	en
Passed: 0	Failed: 1	Undefined: 1		Duration: 18.09s
Before 0.00s				
Then I give manage pr	rofile camera permission	1		18.09s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'


System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 725d5ef3-066b-467a-be76-39afcf76c16c

```
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Change
Photo')]}
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseManageProfileScreen.allowCameraPermission
(PulseManageProfileScreen.java:755)
at com.onepulse.app.stepdefinitions.mobilesteps.EditProfileSteps.iGiveCameraPermission
(EditProfileSteps.java:182)
at .Then I give manage profile camera permission(features/editProfile/PulseEditProfileTest.
feature:31)
```



After			0.00s			
Back to Table of Contents						
Scenario: Verify the ema	il,country code a	and COR fields are non-editab	le in edit profile screen			
Passed: 0	Failed: 1	Undefined: 2	Duration: 14.7s			
Before	Before 0.00s					
And verify email field	is non-editable		14.71s			

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'


System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 725d5ef3-066b-467a-be76-39afcf76c16c

```
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Email']/following::
android.widget.EditText[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$22.executeCommand(Commands.java;201)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.getElementAttributeValue(TestBasePage.java:592)
at com.onepulse.app.screens.PulseManageProfileScreen.verifyEmailFields
(PulseManageProfileScreen.java:193)
at\ com. one pulse. app. step definitions. mobile steps. Edit Profile Steps. verify Non Editable Email Field
(EditProfileSteps.java:65)
at .And verify email field is non-editable(features/editProfile/PulseEditProfileTest.feature:35)
```



```
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 725d5ef3-066b-467a-be76-39afcf76c16c
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"First
Name / Given Name'')]/following::android.widget.EditText[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:260)
at com.onepulse.app.screens.PulseManageProfileScreen.updateProfileDetails
(PulseManageProfileScreen.java:835)
at com.onepulse.app.stepdefinitions.mobilesteps.EditProfileSteps.updateUserProfileDetails
```

fton	And I click on update button in edit profile screen 0.00s						
fter 0.00s							
Back to Table of Contents							
cenario: Verify Details	updated during	pulse profile registration s	should be reflected in edit				
orofile screen							
assed: 0	Failed: 1	Undefined: 1	Duration: .05s				
Before			0.00s				
Given user click on Ed	lit profile link		0.05s				
uat, autoDismissAlerts desired: {appActivity: autoDismissAlerts: tru newCommandTimeou deviceManufacturer: deviceScreenDensity: javascriptEnabled: tru newCommandTimeou platformName: Andro viewportRect: {height false} Session ID: 725d5ef3-6	n.java_client.and vity: com.prudents: true, automatic com.prudential ue, automationN at: 10000, noRese Google, deviceM 440, deviceScree ue, locationContat: 10000, noRese oid, platformVer :: 2015, left: 0, to	droid.AndroidDriver ntial.pulse.MainAc, applionName: UiAutomator2, l.pulse.MainAc, appPack fame: UiAutomator2, deviet: true, platformName: a fodel: Pixel 5, deviceName enSize: 1080x2340, deviced extEnabled: false, networ et: true, pixelRatio: 2.75, prision: 11, statBarHeight: 10p: 145, width: 1080}, war	kage: com.prudential.pulse.uat, iceName: Android-Test, indroid}, deviceApiLevel: 30, e: 0C241FDD40043P, UDID: 0C241FDD40043P, ikConnectionEnabled: true, platform: LINUX, 145, takesScreenshot: true, inings: {}, webStorageEnabled:				
/following::android.vi	/	e=//android.widget.TextVi	icw[contains(@text, years)]				

```
java:42)
  at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
  at io.appium.java_client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:62)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  iava:419)
  at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java_client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  19)
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.PulseManageProfileScreen.clickeditProfileLink
  (PulseManageProfileScreen.java:180)
  at com.onepulse.app.stepdefinitions.mobilesteps.EditProfileSteps.clickEditProfileLink
  (EditProfileSteps.java:37)
  at .Given user click on Edit profile link(features/editProfile/PulseEditProfileTest.feature:55)
                                                                                0.00s
After
Back to Table of Contents
Scenario: verify the user details should be correctly on babylon screen
                        Failed: 1
Passed: 0
                                               Undefined: 5
                                                                                Duration: .06s
                                                                                0.00s
Before
  Given I navigate to Home page from edit profile screen
                                                                                0.06s
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java_client.android.AndroidDriver
```

```
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 725d5ef3-066b-467a-be76-39afcf76c16c
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='My Profile']
/preceding::android.widget.TextView}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
```

at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163) at com.onepulse.app.screens.PulseManageProfileScreen. navigateToHomePageFromMyProfileScreen(PulseManageProfileScreen.java:946) at com.onepulse.app.stepdefinitions.mobilesteps.EditProfileSteps. navigateToHomeScreenFromEditProfile(EditProfileSteps.java:252) at .Given I navigate to Home page from edit profile screen(features/editProfile /PulseEditProfileTest.feature:64) After 0.00s**Back to Table of Contents** Scenario: navigate back to health screen Passed: 0 Failed: 1 **Undefined: 1** Duration: .05s 0.00sBefore Given I navigate to health page from babylon registration screen 0.05sorg.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: 725d5ef3-066b-467a-be76-39afcf76c16c *** Element info: {Using=xpath, value=//android.view.ViewGroup[@content-desc="home"] /android.widget.ImageView} at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)

```
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
     (DelegatingConstructorAccessorImpl.java:45)
     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
     at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
     (W3CHttpResponseCodec.java:187)
     at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
     (W3CHttpResponseCodec.java:122)
     at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
     (W3CHttpResponseCodec.java:49)
     at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
     at io.appium.java client.remote.AppiumCommandExecutor.execute
     (AppiumCommandExecutor.java:231)
     at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
     at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
     java:42)
     at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
     at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
     at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
     at io.appium.java_client.DefaultGenericMobileDriver.findElement
     (DefaultGenericMobileDriver.java:62)
     at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
     at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
     at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
     java:419)
     at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
     (DefaultGenericMobileDriver.java:152)
     at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
     at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
     at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
     at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
     at io.appium.java client.DefaultGenericMobileDriver.findElement
     (DefaultGenericMobileDriver.java:58)
     at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
     at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
     at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
     at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
     19)
     at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
     at com.onepulse.app.screens.babylon.BabylonRegistrationScreen.
     navigateBackToHealthScreenFromBabylonReg(BabylonRegistrationScreen.java:282)
     at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.
     navigateBackToHealthScreenFromBabylonReg(BabylonSteps.java:574)
     at .Given I navigate to health page from babylon registration screen(features/editProfile
     /PulseEditProfileTest.feature:76)
  After
                                                                                 0.00s
  Back to Table of Contents
Feature: Verify MY Event channel functionality on one pulse App
                                     Undefined: 0
Passed: 5
                 Failed: 0
                                                             Duration: 160.59s
```

Scenario: Launch the	e app and select the country as per specified lbu	
Passed: 6	Failed: 0 Undefined: 0	Duration: 57.23
Before		0.00s
Given User has pu	ılse app	11.33s
	nepulse.events.user}'' to variable ''PULSE_EMAIL''	0.00s
	"CONTINUE WITH EMAIL" with Email button	16.15s
Then I change the	country as required on registration page	22.85s
Then I wait for 2 s	sec	2.00s
And I click the Sig	gn in link	4.89s
After		
Back to Table of Content	<u>s</u>	
Scenario: login to the	e app with correct credentials using "Continue with Email"	
Passed: 6	Failed: 0 Undefined: 0	Duration: 44.5
Before		0.00s
Given I select the	language option on toggle bar as required on login page	3.56s
When user enters		10.23s
UserName \${P	ULSE_EMAIL}	
Password \${pi		
And User clicks or		0.29s
And I wait for 5 so		5.02s
And I enter OTP	in one pulse app for user email "\${PULSE_EMAIL}"	10.70s
	be landed to "Home" screen	14.78s
After		0.00s
Back to Table of Content	<u>S</u>	
Scenario: Verify Myl	Event Functionality in Home screen	
Passed: 3	Failed: 0 Undefined: 0	Duration: 30.8
Before		0.00s
And I click the M	vEvent icons	23.41s
And I wait for 5 so		5.02s
And I verify follow	wing texts are displayed	2.40s
You do not hav	ve any events enrolled yet	
	rom the open events and get started	
After		0.00s
Back to Table of Content	<u>s</u>	
Scenario: Verify Eve		
Passed: 2	Failed: 0 Undefined: 0	Duration: 15.0
Before		0.00s
And I click the Ev	vents Archive icon	8.57s
	wing texts are displayed	6.51s
	ve any events in your archive.	
You do not nav		
After		0.00s


Scenario: Verify Open E	vents tab	
Passed: 2	Failed: 0 Undefined: 0	Duration: 12.89s
Before		0.00s
And I click the Open 1	Events icon	8.56s
And I verify either sta	tic text or available open events are displayed on screen	4.33s
	s available at the moment	
Stay tuned for ever	nts on health and fitness	
After		0.00s
Back to Table of Contents		
Feature: Verify My Health	Content functionality on One Pulse App	
Passed: 8 Failed: 0	Undefined: 0 Duration: 221.42s	
Scenario: Launch the app	p and select the country as per specified lbu	
Passed: 5	Failed: 0 Undefined: 0	Duration: 55.68s
Before		0.00s
Given User has pulse a	app	8.77s
	ONTINUE WITH EMAIL" with Email button	16.56s
	intry as required on registration page	22.46s
Then I wait for 3 sec	norty us required on registration page	3.00s
And I click the Sign in	ı link	4.88s
After		0.00s
Back to Table of Contents		0.005
Scenario: User should be Email"	able to login on app with correct credentials using "Conti	nue with
Passed: 7	Failed: 0 Undefined: 0	Duration: 50.05s
Before		0.00s
And I assign "\${login.	email.id}'' to variable ''PULSE_EMAIL''	0.00s
Given I select the lang	guage option on toggle bar as required on login page	3.61s
When user enters cred	lentials	10.34s
UserName \${PULS	E_EMAIL}	
Password \${login.}	password}	
And User clicks on sig	nin button	0.36s
Then I wait for 10 sec		10.01s
And I enter OTP in or	ne pulse app for user email "\${PULSE_EMAIL}"	10.99s
Then user should be la	anded to "Home" screen	14.73s
After		0.00s
Back to Table of Contents		
Scenario: Verify User sho	ould be able to navigate to Health page	
Passed: 5	Failed: 0 Undefined: 0	Duration: 52.05s
Before		0.00s
Given I wait for 2 sec		2.00s
Then I navigate to He	alth Content screen	23.51s
Then I wait for 8 sec		8.00s
And I verify following	texts are displayed	0.42s

Health Channel	le l		
	_	Health Content" in Screen	18.13s
Category	nowing texts wiy	Treatti Content in Screen	10.138
Like			
Share			
Comment			
After			0.00s
Back to Table of Contents			0.005
		view the full page article post	
Passed: 2	Failed: 0	Undefined: 0	Duration: 17.5s
Before	raneu: 0	Ondermed: 0	0.00s
	[14]- Cl1-!! 4	6 1.4 6	
Then I wait for 10		opic for details full view	7.50s 10.00s
	sec		
After			0.00s
Back to Table of Contents			0.11
Scenario: Verify User post	should be able to	see the Like, Share, Comment optio	ns on full page article
Passed: 1	Failed: 0	Undefined: 0	Duration: 14.19s
Before	raneu. v	Ondermed. 0	0.00s
	11	H141- C411 2 C	
	nowing texts My	Health Content" in Screen	14.19s
Like			
Share Comment			
After			0.00-
Affer			
			0.00s
Back to Table of Contents			-
Back to Table of Contents Scenario: Verify User	should be able to	Like the post in full article view scre	een
Back to Table of Contents Scenario: Verify User Passed: 2		Like the post in full article view screen Undefined: 0	een Duration: 11.26s
Back to Table of Contents Scenario: Verify User Passed: 2 Before	Failed: 0		Duration: 11.26s
Back to Table of Contents Scenario: Verify User Passed: 2 Before And I Like the pos	Failed: 0		Duration: 11.26s 0.00s 5.63s
Back to Table of Contents Scenario: Verify User Passed: 2 Before And I Like the pos And I Like the pos	Failed: 0		Duration: 11.26s 0.00s 5.63s 5.63s
Back to Table of Contents Scenario: Verify User Passed: 2 Before And I Like the pos And I Like the pos After	Failed: 0		Duration: 11.26s 0.00s 5.63s
Back to Table of Contents Scenario: Verify User Passed: 2 Before And I Like the pos And I Like the pos After Back to Table of Contents	Failed: 0	Undefined: 0	Duration: 11.26s 0.00s 5.63s 5.63s 0.00s
Back to Table of Contents Scenario: Verify User Passed: 2 Before And I Like the pos And I Like the pos After Back to Table of Contents Scenario: Verify User	Failed: 0 St St St St Should be able to	Undefined: 0 Share the post in full article view sc	Duration: 11.26s 0.00s 5.63s 5.63s 0.00s
Back to Table of Contents Scenario: Verify User Passed: 2 Before And I Like the pos And I Like the pos After Back to Table of Contents Scenario: Verify User Passed: 2	Failed: 0	Undefined: 0	Duration: 11.26s 0.00s 5.63s 5.63s 0.00s reen Duration: 16.25s
Back to Table of Contents Scenario: Verify User Passed: 2 Before And I Like the pos And I Like the pos After Back to Table of Contents Scenario: Verify User	Failed: 0 St St St St Should be able to	Undefined: 0 Share the post in full article view sc	Duration: 11,26s 0.00s 5.63s 5.63s 0.00s reen Duration: 16,25s 0.00s
Back to Table of Contents Scenario: Verify User Passed: 2 Before And I Like the pos And I Like the pos After Back to Table of Contents Scenario: Verify User Passed: 2 Before And I share the po	r should be able to Failed: 0 st st should be able to Failed: 0 Failed: 0	Share the post in full article view sc Undefined: 0	Duration: 11.26s 0.00s 5.63s 5.63s 0.00s reen Duration: 16.25s 0.00s 5.47s
Back to Table of Contents Scenario: Verify User Passed: 2 Before And I Like the pos And I Like the pos After Back to Table of Contents Scenario: Verify User Passed: 2 Before	r should be able to Failed: 0 st st should be able to Failed: 0 Failed: 0	Share the post in full article view sc Undefined: 0	Duration: 11.26s 0.00s 5.63s 5.63s 0.00s reen Duration: 16.25s 0.00s 5.47s 10.78s
Back to Table of Contents Scenario: Verify User Passed: 2 Before And I Like the pos And I Like the pos After Back to Table of Contents Scenario: Verify User Passed: 2 Before And I share the po	r should be able to Failed: 0 st st should be able to Failed: 0 Failed: 0	Share the post in full article view sc Undefined: 0	Duration: 11.26s 0.00s 5.63s 5.63s 0.00s reen Duration: 16.25s 0.00s 5.47s
Back to Table of Contents Scenario: Verify User Passed: 2 Before And I Like the pos And I Like the pos After Back to Table of Contents Scenario: Verify User Passed: 2 Before And I share the po Then I navigate ba	r should be able to Failed: 0 st st should be able to Failed: 0 Failed: 0 st ack to previous page	Share the post in full article view sc Undefined: 0	Duration: 11.26s 0.00s 5.63s 5.63s 0.00s reen Duration: 16.25s 0.00s 5.47s 10.78s
Back to Table of Contents Scenario: Verify User Passed: 2 Before And I Like the pos And I Like the pos After Back to Table of Contents Scenario: Verify User Passed: 2 Before And I share the po Then I navigate ba After	r should be able to Failed: 0 st st should be able to Failed: 0 Failed: 0 est ack to previous pages	Share the post in full article view sc Undefined: 0	Duration: 11.26s 0.00s 5.63s 5.63s 0.00s reen Duration: 16.25s 0.00s 5.47s 10.78s
Back to Table of Contents Scenario: Verify User Passed: 2 Before And I Like the pos And I Like the pos After Back to Table of Contents Scenario: Verify User Passed: 2 Before And I share the po Then I navigate ba After Back to Table of Contents	r should be able to Failed: 0 st st should be able to Failed: 0 Failed: 0 est ack to previous pages	Share the post in full article view sc Undefined: 0	Duration: 11.26s 0.00s 5.63s 5.63s 0.00s reen Duration: 16.25s 0.00s 5.47s 10.78s

Then I navigate to story	post page		4.44s
After			0.00s
Back to Table of Contents			
ture: Verify Notification (Center function	ality on one pulse App	
ed: 3 Failed: 5		fined: 0 Duration: 333.15s	
Scenario: User should be a	ble to register o	on app with correct credentials using "Co	ntinue with
Email''			
Passed: 16	Failed: 1	Undefined: 1	Duration: 166.
Before			0.00s
Given I generate random "RANDOM_NUMBER		assign to variable	0.00s
And I assign ''pulse\${R ''PULSE_EMAIL''	ANDOM_NUM	IBER}@mailsac.com'' to variable	0.00s
And User has pulse app			10.22s
Then I wait for 2 sec			2.00s
And user click on "CO!	NTINUE WITH	I EMAIL" with Email button	13.61s
Then I wait for 2 sec			2.01s
Then I change the coun	try as required	on registration page	24.09s
Then I wait for 2 sec			2.01s
Then I navigate to pulse click on continue with e		age and select the lang on toggle bar then	3.73s
Then I wait for 2 sec			2.02s
When user enters regist	ration details		7.43s
FirstName testAuton LastName testAuton Email \${PULSE} Password Pas\$1234	nation _EMAIL}		
And taps on continue "S	Sign_Up'' butto	on	0.31s
And I wait for otp scree	n after clicking	on signup button	3.96s
And I enter OTP in one	pulse app for u	ıser email ''\${PULSE_EMAIL}''	31.44s
Then I wait for 2 sec			2.01s
Then I click skip button	ı		18.84s
Then user should be lan	ded to "Home	' screen	42.58s
Then I click skip button Then user should be lan java.lang.AssertionErro at org.testng.Assert.fail at org.testng.Assert.asse at org.testng.Assert.asse at org.testng.Assert.asse at com.onepulse.app.ste	or: expected [tr (Assert.java:94 NotEquals(Assert.java:4 ertTrue(Assert.java:4	ue] but found [false]) ert.java:513) java:42)	18.84s 42.58s
(LoginSteps.java:92) at .Then user should be 26)	landed to "Ho	me" screen(features/home/NotificationCer	nter.feature:
Then I wait for 4 sec			0.00s
THEIR I WAIT IOF 4 SEC			0.005

fter			0.00s
ack to Table of Contents			
cenario: Navigate to noti	ication screen v	ia home screen	
assed: 1	Failed: 1	Undefined: 1	Duration: 8.4
efore			0.00s
Given I relaunch the ap	o on registratio	on failure	0.00s
Given I navigate to not	<u> </u>		8.44s
		1 0	
using the given search pror documentation on a /no_such_element.html Build info: version: '3.1 System info: host: 'TMo os.version: '10.0', java. Driver info: io.appium. Capabilities {appActivity: dautoDismissAlerts: desired: {appActivity: dautoDismissAlerts: true newCommandTimeout deviceManufacturer: GdeviceScreenDensity: 4 javascriptEnabled: true newCommandTimeout platformName: Androi viewportRect: {height: false} Session ID: acc893f7-90*** Element info: {Usin ImageView)[1]} at jdk.internal.reflect.Gat java.base/jdk.interna (DelegatingConstructor at java.base/java.lang.rat org.openqa.selenium (W3CHttpResponseCodat org.openqa.selenium (W3CHttpResponseC	arameters. his error, please 2.0', revision: '7 03LSIN', ip: '1' ersion: '11.0.2' ava_client.andry: com.prudent true, automation automationNa 10000, noReset logle, deviceMo 0, deviceScreer locationConte 10000, noReset 1, platformVers 2015, left: 0, top 41-4b0a-98f8-36 g=xpath, values eneratedConstruct l.reflect.Delegat AccessorImpl.ja eflect.Construct remote.http.W3 lec.java:187) remote.http.W3 lec.java:122) remote.http.W3 lec.java:231) remote.HttpCo c.remote.Appium cutor.java:231) remote.Remote c.DefaultGeneri	tial.pulse.MainAc, appPack onName: UiAutomator2, data pulse.MainAc, appPackage: ame: UiAutomator2, deviceNa t: true, platformName: andro odel: Pixel 5, deviceName: OC nSize: 1080x2340, deviceUDII extEnabled: false, networkCon t: true, pixelRatio: 2.75, platfo sion: 11, statBarHeight: 145, to 145, width: 1080}, warnings c899fd022b9 =(//android.view.ViewGroup[ructorAccessor20.newInstance tingConstructorAccessorImple	/exceptions [4:04:26.12Z' dows 10', os.arch: 'amd6a' age: com.prudential.pulse.ua ame: Android-Test, oid}, deviceApiLevel: 30, 2241FDD40043P, D: 0C241FDD40043P, nnectionEnabled: true, orm: LINUX, takesScreenshot: true, s: {}, webStorageEnabled [4]/android.widget. [4]/android.widget. [5] [6] [6] [6] [6] [6] [6] [6] [6] [6] [7] [8] [8] [8] [8] [8] [8] [8] [8] [8] [8

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317) at io.appium.java client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. iava:419) at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152) at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1) at org.openga.selenium.By\$ByXPath.findElement(By.java:353) at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309) at io.appium.java client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163) at com.onepulse.app.screens.PulseManageProfileScreen. navigateToNotificationScreenFromHomePage(PulseManageProfileScreen.java:1049) at com.onepulse.app.stepdefinitions.mobilesteps.ManageProfileSteps. navigateToNotificationScreenFromHomePage(ManageProfileSteps.java:240) at .Given I navigate to notification screen from home page(features/home/NotificationCenter. feature:32) Date of Birth What is your date of birth? Please enter your date of birth for best health recommendations. Date of Birth DD-MM-YYYY -0.00sAfter



Then I naviga	te to notification center	r page	16.22s
After			0.00s
Sack to Table of Cor	<u>itents</u>		
Scenario: Verify	User should be able to	see the Notification screen tex	cts
Passed: 0	Failed: 1	Undefined: 0	Duration: 16.72
Before			0.00s
And I verify for	ollowing texts are displ	layed	16.72s
\${no.notific	eation.text}		
\${check.no	tification.section.text}		
displayed on p at org.testng.a at com.onepul (MyDocSteps.	page expected [true] but sserts.SoftAssert.asser se.app.stepdefinitions.tipava:717) by following texts are dispersional texts are dispersional texts.	et, check this section regularly at found [false] etAll(SoftAssert.java:43) mobilesteps.MyDocSteps.verifisplayed(features/home/Notific	fyTextsOnScreen
After Sack to Table of Con	ntents	login using already registered	0.00s
After Cack to Table of Cor Cocenario: Verify	ntents User should be able to	login using already registered	l credentials
After ack to Table of Cor cenario: Verify	ntents	login using already registered Undefined: 0	
After ack to Table of Cor cenario: Verify assed: 11	ntents User should be able to		l credentials
After ack to Table of Con	utents User should be able to Failed: 0		l credentials Duration: 102

Then I change the coun	try as required on registration page	21.97s
Then I wait for 3 sec		3.01s
And I click the Sign in l	ink	5.91s
And I select the languag	3.59s	
When user enters crede	10.22s	
UserName \${PULSE	_EMAIL}	
Password Pas\$1234		
And User clicks on sign	in button	0.26s
Then I wait for 2 sec		2.00s
And I enter OTP in one	pulse app for user email ''\${PULSE_EMAIL}''	12.55s
Then user should be lar	nded to "Home" screen	14.69s
After		0.00s
Back to Table of Contents		
Scenario: Verify User shou	ıld be able navigate to Notification Center	
Passed: 2	Failed: 1 Undefined: 0	Duration: 12.52s
Before		0.00s
Then I navigate to notif	ication center page	8.46s
Then I wait for 4 sec		4.00s
And I verify following t	exts are displayed	0.05s
\${no.notification.tex	t}	
\${check.notification.	goation toyt)	
java.lang.AssertionErro	or: The following asserts failed:	.1
java.lang.AssertionErro No Notifications Yet tex You do not have any no displayed on page expect at org.testng.asserts.Sof at com.onepulse.app.ste (MyDocSteps.java:717)	or: The following asserts failed: at is displayed on page expected [true] but found [false) atifications yet, check this section regularly for any up ated [true] but found [false] attAssert.assertAll(SoftAssert.java:43) appdefinitions.mobilesteps.MyDocSteps.verifyTextsOn	odates. text is Screen
java.lang.AssertionErro No Notifications Yet tex You do not have any no displayed on page expec at org.testng.asserts.Sof at com.onepulse.app.ste (MyDocSteps.java:717) at .And I verify following	or: The following asserts failed: at is displayed on page expected [true] but found [false] at ifications yet, check this section regularly for any up ated [true] but found [false] attAssert.assertAll(SoftAssert.java:43) appdefinitions.mobilesteps.MyDocSteps.verifyTextsOn	odates. text is Screen ter.feature:80)
java.lang.AssertionErro No Notifications Yet tex You do not have any no displayed on page expect at org.testng.asserts.Sof at com.onepulse.app.ste (MyDocSteps.java:717) at .And I verify following	or: The following asserts failed: at is displayed on page expected [true] but found [false) atifications yet, check this section regularly for any up ated [true] but found [false] attAssert.assertAll(SoftAssert.java:43) appdefinitions.mobilesteps.MyDocSteps.verifyTextsOn	odates. text is Screen
java.lang.AssertionErro No Notifications Yet tex You do not have any no displayed on page expect at org.testng.asserts.Sof at com.onepulse.app.ste (MyDocSteps.java:717) at .And I verify following After Back to Table of Contents	or: The following asserts failed: at is displayed on page expected [true] but found [false] at it is displayed on page expected [true] but found [false] at a section regularly for any uported [true] but found [false] at Assert.assertAll(SoftAssert.java:43) appending texts are displayed(features/home/NotificationCenter)	odates. text is Screen ter.feature:80)
java.lang.AssertionErro No Notifications Yet tex You do not have any no displayed on page expect at org.testng.asserts.Sof at com.onepulse.app.ste (MyDocSteps.java:717) at .And I verify following After Back to Table of Contents Feature: Verify My Challenge	or: The following asserts failed: at is displayed on page expected [true] but found [false) at ifications yet, check this section regularly for any up ated [true] but found [false] attAssert.assertAll(SoftAssert.java:43) appedefinitions.mobilesteps.MyDocSteps.verifyTextsOn ag texts are displayed(features/home/NotificationCen	odates. text is Screen ter.feature:80)
java.lang.AssertionErro No Notifications Yet tex You do not have any no displayed on page expect at org.testng.asserts.Soft at com.onepulse.app.ste (MyDocSteps.java:717) at .And I verify following After Back to Table of Contents Feature: Verify My Challenge Passed: 3 Failed: 1	or: The following asserts failed: at is displayed on page expected [true] but found [false] at is displayed on page expected [true] but found [false] at is displayed, check this section regularly for any up ated [true] but found [false] at Assert.assertAll(SoftAssert.java:43) appendentions.mobilesteps.MyDocSteps.verifyTextsOn ag texts are displayed(features/home/NotificationCen	odates. text is Screen ter.feature:80)
java.lang.AssertionErro No Notifications Yet tex You do not have any no displayed on page expect at org.testng.asserts.Sof at com.onepulse.app.ste (MyDocSteps.java:717) at .And I verify following After Back to Table of Contents Feature: Verify My Challenge Passed: 3 Failed: 1 Scenario: Launch the app	or: The following asserts failed: at is displayed on page expected [true] but found [false] at is displayed on page expected [true] but found [false] at is displayed; check this section regularly for any upon the common of the	Screen ter.feature:80) 0.00s
java.lang.AssertionErro No Notifications Yet tex You do not have any no displayed on page expect at org.testng.asserts.Soft at com.onepulse.app.ste (MyDocSteps.java:717) at .And I verify following After Back to Table of Contents Feature: Verify My Challeng Passed: 3 Failed: 1 Scenario: Launch the app Passed: 5	or: The following asserts failed: at is displayed on page expected [true] but found [false] at is displayed on page expected [true] but found [false] at is displayed, check this section regularly for any up ated [true] but found [false] at Assert.assertAll(SoftAssert.java:43) appendentions.mobilesteps.MyDocSteps.verifyTextsOn ag texts are displayed(features/home/NotificationCen	Screen ter.feature:80) 0.00s Duration: 57.01s
java.lang.AssertionErro No Notifications Yet tex You do not have any no displayed on page expect at org.testng.asserts.Soft at com.onepulse.app.ste (MyDocSteps.java:717) at .And I verify following After Back to Table of Contents Feature: Verify My Challenge Passed: 3 Failed: 1 Scenario: Launch the app Passed: 5 Before	or: The following asserts failed: at is displayed on page expected [true] but found [false] at is displayed on page expected [true] but found [false] attactions yet, check this section regularly for any up atted [true] but found [false] attactions.yet, check this section regularly for any up attended [true] but found [false] attactions.yet, check this section regularly for any up attended [true] but found [false] attaction regularly for any up attended [true] but found [false] attaction regularly for any up attended [true] but found [false] attaction regularly for any up attended [true] but found [false] attaction regularly for any up attended [true] but found [false] attaction regularly for any up attended [true] but found [false] attaction regularly for any up at	Duration: 57.01s 0.00s
java.lang.AssertionErro No Notifications Yet tex You do not have any no displayed on page expect at org.testng.asserts.Soft at com.onepulse.app.ste (MyDocSteps.java:717) at .And I verify following After Back to Table of Contents Feature: Verify My Challenge Passed: 3 Failed: 1 Scenario: Launch the app Passed: 5 Before Given User has pulse ap	or: The following asserts failed: at is displayed on page expected [true] but found [false] bifications yet, check this section regularly for any up ated [true] but found [false] biftAssert.assertAll(SoftAssert.java:43) bipdefinitions.mobilesteps.MyDocSteps.verifyTextsOn ag texts are displayed(features/home/NotificationCen beson One Pulse App Undefined: 0 Duration: 133.33s and select the country as per specified lbu bigailed: 0 Undefined: 0	Duration: 57.01s 0.00s 0.00s
java.lang.AssertionErro No Notifications Yet tex You do not have any no displayed on page expect at org.testng.asserts.Soft at com.onepulse.app.ste (MyDocSteps.java:717) at .And I verify following After Back to Table of Contents Feature: Verify My Challeng Passed: 3 Failed: 1 Scenario: Launch the app Passed: 5 Before Given User has pulse ap And user click on "COI	or: The following asserts failed: at is displayed on page expected [true] but found [false] attifications yet, check this section regularly for any up atted [true] but found [false] attAssert.assertAll(SoftAssert.java:43) appelered finitions.mobilesteps.MyDocSteps.verifyTextsOn ag texts are displayed(features/home/NotificationCen and select the country as per specified lbu alied: 0 Undefined: 0 Undefined: 0 Undefined: 0 Undefined: 0	Duration: 57.01s 0.00s 9.87s 16.33s
java.lang.AssertionErro No Notifications Yet tex You do not have any no displayed on page expect at org.testng.asserts.Soft at com.onepulse.app.ste (MyDocSteps.java:717) at .And I verify following After Back to Table of Contents Feature: Verify My Challenge Passed: 3 Failed: 1 Scenario: Launch the app Passed: 5 Before Given User has pulse ap And user click on "CONThen I change the coun	or: The following asserts failed: at is displayed on page expected [true] but found [false] bifications yet, check this section regularly for any up ated [true] but found [false] biftAssert.assertAll(SoftAssert.java:43) bipdefinitions.mobilesteps.MyDocSteps.verifyTextsOn ag texts are displayed(features/home/NotificationCen beson One Pulse App Undefined: 0 Duration: 133.33s and select the country as per specified lbu bigailed: 0 Undefined: 0	Duration: 57.01s
java.lang.AssertionErro No Notifications Yet tex You do not have any no displayed on page expect at org.testng.asserts.Soft at com.onepulse.app.ste (MyDocSteps.java:717) at .And I verify following After Back to Table of Contents Feature: Verify My Challenge Passed: 3 Failed: 1 Scenario: Launch the app Passed: 5 Before Given User has pulse ap And user click on "COM Then I change the counter the property of t	or: The following asserts failed: at is displayed on page expected [true] but found [false] attifications yet, check this section regularly for any up atted [true] but found [false] attAssert.assertAll(SoftAssert.java:43) appelered finitions.mobilesteps.MyDocSteps.verifyTextsOn ag texts are displayed(features/home/NotificationCen ag texts are displayed(features/home/NotificationCen be on One Pulse App Undefined: 0 Duration: 133.33s and select the country as per specified lbu ailed: 0 Duration: 133.33s and select the country as per specified lbu ailed: 0 Dip NTINUE WITH EMAIL'' with Email button try as required on registration page	Duration: 57.01s 0.00s Duration: 57.01s 0.00s 9.87s 16.33s 22.90s 3.01s
java.lang.AssertionErro No Notifications Yet tex You do not have any no displayed on page expect at org.testng.asserts.Soft at com.onepulse.app.ste (MyDocSteps.java:717) at .And I verify following After Back to Table of Contents Feature: Verify My Challenge Passed: 3 Failed: 1 Scenario: Launch the app Passed: 5 Before Given User has pulse ap And user click on "CONThen I change the counter the I wait for 3 sec And I click the Sign in I	or: The following asserts failed: at is displayed on page expected [true] but found [false] attifications yet, check this section regularly for any up atted [true] but found [false] attAssert.assertAll(SoftAssert.java:43) appelered finitions.mobilesteps.MyDocSteps.verifyTextsOn ag texts are displayed(features/home/NotificationCen ag texts are displayed(features/home/NotificationCen be on One Pulse App Undefined: 0 Duration: 133.33s and select the country as per specified lbu ailed: 0 Duration: 133.33s and select the country as per specified lbu ailed: 0 Dip NTINUE WITH EMAIL'' with Email button try as required on registration page	Duration: 57.01s 0.00s Duration: 57.01s 0.00s 9.87s 16.33s 22.90s 3.01s 4.90s
java.lang.AssertionErro No Notifications Yet tex You do not have any no displayed on page expect at org.testng.asserts.Soft at com.onepulse.app.ste (MyDocSteps.java:717) at .And I verify following After Back to Table of Contents Feature: Verify My Challenge Passed: 3 Failed: 1 Scenario: Launch the app Passed: 5 Before Given User has pulse ap And user click on "COM Then I change the counter the property of t	or: The following asserts failed: at is displayed on page expected [true] but found [false] attifications yet, check this section regularly for any up atted [true] but found [false] attAssert.assertAll(SoftAssert.java:43) appelered finitions.mobilesteps.MyDocSteps.verifyTextsOn ag texts are displayed(features/home/NotificationCen ag texts are displayed(features/home/NotificationCen be on One Pulse App Undefined: 0 Duration: 133.33s and select the country as per specified lbu ailed: 0 Duration: 133.33s and select the country as per specified lbu ailed: 0 Dip NTINUE WITH EMAIL'' with Email button try as required on registration page	Duration: 57.01s 0.00s Duration: 57.01s 0.00s 9.87s 16.33s 22.90s 3.01s

Comprise Hoor	should be able to login or	app with correct credentials using "Co	ntinus with
Email"	nouid be able to login of	app with correct credentials using Co	ntinue with
Passed: 7	Failed: 0	Undefined: 0	Duration: 49.95s
Before			0.00s
And Lassign	"\${login.email.id}" to va	ariable ''PULSE_EMAIL''	0.00s
	<u> </u>	toggle bar as required on login page	3.50s
	nters credentials		10.92s
UserName	e \${PULSE_EMAIL}		
	\${login.password}		
	cks on signin button		0.29s
Then I wait f			10.02s
And I enter (OTP in one pulse app for	user email "\${PULSE_EMAIL}"	10.63s
	ould be landed to "Home		14.59s
After			0.00s
Back to Table of Co	ontents		
Scenario: Verify	y My Challenges texts		
Passed: 3	Failed: 0	Undefined: 0	Duration: 17.76s
Before			0.00s
And I click o	n My Challenges tile on o	one pulse app	12.53s
	following texts are displa		0.93s
	lenges.text}		
	nave.challenges}		
	ge.getstarted}		
	nave.challenges}		
	the following texts "My o	challenges'' in Screen	4.30s
	enges.text}		
After			0.00s
Back to Table of Co	ontents		0000
	on All challenges and an	d verify texts	
Passed: 1	Failed: 1	Undefined: 2	Duration: 8.61s
Before			0.00s
	on ''\${all.challenges.text}	" in ann screen	0.29s
	the following texts "My		8.32s
	lenges.text}	enancinges in Serven	0.025
	enges.text}		
φ (αλλιστίατη	90000000		
org.openqa.s	elenium.WebDriverExce	ption: An unknown server-side error o	ccurred while
processing th	e command. Original er	ror: Could not proxy command to the ro	
	or: socket hang up	15 (0) 0) () - 10040 0F 00TH 1 0 100	1071
		'7c6e0b3', time: '2018-05-08T14:04:26.3	
	0.0', java.version: '11.0.2	'192.168.1.124', os.name: 'Windows 10', 2'	os.arch: amuu4,
	o.appium.java_client.an		
		ntial.pulse.MainAc, appPackage: com	.prudential.pulse.

```
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
     desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
     autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
     newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
     deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
     deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
     javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
     newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
     platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
     viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
     Session ID: 82652954-30bc-450e-80b4-56560f1f8648
     at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
     at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
     (DelegatingConstructorAccessorImpl.java:45)
     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
     at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
     (W3CHttpResponseCodec.java:187)
     at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
     (W3CHttpResponseCodec.java:122)
     at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
     (W3CHttpResponseCodec.java:49)
     at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
     158)
     at io.appium.java_client.remote.AppiumCommandExecutor.execute
     (AppiumCommandExecutor.java:231)
     at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
     at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
     java:46)
     at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
     at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
     at org.openga.selenium.remote.
     RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.
     java:804)
     at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)
     at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:204)
     at com.onepulse.app.screens.CustomerConnectScreen.
     isStaticTextDisplayedOncommunitiesScreen(CustomerConnectScreen.java:187)
     at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.
     isStaticTextDisplayedOncommunitiesScreen(CustomerConnectSteps.java:88)
     at .And I verify the following texts "My challenges" in Screen(features/home/mychallenges
     /PulseMyChallenges.feature:37)
  After
                                                                                 0.00s
  Back to Table of Contents
Feature: Verify Notification Center functionality on one pulse App
Passed: 1
                 Failed: 5
                                     Undefined: 0
                                                             Duration: 66.88s
```

assed: 7	Failed: 1	Undefined: 30	Duration: 64.65s
efore			0.00s
Given I general "RANDOM_N	ate random number an NUMBER''	d assign to variable	0.00s
And I assign ' "PULSE_EM	_	MBER}@mailsac.com'' to variable	0.00s
And User has	pulse app		9.34s
And user click	on "CONTINUE WIT	TH EMAIL" with Email button	17.41s
Then I wait fo	r 2 sec		2.00s
Then I change	the country as require	ed on registration page	23.44s
Then I wait fo	r 5 sec		5.01s
When user en	ters registration details	5	7.44 s
FirstName	Diet		
LastName	Test		
Email	\${PULSE_EMAIL}		
Password	Pas\$1234		

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 269d549e-690a-4dbc-b642-1f98bc3efe1d

at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance

(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException

(W3CHttpResponseCodec.java:187)

at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode

(W3CHttpResponseCodec.java:122)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode

(W3CHttpResponseCodec.java:49)

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:

158)	
at io.appium.java_client.remote.AppiumCommandExecutor.execute	
(AppiumCommandExecutor.java:231)	
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.execute)	
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGener	ricMobileDriver.
java:42) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)	
at io.appium.java_client.android.AndroidDriver.execute(AppiumDriver.java:1)	·a·1)
at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebEle	
at io.appium.java_client.DefaultGenericMobileElement.execute(DefaultGen	,
java:45)	
at io.appium.java_client.MobileElement.execute(MobileElement.java:1)	
at io.appium.java_client.android.AndroidElement.execute(AndroidElement.	
at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebl	•
at com.prudential.tap.selenium.Commands\$12.executeCommand(Command at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand)	
19)	iccommanu.java.
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.ja	ava:261)
at com.onepulse.app.screens.PulseRegistrationScreen.enterRegistrationDeta	
(PulseRegistrationScreen.java:263)	
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.enterReg	istrationDetails
(RegistrationSteps.java:37)	14)
at .When user enters registration details(features/ph/NotificationCenter.feat	
And taps on continue "Sign_Up" button	0.00s
Then I wait for 10 sec	0.00s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	0.00s
Then I wait for 5 sec	0.00s
And I enter the "mobile number" in welcome to pulse	0.00s
mobileNumber 98678419	
And I click the continue button	0.00s
And I choose my wellness goals under wellness plan screen	0.00s
And I click the continue button	0.00s
And I click the date in Date of Birth field	0.00s
And I click the Done icon	0.00s
And I click the continue button	0.00s
And I select the Male icon	0.00s
And I click the continue button	0.00s
Then I wait for 5 sec	0.00s
And I click the continue button	0.00s
And I click on Calculate BMI button	0.00s
And I click the continue button	0.00s
And I select the "How active are you?" in doing exercise	0.00s
And I click the continue button	0.00s
And I click the continue button	0.00s
And I see that fitness subscription exclusive offers screen is displayed	0.00s
And I click on close icon	0.00s
Then I wait for 3 sec	0.00s

And I verify that	Tracking your act	ivity is trending is displayed	0.00s
And I click the c	ontinue button		0.00s
Then I wait for 5	sec		0.00s
And I click the A	activate icon in regist	ration screen	0.00s
Then I wait for 4	sec		0.00s
Then user should	d be landed to "Hom	e'' screen	0.00s
Then I wait for 4	sec		0.00s
fter			0.00s
ck to Table of Conte	<u>nts</u>		
enario: Navigate	to notification screen	ı via home screen	
ssed: 0	Failed: 1	Undefined: 1	Duration: .05
efore			0.00s
Given I navigate	to notification scree	n from home page	0.05s
	, java.versium. 11.u.		
ing vergion. [11] [1]		7.°	
	, java.version: '11.0.2		
Driver info: io.a	ppium.java_client.an	droid.AndroidDriver	
Driver info: io.ag Capabilities {app	opium.java_client.an oActivity: com.prude	droid.AndroidDriver ential.pulse.MainAc, appPacl	
Driver info: io.ag Capabilities {app	opium.java_client.an oActivity: com.prude	droid.AndroidDriver	
Driver info: io.ag Capabilities {appuat, autoDismiss	opium.java_client.an Activity: com.prude Alerts: true, automa	droid.AndroidDriver ential.pulse.MainAc, appPacl tionName: UiAutomator2, dat	abaseEnabled: false,
Driver info: io.a) Capabilities {appuat, autoDismiss desired: {appAc	opium.java_client.anoActivity: com.prude Alerts: true, automa tivity: com.prudentia	droid.AndroidDriver ential.pulse.MainAc, appPacl tionName: UiAutomator2, dat ll.pulse.MainAc, appPackage	abaseEnabled: false, e: com.prudential.pulse.ua
Driver info: io.ay Capabilities {appuat, autoDismiss desired: {appActautoDismissAler	opium.java_client.an oActivity: com.prude Alerts: true, automativity: com.prudentia ts: true, automation	droid.AndroidDriver ential.pulse.MainAc, appPack tionName: UiAutomator2, dat dl.pulse.MainAc, appPackage Name: UiAutomator2, deviceN	abaseEnabled: false, e: com.prudential.pulse.ua ame: Android-Test,
Driver info: io.ay Capabilities {appuat, autoDismiss desired: {appAcautoDismissAler newCommandTi	opium.java_client.and Activity: com.prude Alerts: true, automativity: com.prudentia ts: true, automation imeout: 10000, noRes	droid.AndroidDriver ential.pulse.MainAc, appPacl tionName: UiAutomator2, dat dl.pulse.MainAc, appPackage Name: UiAutomator2, deviceN set: true, platformName: andr	abaseEnabled: false, e: com.prudential.pulse.ua ame: Android-Test, oid}, deviceApiLevel: 30,
Driver info: io.ay Capabilities {appuat, autoDismiss desired: {appAcautoDismissAler newCommandTi	opium.java_client.and Activity: com.prude Alerts: true, automativity: com.prudentia ts: true, automation imeout: 10000, noRes	droid.AndroidDriver ential.pulse.MainAc, appPacl tionName: UiAutomator2, dat dl.pulse.MainAc, appPackage Name: UiAutomator2, deviceN set: true, platformName: andr	abaseEnabled: false, e: com.prudential.pulse.ua ame: Android-Test, oid}, deviceApiLevel: 30,
Driver info: io.ay Capabilities {appuat, autoDismiss desired: {appActautoDismissAler newCommandTideviceManufacta	opium.java_client.and Activity: com.prude Alerts: true, automativity: com.prudentiats: true, automation imeout: 10000, noResurer: Google, device	droid.AndroidDriver ential.pulse.MainAc, appPack tionName: UiAutomator2, dat al.pulse.MainAc, appPackage Name: UiAutomator2, deviceN set: true, platformName: andr Model: Pixel 5, deviceName: 0	abaseEnabled: false, e: com.prudential.pulse.ua ame: Android-Test, oid}, deviceApiLevel: 30, C241FDD40043P,
Driver info: io.ay Capabilities {appuat, autoDismiss desired: {appActautoDismissAler newCommandTideviceManufactadeviceScreenDer	opium.java_client.and Activity: com.prude Alerts: true, automativity: com.prudentiants: true, automation imeout: 10000, noResurer: Google, device asity: 440, deviceScre	droid.AndroidDriver ential.pulse.MainAc, appPack tionName: UiAutomator2, dat al.pulse.MainAc, appPackage Name: UiAutomator2, deviceN set: true, platformName: andr Model: Pixel 5, deviceName: 00 eenSize: 1080x2340, deviceUDI	abaseEnabled: false, e: com.prudential.pulse.ua ame: Android-Test, oid}, deviceApiLevel: 30, C241FDD40043P, D: 0C241FDD40043P,
Driver info: io.ay Capabilities {appuat, autoDismiss desired: {appActautoDismissAler newCommandTi deviceManufacta deviceScreenDer javascriptEnable	opium.java_client.and Activity: com.prude Alerts: true, automativity: com.prudentiants: true, automation imeout: 10000, noResurer: Google, device asity: 440, deviceScreed: true, locationCon	droid.AndroidDriver ential.pulse.MainAc, appPack tionName: UiAutomator2, dat al.pulse.MainAc, appPackage Name: UiAutomator2, deviceN set: true, platformName: andr Model: Pixel 5, deviceName: 00 eenSize: 1080x2340, deviceUDI ttextEnabled: false, networkCo	abaseEnabled: false, e: com.prudential.pulse.ua (ame: Android-Test, oid}, deviceApiLevel: 30, C241FDD40043P, D: 0C241FDD40043P, onnectionEnabled: true,
Driver info: io.ay Capabilities {app uat, autoDismiss desired: {appAct autoDismissAler newCommandTi deviceManufact deviceScreenDer javascriptEnable newCommandTi	opium.java_client.and Activity: com.prude Alerts: true, automativity: com.prudentiants: true, automation imeout: 10000, noResurer: Google, device asity: 440, deviceScreed: true, locationCondimeout: 10000, noResure.	droid.AndroidDriver ential.pulse.MainAc, appPack tionName: UiAutomator2, dat al.pulse.MainAc, appPackage Name: UiAutomator2, deviceN set: true, platformName: andr Model: Pixel 5, deviceName: 00 eenSize: 1080x2340, deviceUDI textEnabled: false, networkCo set: true, pixelRatio: 2.75, plat	abaseEnabled: false, e: com.prudential.pulse.ua (ame: Android-Test, oid}, deviceApiLevel: 30, C241FDD40043P, D: 0C241FDD40043P, onnectionEnabled: true, form: LINUX,
Driver info: io.ay Capabilities {app uat, autoDismiss desired: {appAct autoDismissAler newCommandTi deviceManufact deviceScreenDer javascriptEnable newCommandTi platformName:	opium.java_client.and Activity: com.prude Alerts: true, automativity: com.prudentiants: true, automation imeout: 10000, noResurer: Google, device asity: 440, deviceScreed: true, locationContention	droid.AndroidDriver ential.pulse.MainAc, appPack tionName: UiAutomator2, datal.pulse.MainAc, appPackage Name: UiAutomator2, deviceN set: true, platformName: andr Model: Pixel 5, deviceName: 00 eenSize: 1080x2340, deviceUDI textEnabled: false, networkCo set: true, pixelRatio: 2.75, platersion: 11, statBarHeight: 145,	abaseEnabled: false, e: com.prudential.pulse.ua fame: Android-Test, oid}, deviceApiLevel: 30, C241FDD40043P, D: 0C241FDD40043P, onnectionEnabled: true, form: LINUX, takesScreenshot: true,
Driver info: io.ay Capabilities {appuat, autoDismiss desired: {appActautoDismissAler newCommandTi deviceManufacta deviceScreenDer javascriptEnable newCommandTi platformName: A viewportRect: {b	opium.java_client.and Activity: com.prude Alerts: true, automativity: com.prudentiants: true, automation imeout: 10000, noResurer: Google, device asity: 440, deviceScreed: true, locationContention	droid.AndroidDriver ential.pulse.MainAc, appPack tionName: UiAutomator2, dat al.pulse.MainAc, appPackage Name: UiAutomator2, deviceN set: true, platformName: andr Model: Pixel 5, deviceName: 00 eenSize: 1080x2340, deviceUDI textEnabled: false, networkCo set: true, pixelRatio: 2.75, plat	abaseEnabled: false, e: com.prudential.pulse.ua fame: Android-Test, oid}, deviceApiLevel: 30, C241FDD40043P, D: 0C241FDD40043P, onnectionEnabled: true, form: LINUX, takesScreenshot: true,
Driver info: io.ay Capabilities {app uat, autoDismiss desired: {appAct autoDismissAler newCommandTi deviceManufact deviceScreenDer javascriptEnable newCommandTi platformName: A viewportRect: {B false}	ppium.java_client.and Activity: com.prude Alerts: true, automativity: com.prudentiants: true, automation imeout: 10000, noRestrer: Google, device asity: 440, deviceScreed: true, locationComeout: 10000, noRestreed: 10000, noRestree	droid.AndroidDriver ential.pulse.MainAc, appPacktionName: UiAutomator2, datal.pulse.MainAc, appPackageName: UiAutomator2, deviceName: UiAutomator2, deviceName: true, platformName: androdel: Pixel 5, deviceName: 00 eenSize: 1080x2340, deviceUDI textEnabled: false, networkCoset: true, pixelRatio: 2.75, platersion: 11, statBarHeight: 145, op: 145, width: 1080}, warning	abaseEnabled: false, e: com.prudential.pulse.ua fame: Android-Test, oid}, deviceApiLevel: 30, C241FDD40043P, D: 0C241FDD40043P, onnectionEnabled: true, form: LINUX, takesScreenshot: true,
Driver info: io.ay Capabilities {app uat, autoDismiss desired: {appAct autoDismissAler newCommandTi deviceManufact deviceScreenDer javascriptEnable newCommandTi platformName: viewportRect: {b false} Session ID: 269d	ppium.java_client.and Activity: com.prude Alerts: true, automativity: com.prudential ts: true, automation meout: 10000, noResurer: Google, device asity: 440, deviceScreed: true, locationConferential meout: 10000, noResured: true, locationConferential	droid.AndroidDriver ential.pulse.MainAc, appPacktionName: UiAutomator2, datal.pulse.MainAc, appPackageName: UiAutomator2, deviceName: UiAutomator2, deviceName: true, platformName: androdel: Pixel 5, deviceName: 00 tenSize: 1080x2340, deviceUDIntextEnabled: false, networkCoset: true, pixelRatio: 2.75, platersion: 11, statBarHeight: 145, op: 145, width: 1080}, warning	abaseEnabled: false, e: com.prudential.pulse.ua fame: Android-Test, oid}, deviceApiLevel: 30, C241FDD40043P, D: 0C241FDD40043P, onnectionEnabled: true, form: LINUX, takesScreenshot: true, gs: {}, webStorageEnabled
Driver info: io.ay Capabilities {app uat, autoDismiss desired: {appAct autoDismissAler newCommandTi deviceManufact deviceScreenDer javascriptEnable newCommandTi platformName: A viewportRect: {Ir false} Session ID: 269d *** Element info	ppium.java_client.and Activity: com.prude Alerts: true, automativity: com.prudential ts: true, automation meout: 10000, noResurer: Google, device asity: 440, deviceScreed: true, locationConferential meout: 10000, noResured: true, locationConferential	droid.AndroidDriver ential.pulse.MainAc, appPacktionName: UiAutomator2, datal.pulse.MainAc, appPackageName: UiAutomator2, deviceName: UiAutomator2, deviceName: true, platformName: androdel: Pixel 5, deviceName: 00 eenSize: 1080x2340, deviceUDI textEnabled: false, networkCoset: true, pixelRatio: 2.75, platersion: 11, statBarHeight: 145, op: 145, width: 1080}, warning	abaseEnabled: false, e: com.prudential.pulse.ua fame: Android-Test, oid}, deviceApiLevel: 30, C241FDD40043P, D: 0C241FDD40043P, onnectionEnabled: true, form: LINUX, takesScreenshot: true, gs: {}, webStorageEnabled
Driver info: io.ay Capabilities {app uat, autoDismiss desired: {appAct autoDismissAler newCommandTi deviceManufact deviceScreenDer javascriptEnable newCommandTi platformName: viewportRect: {b false} Session ID: 269d	ppium.java_client.and Activity: com.prude Alerts: true, automativity: com.prudential ts: true, automation meout: 10000, noResurer: Google, device asity: 440, deviceScreed: true, locationConferential meout: 10000, noResured: true, locationConferential	droid.AndroidDriver ential.pulse.MainAc, appPacktionName: UiAutomator2, datal.pulse.MainAc, appPackageName: UiAutomator2, deviceName: UiAutomator2, deviceName: true, platformName: androdel: Pixel 5, deviceName: 00 tenSize: 1080x2340, deviceUDIntextEnabled: false, networkCoset: true, pixelRatio: 2.75, platersion: 11, statBarHeight: 145, op: 145, width: 1080}, warning	abaseEnabled: false, e: com.prudential.pulse.ua fame: Android-Test, oid}, deviceApiLevel: 30, C241FDD40043P, D: 0C241FDD40043P, onnectionEnabled: true, form: LINUX, takesScreenshot: true, gs: {}, webStorageEnabled
Driver info: io.ay Capabilities {app uat, autoDismiss desired: {appAct autoDismissAler newCommandTi deviceManufact deviceScreenDer javascriptEnable newCommandTi platformName: A viewportRect: {If false} Session ID: 269d *** Element info ImageView)[1]}	ppium.java_client.and Activity: com.prude Alerts: true, automativity: com.prudential ts: true, automation meout: 10000, noRes arer: Google, device ed: true, locationCon meout: 10000, noRes Android, platformVe neight: 2015, left: 0, to 549e-690a-4dbc-b642 b: {Using=xpath, value	droid.AndroidDriver ential.pulse.MainAc, appPacktionName: UiAutomator2, datal.pulse.MainAc, appPackageName: UiAutomator2, deviceName: UiAutomator2, deviceName: true, platformName: androdel: Pixel 5, deviceName: 00 tenSize: 1080x2340, deviceUDIntextEnabled: false, networkCoset: true, pixelRatio: 2.75, platersion: 11, statBarHeight: 145, op: 145, width: 1080}, warning	abaseEnabled: false, e: com.prudential.pulse.ua (ame: Android-Test, oid), deviceApiLevel: 30, C241FDD40043P, D: 0C241FDD40043P, onnectionEnabled: true, form: LINUX, takesScreenshot: true, gs: {}, webStorageEnabled [4]/android.widget.
Driver info: io.ay Capabilities {app uat, autoDismiss desired: {appAct autoDismissAler newCommandTi deviceManufact deviceScreenDer javascriptEnable newCommandTi platformName: A viewportRect: {Infalse} Session ID: 269d *** Element info ImageView)[1]} at jdk.internal.re	ppium.java_client.and Activity: com.prude Alerts: true, automativity: com.prudential ts: true, automation Imeout: 10000, noResurer: Google, device asity: 440, deviceScreed: true, locationConfimeout: 10000, noResured: 10000, noResured: 2015, left: 0, to 549e-690a-4dbc-b642 to: {Using=xpath, valueflect.GeneratedConstructionConstru	droid.AndroidDriver ential.pulse.MainAc, appPacktionName: UiAutomator2, datal.pulse.MainAc, appPackageName: UiAutomator2, deviceName: UiAutomator2, deviceName: UiAutomator2, deviceName: Other Pixel 5, deviceName: Other Size: 1080x2340, deviceUDIntextEnabled: false, networkCoset: true, pixelRatio: 2.75, platersion: 11, statBarHeight: 145, op: 145, width: 1080}, warning2-1f98bc3efe1dae=(//android.view.ViewGroupstructorAccessor19.newInstan	abaseEnabled: false, c: com.prudential.pulse.ua fame: Android-Test, oid}, deviceApiLevel: 30, C241FDD40043P, D: 0C241FDD40043P, onnectionEnabled: true, form: LINUX, takesScreenshot: true, gs: {}, webStorageEnabled o[4]/android.widget. ce(Unknown Source)
Driver info: io.ay Capabilities {app uat, autoDismiss desired: {appAct autoDismissAler newCommandTi deviceManufact deviceScreenDer javascriptEnable newCommandTi platformName: A viewportRect: {I false} Session ID: 269d *** Element info ImageView)[1]} at jdk.internal.re at java.base/jdk.	ppium.java_client.and Activity: com.prude Alerts: true, automativity: com.prudential ts: true, automation meout: 10000, noRestrer: Google, device asity: 440, deviceScreed: true, locationComeout: 10000, noRestreed: true, locationComeout: 2015, left: 0, to 549e-690a-4dbc-b642 to: {Using=xpath, value eflect.GeneratedConstituternal.reflect.Delegation.	ential.pulse.MainAc, appPacktionName: UiAutomator2, datal.pulse.MainAc, appPackageName: UiAutomator2, deviceName: UiAutomator2, deviceName: UiAutomator2, deviceName: Other Set: true, platformName: andrewodel: Pixel 5, deviceName: Other Size: 1080x2340, deviceUDIntextEnabled: false, networkCoset: true, pixelRatio: 2.75, platersion: 11, statBarHeight: 145, op: 145, width: 1080}, warning2-1f98bc3efe1dae=(//android.view.ViewGroupstructorAccessor19.newInstangatingConstructorAccessorImp	abaseEnabled: false, c: com.prudential.pulse.ua fame: Android-Test, oid}, deviceApiLevel: 30, C241FDD40043P, D: 0C241FDD40043P, onnectionEnabled: true, form: LINUX, takesScreenshot: true, gs: {}, webStorageEnabled o[4]/android.widget. ce(Unknown Source)
Driver info: io.ay Capabilities {app uat, autoDismiss desired: {appAct autoDismissAler newCommandTi deviceManufact deviceScreenDer javascriptEnable newCommandTi platformName: A viewportRect: {Ir false} Session ID: 269d *** Element info ImageView)[1]} at jdk.internal.re at java.base/jdk. (DelegatingCons	ppium.java_client.and Activity: com.prude Alerts: true, automativity: com.prudential ts: true, automation meout: 10000, noRestrer: Google, device asity: 440, deviceScreed: true, locationConfered: 10000, noRestrer: 10000, noRestrer: 2015, left: 0, to 549e-690a-4dbc-b642; {Using=xpath, value attentionConfered: {Using=xpath, value	droid.AndroidDriver ential.pulse.MainAc, appPack tionName: UiAutomator2, dat dl.pulse.MainAc, appPackage Name: UiAutomator2, deviceN set: true, platformName: andr Model: Pixel 5, deviceName: 06 tenSize: 1080x2340, deviceUDI textEnabled: false, networkCo set: true, pixelRatio: 2.75, plat ersion: 11, statBarHeight: 145, op: 145, width: 1080}, warning 2-1f98bc3efe1d ne=(//android.view.ViewGroup structorAccessor19.newInstan gatingConstructorAccessorImpl.java:45)	abaseEnabled: false, e: com.prudential.pulse.ua fame: Android-Test, oid}, deviceApiLevel: 30, C241FDD40043P, D: 0C241FDD40043P, onnectionEnabled: true, form: LINUX, takesScreenshot: true, gs: {}, webStorageEnabled o[4]/android.widget. ce(Unknown Source) pl.newInstance
Driver info: io.ay Capabilities {app uat, autoDismiss desired: {appAct autoDismissAler newCommandTi deviceManufact deviceScreenDer javascriptEnable newCommandTi platformName: A viewportRect: {In false} Session ID: 269d *** Element info ImageView)[1]} at jdk.internal.re at java.base/jdk. (DelegatingCons at java.base/java	ppium.java_client.and Activity: com.prude Alerts: true, automativity: com.prudential ts: true, automation Imeout: 10000, noResurer: Google, device asity: 440, deviceScreed: true, locationConfimeout: 10000, noResure Android, platformVeneight: 2015, left: 0, to 549e-690a-4dbc-b642 to: {Using=xpath, value effect.GeneratedConstructorAccessorImples.lang.reflect.Construction	droid.AndroidDriver ential.pulse.MainAc, appPack tionName: UiAutomator2, dat dl.pulse.MainAc, appPackage Name: UiAutomator2, deviceN set: true, platformName: andr Model: Pixel 5, deviceName: 00 tenSize: 1080x2340, deviceUDI textEnabled: false, networkCo set: true, pixelRatio: 2.75, plat ersion: 11, statBarHeight: 145, top: 145, width: 1080}, warning 2-1f98bc3efe1d ne=(//android.view.ViewGroup structorAccessor19.newInstan gatingConstructorAccessorImpl.java:45) uctor.newInstance(ConstructorAccessorImpl.java:45)	abaseEnabled: false, c: com.prudential.pulse.ua fame: Android-Test, oid}, deviceApiLevel: 30, C241FDD40043P, D: 0C241FDD40043P, onnectionEnabled: true, form: LINUX, takesScreenshot: true, gs: {}, webStorageEnabled ce(Unknown Source) pl.newInstance c.java:490)
Driver info: io.ay Capabilities {app uat, autoDismiss desired: {appAct autoDismissAler newCommandTi deviceManufact deviceScreenDer javascriptEnable newCommandTi platformName: A viewportRect: {Ir false} Session ID: 269d *** Element info ImageView)[1]} at jdk.internal.re at java.base/jdk. (DelegatingCons at java.base/java at org.openqa.se	ppium.java_client.and Activity: com.prude Alerts: true, automativity: com.prudential ts: true, automation meout: 10000, noRest arer: Google, device arer: Google, device arer: Google, device ded: true, locationContendential, platformVential, pla	droid.AndroidDriver ential.pulse.MainAc, appPack tionName: UiAutomator2, dat dl.pulse.MainAc, appPackage Name: UiAutomator2, deviceN set: true, platformName: andr Model: Pixel 5, deviceName: 06 tenSize: 1080x2340, deviceUDI textEnabled: false, networkCo set: true, pixelRatio: 2.75, plat ersion: 11, statBarHeight: 145, op: 145, width: 1080}, warning 2-1f98bc3efe1d ne=(//android.view.ViewGroup structorAccessor19.newInstan gatingConstructorAccessorImpl.java:45)	abaseEnabled: false, c: com.prudential.pulse.ua fame: Android-Test, oid}, deviceApiLevel: 30, C241FDD40043P, D: 0C241FDD40043P, onnectionEnabled: true, form: LINUX, takesScreenshot: true, gs: {}, webStorageEnabled ce(Unknown Source) pl.newInstance c.java:490)
Driver info: io.ay Capabilities {app uat, autoDismiss desired: {appAct autoDismissAler newCommandTi deviceManufact deviceScreenDer javascriptEnable newCommandTi platformName: viewportRect: {b false} Session ID: 269d *** Element info ImageView)[1]} at jdk.internal.re at java.base/jdk. (DelegatingCons at java.base/java at org.openqa.se (W3CHttpRespo	ppium.java_client.and DActivity: com.prude Alerts: true, automativity: com.prudential ts: true, automation meout: 10000, noRestrer: Google, device ed: true, locationContendential (and true, locationContendential) Android, platformVeneight: 2015, left: 0, to the state of the sta	droid.AndroidDriver ential.pulse.MainAc, appPack tionName: UiAutomator2, dat al.pulse.MainAc, appPackage Name: UiAutomator2, deviceNoset: true, platformName: andr Model: Pixel 5, deviceName: 00 tenSize: 1080x2340, deviceUDI textEnabled: false, networkCoset: true, pixelRatio: 2.75, plat ersion: 11, statBarHeight: 145, top: 145, width: 1080}, warning 2-1f98bc3efe1d te=(//android.view.ViewGroup structorAccessor19.newInstan gatingConstructorAccessorImpl.java:45) tctor.newInstance(Constructor W3CHttpResponseCodec.creat	abaseEnabled: false, e: com.prudential.pulse.ua fame: Android-Test, oid}, deviceApiLevel: 30, C241FDD40043P, D: 0C241FDD40043P, onnectionEnabled: true, form: LINUX, takesScreenshot: true, gs: {}, webStorageEnabled o[4]/android.widget. ce(Unknown Source) ol.newInstance c.java:490) teException
Driver info: io.ay Capabilities {app uat, autoDismiss desired: {appAct autoDismissAler newCommandTi deviceManufact deviceScreenDer javascriptEnable newCommandTi platformName: A viewportRect: {In false} Session ID: 269d *** Element info ImageView)[1]} at jdk.internal.re at java.base/jdk. (DelegatingCons at java.base/java at org.openqa.se (W3CHttpRespo at org.openqa.se	ppium.java_client.and Activity: com.prude Alerts: true, automativity: com.prudential ts: true, automation imeout: 10000, noRestrer: Google, device desity: 440, deviceScreed: true, locationConsidered and and and alert	droid.AndroidDriver ential.pulse.MainAc, appPack tionName: UiAutomator2, dat dl.pulse.MainAc, appPackage Name: UiAutomator2, deviceN set: true, platformName: andr Model: Pixel 5, deviceName: 00 tenSize: 1080x2340, deviceUDI textEnabled: false, networkCo set: true, pixelRatio: 2.75, plat ersion: 11, statBarHeight: 145, top: 145, width: 1080}, warning 2-1f98bc3efe1d ne=(//android.view.ViewGroup structorAccessor19.newInstan gatingConstructorAccessorImpl.java:45) uctor.newInstance(ConstructorAccessorImpl.java:45)	abaseEnabled: false, e: com.prudential.pulse.ua fame: Android-Test, oid}, deviceApiLevel: 30, C241FDD40043P, D: 0C241FDD40043P, onnectionEnabled: true, form: LINUX, takesScreenshot: true, gs: {}, webStorageEnabled o[4]/android.widget. ce(Unknown Source) ol.newInstance c.java:490) teException
Driver info: io.ay Capabilities {app uat, autoDismiss desired: {appAct autoDismissAler newCommandTi deviceManufact deviceScreenDer javascriptEnable newCommandTi platformName: A viewportRect: {It false} Session ID: 269d *** Element info ImageView)[1]} at jdk.internal.re at java.base/jdk. (DelegatingCons at java.base/java at org.openqa.se (W3CHttpRespo at org.openqa.se (W3CHttpRespo	ppium.java_client.and Activity: com.prude Alerts: true, automativity: com.prudential ts: true, automation meout: 10000, noRest arer: Google, device arer: Google, device ded: true, locationCommeout: 10000, noRest Android, platformVeneight: 2015, left: 0, to teight: 2015, left: 0, to telect.GeneratedConstitutionServallenium.reflect.Delegated tructorAccessorImple.lang.reflect.ConstructionseCodec.java:187) lenium.remote.http.VonseCodec.java:122)	droid.AndroidDriver ential.pulse.MainAc, appPack tionName: UiAutomator2, dat dl.pulse.MainAc, appPackage Name: UiAutomator2, deviceNoset: true, platformName: andr Model: Pixel 5, deviceName: 00 tenSize: 1080x2340, deviceUDI textEnabled: false, networkCoset: true, pixelRatio: 2.75, plat ersion: 11, statBarHeight: 145, op: 145, width: 1080}, warning 2-1f98bc3efe1d ne=(//android.view.ViewGroup structorAccessor19.newInstan gatingConstructorAccessorImpl.java:45) nctor.newInstance(Constructor W3CHttpResponseCodec.creat W3CHttpResponseCodec.deco	abaseEnabled: false, e: com.prudential.pulse.ua fame: Android-Test, oid}, deviceApiLevel: 30, C241FDD40043P, D: 0C241FDD40043P, onnectionEnabled: true, form: LINUX, takesScreenshot: true, gs: {}, webStorageEnabled o[4]/android.widget. ce(Unknown Source) pl.newInstance c.java:490) teException de
Driver info: io.ay Capabilities {app uat, autoDismiss desired: {appAct autoDismissAler newCommandTi deviceManufact deviceScreenDer javascriptEnable newCommandTi platformName: viewportRect: {h false} Session ID: 269d *** Element info ImageView)[1]} at jdk.internal.re at java.base/jdk. (DelegatingCons at java.base/java at org.openqa.se (W3CHttpRespo at org.openqa.se (W3CHttpRespo at org.openqa.se	ppium.java_client.and pActivity: com.prude Alerts: true, automativity: com.prudential ts: true, automation meout: 10000, noRestrer: Google, device ed: true, locationContendential (1000), noRestrer (1000), noRes	droid.AndroidDriver ential.pulse.MainAc, appPack tionName: UiAutomator2, dat al.pulse.MainAc, appPackage Name: UiAutomator2, deviceNoset: true, platformName: andr Model: Pixel 5, deviceName: 00 tenSize: 1080x2340, deviceUDI textEnabled: false, networkCoset: true, pixelRatio: 2.75, plat ersion: 11, statBarHeight: 145, top: 145, width: 1080}, warning 2-1f98bc3efe1d te=(//android.view.ViewGroup structorAccessor19.newInstan gatingConstructorAccessorImpl.java:45) tctor.newInstance(Constructor W3CHttpResponseCodec.creat	abaseEnabled: false, e: com.prudential.pulse.ua fame: Android-Test, oid}, deviceApiLevel: 30, C241FDD40043P, D: 0C241FDD40043P, onnectionEnabled: true, form: LINUX, takesScreenshot: true, gs: {}, webStorageEnabled o[4]/android.widget. ce(Unknown Source) pl.newInstance c.java:490) teException de
Driver info: io.ay Capabilities {app uat, autoDismiss desired: {appAct autoDismissAler newCommandTi deviceManufact deviceScreenDer javascriptEnable newCommandTi platformName: A viewportRect: {In false} Session ID: 269d *** Element info ImageView)[1]} at jdk.internal.re at java.base/jdk. (DelegatingCons at java.base/java at org.openqa.se (W3CHttpRespo at org.openqa.se (W3CHttpRespo at org.openqa.se (W3CHttpRespo at org.openqa.se	ppium.java_client.and oActivity: com.prude Alerts: true, automativity: com.prudential ts: true, automation imeout: 10000, noRes arer: Google, device desity: 440, deviceScreed: true, locationCon imeout: 10000, noRes Android, platformVeneight: 2015, left: 0, to 549e-690a-4dbc-b642 o: {Using=xpath, value effect.GeneratedConstituternal.reflect.DelegatructorAccessorImple.lang.reflect.ConstructionseCodec.java:187) lenium.remote.http.VonseCodec.java:122) lenium.remote.http.VonseCodec.java:49)	droid.AndroidDriver ential.pulse.MainAc, appPack tionName: UiAutomator2, dat al.pulse.MainAc, appPackage Name: UiAutomator2, deviceNoset: true, platformName: andrewodel: Pixel 5, deviceName: 00 tenSize: 1080x2340, deviceUDI textEnabled: false, networkCoset: true, pixelRatio: 2.75, plat tersion: 11, statBarHeight: 145, top: 145, width: 1080}, warning 2-1f98bc3efe1d te=(//android.view.ViewGroup structorAccessor19.newInstant gatingConstructorAccessorImpl.java:45) tector.newInstance(Constructor W3CHttpResponseCodec.decoe W3CHttpResponseCodec.decoe W3CHttpResponseCodec.decoe	abaseEnabled: false, e: com.prudential.pulse.ua fame: Android-Test, oid}, deviceApiLevel: 30, C241FDD40043P, D: 0C241FDD40043P, onnectionEnabled: true, form: LINUX, takesScreenshot: true, gs: {}, webStorageEnabled o[4]/android.widget. ce(Unknown Source) pl.newInstance c.java:490) teException de de
Driver info: io.ay Capabilities {app uat, autoDismiss desired: {appAct autoDismissAler newCommandTi deviceManufact deviceScreenDer javascriptEnable newCommandTi platformName: viewportRect: {h false} Session ID: 269d *** Element info ImageView)[1]} at jdk.internal.re at java.base/jdk. (DelegatingCons at java.base/java at org.openqa.se (W3CHttpRespo at org.openqa.se (W3CHttpRespo at org.openqa.se (W3CHttpRespo at org.openqa.se	ppium.java_client.and oActivity: com.prude Alerts: true, automativity: com.prudential ts: true, automation imeout: 10000, noRes arer: Google, device desity: 440, deviceScreed: true, locationCon imeout: 10000, noRes Android, platformVeneight: 2015, left: 0, to 549e-690a-4dbc-b642 o: {Using=xpath, value effect.GeneratedConstituternal.reflect.DelegatructorAccessorImple.lang.reflect.ConstructionseCodec.java:187) lenium.remote.http.VonseCodec.java:122) lenium.remote.http.VonseCodec.java:49)	droid.AndroidDriver ential.pulse.MainAc, appPack tionName: UiAutomator2, dat dl.pulse.MainAc, appPackage Name: UiAutomator2, deviceNoset: true, platformName: andr Model: Pixel 5, deviceName: 00 tenSize: 1080x2340, deviceUDI textEnabled: false, networkCoset: true, pixelRatio: 2.75, plat ersion: 11, statBarHeight: 145, op: 145, width: 1080}, warning 2-1f98bc3efe1d ne=(//android.view.ViewGroup structorAccessor19.newInstan gatingConstructorAccessorImpl.java:45) nctor.newInstance(Constructor W3CHttpResponseCodec.creat W3CHttpResponseCodec.deco	abaseEnabled: false, e: com.prudential.pulse.ua fame: Android-Test, oid}, deviceApiLevel: 30, C241FDD40043P, D: 0C241FDD40043P, onnectionEnabled: true, form: LINUX, takesScreenshot: true, gs: {}, webStorageEnabled o[4]/android.widget. ce(Unknown Source) pl.newInstance c.java:490) teException de de
Driver info: io.ay Capabilities {app uat, autoDismiss desired: {appAct autoDismissAler newCommandTi deviceManufact deviceScreenDer javascriptEnable newCommandTi platformName: A viewportRect: {In false} Session ID: 269d *** Element info ImageView)[1]} at jdk.internal.re at java.base/jdk. (DelegatingCons at java.base/java at org.openqa.se (W3CHttpRespo at org.openqa.se (W3CHttpRespo at org.openqa.se (W3CHttpRespo at org.openqa.se	ppium.java_client.and oActivity: com.prude Alerts: true, automativity: com.prudential ts: true, automation imeout: 10000, noRes arer: Google, device desity: 440, deviceScreed: true, locationCon imeout: 10000, noRes Android, platformVeneight: 2015, left: 0, to 549e-690a-4dbc-b642 o: {Using=xpath, value effect.GeneratedConstituternal.reflect.DelegatructorAccessorImple.lang.reflect.ConstructionseCodec.java:187) lenium.remote.http.VonseCodec.java:122) lenium.remote.http.VonseCodec.java:49)	droid.AndroidDriver ential.pulse.MainAc, appPack tionName: UiAutomator2, dat al.pulse.MainAc, appPackage Name: UiAutomator2, deviceNoset: true, platformName: andrewodel: Pixel 5, deviceName: 00 tenSize: 1080x2340, deviceUDI textEnabled: false, networkCoset: true, pixelRatio: 2.75, plat tersion: 11, statBarHeight: 145, top: 145, width: 1080}, warning 2-1f98bc3efe1d te=(//android.view.ViewGroup structorAccessor19.newInstant gatingConstructorAccessorImpl.java:45) tector.newInstance(Constructor W3CHttpResponseCodec.decoe W3CHttpResponseCodec.decoe W3CHttpResponseCodec.decoe	abaseEnabled: false, e: com.prudential.pulse.ua fame: Android-Test, oid}, deviceApiLevel: 30, C241FDD40043P, D: 0C241FDD40043P, onnectionEnabled: true, form: LINUX, takesScreenshot: true, gs: {}, webStorageEnabled o[4]/android.widget. ce(Unknown Source) pl.newInstance c.java:490) teException de de

(AppiumCommandE	executor.java:231)		
		ebDriver.execute(Rem	oteWebDriver.java:543)
			efaultGenericMobileDriver.
7	ient.AnniumDriver.e	xecute(AppiumDriver.	iava:1)
		lDriver.execute(Andro	
			RemoteWebDriver.java:317)
		MobileDriver.findElem	
(DefaultGenericMob			
	· · · · · · · · · · · · · · · · · · ·	indElement(AppiumDi	river.java:1)
at io.appium.java_cl	ient.android.Android	lDriver.findElement(A	ndroidDriver.java:1)
at org.openqa.selenii java:419)	ım.remote.RemoteW	ebDriver.findElement	ByXPath(RemoteWebDriver.
at io.appium.java_cl		MobileDriver.findElem	entByXPath
(DefaultGenericMob		indElementByXPath(A	nniumDriver igyg•1)
at io.appium.java_cl	ient.android.Android	lDriver.findElementBy	XPath(AndroidDriver.java:1)
		Element(By.java:353) ehDriver_findFlement	RemoteWebDriver.java:309)
		AobileDriver.findElem	
(DefaultGenericMob			
· · · · · · · · · · · · · · · · · · ·	,	indElement(AppiumDi	iver.iava:1)
		lDriver.findElement(A	
at com.prudential.ta	p.selenium.Commano	ds\$15.executeComman	d(Commands.java:141)
	p.selenium.ExecuteC	ommand.executeComr	nand(ExecuteCommand.java:
19)			
		ge.clickButton(TestBas	ePage.java:163)
at com.onepulse.app			601 C
		Page(PulseManagePro	
		lesteps.ManageProfiles Page(ManageProfileSt	•
			res/ph/NotificationCenter.
feature:66)	o notification serecti	nom nome page(reatu	res/pn/NotificationCenter.
Then I wait for 2 sec			0.00s
After			0.00s
Back to Table of Contents			
Scenario: Verify User sl	hould be able to see t	he Notification screen	exts
Passed: 0	Failed: 1	Undefined: 0	Duration: .03s
Before			0.00s
And I verify following	g texts are displayed		0.03s
\${notification.msg	<u>g}</u>		
involong Aggartian	TTN 0 11 A		
	Crror: The following a		e 1561 3
Notification Center t	ext is displayed on pa	age expected [true] but	found [false]
Notification Center t at org.testng.asserts.	ext is displayed on pa SoftAssert.assertAll(S	age expected [true] but SoftAssert.java:43)	
Notification Center t at org.testng.asserts. at com.onepulse.app.	ext is displayed on pa SoftAssert.assertAll(stepdefinitions.mobil	age expected [true] but	
Notification Center t at org.testng.asserts. at com.onepulse.app. (MyDocSteps.java:7)	ext is displayed on pa SoftAssert.assertAll(S .stepdefinitions.mobil 17)	age expected [true] but SoftAssert.java:43) lesteps.MyDocSteps.ve	rifyTextsOnScreen
Notification Center t at org.testng.asserts. at com.onepulse.app. (MyDocSteps.java:7)	ext is displayed on pa SoftAssert.assertAll(S .stepdefinitions.mobil 17)	age expected [true] but SoftAssert.java:43) lesteps.MyDocSteps.ve	

processing the command. Origonal error: socket hang up Build info: version: '3.12.0', resystem info: host: 'TM003LSII os.version: '10.0', java.version: Driver info: io.appium.java_clicapabilities {appActivity: comuat, autoDismissAlerts: true, a desired: {appActivity: com.pruautoDismissAlerts: true, automnewCommandTimeout: 10000, deviceManufacturer: Google, odeviceScreenDensity: 440, devijavascriptEnabled: true, locatinewCommandTimeout: 10000, platformName: Android, platfoviewportRect: {height: 2015, lefalse} Session ID: 269d549e-690a-4dle*** Element info: {Using=xpatatjdk.internal.reflect.Generatatjava.base/jdk.internal.reflect.Catorg.openqa.selenium.remote(W3CHttpResponseCodec.javaatorg.openqa.selenium.remote(W3CHttpResponseCodec.javaatorg.openqa.selenium.remote(W3CHttpResponseCodec.javaatorg.openqa.selenium.remote(W3CHttpResponseCodec.javaatorg.openqa.selenium.remote(W3CHttpResponseCodec.javaatorg.openqa.selenium.remote(W3CHttpResponseCodec.javaatorg.openqa.selenium.remote(W3CHttpResponseCodec.javaatorg.openqa.selenium.remote(W3CHttpResponseCodec.javaatorg.openqa.selenium.remote(W3CHttpResponseCodec.javaatorg.openqa.selenium.remotec)	erException: An unknow inal error: Could not provision: '7c6e0b3', time: '2N', ip: '192.168.1.124', os '11.0.2' ent.android.AndroidDrit.prudential.pulse.MainAutomationName: UiAutomationName: U	wn server-side error occurred while coxy command to the remote server. '2018-05-08T14:04:26.12Z' s.name: 'Windows 10', os.arch: 'amdoriver Ac, appPackage: com.prudential.pulomator2, databaseEnabled: false, , appPackage: com.prudential.pulse.utor2, deviceName: Android-Test, nName: android}, deviceApiLevel: 30, viceName: 0C241FDD40043P, l0, deviceUDID: 0C241FDD40043P, e, networkConnectionEnabled: true, tio: 2.75, platform: LINUX, rHeight: 145, takesScreenshot: true, 080}, warnings: {}, webStorageEnable
org.openqa.selenium.WebDriv processing the command. Orig Original error: socket hang up Build info: version: '3.12.0', re System info: host: 'TM003LSI os.version: '10.0', java.version: Driver info: io.appium.java_cli Capabilities {appActivity: com uat, autoDismissAlerts: true, a desired: {appActivity: com.pru autoDismissAlerts: true, auton newCommandTimeout: 10000, deviceManufacturer: Google, of deviceScreenDensity: 440, devi javascriptEnabled: true, locati newCommandTimeout: 10000, platformName: Android, platfoviewportRect: {height: 2015, lefalse} Session ID: 269d549e-690a-4dle*** Element info: {Using=xpate at jdk.internal.reflect.Generate at java.base/jdk.internal.reflect.Cate org.openqa.selenium.remote (W3CHttpResponseCodec.java at org.openqa.selenium.remote (W3CHttpResponseCodec.java	erException: An unknow inal error: Could not provision: '7c6e0b3', time: '2N', ip: '192.168.1.124', os '11.0.2' ent.android.AndroidDrit.prudential.pulse.MainAutomationName: UiAutomationName: U	wn server-side error occurred while coxy command to the remote server. '2018-05-08T14:04:26.12Z' s.name: 'Windows 10', os.arch: 'amdoriver Ac, appPackage: com.prudential.pulomator2, databaseEnabled: false, , appPackage: com.prudential.pulse.utor2, deviceName: Android-Test, nName: android}, deviceApiLevel: 30, viceName: 0C241FDD40043P, l0, deviceUDID: 0C241FDD40043P, e, networkConnectionEnabled: true, tio: 2.75, platform: LINUX, rHeight: 145, takesScreenshot: true, 080}, warnings: {}, webStorageEnable
org.openqa.selenium.WebDriver processing the command. Origoriginal error: socket hang up Build info: version: '3.12.0', reserversion: '10.0', java.version: Os.version: '10.0', java.version: Driver info: io.appium.java_clicapabilities {appActivity: comuat, autoDismissAlerts: true, autonewCommandTimeout: 10000, deviceManufacturer: Google, of deviceScreenDensity: 440, devijavascriptEnabled: true, locatinewCommandTimeout: 10000, platformName: Android, platfoviewportRect: {height: 2015, lefalse} Session ID: 269d549e-690a-4dle*** Element info: {Using=xpatat jdk.internal.reflect.Generate at java.base/jdk.internal.reflect.Catorg.openqa.selenium.remote (W3CHttpResponseCodec.javaat org.openqa.selenium.remote (W3CHttpResponseCodec.javaat org.openqa.selenium.r	erException: An unknow inal error: Could not provision: '7c6e0b3', time: '2N', ip: '192.168.1.124', os '11.0.2' ent.android.AndroidDrit.prudential.pulse.MainAutomationName: UiAutomationName: U	wn server-side error occurred while coxy command to the remote server. '2018-05-08T14:04:26.12Z' s.name: 'Windows 10', os.arch: 'amdoriver Ac, appPackage: com.prudential.pulomator2, databaseEnabled: false, , appPackage: com.prudential.pulse.utor2, deviceName: Android-Test, nName: android}, deviceApiLevel: 30, viceName: 0C241FDD40043P, l0, deviceUDID: 0C241FDD40043P, e, networkConnectionEnabled: true, tio: 2.75, platform: LINUX, rHeight: 145, takesScreenshot: true, 080}, warnings: {}, webStorageEnable
Session ID: 269d549e-690a-4dk *** Element info: {Using=xpat at jdk.internal.reflect.Generate at java.base/jdk.internal.reflec (DelegatingConstructorAccess at java.base/java.lang.reflect.C at org.openqa.selenium.remote (W3CHttpResponseCodec.java at org.openqa.selenium.remote (W3CHttpResponseCodec.java at org.openqa.selenium.remote (W3CHttpResponseCodec.java at org.openqa.selenium.remote	c-b642-1f98bc3efe1d	got ImagaViaw)[1]]
at org.openqa.selenium.remote (W3CHttpResponseCodec.java at org.openqa.selenium.remote	h, value=(//android.widgedConstructorAccessor19t.DelegatingConstructorAcrimpl.java:45) onstructor.newInstance(.http.W3CHttpResponsed:187)	19.newInstance(Unknown Source) rAccessorImpl.newInstance e(Constructor.java:490) seCodec.createException
at io.appium.java_client.remot	a:122) .http.W3CHttpResponse a:49) .HttpCommandExecutor	seCodec.decode or.execute(HttpCommandExecutor.ja
(AppiumCommandExecutor.ja at org.openqa.selenium.remote at io.appium.java_client.Defau java:42) at io.appium.java_client.Appiu at io.appium.java_client.andro		

```
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  java:419)
  at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.PulseManageProfileScreen.clickOnNotificationBkBtn
  (PulseManageProfileScreen.java:977)
  at com.onepulse.app.stepdefinitions.mobilesteps.ManageProfileSteps.
  clickBackButtonInNotificationScreenViaHome(ManageProfileSteps.java:246)
  at .Then I click on back button on notification screen to navigate to home screen(features/ph
   /NotificationCenter.feature:78)
After
                                                                                  0.00s
Back to Table of Contents
Scenario: Verify User should be able navigate to Notification Center via My account
Passed: 2
                       Failed: 0
                                              Undefined: 0
                                                                                  Duration: 2.07s
Before
                                                                                  0.00s
  Then I wait for 2 sec
                                                                                 2.01s
  Then I navigate to notification center page
                                                                                 0.06s
After
                                                                                  0.00s
Back to Table of Contents
Scenario: Verify User should be able to see the Notification screen texts
Passed: 0
                        Failed: 1
                                              Undefined: 0
                                                                                  Duration: .06s
Before
                                                                                  0.00s
   And I verify following texts are displayed
                                                                                  0.07s
      ${no.notification.text}
     ${check.notification.section.text}
  java.lang.AssertionError: The following asserts failed:
  No Notifications Yet text is displayed on page expected [true] but found [false],
  You do not have any notifications yet, check this section regularly for any updates, text is
  displayed on page expected [true] but found [false]
  at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
  at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen
  (MyDocSteps.java:717)
  at .And I verify following texts are displayed(features/ph/NotificationCenter.feature:85)
                                                                                 0.00s
After
```

Bacl	x to Table of Contents					
Feature: Verify My Communities on One Pluse App						
Passed:	Failed: 1	1	Undefined: 0		Duration: 101.47s	
Sce	nario: Launch the a	pp and select	the country as p	er specifie	d lbu	
Pass	ed: 4	Failed: 1	Undef	ined: 0		Duration: 51.96s
Bef	ore					0.00s
	Given User has puls	e app				8.68s
	And user click on "(CONTINUE V	WITH EMAIL"	with Email	button	15.55s
	Then I change the co	ountry as req	uired on registra	tion page		23.28s
	Then I wait for 3 sec					3.01s
	And I click the Sign	in link				1.43s
	processing the commonnected, UiAutom Build info: version: Build info: version: Bystem info: host: 'Tos.version: '10.0', jay Driver info: io.appin Capabilities {appActivity autoDismissAlerts: thewCommandTime BeviceManufacturer BeviceScreenDensity avascriptEnabled: thewCommandTime Build Bu	ation@71c78 '3.12.0', revis '3.12.0', revis 'M003LSIN', va.version: '1 m.java_clien tivity: com.pr rts: true, auto y: com.prude rue, automat out: 10000, no riction out: 10000, no roid, platform ht: 2015, left: defect.Com um.reflect.DetorAccessorl g.reflect.Com um.remote.ht Codec.java:1 um.remote.ht Codec.java:1	35[id=-1, flags=0] ion: '7c6e0b3', ti ip: '192.168.1.12 1.0.2' it.android.Andro rudential.pulse.MomationName: U ential.pulse.Main ionName: UiAut oReset: true, plat viceModel: Pixel ScreenSize: 1080 ContextEnabled: oReset: true, pixe mVersion: 11, sta 0, top: 145, widt 315e-968c1d5444' ConstructorAcce belegatingConstructorAcce belogatingConstructorAcce be	me: '2018-024', os.namonidDriver IainAc, a iAutomato Ac, appP omator2, deformNamonia 5, deviceNa x2340, deviceNa x240, deviceNa x240	ppPackage: com.p r2, databaseEnable ackage: com.prude eviceName: Andro e: android}, deviced me: 0C241FDD40 iceUDID: 0C241FI vorkConnectionEnac	z' s.arch: 'amd64', rudential.pulse. ed: false, ential.pulse.uat, oid-Test, ApiLevel: 30, 043P, DD40043P, abled: true, (X, nshot: true, corageEnabled:
1	W3CHttpResponse at org.openqa.seleni (158)	um.remote.H	ttpCommandEx			dExecutor.java:
(4	at io.appium.java_cl AppiumCommandI at org.openqa.seleni at io.appium.java_cl ava:42)	Executor.java um.remote.R	n:231) emoteWebDrive	r.execute(R	RemoteWebDriver,	•

```
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at io.appium.java client.PerformsTouchActions.performTouchAction(PerformsTouchActions.
  java:41)
  at io.appium.java_client.TouchAction.perform(TouchAction.java:187)
  at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:485)
  at com.onepulse.app.screens.PulseLoginScreen.clickSignIns_InSignUp(PulseLoginScreen.java:
  at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.clickSignIns_InSignUp
  (LoginSteps.java:349)
  at .And I click the Sign in link(features/ph/PulseMyCommunities.feature:10)
                                                                                0.00s
After
Back to Table of Contents
Scenario: User should be able to login on app with correct credentials using "Continue with
Gmail"
Passed: 1
                                             Undefined: 5
                                                                                Duration: .04s
                       Failed: 1
Before
                                                                                0.00s
  And I assign "${onepulse.login.global.id}" to variable "PULSE_EMAIL"
                                                                                0.00s
  Given I select the language option on toggle bar as required on login page
                                                                                0.04s
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java_client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
  autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
  newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
  deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
  deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
  javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
  newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
  platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
  viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
  false}
  Session ID: c070af13-96ae-495b-815e-968c1d54447f
  *** Element info: {Using=xpath, value=//android.widget.TextView[@text=''EN'']}
  at idk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
  (DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
  (W3CHttpResponseCodec.java:187)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:122)
  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
```

158)	ım.remote.Http(CommandExecutor.execute(HttpComm	andExecutor.java:
at io.appium.java_cli (AppiumCommandE	Executor.java:23	oiumCommandExecutor.execute (1) oteWebDriver.execute(RemoteWebDriv	iovo,542)
~ _ _ _		ericMobileDriver.execute(DefaultGener	
at io.appium.java_cli at org.openqa.seleniu	ient.android.And ım.remote.Remo	ver.execute(AppiumDriver.java:1) droidDriver.execute(AndroidDriver.jav oteWebDriver.findElement(RemoteWeb	
at io.appium.java_cli (DefaultGenericMob		ericMobileDriver.findElement (2)	
at io.appium.java_cli at io.appium.java_cli	ient.AppiumDrivient.android.And	ver.findElement(AppiumDriver.java:1) droidDriver.findElement(AndroidDrive oteWebDriver.findElementByXPath(Re	
(DefaultGenericMob	ileDriver.java:1		
at io.appium.java_cli	ient.android.And	ver.findElementByXPath(AppiumDrive droidDriver.findElementByXPath(Andr a.findElement(By.java:353)	
at io.appium.java_cli	ient.DefaultGene	oteWebDriver.findElement(RemoteWeb ericMobileDriver.findElement	Driver.java:309)
	ient.AppiumDriv	ver.findElement(AppiumDriver.java:1)	
at com.prudential.ta	p.selenium.Com	droidDriver.findElement(AndroidDrivemands\$15.executeCommand(CommandouteCommand(ExecuteCommand)	ls.java:141)
19)		sePage.clickButton(TestBasePage.java:1	
		· · · · · · · · · · · · · · · · · · ·	63)
(PulseRegistrationSc		egistrationScreen.selectTheLanguageTo	
	reen.java:1067) .stepdefinitions.r		ggle
at com.onepulse.app. (RegistrationSteps.ja	ereen.java:1067) .stepdefinitions.r .va:338) language option		ggle LangOption
at com.onepulse.app. (RegistrationSteps.ja at .Given I select the	reen.java:1067) .stepdefinitions.i .va:338) language option les.feature:14)	mobilesteps.RegistrationSteps.selectThe	ggle LangOption
at com.onepulse.app. (RegistrationSteps.ja at .Given I select the /PulseMyCommuniti	ereen.java:1067) .stepdefinitions.r iva:338) language option des.feature:14) edentials	mobilesteps.RegistrationSteps.selectThe	ggle LangOption e(features/ph
at com.onepulse.app. (RegistrationSteps.ja at .Given I select the /PulseMyCommuniti When user enters cro UserName \${PUL Password \${pulse}	ereen.java:1067) .stepdefinitions.r ava:338) language option des.feature:14) dedentials SE_EMAIL} e.password}	mobilesteps.RegistrationSteps.selectThe	ggle LangOption e(features/ph
at com.onepulse.app. (RegistrationSteps.ja at .Given I select the /PulseMyCommuniti When user enters cro UserName \${PUL Password \${pulse} And User clicks on si	ereen.java:1067) .stepdefinitions.r ava:338) language option des.feature:14) edentials .SE_EMAIL} e.password}	mobilesteps.RegistrationSteps.selectThe	ggle LangOption e(features/ph 0.00s
at com.onepulse.app. (RegistrationSteps.ja at .Given I select the /PulseMyCommuniti When user enters cro UserName \${PUL Password \${pulse} And User clicks on si Then I wait for 10 se	creen.java:1067) .stepdefinitions.r ava:338) language option des.feature:14) dedentials SE_EMAIL} de.password} dignin button	mobilesteps.RegistrationSteps.selectThe	ggle LangOption e(features/ph 0.00s 0.00s 0.00s
at com.onepulse.app. (RegistrationSteps.ja at .Given I select the /PulseMyCommuniti When user enters cro UserName \${PUL Password \${pulse} And User clicks on si Then I wait for 10 se And I enter OTP in o	creen.java:1067) .stepdefinitions.r ava:338) language option des.feature:14) dedentials .SE_EMAIL} de.password} dignin button c one pulse app for	mobilesteps.RegistrationSteps.selectThe n on toggle bar as required on login page r user email "\${PULSE_EMAIL}"	ggle LangOption e(features/ph 0.00s 0.00s 0.00s 0.00s 0.00s
at com.onepulse.app. (RegistrationSteps.ja at .Given I select the /PulseMyCommuniti When user enters cro UserName \${PUL Password \${pulse} And User clicks on si Then I wait for 10 se And I enter OTP in o	creen.java:1067) .stepdefinitions.r ava:338) language option des.feature:14) dedentials .SE_EMAIL} de.password} dignin button c one pulse app for	mobilesteps.RegistrationSteps.selectThe n on toggle bar as required on login page r user email "\${PULSE_EMAIL}"	ggle LangOption e(features/ph 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s
at com.onepulse.app. (RegistrationSteps.ja at .Given I select the /PulseMyCommuniti When user enters cro UserName \${PUL Password \${pulse} And User clicks on si Then I wait for 10 se And I enter OTP in o Then user should be	creen.java:1067) .stepdefinitions.r ava:338) language option des.feature:14) dedentials .SE_EMAIL} de.password} dignin button c one pulse app for	mobilesteps.RegistrationSteps.selectThe n on toggle bar as required on login page r user email "\${PULSE_EMAIL}"	ggle LangOption e(features/ph 0.00s 0.00s 0.00s 0.00s
at com.onepulse.app. (RegistrationSteps.ja at .Given I select the /PulseMyCommuniti When user enters cro UserName \${PUL Password \${pulse} And User clicks on si Then I wait for 10 se And I enter OTP in o Then user should be After Back to Table of Contents	creen.java:1067) .stepdefinitions.rava:338) language option des.feature:14) dedentials SE_EMAIL} de.password} dignin button c dentials c dentials delta delt	mobilesteps.RegistrationSteps.selectThe n on toggle bar as required on login page r user email "\${PULSE_EMAIL}" ne" screen	ggle LangOption e(features/ph 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s
at com.onepulse.app. (RegistrationSteps.ja at .Given I select the /PulseMyCommuniti When user enters cro UserName \${PUL Password \${pulse} And User clicks on si Then I wait for 10 se And I enter OTP in o Then user should be After Back to Table of Contents	creen.java:1067) stepdefinitions.rava:338) language option des.feature:14) dedentials SE_EMAIL} de.password} dignin button cone pulse app for landed to "Hom	mobilesteps.RegistrationSteps.selectThe n on toggle bar as required on login page r user email "\${PULSE_EMAIL}" ne" screen n app with correct credentials using "C	ggle LangOption e(features/ph 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s

			0.00s
Then I wait for 6	sec		6.00s
	yCommunities icon i	in Home Screen	0.03s
Then I wait for 6			6.00s
	wing texts are displa	yed	0.03s
\${icon.commu	nities}		
Communities text at org.testng.asser at com.onepulse.a (MyDocSteps.java	ts.SoftAssert.assertApp.stepdefinitions.m :717)	ing asserts failed: e expected [true] but found [fal All(SoftAssert.java:43) hobilesteps.MyDocSteps.verify[splayed(features/ph/PulseMyCo	TextsOnScreen
		Communities" in Screen	0.00s
\${my.commun		Market Ma	0.000
\${All.Commun			
ter			0.00s
ck to Table of Conten	<u>s</u>		
	community if alread	y joined	
ssed: 0	Failed: 1	Undefined: 3	Duration: .03
			· · · · · · · · · · · · · · · · · · ·
fore			0.00s
And I clicks on "Sorg.openqa.seleni processing the co	nmand. Original err	ext}" in app screen ption: An unknown server-side ror: Could not proxy command	0.00s 0.03s e error occurred while
And I clicks on "Some org.openqa.seleni processing the control Original error: so Build info: version System info: host os.version: '10.0',	um.WebDriverExce nmand. Original err cket hang up n: '3.12.0', revision: 'TM003LSIN', ip: ' java.version: '11.0.2	ption: An unknown server-side for: Could not proxy command '7c6e0b3', time: '2018-05-08T1 192.168.1.124', os.name: 'Wind	0.00s 0.03s error occurred while to the remote server. 4:04:26.12Z'
And I clicks on "Some org. openqa. seleni processing the condition orginal error: so Build info: version System info: host os. version: '10.0', Driver info: io. ap Capabilities {app. uat, autoDismissAlert autoDismissAlert newCommandTindeviceManufacture deviceScreenDensiavascriptEnable newCommandTinplatformName: A	um.WebDriverExcellenmand. Original errocket hang up in: '3.12.0', revision: 'TM003LSIN', ip: 'java.version: '11.0.2 pium.java_client.and Activity: com.prudential strue, automativity: com.prudential strue, automation in the cout: 10000, no Reserver: Google, device ity: 440, device Screet it true, location Contineout: 10000, no Reserver: Google, device ity: 440, device Screet it true, location Contineout: 10000, no Reserver: Google, device ity: 440, device Screet it true, location Contineout: 10000, no Reserver: Google, device ity: 440, device Screet it true, location Contineout: 10000, no Reserver: Google, device ity: 440, device Screet it true, location Contineout: 10000, no Reserver: Google, device ity: 440, device Screet it true, location Contineout: 10000, no Reserver: Google, device ity: 440, device Screet	ption: An unknown server-side for: Could not proxy command '7c6e0b3', time: '2018-05-08T1 192.168.1.124', os.name: 'Wind	0.00s 0.03s eerror occurred while to the remote server. 4:04:26.12Z' lows 10', os.arch: 'amd6 age: com.prudential.pul baseEnabled: false, com.prudential.pulse.u me: Android-Test, id}, deviceApiLevel: 30, 241FDD40043P, 0: 0C241FDD40043P, nnectionEnabled: true, orm: LINUX, akesScreenshot: true,

```
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
  (W3CHttpResponseCodec.java:187)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:122)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:49)
  at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
  158)
  at io.appium.java client.remote.AppiumCommandExecutor.execute
  (AppiumCommandExecutor.java:231)
  at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  iava:42)
  at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
  at io.appium.java_client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:62)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  iava:419)
  at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.jaya client.android.AndroidDriver.findElementByXPath(AndroidDriver.jaya:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
  19)
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.CustomerConnectScreen.clickButton(CustomerConnectScreen.
  java:1741)
  at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickUploadIcon
  (CustomerConnectSteps.java:534)
  at .And I clicks on "${my.communities.text}" in app screen(features/ph/PulseMyCommunities.
  feature:37)
After
                                                                              0.00s
Back to Table of Contents
Scenario: Verify the All Communities Post screen
                      Failed: 1
Passed: 1
                                            Undefined: 7
                                                                              Duration: 5.06s
```

fore		0.00s
Then I wait for 5 sec		5.00s
And I clicks on "\${Al	Communities.text}" in app screen	0.06s
processing the comma Original error: socked Build info: version: '3 System info: host: 'Thos.version: '10.0', java Driver info: io.appium Capabilities {appActiuat, autoDismissAlert desired: {appActivity: autoDismissAlerts: trnewCommandTimeoudeviceManufacturer: deviceScreenDensity: javascriptEnabled: trnewCommandTimeouplatformName: Andrese	12.0', revision: '7c6e0b3', time: '2018 1003LSIN', ip: '192.168.1.124', os.nat. version: '11.0.2' .java_client.android.AndroidDriver ity: com.prudential.pulse.MainAc, a: true, automationName: UiAutomation. com.prudential.pulse.MainAc, apple, automationName: UiAutomator2, t: 10000, noReset: true, platformNamation. Google, deviceModel: Pixel 5, deviced 140, deviceScreenSize: 1080x2340, do te, locationContextEnabled: false, note t: 10000, noReset: true, pixelRatio: 2 tid, platformVersion: 11, statBarHeigel	command to the remote server. 8-05-08T14:04:26.12Z' me: 'Windows 10', os.arch: 'amd64' , appPackage: com.prudential.pulse. ttor2, databaseEnabled: false, pPackage: com.prudential.pulse.uat , deviceName: Android-Test, me: android}, deviceApiLevel: 30, Name: 0C241FDD40043P, eviceUDID: 0C241FDD40043P, etworkConnectionEnabled: true, 2.75, platform: LINUX, ght: 145, takesScreenshot: true,
false} Session ID: c070af13- *** Element info: {Us Communities'')]} at jdk.internal.reflect at java.base/jdk.inter	2015, left: 0, top: 145, width: 1080}; 6ae-495b-815e-968c1d54447f ng=xpath, value=//android.widget.T GeneratedConstructorAccessor19.ne al.reflect.DelegatingConstructorAccessor4	TextView[contains(@text,"All ewInstance(Unknown Source)
at java.base/java.lang at org.openqa.seleniu (W3CHttpResponseC	orAccessorImpl.java:45) reflect.Constructor.newInstance(Con.remote.http.W3CHttpResponseCondec.java:187) n.remote.http.W3CHttpResponseCo	dec.createException
(W3CHttpResponseC at org.openqa.selenium	odec.java:122) n.remote.http.W3CHttpResponseCo	
158)	n.remote.HttpCommandExecutor.ex	
(AppiumCommandEx at org.openqa.selenium	nt.remote.AppiumCommandExecutocutor.java:231) n.remote.RemoteWebDriver.execute nt.DefaultGenericMobileDriver.exec	e(RemoteWebDriver.java:543)
at io.appium.java_clie at io.appium.java_clie at org.openqa.seleniu at io.appium.java_clie (DefaultGenericMobi	nt.AppiumDriver.execute(AppiumDnt.android.AndroidDriver.execute(An.remote.RemoteWebDriver.findElent.DefaultGenericMobileDriver.findeDriver.findeDriver.java:62)	AndroidDriver.java:1) ment(RemoteWebDriver.java:317) Element
at io.appium.java_clie	nt.android.AndroidDriver.findElemon.remote.RemoteWebDriver.findEle	ent(AndroidDriver.java:1)

java:419)	
at io.appium.java_client.DefaultGenericMobileDriver.findElemen	tByXPath
(DefaultGenericMobileDriver.java:152)	
at io.appium.java_client.AppiumDriver.findElementByXPath(Ap	
at io.appium.java_client.android.AndroidDriver.findElementByX	Path(AndroidDriver.java:1)
at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)	
at org.openqa.selenium.remote.RemoteWebDriver.findElement(R	
at io.appium.java_client.DefaultGenericMobileDriver.findElemen (DefaultGenericMobileDriver.java:58)	ıt
at io.appium.java_client.AppiumDriver.findElement(AppiumDriv	var java•1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriv	
at com.prudential.tap.selenium.Commands\$15.executeCommand	
at com.prudential.tap.selenium.ExecuteCommand.executeComma	
19)	···
at com.onepulse.app.screens.TestBasePage.clickButton(TestBaseP	Page.java:163)
at com.onepulse.app.screens.CustomerConnectScreen.clickButton	
java:1741)	
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnec	tSteps.clickUploadIcon
(CustomerConnectSteps.java:534)	
at .And I clicks on "\${All.Communities.text}" in app screen(feature	res/ph/PulseMyCommunities.
feature:45)	
And I click the Join button in Communties tab	0.00s
And I click the static Active icon in community screen	0.00s
And I click Edit icon in stay Active icon	0.00s
And Enter the post in community screen	0.00s
POST TEST1	
And Enter the post in community large text screen	$0.00\mathrm{s}$
POST welcome	<u> </u>
And I click the Post icon in create post screen	0.00s
Then I verify the following text "TEST1" in post Screen	0.00s
	0.005
TEST1	
welcome	
After	0.00s
Back to Table of Contents	
Scenario: Verify the Likes and comments counts in All communities	tab
Passed: 0 Failed: 1 Undefined: 7	Duration: 8.07s
Before	0.00s
And I click the Post icon in My communities	8.07s
Tand I chest the I obt teem in ray communities	0.075
org.openqa.selenium.WebDriverException: An unknown server-s	ide error occurred while
processing the command. Original error: Could not proxy comma	
Original error: socket hang up	2-4
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08	T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'W	
os.version: '10.0', java.version: '11.0.2'	
Driver info: io.appium.java_client.android.AndroidDriver	
Capabilities {appActivity: com.prudential.pulse.MainAc, appPa	
uat, autoDismissAlerts: true, automationName: UiAutomator2, da	atabaseEnabled: false,

```
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: c070af13-96ae-495b-815e-968c1d54447f
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Hi
Pulsemate!')]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
```

at com.onepulse.a	ipp.sci eens. I esidasei			
-		Page.popupstart(TestBasePage.java:508		
at com.onepulse.a	npp.screens.mydocui.N	MyCommunitiesScreen.ClickFeeds		
(MyCommunities				
_		obilesteps.MyCommunitiesSteps.clickIc	ons	
	MyCommunitiesSteps.java:106) t .And I click the Post icon in My communities(features/ph/PulseMyCommun			
	•	munities(reatures/pn/PulselvryCommun		
And I wait for 5 s			0.00s	
	ke button in Post scree		0.00s	
	ke count in Post screen		0.00s	
	omment icon in feed s		0.00s	
	mments in Feeds scree	en	0.00s	
Comments TE			1	
	bmit icon in feeds scr		0.00s	
And Verify the co	omments count in Feed	ds screen '' 0 Comments'' comments	0.00s	
ter			0.00s	
ck to Table of Conten	<u>ts</u>			
enario: Verify the	Share with Friends F	unctionality in All communities tab		
ssed: 0	Failed: 1	Undefined: 3	Duration: 4.0'	
efore			0.00s	
org.openqa.seleni	<u> </u>	tion: An unknown server-side error occ		
org.openqa.seleni processing the co Original error: so	um.WebDriverExcep mmand. Original erro ocket hang up	tion: An unknown server-side error occ or: Could not proxy command to the re	curred while mote server.	
org.openqa.seleni processing the co Original error: so Build info: versio	um.WebDriverExcept mmand. Original erro ocket hang up n: '3.12.0', revision: '7	tion: An unknown server-side error occor: Could not proxy command to the rea	curred while mote server.	
org.openqa.seleni processing the co Original error: so Build info: versio System info: host	um.WebDriverExcep mmand. Original erro ocket hang up n: '3.12.0', revision: '7 : 'TM003LSIN', ip: '1	tion: An unknown server-side error occor: Could not proxy command to the resolution of the resolution of the conference	curred while mote server.	
org.openqa.seleni processing the co Original error: so Build info: versio System info: host os.version: '10.0',	um.WebDriverExcept mmand. Original erro ocket hang up n: '3.12.0', revision: '7 : 'TM003LSIN', ip: '1 java.version: '11.0.2'	tion: An unknown server-side error occor: Could not proxy command to the resolution of the resolution of the control of the co	curred while mote server.	
org.openqa.seleni processing the col Original error: so Build info: versio System info: host os.version: '10.0', Driver info: io.ap	um.WebDriverExcept mmand. Original erro ocket hang up n: '3.12.0', revision: '7 : 'TM003LSIN', ip: '1 java.version: '11.0.2' pium.java_client.and	tion: An unknown server-side error occor: Could not proxy command to the resolution of the resolution of the conference	curred while mote server. 2Z' os.arch: 'amd64	
org.openqa.seleni processing the co Original error: so Build info: versio System info: host os.version: '10.0', Driver info: io.ap Capabilities {app	um.WebDriverExcept mmand. Original erro ocket hang up n: '3.12.0', revision: '7 : 'TM003LSIN', ip: '1 java.version: '11.0.2' pium.java_client.and	tion: An unknown server-side error occor: Could not proxy command to the resolution of the resolution of the control of the co	curred while mote server. 2Z' os.arch: 'amd64 prudential.puls	
org.openqa.seleni processing the cor Original error: so Build info: versio System info: host os.version: '10.0', Driver info: io.ap Capabilities {app uat, autoDismissA	um.WebDriverExcept mmand. Original erro ocket hang up n: '3.12.0', revision: '7 : 'TM003LSIN', ip: '1 java.version: '11.0.2' pium.java_client.and Activity: com.prudent	tion: An unknown server-side error occor: Could not proxy command to the resolution of the resolution of the control of the co	curred while mote server. 2Z' ps.arch: 'amd64 prudential.puls led: false,	
org.openqa.seleni processing the con Original error: so Build info: version System info: host os.version: '10.0', Driver info: io.ap Capabilities {app uat, autoDismissA desired: {appActi	um.WebDriverExcept mmand. Original erro ocket hang up n: '3.12.0', revision: '7 : 'TM003LSIN', ip: '1 java.version: '11.0.2' pium.java_client.and Activity: com.prudential.j vity: com.prudential.j	tion: An unknown server-side error occor: Could not proxy command to the resolution of the resolution of the confection	curred while mote server. 2Z' os.arch: 'amd64 prudential.puls led: false, lential.pulse.ua	
org.openqa.seleniprocessing the corolinal error: so Build info: version System info: host os.version: '10.0', Driver info: io.ap Capabilities {appuat, autoDismissAdesired: {appActiautoDismissAlert	um.WebDriverExcept mmand. Original erro ocket hang up n: '3.12.0', revision: '7 : 'TM003LSIN', ip: '1 java.version: '11.0.2' pium.java_client.and Activity: com.prudent Merts: true, automatic ivity: com.prudential.j	tion: An unknown server-side error occor: Could not proxy command to the resolution of the resolution of the control of the co	curred while mote server. 2Z' os.arch: 'amd64 prudential.puls led: false, dential.pulse.ua	
org.openqa.seleni processing the cor Original error: so Build info: versio System info: host os.version: '10.0', Driver info: io.ap Capabilities {app uat, autoDismissA desired: {appActi autoDismissAlert newCommandTin deviceManufactu	um.WebDriverExcept mmand. Original erro ocket hang up n: '3.12.0', revision: '7 : 'TM003LSIN', ip: '1 java.version: '11.0.2' pium.java_client.ando Activity: com.prudent Alerts: true, automatio ivity: com.prudential.j s: true, automationNa meout: 10000, noReset rer: Google, deviceMo	tion: An unknown server-side error occor: Could not proxy command to the resolution of the control of the contr	curred while mote server. 2Z' ps.arch: 'amd64 prudential.puls led: false, lential.pulse.ua roid-Test, eApiLevel: 30, 0043P,	
org.openqa.seleni processing the cor Original error: so Build info: versio System info: host os.version: '10.0', Driver info: io.ap Capabilities {app uat, autoDismissA desired: {appActi autoDismissAlert newCommandTin deviceManufactu deviceScreenDens	um.WebDriverExcept mmand. Original erro ocket hang up n: '3.12.0', revision: '7 : 'TM003LSIN', ip: '1 java.version: '11.0.2' pium.java_client.and Activity: com.prudential.j divity: com.prudential.j s: true, automationNa meout: 10000, noResect rer: Google, deviceMosity: 440, deviceScreen	tion: An unknown server-side error occor: Could not proxy command to the resolution of the resolution of the control of the co	curred while mote server. 2Z' ps.arch: 'amd6' prudential.pulseled: false, dential.pulse.ua roid-Test, eApiLevel: 30, 0043P, 'DD40043P,	
org.openqa.seleni processing the cor Original error: so Build info: versio System info: host os.version: '10.0', Driver info: io.ap Capabilities {app uat, autoDismissA desired: {appActi autoDismissAlert newCommandTin deviceManufactu deviceScreenDens javascriptEnable	um.WebDriverExcept mmand. Original erro ocket hang up n: '3.12.0', revision: '7 : 'TM003LSIN', ip: '1 java.version: '11.0.2' pium.java_client.and Activity: com.prudent Alerts: true, automatic vity: com.prudential.j s: true, automationNa meout: 10000, noReset rer: Google, deviceMosity: 440, deviceScreen d: true, locationConte	tion: An unknown server-side error occor: Could not proxy command to the restaction of the control of the contr	curred while mote server. 2Z' ps.arch: 'amd64 prudential.pulseled: false, dential.pulse.ua roid-Test, eApiLevel: 30, 0043P, TDD40043P, nabled: true,	
org.openqa.seleni processing the cor Original error: so Build info: versio System info: host os.version: '10.0', Driver info: io.ap Capabilities {app uat, autoDismissA desired: {appActi autoDismissAlert newCommandTir deviceManufactu deviceScreenDens javascriptEnable newCommandTir	um.WebDriverExcept mmand. Original errollect hang up n: '3.12.0', revision: '7 : 'TM003LSIN', ip: '1 java.version: '11.0.2' pium.java_client.ando Activity: com.prudent Alerts: true, automatic ivity: com.prudential.j s: true, automationNa meout: 10000, noReset rer: Google, deviceMosity: 440, deviceScreen d: true, locationConter meout: 10000, noReset	tion: An unknown server-side error occor: Could not proxy command to the resort Could not considered the country of the coun	curred while mote server. 2Z' prudential.pulseled: false, lential.pulse.uarid-Test, eApiLevel: 30, 0043P, TDD40043P, nabled: true, UX,	
org.openqa.seleni processing the cor Original error: so Build info: versio System info: host os.version: '10.0', Driver info: io.ap Capabilities {app uat, autoDismissA desired: {appActi autoDismissAlert newCommandTin deviceManufactu deviceScreenDen javascriptEnable newCommandTin platformName: A	um.WebDriverExcept mmand. Original erro ocket hang up n: '3.12.0', revision: '7 : 'TM003LSIN', ip: '1 java.version: '11.0.2' pium.java_client.ando Activity: com.prudential.j set true, automationNa meout: 10000, noReset rer: Google, deviceMosity: 440, deviceScreen d: true, locationConte meout: 10000, noReset d: true, locationConte	tion: An unknown server-side error occor: Could not proxy command to the restaction of the control of the contr	curred while mote server. 2Z' ps.arch: 'amd64 prudential.pulseled: false, lential.pulselua void-Test, eApiLevel: 30, 10043P, 10D40043P, nabled: true, UX, enshot: true,	
org.openqa.seleni processing the cor Original error: so Build info: versio System info: host os.version: '10.0', Driver info: io.ap Capabilities {app uat, autoDismissAlert autoDismissAlert newCommandTin deviceManufactu deviceScreenDens javascriptEnable newCommandTin platformName: A viewportRect: {ho	um.WebDriverExcept mmand. Original erro ocket hang up n: '3.12.0', revision: '7 : 'TM003LSIN', ip: '1 java.version: '11.0.2' pium.java_client.ando Activity: com.prudential.j set true, automationNa meout: 10000, noReset rer: Google, deviceMosity: 440, deviceScreen d: true, locationConte meout: 10000, noReset d: true, locationConte	tion: An unknown server-side error occor: Could not proxy command to the resort Could not considered the country of the coun	curred while mote server. 2Z' ps.arch: 'amd64 prudential.pulseled: false, lential.pulselua void-Test, eApiLevel: 30, 10043P, 10D40043P, nabled: true, UX, enshot: true,	
org.openqa.seleni processing the cor Original error: so Build info: versio System info: host os.version: '10.0', Driver info: io.ap Capabilities {app uat, autoDismissA desired: {appActi autoDismissAlert newCommandTir deviceManufactu deviceScreenDens javascriptEnable newCommandTir platformName: A viewportRect: {ho false}	um.WebDriverExcept mmand. Original erro ocket hang up n: '3.12.0', revision: '7 : 'TM003LSIN', ip: '1 java.version: '11.0.2' pium.java_client.ando Activity: com.prudent Alerts: true, automatio divity: com.prudential.j s: true, automationNa meout: 10000, noReset rer: Google, deviceMo sity: 440, deviceScreen d: true, locationConte meout: 10000, noReset android, platformVers eight: 2015, left: 0, top	tion: An unknown server-side error occor: Could not proxy command to the restart Could not	curred while mote server. 2Z' ps.arch: 'amd64 prudential.puls led: false, lential.pulse.ua roid-Test, eApiLevel: 30, 0043P, 'DD40043P, nabled: true, UX, enshot: true,	
org.openqa.seleni processing the cor Original error: so Build info: versio System info: host os.version: '10.0', Driver info: io.ap Capabilities {app uat, autoDismissA desired: {appActi autoDismissAlert newCommandTin deviceManufactu deviceScreenDens javascriptEnable newCommandTin platformName: A viewportRect: {ho false} Session ID: c070a	um.WebDriverExcept mmand. Original erro ocket hang up n: '3.12.0', revision: '7 : 'TM003LSIN', ip: '1 java.version: '11.0.2' pium.java_client.andn Activity: com.prudent Alerts: true, automatio ivity: com.prudential.] s: true, automationNa meout: 10000, noResent rer: Google, deviceMo sity: 440, deviceScreent d: true, locationConte meout: 10000, noResent d: true, locationConte	tion: An unknown server-side error occor: Could not proxy command to the restance of Could not proxy command: 'Windows 10', or oid.AndroidDriver tial.pulse.MainAc, appPackage: com.proxy commande: UiAutomator2, databaseEnab pulse.MainAc, appPackage: com.prud of Could not compare the could not compare the could not could	curred while mote server. 2Z' ps.arch: 'amd64 prudential.pulseled: false, lential.pulseluated Test, eApiLevel: 30, 10043P, 10040043P, 10040045P, 10040045	
org.openqa.seleni processing the corolinal error: so Build info: version System info: host os.version: '10.0', Driver info: io.ap Capabilities {appuat, autoDismissAlert newCommandTindeviceManufactudeviceScreenDensiavascriptEnable newCommandTinplatformName: A viewportRect: {hofalse} Session ID: c070a*** Element info:	um.WebDriverExcept mmand. Original erro ocket hang up n: '3.12.0', revision: '7 : 'TM003LSIN', ip: '1 java.version: '11.0.2' pium.java_client.andn Activity: com.prudent Alerts: true, automatio ivity: com.prudential.] s: true, automationNa meout: 10000, noResent rer: Google, deviceMo sity: 440, deviceScreent d: true, locationConte meout: 10000, noResent d: true, locationConte	tion: An unknown server-side error occor: Could not proxy command to the restart Could not	curred while mote server. 2Z' ps.arch: 'amd64 prudential.puls led: false, lential.pulse.ua roid-Test, eApiLevel: 30, 0043P, TDD40043P, nabled: true, UX, enshot: true, StorageEnabled	
org.openqa.seleni processing the cor Original error: so Build info: versio System info: host os.version: '10.0', Driver info: io.ap Capabilities {app uat, autoDismissA desired: {appActi autoDismissAlert newCommandTin deviceManufactu deviceScreenDens javascriptEnable newCommandTin platformName: A viewportRect: {ho false} Session ID: c070a *** Element info Pulsemate!')]}	um.WebDriverExcept mmand. Original erro ocket hang up n: '3.12.0', revision: '7 : 'TM003LSIN', ip: '1 java.version: '11.0.2' pium.java_client.ando Activity: com.prudent Alerts: true, automatio divity: com.prudential.j s: true, automationNa meout: 10000, noRese rer: Google, deviceMo sity: 440, deviceScreen d: true, locationConte meout: 10000, noRese android, platformVers eight: 2015, left: 0, top f13-96ae-495b-815e-9 s {Using=xpath, values	tion: An unknown server-side error occor: Could not proxy command to the restance of Could not	curred while mote server. 2Z' prudential.puls led: false, lential.pulse.uarch: '30, 0043P, lential.pulse.uarchiet. true, lext. lext. true, lext. lext. true, lext. lext. true, lext. lex	
org.openqa.seleni processing the corolinal error: so Build info: version System info: host os.version: '10.0', Driver info: io.ap Capabilities {appuat, autoDismiss Alert newCommandTindeviceManufacture deviceScreenDensiavascriptEnable newCommandTindeviceManufacture (appacture) autoDismiss Alert newCommandTindeviceManufacture (appacture) autoDismiss Alert newCommandTindeviceManufacture (appacture) autoDismiss Alert newCommandTindeviceScreenDensiavascriptEnable newCommandTindeviceManufacture) autopicus (appactus) autopicus (appactu	um.WebDriverExcept mmand. Original erro ocket hang up n: '3.12.0', revision: '7 : 'TM003LSIN', ip: '1 java.version: '11.0.2' pium.java_client.andn Activity: com.prudent Alerts: true, automatio vity: com.prudential.] s: true, automationNa meout: 10000, noRese rer: Google, deviceMo sity: 440, deviceScreen d: true, locationConte meout: 10000, noRese android, platformVers eight: 2015, left: 0, top f13-96ae-495b-815e-9 s {Using=xpath, values flect.GeneratedConstr	tion: An unknown server-side error occor: Could not proxy command to the restance of Could not proxy command: 'Windows 10', or oid.AndroidDriver tial.pulse.MainAc, appPackage: com.proxy commande: UiAutomator2, databaseEnab pulse.MainAc, appPackage: com.prud of Could not compare the could not compare the could not could	curred while mote server. 2Z' ps.arch: 'amd64 prudential.puls led: false, lential.pulse.ua roid-Test, eApiLevel: 30, 0043P, 'DD40043P, nabled: true, UX, enshot: true, StorageEnabled ptext,'Hi	
org.openqa.seleni processing the corolinal error: so Build info: version System info: host os.version: '10.0', Driver info: io.ap Capabilities {appuat, autoDismissAlert newCommandTindeviceManufactudeviceScreenDensiavascriptEnable newCommandTinplatformName: A viewportRect: {hofalse} Session ID: c070a*** Element info: Pulsemate!')]} at jdk.internal.reat java.base/jdk.i	um.WebDriverExcept mmand. Original erro ocket hang up n: '3.12.0', revision: '7 : 'TM003LSIN', ip: '1 java.version: '11.0.2' pium.java_client.andn Activity: com.prudent Alerts: true, automatio vity: com.prudential.] s: true, automationNa meout: 10000, noRese rer: Google, deviceMo sity: 440, deviceScreen d: true, locationConte meout: 10000, noRese android, platformVers eight: 2015, left: 0, top f13-96ae-495b-815e-9 s {Using=xpath, values flect.GeneratedConstr	tion: An unknown server-side error occor: Could not proxy command to the restance of Could not	curred while mote server. 2Z' ps.arch: 'amd64 prudential.puls led: false, lential.pulse.ua roid-Test, eApiLevel: 30, 0043P, 'DD40043P, nabled: true, UX, enshot: true, StorageEnabled ptext,'Hi	

```
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
  (W3CHttpResponseCodec.java:187)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:122)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:49)
  at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
  at io.appium.java_client.remote.AppiumCommandExecutor.execute
  (AppiumCommandExecutor.java:231)
  at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  java:42)
  at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
  at io.appium.java_client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:62)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  iava:419)
  at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java_client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  19)
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.TestBasePage.popupstart(TestBasePage.java:508)
  at com.onepulse.app.screens.mydocui.MyCommunitiesScreen.ClickShareIcon
  (MyCommunitiesScreen.java:556)
  at com.onepulse.app.stepdefinitions.mobilesteps.MyCommunitiesSteps.ClickShareIcon
  (MyCommunitiesSteps.java:173)
  at .And I click the share icon in Post screen(features/ph/PulseMyCommunities.feature:70)
After
                                                                              0.00s
Back to Table of Contents
Scenario: Verify the Post Functionality in All communities
Passed: 0
                      Failed: 1
                                            Undefined: 11
                                                                              Duration: .05s
Before
                                                                              0.00s
```

```
Then I click skip button in feeds screen
                                                                            0.05s
org.openga.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: c070af13-96ae-495b-815e-968c1d54447f
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Hi
Pulsemate!')]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
```

	at io.appium.java_at io.appium.java_at org.openqa.selerat org.openqa.selerat io.appium.java_at io.appium.java_at io.appium.java_at io.appium.java_at com.prudential.tat com.prudential.tat com.onepulse.apat com.onepulse.apat com.onepulse.apat com.onepulse.apat com.onepulse.apat com.onepulse.ap	p.stepdefinitions.mobilesteps.MyCommunities	RemoteWebDriver.java:309) nt iver.java:1) ndroidDriver.java:1) ndroidDriver.java:1) nl(Commands.java:141) nand(ExecuteCommand.java: Page.java:163) Page.java:508) ickSkipfeedbutton
	(MyCommunitiesS		S
		p button in feeds screen(features/ph/PulseMyC	
	Then I wait for 13	ek icon in Stay Active screen	0.00s 0.00s
	Then I wait for 13		0.00s
		on in stay Active icon	0.00s
		mera icon in create post screen	0.00s
	And I click the Upl		0.00s
	And I give camera		0.00s
	Then I take picture		0.00s
		t in community screen	0.00s
	POST TEST1		0.005
		t in community large text screen	0.00s
	POST welcome	in community large text screen	0.005
			0.00
		t icon in create post screen	0.00s
	fter		0.00s
	ck to Table of Contents		
		Category list and search feature	
	ssed: 1	Failed: 1 Undefined: 4	Duration: 15.05s
Be	efore		0.00s
	Then I wait for 15	sec	15.01s
	And I clicks on "\${	category.text}" in app screen	0.04s
	processing the com Original error: soc Build info: version System info: host: os.version: '10.0', j	m.WebDriverException: An unknown server- mand. Original error: Could not proxy comm ket hang up : '3.12.0', revision: '7c6e0b3', time: '2018-05-08' 'TM003LSIN', ip: '192.168.1.124', os.name: 'Wava.version: '11.0.2' ium.java_client.android.AndroidDriver	and to the remote server. 8T14:04:26.12Z'

```
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: c070af13-96ae-495b-815e-968c1d54447f
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"
Category")]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
```

at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163) at com.onepulse.app.screens.CustomerConnectScreen.clickButton(CustomerConnectScreen. java:1741) at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickUploadIcon (CustomerConnectSteps.java:534) at .And I clicks on "\${category.text}" in app screen(features/ph/PulseMyCommunities.feature: 95) After 0.00s**Back to Table of Contents** Scenario: User navigates back to the community screen Passed: 1 Failed: 1 Undefined: 0 **Duration: 5.06s** Before 0.00sThen I wait for 5 sec 5.00s And I click the Back icon in Stay Active screen 0.06sorg.openga.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: c070af13-96ae-495b-815e-968c1d54447f *** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Hi Pulsemate!')]}

```
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
  (DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
  (W3CHttpResponseCodec.java:187)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:122)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:49)
  at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
  158)
  at io.appium.java_client.remote.AppiumCommandExecutor.execute
  (AppiumCommandExecutor.java:231)
  at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  java:42)
  at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:62)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  java:419)
  at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  19)
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.TestBasePage.popupstart(TestBasePage.java:508)
  at com.onepulse.app.screens.mydocui.MyCommunitiesScreen.Clickstaricon
  (MyCommunitiesScreen.java:464)
  at com.onepulse.app.stepdefinitions.mobilesteps.MyCommunitiesSteps.Clickstarutton
  (MyCommunitiesSteps.java:153)
  at .And I click the Back icon in Stay Active screen(features/ph/PulseMyCommunities.feature:
  108)
                                                                              0.00s
After
Back to Table of Contents
Scenario: Leave the community if already joined
```

Undefined: 3

Failed: 1

Passed: 0

Duration: .03s

fore		0.00s
And I clicks on "\${m	y.communities.text}'' in app screen	0.03s
	.WebDriverException: An unknown server-side	
	and. Original error: Could not proxy command	to the remote server.
Original error: sock		
	3.12.0', revision: '7c6e0b3', time: '2018-05-08T14	
System info: host: 'T	M003LSIN', ip: '192.168.1.124', os.name: 'Windo	ows 10', os.arch: 'amd64
os.version: '10.0', jav	a.version: '11.0.2'	
Driver info: io.appiu	m.java_client.android.AndroidDriver	
Capabilities {appAct	ivity: com.prudential.pulse.MainAc, appPacka	ge: com.prudential.puls
uat, autoDismissAler	ts: true, automationName: UiAutomator2, datab	paseEnabled: false,
desired: {appActivity	v: com.prudential.pulse.MainAc, appPackage: o	com.prudential.pulse.ua
~	rue, automationName: UiAutomator2, deviceNam	
	out: 10000, noReset: true, platformName: android	
	: Google, deviceModel: Pixel 5, deviceName: 0C2	
	: 440, deviceScreenSize: 1080x2340, deviceUDID	
	rue, locationContextEnabled: false, networkCon	
-	out: 10000, noReset: true, pixelRatio: 2.75, platfor	
	roid, platformVersion: 11, statBarHeight: 145, ta	
•	t: 2015, left: 0, top: 145, width: 1080}, warnings:	
false}		()
	-96ae-495b-815e-968c1d54447f	
	sing=xpath, value=//android.widget.TextView[co	ontains(@text.''Mv
Communities'')]}	ing inputity future //untailolat/futugett lent flesh les	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	t.GeneratedConstructorAccessor19.newInstance	(Unknown Source)
	rnal.reflect.DelegatingConstructorAccessorImpl.	
	torAccessorImpl.java:45)	iic w iiigtaiice
	g.reflect.Constructor.newInstance(Constructor.ja	ava•490)
	im.remote.http.W3CHttpResponseCodec.createF	
(W3CHttpResponse)		exception
	ım.remote.http.W3CHttpResponseCodec.decode	
(W3CHttpResponse)		
· • • • • • • • • • • • • • • • • • • •	im.remote.http.W3CHttpResponseCodec.decode	
(W3CHttpResponse)		;
	im.remote.HttpCommandExecutor.execute(Http	CommandEvacutor jay
at org.openqa.selemi 158)	m.remote.httpcommandExecutor.execute(http	CommanuExecutor.jav
	ant romata Annium Command Evacutor avacuta	
1	ent.remote.AppiumCommandExecutor.execute	
(AppiumCommandE		(LD)
	m.remote.RemoteWebDriver.execute(RemoteW	
* *	ent.DefaultGenericMobileDriver.execute(Defaul	tGenericMobileDriver.
java:42)	44 · D:	4\
	ent.AppiumDriver.execute(AppiumDriver.java:	
	ent.android.AndroidDriver.execute(AndroidDri	
~ -	m.remote.RemoteWebDriver.findElement(Remo	oteWebDriver.java:317
	ent.DefaultGenericMobileDriver.findElement	
(DefaultGenericMob		
	ent.AppiumDriver.findElement(AppiumDriver.j	
	ent.android.AndroidDriver.findElement(Androi	
~ .	ım.remote.RemoteWebDriver.findElementByXP	ath(RemoteWebDriver,
java:419)		

	11 (15 6 1/0		
(DefaultCo		enericMobileDriver.findElementByXPath	
	enericMobileDriver.java m_iava_client AppiumD	:152) river.findElementByXPath(AppiumDriver	· iava·1)
		ndroidDriver.findElementByXPath(Andro	
		th.findElement(By.java:353)	
	-	${\bf moteWebDriver.findElement} (RemoteWebl$	Driver.java:309)
		enericMobileDriver.findElement	
	enericMobileDriver.java	:58) river.findElement(AppiumDriver.java:1)	
		.ndroidDriver.findElement(AndroidDriver	.iava:1)
		mmands\$15.executeCommand(Commands	
		ecuteCommand.executeCommand(Execute	
19)			
		asePage.clickButton(TestBasePage.java:16	
java:1741)	puise.app.screens.Custo	merConnectScreen.clickButton(Customer	ConnectScreen.
0	pulse.app.stepdefinition	s.mobilesteps.CustomerConnectSteps.click	UploadIcon
	ConnectSteps.java:534)	•	•
	~ •	ities.text}" in app screen(features/ph/Pulse	MyCommunities.
feature:111	<i>,</i>		0.00
And I scrol			0.00s
	ck on joined community		0.00s
	on leave button for join	ed community	0.00s
After			0.00s
Back to Table of	<u>Contents</u>		
Feature: Verify I	Private My Communities	s on One Pulse App	
Passed: 1	Failed: 3	Undefined: 0 Duration: 102.28s	
Scenario: Lau	nch the app and select t	he country as per specified lbu	
Passed: 5	Failed: 0	Undefined: 0	Duration: 54.72s
Before			0.00s
Given User			0.008
GIVEII CECI	r has pulse app		9.80s
		TTH EMAIL" with Email button	I
And user c	lick on "CONTINUE W	TTH EMAIL" with Email button ired on registration page	9.80s
And user c	lick on "CONTINUE W nge the country as requi		9.80s 15.41s
And user control Then I character I wait	lick on "CONTINUE W nge the country as requi		9.80s 15.41s 21.62s
And user control Then I character I wait	lick on "CONTINUE W nge the country as requi t for 3 sec		9.80s 15.41s 21.62s 3.00s
And user control Then I character Then I wait And I click	lick on "CONTINUE Winge the country as requite for 3 sec at the Sign in link		9.80s 15.41s 21.62s 3.00s 4.89s
And user control Then I character And I click After Back to Table of	lick on "CONTINUE W nge the country as requi t for 3 sec the Sign in link Contents		9.80s 15.41s 21.62s 3.00s 4.89s 0.00s
And user control Then I character And I click After Back to Table of	lick on "CONTINUE W nge the country as requi t for 3 sec the Sign in link Contents	red on registration page	9.80s 15.41s 21.62s 3.00s 4.89s 0.00s
And user control Then I character Then I wait And I click After Back to Table of Scenario: User	lick on "CONTINUE W nge the country as requi t for 3 sec t the Sign in link Contents	red on registration page	9.80s 15.41s 21.62s 3.00s 4.89s 0.00s
And user of Then I character And I click After Back to Table of Scenario: User Gmail"	lick on "CONTINUE W nge the country as requi t for 3 sec t the Sign in link Contents r should be able to login	on app with correct credentials using "Co	9.80s 15.41s 21.62s 3.00s 4.89s 0.00s
And user control Then I character Then I wait And I click After Back to Table of Scenario: User Gmail'' Passed: 6 Before	lick on "CONTINUE Winge the country as required to for 3 sec at the Sign in link Contents r should be able to login Failed: 1	on app with correct credentials using "Co	9.80s 15.41s 21.62s 3.00s 4.89s 0.00s ntinue with
And user control Then I character Then I wait And I click After Back to Table of Scenario: User Gmail'' Passed: 6 Before And I assig	lick on "CONTINUE W nge the country as requi t for 3 sec the Sign in link Contents r should be able to login Failed: 1	on app with correct credentials using "Co Undefined: 0	9.80s 15.41s 21.62s 3.00s 4.89s 0.00s ntinue with Duration: 40.38s 0.00s
And user control Then I character I charac	lick on "CONTINUE W nge the country as requi t for 3 sec the Sign in link Contents r should be able to login Failed: 1	on app with correct credentials using "Co Undefined: 0 c.user}" to variable "PULSE_EMAIL"	9.80s 15.41s 21.62s 3.00s 4.89s 0.00s ntinue with Duration: 40.38s 0.00s 0.00s
And user of Then I char I char I wait And I click After Back to Table of Scenario: User Gmail" Passed: 6 Before And I assig Given I seld When user	lick on "CONTINUE W nge the country as requi t for 3 sec the Sign in link Contents r should be able to login Failed: 1 gn "\${mychannel.private ect the language option of	on app with correct credentials using "Co Undefined: 0 c.user}" to variable "PULSE_EMAIL"	9.80s 15.41s 21.62s 3.00s 4.89s 0.00s ntinue with Duration: 40.38s 0.00s 0.00s 3.53s
And user control Then I character I wait And I click After Back to Table of Scenario: User Gmail" Passed: 6 Before And I assig Given I selection When user UserNari	lick on "CONTINUE W nge the country as requit t for 3 sec t the Sign in link Contents r should be able to login Failed: 1 gn "\${mychannel.private ect the language option of enters credentials	on app with correct credentials using "Co Undefined: 0 c.user}" to variable "PULSE_EMAIL"	9.80s 15.41s 21.62s 3.00s 4.89s 0.00s ntinue with Duration: 40.38s 0.00s 0.00s 3.53s

Then I wait for 10 sec And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" Then user should be landed to "Home" screen java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:94) at org.testng.Assert.failNotEquals(Assert.java:513) at org.testng.Assert.assertTrue(Assert.java:42) at org.testng.Assert.assertTrue(Assert.java:52) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.landingPageV (LoginSteps.java:92) at Then user should be landed to "Home" sereen(feetures/ph/PulseMyContents)	10.00s 10.87s 5.09s
Then user should be landed to "Home" screen java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:94) at org.testng.Assert.failNotEquals(Assert.java:513) at org.testng.Assert.assertTrue(Assert.java:42) at org.testng.Assert.assertTrue(Assert.java:52) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.landingPageV (LoginSteps.java:92)	5.09s
java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:94) at org.testng.Assert.failNotEquals(Assert.java:513) at org.testng.Assert.assertTrue(Assert.java:42) at org.testng.Assert.assertTrue(Assert.java:52) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.landingPageV (LoginSteps.java:92)	
at org.testng.Assert.fail(Assert.java:94) at org.testng.Assert.failNotEquals(Assert.java:513) at org.testng.Assert.assertTrue(Assert.java:42) at org.testng.Assert.assertTrue(Assert.java:52) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.landingPageV (LoginSteps.java:92)	alidation
at .Then user should be landed to "Home" screen(features/ph/PulseMyConfeature:21)	nmunities_private.
fter	0.00s
ck to Table of Contents cenario: User should be able to login on app with correct credentials using '' mail' and Verify the Mycommunities screen	Continue with
ssed: 2 Failed: 1 Undefined: 2	Duration: 3.09s
efore	0.00s
And I click the MyCommunities icon	0.03s
Then I wait for 3 sec	3.01s
And I verify following texts are displayed	0.05s
\${icon.communities}	100000
java.lang.AssertionError: The following asserts failed: Communities text is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsC (MyDocSteps.java:717))nScreen
at .And I verify following texts are displayed(features/ph/PulseMyCommunifeature:29) And I verify the following texts "All Communities" in Screen	nities_private.
at .And I verify following texts are displayed(features/ph/PulseMyCommunicature:29) And I verify the following texts "All Communities" in Screen \${my.communities.text} \${All.Communities.text}	
at .And I verify following texts are displayed(features/ph/PulseMyCommunifeature:29) And I verify the following texts "All Communities" in Screen \${my.communities.text} \${All.Communities.text} Then I wait for 3 sec	
at .And I verify following texts are displayed(features/ph/PulseMyCommunifeature:29) And I verify the following texts "All Communities" in Screen \${my.communities.text} \${All.Communities.text} Then I wait for 3 sec	0.00s
at .And I verify following texts are displayed(features/ph/PulseMyCommunicature:29) And I verify the following texts "All Communities" in Screen \${my.communities.text} \${All.Communities.text} Then I wait for 3 sec	0.00s 0.00s
at .And I verify following texts are displayed(features/ph/PulseMyCommunicature:29) And I verify the following texts "All Communities" in Screen \${my.communities.text} \${All.Communities.text} Then I wait for 3 sec ter ck to Table of Contents	0.00s 0.00s
at .And I verify following texts are displayed(features/ph/PulseMyCommunifeature:29) And I verify the following texts "All Communities" in Screen \${my.communities.text} \${All.Communities.text}	0.00s 0.00s
at .And I verify following texts are displayed(features/ph/PulseMyCommunicature:29) And I verify the following texts "All Communities" in Screen \${my.communities.text} \${All.Communities.text} Then I wait for 3 sec fter ack to Table of Contents cenario: Verify the Private Communities in communities screen	0.00s 0.00s 0.00s

```
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
Session ID: 8af94fbf-9c14-439d-a2d7-47afae05b929
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Hi
Pulsemate!')]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
```

(DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java: at io.appium.java_client.android.AndroidDriver.findElement(AndroidDr	ver.java:1) nds.java:141) cuteCommand.java: a:163) :508) eCommunities
And I Enter the "e.g. Be Healthy content, Challenges etc." in "Test" in ho	$_{0.00s}$
And I Enter the "e.g. Healthy content, forum for celebrities etc." in "2020 home new screen	'' in 0.00s
And I clicks on "Take a Picture" in app screen	0.00s
And I click the Upload Image icon	0.00s
And I give camera permission	0.00s
Then I take picture from Camera	0.00s
Then I wait for 3 sec	0.00s
And I scroll down	0.00s
And I click the continue button	0.00s
Then I click skip button in feeds screen	0.00s
After	0.00s
Back to Table of Contents	
Feature: Verify MySettings functionality in Account screen	
Passed: 1 Failed: 4 Undefined: 0 Duration: 107.29	9s
Scenario: User should be able to login on app with correct credentials using 'Gmail''	Continue with
Passed: 8 Failed: 0 Undefined: 0	Duration: 73.99s
Before	0.00s
Given User has pulse app	9.70s
And I assign "\${onepulse.login.global.idsetting}" to variable "PULSE_EM	
When I navigate to login page	9.09s
When user enters credentials	9.87s
UserName \${PULSE_EMAIL} Password \${login.mysettings}	
And User clicks on signin button	0.34s
Then I wait for 10 sec	10.00s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	30.77s
Then user should be landed home screen	4.23s
After	0.00s
Back to Table of Contents	

ssed: 1	Failed: 1	Undefined: 3	Duration: 5.0
fore			0.00s
Then I wait for 5 se	ec		5.01s
And I click the Acc		Screen	0.05s
processing the comportance of th	mand. Original erket hang up : '3.12.0', revision: 'TM003LSIN', ip: ava.version: '11.0.2 ium.java_client.anctivity: com.prude erts: true, automatity: com.prudentia true, automationNeout: 10000, noReser: Google, deviceNty: 440, deviceScre	eption: An unknown server-side or cror: Could not proxy command or '7c6e0b3', time: '2018-05-08T14' 192.168.1.124', os.name: 'Windo' droid.AndroidDriver ential.pulse.MainAc, appPackagtionName: UiAutomator2, databil.pulse.MainAc, appPackage: olipulse.MainAc, appPackage: olipuls	to the remote server. :04:26.12Z' ows 10', os.arch: 'amdo ge: com.prudential.pul aseEnabled: false, com.prudential.pulse.u ne: Android-Test, d}, deviceApiLevel: 30, 41FDD40043P, c OC241FDD40043P,
newCommandTimo platformName: An	eout: 10000, noRes droid, platformVe ght: 2015, left: 0, to	set: true, pixelRatio: 2.75, platforersion: 11, statBarHeight: 145, taop: 145, width: 1080}, warnings:	rm: LINUX, kesScreenshot: true,
		ie=(//android.widget.ImageView))[1]}
~	• •	structorAccessor19.newInstance	
at java.base/jdk.int	ernal.reflect.Deleg	${f gating Constructor Accessor Impl.}$	newInstance
(DelegatingConstru			
		ctor.newInstance(Constructor.ja	
	_	${f W3CHttpResponseCodec.createF}$	Exception
(W3CHttpResponse at org.openqa.selen (W3CHttpResponse	nium.remote.http.V	W3CHttpResponseCodec.decode	
at org.openqa.selen (W3CHttpRespons	nium.remote.http.V eCodec.java:49)	W3CHttpResponseCodec.decode	
158)	-	CommandExecutor.execute(Http://www.commandExecutor.execute	CommandExecutor.jav
(AppiumCommand	* *		
	· · · · · · · · · · · · · · · · · · ·	teWebDriver.execute(RemoteW	ebDriver.java:543)
at io.appium.java_o java:42)	client.DefaultGene	ericMobileDriver.execute(Defaul	tGenericMobileDriver.
at io.appium.java_o	client.android.And	ver.execute(AppiumDriver.java: IroidDriver.execute(AndroidDriver.execute(AndroidDriver.findElement(Remo	ver.java:1)
U 1 1	client.DefaultGene	ericMobileDriver.findElement	nte webDriver.java:51/

```
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  java:419)
  at io.appium.jaya client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com. one pulse. app. screens. Pulse Registration Screen. account Button (Pulse Registration Screen.\\
  at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.accountButton
  (RegistrationSteps.java:143)
  at .And I click the Account icon in Home screen(features/ph/PulseMySettings.feature:35)
                                                                                0.00s
After
Back to Table of Contents
Scenario: Verify the submit functionality in My feedback screen
                        Failed: 1
Passed: 1
                                               Undefined: 1
                                                                                 Duration: 8.09s
Before
                                                                                0.00s
  And I click the Health Articles icon in Account screen
                                                                                3.05s
  And I enter the "Feedback" in welcome to Feedback Screen
                                                                                5.03s
     mobileNumber 98678419
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
```

```
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 87e25183-877b-4356-b86a-50cf3150bc16
*** Element info: {Using=xpath, value=//android.widget.EditText}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:260)
at com.onepulse.app.screens.CustomerConnectScreen.enterMobileNumber
```

iat com.onepuise	.app.stepdefinitions.	.mobilesteps.CustomerConno	ectSteps.enterMobileNumber
	ectSteps.java:231)		octotopolonica i a constanti de la constanti d
at .And I enter t		velcome to Feedback Screen(features/ph/PulseMySettings.
feature:46)			
And I click the S	Submit icon in Feedb	back Screen	0.00s
ter			0.00s
ck to Table of Conte	nts		
enario: Verify th	e Pulse Personalised	l tab	
ssed: 3	Failed: 1	Undefined: 2	Duration: 12.1
fore			0.00s
Then I wait for 3	2 000		3.00s
		1.0	
	Pulse by Personalised	d icons	3.05s
Then I wait for 3			3.00s
And I click the s	save button in pulse	personalised icons	3.05s
Capabilities {apuat, autoDismiss desired: {appAcautoDismissAlernewCommandTdeviceManufactdeviceScreenDerjavascriptEnablenewCommandTplatformName: viewportRect: {lfalse}	pActivity: com.prud sAlerts: true, automativity: com.prudenticts: true, automation imeout: 10000, noRedurer: Google, devices urer: 440, deviceScrued: true, locationComic imeout: 10000, noRed Android, platformV	ationName: UiAutomator2, oial.pulse.MainAc, appPacknName: UiAutomator2, deviceset: true, platformName: aneModel: Pixel 5, deviceName reenSize: 1080x2340, deviceUntextEnabled: false, networkeset: true, pixelRatio: 2.75, pVersion: 11, statBarHeight: 16 top: 145, width: 1080}, warm	tage: com.prudential.pulse.ua ceName: Android-Test, ndroid}, deviceApiLevel: 30, a: 0C241FDD40043P, UDID: 0C241FDD40043P, kConnectionEnabled: true, platform: LINUX,
at jdk.internal.r at java.base/jdk. (DelegatingCons at java.base/java at org.openqa.se	eflect.GeneratedCor .internal.reflect.Dele structorAccessorImp a.lang.reflect.Constr	nstructorAccessor19.newInstegatingConstructorAccessor1pl.java:45) ructor.newInstance(Constructor.NewInstance)	Impl.newInstance ctor.java:490)
at org.openqa.se (W3CHttpRespo		<u> </u>	

```
(AppiumCommandExecutor.java:231)
  at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  java:46)
  at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.
  RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.
  iava:804)
  at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)
  at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:204)
  at com.onepulse.app.screens.CustomerConnectScreen.clickSaveButtonPersonalised
  (CustomerConnectScreen.java:835)
  at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.
  clickSavebuttonpersonalized(CustomerConnectSteps.java:245)
  at .And I click the save button in pulse personalised icons(features/ph/PulseMySettings.feature:
                                                                                0.00s
After
Back to Table of Contents
Scenario: Verify the Marketing Consent in Account tab
                        Failed: 1
                                               Undefined: 5
Passed: 0
                                                                                Duration: 8.06s
                                                                                0.00s
Before
  And I click the Marketing content
                                                                                8.06s
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java_client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
  autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
  newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
  deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
  deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
  javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
  newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
  platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
  viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
  false}
  Session ID: 87e25183-877b-4356-b86a-50cf3150bc16
  at idk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
  (DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
```

		•	3CHttpResponseCodec.createException	on
	(W3CHttpResponse	•	73CHttpResponseCodec.decode	
	(W3CHttpResponseCodec.java:122)			
			73CHttpResponseCodec.decode	
	(W3CHttpResponse			
	at org.openqa.seleni 158)	um.remote.HttpC	ommandExecutor.execute(HttpComm	andExecutor.java:
	at io.appium.java_cl	ient.remote.Appiu	ımCommandExecutor.execute	
	(AppiumCommandl			
			eWebDriver.execute(RemoteWebDriv	,
	java:46)		ricMobileDriver.execute(DefaultGener	ricMobileDriver.
			er.execute(AppiumDriver.java:1)	
	at io.appium.java_cl at org.openqa.seleni		roidDriver.execute(AndroidDriver.jav	a:1)
			rOptions\$RemoteWindow.getSize(Re	moteWehDriver
	java:804)		Topionspiremote (findo), getolize(irei	mote vvenDiivei.
	· · · · · · · · · · · · · · · · · · ·	.screens.TestBase	Page.scrollPageUP(TestBasePage.java	:377)
			rConnectScreen.clickMarketContent	
	(CustomerConnectS	•		
	at com.onepulse.app (CustomerConnectS		obilesteps.CustomerConnectSteps.clic	kMarketContent
			features/ph/PulseMySettings.feature:5	39)
	Then I wait for 3 sec			0.00s
			rketing.Consent.text}" Screens	0.00s
	\${Marketing.Con		3 ,	
	And I click the save		rsonalised icons	0.00s
	And I click the Ok b			0.00s
	And I click the Back	icon in pulse Mar	keting Consent	0.00s
A	After			0.00s
B	ack to Table of Contents	_		
Feat	ture: Verify share with	friends functions	lity in openulse ann	
Passe	•		efined: 0 Duration: 32.21s	
			country as per specified lbu	
_	assed: 0	Failed: 1	Undefined: 5	Duration: 26.97s
B	Before			0.00s
	Given User has puls	e app		26.97s
	Given User has puls	e app		26.97s
			eption: Driver not create for [android]	
	com.prudential.tap.o	exception.TapExce on because 'create	eption: Driver not create for [android] Session' which takes HttpClient, Inpu	, [It is impossible
	com.prudential.tap.o to create a new sessi was not found or it i	exception.TapExcoon because 'create's not accessible	Session' which takes HttpClient, Inpu	, [It is impossible tStream and long
	com.prudential.tap.o to create a new sessi was not found or it i Build info: version:	exception.TapExce on because 'create s not accessible '3.12.0', revision: '	Session' which takes HttpClient, Input 7c6e0b3', time: '2018-05-08T14:04:26.	, [It is impossible tStream and long
	com.prudential.tap.o to create a new sessi was not found or it i Build info: version: System info: host: 'I	exception.TapExce on because 'create s not accessible '3.12.0', revision: ' FM003LSIN', ip: '1	Session' which takes HttpClient, Input 7c6e0b3', time: '2018-05-08T14:04:26. 192.168.1.124', os.name: 'Windows 10'	, [It is impossible tStream and long
	com.prudential.tap.o to create a new sessi was not found or it i Build info: version: System info: host: 'I os.version: '10.0', jar Driver info: driver.v	exception.TapExce on because 'create s not accessible '3.12.0', revision: ' FM003LSIN', ip: '1 va.version: '11.0.2' version: TapDrive	Session' which takes HttpClient, Input 7c6e0b3', time: '2018-05-08T14:04:26. 192.168.1.124', os.name: 'Windows 10'	, [It is impossible tStream and long .12Z' , os.arch: 'amd64',
	com.prudential.tap.o to create a new sessi was not found or it i Build info: version: System info: host: 'T os.version: '10.0', jar Driver info: driver.v at com.onepulse.app	exception.TapExcoon because 'create s not accessible '3.12.0', revision: 'TM003LSIN', ip: '1.0.2' va.version: TapDrivero.screens.TestBasel	Session' which takes HttpClient, Input 7c6e0b3', time: '2018-05-08T14:04:26. 192.168.1.124', os.name: 'Windows 10'	, [It is impossible tStream and long .12Z' , os.arch: 'amd64',

		able I OLSE_ENIAIL	0.00s
		EMAIL" with Email button	0.00s
Then I change the	country as required	on registration page	0.00s
Then I wait for 2 s	ес		0.00s
And I click the Sig	n in link		0.00s
ter			0.00s
k to Table of Contents			
enario: login to the	app with correct cre	dentials using "Continue with	Email''
sed: 0	Failed: 1	Undefined: 5	Duration: .0
fore			0.00s
And I select the lar	nguage option on tog	gle bar as required on login pa	ge 0.03s
Driver info: io.app Capabilities {appA uat, autoDismissAl desired: {appActiv	erts: true, automatic ity: com.prudential.j	tial.pulse.MainAc, appPacka onName: UiAutomator2, datab oulse.MainAc, appPackage: o	aseEnabled: false, com.prudential.pulse.u
Driver info: io.app Capabilities {appA uat, autoDismissAl desired: {appActiva autoDismissAlerts; newCommandTim deviceManufactura deviceScreenDensi javascriptEnabled newCommandTim platformName: An viewportRect: {heifalse} Session ID: 87e251 *** Element info:	ium.java_client.andractivity: com.prudent lerts: true, automatic ity: com.prudential.jatrue, automationNa eout: 10000, noReset er: Google, deviceMo ty: 440, deviceScreer true, locationConte eout: 10000, noReset adroid, platformVers ght: 2015, left: 0, top	tial.pulse.MainAc, appPackagenName: UiAutomator2, databeulse.MainAc, appPackage: dime: UiAutomator2, deviceName: true, platformName: androided: Pixel 5, deviceName: 0C2 aSize: 1080x2340, deviceUDID: xtEnabled: false, networkConst: true, pixelRatio: 2.75, platforion: 11, statBarHeight: 145, tabe: 145, width: 1080}, warnings:	aseEnabled: false, com.prudential.pulse.une: Android-Test, dl}, deviceApiLevel: 30 41FDD40043P, coc241FDD40043P, nectionEnabled: true, cm: LINUX, kesScreenshot: true, {}, webStorageEnabled: text="EN"]}

```
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  iava:42)
  at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
  at io.appium.java_client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:62)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  iava:419)
  at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java client.AppiumDriver.findElementBvXPath(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.PulseRegistrationScreen.selectTheLanguageToggle
  (PulseRegistrationScreen.java:1067)
  at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.selectTheLangOption
  (RegistrationSteps.java:338)
  at .And I select the language option on toggle bar as required on login page(features/ph
  /ShareWithFriends.feature:16)
      UserName ${PULSE_EMAIL
     Password ${login.password}
   Then user should be landed to "Home" screen
After
                                                                               0.00s
Back to Table of Contents
Scenario: Verify User should be able to share the link with Whatsapp
                       Failed: 1
                                              Undefined: 0
Passed: 0
                                                                               Duration: .05s
Before
                                                                               0.00s
  Then I click the share icon in home screen
                                                                               0.05s
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
```

```
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
Session ID: 87e25183-877b-4356-b86a-50cf3150bc16
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Invite Your
Friends Via']/following::android.view.ViewGroup[3]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at iava.base/iava.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
```

```
(DefaultGenericMobileDriver.java:58)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  19)
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.PulseLoginScreen.click SharewithFriendsIcon(PulseLoginScreen.
  java:1270)
  at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.clickshareicons Homescreen
  (LoginSteps.java:487)
  at .Then I click the share icon in home screen(features/ph/ShareWithFriends.feature:26)
                                                                                0.00s
After
Back to Table of Contents
Scenario: Verify User should be able to share the link with Contacts app
Passed: 0
                        Failed: 1
                                               Undefined: 0
                                                                                Duration: .03s
Before
                                                                                0.00s
  Then I verify the contacts share icon
                                                                                0.03s
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java_client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
  autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
  newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
  deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
  deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
  javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
  newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
  platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
  viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
  false}
  Session ID: 87e25183-877b-4356-b86a-50cf3150bc16
  *** Element info: {Using=xpath, value=(//android.widget.TextView)[1]}
  at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
  (DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
  (W3CHttpResponseCodec.java:187)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:122)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:49)
```

```
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseLoginScreen.clickContactsIcon(PulseLoginScreen.jaya:621)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iVerifyTheContactsShareIcon
(LoginSteps.java:299)
at .Then I verify the contacts share icon(features/ph/ShareWithFriends.feature:29)
```

After			0.00s
Back to Table of Cor	<u>itents</u>		
Scenario: Verify	User should be able to sl	hare the link with Messenger ap	op
Passed: 0	Failed: 1	Undefined: 0	Duration: 5.05s
Before			0.00s
Then I verify	he fb messenger share i	con	5.05s
processing the Original error Build info: ver System info: hos.version: '10 Driver info: io Capabilities {a	command. Original erressocket hang upersion: '3.12.0', revision: 'ost: 'TM003LSIN', ip: '.0', java.version: '11.0.2.appium.java_client.andappActivity: com.pruder		to the remote server. :04:26.12Z' ows 10', os.arch: 'amd64', ge: com.prudential.pulse.

```
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 87e25183-877b-4356-b86a-50cf3150bc16
*** Element info: {Using=xpath, value=(//android.widget.TextView)[1]}
at idk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
```

at com.onepulse.app.screens.PulseLoginScreen.clickMessengerIcon(PulseLoginScreen.java: 1146) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iVerifyTheFbMessengerShareIcon (LoginSteps.java:415) at .Then I verify the fb messenger share icon(features/ph/ShareWithFriends.feature:32) 0.00sAfter **Back to Table of Contents** Scenario: Verify User should be able to share the link with Viber app Failed: 1 Undefined: 0 Passed: 0 **Duration: .04s** 0.00sBefore Then I verify the Viber share icon 0.04sorg.openga.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: 87e25183-877b-4356-b86a-50cf3150bc16 *** Element info: {Using=xpath, value=(//android.widget.TextView)[1]} at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: **158**) at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231) at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. iava:42)

```
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseLoginScreen.clickViberIcon(PulseLoginScreen.java:645)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iVerifyTheViberShareIcon
(LoginSteps.java:316)
at .Then I verify the Viber share icon(features/ph/ShareWithFriends.feature:35)
```

After			0.00s
Back to Table of Contents			
Scenario: Verify User sh	ould be able to share the	e link with Line app	
Passed: 0	Failed: 1	Undefined: 0	Duration: .04s
Before			0.00s
Then I verify the Line	share icon		0.04s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up

Original Crivit Socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',

os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,

```
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
  viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
  false}
  Session ID: 87e25183-877b-4356-b86a-50cf3150bc16
  *** Element info: {Using=xpath, value=(//android.widget.TextView)[1]}
  at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
  (DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
  (W3CHttpResponseCodec.java:187)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:122)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:49)
  at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
  at io.appium.java_client.remote.AppiumCommandExecutor.execute
  (AppiumCommandExecutor.java:231)
  at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  java:42)
  at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
  at io.appium.java_client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:62)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  iava:419)
  at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java_client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  19)
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.PulseLoginScreen.clickLineIcon(PulseLoginScreen.java:639)
  at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iVerifyTheLineShareIcon
  (LoginSteps.java:311)
  at .Then I verify the Line share icon(features/ph/ShareWithFriends.feature:38)
                                                                              0.00s
After
```

Back to Table of Contents

tares i critical transfer in carriers	runctionality via	fitness tab on P	ulse Health & We	ealth app
red: 0 Failed: 3	Undefin	ed: 0	Duration: 39.85	is
Scenario: Launch the app	and select the cou	intry as per spe	cified lbu	
Passed: 3	Tailed: 1	Undefined:	2	Duration: 34.77
Before				0.00s
Given User has pulse a	on			9.07s
And I assign "\${login.		ble "PULSE E	MAIL''	0.00s
And user click on "CO				15.35s
Then I change the cou				10.36s
org.openqa.selenium.V processing the comma Original error: socket Build info: version: '3. System info: host: 'TM os.version: '10.0', java Driver info: io.appium Capabilities {appActivity: autoDismissAlerts desired: {appActivity: autoDismissAlerts: tru newCommandTimeou deviceManufacturer: 0 deviceScreenDensity: 4 javascriptEnabled: tru newCommandTimeou platformName: Andro viewportRect: {height: false} Session ID: a121be25- at jdk.internal.reflect. at java.base/jdk.intern (DelegatingConstructo at java.base/java.lang. at org.openqa.selenium (W3CHttpResponseCo at org.openqa.selenium at io.appium.java_cliet java:42) at io.appium.java_cliet java:42) at io.appium.java_cliet java:42)	d. Original errors ang up 12.0', revision: '7c 1003LSIN', ip: '192 version: '11.0.2' java_client.andro ty: com.prudential true, automation com.prudential.pre e, automationNam : 10000, noReset: Google, deviceMod 40, deviceScreenS e, locationContext : 10000, noReset: d, platformVersic 2015, left: 0, top: e8c-449f-9542-4bc GeneratedConstruct cl.reflect.Delegation AccessorImpl.jav reflect.Constructor remote.http.W30 dec.java:187) .remote.http.W30 dec.java:122) .remote.http.W30 dec.java:49) .remote.HttpCom t.remote.Appium cutor.java:231) .remote.RemoteV t.DefaultGenericle t.AppiumDriver.or	could not produce to the country of	axy command to the 018-05-08T14:04: name: 'Windows over c, appPackage: comator2, databasel appPackage: comar2, deviceName: Alame: android}, diceName: 0C241F, deviceUDID: 0C networkConnectio: 2.75, platform: leight: 145, takes of the constructor.java: Constructor.java: Codec.createExce Codec.decode Codec.decode Codec.decode cexecute(HttpConutor.execute ute(RemoteWebDecoute(DefaultGeneral)) e(AndroidDriver.java:1) e(AndroidDriver.java:1)	ne remote server. 26.12Z' 10', os.arch: 'amd64' com.prudential.pulse Enabled: false, .prudential.pulse.uat Android-Test, leviceApiLevel: 30, DD40043P, 241FDD40043P, ionEnabled: true, LINUX, Screenshot: true, webStorageEnabled: known Source) Instance 490) ption mmandExecutor.java criver.java:543) nericMobileDriver.

```
java:41)
  at io.appium.java client.TouchAction.perform(TouchAction.java:187)
  at com.prudential.tap.appium.AppiumCommands.scrollElement(AppiumCommands.java:876)
  at com.onepulse.app.screens.TestBasePage.scrollUpTillElementDisplayed(TestBasePage.java:
  394)
  at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryName
  (PulseRegistrationScreen.java:1018)
  at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTheCountry
  (RegistrationSteps.java:306)
  at .Then I change the country as required on registration page(features/ph/Wearable.feature:
                                                                                0.00s
After
Back to Table of Contents
Scenario: login to the app with correct credentials using "Continue with Email"
Passed: 0
                        Failed: 1
                                               Undefined: 4
                                                                                Duration: .03s
                                                                                0.00s
Before
  Given I select the language option on toggle bar as required on login page
                                                                                0.03s
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command, Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
  autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
  newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
  deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
  deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
  javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
  newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
  platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
  viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
  false}
  Session ID: a121be25-1e8c-449f-9542-4b6177d52f9e
  *** Element info: {Using=xpath, value=//android.widget.TextView[@text="EN"]}
  at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
  (Delegating Constructor Accessor Impl. java: 45)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
  (W3CHttpResponseCodec.java:187)
  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:122)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
```

(W3CHttpResponseCodec.java:49)	
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommand	Executor.java:
158)	
at io.appium.java_client.remote.AppiumCommandExecutor.execute	
(AppiumCommandExecutor.java:231) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:231)	ove·543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver	*
java:42)	
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)	
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)	
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDri	ver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement	
(DefaultGenericMobileDriver.java:62) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)	
at io.appium.java_client.appiumDriver.imdElement(AppiumDriver.java.1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.jav	va:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(Remot	
java:419)	
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath	
(DefaultGenericMobileDriver.java:152)	4)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.ja	*
at io.appium.java_client.android.AndroidDriver.findElementByXPath(Android at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)	Driver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDri	ver.iava:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement	, ,
(DefaultGenericMobileDriver.java:58)	
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)	43
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.ja	
at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.ja at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand)	
19)	iiiiiaiiu.java.
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)	
at com.onepulse.app.screens.PulseRegistrationScreen.selectTheLanguageToggle	
(PulseRegistrationScreen.java:1067)	
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.selectTheLan	gOption
(RegistrationSteps.java:338) at .Given I select the language option on toggle bar as required on login page(fea	tures/nh
/Wearable.feature:14)	itures/pii
When user enters credentials	0.00s
UserName \${PULSE_EMAIL}	
Password \${login.password}	
And User clicks on signin button	0.00s
And I wait for 5 sec	0.00s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	0.00s
After	0.00s
Back to Table of Contents	31000
Scenario: Verify the user can access My Wearables via Fitness	
Passed: 1 Failed: 1 Undefined: 4	Duration: 5.05s
Before	0.00s
Then I wait for 5 sec	5.01s
THE TOTAL TO SEC	0.018

```
And I click the Account icon in Home screen
                                                                            0.04s
org.openga.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: a121be25-1e8c-449f-9542-4b6177d52f9e
*** Element info: {Using=xpath, value=(//android.widget.ImageView)[1]}
at idk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
```

at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDrivat io.appium.java_client.android.AndroidDriver.findElementByXPath(Andat org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWeat io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1 at io.appium.java_client.android.AndroidDriver.findElement(AndroidDrivat com.prudential.tap.selenium.Commands\$15.executeCommand(Commanat com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execute) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java: at com.onepulse.app.screens.PulseRegistrationScreen.accountButton(Pulse java:738) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.accountButton(RegistrationSteps.java:143)	lroidDriver.java:1) bDriver.java:309) er.java:1) ds.java:141) ateCommand.java: 163) RegistrationScreen. Button
at .And I click the Account icon in Home screen(features/ph/Wearable.fea	are:26)
When User clicks on profile wearable tab	0.00s
Then I wait for 3 sec	0.00s
Then I verify My Wearables tile on Fitness Tracker Activity screen	0.00s
\${wearable.headingtext}	
Then I verify My Wearables tile on Fitness Tracker Activity screen	0.00s
\${wearables.title}	
\${wearables.description}	
\${wearables.fitbitText}	
\${wearables.garminText}	
After	0.00s
Back to Table of Contents	1000
Feature: Verify Exercise Buddy functionality via Fitness tab on Pulse Health & V	Woolth ann
Passed: 0 Failed: 6 Undefined: 0 Duration: 55.5s	усани арр
Scenario: Launch the app and select the country as per specified lbu Passed: 5 Failed: 1 Undefined: 0	Duration: 55.33s
Passed: 5 Failed: 1 Undefined: 0 Before	0.00s
Given User has pulse app	9.12s
And I assign "\${login.email.id}" to variable "PULSE_EMAIL"	0.00s
And user click on "CONTINUE WITH EMAIL" with Email button	16.07s
Then I change the country as required on registration page	22.66s
Then I wait for 5 sec	5.01s
And I click the Sign in link	2.48 s
org.openqa.selenium.WebDriverException: An unknown server-side error processing the command. Original error: Could not proxy command to the Original error: socket hang up	remote server.
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:20 System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10 os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver	

```
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 7b91e5b6-8646-4a74-add6-14a0ac7d6fe1
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Sign In')
or contains(@text,'Log Masuk')]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
```

```
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  19)
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.PulseLoginScreen.clickSignIns_InSignUp(PulseLoginScreen.java:
  at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.clickSignIns InSignUp
  (LoginSteps.java:349)
  at .And I click the Sign in link(features/ph/fitness/ExerciseBuddy.feature:14)
                                                                                0.00s
After
Back to Table of Contents
Scenario: login to the app with correct credentials using "Continue with Email"
                       Failed: 1
Passed: 0
                                             Undefined: 5
                                                                                Duration: .03s
Before
                                                                                0.00s
  Given I select the language option on toggle bar as required on login page
                                                                                0.03s
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java_client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
  autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
  newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
  deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
  deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
  javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
  newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
  platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
  viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
  false}
  Session ID: 7b91e5b6-8646-4a74-add6-14a0ac7d6fe1
  *** Element info: {Using=xpath, value=//android.widget.TextView[@text="EN"]}
  at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
  (DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
  (W3CHttpResponseCodec.java:187)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:122)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:49)
  at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
  158)
  at io.appium.java_client.remote.AppiumCommandExecutor.execute
  (AppiumCommandExecutor.java:231)
```

```
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  iava:42)
  at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
  at io.appium.java_client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:62)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  iava:419)
  at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java client.AppiumDriver.findElementBvXPath(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.PulseRegistrationScreen.selectTheLanguageToggle
  (PulseRegistrationScreen.java:1067)
  at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.selectTheLangOption
  (RegistrationSteps.java:338)
  at .Given I select the language option on toggle bar as required on login page(features/ph/fitness
  /ExerciseBuddy.feature:17)
      UserName ${PULSE_EMAII
     Password ${login.password}
   Then user should be landed to "Home" screen
After
                                                                               0.00s
Back to Table of Contents
Scenario: Verify the user can access Exercise Buddy via Fitness
Passed: 1
                       Failed: 1
                                            Undefined: 2
                                                                               Duration: .05s
Before
                                                                               0.00s
  When User clicks on Fitness tab
                                                                               0.03s
  When User clicks on Exercise Buddy button on Fitness screen
                                                                               0.03s
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
```

```
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 7b91e5b6-8646-4a74-add6-14a0ac7d6fe1
*** Element info: {Using=xpath, value=//android.widget.TextView[@text="Home"]
/preceding::android.widget.ImageView[2]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
```

```
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.ExerciseBuddyScreen.clickOnExerciseBuddy
  (ExerciseBuddyScreen.java:45)
  at com.onepulse.app.stepdefinitions.mobilesteps.ExerciseBuddySteps.clickOnExerciseBuddy
  (ExerciseBuddySteps.java:25)
  at .When User clicks on Exercise Buddy button on Fitness screen(features/ph/fitness
  /ExerciseBuddy.feature:28)
                                                                                0.00s
After
Back to Table of Contents
Scenario: Verify the Take Challenge via Squats
                       Failed: 1
Passed: 0
                                             Undefined: 2
                                                                                Duration: .03s
Before
                                                                                0.00s
  When User clicks on Take Challenge button on "${beginner.squat}"
                                                                                0.03s
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
  autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
  newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
  deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
  deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
  javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
  newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
  platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
  viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
  false}
  Session ID: 7b91e5b6-8646-4a74-add6-14a0ac7d6fe1
  *** Element info: {Using=xpath, value=//android.widget.TextView[@text="Squats"]
  /preceding::android.widget.ImageView[1]}
```

```
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.ExerciseBuddyScreen.clickOnTakeChallenge
(ExerciseBuddyScreen.java:64)
at com.onepulse.app.stepdefinitions.mobilesteps.ExerciseBuddySteps.clickTakeChallenge
(ExerciseBuddySteps.java:42)
at .When User clicks on Take Challenge button on "${beginner.squat}"(features/ph/fitness
/ExerciseBuddy.feature:39)
```

And User sear	ches for "Test" and ac	dds "Test Test" as a partner	0.00s			
fter			0.00s			
ack to Table of Co	ntents					
Scenario: Verify the Start via Squats						
assed: 0	Failed: 1	Undefined: 7	Duration: .03s			
efore			0.00s			
_		114(1 •				
when User ci	icks on Start button on	i "\${beginner.squat}"	0.03s			
Original error Build info: version: '10 System info: loos.version: '10 Driver info: io Capabilities {a uat, autoDism desired: {appa autoDismissA newCommand deviceManufa deviceScreenI javascriptEna newCommand	r: socket hang up rsion: '3.12.0', revision lost: 'TM003LSIN', ip: 0.0', java.version: '11.0 0.appium.java_client.ar appActivity: com.prudential lerts: true, automation dTimeout: 10000, noRel lecturer: Google, device Density: 440, deviceScr lbled: true, locationCor dTimeout: 10000, noRe	rror: Could not proxy command to the control of the could not proxy command to the could not proxy command to the could not the	:04:26.12Z' ows 10', os.arch: 'amd6' ge: com.prudential.puls aseEnabled: false, com.prudential.pulse.ua ne: Android-Test, d}, deviceApiLevel: 30, 41FDD40043P, a 0C241FDD40043P, nectionEnabled: true, cm: LINUX,			
false} Session ID: 7t *** Element i /following::an	991e5b6-8646-4a74-add nfo: {Using=xpath, val droid.widget.TextView	ue=//android.widget.TextView[@ v[2]}	text="Squats"]			
· ·		nstructorAccessor19.newInstance(
		egatingConstructorAccessorImpl.i	newInstance			
at java.base/ja at org.openqa (W3CHttpRes at org.openqa	.selenium.remote.http. sponseCodec.java:187)	ructor.newInstance(Constructor.ja.W3CHttpResponseCodec.createE .W3CHttpResponseCodec.decode				
at org.openqa (W3CHttpRes	.selenium.remote.http. sponseCodec.java:49)	W3CHttpResponseCodec.decode				
158)		CommandExecutor.execute(Http	CommandExecutor.jav			
(AppiumCom at org.openqa at io.appium.j	mandExecutor.java:23 .selenium.remote.Rem	piumCommandExecutor.execute 31) oteWebDriver.execute(RemoteWo nericMobileDriver.execute(Default	and the second of the second o			
at io.appium.j	ava_client.android.An	iver.execute(AppiumDriver.java:1 idroidDriver.execute(AndroidDriv oteWebDriver.findElement(Remo	ver.java:1)			

at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)							
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1))						
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)							
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.findE	emoteWebDriver.						
java:419)							
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath							
(DefaultGenericMobileDriver.java:152)							
at io.appium.java_client.AppiumDriver.findElementByXPath(Appiu							
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)							
at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)							
	DDIIvei.java.309)						
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58)							
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1))						
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.findElement)							
at com.prudential.tap.selenium.Commands\$15.executeCommand(Comman							
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execu	iteCommand.java:						
19)							
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:	The state of the s						
at com.onepulse.app.screens.ExerciseBuddyScreen.clickOnStart(ExerciseBuddyScreen.java:							
87)							
at com.onepulse.app.stepdefinitions.mobilesteps.ExerciseBuddySteps.clickS	tart						
(ExerciseBuddySteps.java:59)							
at .When User clicks on Start button on "\${beginner.squat}"(features/ph/fitness /ExerciseBuddy.feature:49)							
When User clicks on Stop button on "Squats"	0.00s						
Then User verifies text on Exercise Buddy screen	0.000						
	0.00c						
	0.00s						
\${squat.results.title}	0.00s						
\${squat.results.title} \${squat.results.description}	0.00s						
\${squat.results.title} \${squat.results.description} \${squat.score.stat}	0.00s						
\${squat.results.title} \${squat.results.description}	0.00s						
\${squat.results.title} \${squat.results.description} \${squat.score.stat}	0.00s						
\${squat.results.title} \${squat.results.description} \${squat.score.stat} \${squat.score.stands}	0.00s						
\${squat.results.title} \${squat.results.description} \${squat.score.stat} \${squat.score.stands} \${squat.score.precision}	0.00s 0.00s						
\${squat.results.title} \${squat.results.description} \${squat.score.stat} \${squat.score.stands} \${squat.score.precision} \${squat.startAgain} When User clicks on Start Now button on ''Squats Report''							
\${squat.results.title} \${squat.results.description} \${squat.score.stat} \${squat.score.stands} \${squat.score.precision} \${squat.startAgain} When User clicks on Start Now button on ''Squats Report'' When User clicks on Stop button on ''Squats''	0.00s 0.00s						
\${squat.results.title} \${squat.results.description} \${squat.score.stat} \${squat.score.stands} \${squat.score.precision} \${squat.startAgain} When User clicks on Start Now button on "Squats Report" When User clicks on Stop button on "Squats" Then User verifies text on Exercise Buddy screen	0.00s						
\${squat.results.title} \${squat.results.description} \${squat.score.stat} \${squat.score.stands} \${squat.score.precision} \${squat.startAgain} When User clicks on Start Now button on ''Squats Report'' When User clicks on Stop button on ''Squats'' Then User verifies text on Exercise Buddy screen \${squat.results.title}	0.00s 0.00s 0.00s						
\$\{\squat.results.title\} \$\{\squat.results.description\} \$\{\squat.score.stat\} \$\{\squat.score.stands\} \$\{\squat.score.precision\} \$\{\squat.startAgain\} When User clicks on Start Now button on ''Squats Report'' When User clicks on Stop button on ''Squats'' Then User verifies text on Exercise Buddy screen \$\{\squat.results.title\} When User clicks on Done button on ''Squats Report''	0.00s 0.00s 0.00s						
\$\{\squat.results.title\}\ \\$\{\squat.score.stat\}\ \\$\{\squat.score.stands\}\ \\$\{\squat.score.precision\}\ \\$\{\squat.startAgain\}\ \When User clicks on Start Now button on "Squats Report" \When User verifies text on Exercise Buddy screen \\$\{\squat.results.title\}\ \When User clicks on Done button on "Squats Report" \Then User verifies text on Exercise Buddy screen	0.00s 0.00s 0.00s						
\$\{\squat.results.title\} \$\{\squat.results.description\} \$\{\squat.score.stat\} \$\{\squat.score.stands\} \$\{\squat.score.precision\} \$\{\squat.startAgain\} When User clicks on Start Now button on ''Squats Report'' When User clicks on Stop button on ''Squats'' Then User verifies text on Exercise Buddy screen \$\{\squat.results.title\} When User clicks on Done button on ''Squats Report''	0.00s 0.00s 0.00s 0.00s						
\$\{\squat.results.title\}\ \\$\{\squat.score.stat\}\ \\$\{\squat.score.stands\}\ \\$\{\squat.score.precision\}\ \\$\{\squat.startAgain\}\ \When User clicks on Start Now button on "Squats Report" \When User verifies text on Exercise Buddy screen \\$\{\squat.results.title\}\ \When User clicks on Done button on "Squats Report" \Then User verifies text on Exercise Buddy screen	0.00s 0.00s 0.00s						
\$\{\squat.results.title\} \$\{\squat.results.description\} \$\{\squat.score.stat\} \$\{\squat.score.stands\} \$\{\squat.score.precision\} \$\{\squat.startAgain\} When User clicks on Start Now button on "Squats Report" When User clicks on Stop button on "Squats" Then User verifies text on Exercise Buddy screen \$\{\squat.results.title\} When User clicks on Done button on "Squats Report" Then User verifies text on Exercise Buddy screen \$\{\squat.results.title\} When User clicks on Done button on "Squats Report" Then User verifies text on Exercise Buddy screen \$\{\squat.score.precision\} \$\{\squat.score.precision	0.00s 0.00s 0.00s 0.00s						
\$\{\squat.results.title\}\$ \$\{\squat.score.stat\}\$ \$\{\squat.score.precision\}\$ \$\{\squat.score.precision\}\$ \$\{\squat.score.precision\}\$ \$\{\squat.startAgain\}\$ When User clicks on Start Now button on "Squats Report" When User clicks on Stop button on "Squats" Then User verifies text on Exercise Buddy screen \$\{\squat.results.title\}\$ When User clicks on Done button on "Squats Report" Then User verifies text on Exercise Buddy screen \$\{\squat.score.precision\}\$ When User clicks on Done button on "Squats Report" Then User verifies text on Exercise Buddy screen \$\{\squat.score.precision\}\$ After Back to Table of Contents	0.00s 0.00s 0.00s 0.00s						
\$\{\squat.results.title\} \$\{\squat.results.description\} \$\{\squat.score.stat\} \$\{\squat.score.stands\} \$\{\squat.score.precision\} \$\{\squat.startAgain\} When User clicks on Start Now button on "Squats Report" When User clicks on Stop button on "Squats" Then User verifies text on Exercise Buddy screen \$\{\squat.results.title\} When User clicks on Done button on "Squats Report" Then User verifies text on Exercise Buddy screen \$\{\squat.results.title\} When User clicks on Done button on "Squats Report" Then User verifies text on Exercise Buddy screen \$\{\squat.results.title\} After Back to Table of Contents Scenario: Verify the Preview via Squats	0.00s 0.00s 0.00s 0.00s 0.00s						
\$\{\squat.results.title\}\\ \\$\{\squat.score.stat\}\\ \\$\{\squat.score.stands\}\\ \\$\{\squat.score.precision\}\\ \\$\{\squat.score.precision\}\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	0.00s 0.00s 0.00s 0.00s 0.00s						
\$\{\squat.results.title\} \$\{\squat.results.description\} \$\{\squat.score.stat\} \$\{\squat.score.stands\} \$\{\squat.score.precision\} \$\{\squat.startAgain\} When User clicks on Start Now button on "Squats Report" When User clicks on Stop button on "Squats" Then User verifies text on Exercise Buddy screen \$\{\squat.results.title\} When User clicks on Done button on "Squats Report" Then User verifies text on Exercise Buddy screen \$\{\squat.results.title\} When User clicks on Done button on "Squats Report" Then User verifies text on Exercise Buddy screen \$\{\squat.results.title\} After Back to Table of Contents Scenario: Verify the Preview via Squats	0.00s 0.00s 0.00s 0.00s 0.00s						

```
org.openga.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 7b91e5b6-8646-4a74-add6-14a0ac7d6fe1
*** Element info: {Using=xpath, value=//android.widget.TextView[@text="Squats"]
/following::android.widget.TextView[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
```

at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309) at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163) at com.onepulse.app.screens.ExerciseBuddyScreen.clickOnPreview(ExerciseBuddyScreen.java 81) at com.onepulse.app.stepdefinitions.mobilesteps.ExerciseBuddySteps.clickPreview (ExerciseBuddySteps.java:54) at .When User clicks on Preview button on "\${beginner.squat}"(features/ph/fitness					
/ExerciseBuddy.feature:68) Then User verifies text on Exercise Buddy screen	0.00s				
\${beginner.squat}	0.008				
\${squat.preview.titleDescription}					
\${squat.preview.about}					
\${squat.preview.description}					
When User clicks on Take Challenge on "Squats Preview"	0.00s				
Then User verifies text on Exercise Buddy screen	0.00s				
\${exeBuddy.title}	0000				
And User clicks on Back button	0.00s				
When User clicks on Start Now button on "Squats Preview"	0.00s				
When User clicks on Stop button on "Squats"	0.00s				
Then User verifies text on Exercise Buddy screen	0.00s				
\${squat.results.title}	<u> </u>				
When User clicks on Done button on "Squats Report"	0.00s				
When I scroll down	0.00s				
Then User verifies text on Exercise Buddy screen	0.00s				
\${squat.preview.workout}					
\${squat.preview.instructions}					
\${squat.preview.instruction1}					
\${squat.preview.instruction2}					
\${squat.preview.instruction3}					
\${squat.preview.instruction4}					
\${squat.preview.instruction5}					
\${squat.preview.instruction6}					
\${squat.preview.instruction7}					
\${squat.preview.instruction8}					
\${squat.preview.instruction9}					
\${squat.preview.instruction10					
\${squat.preview.warmup}					

	armupDescription}	0.00
After		0.00s
Back to Table of Contents		
ature: Verify My wearab	le functionality via fitness tab on Pulse Health & Wealth	ı app
sed: 3 Failed: 0	Undefined: 0 Duration: 122.74s	
Scenario: Launch the ap	p and select the country as per specified lbu	
Passed: 6	Failed: 0 Undefined: 0	Duration: 57.74
Before	0.00s	
Given User has pulse	9.25s	
And I assign "\${login	0.00s	
And user click on "Co	16.40s	
Then I change the cou	ıntry as required on registration page	22.17s
Then I wait for 5 sec		5.01s
And I click the Sign in	n link	4.91s
After		0.00s
Back to Table of Contents		
Scenario: login to the ap	p with correct credentials using "Continue with Email"	
Passed: 6	Failed: 0 Undefined: 0	Duration: 46.12
Before		0.00s
Given I select the lang	3.52s	
When user enters cre		10.26s
UserName \${PULS		100205
Password \${login.		
And User clicks on sig	0.36s	
And I wait for 5 sec	5.00s	
	ne pulse app for user email ''\${PULSE_EMAIL}''	11.95s
	anded to "Home" screen	15.04s
After	0.00s	
Back to Table of Contents		0.000
	r can access My Wearables via Fitness	
Passed: 4	Failed: 0 Undefined: 0	Duration: 18.89
Before	Pancu. V	0.00s
	Fitness tab	
When User clicks on I	arables tile on Fitness screen	13.45s 0.87s
	0.078	
\${fitness.myWeara		
\${fitness.myWeara	nect Now button on Fitness screen	0.515
	0.51s	
	ng text are displayed under My Wearables screen	4.06s
\${wearables.title}	4.)	
Φ.(figl	
\${wearables.subTi		
\${wearables.subTi \${wearables.descri \${wearables.fitbitT	iption}	

\${wearables.ga					
\${wearables.go	oogleFit}				
After					0.00s
Back to Table of Content	t <u>s</u>				
eature: Verify wealth	channel fun	tionality	on one pulse App		
ssed: 5 Faile	d: 3	Undef	ined: 0	Duration: 193.25s	
Scenario: Verify Use	r should be	able to log	gin using email accou	ınt	
Passed: 9	Failed:		Undefined: 0		Duration: 87.84
Before					0.00s
Given User has pulse app					9.95s
		n.global.i	d}'' to variable ''PUI	LSE_EMAIL''	0.00s
When I navigate t					10.67s
Given I create con			ee		0.00s
When user enters	credentials				10.50s
UserName \${P	ULSE_EM.	AIL}			
Password \${lo	gin.passwo	d }			
And User clicks o	n signin but	on			0.38s
Then I wait for 10) sec				10.01s
And I enter OTP	in one pulse	app for u	ser email ''\${PULSE	C_EMAIL}''	31.92s
Then user should	be landed t	''Home''	screen		14.43s
After					0.00s
Back to Table of Content	t <u>s</u>				
Scenario: Verify Use	r should be	able to na	vigate to Food page		
Passed: 5	Failed:		Undefined: 0		Duration: 15.75
Before					0.00s
Given I navigate t	to food scre	n from ho	ome page		0.62s
Then I wait for 5					5.01s
And I scroll down			4.61s		
Then I wait for 5	sec				5.00s
And I navigate to	my food jo	rnal fron	n food		0.52s
After					0.00s
Back to Table of Content	<u>ts</u>				
Scenario: Verify Use	r should be	able to se	e the list of food sche	dule time	
Passed: 1	Failed:		Undefined: 0		Duration: 3.45s
Before					0.00s
And I verify follow	wing option	in food j	ournal		3.46s
\${food.myfood					
\${food.myfood	•				
\${food.myfood	~				
After					0.00s
Back to Table of Content	ts				
Scenario: Verify Use		able to tir	ne of the meal, add t	o cart and scan	



	nal.Breakfast.changemeal}		
\$100a.my100aJour	nal.Breakfast.selectfood}		
\${food.myfoodjournal.Breakfast.save}			
Given User search for the food "Seafood Gumbo" index 7.82s			
And I validate the foo	d selected and calories	0.13s	
After		0.00s	
Back to Table of Contents			
Scenario Outline: Verify	User should be able to see the details after movi	ing to "Lunch"	
Passed: 8	Failed: 0 Undefined: 0	Duration: 30.5s	
Before		0.00s	
Then I wait for 5 sec		5.00s	
And I scroll down		4.45s	
Then I wait for 5 sec		5.01s	
When User clicks on a	add food button for breakfast index "2"	1.22s	
Then I wait for 5 sec		5.01s	
And I verify following	g options in food journal	1.41s	
\${food.myfoodjour	nal.Breakfast.changemeal}		
\${food.myfoodjour	nal.Breakfast.selectfood}		
\${food.myfoodjour	rnal.Breakfast.save}		
Given User search for	the food "Bites" index	8.26s	
And I validate the foo	d selected and calories	0.15s	
After			
Aiter		0.00s	
Back to Table of Contents		0.00s	
Back to Table of Contents	User should be able to see the details after movi	<u> </u>	
Back to Table of Contents	User should be able to see the details after movi Failed: 1 Undefined: 4	<u> </u>	
Back to Table of Contents Scenario Outline: Verify		ng to "Dinner"	
Back to Table of Contents Scenario Outline: Verify Passed: 3		ing to "Dinner" Duration: 14.47s	
Back to Table of Contents Scenario Outline: Verify Passed: 3 Before		ng to "Dinner" Duration: 14.47s 0.00s	
Back to Table of Contents Scenario Outline: Verify Passed: 3 Before Then I wait for 5 sec		ng to "Dinner" Duration: 14.47s 0.00s 5.01s	
Back to Table of Contents Scenario Outline: Verify Passed: 3 Before Then I wait for 5 sec And I scroll down Then I wait for 5 sec		ng to "Dinner" Duration: 14.47s 0.00s 5.01s 4.42s	

```
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 258fba68-2106-4296-9f86-d1c0c6448355
*** Element info: {Using=xpath, value=(//android.widget.TextView[contains(@text,''Add
Food")])[3]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.FoodScreen.clickToAddFoodBreakFast(FoodScreen.java:61)
at com.onepulse.app.stepdefinitions.mobilesteps.FoodSteps.clickAddBreakfast(FoodSteps.java:
66)
```

Then I wait for		0.00s
	lowing options in food journal	0.00s
	odjournal.Breakfast.changemeal}	
	odjournal.Breakfast.selectfood}	
	odjournal.Breakfast.save}	
	ch for the food "Cake" index	0.00s
	he food selected and calories	0.00s
ter		0.00s
k to Table of Conto	ents	
enario: Verify U	ser should be able to see log after add food is do	ne
sed: 0	Failed: 1 Undefined: 4	Duration: .0
fore		0.00s
And I scroll up		0.01s
System info: hosos.version: '10.0 Driver info: io.a Capabilities {apuat, autoDismisdesired: {appAc	socket hang up ion: '3.12.0', revision: '7c6e0b3', time: '2018-05- st: 'TM003LSIN', ip: '192.168.1.124', os.name: ')', java.version: '11.0.2' appium.java_client.android.AndroidDriver opActivity: com.prudential.pulse.MainAc, appi sAlerts: true, automationName: UiAutomator2, ctivity: com.prudential.pulse.MainAc, appPacl	Windows 10', os.arch: 'amde Package: com.prudential.pu databaseEnabled: false, kage: com.prudential.pulse.u
System info: hosos.version: '10.0' Driver info: io.a Capabilities {apuat, autoDismisdesired: {appAcautoDismissAlenewCommandTdeviceManufactdeviceScreenDejavascriptEnablnewCommandTplatformName:	ion: '3.12.0', revision: '7c6e0b3', time: '2018-05-st: 'TM003LSIN', ip: '192.168.1.124', os.name: '0', java.version: '11.0.2' appium.java_client.android.AndroidDriver opActivity: com.prudential.pulse.MainAc, applesAlerts: true, automationName: UiAutomator2, etivity: com.prudential.pulse.MainAc, appPacletts: true, automationName: UiAutomator2, devictivity: com.prudential.pulse.MainAc, appPacletts: true, automationName: UiAutomator2, devictimeout: 10000, noReset: true, platformName: aturer: Google, deviceModel: Pixel 5, deviceNamensity: 440, deviceScreenSize: 1080x2340, deviceMed: true, locationContextEnabled: false, networkimeout: 10000, noReset: true, pixelRatio: 2.75, Android, platformVersion: 11, statBarHeight: 10000, page 11, statBarHeight: 10000, page 12, page 12, page 13, page 13, page 14, page 14	Windows 10', os.arch: 'amdo Package: com.prudential.pu databaseEnabled: false, kage: com.prudential.pulse.u iceName: Android-Test, ndroid}, deviceApiLevel: 30 e: 0C241FDD40043P, UDID: 0C241FDD40043P, ekConnectionEnabled: true, platform: LINUX, 145, takesScreenshot: true,
System info: hosos.version: '10.0' Driver info: io.a Capabilities {apuat, autoDismisdesired: {appAcautoDismissAlenewCommandTdeviceManufactdeviceScreenDejavascriptEnablnewCommandTplatformName: viewportRect: {false} Session ID: 2586 at jdk.internal.rat java.base/jdk (DelegatingComat java.base/javat org.openqa.se (W3CHttpResperse)	ion: '3.12.0', revision: '7c6e0b3', time: '2018-05-st: 'TM003LSIN', ip: '192.168.1.124', os.name: '0', java.version: '11.0.2' appium.java_client.android.AndroidDriver opActivity: com.prudential.pulse.MainAc, appisAlerts: true, automationName: UiAutomator2, etivity: com.prudential.pulse.MainAc, appPacletts: true, automationName: UiAutomator2, devictivity: com.prudential.pulse.MainAc, appPacletts: true, automationName: UiAutomator2, devictivity: com.prudential.pulse.MainAc, appPacletts: true, automationName: UiAutomator2, devictimeout: 10000, noReset: true, platformName: aturer: Google, deviceModel: Pixel 5, deviceNamensity: 440, deviceScreenSize: 1080x2340, deviceded: true, locationContextEnabled: false, networkimeout: 10000, noReset: true, pixelRatio: 2.75, page 10000.	Package: com.prudential.pu databaseEnabled: false, kage: com.prudential.pulse.u dceName: Android-Test, ndroid}, deviceApiLevel: 30 e: 0C241FDD40043P, UDID: 0C241FDD40043P, ckConnectionEnabled: true, platform: LINUX, 145, takesScreenshot: true, nings: {}, webStorageEnable stance(Unknown Source) clmpl.newInstance


at org.openq at io.appium java:46) at io.appium at io.appium at org.openq RemoteWeb java:804) at com.onepo	a.java_client.Defau a.java_client.Appio a.java_client.andro a.selenium.remot Driver\$RemoteW ulse.app.screens.T	e.RemoteWebDrultGenericMobile umDriver.execut oid.AndroidDrive e. TebDriverOptions TestBasePage.scre itions.mobilestep	iver.execute(RemoteWebDriver.jaeDriver.execute(DefaultGenericMe(AppiumDriver.java:1) er.execute(AndroidDriver.java:1) es\$RemoteWindow.getSize(Remote collPageUP(TestBasePage.java:377 os.BaseSteps.scrollUp(BaseSteps.java)	cobileDriver. eWebDriver.
Then I wait	for 5 sec			0.00s
	on the log button			0.00s
And I verify	following options	in food journal		0.00s
\${food.my	yfoodjournal.logti yfoodjournal.logti yfoodjournal.logti	ime.save}		
Then click or	n the cancel butto	n in logtime in fo	ood	0.00s
After				0.00s
Back to Table of C	ontents			
ature: Verify th	e Bahvlon Registr	ration via HRA id	ourney for PH LBU	
	, ,		J	
ssed: 0	Failed: 2	Undefined: 0	Duration: 255.94s	
	should be able to Failed:	Register for Baby		Duration: 150.5
Scenario: User	should be able to	Register for Baby	ylon HRA	Duration: 150.5 s 0.00s
Passed: 14 Before Given I gene	should be able to Failed: Prate random num _NUMBER''	Register for Baby	ylon HRA Undefined: 2 o variable	0.00s 0.00s
Passed: 14 Before Given I gene	Failed: Prate random num NUMBER'' "pulse\${RANDO	Register for Baby	ylon HRA Undefined: 2	0.00s
Passed: 14 Before Given I gene "RANDOM And I assign	Failed: Prate random num NUMBER'' "pulse\${RANDO	Register for Baby	ylon HRA Undefined: 2 o variable	0.00s 0.00s
Passed: 14 Before Given I gene "RANDOM And I assign "PULSE_EN	rate random num _NUMBER'' "'pulse\${RANDO MAIL'' s pulse app	Register for Baby	ylon HRA Undefined: 2 o variable	0.00s 0.00s 0.00s
Passed: 14 Before Given I gene "RANDOM And I assign "PULSE_EN And User ha Then I wait i	Failed: Prate random num NUMBER'' "pulse\${RANDO MAIL'' as pulse app for 2 sec	Register for Baby 1 aber and assign to 0M_NUMBER}	ylon HRA Undefined: 2 o variable	0.00s 0.00s 0.00s 10.06s
Passed: 14 Before Given I gene "RANDOM And I assign "PULSE_EN And User ha Then I wait i	rate random num _NUMBER" "'pulse\${RANDO MAIL" as pulse app for 2 sec ck on "CONTINU	Register for Baby 1 aber and assign to 0M_NUMBER}	Undefined: 2 o variable mailsac.com'' to variable	0.00s 0.00s 0.00s 10.06s 2.00s
Passed: 14 Before Given I gene "RANDOM And I assign "PULSE_EM And User ha Then I wait to And user clic	rate random num _NUMBER" "'pulse\${RANDO MAIL" as pulse app for 2 sec ck on "CONTINU	Register for Baby 1 1 aber and assign to 0M_NUMBER}@ UE WITH EMAIL	Undefined: 2 o variable mailsac.com'' to variable L'' with Email button	0.00s 0.00s 0.00s 0.00s 10.06s 2.00s 13.69s
Passed: 14 Before Given I gene "RANDOM And I assign "PULSE_EM And User ha Then I wait to And user clic	rate random num NUMBER" "pulse\${RANDO MAIL" as pulse app for 2 sec ck on "CONTINU for 2 sec ge the country as	Register for Baby 1 1 aber and assign to 0M_NUMBER}@ UE WITH EMAIL	Undefined: 2 o variable mailsac.com'' to variable L'' with Email button	0.00s 0.00s 0.00s 10.06s 2.00s 13.69s 2.01s
Passed: 14 Before Given I gene "RANDOM And I assign "PULSE_EN And User ha Then I wait to Then I wait to Then I wait to Then I wait to Then I navig	rate random num _NUMBER" "pulse\${RANDO MAIL" as pulse app for 2 sec ck on "CONTINU for 2 sec ge the country as a for 2 sec	Register for Baby 1 aber and assign to M_NUMBER}@ UE WITH EMAIL required on registration page and	Undefined: 2 o variable mailsac.com'' to variable L'' with Email button	0.00s 0.00s 0.00s 10.06s 2.00s 13.69s 2.01s 21.61s
Passed: 14 Before Given I gene "RANDOM And I assign "PULSE_EN And User ha Then I wait to Then I wait to Then I wait to Then I wait to Then I navig	rate random num NUMBER" "pulse\${RANDO MAIL" s pulse app for 2 sec ck on "CONTINU for 2 sec ge the country as a for 2 sec gate to pulse regist tinue with email b	Register for Baby 1 aber and assign to M_NUMBER}@ UE WITH EMAIL required on registration page and	Undefined: 2 o variable mailsac.com'' to variable L'' with Email button stration page	0.00s 0.00s 0.00s 10.06s 2.00s 13.69s 2.01s 21.61s 2.01s
Passed: 14 Before Given I gene "RANDOM And I assign "PULSE_EN And User ha Then I wait is	rate random num NUMBER" "pulse\${RANDO MAIL" s pulse app for 2 sec ck on "CONTINU for 2 sec ge the country as a for 2 sec gate to pulse regist tinue with email b	Register for Baby 1 aber and assign to M_NUMBER}@ VE WITH EMAIL required on regist tration page and utton	Undefined: 2 o variable mailsac.com'' to variable L'' with Email button stration page	0.00s 0.00s 0.00s 10.06s 2.00s 13.69s 2.01s 21.61s 2.01s 3.79s
Passed: 14 Before Given I gene "RANDOM And I assign "PULSE_EM And User ha Then I wait for the	Failed: Prate random num NUMBER" "pulse\${RANDO MAIL" as pulse app for 2 sec ck on "CONTINU for 2 sec ge the country as a for 2 sec gate to pulse regist tinue with email b for 2 sec	Register for Baby 1 aber and assign to 0M_NUMBER \{ @} UE WITH EMAIL required on regist tration page and utton details	Undefined: 2 o variable mailsac.com'' to variable L'' with Email button stration page	0.00s 0.00s 0.00s 0.00s 10.06s 2.00s 13.69s 2.01s 21.61s 2.01s 3.79s 2.01s

And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	34.28s
Then I wait for 2 sec	2.00s
Then I click skip button for PH LBU registration flow	47.46s
org.openqa.selenium.NoSuchElementException: An element could not be loca	ated on the page
using the given search parameters.	rece can barge
For documentation on this error, please visit: http://seleniumhq.org/exception	as
/no_such_element.html	
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.1	12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10',	
os.version: '10.0', java.version: '11.0.2'	
Driver info: io.appium.java_client.android.AndroidDriver	
Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com	.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnal	
desired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.pru	dential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: And	roid-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, device	eApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD4	
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241	
${\bf javascript Enabled: true, location Context Enabled: false, network Connection Ena$	
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LIN	
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScre	
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, web	StorageEnabled:
false}	
Session ID: e8d05501-75fb-4814-8aa9-61db5a45153d	•4 O
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='F	ruits &
Vegetables']} at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknov	wn Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInst	
(DelegatingConstructorAccessorImpl.java:45)	ance
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)	
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createExceptio	
(W3CHttpResponseCodec.java:187)	
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode	
(W3CHttpResponseCodec.java:122)	
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode	
(W3CHttpResponseCodec.java:49)	
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpComma 158)	ndExecutor.java:
at io.appium.java_client.remote.AppiumCommandExecutor.execute	
(AppiumCommandExecutor.java:231)	
$at\ org. open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver) at the context of the cont$	
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGeneri	cMobileDriver.
java:42)	
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)	1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java	
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWeb]	Driver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement	
(DefaultGenericMobileDriver.java:62)	
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver	· iovo·1)
at locappiding ava_enent and rota Android Driver sind Element (Android Driver	·java·1)

at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. iava:419) at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152) at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1) at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1) at org.openga.selenium.By\$ByXPath.findElement(By.java:353) at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309) at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya: **19**) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163) at com.onepulse.app.screens.PulseRegistrationScreen.clickSkipButtonPH (PulseRegistrationScreen.java:1320) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iClickSkipButtonPH (RegistrationSteps.java:450) at .Then I click skip button for PH LBU registration flow(features/ph/health /BabylonHRA_Registration.feature:24) 2:17 @ M m m · SELECT YOUR DIGITAL AVATAR Which avatar do you prefer? ect an avatar which looks like you. 0.00sAfter **Back to Table of Contents** Scenario: User should be able to Register for Babylon HRA **Duration: 105.38**


ssed: 1	Failed: 1 Undefined: 3	s
fore		0.00s
When I clicks on H	ealth button	29.56s
And I navigate to I	abylon health Assessment and Accept T	TermsAndCondition 75.82s
using the given sea For documentation /no_such_element.l Build info: version System info: host: os.version: '10.0', j Driver info: io.app Capabilities {appA uat, autoDismissAl desired: {appActiv	on this error, please visit: http://seleniu	umhq.org/exceptions 8-05-08T14:04:26.12Z' me: 'Windows 10', os.arch: 'amd6' , appPackage: com.prudential.puls tor2, databaseEnabled: false, pPackage: com.prudential.pulse.ua
newCommandTim deviceManufacture deviceScreenDensi javascriptEnabled newCommandTim platformName: An	eout: 10000, noReset: true, platformNarce: Google, deviceModel: Pixel 5, devicely: 440, deviceScreenSize: 1080x2340, dotrue, locationContextEnabled: false, neeout: 10000, noReset: true, pixelRatio: 2 droid, platformVersion: 11, statBarHeight: 2015, left: 0, top: 145, width: 1080}.	me: android}, deviceApiLevel: 30, Name: 0C241FDD40043P, eviceUDID: 0C241FDD40043P, etworkConnectionEnabled: true, 2.75, platform: LINUX, ght: 145, takesScreenshot: true,
*** Element info: { /preceding::androi at jdk.internal.refle at java.base/jdk.int (DelegatingConstruat java.base/java.la at org.openqa.selen (W3CHttpRespons		nageView[1]} ewInstance(Unknown Source) eessorImpl.newInstance nstructor.java:490) dec.createException
(W3CHttpRespons at org.openqa.seler (W3CHttpRespons	ium.remote.http.W3CHttpResponseCo	dec.decode
at io.appium.java_ (AppiumCommand at org.openqa.seler at io.appium.java_ java:42)	client.remote.AppiumCommandExecutor.lExecutor.java:231) ium.remote.RemoteWebDriver.execute client.DefaultGenericMobileDriver.exec	(RemoteWebDriver.java:543) cute(DefaultGenericMobileDriver.
at io.appium.java_ at org.openqa.seler at io.appium.java_ (DefaultGenericMo	client.AppiumDriver.execute(AppiumDelient.android.AndroidDriver.execute(Aium.remote.RemoteWebDriver.findElectient.DefaultGenericMobileDriver.findbileDriver.java:62)	ndroidDriver.java:1) ment(RemoteWebDriver.java:317 Element

at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriv				
$at\ org. open qa. selenium. remote. Remote Web Driver. find Element By XP at least org. open quality of the property of the $	(RemoteWebDriver.			
java:419)				
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath				
(DefaultGenericMobileDriver.java:152)				
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)				
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)			
at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)				
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)				
at io.appium.java_client.DefaultGenericMobileDriver.findElement	3			
(DefaultGenericMobileDriver.java:58)				
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.jav	a∙1)			
at io.appium.java_client.android.AndroidDriver.findElement(AndroidD				
at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands				
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Ex	ecuteCommand.java:			
19)	1(2)			
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.ja	va:163)			
at com.onepulse.app.screens.babylon.BabylonRegistrationScreen.				
navigate To Babylon Health Assessment (Babylon Registration Screen. java:	253)			
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.				
navigate To Babylon Health Assessment And Accept Terms And Condition (Babylon Health Assessment And Accept Terms And A	abylonSteps.java:319)			
at .And I navigate to Babylon health Assessment and Accept TermsAnd				
/health/BabylonHRA_Registration.feature:30)				
And I confirm the registration	0.00s			
And I click on Babylon Health Assessment Get Started button	0.00s			
Then I verify following options are present for assessment	0.00s			
Full Assessment				
Nutrition				
Activity				
Mood				



			5.01s
	And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"		
Then user should be landed to "Home" screen			14.23s
When I clicks on Health button			39.40s
And I navigate to Baby	olon health Assessment	and Accept TermsAndC	Condition 42.05s
fter			0.00s
ack to Table of Contents			
cenario: User should be	able to access Babylon	Health Risk Assessment	Report
	Failed: 1	Undefined: 1	Duration: 8.25
efore			0.00s
	rt" link on digital twin	G0W0.0W	8.25s
System info: host: 'TM os.version: '10.0', java. Driver info: io.appium Capabilities {appActivity: uat, autoDismissAlerts desired: {appActivity: autoDismissAlerts: tru newCommandTimeout deviceManufacturer: CdeviceScreenDensity: 4	003LSIN', ip: '192.168 version: '11.0.2' .java_client.android.Ar ity: com.prudential.pul : true, automationNam com.prudential.pulse.N e, automationName: Ui : 10000, noReset: true, Google, deviceModel: P	droidDriver se.MainAc, appPackaş e: UiAutomator2, datab	ows 10', os.arch: 'amd64' ge: com.prudential.pulse aseEnabled: false, com.prudential.pulse.uat ne: Android-Test, l}, deviceApiLevel: 30,
platformName: AndroviewportRect: {height: false} Session ID: 318306d0-6 *** Element info: {Usinat jdk.internal.reflect.0 at java.base/jdk.internal.reflect.0 at java.base/java.lang.i at org.openqa.selenium (W3CHttpResponseCoat org.openqa.selenium (W3CHttpResponseCoat org.openqa.selenium (W3CHttpResponseCoat org.openqa.selenium	e, locationContextEnale: 10000, noReset: true, id, platformVersion: 11 2015, left: 0, top: 145, e371-4b24-a494-483b45 ng=xpath, value=//andr GeneratedConstructor Al.reflect.DelegatingCorAccessorImpl.java:45 reflect.Constructor.new a.remote.http.W3CHttp.dec.java:187) a.remote.http.W3CHttp.dec.java:122) a.remote.http.W3CHttp.dec.java:49)	429c41 oid.widget.TextView[co.ccessor20.newInstance(nstructorAccessorImpl.instance(Constructor.jaResponseCodec.createEResponseCodec.decodeResponseCodec.decode	a OC241FDD40043P, nectionEnabled: true, rm: LINUX, kesScreenshot: true, {}, webStorageEnabled ntains(@text,'Report')] (Unknown Source) newInstance ava:490) Exception
platformName: AndroviewportRect: {height: false} Session ID: 318306d0-6 *** Element info: {Usinat jdk.internal.reflect.0 at java.base/jdk.internal.reflect.0 at java.base/java.lang.i at org.openqa.selenium (W3CHttpResponseCoat org.openqa.selenium (W3CHttpResponseCoat org.openqa.selenium (W3CHttpResponseCoat org.openqa.selenium	e, locationContextEnale: 10000, noReset: true, id, platformVersion: 11 2015, left: 0, top: 145, e371-4b24-a494-483b45 ag=xpath, value=//andr GeneratedConstructor Al.reflect.DelegatingCorAccessorImpl.java:45 ceflect.Constructor.new a.remote.http.W3CHttp.dec.java:187) a.remote.http.W3CHttp.dec.java:122) a.remote.http.W3CHttp.dec.java:49) a.remote.http.Commandat.remote.HttpCommandat.remote.HttpCommandat.remote.AppiumCommandat.remote.Ap	led: false, networkConr pixelRatio: 2.75, platfor , statBarHeight: 145, tal width: 1080}, warnings: 429c41 oid.widget.TextView[concessor20.newInstance(nstructorAccessorImpl.) Instance(Constructor.jan ResponseCodec.createEndersponseCodec.decode ResponseCodec.decode	a OC241FDD40043P, nectionEnabled: true, rm: LINUX, kesScreenshot: true, {}, webStorageEnabled ntains(@text,'Report')] (Unknown Source) newInstance ava:490) Exception

```
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.babylon.BabylonHealthAssessmentScreen.clickOnDigitalTwin
(BabylonHealthAssessmentScreen.java:110)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.clickOnDigitalTwin
(BabylonSteps.java:350)
at .When I click on "Report" link on digital twin screen(features/ph/health
/BabylonHRA_Report.feature:28)
```



at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.verifyHRAResult(BabylonSteps.java:616)

at .Then I verify the HRA Results are displayed(features/ph/health/BabylonHRA_Report. feature:42)



Aft	ter			0.00s
Bac	ck to Table of Contents			
Sce	enario: Verify the HR	A Activity Sumn	nary	
Pas	sed: 0	Failed: 1	Undefined: 0	Duration: 47.08s
Bef	fore			0.00s
	Then I verify the HRA	A Results are dis	played	47.08s
	\${babylon.hraRepo	ort.summary.org	gan.title}	
	\${babylon.hraRepo	ort.summary.org	ganDescription}	
	\${babylon.hraRepo	ort.summary.org	gan.statement1}	
	\${babylon.hraReport.summary.organ.statement2}			
	\${babylon.hraRepo	ort.summary.org	gan.statement3}	

java.lang.AssertionError: The following asserts failed:

the expected text is: Organ Health expected [true] but found [false],

the expected text is: Out of all the systems evaluated, your results show: expected [true] but

found [false],


the expected text is: 10 normal to low risk expected [true] but found [false],


the expected text is: 2 is at risk expected [true] but found [false],

the expected text is: 2 reported to medical condition expected [true] but found [false]

at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)

at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.verifyHRAResult(BabylonSteps. java:616)





Original error: socket hang up

os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Af	ter			0.00s
Bac	ck to Table of Contents			
Sc	enario: Verify the HRA	Nutrition Report		
Pas	ssed: 0	Failed: 1	Undefined: 0	Duration: 11.61s
Be	fore			0.00s
	Then I verify the HRA	Results are displayed		11.62s
	\${babylon.hraRepor	rt.nutrition.title}		
	\${babylon.hraRepo	rt.nutrition.subTitle}		
	\${babylon.hraRepo	rt.nutrition.statement1}		
	\${babylon.hraRepo	rt.nutrition.statement2}		
	\${babylon.hraRepor	rt.nutrition.statement3}		
	\${babylon.hraRepor	rt.nutrition.statement4}		
	\${babylon.hraRepor	rt.nutrition.statement5}		
	\${babylon.hraRepor	rt.nutrition.statement6}		
	\${babylon.hraRepo	rt.nutrition.statement7}		
		rt.nutrition.statement8}	-	
	\${babylon.hraRepo	rt.nutrition.statement9}		

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server.

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

```
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
Session ID: 318306d0-e371-4b24-a494-483b45429c41
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
iava:46)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.
RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.
java:804)
at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)
at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:204)
at com.onepulse.app.screens.babylon.BabylonHealthAssessmentScreen.verifyHRAReport
(BabylonHealthAssessmentScreen.java:456)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.verifyHRAResult(BabylonSteps.
at .Then I verify the HRA Results are displayed(features/ph/health/BabylonHRA_Report.
feature:78)
```

After		0.00s			
Back to Table of C	Back to Table of Contents				
Scenario: Verif	fy the HRA	A Report - Keep	It Up sub-section		
Passed: 0		Failed: 1 Undefined: 0 Duration: .02s			
Before		0.00s			
Then I verify the HRA Results are displayed		played	0.02s		
\${babylon.hraReport.keepItUp}					
\${babylo	\${babylon.hraReport.lowFat}				

	Detailed Results	Report		
	\${babylon.hraReport.lowFat.description}			
	\${babylon.hraReport.bmi}			
	\${babylon.hraReport.bmi.description}			
	\${babylon.hraReport.lowAlcohol}			
	\${babylon.hraReport.lowAlcohol.description}			
	\${babylon.hraReport.fluids}			
	\${babylon.hraReport.fluids.description}			
	\${babylon.hraReport.redMeat}			
	\${babylon.hraReport.redMeat.description}			
	with the state of the current			
Or	g.openqa.selenium.WebDriverException: An u	nknown sarvar-sida arror occurrad while		
	ocessing the command. Original error: Could i			
_	riginal error: socket hang up	of proxy command to the remote server.		
	aild info: version: '3.12.0', revision: '7c6e0b3', t	me: '2018-05-08T14:04:26.12Z'		
	stem info: host: 'TM003LSIN', ip: '192.168.1.1			
	version: '10.0', java.version: '11.0.2'			
	river info: io.appium.java_client.android.Andro	oidDriver		
Ca	Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.			
ua	t, autoDismissAlerts: true, automationName: U	JiAutomator2, databaseEnabled: false,		
de	sired: {appActivity: com.prudential.pulse.Mair	Ac, appPackage: com.prudential.pulse.uat,		
au	toDismissAlerts: true, automationName: UiAu	tomator2, deviceName: Android-Test,		
ne	wCommandTimeout: 10000, noReset: true, pla	tformName: android}, deviceApiLevel: 30,		
	viceManufacturer: Google, deviceModel: Pixel			
	viceScreenDensity: 440, deviceScreenSize: 1080			
_	vascriptEnabled: true, locationContextEnabled			
	wCommandTimeout: 10000, noReset: true, pix			
_	atformName: Android, platformVersion: 11, st			
	ewportRect: {height: 2015, left: 0, top: 145, wid	th: 1080}, warnings: {}, webStorageEnabled:		
	se} 	.41		
	ssion ID: 318306d0-e371-4b24-a494-483b45429			
	jdk.internal.reflect.GeneratedConstructorAcco java.base/jdk.internal.reflect.DelegatingConstr			
	java.base/juk.internal.reflect.DelegatingConsti elegatingConstructorAccessorImpl.java:45)	uctor Accessor imprinewinstance		
	java.base/java.lang.reflect.Constructor.newIns	tance(Constructor java-490)		
	org.openqa.selenium.remote.http.W3CHttpRe			
	V3CHttpResponseCodec.java:187)	pointe editer editer acception		

(W3CHttpResponseCodec.java:187)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode

(W3CHttpResponseCodec.java:122)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode

(W3CHttpResponseCodec.java:49)

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)

at io.appium.java_client.remote.AppiumCommandExecutor.execute

(AppiumCommandExecutor.java:231)

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:46)

at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)

 $\textbf{at io.appium.java_client.android.} Android Driver. \textbf{execute} (Android Driver.\textbf{java:1})$

at org.openga.selenium.remote.

Detailed Results Report RemoteWebDriver RemoteWebDriverOptions RemoteWindow.getSize(RemoteWebDriver. iava:804) at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.verifyHRAResult(BabylonSteps. iava:610) at .Then I verify the HRA Results are displayed(features/ph/health/BabylonHRA_Report. feature:98) 0.00sAfter **Back to Table of Contents** Scenario: Verify the HRA Report - Make a Change sub-section Passed: 0 Failed: 1 Undefined: 0 **Duration: .01s** Before 0.00s0.01sThen I verify the HRA Results are displayed \${babylon.hraReport.makeAChange} \${babylon.hraReport.change1} \${babylon.hraReport.change2} \${babylon.hraReport.change3} \${babylon.hraReport.change4} org.openga.selenium.WebDriverException: An unknown server-side error occurred while processing the command, Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: 318306d0-e371-4b24-a494-483b45429c41 at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException

(W3CHttpResponseCodec.java:187)

at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode

(W3CHttpResponseCodec.java:122)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode

(W3CHttpResponseCodec.java:49)

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:

158)

at io.appium.java_client.remote.AppiumCommandExecutor.execute

(AppiumCommandExecutor.java:231)

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.

java:46)

at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)

at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)

at org.openga.selenium.remote.

Remote WebDriver \$ Remote WebDriver Options \$ Remote Window. get Size (Remote WebDriver. in the State of th

at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.verifyHRAResult(BabylonSteps.java:610)

at .Then I verify the HRA Results are displayed(features/ph/health/BabylonHRA_Report. feature:112)

After			0.00s			
Back to Table of Conter	Back to Table of Contents					
Scenario: User shou	Scenario: User should be able to access Babylon HRA - Healthcheck - Body					
Passed: 0	Failed: 1	Undefined: 3	Duration: .03s			
Before	Before 0.00s					
When I click on	When I click on "Healthcheck" link on digital twin screen 0.03s					

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 318306d0-e371-4b24-a494-483b45429c41

*** Element info: {Using=xpath, value=//android.widget.TextView[contains (@text,'Healthcheck')]}

at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)

```
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:122)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:49)
  at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
  158)
  at io.appium.java_client.remote.AppiumCommandExecutor.execute
  (AppiumCommandExecutor.java:231)
  at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:62)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  iava:419)
  at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
  19)
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.babylon.BabylonHealthAssessmentScreen.clickOnDigitalTwin
  (BabylonHealthAssessmentScreen.java:114)
  at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.clickOnDigitalTwin
  (BabylonSteps.java:350)
  at .When I click on "Healthcheck" link on digital twin screen(features/ph/health
  /BabylonHRA_Report.feature:120)
                                                                             0.00s
After
```

And I click on "Back" link on digital twin screen org.openqa.selenium.WebDriverException: An unk processing the command. Original error: Could not Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', tim System info: host: 'TM003LSIN', ip: '192.168.1.124 os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.Android Capabilities {appActivity: com.prudential.pulse.Ma uat, autoDismissAlerts: true, automationName: UiA desired: {appActivity: com.prudential.pulse.MainA autoDismissAlerts: true, automationName: UiAuto	t proxy command to the remote server. ne: '2018-05-08T14:04:26.12Z' ', os.name: 'Windows 10', os.arch: 'amde dDriver ninAc, appPackage: com.prudential.pu Automator2, databaseEnabled: false,
And I click on "Back" link on digital twin screen org.openqa.selenium.WebDriverException: An unk processing the command. Original error: Could not Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', tim System info: host: 'TM003LSIN', ip: '192.168.1.124 os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.Android Capabilities {appActivity: com.prudential.pulse.Ma uat, autoDismissAlerts: true, automationName: UiA desired: {appActivity: com.prudential.pulse.MainA autoDismissAlerts: true, automationName: UiAuto	0.02s known server-side error occurred while t proxy command to the remote server. ne: '2018-05-08T14:04:26.12Z' l', os.name: 'Windows 10', os.arch: 'amdell' AlDriver hinAc, appPackage: com.prudential.pu
org.openqa.selenium.WebDriverException: An unkprocessing the command. Original error: Could not Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time System info: host: 'TM003LSIN', ip: '192.168.1.124 os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.Android Capabilities {appActivity: com.prudential.pulse.Maut, autoDismissAlerts: true, automationName: UiAdesired: {appActivity: com.prudential.pulse.MainAautoDismissAlerts: true, automationName: UiAuto	known server-side error occurred while t proxy command to the remote server. ne: '2018-05-08T14:04:26.12Z' ', os.name: 'Windows 10', os.arch: 'amdell' dDriver hinAc, appPackage: com.prudential.pu Automator2, databaseEnabled: false,
processing the command. Original error: Could not Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', tim System info: host: 'TM003LSIN', ip: '192.168.1.124 os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.Android Capabilities {appActivity: com.prudential.pulse.Maut, autoDismissAlerts: true, automationName: UiAdesired: {appActivity: com.prudential.pulse.MainAautoDismissAlerts: true, automationName: UiAuto	t proxy command to the remote server. ne: '2018-05-08T14:04:26.12Z' ', os.name: 'Windows 10', os.arch: 'amde dDriver ninAc, appPackage: com.prudential.pu Automator2, databaseEnabled: false,
newCommandTimeout: 10000, noReset: true, platfodeviceManufacturer: Google, deviceModel: Pixel 5, deviceScreenDensity: 440, deviceScreenSize: 1080x javascriptEnabled: true, locationContextEnabled: fnewCommandTimeout: 10000, noReset: true, pixel platformName: Android, platformVersion: 11, stativiewportRect: {height: 2015, left: 0, top: 145, width false} Session ID: 318306d0-e371-4b24-a494-483b45429c4*** Element info: {Using=xpath, value=(//android.vat jdk.internal.reflect.GeneratedConstructorAccess at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstatorg.openqa.selenium.remote.http.W3CHttpResp(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResp(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResp(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExect158) at io.appium.java_client.remote.AppiumCommand(AppiumCommandExecutor.java:231) at org.openqa.selenium.remote.RemoteWebDriver.at io.appium.java_client.DefaultGenericMobileDrivijava:42) at io.appium.java_client.DefaultGenericMobileDrivijava:42) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.execute(AppiumCommanity).	mator2, deviceName: Android-Test, ormName: android}, deviceApiLevel: 30 deviceName: 0C241FDD40043P, 2340, deviceUDID: 0C241FDD40043P, false, networkConnectionEnabled: true, Ratio: 2.75, platform: LINUX, BarHeight: 145, takesScreenshot: true, : 1080}, warnings: {}, webStorageEnable and widget.ImageView)[1]} sor19.newInstance(Unknown Source) ctorAccessorImpl.newInstance nce(Constructor.java:490) onseCodec.createException onseCodec.decode cutor.execute(HttpCommandExecutor.java:490) faceCodec.decode executor.execute(HttpCommandExecutor.java:490) faceCodec.decode executor.execute(HttpCommandExecutor.java:490) faceCodec.decode

```
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.babylon.BabylonHealthAssessmentScreen.clickOnDigitalTwin
(BabylonHealthAssessmentScreen.java:134)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.clickOnDigitalTwin
(BabylonSteps.java:350)
at .And I click on "Back" link on digital twin screen(features/ph/health/BabylonHRA_Report.
feature:131)
```

After			0.00s
Back to Table of Contents			
Scenario: User should be	able to access Babylon	HRA - Healthcheck - Nutrition	
Passed: 0	Failed: 1	Undefined: 3	Duration: .04s
Before			0.00s
When I click on "Nut	rition" link on digital ty	vin screen	0.04s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server.

Original error: socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 318306d0-e371-4b24-a494-483b45429c41

```
*** Element info: {Using=xpath, value=//android.widget.TextView[contains
(@text,'Nutrition')]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.babylon.BabylonHealthAssessmentScreen.clickOnDigitalTwin
(BabylonHealthAssessmentScreen.java:122)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.clickOnDigitalTwin
(BabylonSteps.java:350)
at .When I click on "Nutrition" link on digital twin screen(features/ph/health
/BabylonHRA Report.feature:134)
```

TIL . T C . 41		nt'' link on digital twin screen	
	HRA Results are		0.00s
	aReport.nutrition.r	etake}	
ter			0.00s
ck to Table of Conter			
		creen and validate the static to	
sed: 0	Failed: 1	Undefined: 1	Duration: .02
fore			0.00s
And I click on "I	Back" link on digita	al twin screen	0.02s
System info: hos os.version: '10.0' Driver info: io.aj Capabilities {appuat, autoDismiss desired: {appActautoDismissAlernewCommandTideviceManufactadeviceScreenDerjavascriptEnablenewCommandTiplatformName: AviewportRect: {hfalse} Session ID: 3183*** Element infoat jdk.internal.roat java.base/jdk. (DelegatingConsat java.base/javaat org.openqa.se (W3CHttpRespoat org.openqa.se)	on: '3.12.0', revision t: 'TM003LSIN', ip , java.version: '11.0 pium.java_client.a pActivity: com.prud Alerts: true, automation tivity: com.prudent ts: true, automation meout: 10000, noR meout: 10000, noR Android, platform height: 2015, left: 0, 06d0-e371-4b24-a4 o: {Using=xpath, value effect.GeneratedCo internal.reflect.DeletructorAccessorIm hand.reflect.Constr lenium.remote.http onseCodec.java:187	android.AndroidDriver dential.pulse.MainAc, appPortionName: UiAutomator2, detial.pulse.MainAc, appPackatial.pulse.MainAc, appPackatial.pulse.MainAc	Vindows 10', os.arch: 'amdo cackage: com.prudential.pul databaseEnabled: false, age: com.prudential.pulse.u ceName: Android-Test, droid}, deviceApiLevel: 30 cocceptioned: 30 cocceptioned: true, datform: LINUX, 45, takesScreenshot: true, dings: {}, webStorageEnables View)[1]} cance(Unknown Source) dmpl.newInstance
(W3CHttpRespo at org.openqa.se 158) at io.appium.jav	onseCodec.java:122 lenium.remote.http onseCodec.java:49) lenium.remote.Http a_client.remote.Ap	p.W3CHttpResponseCodec.de b.W3CHttpResponseCodec.de pCommandExecutor.execute(ppiumCommandExecutor.execute(ecode HttpCommandExecutor.ja
(W3CHttpRespo at org.openqa.se. 158) at io.appium.jav (AppiumComma at org.openqa.se.	onseCodec.java:122 lenium.remote.http onseCodec.java:49) lenium.remote.Http a_client.remote.Ap andExecutor.java:2 lenium.remote.Ren	p.W3CHttpResponseCodec.de b.W3CHttpResponseCodec.de pCommandExecutor.execute(ppiumCommandExecutor.execute(ecode HttpCommandExecutor.ja cute oteWebDriver.java:543)

```
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:62)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  java:419)
  at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
  19)
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.babylon.BabylonHealthAssessmentScreen.clickOnDigitalTwin
  (BabylonHealthAssessmentScreen.java:134)
  at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.clickOnDigitalTwin
  (BabylonSteps.java:350)
  at .And I click on "Back" link on digital twin screen(features/ph/health/BabylonHRA Report.
  feature:143)
After
                                                                                0.00s
Back to Table of Contents
Scenario: navigate back to digital twin screen
                        Failed: 1
Passed: 0
                                               Undefined: 0
                                                                                Duration: .03s
                                                                                0.00s
Before
  And I click on "Back" link on digital twin screen
                                                                               0.03s
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java_client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
  autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
```

```
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
Session ID: 318306d0-e371-4b24-a494-483b45429c41
*** Element info: {Using=xpath, value=(//android.widget.ImageView)[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.babylon.BabylonHealthAssessmentScreen.clickOnDigitalTwin
(BabylonHealthAssessmentScreen.java:134)
```

```
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.clickOnDigitalTwin
  (BabylonSteps.java:350)
  at .And I click on "Back" link on digital twin screen(features/ph/health/BabylonHRA Report.
  feature:149)
                                                                                0.00s
After
Back to Table of Contents
Scenario: User should be able to access Babylon HRA - Healthcheck - Activity
                        Failed: 1
Passed: 0
                                               Undefined: 3
                                                                                Duration: .03s
Before
                                                                                0.00s
  When I click on "Activity" link on digital twin screen
                                                                                0.03s
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java_client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
  autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
  newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
  deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
  deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
  javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
  newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
  platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
  viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
  false}
  Session ID: 318306d0-e371-4b24-a494-483b45429c41
  *** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Activity')]}
  at idk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
  (DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
  (W3CHttpResponseCodec.java:187)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:122)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:49)
  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
  158)
  at io.appium.java_client.remote.AppiumCommandExecutor.execute
  (AppiumCommandExecutor.java:231)
  at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
```

```
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:62)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  java:419)
  at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
  19)
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.babylon.BabylonHealthAssessmentScreen.clickOnDigitalTwin
  (BabylonHealthAssessmentScreen.java:126)
  at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.clickOnDigitalTwin
  (BabylonSteps.java:350)
  at .When I click on "Activity" link on digital twin screen(features/ph/health
  /BabylonHRA_Report.feature:152)
                                                                                0.00s
After
Back to Table of Contents
Scenario: Navigate back to Activity screen and validate the static text
                       Failed: 1
                                               Undefined: 1
Passed: 0
                                                                                Duration: .03s
Before
                                                                                0.00s
  And I click on "Back" link on digital twin screen
                                                                               0.03s
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
```

```
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 318306d0-e371-4b24-a494-483b45429c41
*** Element info: {Using=xpath, value=(//android.widget.ImageView)[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
```

```
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  19)
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.babylon.BabylonHealthAssessmentScreen.clickOnDigitalTwin
  (BabylonHealthAssessmentScreen.java:134)
  at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.clickOnDigitalTwin
  (BabylonSteps.java:350)
  at .And I click on "Back" link on digital twin screen(features/ph/health/BabylonHRA Report.
  feature:162)
After
                                                                                0.00s
Back to Table of Contents
Scenario: navigate back to digital twin screen
                        Failed: 1
Passed: 0
                                               Undefined: 0
                                                                                Duration: .04s
Before
                                                                                0.00s
  And I click on "Back" link on digital twin screen
                                                                                0.04s
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
  autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
  newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
  deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
  deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
  javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
  newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
  platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
  viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
  false}
  Session ID: 318306d0-e371-4b24-a494-483b45429c41
  *** Element info: {Using=xpath, value=(//android.widget.ImageView)[1]}
  at idk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
  (DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
  (W3CHttpResponseCodec.java:187)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:122)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
```

```
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
iava:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.babylon.BabylonHealthAssessmentScreen.clickOnDigitalTwin
(BabylonHealthAssessmentScreen.java:134)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.clickOnDigitalTwin
(BabylonSteps.java:350)
at .And I click on "Back" link on digital twin screen(features/ph/health/BabylonHRA_Report.
feature: 168)
```

After			0.00s		
Back to Table of Contents					
Scenario: User should be able to access Babylon HRA - Healthcheck - Mood					
Passed: 0	Failed: 1	Undefined: 3	Duration: .03s		
Before			0.00s		
When I click on "Moo	d'' link on digita	l twin screen	0.03s		
org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'					

```
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 318306d0-e371-4b24-a494-483b45429c41
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Mood')]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
```

```
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  19)
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.babylon.BabylonHealthAssessmentScreen.clickOnDigitalTwin
  (BabylonHealthAssessmentScreen.java:130)
  at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.clickOnDigitalTwin
  (BabylonSteps.java:350)
  at .When I click on "Mood" link on digital twin screen(features/ph/health
  /BabylonHRA_Report.feature:171)
After
                                                                                 0.00s
Back to Table of Contents
Scenario: navigate back to digital twin screen
Passed: 0
                        Failed: 1
                                               Undefined: 0
                                                                                 Duration: .03s
Before
                                                                                 0.00s
  And I click on "Back" link on digital twin screen
                                                                                 0.03s
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
  autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
  newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
  deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
  deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
  javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
  newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
  platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
  viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
  false}
  Session ID: 318306d0-e371-4b24-a494-483b45429c41
  *** Element info: {Using=xpath, value=(//android.widget.ImageView)[1]}
  at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
  (DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
```

```
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
     (W3CHttpResponseCodec.java:187)
     at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
     (W3CHttpResponseCodec.java:122)
     at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
     (W3CHttpResponseCodec.java:49)
     at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
     at io.appium.java_client.remote.AppiumCommandExecutor.execute
     (AppiumCommandExecutor.java:231)
     at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
     at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
     java:42)
     at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
     at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
     at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
     at io.appium.java client.DefaultGenericMobileDriver.findElement
     (DefaultGenericMobileDriver.java:62)
     at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
     at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
     at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
     java:419)
     at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
     (DefaultGenericMobileDriver.java:152)
     at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
     at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
     at org.openga.selenium.By$ByXPath.findElement(By.java:353)
     at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
     at io.appium.java client.DefaultGenericMobileDriver.findElement
     (DefaultGenericMobileDriver.java:58)
     at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
     at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
     at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
     at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
     19)
     at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
     at com.onepulse.app.screens.babylon.BabylonHealthAssessmentScreen.clickOnDigitalTwin
     (BabylonHealthAssessmentScreen.java:134)
     at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.clickOnDigitalTwin
     (BabylonSteps.java:350)
     at .And I click on "Back" link on digital twin screen(features/ph/health/BabylonHRA_Report.
     feature:181)
                                                                                 0.00s
  After
  Back to Table of Contents
Feature: Verify Consult doctor functionality on Pulse Health
                                     Undefined: 0
Passed: 0
                 Failed: 14
                                                             Duration: 562.54s
  Scenario: Verify the Home screen validation using "Continue with Email"
                                                                                 Duration: 162.16
  Passed: 15
                            Failed: 1
                                                  Undefined: 1
                                                                                 0.00s
  Before
```

	Given I generate random number and assign to variable "RANDOM_NUMBER"	0.00s			
	And I assign ''pulse\${RANDOM_NUMBER}@mailsac.com'' to variable ''PULSE_EMAIL''	0.00s			
	And User has pulse app	8.82s			
	Then I wait for 2 sec	2.00s			
	And user click on "CONTINUE WITH EMAIL" with Email button	14.01s			
	Then I wait for 2 sec	2.00s			
	Then I change the country as required on registration page	23.12s			
	Then I wait for 2 sec	2.00s			
	Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button				
	Then I wait for 2 sec	2.01s			
	When user enters registration details	7.15s			
	FirstName testAutomation				
	LastName testAutomation				
	Email \${PULSE_EMAIL}				
	Password Pas\$1234				
		0.42s			
	And taps on continue "Sign_Up" button And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	32.97s			
	Then I wait for 2 sec				
		2.00s			
	Then I click skip button	18.86s			
	Then user should be landed to "Home" screen	42.94s			
	java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:94) at org.testng.Assert.failNotEquals(Assert.java:513) at org.testng.Assert.assertTrue(Assert.java:42) at org.testng.Assert.assertTrue(Assert.java:52) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.landingPageValidation (LoginSteps.java:92)				
	at org.testng.Assert.failNotEquals(Assert.java:513) at org.testng.Assert.assertTrue(Assert.java:42) at org.testng.Assert.assertTrue(Assert.java:52) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.landingPageValida (LoginSteps.java:92)				
	at org.testng.Assert.failNotEquals(Assert.java:513) at org.testng.Assert.assertTrue(Assert.java:42) at org.testng.Assert.assertTrue(Assert.java:52) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.landingPageValida (LoginSteps.java:92) at .Then user should be landed to "Home" screen(features/ph/health/ConsultDo				
	at org.testng.Assert.failNotEquals(Assert.java:513) at org.testng.Assert.assertTrue(Assert.java:42) at org.testng.Assert.assertTrue(Assert.java:52) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.landingPageValida (LoginSteps.java:92) at .Then user should be landed to "Home" screen(features/ph/health/ConsultDogad)	octor.feature:			
A C	at org.testng.Assert.failNotEquals(Assert.java:513) at org.testng.Assert.assertTrue(Assert.java:42) at org.testng.Assert.assertTrue(Assert.java:52) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.landingPageValida (LoginSteps.java:92) at .Then user should be landed to "Home" screen(features/ph/health/ConsultDocation of the property of th	octor.feature:			
	at org.testng.Assert.failNotEquals(Assert.java:513) at org.testng.Assert.assertTrue(Assert.java:42) at org.testng.Assert.assertTrue(Assert.java:52) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.landingPageValida (LoginSteps.java:92) at .Then user should be landed to "Home" screen(features/ph/health/ConsultDogat) Then I wait for 4 sec	octor.feature:			
Bac	at org.testng.Assert.failNotEquals(Assert.java:513) at org.testng.Assert.assertTrue(Assert.java:42) at org.testng.Assert.assertTrue(Assert.java:52) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.landingPageValida (LoginSteps.java:92) at .Then user should be landed to "Home" screen(features/ph/health/ConsultDogg) Then I wait for 4 sec Step Contents	octor.feature:			
Bac	at org.testng.Assert.failNotEquals(Assert.java:513) at org.testng.Assert.assertTrue(Assert.java:42) at org.testng.Assert.assertTrue(Assert.java:52) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.landingPageValida (LoginSteps.java:92) at .Then user should be landed to "Home" screen(features/ph/health/ConsultDogat) Then I wait for 4 sec fter tek to Table of Contents cenario: Verify the online consultation screen user fields	0.00s 0.00s			
Bac Sco Pas	at org.testng.Assert.failNotEquals(Assert.java:513) at org.testng.Assert.assertTrue(Assert.java:42) at org.testng.Assert.assertTrue(Assert.java:52) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.landingPageValida (LoginSteps.java:92) at .Then user should be landed to "Home" screen(features/ph/health/ConsultDogation of the second of the se	0.00s 0.00s Duration: 81.94s			
Bac Sco Pas	at org.testng.Assert.failNotEquals(Assert.java:513) at org.testng.Assert.assertTrue(Assert.java:42) at org.testng.Assert.assertTrue(Assert.java:52) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.landingPageValida (LoginSteps.java:92) at .Then user should be landed to "Home" screen(features/ph/health/ConsultDogat) Then I wait for 4 sec fter tek to Table of Contents cenario: Verify the online consultation screen user fields	0.00s 0.00s			
Bac Sco Pas	at org.testng.Assert.failNotEquals(Assert.java:513) at org.testng.Assert.assertTrue(Assert.java:42) at org.testng.Assert.assertTrue(Assert.java:52) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.landingPageValida (LoginSteps.java:92) at .Then user should be landed to "Home" screen(features/ph/health/ConsultDogation of the second of the se	0.00s 0.00s Duration: 81.94s			
Bac Sco Pas	at org.testng.Assert.failNotEquals(Assert.java:513) at org.testng.Assert.assertTrue(Assert.java:42) at org.testng.Assert.assertTrue(Assert.java:52) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.landingPageValida (LoginSteps.java:92) at .Then user should be landed to "Home" screen(features/ph/health/ConsultDot 24) Then I wait for 4 sec fter ck to Table of Contents senario: Verify the online consultation screen user fields ssed: 2 Failed: 1 Undefined: 2 efore	0.00s 0.00s Duration: 81.94s 0.00s			
Bac Sco Pas	at org.testng.Assert.failNotEquals(Assert.java:513) at org.testng.Assert.assertTrue(Assert.java:42) at org.testng.Assert.assertTrue(Assert.java:52) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.landingPageValida (LoginSteps.java:92) at .Then user should be landed to "Home" screen(features/ph/health/ConsultDot 24) Then I wait for 4 sec fter ck to Table of Contents tenario: Verify the online consultation screen user fields ssed: 2 Failed: 1 Undefined: 2 efore Given I clicks on Health button	0.00s 0.00s 0.00s Duration: 81.94s 0.00s 31.38s			
Bac Scc Pass Be	at org.testng.Assert.failNotEquals(Assert.java:513) at org.testng.Assert.assertTrue(Assert.java:42) at org.testng.Assert.assertTrue(Assert.java:52) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.landingPageValida (LoginSteps.java:92) at .Then user should be landed to "Home" screen(features/ph/health/ConsultDot24) Then I wait for 4 sec Step	0.00s 0.00s 0.00s			

(PulseHealthScreen.java			
		ocuisteps.MyDocUiSteps.	
iNavigateToOnlineCons			D - 4 - (C - 4 20)
		screen(features/ph/health/Consult	
			0.00s
registration page			
Online Consultation			
First Name / Given N			
Last Name / Family N	Name		
Email			
County of Residence			
And I scroll down			0.00s
3:29 ᠿ № 🖽 🖶			
Date of Birth What is your date of birth? Please enter your date of birth for best health recommendations.			
Date of Birth	Hb.		
DD-MM-YYYY			
Continue			
Guinne			
A C/			0.00
After			0.00s
Back to Table of Contents			
		een user fields after swipe down	
Passed: 1	Failed: 1	Undefined: 0	Duration: 37.78s
Before			0.00s
And I scroll down			0.005
Then user verify the foll			4.45s
	owing texts are d	isplayed on "Online Consultation"	4.45s
registration page	owing texts are d	isplayed on "Online Consultation"	4.45s
registration page Address (zipcode)	owing texts are d	isplayed on ''Online Consultation''	4.45s
	owing texts are d	isplayed on "Online Consultation"	4.45s
Address (zipcode) NRIC/FIN	owing texts are d	isplayed on "Online Consultation"	4.45s
Address (zipcode) NRIC/FIN NRIC/FIN Image	owing texts are d	isplayed on "Online Consultation"	4.45s
Address (zipcode) NRIC/FIN	owing texts are d	isplayed on "Online Consultation"	4.45s


Address (zipcode) text is displayed on page Online Consultation expected [true] but found [false],

NRIC/FIN text is displayed on page Online Consultation expected [true] but found [false], NRIC/FIN Image text is displayed on page Online Consultation expected [true] but found [false],

Phone text is displayed on page Online Consultation expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)

at com.onepulse.app.stepdefinitions.mydocuisteps.MyDocUiSteps.

userVerifyTheFollowingTextsAreDisplayedOnRegistrationPage(MyDocUiSteps.java:117) at .Then user verify the following texts are displayed on ''Online Consultation'' registration page(features/ph/health/ConsultDoctor.feature:44)



After			0.00s			
Back to Table of Contents						
Scenario: Verify User should	Scenario: Verify User should be able to enter address and zipcode					
Passed: 0						
Before	Before 0.00s					
Then I enter "\${address	}" and "\${zipcode}"		22.17s			

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions

/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',

os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.


uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,

```
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: e4ee385a-41d7-4da1-b02d-2d829877a259
*** Element info: {Using=xpath, value=//android.widget.EditText[@text='Address (e.g. street,
apartment name, etc)']}
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
```

at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:260) at com.onepulse.app.screens.mydoc.MyDocRegistrationScreen.enterAddressAndZipcode (MyDocRegistrationScreen.java:715)

at com.onepulse.app.stepdefinitions.mydocuisteps.MyDocUiSteps.iEnterAnd(MyDocUiSteps.java:142)

at .Then I enter "\${address}" and "\${zipcode}"(features/ph/health/ConsultDoctor.feature:52)



Af	ter			0.00s			
Bac	Back to Table of Contents						
Sc	Scenario: Verify User should be able to upload NRIC Image in Online Consultation screen						
Pas	ssed: 1	Failed: 1	Undefined: 1	Duration: 35.84s			
Be	Before 0.00s						
	Then I wait for 5 sec 5.01s						
	Then I enter the mandat	ory fields "\${NRIC}"		30.83s			

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions

/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'


System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',

os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,

```
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: e4ee385a-41d7-4da1-b02d-2d829877a259
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='NRIC/FIN']
/following::android.widget.EditText[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:260)
at com.onepulse.app.screens.mydoc.MyDocRegistrationScreen.enterNric
(MyDocRegistrationScreen.java:646)
at com.onepulse.app.stepdefinitions.mydocuisteps.MyDocUiSteps.iEnterTheMandatoryFields
```



Breathing difficulty text is displayed on page expected [true] but found [false],
Chest pain text is displayed on page expected [true] but found [false],
Weakness in arms or legs text is displayed on page expected [true] but found [false],
Speech difficulty text is displayed on page expected [true] but found [false],
Loss of consciousness text is displayed on page expected [true] but found [false],
Suicidal or homicidal thoughts text is displayed on page expected [true] but found [false],
Seizures text is displayed on page expected [true] but found [false],
Bleeding text is displayed on page expected [true] but found [false],
Confusion and/or hallucinations text is displayed on page expected [true] but found [false],
Broken bones text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen
(MyDocSteps.java:717)

After			0.00s				
Back to Table of	Back to Table of Contents						
Scenario: Ver	Scenario: Verify User can able to chat with chatbot symptoms checker						
Passed: 0	Failed: 1	Undefined: 0	Duration: 14.17s				
Before	Before 0.00s						
When Han	dle Emergency symptoms q	uestions for doctor consult	14.17s				

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no-such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',

```
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: e4ee385a-41d7-4da1-b02d-2d829877a259
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='None of the
above']}
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
```

at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141)

at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19)


at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)

at com.onepulse.app.screens.mydoc.MyDocMedicalProfileScreen.

handleEmergencySymptomQues(MyDocMedicalProfileScreen.java:54)

at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.handleEmergencySymptomQues (MyDocSteps.java:179)

at .When Handle Emergency symptoms questions for doctor consult(features/ph/health/ConsultDoctor.feature:75)



Aitei			0.008
Back to Table of Conter	<u>its</u>		
Scenario: Verify Us first time user	er should be presented	with the sample text on the Mo	edical Profile screen as a
Passed: 1	Failed: 1	Undefined: 0	Duration: 10.78s
Before			0.00s
And Verify Medi	ical Profile screen is dis	played	8.36s
And Verify the S	ample Text on the text	fields of the Medical Profile	2.42 s
Allergies	Enter 'None' if n	o allergies	
Medical Cond	litions Enter 'None' if n	o medical conditions	
Medications	Enter 'None' if n	o medications	

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

```
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
Session ID: e4ee385a-41d7-4da1-b02d-2d829877a259
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Allergies']
/following::android.widget.EditText[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
```

(DefaultGenericMobileDriver.java:58)

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at com.onepulse.app.screens.TestBasePage.getElementText(TestBasePage.java:254)

at com.onepulse.app.screens.mydoc.MyDocMedicalProfileScreen.validateMedProfSampleText (MyDocMedicalProfileScreen.java:171)

at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.validateMedProfSampleText (MyDocSteps.java:671)

at .And Verify the Sample Text on the text fields of the Medical Profile(features/ph/health/ConsultDoctor.feature:79)




er			0.00s			
Back to Table of Contents						
nario: Verify User shou	ld be able to create t	he medical profile				
sed: 0	Failed: 1	Undefined: 1	Duration: 18.77s			
ore			0.00s			
When I enter Medical P	rofile details as belo	W	18.77s			
Allergies	None					
Medical Conditions	None					
Medications	None	1				
EmergencyContact N	Name Pulse QA					
Emergency Contact 1	Name Pulse					
Emergency Contact 1	Number 98066613					
]	cto Table of Contents nario: Verify User shou ed: 0 ore When I enter Medical P Allergies Medical Conditions Medications EmergencyContact N Emergency Contact N	rario: Verify User should be able to create to ed: 0 Failed: 1 Ore When I enter Medical Profile details as below Allergies Medical Conditions Medications EmergencyContact Name None Pulse QA	rario: Verify User should be able to create the medical profile ed: 0			

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no-such_element.html

```
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
Session ID: e4ee385a-41d7-4da1-b02d-2d829877a259
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Allergies']
/following::android.widget.EditText[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
```



The amount will be charged to your card after the video consultation concludes.

Total Amount

java.lang.AssertionError: The following asserts failed:

Payment text is displayed on page expected [true] but found [false],

Teleconsultation text is displayed on page expected [true] but found [false],

Payment Method text is displayed on page expected [true] but found [false],

Credit/Debit Card text is displayed on page expected [true] but found [false],

Voucher text is displayed on page expected [true] but found [false],

The fee covers a video consultation.. text is displayed on page expected [true] but found [false],

The cost of medication is not included. text is displayed on page expected [true] but found [false],

When will I be charged? text is displayed on page expected [true] but found [false],

The amount will be charged to your card after the video consultation concludes. text is displayed on page expected [true] but found [false],

Total Amount text is displayed on page expected [true] but found [false]

at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)

at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:717)

at .And I verify following texts are displayed(features/ph/health/ConsultDoctor.feature:95)

Then I read the amount and stored into variable "PAYMENT_AMOUNT"	0.00s
And I click on Continue button	0.00s

Back to Table of Contents

After

Scenario: Verify User should be able enter the card details

Section 1 carry each sale and section and the contract carry and the car					
Passed: 0	Failed: 1	Undefined: 4	Duration: .06s		
Refore			0.00s		

When I click on Add New Card button

0.06s

0.00s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: e4ee385a-41d7-4da1-b02d-2d829877a259

```
*** Element info: {Using=xpath, value=//android.view.View[@text='Add new cards']}
at idk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.jaya client.android.AndroidDriver.findElementByXPath(AndroidDriver.jaya:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.mydoc.MyDocPaymentDetailsScreen.clickAddNewCardButton
(MyDocPaymentDetailsScreen.java:92)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.clickAddNewCardButton
(MyDocSteps.java:308)
at .When I click on Add New Card button(features/ph/health/ConsultDoctor.feature:111)
```

Expiration Date					
	0822				
Card Number An	droid 4111 1111	1111 1111			
Expiration Date A	android 08 / 22				
And I click on Confi	rm Payment Metho	od button			0.00s
Then I wait for 10 se	c				0.00s
ter					0.00s
ck to Table of Contents					
enario: Verify User sl	nould be able see tl	he added card s	successfully		
ssed: 0	Failed: 1	Undefin	ned: 0		Duration: .04
fore		·			0.00s
Then I verify the my	card added succes	sfully			0.04s
Capabilities {appAct uat, autoDismissAler	ivity: com.prudent	•	Ac, appPa		•
	ivity: com.prudent ts: true, automation c: com.prudential.prue, automationNa ut: 10000, noReset Google, deviceMo 440, deviceScreen rue, locationConte ut: 10000, noReset coid, platformVers tt: 2015, left: 0, top	tial.pulse.Main.conName: UiAutopulse.MainActme: UiAutomat: true, platformodel: Pixel 5, den Size: 1080x234xtEnabled: falst: true, pixelRation: 11, statBato: 145, width: 102d829877a259	Ac, appPacomator2, da , appPackag tor2, deviced nName: and eviceName: (do, deviceUE) ee, networkC tio: 2.75, pla rHeight: 145 080}, warnin	tabaseEnab ge: com.prud Name: And lroid}, device 0C241FDD4 0ID: 0C241I ConnectionE atform: LIN 5, takesScreengs: {}, webs	oled: false, dential.pulse.us roid-Test, eApiLevel: 30, 10043P, FDD40043P, Cnabled: true, UX, enshot: true, StorageEnable


```
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  java:42)
  at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
  at io.appium.java_client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:62)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  java:419)
  at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java client.AppiumDriver.findElementBvXPath(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.mydoc.MyDocPaymentDetailsScreen.verifyAddedCard
  (MyDocPaymentDetailsScreen.java:139)
  at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.
  iVerifyTheMyCardAddedSuccessfully(MyDocSteps.java:819)
  at .Then I verify the my card added successfully(features/ph/health/ConsultDoctor.feature:124)
                                                                               0.00s
After
Back to Table of Contents
Scenario: Verify User should be able to start online pre consultation
                          Failed: 1
                                               Undefined: 8
Passed: 0
                                                                                Duration: .08s
Before
                                                                               0.00s
  And I response to the pre consultation questions
                                                                               0.08s
     firstResponse
                     Feverish
     secondResponse Couple of days
  org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java_client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
```

```
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: e4ee385a-41d7-4da1-b02d-2d829877a259
*** Element info: {Using=xpath, value=//android.widget.EditText}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:260)
```

Then verify user details		o add? o select No or Yes options to ty	0.008
Then I wait for 5			0.00s
Then I wait for 5	o sec owing texts are display	o d	0.00s 0.00s
	owing texts are display	eu	0.008
Please Note Make sure vo	and in an area where	wour device has good internet	connectivity
		your device has good internet	
		sent, it cannot be recalled or c	
		ation to start is 10-20 minutes.	
Then I wait for 5		om the doctor and medical co	0.00s
Then I click on s			0.00s
	owing texts are display	ed	0.00s
		en your doctor confirms the re	
_	we will notify you will	en your doctor commins the re	
fter			0.00s
ck to Table of Conter			
<u> </u>		he allocated doctor details	
ssed: 2	Failed: 1	Undefined: 1	Duration: 5.07
efore			0.00s
Then I wait for 5	5 sec		5.01s
And I click on M	IyDoc Back button		0.03s
When I access he	ealth Consultation Sum	nmary	0.03s

```
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
     newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
     deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
     deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
     javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
     newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
     platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
     viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
     false}
     Session ID: e4ee385a-41d7-4da1-b02d-2d829877a259
     at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
     at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
     (DelegatingConstructorAccessorImpl.java:45)
     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
     at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
     (W3CHttpResponseCodec.java:187)
     at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
     (W3CHttpResponseCodec.java:122)
     at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
     (W3CHttpResponseCodec.java:49)
     at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
     at io.appium.java client.remote.AppiumCommandExecutor.execute
     (AppiumCommandExecutor.java:231)
     at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
     at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
     java:46)
     at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
     at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
     at org.openqa.selenium.remote.
     RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.
     iava:804)
     at com.onepulse.app.screens.TestBasePage.scrollPageUP(TestBasePage.java:377)
     at com.onepulse.app.screens.mydoc.MyDocConsultationSummary.
     naviGateToMyDocConsultationSummary(MyDocConsultationSummary,java:139)
     at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.
     naviGateToMyDocConsultationSummary(MyDocSteps.java:361)
     at .When I access health Consultation Summary(features/ph/health/ConsultDoctor.feature:
     153)
   After
                                                                                 0.00s
  Back to Table of Contents
Feature: Verify User should be able to Download as PDF Files & Validate the details in downloaded
Mydoc Documents.
Passed: 0
                  Failed: 8
                                     Undefined: 0
                                                              Duration: 147.52s
  Scenario: Verify User should be able to navigate to Consultation Summary and see all available
  Files
                                                                                  Duration: 105.95
  Passed: 9
                          Failed: 1
                                                 Undefined: 3
```

id.consultdoctor}'' to variable	10.22
id.consultdoctor}'' to variable	10.32s
	0.00s
	7.32s
	9.49s
L)	
n	0.33s
	10.00s
pp for user email "\${PULSE_EMAIL}"	30.96s
'Home'' screen	13.81s
ords screen	7.81s
s are displayed in medical records screen	15.90s
assertAll(SoftAssert.java:43) ions.mobilesteps.MyDocSteps. isplayedInMedicalRecordsScreen(MyDocS exts are displayed in medical records screen	
istory link	0.00s
displayed	0.00s
tory screen back button	0.00s



Af	ter			0.00s			
Ba	Back to Table of Contents						
Sc	Scenario: Verify User should be able to see the Referral, Prescription and eMC Documents						
Pas	ssed: 0	Failed: 1	Undefined: 3	Duration: 8.2s			
Be	Before 0.00s						
	When I click on All M	fy Files link		8.20s			

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'


Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 42b23b06-8de0-41bd-a6cc-7515cf87c215

```
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='All My Files']}
at idk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.jaya client.android.AndroidDriver.findElementByXPath(AndroidDriver.jaya:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.mydoc.MyDocConsultationSummary.clickAllMyFiles
(MyDocConsultationSummary.java:299)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.clickAllMyFiles(MyDocSteps.
at .When I click on All My Files link(features/ph/health/ConsultDoctorExistingUser.feature:
25)
```





After		0.00s		
Back to Table of Contents				
Scenario: Verify User should be able to download eMC Document				
Passed: 0	Failed: 1	Undefined: 2	Duration: 8.11s	
Before			0.00s	

And I click on emc attachment 8.11s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no-such_element.html


Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'


System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,

```
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 42b23b06-8de0-41bd-a6cc-7515cf87c215
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='eMC-11th-January-
2021-13980.pdf']}
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.jaya client.android.AndroidDriver.findElementByXPath(AndroidDriver.jaya:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.mydoc.MyDocConsultationSummary.clickEMCAttachment
(MyDocConsultationSummary.java:402)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.clickEmcAttachment
(MvDocSteps.java:492)
at .And I click on emc attachment(features/ph/health/ConsultDoctorExistingUser.feature:35)
```





After			0.00s		
Back to Table of Contents					
Scenario: Verify User should be able to download Prescription Document					
Passed: 0	Failed: 1	Undefined: 2	Duration: 12.26s		
Before			0.00s		
Then I open the Prescription 12.26s					

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'


System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'


Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 42b23b06-8de0-41bd-a6cc-7515cf87c215

```
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Prescription-11th-
January-2021-KJRYHM3H2BRB.pdf']}
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.mydoc.MyDocConsultationSummary.openPrescription
(MyDocConsultationSummary.java:696)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.openPrescription(MyDocSteps.
java:753)
at .Then I open the Prescription(features/ph/health/ConsultDoctorExistingUser.feature:48)
```





After			0.00s	
Back to Table of Contents				
Scenario: Verify User should be able to download the Referral Document				
Passed: 0	Failed: 1	Undefined: 2	Duration: 12.96s	
Before			0.00s	
Then I open the referral 12,96s				

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'


System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'


Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 42b23b06-8de0-41bd-a6cc-7515cf87c215

```
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Referral-11th-
January-2021-KJRYIP3O2BRB.pdf']}
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.jaya client.AppiumDriver.findElementByXPath(AppiumDriver.jaya:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.mydoc.MyDocConsultationSummary.openReferral
(MyDocConsultationSummary.java:672)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.openReferral(MyDocSteps.java:
at .Then I open the referral(features/ph/health/ConsultDoctorExistingUser.feature:61)
```





sed: 1	Failed: 1	Undefined:	0	Duration: 42.15s	
Scenario: U Gmail''	ser should be able	to login on app	with correct cr	edentials using "Contin	iue with
Passed: 8	Failed	1: 0	Undefined: 0		Duration: 41.09
Before					0.00s
Given Us	ser has pulse app				12.69s
And I assign "\${onepulse.login.global.idsetting}" to variable "PULSE_EMAIL"					
	navigate to login pa		- 0,		7.39s
	ser enters credentia				10.57s
	Name \${PULSE_EN				
	vord \${login.myset				
And User clicks on signin button					0.34s
	vait for 10 sec				10.00s
	ter OTP in one pul	lse app for user	email ''\${PULS		0.05s
	er should be landed				0.06s
After					0.00s
Back to Table	of Contents				
	erify the popup for	r Health page is	display proper	v	
Passed: 2	Failed		Undefined: 7		Duration: 1.06
Before					0.00s
					0.03s

And I wait for 1 sec	1.01s				
Then I scroll down	0.02s				
org.openqa.selenium.WebDriverException: An unknown server-side erro	r occurred while				
processing the command. Original error: Could not proxy command to th					
Original error: socket hang up					
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:					
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',					
os.version: '10.0', java.version: '11.0.2'					
Driver info: io.appium.java_client.android.AndroidDriver					
Capabilities {appActivity: com.prudential.pulse.MainAc, appPackage: c	om.prudential.pulse.				
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseI	Enabled: false,				
desired: {appActivity: com.prudential.pulse.MainAc, appPackage: com.					
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: A					
newCommandTimeout: 10000, noReset: true, platformName: android}, d					
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241F	DD40043P,				
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C	241FDD40043P,				
javascriptEnabled: true, locationContextEnabled: false, networkConnecti	onEnabled: true,				
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform:	LINUX,				
platformName: Android, platformVersion: 11, statBarHeight: 145, takesS	Screenshot: true,				
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, v	webStorageEnabled:				
false}					
Session ID: 0eba970a-2555-4cb2-8e8e-6e82f76b54cd					
$at\ jdk. internal. reflect. Generated Constructor Accessor 19. new Instance (Unleading the Construction Con$	known Source)				
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance					
(DelegatingConstructorAccessorImpl.java:45)					
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)					
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException					
(W3CHttpResponseCodec.java:187)					
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode					
(W3CHttpResponseCodec.java:122)					
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode					
(W3CHttpResponseCodec.java:49)					
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:					
158)					
at io.appium.java_client.remote.AppiumCommandExecutor.execute					
(AppiumCommandExecutor.java:231)					
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)					
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.					
java:46)					
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)					
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)					
at org.openqa.selenium.remote.					
RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSize(RemoteWebDriver. java:804)					
at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)					
at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:204)					
at com.onepulse.app.screens.restbaser age.scronr ageDown(restbaser age.java:204) at com.onepulse.app.stepdefinitions.mobilesteps.BaseSteps.scrollDown(BaseSteps.java:52)					
at .Then I scroll down(features/ph/health/MyHealthClinic.feature:20)					
And I wait for 2 sec	0.00s				
Then I scroll down	0.00s				

And I wait for 5 sec Then I verify following texts in my heart clinic are Displayed in the popup \${Health.MyeartClinic.AllowStatictext}} Then I verify following button in my heart clinic are Displayed in the popup \${Health.MyeartClinic.WhileUsingtheapptext}} \${Health.MyeartClinic.Onlythistimetext}	0.00s 0.00s 0.00s
Then I verify following texts in my heart clinic are Displayed in the popup \${Health.MyeartClinic.AllowStatictext}} Then I verify following button in my heart clinic are Displayed in the popup \${Health.MyeartClinic.WhileUsingtheapptext}} \${Health.MyeartClinic.Onlythistimetext}).00s
\$\{\text{Health.MyeartClinic.AllowStatictext}\}\$ Then I verify following button in my heart clinic are Displayed in the popup \$\{\text{Health.MyeartClinic.WhileUsingtheapptext}\}\$ \$\{\text{Health.MyeartClinic.Onlythistimetext}\}\$	
Then I verify following button in my heart clinic are Displayed in the popup \${Health.MyeartClinic.WhileUsingtheapptext} \${Health.MyeartClinic.Onlythistimetext}	0.00s
\${Health.MyeartClinic.WhileUsingtheapptext} \${Health.MyeartClinic.Onlythistimetext}	.00s
\${Health.MyeartClinic.WhileUsingtheapptext} \${Health.MyeartClinic.Onlythistimetext}	
\${Health.MyeartClinic.Onlythistimetext}	
\${Health.MyeartClinic.Denytext}	
	0.00s
Back to Table of Contents	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
eature: Verify MY Event channel functionality on one pulse App assed: 2 Failed: 3 Undefined: 0 Duration: 223.64s	
Scenario: Launch the app and select the country as per specified lbu Passed: 6	Duration: 56.81
	0.00s
1 11	0.47 s
7 -	0.00s
	16.67s
o v 1 o 1 o	23.75s
	2.01s
	l.91s
After 0	0.00s
Back to Table of Contents	
Scenario: login to the app with correct credentials using "Continue with Email"	
	Duration: 44.83
Before 0	0.00s
Given I select the language option on toggle bar as required on login page 3	3.55s
When user enters credentials 9	0.75s
UserName \${PULSE_EMAIL}	
Password \${pulse.password}	
).28s
	5.01s
	1.25s
	4.98s
	0.00s
Back to Table of Contents	
Scenario: Verify MyEvent Functionality in Home screen	
	Duration: 77.89
	0.00s
Before	
	0 84c
And I click the MyEvent icons	20.84s 10.01s

And I verify following texts are displayed

You do not have any events enrolled yet

Please choose from the open events and get started

java.lang.AssertionError: The following asserts failed:

You do not have any events enrolled yet text is displayed on page expected [true] but found [false],

Please choose from the open events and get started text is displayed on page expected [true] but found [false]

at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)

at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:717)

at .And I verify following texts are displayed(features/ph/home/MyEvents.feature:25)



After			0.00s	
Back to Table of Contents				
Scenario: Verify Events Archive tab				
Passed: 0	Failed: 1	Undefined: 2	Duration: 28.57s	
Before			0.00s	
And I click the Events Archive icon			28.57s	

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',

os.version: '10.0', java.version: '11.0.2'

```
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: c571ed9b-a819-4438-a4de-c7a9d292e7e9
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Events
Archive')]}
at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
```

at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19)

 $at\ com. one pulse. app. screens. Test Base Page. click Button (Test Base Page. java: 163)$

at com.onepulse.app.screens.CustomerConnectScreen.ClickMyEventsArchive

(CustomerConnectScreen.java:1890)

at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickMyEventsArchive (CustomerConnectSteps.java:590)

at .And I click the Events Archive icon(features/ph/home/MyEvents.feature:30)

And I wait for 40 sec 0.00s
And I verify following texts are displayed 0.00s

You do not have any events in your archive.



After 0.00s

Back to Table of Contents

Scenario: Verify Open Events tab

Passed: 0 Failed: 1 Undefined: 2 Duration: 15.53s
Before 0.00s

And I click the Open Events icon 15.53s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',

os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.

```
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
     desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
     autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
     newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
     deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
     deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
     javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
     newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
     platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
     viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
     Session ID: c571ed9b-a819-4438-a4de-c7a9d292e7e9
     at idk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
     at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
     (DelegatingConstructorAccessorImpl.java:45)
     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
     at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
     (W3CHttpResponseCodec.java:187)
     at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
     (W3CHttpResponseCodec.java:122)
     at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
     (W3CHttpResponseCodec.java:49)
     at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
     158)
     at io.appium.java_client.remote.AppiumCommandExecutor.execute
     (AppiumCommandExecutor.java:231)
     at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
     at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
     java:46)
     at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
     at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
     at org.openga.selenium.remote.
     RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.
     java:804)
     at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)
     at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:204)
     at com.onepulse.app.screens.CustomerConnectScreen.ClickMyOpenEvents
     (CustomerConnectScreen.java:1873)
     at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickMyOpenEvents
     (CustomerConnectSteps.java:586)
     at .And I click the Open Events icon(features/ph/home/MyEvents.feature:36)
                                                                                 0.00s
   After
  Back to Table of Contents
Feature: Verify Free PA with COVID+ Vaccine Protection functionality on one pulse App
                                     Undefined: 0
Passed: 3
                 Failed: 17
                                                             Duration: 153.4s
```

Before			S
			0.00s
Given I genera "RANDOM_N	ate random number and NUMBER''	assign to variable	0.00s
And I assign " "PULSE_EMA	•	IBER}@mailsac.com'' to variable	0.00s
And User has	pulse app		9.96s
Then I wait for	r 2 sec		2.01s
And user click	on "CONTINUE WITH	HEMAIL" with Email button	15.81s
Then I wait fo	r 2 sec		2.01s
Then I change	the country as required	on registration page	23.39s
Then I wait fo			2.01s
	te to pulse registration pa nue with email button	age and select the lang on toggle b	ar then 3.94s
Then I wait for	r 2 sec		2.03s
When user en	ters registration details		7.16s
FirstName	testAutomation		
	testAutomation		
	\${PULSE_EMAIL}		
Password	<u> </u>		0.00
	ontinue "Sign_Up" butto		0.29s
		user email "\${PULSE_EMAIL}"	34.24s
Then I wait fo			2.03s
Then I click sk			18.57s
Then I wait fo			2.01s
Then user sho	uld be landed to "Home"	'' screen	16.98s
at org.testng.A at org.testng.A at org.testng.A at org.testng.A at com.onepul (LoginSteps.ja at .Then user s /Pru_Free_PA	nva:92) should be landed to ''Hon withCOVIDVaccine.feat	ert.java:513) ert.java:513) .java:42) .java:52) obilesteps.LoginSteps.landingPago me'' screen(features/ph/home/prus	shoppe
Then I wait fo	r z sec		0.00s
After			0.00s
Back to Table of Cor			
	te to PRU Shoppe screen		
	T 47 7 0	TT T OF T A	TD 11 00
Passed: 1 Before	Failed: 0	Undefined: 0	Duration: .02s 0.00s

After			0.00s
Back to Table of Conte	nts		<u> </u>
Scenario: Verify fir	est time User are presen	ted with T&C to proceed to th	e Pru Shoppe
assed: 1	Failed: 1	Undefined: 0	Duration: 5.04
Before			0.00s
And I wait for 5	SOC		5.00s
	Proceed button on prusl	honna seraan	0.03s
THEIR I CHEK OH	Toccca button on prusi	noppe sereen	0.038
processing the cooriginal error: 8 Build info: versi System info: hose os.version: '10.0 Driver info: io.a Capabilities {apuat, autoDismiss desired: {appAcautoDismissAlennewCommandT deviceManufact deviceScreenDerjavascriptEnablenewCommandT	ommand. Original error socket hang up on: '3.12.0', revision: '76 ot: 'TM003LSIN', ip: '19 ', java.version: '11.0.2' ppium.java_client.andr pActivity: com.prudention tivity: com.prudential.p ots: true, automation animeout: 10000, noReset urer: Google, deviceMonsity: 440, deviceScreen ed: true, locationContex imeout: 10000, noReset	ion: An unknown server-side or: Could not proxy command of c6e0b3', time: '2018-05-08T14') 22.168.1.124', os.name: 'Windo oid.AndroidDriver ial.pulse.MainAc, appPackage nName: UiAutomator2, databoulse.MainAc, appPackage: ome: UiAutomator2, deviceName: true, platformName: android odel: Pixel 5, deviceName: 0C2 Size: 1080x2340, deviceUDID: xtEnabled: false, networkCong: true, pixelRatio: 2.75, platforion: 11, statBarHeight: 145, ta	to the remote server. :04:26.12Z' ows 10', os.arch: 'amd64' ge: com.prudential.puls aseEnabled: false, com.prudential.pulse.ua ne: Android-Test, d}, deviceApiLevel: 30, 41FDD40043P, c0C241FDD40043P, nectionEnabled: true, cm: LINUX,
false} Session ID: 76ea	.61aa-1dff-4a81-8464-3c o: {Using=xpath, value=	: 145, width: 1080}, warnings: cc2f81ba34b c://android.widget.TextView[@	
		uctorAccessor19.newInstance(
		ingConstructorAccessorImpl.	newInstance
at java.base/java at org.openqa.se (W3CHttpRespo	lenium.remote.http.W3 onseCodec.java:187)	or.newInstance(Constructor.ja CHttpResponseCodec.createE	
(W3CHttpRespo	onseCodec.java:122)	CHttpResponseCodec.decode	
(W3CHttpRespo	onseCodec.java:49)	CHttpResponseCodec.decode	
at org.openqa.se 158)	lenium.remote.HttpCor	mmandExecutor.execute(Http	CommandExecutor.jav
* *		nCommandExecutor.execute	
at org.openqa.se		WebDriver.execute(RemoteWo	
at io.appium.jav at io.appium.jav	a_client.android.Andro	execute(AppiumDriver.java:1 pidDriver.execute(AndroidDriv WebDriver.findElement(Remo	ver.java:1)

```
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PruShoppeScreen.clickProceedBtn(PruShoppeScreen.java:143)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.clickOnProceedBtn
(PruShoppeSteps.java:101)
at .Then I click on Proceed button on prushoppe screen(features/ph/home/prushoppe
/Pru_Free_PAwithCOVIDVaccine.feature:52)
```

Af	fter			0.00s			
Ba	Back to Table of Contents						
Sc	enario: Verify User shou	ld be able to navigate to	o Free PA with COVID+Vaccine F	rotection tile			
Pas	ssed: 1	Failed: 1	Undefined: 1	Duration: 5.05s			
Be	efore			0.00s			
	Then I wait for 5 sec			5.01s			
Then I click on pru Free PA COVID Vaccine protection tile on pascreen			rotection tile on prushoppe	0.04s			

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,

```
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
  viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
  false}
  Session ID: 76ea61aa-1dff-4a81-8464-3cc2f81ba34b
  at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
  (Delegating Constructor Accessor Impl. java: 45)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
  (W3CHttpResponseCodec.java:187)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:122)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:49)
  at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
  at io.appium.java client.remote.AppiumCommandExecutor.execute
  (AppiumCommandExecutor.java:231)
  at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  java:46)
  at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.
  RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.
  java:804)
  at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)
  at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:204)
  at com.onepulse.app.screens.PruShoppeScreen.clickFreePACovidVaccineProtectTile
  (PruShoppeScreen.java:257)
  at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.
  navigateToFreePACovidVaccineProtect(PruShoppeSteps.java:171)
  at .Then I click on pru Free PA COVID Vaccine protection tile on prushoppe screen(features
  /ph/home/prushoppe/Pru_Free_PAwithCOVIDVaccine.feature:57)
After
                                                                               0.00s
Back to Table of Contents
Scenario: Verify Free PA with COVID+Vaccine Protection coverage details and conditions are
listed above Show More link
Passed: 0
                          Failed: 1
                                               Undefined: 0
                                                                               Duration: .07s
                                                                               0.00s
Before
   And I verify following texts are displayed
                                                                               0.07s
     ${pavaccine.package.text}
     ${pavaccine.package.text.package.info.1
     ${pavaccine.package.text.package.info.2}
     ${pavaccine.package.text.package.info.3}
  java.lang.AssertionError: The following asserts failed:
  PA-ADD with COVID-19 and COVID-19 Vaccine Protection Cover text is displayed on page
```

expected [true] but found [false],

Coverage Period: 1 year text is displayed on page expected [true] but found [false],

Guaranteed Php 50,000 lump sum in case of death due to COVID-19 text is displayed on page expected [true] but found [false],

Burial Benefit of Php 10,000 if the Life Assured dies due to natural causes text is displayed on page expected [true] but found [false]

at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)

at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:717)

(MyDucsteps.java./1/)

at .And I verify following texts are displayed(features/ph/home/prushoppe

/Pru_Free_PAwithCOVIDVaccine.feature:61)

After			0.00s				
Back to Table of Contents							
Scenario: Verify the Show More link is clickable in Free PA with COVID+Vaccine Protection screen							
Passed: 1	Failed: 0 Undefined: 0		Duration: .02s				
Before			0.00s				
And user click on follow	ing button ''\${show.mo	ore.text}" on prushoppe screen	0.02s				
After			0.00s				
Back to Table of Contents							
Scenario: Verify the Free Pare listed on click Show Mo		ne Protection coverage details a	nd conditions				
Passed: 0	Failed: 1	Undefined: 0	Duration: .25s				
Before			0.00s				
And I verify following te	xts are displayed		0.00s 0.25s				
And I verify following te	text.package.info.4}						
And I verify following te \$\{pavaccine.package.}	text.package.info.4} text.package.info.5}						
And I verify following te \${pavaccine.package. \${pavaccine.package.	text.package.info.4} text.package.info.5} text.package.info.6.1}						
And I verify following te \${pavaccine.package. \${pavaccine.package. \${pavaccine.package.	text.package.info.4} text.package.info.5} text.package.info.6.1} text.package.info.6.2}						
And I verify following te \${pavaccine.package.} \${pavaccine.package.} \${pavaccine.package.} \${pavaccine.package.} \${pavaccine.package.}	text.package.info.4} text.package.info.5} text.package.info.6.1} text.package.info.6.2}						
And I verify following te \${pavaccine.package.} \${pavaccine.package.} \${pavaccine.package.} \${pavaccine.package.} \${pavaccine.package.}	text.package.info.4} text.package.info.5} text.package.info.6.1} text.package.info.6.2} text.package.info.6.3} text.package.info.6.4}						
And I verify following te \${pavaccine.package.} \${pavaccine.package.} \${pavaccine.package.} \${pavaccine.package.} \${pavaccine.package.} \${pavaccine.package.} \${pavaccine.package.} \${pavaccine.package.} \${pavaccine.package.}	text.package.info.4} text.package.info.5} text.package.info.6.1} text.package.info.6.2} text.package.info.6.3} text.package.info.6.4} text.package.info.6.5} text.package.info.6.5}						
And I verify following te \${pavaccine.package.}	text.package.info.4} text.package.info.5} text.package.info.6.1} text.package.info.6.2} text.package.info.6.3} text.package.info.6.4} text.package.info.6.5} text.package.info.6.5} text.package.info.6.6}						
And I verify following te \${pavaccine.package.} \${pavaccine.package.} \${pavaccine.package.} \${pavaccine.package.} \${pavaccine.package.} \${pavaccine.package.} \${pavaccine.package.} \${pavaccine.package.} \${pavaccine.package.}	text.package.info.4} text.package.info.5} text.package.info.6.1} text.package.info.6.2} text.package.info.6.3} text.package.info.6.4} text.package.info.6.5} text.package.info.6.5} text.package.info.6.6} text.package.info.6.8}						

java.lang.AssertionError: The following asserts failed:

Php 25,000 lump sum in case of accidental death and disablement/dismemberment text is displayed on page expected [true] but found [false],

Lump sum of Php 50,000 benefit in case of death due to the adverse effect of a COVID-19 Vaccine text is displayed on page expected [true] but found [false],

To avail of this product, the Life Assured must be: text is displayed on page expected [true] but found [false],

Within ages 18 to 64 text is displayed on page expected [true] but found [false],

Filipino citizen, residing in the Philippines at the time of application text is displayed on page

expected [true] but found [false],

In good health, must not have any physical or medical impairment text is displayed on page expected [true] but found [false],

Must not be a suspect, probable, moderate or confirmed case for COVID-19 at the time of application text is displayed on page expected [true] but found [false],

Must not have received any COVID-19 Vaccine prior to applying for this product. text is displayed on page expected [true] but found [false],

If vaccinated within the Coverage Period, the COVID-19 Vaccine should have been approved by the FDA-Philippines and should have been administered in the Philippines text is displayed on page expected [true] but found [false],

The lump sum death benefit shall not be paid if death due to COVID-19 occurs within 14 days after the Coverage Start Date text is displayed on page expected [true] but found [false],

You are required to review the terms and conditions which include the product exclusions, prior to availing this product text is displayed on page expected [true] but found [false]

at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen

at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verify1extsOnScree (MyDocSteps.java:717)

at .And I verify following texts are displayed(features/ph/home/prushoppe/Pru Free PAwithCOVIDVaccine.feature:71)

/ITu_Free_I AwithCOV	1D vaccine.ieature.71)				
After			0.00s		
Back to Table of Contents					
Scenario: Verify the Show screen	Less link is clickable in	Free PA with COVID+Vaccine I	Protection		
Passed: 1	Failed: 0	Undefined: 0	Duration: .02s		
Before			0.00s		
And user click on follow	ing button "\${show.less	s.text}" on prushoppe screen	0.02s		
After			0.00s		
Back to Table of Contents					
Scenario: Verify the Your l	Details section in Free P	A with COVID+Vaccine Protect	ion screen		
Passed: 0	Failed: 1	Undefined: 0	Duration: .04s		
Before			0.00s		
And I verify following to	exts are displayed		0.04s		
\${your.details.text} \${scan.your.id.text}					
java.lang.AssertionError: The following asserts failed: Your Details text is displayed on page expected [true] but found [false], Scan your ID text is displayed on page expected [true] but found [false]					
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:717) at .And I verify following texts are displayed(features/ph/home/prushoppe /Pru_Free_PAwithCOVIDVaccine.feature:88)					
After			0.00s		
Back to Table of Contents					

Scenario: Verify all the field headers in Free PA with COVID+Vaccine Protection screen

Undefined: 0

Failed: 1

Passed: 0

Duration: .12s

nd I verify following texts are displayed	0.12s
\${id.no.text}	
\${firstname.text}	
\${middlename.text}	
\${lastname.text}	
\${prushoppe.gender.text}	
\${prushoppe.disease.dob}	

ID Number text is displayed on page expected [true] but found [false],

First Name text is displayed on page expected [true] but found [false],

Middle Name text is displayed on page expected [true] but found [false],

Last name text is displayed on page expected [true] but found [false],

text is displayed on page expected [true] but found [false],

Date of birth text is displayed on page expected [true] but found [false]

at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)

at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:717)

at .And I verify following texts are displayed(features/ph/home/prushoppe

/Pru_Free_PAwithCOVIDVaccine.feature:94)

After			0.00s				
Back to Table of Contents							
Scenario: Scroll dow	Scenario: Scroll down for further validation						
Passed: 0	Failed: 1	Undefined: 0	Duration: .01s				
Before			0.00s				
And I scroll down			0.01s				

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 76ea61aa-1dff-4a81-8464-3cc2f81ba34b

```
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:46)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.
RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.
at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)
at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:204)
at com.onepulse.app.stepdefinitions.mobilesteps.BaseSteps.scrollDown(BaseSteps.java:52)
at .And I scroll down(features/ph/home/prushoppe/Pru_Free_PAwithCOVIDVaccine.feature:
103)
```

A	fter				0.00s		
Ba	Back to Table of Contents						
So	Scenario: Verify User should be able to see the fields in Your Details section						
Pa	ssed	1: 0	Failed: 1	Undefined: 0	Duration	n: .17s	
Be	efor	·e			0.00s		
	Aı	nd I verify following te	xts are di	splayed	0.17s		
		\${ph.nationality}					
	\${ph.placeofbirth}						
		\${ph.proshoppe.addr	ess}				
		\${ph.proshoppe.city}					
		\${ph.proshoppe.coun	try.code}				
		\${ph.email.address}					
	\${ph.occptn} \${ph.mobile.phone.number}						
		\${ph.referral.code}					
		, , , , , , , , , , , , , , , , , , ,					

java.lang.AssertionError: The following asserts failed:
Nationality text is displayed on page expected [true] but found [false],
Place of Birth text is displayed on page expected [true] but found [false],
Address text is displayed on page expected [true] but found [false],
City/Province text is displayed on page expected [true] but found [false],

Country Code text is displayed on page expected [true] but found [false], Email Address text is displayed on page expected [true] but found [false], Occupation text is displayed on page expected [true] but found [false], Mobile Phone Number text is displayed on page expected [true] but found [false], Referral code (optional) text is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:717) at .And I verify following texts are displayed(features/ph/home/prushoppe

After			0.00s			
Back to Table of Contents						
Scenario: Scroll de	Scenario: Scroll down for further validation					
Passed: 0 Failed: 1 Undefined: 0 Duration:						
Before 0.00						
And I coroll do	1779		0.01g			

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server.

Original error: socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

/Pru Free PAwithCOVIDVaccine.feature:106)

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 76ea61aa-1dff-4a81-8464-3cc2f81ba34b

at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)

 $at\ java. base/jdk. internal. reflect. Delegating Constructor Accessor Impl. new Instance$

(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException

(W3CHttpResponseCodec.java:187)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode

(W3CHttpResponseCodec.java:122)

at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode

(W3CHttpResponseCodec.java:49)

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:

129)

at io.appium.java_client.remote.AppiumCommandExecutor.execute

Detailed Results Report (AppiumCommandExecutor.java:231) at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:46) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1) at org.openga.selenium.remote. RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSize(RemoteWebDriver. iava:804) at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432) at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:204) at com.onepulse.app.stepdefinitions.mobilesteps.BaseSteps.scrollDown(BaseSteps.java:52) at .And I scroll down(features/ph/home/prushoppe/Pru_Free_PAwithCOVIDVaccine.feature: After 0.00s**Back to Table of Contents** Scenario: Verify the Terms and Conditions text in Free PA with COVID+Vaccine Protection screen Undefined: 0 Passed: 0 Failed: 1 Duration: .05s 0.00sBefore And I verify following texts are displayed 0.05s\${pavaccine.package.tnc.2} \${pavaccine.package.tnc.2} java.lang.AssertionError: The following asserts failed: By clicking PROCEED, I confirm and acknowledge that all the information I provided above including the product package I chose are correct, text is displayed on page expected [true] but found [false], By clicking PROCEED, I confirm and acknowledge that all the information I provided above including the product package I chose are correct, text is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:717) at .And I verify following texts are displayed(features/ph/home/prushoppe /Pru Free PAwithCOVIDVaccine.feature:121) 0.00sAfter Back to Table of Contents

Scenario: Verify th Protection screen	e Terms and Condition	s can be accepted in Free PA with	COVID+Vaccine		
Passed: 0	Failed: 1	Undefined: 0	Duration: .02s		
Before			0.00s		
Then User accep	ot the term and condition	ons in PRU Shoppe Screen	0.02s		
processing the co	ommand. Original erro socket hang up	tion: An unknown server-side error: Could not proxy command to t	he remote server.		

```
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 76ea61aa-1dff-4a81-8464-3cc2f81ba34b
*** Element info: {Using=xpath, value=//android.view.ViewGroup[@content-desc="
termsandcondition'']/android.view.ViewGroup/android.widget.ImageView}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
```

```
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.PruShoppeScreen.acceptGYRTTandC(PruShoppeScreen.java:
  at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.acceptGYRTTerms
  (PruShoppeSteps.java:166)
  at .Then User accept the term and conditions in PRU Shoppe Screen(features/ph/home
  /prushoppe/Pru_Free_PAwithCOVIDVaccine.feature:126)
After
                                                                               0.00s
Back to Table of Contents
Scenario: Scroll down for further validation
Passed: 0
                          Failed: 1
                                                Undefined: 0
                                                                                Duration: .01s
Before
                                                                               0.00s
  And I scroll down
                                                                               0.01s
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: socket hang up
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java_client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
  autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
  newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
  deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
  deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
  javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
  newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
  platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
  viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
  false}
  Session ID: 76ea61aa-1dff-4a81-8464-3cc2f81ba34b
  at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
  (DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
  (W3CHttpResponseCodec.java:187)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:122)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
```

at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:

(W3CHttpResponseCodec.java:49)

	158)							
	at io.appium.java_client.remote.AppiumCommandExecutor.execute							
	* *	ndExecutor.java:231)						
	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	eWebDriver.execute(RemoteWe	bDriver.java:543)				
			icMobileDriver.execute(Default					
	java:46)							
	at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)							
	at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)							
	at org.openqa.selenium.remote.							
	RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSize(RemoteWebDriver.							
	java:804)	140	Commondo arrino(Arrainer Com	manda iawa (122)				
	_		Commands.swipe(AppiumCom Page.scrollPageDown(TestBaseP					
	_		obilesteps.BaseSteps.scrollDown					
	_		e/prushoppe/Pru_Free_PAwithQ					
	129)		######################################	70 YID Yuccinciicatai Ci				
A	fter			0.00s				
	ack to Table of Conter	nte		00000				
\vdash			TD button					
		e presence of PROCEI		a .a				
	assed: 0	Failed: 1	Undefined: 0	Duration: .02s				
R	efore			0.00s				
	And I verify pro	ceed button is displaye	ed on pru shoppe screen	0.02s				
	at org.testng.Assert.failNotEquals(Assert.java:513) at org.testng.Assert.assertTrue(Assert.java:42) at org.testng.Assert.assertTrue(Assert.java:52) at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.verifyProceedBtn (PruShoppeSteps.java:146) at .And I verify proceed button is displayed on pru shoppe screen(features/ph/home/prushoppe							
	· ·	proceed button is displ		res/ph/home/prushoppe				
A	/Pru_Free_PAwi							
	/Pru_Free_PAwi fter	proceed button is displithCOVIDVaccine.feat		ures/ph/home/prushoppe 0.00s				
Ba	/Pru_Free_PAwi fter ack to Table of Conter	proceed button is displicted in the control of the	ture:132)	0.00s				
Ba	/Pru_Free_PAwi fter ack to Table of Conter cenario: Verify the	proceed button is displethCOVIDVaccine.feat	sages on click of PROCEED but	0.00s				
Ba So Pa	/Pru_Free_PAwi fter ack to Table of Content cenario: Verify the assed: 0	proceed button is displicted in the control of the	ture:132)	0.00s ton Duration: .02s				
Ba So Pa	/Pru_Free_PAwi fter ack to Table of Content cenario: Verify the assed: 0 efore	oroceed button is displainted in the control of the	sages on click of PROCEED buts Undefined: 3	0.00s ton Duration: .02s 0.00s				
Ba So Pa	/Pru_Free_PAwi fter ack to Table of Content cenario: Verify the assed: 0 efore	proceed button is displethCOVIDVaccine.feat	sages on click of PROCEED buts Undefined: 3	0.00s ton Duration: .02s				

```
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 76ea61aa-1dff-4a81-8464-3cc2f81ba34b
*** Element info: {Using=xpath, value=//android.widget.TextView[@text="Proceed" or
@text="PROCEED"]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
```

at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163) at com.onepulse.app.screens.PruShoppeScreen.clickProceedBtn(PruShoppeScreen.jaya:143) at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.clickOnProceedBtn (PruShoppeSteps.java:101) at .Then I click on Proceed button on prushoppe screen(features/ph/home/prushoppe /Pru Free PAwithCOVIDVaccine.feature:135) Place of Birth \${ph.prushoppe.validation.pob} \${ph.prushoppe.validation.city} Occupation \${ph.prushoppe.validation.ocptn 0.00sAfter **Back to Table of Contents** Scenario: Verify image of unauthorised ID not accepted Passed: 0 Failed: 1 Undefined: 9 **Duration: .01s** Before 0.00s0.01sThen I scroll up org.openga.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: 76ea61aa-1dff-4a81-8464-3cc2f81ba34b at idk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException

(V	W3CHttpRespo	nseCodec.jav	va:187)					
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode							
	W3CHttpRespo							
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode							
	(W3CHttpResponseCodec.java:49)							
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:							
	158) at io.appium.java_client.remote.AppiumCommandExecutor.execute							
	AppiumComma							
	* *	· ·	e.RemoteWebDriver.execute(RemoteWebDriver.ja	va:543)				
at	io.appium.jav	a_client.Defa	ultGenericMobileDriver.execute(DefaultGenericMo	obileDriver.				
•	va:46)							
	* *		umDriver.execute(AppiumDriver.java:1)					
	* *		oid.AndroidDriver.execute(AndroidDriver.java:1)					
	t org.openqa.sel			WahDuiwan				
	emote w eddriv iva:804)	er\$Kemotevv	VebDriverOptions\$RemoteWindow.getSize(Remote	webDriver.				
•		ann screens ⁷	FestBasePage.scrollPageUP(TestBasePage.java:377)				
	-		ntestbase1 age.scrom age01 (Testbase1 age.java.577 nitions.mobilesteps.BaseSteps.scrollUp(BaseSteps.ja					
			h/home/prushoppe/Pru_Free_PAwithCOVIDVacc					
	47)	•	1 11 – –					
A	nd I scroll up			0.00s				
A	nd I scroll up			0.00s				
	nd user click o	n Scan Your I	ID link	0.00s				
	hen I wait for 2			0.00s				
A	nd user selects	Camera opti	on	0.00s				
	nd I give came			0.00s				
	hen I take pictu			0.00s				
	hen I wait for 5			0.00s				
			message "\${ph.prushoppe.validation.id.image}" is					
				0.00s				
After	r			0.00s				
	to Table of Conter	nts		0.005				
			ther woundstown fields					
Passe		Failed	ther mandatory fields	Duration: .03s				
Befor		raned	: 1 Undefined: 2	0.00s				
_								
A			n pru shoppe protection screen	0.03s				
	ID Number	TST5689						
	Middle Name	Tst Name						
	Place of Birth	Tst Place						
	Address	Tst Address						
	City/Province	Tst City						
or	g.openga.selen	ium.WebDri	verException: An unknown server-side error occur	red while				
	O .		ginal error: Could not proxy command to the remo					
	riginal error: s							
B	uild info: versio	on: '3.12.0', r	evision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z	'				

```
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 76ea61aa-1dff-4a81-8464-3cc2f81ba34b
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'ID
Number')]/following::android.widget.EditText[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
```

at io.appium.java_client at com.prudential.tap.se at com.prudential.tap.se 19) at com.onepulse.app.scr at com.onepulse.app.scr at com.onepulse.app.ste (PruShoppeSteps.java:1	c.android.AndroidDi elenium.Commands elenium.ExecuteCon eens.TestBasePage.s eens.PruShoppeScr pdefinitions.mobiles 78)	IElement(AppiumDriver.java:1) river.findElement(AndroidDriver.ja 816.executeCommand(Commands.ja nmand.executeCommand(ExecuteCo setTextWithTab(TestBasePage.java: een.enterYourDetails(PruShoppeScr teps.PruShoppeSteps.enterYourDetail pe protection screen(features/ph/hom 159)	va:148) ommand.java: 260) ceen.java:268) ails	
Then I scroll down			0.00s	
And user enters your de	tails in pru shoppe p	protection screen	0.00s	
Occupation \${ph.prus	shoppe.ocptn.studer	nt}		
After			0.00s	
Back to Table of Contents				
Feature: Verify Group Yearly	Renewable Term I	nsurance(GYRT) functionality on or	ie pulse App	
Passed: 3 Failed: 17	Undefined:			
Scenario: User should be al	ble to register on ap	p with correct credentials using "Co	ntinue with	
Email''	<u> </u>			
Passed: 16	Failed: 1	Undefined: 1	Duration: 171.08	
Before			0.00s	
		4	0.005	
Given I generate randon "RANDOM_NUMBER"		n to variable	0.00s	
		a}@mailsac.com'' to variable	0.00s	
And User has pulse app			10.78s	
Then I wait for 2 sec			2.01s	
	TINUE WITH EM	AIL" with Email button	15.42s	
Then I wait for 2 sec	VIIIVOE VVIIII EIVE	With Dilling button	2.01s	
	rv as required on re	Then I wait for 2 sec Then I change the country as required on registration page		
Then I wait for 2 sec			44.008	
Then I wait for 2 sec	<u> </u>	egistration page	22.60s 2.01s	
		nd select the lang on toggle bar then	2.01s	
Then I navigate to pulse			2.01s	
Then I navigate to pulse click on continue with en	mail button		2.01s 3.75s	
Then I navigate to pulse click on continue with er Then I wait for 2 sec	ration details		2.01s 3.75s 2.00s	
Then I navigate to pulse click on continue with en Then I wait for 2 sec When user enters registr	ration details		2.01s 3.75s 2.00s	
Then I navigate to pulse click on continue with en Then I wait for 2 sec When user enters registr FirstName testAutom	ration details nation		2.01s 3.75s 2.00s	
Then I navigate to pulse click on continue with en Then I wait for 2 sec When user enters registrative FirstName testAutom LastName testAutom	ration details nation		2.01s 3.75s 2.00s	
Then I navigate to pulse click on continue with er Then I wait for 2 sec When user enters registr FirstName testAutom LastName testAutom Email \${PULSE}	ration details nation nation _EMAIL}		2.01s 3.75s 2.00s	
Then I navigate to pulse click on continue with en Then I wait for 2 sec When user enters registre FirstName testAutom LastName testAutom Email \${PULSE} Password Pas\$1234 And taps on continue "S	ration details nation nation _EMAIL}		2.01s 3.75s 2.00s 8.62s	
Then I navigate to pulse click on continue with en Then I wait for 2 sec When user enters registre FirstName testAutom LastName testAutom Email \${PULSE} Password Pas\$1234 And taps on continue "S	ration details nation nation _EMAIL}	nd select the lang on toggle bar then	2.01s 3.75s 2.00s 8.62s	
Then I navigate to pulse click on continue with er Then I wait for 2 sec When user enters registr FirstName testAutom LastName testAutom Email \${PULSE} Password Pas\$1234 And taps on continue "S And I enter OTP in one	ration details nation nation _EMAIL} Sign_Up'' button pulse app for user e	nd select the lang on toggle bar then	2.01s 3.75s 2.00s 8.62s 0.27s 34.08s	

Then user should be landed to "Home" screen 45.16s				
at org.testng.Assert at org.testng.Assert	Error: expected [tru .fail(Assert.java:94) .failNotEquals(Asse	rt.java:513)		
	.assertTrue(Assert.j			
	.assertTrue(Assert.j	ava:52) bilesteps.LoginSteps.landingP	agaValidatian	
(LoginSteps.java:92	·	onesteps.Loginsteps.ianuingr	age v anuauon	
		ne'' screen(features/ph/home/p	orushoppe/Pru_Group	
	Ferm Insurance (GY)	RT).feature:25)		
Then I wait for 2 se	c		0.00s	
After			0.00s	
Back to Table of Contents				
Scenario: Navigate to l	PRU Shoppe screen			
Passed: 1	Failed: 0	Undefined: 0	Duration: 8.42s	
Before			0.00s	
And I click on pru s	shoppe button on the	e home page	8.42s	
After			0.00s	
Back to Table of Contents				
Scenario: Verify first t	ime User are presen	ted with T&C to proceed to the	ne Pru Shoppe	
Passed: 1	Failed: 1	Undefined: 0	Duration: 13.88s	
Before			0.00s	
And I wait for 5 sec			5.01s	
Then I click on Proceed button on prushoppe screen 8.87s				
using the given sear For documentation /no_such_element.h Build info: version: System info: host: '' os.version: '10.0', ja Driver info: io.appi Capabilities {appAc uat, autoDismissAle desired: {appActivi autoDismissAlerts:	ch parameters. on this error, please tml '3.12.0', revision: '7 TM003LSIN', ip: '19 tva.version: '11.0.2' um.java_client.andr ctivity: com.prudentietts: true, automatio ty: com.prudential.p	ial.pulse.MainAc, appPacka onName: UiAutomator2, datab oulse.MainAc, appPackage: me: UiAutomator2, deviceNa	exceptions d:04:26.12Z' ows 10', os.arch: 'amd64', ge: com.prudential.pulse. baseEnabled: false, com.prudential.pulse.uat, me: Android-Test,	

```
@text="PROCEED"]}
at idk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.jaya client.android.AndroidDriver.findElementByXPath(AndroidDriver.jaya:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PruShoppeScreen.clickProceedBtn(PruShoppeScreen.java:143)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.clickOnProceedBtn
(PruShoppeSteps.java:101)
at .Then I click on Proceed button on prushoppe screen(features/ph/home/prushoppe
/Pru Group Yearly Renewable Term Insurance(GYRT).feature:52)
```



Af	ter			0.00s	
Ba	Back to Table of Contents				
Sc	Scenario: Verify User should be able to navigate to GYRT tile				
Pas	ssed: 1	Failed: 1	Undefined: 1	Duration: 34.7s	
Before				0.00s	
	And I wait for 5 sec	5.01s			
	Then I click on pru GYRT tile on prushoppe screen				

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no-such_element.html


Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

```
Session ID: d63f948e-08ea-400a-a7f7-b2d157b8272a
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Top Picks
For You')]/preceding::android.widget.ImageView[1]}
at idk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PruShoppeScreen.clickGYRTTile(PruShoppeScreen.java:244)
{f at\ com.one} pulse, app. step definitions. mobile steps. PruShoppe Steps. navigate ToGYRT
(PruShoppeSteps.java:161)
at .Then I click on pru GYRT tile on prushoppe screen(features/ph/home/prushoppe
/Pru Group Yearly Renewable Term Insurance(GYRT).feature:56)
```



	=			***
Bac	ck to Table of Contents			
Sce	enario: Verify the GYRT	coverage detail	s and conditions are listed abo	ove Show More link
Pas	ssed: 0	Failed: 1	Undefined: 0	Duration: 41.81s
Be	fore			0.00s
	And I verify following to	exts are displaye	d	41.81s
	\${gyrtpackage.text}			
	\${gyrtpackage.info.1}	}		
	\${gyrtpackage.info.2}	}		
	\${gyrtpackage.info.3.	.1}		

java.lang.AssertionError: The following asserts failed:

\${gyrtpackage.info.3.2}

Group Yearly Renewable Term text is displayed on page expected [true] but found [false], Provides P50,000 lump sum benefit in case of death text is displayed on page expected [true] but found [false],

Coverage for 1 year, renewable until age 64, subject to certain terms and conditions text is displayed on page expected [true] but found [false],


You can avail of this product if you are within ages 18 text is displayed on page expected [true] but found [false],

64, a Filipino citizen residing in the Philippines at time of application and in good health condition (free of physical or medical impairment) text is displayed on page expected [true] but found [false]

at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)

at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:717)

0.00s



prior to proceeding text is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.iava:43) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MvDocSteps.java:717) at .And I verify following texts are displayed(features/ph/home/prushoppe/Pru_Group Yearly Renewable Term Insurance(GYRT).feature:72) 0.00sAfter **Back to Table of Contents** Scenario: Verify the Show Less link is clickable in GYRT screen Passed: 1 Failed: 0 Undefined: 0 **Duration: .05s** Before 0.00sAnd user click on following button "\${show.less.text}" on prushoppe screen 0.05sAfter 0.00s**Back to Table of Contents** Scenario: Verify the Your Details section in GYRT screen Failed: 1 Undefined: 0 Passed: 0 **Duration: 8.16s** Before 0.00sAnd I verify following texts are displayed 8.16s **\${vour.details.text}** \${scan.your.id.text} java.lang.AssertionError: The following asserts failed: Your Details text is displayed on page expected [true] but found [false], Scan your ID text is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MvDocSteps.java:717) at .And I verify following texts are displayed(features/ph/home/prushoppe/Pru_Group Yearly Renewable Term Insurance(GYRT).feature:81) 0.00sAfter **Back to Table of Contents** Scenario: Verify all the field headers in GYRT screen Failed: 1 Undefined: 0 Passed: 0 Duration: 24.54s 0.00sBefore 24.54s And I verify following texts are displayed \${id.no.text} **\$**{firstname.text} **\${middlename.text}** \${lastname.text} \${prushoppe.disease.gender.text} \${prushoppe.disease.dob} java.lang.AssertionError: The following asserts failed: ID Number text is displayed on page expected [true] but found [false], First Name text is displayed on page expected [true] but found [false],

Middle Name text is displayed on page expected [true] but found [false],
Last name text is displayed on page expected [true] but found [false],
Gender text is displayed on page expected [true] but found [false],
Date of birth text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen
(MyDocSteps.java:717)
at .And I verify following texts are displayed(features/ph/home/prushoppe/Pru_Group Yearly Renewable Term Insurance(GYRT).feature:87)

After			0.00s		
Back to Table of Contents					
Scenario: Scroll down for further validation					
Passed: 0 Failed: 1 Undefined: 0 Duration:					
Before		0.00s			
And I scroll down			2.03s		

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: connect ECONNREFUSED 127.0.0.1:8227

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: d63f948e-08ea-400a-a7f7-b2d157b8272a

at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance

(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException

(W3CHttpResponseCodec.java:187)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode

(W3CHttpResponseCodec.java:122)

at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode

(W3CHttpResponseCodec.java:49)

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)

at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)

at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:46) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1) at org.openga.selenium.remote. RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSize(RemoteWebDriver. at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432) at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:204) at com.onepulse.app.stepdefinitions.mobilesteps.BaseSteps.scrollDown(BaseSteps.java:52) at .And I scroll down(features/ph/home/prushoppe/Pru Group Yearly Renewable Term Insurance(GYRT).feature:96) 0.00sAfter **Back to Table of Contents** Scenario: Verify User should be able to see the fields in Your Details section Failed: 1 **Undefined: 0** Passed: 0 **Duration: 36.81s** Before 0.00sAnd I verify following texts are displayed 36.81s **\${ph.nationality}** \${ph.placeofbirth} \${ph.proshoppe.address} \${ph.proshoppe.city} \${ph.proshoppe.country.code} \${ph.email.address} \${ph.occptn} \${ph.mobile.phone.number} \${ph.referral.code} java.lang.AssertionError: The following asserts failed: Nationality text is displayed on page expected [true] but found [false], Place of Birth text is displayed on page expected [true] but found [false], Address text is displayed on page expected [true] but found [false], City/Province text is displayed on page expected [true] but found [false], Country Code text is displayed on page expected [true] but found [false], Email Address text is displayed on page expected [true] but found [false], Occupation text is displayed on page expected [true] but found [false], Mobile Phone Number text is displayed on page expected [true] but found [false], Referral code (optional) text is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MvDocSteps.java:717) at .And I verify following texts are displayed(features/ph/home/prushoppe/Pru Group Yearly Renewable Term Insurance(GYRT).feature:99) 0.00sAfter **Back to Table of Contents** Scenario: Scroll down for further validation

And I scroll down			0.00s
And I scroll down			
			2.04s
Drocessing the comportational error: compound info: version: Build info: version: Bystem info: host: 'Zos.version: '10.0', ja Driver info: io.appid Capabilities {appActivities, autoDismissAlerts: lewCommandTime leviceManufactures avascriptEnabled:	nand. Original errect ECONNREFU '3.12.0', revision: FM003LSIN', ip: 'va.version: '11.0.2 um.java_client.and tivity: com.pruder rts: true, automationNout: 10000, noReser: Google, deviceNorte, deviceNorte, deviceNorte, deviceScreente, locationConternal	droid.AndroidDriver ntial.pulse.MainAc, appP ionName: UiAutomator2, d l.pulse.MainAc, appPack lame: UiAutomator2, devicet: true, platformName: an Iodel: Pixel 5, deviceName enSize: 1080x2340, deviceU	nand to the remote server. 08T14:04:26.12Z' Windows 10', os.arch: 'amd6' Package: com.prudential.pulsdatabaseEnabled: false, tage: com.prudential.pulse.uaceName: Android-Test, ndroid}, deviceApiLevel: 30, to 0C241FDD40043P, UDID: 0C241FDD40043P, kConnectionEnabled: true,
platformName: And viewportRect: {heig false}	lroid, platformVenht: 2015, left: 0, to		
Session ID: d63f948			
•		tructorAccessor19.newInst	
n java.base/juk.inte DelegatingConstru		atingConstructorAccessor]	impi.newinstance
	•	ctor.newInstance(Construc	ctor.iava:490)
	~	V3CHttpResponseCodec.cr	
W3CHttpResponse	Codec.java:187)		· ·
		V3CHttpResponseCodec.de	ecode
W3CHttpResponse	,		
		V3CHttpResponseCodec.de	ecode
W3CHttpResponse	· · · · · · · · · · · · · · · · · · ·	ommandExecutor executed	(HttpCommandExecutor.jav
l 58)			(1200p Communation Course Jav
	lient.remote.Appi	umCommandExecutor.exe	ecute
AppiumCommand	•		
~		teWebDriver.execute(Reme	and the control of th
- I - U -	lient.DefaultGene	ricMobileDriver.execute(D	DefaultGenericMobileDriver.
ava:46)	liant Annium Du	or ovoquto(Amirus Duiz	iava.1)
* *		er.execute(AppiumDriver.j roidDriver.execute(Androi	
n 10.appium.java_c nt org.openqa.seleni		rolabitver.execute(Allarol	iuDiivei,java.i)
		erOptions\$RemoteWindow	v.getSize(RemoteWebDriver.
ava:804)			
nt com.prudential.ta		nCommands.swipe(Appiur	
		Page.scrollPageDown(Test	
		obilesteps.BaseSteps.scroll ne/prushoppe/Pru_Group Y	
	/ 4 / / / /		

Scenario: Verify the Terms and Conditions text in GYRT screen Passed: 0 Failed: 1 Undefined: 0 Durat Before 0.008 And I verify following texts are displayed 48.96 \${gyrtpackage.tnc.1.1} \${gyrtpackage.tnc.1.2} \${gyrtpackage.tnc.1.3} \${gyrtpackage.tnc.1.3} \${gyrtpackage.tnc.1.4} \${gyrtpackage.tnc.1.5} \${gyrtpackage.tnc.1.6} \${gyrtpackage.tnc.1.8} \${gyrtpackage.tnc.1.8} \${gyrtpackage.tnc.2.1} \${gyrtpackage.tnc.2.2} \${gyrtpackage.tnc.2.2} \${gyrtpackage.tnc.2.3} \${gyrtpackage.tnc.2.5} java.lang.AssertionError: The following asserts failed: I have read, understood, agree to, and confirm the Product text is displayed on page experted [true] but found [false], Terms and Conditions text is displayed on page expected [true] but found [false], in am in good health; text is displayed on page expected [true] but found [false], in have no physical nor medical impairment; text is displayed on page expected [true] found [false], in heals to syears, have not consulted, nor been examined or treated for more than weeks by a doctor for any disease or any injury, and have not undergone any medical displayed on page expected [true] but found [false], in heals to syears, have not consulted, nor been examined or treated for more than weeks by a doctor for any disease or any injury, and have not undergone any medical displayed on page expected [true] but found [false], in heals to syears, have not consulted, nor been examined or treated for more than weeks by a doctor for any disease or any injury, and have not undergone any medical displayed on page expected [true] but found [false], in heals to syears, have not consulted for my length of time or had any surgical pro	
Passed: 0 Failed: 1 Undefined: 0 Durat	S
And I verify following texts are displayed \$\frac{\text{gyrtpackage.tnc.1.1}}{\text{gyrtpackage.tnc.1.2}} \\ \$\frac{\text{gyrtpackage.tnc.1.3}}{\text{gyrtpackage.tnc.1.4}} \\ \$\frac{\text{gyrtpackage.tnc.1.4}}{\text{gyrtpackage.tnc.1.5}} \\ \$\frac{\text{gyrtpackage.tnc.1.6}}{\text{gyrtpackage.tnc.1.8}} \\ \$\frac{\text{gyrtpackage.tnc.2.1}}{\text{gyrtpackage.tnc.2.2}} \\ \$\frac{\text{gyrtpackage.tnc.2.2}}{\text{gyrtpackage.tnc.2.3}} \\ \$\frac{\text{gyrtpackage.tnc.2.3}}{\text{gyrtpackage.tnc.2.5}} \\ \$\frac{\text{gyrtpackage.tnc.2.5}}{\text{gyrtpackage.tnc.2.5}} \\ \$\text{gyrtpackage.tnc	S
And I verify following texts are displayed \${gyrtpackage.tnc.1.1} \${gyrtpackage.tnc.1.2} \${gyrtpackage.tnc.1.3} \${gyrtpackage.tnc.1.4} \${gyrtpackage.tnc.1.5} \${gyrtpackage.tnc.1.6} \${gyrtpackage.tnc.1.7} \${gyrtpackage.tnc.1.8} \${gyrtpackage.tnc.2.1} \${gyrtpackage.tnc.2.2} \${gyrtpackage.tnc.2.3} \${gyrtpackage.tnc.2.3} \${gyrtpackage.tnc.2.5} java.lang.AssertionError: The following asserts failed: I have read, understood, agree to, and confirm the Product text is displayed on page ex [true] but found [false], Terms and Conditions text is displayed on page expected [true] but found [false], Declaration of Understanding. text is displayed on page expected [true] but found [false], (i) am in good health; text is displayed on page expected [true] but found [false], (ii) have no physical nor medical impairment; text is displayed on page expected [true] found [false], (iii) in the last 5 years, have not consulted, nor been examined or treated for more that weeks by a doctor for any disease or any injury, and have not undergone any medical diagnostic test and procedure, other than for routine pre-employment purposes; and t displayed on page expected [true] but found [false],	
\$\{\text{gyrtpackage.tnc.1.1}\} \\ \{\text{gyrtpackage.tnc.1.2}\} \\ \{\text{gyrtpackage.tnc.1.3}\} \\ \{\text{gyrtpackage.tnc.1.4}\} \\ \{\text{gyrtpackage.tnc.1.5}\} \\ \{\text{gyrtpackage.tnc.1.6}\} \\ \{\text{gyrtpackage.tnc.1.7}\} \\ \{\text{gyrtpackage.tnc.1.8}\} \\ \{\text{gyrtpackage.tnc.2.1}\} \\ \{\text{gyrtpackage.tnc.2.2}\} \\ \{\text{gyrtpackage.tnc.2.2}\} \\ \{\text{gyrtpackage.tnc.2.3}\} \\ \{\text{gyrtpackage.tnc.2.5}\} \\ \[\] \[java.lang.AssertionError: The following asserts failed: I have read, understood, agree to, and confirm the Product text is displayed on page extence [true] but found [false], Terms and Conditions text is displayed on page expected [true] but found [false], Declaration of Understanding. text is displayed on page expected [true] but found [false], (i) am in good health; text is displayed on page expected [true] but found [false], (ii) have no physical nor medical impairment; text is displayed on page expected [true] found [false], (iii) in the last 5 years, have not consulted, nor been examined or treated for more that weeks by a doctor for any disease or any injury, and have not undergone any medical diagnostic test and procedure, other than for routine pre-employment purposes; and t displayed on page expected [true] but found [false],	S
\$\{\text{gyrtpackage.tnc.1.2}\} \\$\{\text{gyrtpackage.tnc.1.4}\} \\$\{\text{gyrtpackage.tnc.1.4}\} \\$\{\text{gyrtpackage.tnc.1.5}\} \\$\{\text{gyrtpackage.tnc.1.6}\} \\$\{\text{gyrtpackage.tnc.1.6}\} \\$\{\text{gyrtpackage.tnc.1.7}\} \\$\{\text{gyrtpackage.tnc.2.1}\} \\$\{\text{gyrtpackage.tnc.2.2}\} \\$\{\text{gyrtpackage.tnc.2.2}\} \\$\{\text{gyrtpackage.tnc.2.2}\} \\$\{\text{gyrtpackage.tnc.2.5}\} \\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	
\$\{\text{gyrtpackage.tnc.1.3}\} \\$\{\text{gyrtpackage.tnc.1.4}\} \\$\{\text{gyrtpackage.tnc.1.5}\} \\$\{\text{gyrtpackage.tnc.1.5}\} \\$\{\text{gyrtpackage.tnc.1.7}\} \\$\{\text{gyrtpackage.tnc.1.8}\} \\$\{\text{gyrtpackage.tnc.2.1}\} \\$\{\text{gyrtpackage.tnc.2.2}\} \\$\{\text{gyrtpackage.tnc.2.2}\} \\$\{\text{gyrtpackage.tnc.2.3}\} \\$\{\text{gyrtpackage.tnc.2.3}\} \\$\{\text{gyrtpackage.tnc.2.5}\} \\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	
\$\{\text{gyrtpackage.tnc.1.4}\} \\$\{\text{gyrtpackage.tnc.1.5}\} \\$\{\text{gyrtpackage.tnc.1.6}\} \\$\{\text{gyrtpackage.tnc.1.7}\} \\$\{\text{gyrtpackage.tnc.1.8}\} \\$\{\text{gyrtpackage.tnc.2.1}\} \\$\{\text{gyrtpackage.tnc.2.2}\} \\$\{\text{gyrtpackage.tnc.2.2}\} \\$\{\text{gyrtpackage.tnc.2.2}\} \\$\{\text{gyrtpackage.tnc.2.5}\} \\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	
\${gyrtpackage.tnc.1.5} \${gyrtpackage.tnc.1.7} \${gyrtpackage.tnc.1.8} \${gyrtpackage.tnc.2.1} \${gyrtpackage.tnc.2.2} \${gyrtpackage.tnc.2.3} \${gyrtpackage.tnc.2.5} java.lang.AssertionError: The following asserts failed: I have read, understood, agree to, and confirm the Product text is displayed on page ex [true] but found [false], Terms and Conditions text is displayed on page expected [true] but found [false], Declaration of Understanding. text is displayed on page expected [true] but found [false], (i) am in good health; text is displayed on page expected [true] but found [false], (ii) have no physical nor medical impairment; text is displayed on page expected [true] found [false], (iii) in the last 5 years, have not consulted, nor been examined or treated for more that weeks by a doctor for any disease or any injury, and have not undergone any medical diagnostic test and procedure, other than for routine pre-employment purposes; and t displayed on page expected [true] but found [false],	
\$\{\text{gyrtpackage.tnc.1.6}\} \\$\{\text{gyrtpackage.tnc.1.7}\} \\$\{\text{gyrtpackage.tnc.1.7}\} \\$\{\text{gyrtpackage.tnc.2.1}\} \\$\{\text{gyrtpackage.tnc.2.2}\} \\$\{\text{gyrtpackage.tnc.2.2}\} \\$\{\text{gyrtpackage.tnc.2.3}\} \\$\{\text{gyrtpackage.tnc.2.5}\} \\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	
\$\{\text{gyrtpackage.tnc.1.7}\} \\$\{\text{gyrtpackage.tnc.2.1}\} \\$\{\text{gyrtpackage.tnc.2.2}\} \\$\{\text{gyrtpackage.tnc.2.2}\} \\$\{\text{gyrtpackage.tnc.2.3}\} \\$\{\text{gyrtpackage.tnc.2.5}\} \\$\{\text{gyrtpackage.tnc.2.5}\} \\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	
\$\{\text{gyrtpackage.tnc.2.1}\} \\$\{\text{gyrtpackage.tnc.2.2}\} \\$\{\text{gyrtpackage.tnc.2.2}\} \\$\{\text{gyrtpackage.tnc.2.3}\} \\$\{\text{gyrtpackage.tnc.2.5}\} \\$\{\text{gyrtpackage.tnc.2.5}\} \\$\{\text{gyrtpackage.tnc.2.5}\} \\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	
\$\{\text{gyrtpackage.tnc.2.1}\} \\$\{\text{gyrtpackage.tnc.2.2}\} \\$\{\text{gyrtpackage.tnc.2.3}\} \\$\{\text{gyrtpackage.tnc.2.5}\} \\$\{\text{gyrtpackage.tnc.2.5}\} \\$\{\text{gyrtpackage.tnc.2.5}\} \\$\{\text{gyrtpackage.tnc.2.5}\} \\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	
\$\{\text{gyrtpackage.tnc.2.3}\} \\$\{\text{gyrtpackage.tnc.2.5}\} \\$ java.lang.AssertionError: The following asserts failed: I have read, understood, agree to, and confirm the Product text is displayed on page ex [true] but found [false], Terms and Conditions text is displayed on page expected [true] but found [false], Declaration of Understanding. text is displayed on page expected [true] but found [false], (i) am in good health; text is displayed on page expected [true] but found [false], (ii) have no physical nor medical impairment; text is displayed on page expected [true] found [false], (iii) in the last 5 years, have not consulted, nor been examined or treated for more than weeks by a doctor for any disease or any injury, and have not undergone any medical diagnostic test and procedure, other than for routine pre-employment purposes; and the displayed on page expected [true] but found [false],	
\$\{\text{gyrtpackage.tnc.2.5}\}\\$\{\text{gyrtpackage.tnc.2.5}\}\\$ java.lang.AssertionError: The following asserts failed: I have read, understood, agree to, and confirm the Product text is displayed on page ex [true] but found [false], Terms and Conditions text is displayed on page expected [true] but found [false], Declaration of Understanding. text is displayed on page expected [true] but found [false], (i) am in good health; text is displayed on page expected [true] but found [false], (ii) have no physical nor medical impairment; text is displayed on page expected [true] found [false], (iii) in the last 5 years, have not consulted, nor been examined or treated for more than weeks by a doctor for any disease or any injury, and have not undergone any medical diagnostic test and procedure, other than for routine pre-employment purposes; and to displayed on page expected [true] but found [false],	
java.lang.AssertionError: The following asserts failed: I have read, understood, agree to, and confirm the Product text is displayed on page ex [true] but found [false], Terms and Conditions text is displayed on page expected [true] but found [false], Declaration of Understanding. text is displayed on page expected [true] but found [false], (i) am in good health; text is displayed on page expected [true] but found [false], (ii) have no physical nor medical impairment; text is displayed on page expected [true] found [false], (iii) in the last 5 years, have not consulted, nor been examined or treated for more than weeks by a doctor for any disease or any injury, and have not undergone any medical diagnostic test and procedure, other than for routine pre-employment purposes; and the displayed on page expected [true] but found [false],	
java.lang.AssertionError: The following asserts failed: I have read, understood, agree to, and confirm the Product text is displayed on page ex [true] but found [false], Terms and Conditions text is displayed on page expected [true] but found [false], Declaration of Understanding. text is displayed on page expected [true] but found [false], (i) am in good health; text is displayed on page expected [true] but found [false], (ii) have no physical nor medical impairment; text is displayed on page expected [true] found [false], (iii) in the last 5 years, have not consulted, nor been examined or treated for more than weeks by a doctor for any disease or any injury, and have not undergone any medical diagnostic test and procedure, other than for routine pre-employment purposes; and to displayed on page expected [true] but found [false],	
I have read, understood, agree to, and confirm the Product text is displayed on page ex [true] but found [false], Terms and Conditions text is displayed on page expected [true] but found [false], Declaration of Understanding. text is displayed on page expected [true] but found [false], (i) am in good health; text is displayed on page expected [true] but found [false], (ii) have no physical nor medical impairment; text is displayed on page expected [true] found [false], (iii) in the last 5 years, have not consulted, nor been examined or treated for more than weeks by a doctor for any disease or any injury, and have not undergone any medical diagnostic test and procedure, other than for routine pre-employment purposes; and the displayed on page expected [true] but found [false],	
text is displayed on page expected [true] but found [false], By clicking PROCEED text is displayed on page expected [true] but found [false], I confirm and acknowledge text is displayed on page expected [true] but found [false], that all the information text is displayed on page expected [true] but found [false], correct. text is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:717)	n two (2) ext is
at .And I verify following texts are displayed(features/ph/home/prushoppe/Pru_Group Renewable Term Insurance(GYRT).feature:114)	
After 0.00s	
Back to Table of Contents	Yearly
Scenario: Verify the Terms and Conditions can be accepted in GYRT screen	Yearly
Passed: 0 Failed: 1 Undefined: 0 Durat	Yearly

efore		0.00s
Then User accept the te	rm and conditions in PRU Shoppe Screen	4.08s
org.openqa.selenium.W processing the comman Original error: connect Build info: version: '3.1 System info: host: 'TMG os.version: '10.0', java.v Driver info: io.appium. Capabilities {appActivity uat, autoDismissAlerts: desired: {appActivity: cautoDismissAlerts: true newCommandTimeouts	TebDriverException: An unknown server-side errord. Original error: Could not proxy command to the ECONNREFUSED 127.0.0.1:8227 2.0', revision: '7c6e0b3', time: '2018-05-08T14:04:003LSIN', ip: '192.168.1.124', os.name: 'Windows version: '11.0.2' java_client.android.AndroidDriver ty: com.prudential.pulse.MainAc, appPackage: otherwise, automationName: UiAutomator2, databasel com.prudential.pulse.MainAc, appPackage: com.prudential.pulse.MainAc, appPackag	or occurred while ne remote server. 26.12Z' 10', os.arch: 'amd64' com.prudential.pulse Enabled: false, .prudential.pulse.uat Android-Test, leviceApiLevel: 30,
deviceScreenDensity: 4- javascriptEnabled: true newCommandTimeout: platformName: Androic	doogle, deviceModel: Pixel 5, deviceName: 0C241F40, deviceScreenSize: 1080x2340, deviceUDID: 0Ce, locationContextEnabled: false, networkConnect: 10000, noReset: true, pixelRatio: 2.75, platform: d, platformVersion: 11, statBarHeight: 145, takes 2015, left: 0, top: 145, width: 1080}, warnings: {},	241FDD40043P, ionEnabled: true, LINUX, Screenshot: true,
*** Element info: {Usin termsandcondition'']/ar at jdk.internal.reflect.G at java.base/jdk.interna (DelegatingConstructor	Bea-400a-a7f7-b2d157b8272a ng=xpath, value=//android.view.ViewGroup[@conndroid.view.ViewGroup/android.widget.ImageViewBeneratedConstructorAccessor19.newInstance(Unlal.reflect.DelegatingConstructorAccessorImpl.newPaccessorImpl.java:45) eflect.Constructor.newInstance(Constructor.java:	w} known Source) Instance
(W3CHttpResponseCoo at org.openqa.selenium (W3CHttpResponseCoo	.remote.http.W3CHttpResponseCodec.decode	ption
(W3CHttpResponseCoo at org.openqa.selenium 158)	dec.java:49) .remote.HttpCommandExecutor.execute(HttpCon	nmandExecutor.java
(AppiumCommandExeat org.openqa.selenium	t.remote.AppiumCommandExecutor.execute cutor.java:231) .remote.RemoteWebDriver.execute(RemoteWebD t.DefaultGenericMobileDriver.execute(DefaultGe	
at io.appium.java_clien at org.openqa.selenium at io.appium.java_clien (DefaultGenericMobile)		VebDriver.java:317)
at io.appium.java_clien	t.AppiumDriver.findElement(AppiumDriver.java t.android.AndroidDriver.findElement(AndroidDr .remote.RemoteWebDriver.findElementByXPath(iver.java:1)

```
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PruShoppeScreen.acceptGYRTTandC(PruShoppeScreen.java:
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.acceptGYRTTerms
(PruShoppeSteps.java:166)
at .Then User accept the term and conditions in PRU Shoppe Screen(features/ph/home
/prushoppe/Pru_Group Yearly Renewable Term Insurance(GYRT).feature:130)
```

After			0.00s	
Back to Table of Contents				
Scenario: Scroll down for further validation				
Passed: 0	Failed: 1	Undefined: 0	Duration: 2.03s	
Before			0.00s	
And I scroll dox	7/In		2 03s	

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command, Original error: Could not proxy command to the remote server.

Original error: connect ECONNREFUSED 127.0.0.1:8227

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:

Session ID: d63f948e-08ea-400a-a7f7-b2d157b8272a

at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: **158**) at io.appium.java client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231) at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. iava:46) at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1) at org.openga.selenium.remote. RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSize(RemoteWebDriver. java:804) at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432) at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:204) at com.onepulse.app.stepdefinitions.mobilesteps.BaseSteps.scrollDown(BaseSteps.java:52) at .And I scroll down(features/ph/home/prushoppe/Pru Group Yearly Renewable Term Insurance(GYRT).feature:133) After 0.00s**Back to Table of Contents** Scenario: Verify the presence of PROCEED button Failed: 1 Passed: 0 **Undefined: 0 Duration: 4.81s** 0.00sBefore And I verify proceed button is displayed on pru shoppe screen 4.81s java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:94) at org.testng.Assert.failNotEquals(Assert.java:513) at org.testng.Assert.assertTrue(Assert.java:42) at org.testng.Assert.assertTrue(Assert.java:52) at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.verifyProceedBtn (PruShoppeSteps.java:146) at .And I verify proceed button is displayed on pru shoppe screen(features/ph/home/prushoppe /Pru_Group Yearly Renewable Term Insurance(GYRT).feature:136) 0.00sAfter **Back to Table of Contents** Scenario: Verify the validation error messages on click of PROCEED button Failed: 1 Undefined: 3 Passed: 0 **Duration: 4.12s** Before 0.00sThen I click on Proceed button on prushoppe screen 4.12s org.openga.selenium.WebDriverException: An unknown server-side error occurred while

```
processing the command. Original error: Could not proxy command to the remote server.
Original error: connect ECONNREFUSED 127.0.0.1:8227
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: d63f948e-08ea-400a-a7f7-b2d157b8272a
*** Element info: {Using=xpath, value=//android.widget.TextView[@text="Proceed" or
@text="PROCEED"]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
```

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309) at io.appium.java client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163) at com.onepulse.app.screens.PruShoppeScreen.clickProceedBtn(PruShoppeScreen.java:143) at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.clickOnProceedBtn (PruShoppeSteps.java:101) at .Then I click on Proceed button on prushoppe screen(features/ph/home/prushoppe /Pru_Group Yearly Renewable Term Insurance(GYRT).feature:139) City/Province \${ph.prushoppe.validation.city} After 0.00s**Back to Table of Contents** Scenario: Verify image of unauthorised ID not accepted Failed: 1 Undefined: 9 Passed: 0 **Duration: 2.03s** Before 0.00sThen I scroll up 2.03sorg.openga.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: connect ECONNREFUSED 127.0.0,1:8227 Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,

viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webSt false}	corageEnabled:
Session ID: d63f948e-08ea-400a-a7f7-b2d157b8272a	
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown	n Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstar	
(DelegatingConstructorAccessorImpl.java:45)	
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)	
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException	
(W3CHttpResponseCodec.java:187)	
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)	
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode	
(W3CHttpResponseCodec.java:49)	
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommand 158)	dExecutor.java:
at io.appium.java_client.remote.AppiumCommandExecutor.execute	
(AppiumCommandExecutor.java:231)	
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver,	java:543)
$at\ io. appium. java_client. Default Generic Mobile Driver. execute (Default Generic$	MobileDriver.
java:46)	
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)	<u>, </u>
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1	.)
at org.openqa.selenium.remote.	toWohDwivon
$\textbf{RemoteWebDriver} \$ \textbf{RemoteWebDriverOptions} \$ \textbf{RemoteWindow.getSize} (\textbf{RemoteWebDriverOptions}) \} \texttt{RemoteWebDriver} \$ \textbf{RemoteWebDriverOptions} \$ RemoteWebDrive$	teWebDriver.
RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSize(Remotewas204)	
RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSize(RemoteWeb3) at com.onepulse.app.screens.TestBasePage.scrollPageUP(TestBasePage.java:37	77)
RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSize(RemoteWebDriver\$) at com.onepulse.app.screens.TestBasePage.scrollPageUP(TestBasePage.java:37 at com.onepulse.app.stepdefinitions.mobilesteps.BaseSteps.scrollUp(BaseSteps.getPage).	77) java:73)
RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSize(RemoteWeb3) at com.onepulse.app.screens.TestBasePage.scrollPageUP(TestBasePage.java:37	77) java:73)
RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSize(RemoteWat:804) at com.onepulse.app.screens.TestBasePage.scrollPageUP(TestBasePage.java:37 at com.onepulse.app.stepdefinitions.mobilesteps.BaseSteps.scrollUp(BaseSteps.at .Then I scroll up(features/ph/home/prushoppe/Pru_Group Yearly Renewable Insurance(GYRT).feature:150)	77) java:73)
RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSize(Remotions:804) at com.onepulse.app.screens.TestBasePage.scrollPageUP(TestBasePage.java:37) at com.onepulse.app.stepdefinitions.mobilesteps.BaseSteps.scrollUp(BaseSteps.at .Then I scroll up(features/ph/home/prushoppe/Pru_Group Yearly Renewable Insurance(GYRT).feature:150) And I scroll up	77) java:73) e Term
RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSize(Remotions:804) at com.onepulse.app.screens.TestBasePage.scrollPageUP(TestBasePage.java:37) at com.onepulse.app.stepdefinitions.mobilesteps.BaseSteps.scrollUp(BaseSteps.at .Then I scroll up(features/ph/home/prushoppe/Pru_Group Yearly Renewable Insurance(GYRT).feature:150) And I scroll up And I scroll up	77) java:73) e Term 0.00s 0.00s
RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSize(Remotions:804) at com.onepulse.app.screens.TestBasePage.scrollPageUP(TestBasePage.java:37) at com.onepulse.app.stepdefinitions.mobilesteps.BaseSteps.scrollUp(BaseSteps.at .Then I scroll up(features/ph/home/prushoppe/Pru_Group Yearly Renewable Insurance(GYRT).feature:150) And I scroll up And I scroll up And user click on Scan Your ID link	77) java:73) e Term
RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSize(Remotiona:804) at com.onepulse.app.screens.TestBasePage.scrollPageUP(TestBasePage.java:37) at com.onepulse.app.stepdefinitions.mobilesteps.BaseSteps.scrollUp(BaseSteps.at.Then I scroll up(features/ph/home/prushoppe/Pru_Group Yearly RenewableInsurance(GYRT).feature:150) And I scroll up And I scroll up And user click on Scan Your ID link Then I wait for 2 sec	77) java:73) e Term 0.00s 0.00s 0.00s 0.00s
RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSize(Remotiona; 204) at com.onepulse.app.screens.TestBasePage.scrollPageUP(TestBasePage.java:37) at com.onepulse.app.stepdefinitions.mobilesteps.BaseSteps.scrollUp(BaseSteps.at.Then I scroll up(features/ph/home/prushoppe/Pru_Group Yearly Renewable Insurance(GYRT).feature:150) And I scroll up And I scroll up And user click on Scan Your ID link Then I wait for 2 sec And user selects Camera option	77) java:73) e Term 0.00s 0.00s 0.00s 0.00s 0.00s
RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSize(Remotiona:804) at com.onepulse.app.screens.TestBasePage.scrollPageUP(TestBasePage.java:37) at com.onepulse.app.stepdefinitions.mobilesteps.BaseSteps.scrollUp(BaseSteps.at.Then I scroll up(features/ph/home/prushoppe/Pru_Group Yearly Renewable Insurance(GYRT).feature:150) And I scroll up And I scroll up And user click on Scan Your ID link Then I wait for 2 sec And user selects Camera option And I give camera permission	77) java:73) e Term 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s
RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSize(Remotiona; 1940) at com.onepulse.app.screens.TestBasePage.scrollPageUP(TestBasePage.java:37) at com.onepulse.app.stepdefinitions.mobilesteps.BaseSteps.scrollUp(BaseSteps., at .Then I scroll up(features/ph/home/prushoppe/Pru_Group Yearly Renewable Insurance(GYRT).feature:150) And I scroll up And I scroll up And user click on Scan Your ID link Then I wait for 2 sec And user selects Camera option And I give camera permission Then I take picture from Camera	77) java:73) e Term 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s
RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSize(Remotional States (Remotional	77) java:73) e Term 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s
RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSize(Remotional State 1984) at com.onepulse.app.screens.TestBasePage.scrollPageUP(TestBasePage.java:37 at com.onepulse.app.stepdefinitions.mobilesteps.BaseSteps.scrollUp(BaseSteps., at .Then I scroll up(features/ph/home/prushoppe/Pru_Group Yearly Renewable Insurance(GYRT).feature:150) And I scroll up And I scroll up And user click on Scan Your ID link Then I wait for 2 sec And user selects Camera option And I give camera permission Then I take picture from Camera Then I wait for 5 sec Then I verify following error message "\${ph.prushoppe.validation.id.image}" is	77) java:73) e Term 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s
RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSize(Remotijava:804) at com.onepulse.app.screens.TestBasePage.scrollPageUP(TestBasePage.java:37 at com.onepulse.app.stepdefinitions.mobilesteps.BaseSteps.scrollUp(BaseSteps.at.Then I scroll up(features/ph/home/prushoppe/Pru_Group Yearly RenewableInsurance(GYRT).feature:150) And I scroll up And I scroll up And user click on Scan Your ID link Then I wait for 2 sec And user selects Camera option And I give camera permission Then I take picture from Camera Then I wait for 5 sec Then I verify following error message "\${ph.prushoppe.validation.id.image}" is displayed	77) java:73) e Term 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s
Remote WebDriver\$Remote WebDriverOptions\$Remote Window.getSize(Remotional States (Remotional States (Remotio	77) java:73) e Term 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s
RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSize(Remotional State 1998) at com.onepulse.app.screens.TestBasePage.scrollPageUP(TestBasePage.java:37) at com.onepulse.app.stepdefinitions.mobilesteps.BaseSteps.scrollUp(BaseSteps., at .Then I scroll up(features/ph/home/prushoppe/Pru_Group Yearly Renewable Insurance(GYRT).feature:150) And I scroll up And I scroll up And user click on Scan Your ID link Then I wait for 2 sec And user selects Camera option And I give camera permission Then I take picture from Camera Then I wait for 5 sec Then I verify following error message "\${ph.prushoppe.validation.id.image}" is displayed ter k to Table of Contents	77) java:73) e Term 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s
RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSize(Remotional States (Page 1998)) at com.onepulse.app.screens.TestBasePage.scrollPageUP(TestBasePage.java:37) at com.onepulse.app.stepdefinitions.mobilesteps.BaseSteps.scrollUp(BaseSteps., at .Then I scroll up(features/ph/home/prushoppe/Pru_Group Yearly Renewable Insurance(GYRT).feature:150) And I scroll up And I scroll up And user click on Scan Your ID link Then I wait for 2 sec And user selects Camera option And I give camera permission Then I take picture from Camera Then I wait for 5 sec Then I verify following error message ''\${ph.prushoppe.validation.id.image}'' is displayed ter k to Table of Contents enario: Verify user can enter other mandatory fields	77) java:73) e Term 0.00s
RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSize(Remotions) at com.onepulse.app.screens.TestBasePage.scrollPageUP(TestBasePage.java:37 at com.onepulse.app.stepdefinitions.mobilesteps.BaseSteps.scrollUp(BaseSteps.at .Then I scroll up(features/ph/home/prushoppe/Pru_Group Yearly Renewable Insurance(GYRT).feature:150) And I scroll up And I scroll up And user click on Scan Your ID link Then I wait for 2 sec And user selects Camera option And I give camera permission Then I take picture from Camera Then I wait for 5 sec Then I verify following error message "\${ph.prushoppe.validation.id.image}" is displayed ter to Table of Contents enario: Verify user can enter other mandatory fields sed: 0 Failed: 1 Undefined: 2	77) java:73) e Term 0.00s
RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSize(Remotional States (Page 1998)) at com.onepulse.app.screens.TestBasePage.scrollPageUP(TestBasePage.java:37) at com.onepulse.app.stepdefinitions.mobilesteps.BaseSteps.scrollUp(BaseSteps., at .Then I scroll up(features/ph/home/prushoppe/Pru_Group Yearly Renewable Insurance(GYRT).feature:150) And I scroll up And I scroll up And user click on Scan Your ID link Then I wait for 2 sec And user selects Camera option And I give camera permission Then I take picture from Camera Then I wait for 5 sec Then I verify following error message ''\${ph.prushoppe.validation.id.image}'' is displayed ter k to Table of Contents enario: Verify user can enter other mandatory fields	77) java:73) e Term 0.00s
RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSize(Remotions) at com.onepulse.app.screens.TestBasePage.scrollPageUP(TestBasePage.java:37 at com.onepulse.app.stepdefinitions.mobilesteps.BaseSteps.scrollUp(BaseSteps.at .Then I scroll up(features/ph/home/prushoppe/Pru_Group Yearly Renewable Insurance(GYRT).feature:150) And I scroll up And I scroll up And user click on Scan Your ID link Then I wait for 2 sec And user selects Camera option And I give camera permission Then I take picture from Camera Then I wait for 5 sec Then I verify following error message "\${ph.prushoppe.validation.id.image}" is displayed ter to Table of Contents enario: Verify user can enter other mandatory fields sed: 0 Failed: 1 Undefined: 2	77) java:73) e Term 0.00s
RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSize(Remotion java: 804) at com.onepulse.app.screens.TestBasePage.scrollPageUP(TestBasePage.java: 37 at com.onepulse.app.stepdefinitions.mobilesteps.BaseSteps.scrollUp(BaseSteps. at .Then I scroll up(features/ph/home/prushoppe/Pru_Group Yearly Renewable Insurance(GYRT).feature: 150) And I scroll up And I scroll up And user click on Scan Your ID link Then I wait for 2 sec And user selects Camera option And I give camera permission Then I take picture from Camera Then I wait for 5 sec Then I verify following error message "\${ph.prushoppe.validation.id.image}" is displayed ter k to Table of Contents enario: Verify user can enter other mandatory fields sed: 0	77) java:73) e Term 0.00s
RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSize(Remotion java: 804) at com.onepulse.app.screens.TestBasePage.scrollPageUP(TestBasePage.java: 37 at com.onepulse.app.stepdefinitions.mobilesteps.BaseSteps.scrollUp(BaseSteps. at .Then I scroll up(features/ph/home/prushoppe/Pru_Group Yearly Renewable Insurance(GYRT).feature: 150) And I scroll up And I scroll up And user click on Scan Your ID link Then I wait for 2 sec And user selects Camera option And I give camera permission Then I take picture from Camera Then I wait for 5 sec Then I verify following error message "\${ph.prushoppe.validation.id.image}" is displayed iter k to Table of Contents enario: Verify user can enter other mandatory fields sed: 0	77) java:73) e Term 0.00s
RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSize(Remotion java: 804) at com.onepulse.app.screens.TestBasePage.scrollPageUP(TestBasePage.java: 37 at com.onepulse.app.stepdefinitions.mobilesteps.BaseSteps.scrollUp(BaseSteps. at .Then I scroll up(features/ph/home/prushoppe/Pru_Group Yearly Renewable Insurance(GYRT).feature: 150) And I scroll up And I scroll up And user click on Scan Your ID link Then I wait for 2 sec And user selects Camera option And I give camera permission Then I take picture from Camera Then I wait for 5 sec Then I verify following error message "\${ph.prushoppe.validation.id.image}" is displayed ter k to Table of Contents enario: Verify user can enter other mandatory fields sed: 0	77) java:73) e Term 0.00s

	Address	Tst Address	
	City/Province	Tst City	
or	g.openqa.seler	ium.WebDri	verException: An unknown server-side error occurred while
pr	ocessing the co	ommand. Orig	ginal error: Could not proxy command to the remote server.
			NNREFUSED 127.0.0.1:8227
	_		evision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
Sy	stem info: hos	t: 'TM003LS	IN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd6
os.	version: '10.0'	, java.version	: '11.0.2'
Dı	river info: io.a	ppium.java_c	lient.android.AndroidDriver
		•	n.prudential.pulse.MainAc, appPackage: com.prudential.pul
			automationName: UiAutomator2, databaseEnabled: false,
			udential.pulse.MainAc, appPackage: com.prudential.pulse.us
			mationName: UiAutomator2, deviceName: Android-Test,
), noReset: true, platformName: android}, deviceApiLevel: 30,
		<u> </u>	deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
			viceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
			cionContextEnabled: false, networkConnectionEnabled: true,
), noReset: true, pixelRatio: 2.75, platform: LINUX,
		and the second s	formVersion: 11, statBarHeight: 145, takesScreenshot: true,
		ieight: 2015, I	eft: 0, top: 145, width: 1080}, warnings: {}, webStorageEnable
	lse}	0.40 00 404	
			0a-a7f7-b2d157b8272a
			th, value=//android.widget.TextView[contains(@text,'ID
			l.widget.EditText[1]} tedConstructorAccessor19.newInstance(Unknown Source)
			ct.DelegatingConstructorAccessorImpl.newInstance
			sorImpl.java:45)
	0 0		Constructor.newInstance(Constructor.java:490)
	•		e.http.W3CHttpResponseCodec.createException
	V3CHttpRespo		
		•	e.http.W3CHttpResponseCodec.decode
	3CHttpRespo		
		•	e.http.W3CHttpResponseCodec.decode
	V3CHttpRespo		
			e.HttpCommandExecutor.execute(HttpCommandExecutor.jav
	8)		· · ·
at	io.appium.jav	a_client.remo	te.AppiumCommandExecutor.execute
A	ppiumComma	indExecutor.j	ava:231)
at	org.openqa.se	lenium.remot	e.RemoteWebDriver.execute(RemoteWebDriver.java:543)
			ultGenericMobileDriver.execute(DefaultGenericMobileDriver.
a	va:42)		
at	io.appium.jav	a_client.Appi	umDriver.execute(AppiumDriver.java:1)
ıt	io.appium.jav	a_client.andr	oid.AndroidDriver.execute(AndroidDriver.java:1)
			re.RemoteWebDriver.findElement (RemoteWebDriver.java: 317)
			ultGenericMobileDriver.findElement
	efaultGeneric		
			umDriver.findElement(AppiumDriver.java:1)
			oid.AndroidDriver.findElement(AndroidDriver.java:1)
	~ -	lenium.remot	ze. RemoteWebDriver. findElementByXPath (RemoteWebDriver. findElementByXPath)
ja	va:419)		

		GenericMobile		1011				
(DefaultGeneric	· ·		ementByXPath(AppiumDr	ivor iovo·1)				
			r.findElementByXPath(A)					
at org.openqa.sel								
			ver.findElement(RemoteV	VebDriver.java:309)				
at io.appium.java	a_client.Default@	GenericMobile	Driver.findElement					
	(DefaultGenericMobileDriver.java:58)							
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)								
			r.nnakiement(AnarolaDr executeCommand(Comma					
_	•		and.executeCommand(Exe					
19)	-		(J				
			extWithTab(TestBasePage					
	* *	* *	enterYourDetails(PruSho)	9				
_		ns.mobilestep	s.PruShoppeSteps.enterYo	ourDetails				
(PruShoppeSteps		n nwu shanna r	watestion games (feetures)	nh/hama/nyughanna				
			orotection screen(features/je(GYRT).feature:162)	pn/nome/prusnoppe				
Then I scroll dov			C(OTKT):Teature:T02)	0.00s				
	your details in pr	ru shoppe prot	ection screen	0.00s				
	ph.prushoppe.oo			00000				
After	pinpiusioppe.or	eptilistaciitj		0.00s				
				0.008				
Back to Table of Conter								
TT 10 (T)								
•		1 1	cies under My Policies					
ssed: 0 Fail	ed: 2	Undefined: 0	Duration: 154.7	'3s				
ssed: 0 Fail	ed: 2	Undefined: 0	i					
ssed: 0 Fail	ed: 2	Undefined: 0	Duration: 154.7	Duration: 116.84				
Scenario: Verify tha	ed: 2 at No linked police	Undefined: 0	Duration: 154.7 on message is displayed					
Scenario: Verify that Passed: 9	ed: 2 at No linked police Failed: 1	Undefined: 0	Duration: 154.7 on message is displayed	Duration: 116.84				
Scenario: Verify that Passed: 9 Before Given User has p	ed: 2 at No linked police Failed: 1 oulse app	Undefined: 0 cies informatio	Duration: 154.7 on message is displayed	Duration: 116.84 s 0.00s 9.85s				
Passed: 9 Before Given User has p And I assign ''\${	Failed: 1 oulse app onepulse.login.gl	Undefined: 0 cies informatio	Duration: 154.7 on message is displayed defined: 0	Duration: 116.84 s 0.00s 9.85s				
Sed: 0 Faile Scenario: Verify the Passed: 9 Before Given User has p	Failed: 1 oulse app onepulse.login.gl	Undefined: 0 cies informatio	Duration: 154.7 on message is displayed defined: 0	Duration: 116.84 s 0.00s 9.85s 0.00s				
Passed: 9 Before Given User has p And I assign "\${ When I navigate When user enter	Failed: 1 oulse app onepulse.login.gl	Undefined: 0 cies informatio Un obal.id}'' to va	Duration: 154.7 on message is displayed defined: 0	Duration: 116.84 s 0.00s 9.85s 0.00s 8.70s				
Scenario: Verify that Passed: 9 Before Given User has p And I assign "\${ When I navigate When user enters UserName \${I	Failed: 1 oulse app onepulse.login.gl to login page s credentials	Undefined: 0 cies informatio Un obal.id}'' to va	Duration: 154.7 on message is displayed defined: 0	Duration: 116.84 s 0.00s 9.85s 0.00s 8.70s				
Passed: 0 Faile Scenario: Verify that Passed: 9 Before Given User has p And I assign ''\${ When I navigate When user enter UserName \${I Password \${I	Failed: 1 oulse app onepulse.login.gl to login page s credentials PULSE_EMAIL Password.text}	Undefined: 0 cies informatio Un obal.id}'' to va	Duration: 154.7 on message is displayed defined: 0	Duration: 116.84 s 0.00s 9.85s 0.00s 8.70s 9.96s				
Scenario: Verify that Passed: 9 Before Given User has p And I assign "\${ When I navigate When user enters UserName \${I	Failed: 1 oulse app onepulse.login.gl to login page s credentials PULSE_EMAIL Password.text on signin button	Undefined: 0 cies informatio Un obal.id}'' to va	Duration: 154.7 on message is displayed defined: 0	Duration: 116.84 s 0.00s 9.85s 0.00s 8.70s 9.96s				
Scenario: Verify that Passed: 9 Before Given User has p And I assign "\${ When I navigate When user enter: UserName \${I Password \${I And User clicks of the I wait for 1	Failed: 1 oulse app onepulse.login.gl to login page s credentials PULSE_EMAIL Password.text} on signin button 0 sec	Undefined: 0 cies informatio Un obal.id}'' to va	Duration: 154.7 on message is displayed defined: 0 ariable "PULSE_EMAIL"	Duration: 116.84 s 0.00s 9.85s 0.00s 8.70s 9.96s 0.44s 10.00s				
Scenario: Verify that Passed: 9 Before Given User has pand I assign "\${ When I navigate When user enters UserName \${I Password \${I And User clicks of the I wait for 1 And I enter OTP	Failed: 1 Doulse app onepulse.login.gl to login page s credentials PULSE_EMAIL Password.text on signin button 0 sec one pulse app	Undefined: 0 cies informatio Un obal.id}'' to va	Duration: 154.7 on message is displayed defined: 0	Duration: 116.84 s 0.00s 9.85s 0.00s 8.70s 9.96s 0.44s 10.00s 33.52s				
Scenario: Verify that Passed: 9 Before Given User has pand I assign "\${a} When I navigate When user enteral UserName \${I} Password \${I} And User clicks a Then I wait for 1 And I enter OTP Then user should	Failed: 1 Dulse app Onepulse.login.gl to login page s credentials PULSE_EMAIL Password.text On signin button O sec On one pulse app I be landed home	Undefined: 0 cies informatio Un obal.id}'' to va of for user ema	Duration: 154.7 on message is displayed defined: 0 ariable "PULSE_EMAIL"	Duration: 116.84 s 0.00s 9.85s 0.00s 8.70s 9.96s 0.44s 10.00s 33.52s 9.97s				
Scenario: Verify that Passed: 9 Before Given User has p And I assign "\${o} When I navigate When user enter UserName \${I} Password \${I} And User clicks of Then I wait for 1 And I enter OTP Then user should When I clicks on	Failed: 1 Doulse app Onepulse.login.gl to login page s credentials PULSE_EMAIL Password.text On signin button O sec In one pulse app d be landed home "\${prushoppe.p}	Undefined: 0 cies information Un obal.id}" to va of for user emane screen oolicies.txt}" ic	Duration: 154.7 on message is displayed defined: 0 ariable "PULSE_EMAIL"	Duration: 116.84 s 0.00s 9.85s 0.00s 8.70s 9.96s 0.44s 10.00s 33.52s 9.97s 0.69s				
Scenario: Verify that Passed: 9 Before Given User has pand I assign "\${a} When I navigate When user enteral UserName \${I} Password \${I} And User clicks a Then I wait for 1 And I enter OTP Then user should	Failed: 1 Doulse app Onepulse.login.gl to login page s credentials PULSE_EMAIL Password.text On signin button O sec In one pulse app d be landed home "\${prushoppe.p}	Undefined: 0 cies information Un obal.id}" to va of for user emane screen oolicies.txt}" ic	Duration: 154.7 on message is displayed defined: 0 ariable "PULSE_EMAIL"	Duration: 116.84 s 0.00s 9.85s 0.00s 8.70s 9.96s 0.44s 10.00s 33.52s 9.97s				
Scenario: Verify that Passed: 9 Before Given User has p And I assign "\${ When I navigate When user enter UserName \${I Password \${I And User clicks of Then I wait for 1 And I enter OTP Then user should When I clicks on	Failed: 1 Doulse app Onepulse.login.gl to login page s credentials PULSE_EMAIL Password.text On signin button O sec In one pulse app d be landed home "\${prushoppe.p} ee the list of linke	Undefined: 0 cies information Un obal.id}" to va of for user emain electric ed policies ed policies	Duration: 154.7 on message is displayed defined: 0 ariable "PULSE_EMAIL" on in Home screen	Duration: 116.84 s 0.00s 9.85s 0.00s 8.70s 9.96s 0.44s 10.00s 33.52s 9.97s 0.69s				
Scenario: Verify that Passed: 9 Before Given User has pand I assign "\${a} When I navigate When user enterant UserName \${Iaan Password \${Iaan	Failed: 1 Dulse app Onepulse.login.gl to login page s credentials PULSE_EMAIL Password.text On signin button O sec O in one pulse app d be landed home "\${prushoppe.p} ee the list of linker onError: The folist not matching v	Undefined: 0 cies information Un obal.id}" to va of for user emants are screen colicies.txt}" ica ed policies llowing asserts with the UI exp	Duration: 154.7 on message is displayed defined: 0 ariable "PULSE_EMAIL" on in Home screen failed: pected [true] but found [failed:	Duration: 116.84 s 0.00s 9.85s 0.00s 8.70s 9.96s 0.44s 10.00s 33.52s 9.97s 0.69s 33.71s				
Scenario: Verify that Passed: 9 Before Given User has pand I assign "\${a} When I navigate When user enterant UserName \${Iaan Password \${Iaan	Failed: 1 Dulse app Onepulse.login.gl to login page s credentials PULSE_EMAIL Password.text On signin button O sec O in one pulse app d be landed home "\${prushoppe.p} ee the list of linker onError: The folist not matching v	Undefined: 0 cies information Un obal.id}" to va of for user emants are screen colicies.txt}" ica ed policies llowing asserts with the UI exp	Duration: 154.7 on message is displayed defined: 0 ariable "PULSE_EMAIL" on in Home screen	Duration: 116.84 s 0.00s 9.85s 0.00s 8.70s 9.96s 0.44s 10.00s 33.52s 9.97s 0.69s 33.71s				

No Policies are linked to the logged in user message is not matching with the UI in My Policies screen expected [true] but found [false]


at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)

at com.onepulse.app.screens.MyPoliciesScreen.validateMyPoliciesScreenUI(MyPoliciesScreen.java:112)

at com.onepulse.app.stepdefinitions.mobilesteps.MyPolicySteps.

userCanSeeTheListOfLinkedPolicies(MyPolicySteps.java:32)

at .Then User can see the list of linked policies(features/ph/mypolicies/MyPolicies.feature:17)



After			0.00s					
Back to Table of Contents								
Scenario: Verify that us	er can access his	policies from Home screen						
Passed: 4	Failed: 1	Undefined: 19	Duration: 37.89s					
Before			0.00s					
Given User has pulse	app		11.14s					
And user click on "\$	{continue.with.go	oogle.text}" with Google button	7.62s					
And I click the "Ema	ail'' in Continue	with Gmail	15.67s					
Emailid \${login.	id.continue.with.	google}						
Password pulsesge	Password pulsesgqa@123							
Then user should be	landed home scr	een	3.44s					
When I clicks on "\${	my.policies.textc	hange}'' icon in Home screen	0.02s					

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',

os.version: '10.0', java.version: '11.0.2'

```
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 60cca75b-df44-41f9-a90a-c1d44df597cb
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Mv']/following::
android.widget.TextView[@text='Policies']}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
```

at com.prudential.tap.selenium.Commands\$15.executeCommand(Com	mands.java:141)								
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(E									
19)									
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)									
at com.onepulse.app.screens.MyPoliciesScreen.clickMyPolicies(MyPoliciesScreen.java:79) at com.onepulse.app.stepdefinitions.mobilesteps.MyPolicySteps.iClicksOnIconInHomeScreen									
(MyPolicySteps.java:26)									
at .When I clicks on "\${my.policies.textchange}" icon in Home screen(features/ph/mypolicies									
/MyPolicies.feature:26)									
And I clicks on Proceed button to accept the terms and conditions	0.00s								
Then User can see the list of linked policies	0.00s								
Then Verify the policy details on my policies home screen	0.00s								
When User clicks on "\${policydetails.inforce.txt}" button to access the	PruSafe 0.00								
COVID Vaccine	0.00s								
Then I wait for 5 sec	0.00s								
Then User will be landed in Policy Info screen	0.00s								
And Verify the Policy Info screen UI	0.00s								
When User clicks on '\\${policydetails.benefits.investment.txt}'' tab	0.00s								
Then User can verify the benefits screen UI	0.00s								
When User click on ''\${policydetails.contract.txt}'' tab	0.00s								
Then User can verify the Policy Contract screen UI	0.00s								
When User clicks on Submit a Claim button	0.00s								
Then User can see an authentication pop-up to authenticate the transaction									
When User clicks on Mobile number checkbox	0.00s								
And User clicks on Send button	0.00s								
Then User can see OTP verification screen	0.00s								
When User enters Invalid OTP and clicks on Continue button	0.00s								
OTP 123456									
Then User can see that Invalid OTP error message	0.00s								
And User clicks on Cancel button	0.00s								
After	0.00s								
	0.008								
Back to Table of Contents									
eature: Verify wealth channel functionality on one pulse App									
assed: 6 Failed: 7 Undefined: 0 Duration: 28	86.75s								
Scenario: Verify User should be able to login using email account									
Passed: 9 Failed: 0 Undefined: 0	Duration: 87.52s								
Before	0.00s								
Given User has pulse app	11.91s								
And I assign "\${onepulse.login.global.id}" to variable "PULSE_EMAI									
When I navigate to login page	8.97s								
Given I create connection for api service	0.00s								
When user enters credentials	9.97s								
UserName \${PULSE_EMAIL}	74270								
Password \${login.password}									
And User clicks on signin button	0.34s								
And Oser Cheks on signiff button	0.348								

Then I wait for 10 se	ec		10.01s
And I enter OTP in	one pulse app for	user email ''\${PULSE_EMAIL}''	31.96s
Then user should be	e landed to "Home	e'' screen	14.38s
After	0.00s		
Back to Table of Contents			
Scenario: Verify User s	should be able to	navigate to wealth page	
Passed: 4	Failed: 0	Undefined: 0	Duration: 48.25
Before			0.00s
And I scroll down			4.59s
Then I wait for 10 se	ec		10.00s
Then I click on Wea	lth Channels on l	anding page	0.55s
And I verify following	ng wealth channe	l option are displayed	33.11s
Wealth Channels	8		
After			0.00s
Back to Table of Contents			
Scenario: Verify User s	should be able to	view the story post	
Passed: 1	Failed: 0	Undefined: 0	Duration: 5.64s
Before			0.00s
Then I click on "Tea	ach vour child wit	th Cha-Ching' wealth channel topic	5.64s
After			0.00s
Back to Table of Contents			10000
	should be able to	see the story post Like, Share, Comment	ontions
Passed: 1	Failed: 0	Undefined: 0	Duration: 12.39
Before	2 411241 0	Charlinear v	0.00s
And I verify following	ng social cite onti	ons are displayed	12.39s
Like	ng social cite option	ons are displayed	12.575
Share			
Comment			
After			0.00s
Back to Table of Contents			0.003
Scenario: Verify User s	should be able to	Like the nest	
Passed: 4	Failed: 0	Undefined: 0	Duration: 30.84
Before	rancu. 0	Chaemea, v	0.00s
	oh vorn shildit	h Cha China!! nast like assert	14.30s
And I read the Tea	ich your child wit	h Cha-Ching" post like count	5.65s
	h your child with	Cha-Ching" post like count is increased	5.058 5.25s
And I Like the post	ii your ciniu witii	post fixe count is fire eased	5.238 5.64s
After			0.00s
Back to Table of Contents			0.008
	should be able to	Shows the post	
Scenario: Verify User s			Duration 11 11
Passed: 2	Failed: 0	Undefined: 0	Duration: 11.11
Before			0.00s

And I share the post			5.48s			
Then I Verify the shar	e with friends po	pup	5.63s			
fter			0.00s			
ack to Table of Contents						
cenario: Verify User should be able to Comment the post						
ssed: 2	Failed: 1	Undefined: 0	Duration: 21.2			
efore			0.00s			
And I read the "Teacl	vour child with	Cha-Ching'' post comment co	ount 5.28s			
And I commented in t			8.84s			
		ha-Ching" post comment cou				
System info: host: 'TN os.version: '10.0', java Driver info: io.appium Capabilities {appActivuat, autoDismissAlerts desired: {appActivity: autoDismissAlerts: trunewCommandTimeout deviceManufacturer: deviceScreenDensity: javascriptEnabled: trunewCommandTimeout platformName: Andro platformName: Andro commandTimeout platformName: An	12.0', revision: '7 1003LSIN', ip: '19 .version: '11.0.2' 1.java_client.andr vity: com.prudent s: true, automatio com.prudential.p ie, automationNai t: 10000, noReset Google, deviceMo 440, deviceScreen ie, locationContex t: 10000, noReset oid, platformVersi : 2015, left: 0, top	c6e0b3', time: '2018-05-08T14' 92.168.1.124', os.name: 'Wind coid.AndroidDriver ial.pulse.MainAc, appPacka conName: UiAutomator2, datal culse.MainAc, appPackage: me: UiAutomator2, deviceName: ctrue, platformName: androi cdel: Pixel 5, deviceName: 0C2 clsize: 1080x2340, deviceUDID cxtEnabled: false, networkCon ctrue, pixelRatio: 2.75, platfo ion: 11, statBarHeight: 145, ta ctrue; 145, width: 1080}, warnings	age: com.prudential.pulsbaseEnabled: false, com.prudential.pulse.uame: Android-Test, id}, deviceApiLevel: 30, 241FDD40043P, anectionEnabled: true, orm: LINUX, akesScreenshot: true,			
*** Element info: {Us your child with Cha-C at jdk.internal.reflect. at java.base/jdk.intern	ing=xpath, value= Ching'')]/following GeneratedConstr nal.reflect.Delegat	40cbec342c -//android.widget.TextView[co g::android.widget.TextView[5] uctorAccessor19.newInstance ingConstructorAccessorImpl]} e(Unknown Source)			
at org.openqa.selenium (W3CHttpResponseC	reflect.Construct	_	ine winstance			
	odec.java:187) n.remote.http.W3	_	java:490) Exception			
	odec.java:187) n.remote.http.W3 odec.java:122) n.remote.http.W3 odec.java:49)	nva:45) or.newInstance(Constructor.j CHttpResponseCodec.create	java:490) Exception			

```
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.jaya client.android.AndroidDriver.findElementByXPath(AndroidDriver.jaya:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.onepulse.app.screens.TestBasePage.getElementText(TestBasePage.java:254)
at com.onepulse.app.screens.WealthScreen.verifyCommentCount(WealthScreen.java:255)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.
iVerifyPostCommentCountIsIncreased(WealthSteps.java:105)
at .Then I verify "Teach your child with Cha-Ching" post comment count is increased(features
/ph/wealth/WealthChannel.feature:56)
```

After			0.00s					
Back to Table of Contents	Back to Table of Contents							
Scenario: Verify User	should be able to	view the full page article post						
Passed: 0	Failed: 1	Undefined: 0	Duration: 11.12s					
Before			0.00s					
There I aliak as UT	aaab waxa abild wi	th Cha Chinall tania for details for	ullform 11 12a					

Then I click on "Teach your child with Cha-Ching" topic for details full view 11.12s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server.

Original error: connect ECONNREFUSED 127.0.0.1:8229

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,

```
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: d7c23f5c-f0e8-47c9-80ea-a04bcbec342c
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"Teach
your child with Cha-Ching")]/../following::android.widget.ScrollView[1]/android.view.
ViewGroup/android.view.ViewGroup[2]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.jaya client.android.AndroidDriver.findElement(AndroidDriver.jaya:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.WealthScreen.clickWealthChannelTopicDetailView
(WealthScreen.java:135)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.
iClickOnTopicForDetailsFullView(WealthSteps.java:64)
```

ter				0.00s
ck to Table of Contents	1			
enario: Verify User	should be able to se	ee the Like, Share, Comi	ment options or	n full page articl
st				
ssed: 1	Failed: 1	Undefined: 0		Duration: 23.2
fore				0.00s
Then I wait for 5 s	ec			5.01s
And I verify follow	ving social cite option	ns are displayed		18.21s
Like				
Share				
Comment				
Capabilities {appA uat, autoDismissA desired: {appActiv	activity: com.prudenterts: true, automativity: com.prudential	roid.AndroidDriver tial.pulse.MainAc, app onName: UiAutomator2 pulse.MainAc, appPac	2, databaseEna ckage: com.pru	ıbled: false, udential.pulse.ua
Capabilities {appA uat, autoDismissA desired: {appActiv autoDismissAlerts newCommandTim deviceManufactur deviceScreenDensi javascriptEnabled newCommandTim platformName: An viewportRect: {hei false} Session ID: d7c23f	ium.java_client.and activity: com.prudent lerts: true, automativity: com.prudential true, automationN leout: 10000, noRese er: Google, deviceM ty: 440, deviceScree true, locationContection leout: 10000, noRese adroid, platformVer ight: 2015, left: 0, to	roid.AndroidDriver tial.pulse.MainAc, apponName: UiAutomator2.pulse.MainAc, appPacame: UiAutomator2, devict: true, platformName: fodel: Pixel 5, deviceNamnSize: 1080x2340, devicextEnabled: false, network: true, pixelRatio: 2.75, sion: 11, statBarHeight: p: 145, width: 1080}, was	2, databaseEnackage: com.pruviceName: Andandroid}, devide android}, devide (C241FDD) and (C241FDD) arkConnection platform: LIN (C145, takesScreamings: {}, web	abled: false, adential.pulse.uadential.pulse.uadroid-Test, ceApiLevel: 30, 40043P, EDD40043P, Enabled: true, NUX, eenshot: true, oStorageEnabled
Capabilities {appA uat, autoDismissA desired: {appActiv autoDismissAlerts newCommandTim deviceManufactur deviceScreenDensi javascriptEnabled newCommandTim platformName: An viewportRect: {hei false} Session ID: d7c23f at jdk.internal.refl at java.base/jdk.in (DelegatingConstr	ium.java_client.and activity: com.prudent lerts: true, automativity: com.prudential ity: com.prudential itrue, automationN leout: 10000, noRese er: Google, deviceM ity: 440, deviceScree itrue, locationContectionConte	roid.AndroidDriver tial.pulse.MainAc, apponName: UiAutomator2 pulse.MainAc, appPacame: UiAutomator2, device: true, platformName: todel: Pixel 5, deviceNannSize: 1080x2340, devicextEnabled: false, netwoet: true, pixelRatio: 2.75, sion: 11, statBarHeight: p: 145, width: 1080}, was 04bcbec342c ructorAccessor19.newIntingConstructorAccessor	2, databaseEnackage: com.pruviceName: Andandroid}, devidene: 0C241FDDeeUDID: 0C241orkConnectionle, platform: LINe 145, takesScrearnings: {}, webunstance(UnknoorImpl.newInstance)	abled: false, adential.pulse.uadroid-Test, ceApiLevel: 30, 40043P, Enabled: true, NUX, eenshot: true, oStorageEnabled own Source) tance
Capabilities {appA uat, autoDismissA desired: {appActiva autoDismissAlerts newCommandTima deviceManufactural deviceScreenDensi javascriptEnabled newCommandTimplatformName: An viewportRect: {heights} Session ID: d7c23fat jdk.internal.reflat java.base/jdk.internal.reflat java.base/jdk.internal.reflat java.base/java.lat org.openqa.selet (W3CHttpResponsi	ium.java_client.and activity: com.prudent lerts: true, automativity: com.prudential ity: com.prudential ity: com.prudential ity: 10000, noRese er: Google, deviceM ity: 440, deviceScree itrue, locationContec	roid.AndroidDriver tial.pulse.MainAc, apponName: UiAutomator2 pulse.MainAc, appPacame: UiAutomator2, device: true, platformName: todel: Pixel 5, deviceNamenSize: 1080x2340, devicextEnabled: false, network: true, pixelRatio: 2.75, sion: 11, statBarHeight: p: 145, width: 1080}, was 04bcbec342c ructorAccessor19.newIntingConstructorAccessoriava:45) tor.newInstance(ConstructorAccessoriava:45)	2, databaseEnackage: com.pruviceName: Andandroid}, devidene: 0C241FDDeeUDID: 0C241orkConnectionl, platform: LINe 145, takesScrearings: {}, webenstance(UnknoorImpl.newInstance).createException.	abled: false, adential.pulse.uadential.pulse.uadroid-Test, ceApiLevel: 30, 40043P, Enabled: true, NUX, eenshot: true, oStorageEnabled own Source) tance
Capabilities {appA uat, autoDismissA desired: {appActiva autoDismissAlerts newCommandTimedeviceManufactural deviceScreenDensi javascriptEnabled newCommandTimediatformName: An viewportRect: {heights} Session ID: d7c23fat jdk.internal.reflat java.base/jdk.in (DelegatingConstrat java.base/java.lat org.openqa.selet (W3CHttpResponattorg.openqa.selet (W3CHttpResponattorg.openqa.selet	sium.java_client.and activity: com.prudent lerts: true, automaticity: com.prudential ity: com.prudential ity: com.prudential ity: 40, no Research ity: 440, deviceScree itrue, locationContentential ity: 440, dev	roid.AndroidDriver tial.pulse.MainAc, apponName: UiAutomator2 pulse.MainAc, appPacame: UiAutomator2, device: true, platformName: todel: Pixel 5, deviceNamenSize: 1080x2340, device extEnabled: false, network: true, pixelRatio: 2.75, sion: 11, statBarHeight: p: 145, width: 1080}, was 04bcbec342c ructorAccessor19.newIntingConstructorAccessor3eva:45) tor.newInstance(ConstructorAccessor3eva:45) tor.newInstance(ConstructorAccessor3eva:45)	2, databaseEnackage: com.pruviceName: Andandroid}, devidene: 0C241FDDeUDID: 0C241prkConnectionle, platform: LINe 145, takesScrearnings: {}, webenstance(UnknobrImpl.newInstructor.java:490c.createException.decode	abled: false, adential.pulse.uadential.pulse.uadroid-Test, ceApiLevel: 30, 40043P, Enabled: true, NUX, eenshot: true, oStorageEnabled own Source) tance
Capabilities {appA uat, autoDismissA desired: {appActiva autoDismissAlerts newCommandTimedeviceManufacturedeviceScreenDensingiavascriptEnabled newCommandTimentplatformName: And viewportRect: {heights at judk.internal.reflatedesingConstructionatedesingConstructi	sium.java_client.and activity: com.prudent lerts: true, automativity: com.prudential ity: com.prudential ity: com.prudential ity: 400, noRese er: Google, deviceMety: 440, deviceScree itrue, locationControl leout: 10000, noRese droid, platformVer ight: 2015, left: 0, to ity: 450, to ity: 460, deviceScree itrue, locationControl leout: 10000, noRese droid, platformVer ight: 2015, left: 0, to ity: 450, to ity	roid.AndroidDriver tial.pulse.MainAc, apponName: UiAutomator2 pulse.MainAc, appPacame: UiAutomator2, device. Et: true, platformName: fodel: Pixel 5, deviceNamenSize: 1080x2340, devicextEnabled: false, network: true, pixelRatio: 2.75, sion: 11, statBarHeight: p: 145, width: 1080}, was 04bcbec342c ructorAccessor19.newIntingConstructorAccessor idea: 45) ttor.newInstance(Constructor.ne	2, databaseEnackage: com.pruviceName: Andandroid}, devidene: 0C241FDDeuDID: 0C241 brkConnectionl, platform: LINe 145, takesScrearings: {}, webenstance(UnknobrImpl.newInstructor.java:490).createException.decode	abled: false, adential.pulse.ualroid-Test, ceApiLevel: 30, 40043P, Enabled: true, NUX, eenshot: true, oStorageEnabled own Source) tance
Capabilities {appA uat, autoDismissA desired: {appActiva autoDismissAlerts newCommandTima deviceManufactural deviceScreenDensi javascriptEnabled newCommandTima platformName: An viewportRect: {heightse} Session ID: d7c23fat jdk.internal.reflat java.base/jdk.internal.reflat java.base/jdk.internal.reflat java.base/java.lat org.openqa.selet (W3CHttpResponat org.openqa.selet (W3CHttpResponat org.openqa.selet (W3CHttpResponat org.openqa.selet (W3CHttpResponat org.openqa.selet (W3CHttpResponat org.openqa.selet (W3CHttpResponat org.openqa.selet	sium.java_client.and activity: com.prudent lerts: true, automativity: com.prudential ity: com.prudential ity: com.prudential ity: domain automation leout: 10000, noRese er: Google, device ity: 440, deviceScree itrue, locationControl leout: 10000, noRese adroid, platformVer ight: 2015, left: 0, to ity: defect. automatic fernal.reflect. Delegation autor Accessor Implantage are flect. Construction inium.remote.http. WeseCodec.java:187) inium.remote.http. WeseCodec.java:122) inium.remote.http. WeseCodec.java:49) inium.remote.Http. WeseCodec.java:49) inium.remote.Http. WeseCodec.java:49) inium.remote.Http. WeseCodec.java:49)	roid.AndroidDriver tial.pulse.MainAc, apponName: UiAutomator2 pulse.MainAc, appPacame: UiAutomator2, device. True, platformName: odel: Pixel 5, deviceNamenSize: 1080x2340, devicextEnabled: false, network: true, pixelRatio: 2.75, sion: 11, statBarHeight: p: 145, width: 1080}, was 04bcbec342c ructorAccessor19.newIntingConstructorAccessor idea: 45) tor.newInstance(ConstructorAccessor idea: 45)	2, databaseEnackage: com.pruviceName: Andandroid}, devidene: 0C241FDDeeUDID: 0C241 orkConnectionl, platform: LINe 145, takesScrearnings: {}, webenstance(UnknoorImpl.newInstructor.java:490).createException.decode decode te(HttpComma	abled: false, adential.pulse.ualroid-Test, ceApiLevel: 30, 40043P, Enabled: true, NUX, eenshot: true, oStorageEnabled own Source) tance
Capabilities {appA uat, autoDismissA desired: {appActiva autoDismissAlerts newCommandTimedeviceManufacturedeviceScreenDensingia javascriptEnabledenewCommandTimentIngulatformName: And viewportRect: {heights at java.base/jdk.in (DelegatingConstrut java.base/jdk.in (DelegatingConstrut java.base/java.lat org.openqa.selectivascriptenesponentiat org.openqa.selectivascri	sium.java_client.and activity: com.prudent lerts: true, automativity: com.prudential ity: com.prudential ity: com.prudential ity: domain automation leout: 10000, noRese er: Google, device ity: 440, deviceScree itrue, locationControl leout: 10000, noRese adroid, platformVer ight: 2015, left: 0, to ity: defect. automatic fernal.reflect. Delegation autor Accessor Implantage are flect. Construction inium.remote.http. WeseCodec.java:187) inium.remote.http. WeseCodec.java:122) inium.remote.http. WeseCodec.java:49) inium.remote.Http. WeseCodec.java:49) inium.remote.Http. WeseCodec.java:49) inium.remote.Http. WeseCodec.java:49)	roid.AndroidDriver titial.pulse.MainAc, apponName: UiAutomator2 pulse.MainAc, appPacame: UiAutomator2, device. True, platformName: dodel: Pixel 5, deviceNamenSize: 1080x2340, devicextEnabled: false, network: true, pixelRatio: 2.75, sion: 11, statBarHeight: p: 145, width: 1080}, was 04bcbec342c ructorAccessor19.newIntingConstructorAccessor ijava: 45) tor.newInstance(Constructor.newI	2, databaseEnackage: com.pruviceName: Andandroid}, devidene: 0C241FDDeeUDID: 0C241 orkConnectionl, platform: LINe 145, takesScrearnings: {}, webenstance(UnknoorImpl.newInstructor.java:490).createException.decode decode te(HttpComma	abled: false, adential.pulse.ualroid-Test, ceApiLevel: 30, 40043P, Enabled: true, NUX, eenshot: true, oStorageEnabled own Source) tance

```
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:46)
```

at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)

at org.openqa.selenium.remote.

After

false}

RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSize(RemoteWebDriver.java:804)

at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)

at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:204)

at com.onepulse.app.screens.WealthScreen.isWealthStaticTextDisplayed(WealthScreen.java: 527)

at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.

iVerifyFollowingSocialCiteOptionsAreDisplayed(WealthSteps.java:317)

at .And I verify following social cite options are displayed(features/ph/wealth/WealthChannel. feature:63)

Scenario: Verify User should be able to Like the post in full article view screen						
Passed: 0 Failed: 1 Undefined: 1 Durati						
Sefore			0.00s			
And I Like th	ne post		6.11s			
Build info: version: version: '1 Driver info: i Capabilities { uat, autoDist desired: {app autoDismissA newComman deviceManuf	host: 'TM003LSIN', ip: 0.0', java.version: '11.0. o.appium.java_client.an appActivity: com.prudentissAlerts: true, automa Activity: com.prudentialerts: true, automation dTimeout: 10000, noReacturer: Google, deviced	: '7c6e0b3', time: '2018-05-08T14' '192.168.1.124', os.name: 'Wind .2'	lows 10', os.arch: 'amd64 age: com.prudential.puls baseEnabled: false, com.prudential.pulse.ua me: Android-Test, id}, deviceApiLevel: 30, 241FDD40043P,			

Session ID: d7c23f5c-f0e8-47c9-80ea-a04bcbec342c

*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Like']}

newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,

at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)

platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance

(Delegating Constructor Accessor Impl. java: 45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException

(W3CHttpResponseCodec.java:187)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode

0.00s

```
(W3CHttpResponseCodec.java:122)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:49)
  at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
  158)
  at io.appium.java client.remote.AppiumCommandExecutor.execute
  (AppiumCommandExecutor.java:231)
  at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  java:42)
  at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:62)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  java:419)
  at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java_client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
  19)
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.WealthScreen.clickLikeButton(WealthScreen.java:175)
  at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iLikeThePost(WealthSteps.java:
  75)
  at .And I Like the post(features/ph/wealth/WealthChannel.feature:68)
After
                                                                              0.00s
Back to Table of Contents
Scenario: Verify User should be able to Share the post in full article view screen
Passed: 0
                       Failed: 1
                                              Undefined: 1
                                                                              Duration: 9.09s
Before
                                                                              0.00s
                                                                              9.09s
  And I share the post
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command. Original error: Could not proxy command to the remote server.
  Original error: connect ECONNREFUSED 127.0.0.1:8229
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
```

```
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: d7c23f5c-f0e8-47c9-80ea-a04bcbec342c
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Share']}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
```

```
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
  19)
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
  at com.onepulse.app.screens.WealthScreen.clickShareButton(WealthScreen.java:215)
  at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iShareThePost(WealthSteps.java:
  at .And I share the post(features/ph/wealth/WealthChannel.feature:72)
After
                                                                               0.00s
Back to Table of Contents
Scenario: Verify User should be able to Comment the post in full article view screen
Passed: 0
                       Failed: 1
                                               Undefined: 0
                                                                               Duration: 9.1s
Before
                                                                               0.00s
  And I comment in full view post article "${wealth.topic.comment}"
                                                                               9.10s
  org.openga.selenium.WebDriverException: An unknown server-side error occurred while
  processing the command, Original error: Could not proxy command to the remote server.
  Original error: connect ECONNREFUSED 127.0.0.1:8229
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
  os.version: '10.0', java.version: '11.0.2'
  Driver info: io.appium.java client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
  autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
  newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
  deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
  deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
  javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
  newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
  platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
  viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
  Session ID: d7c23f5c-f0e8-47c9-80ea-a04bcbec342c
  *** Element info: {Using=xpath, value=//android.widget.TextView[@text='Comment']}
  at idk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
  (DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
  (W3CHttpResponseCodec.java:187)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:122)
  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:49)
  at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
  at io.appium.java_client.remote.AppiumCommandExecutor.execute
```

```
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.WealthScreen.enterCommentOnFullViewPage(WealthScreen.
java:280)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iCommentInFullViewPostArticle
(WealthSteps.java:115)
at .And I comment in full view post article "${wealth.topic.comment}"(features/ph/wealth
/WealthChannel.feature:76)
```

After			0.00s					
Back to Table of Contents								
Scenario: Verify User can navigate to wealth homepage								
Passed: 0	Failed: 1	Undefined: 2	Duration: 11.18					
Before			0.00s					
Then I navigate to story post page								
org.openqa.se	lenium.WebDriverExcep	otion: An unknown server-side or: Could not proxy command						

```
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: d7c23f5c-f0e8-47c9-80ea-a04bcbec342c
*** Element info: {Using=xpath, value=//android.view.View[contains(@text,'First Steps')]
/preceding::android.widget.ImageView}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
```

		at com.onepuls	e.app.so	creens.	Weal	lthScreen.c	ickFullViewBa	ackButton(WealthSc	reen.java:165)
	at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iNavigateToStoryPostPage								
		(WealthSteps.ja							
								ealthChannel.featur	
		Then I click on						utton	0.00s
		Then I click on	''Weal	th Cha	nnel	s" back but	ton		0.00s
	After								0.00s
	Back to Table of Contents								
Fe	Feature: Verify legal and legacy on One Pluse App								
	Passed: 4 Failed: 0 Undefined: 0 Duration: 174.06s								
	Sc	enario: User sho	ould be	able to	logi	in on app w	th correct cred	dentials using "Conti	nue with
		nail''				• • •			
	Pas	ssed: 8		Failed:	0		Undefined: 0		Duration: 84.74s
	Be	fore							0.00s
		Given User has	pulse a	арр					11.44s
		And I assign "\$			in.glo	obal.id}'' to	variable "PUI	LSE_EMAIL''	0.00s
		When I navigat							8.09s
		When user ente							9.42s
		UserName \$	{PULS	E EM	AIL}	}			
		Password \$				4			
		And User clicks							0.30s
		Then I wait for							10.01s
		And I enter OT		e pulse	e app	o for user er	nail ''\${PULSF	E EMAIL}"	31.08s
		Then user shou							14.40s
	Af	ter	202 100 100		<u> </u>		<u></u>		0.00s
	—	ck to Table of Cont	ents						0.005
		enario: Verify tl		ne and	cond	dition shoul	d he displayed		
	_	ssed: 4		Failed:		ultion shoul	Undefined: 0		Duration: 11.98s
	_	fore		rancu.	U		Chaermea. 0		0.00s
			<i></i>						+
		Then I wait for		. •	· TT	•			5.00s
		And I click the					-4		0.86s
		And I click the						7040	3.82s
		Then I verify for			are d	displayed in	terms and con	idition screen	2.30s
		\${Terms.com							
		\${Privacy.No		xt}					
		\${Regulator	y.text}						
		ter							0.00s
	_	ck to Table of Cont							
	_	enario: Verify tl	he Priv	acy scr	een s	should be d	splayed		
	-	ssed: 4		Failed:	0		Undefined: 0		Duration: 20.78s
	Be	fore							0.00s
		And I click the	Privacy	y icon i	n leg	gal screen			2.38s
		And I click the							13.60s

And I click the Back icon in pulse screen			2.41s
And I click the Back icon in Privacy Notice			2.39s
After			0.00s
Back to Table of Contents			
Scenario: Verify the Regu	ılator screen should	l be displayed	
Passed: 6	Failed: 0	Undefined: 0	Duration: 56.56s
Before			0.00s
And I click the Regulatory icon in legal screen			1.24s
And I click the Babylons icon in Account screen			1.63s
Then I verify following texts are displayed in terms and condition screen			en 4.08s
\${Clinicalsafety.tex	t}		
\${AI.in.Healthcare.	text}		
\${Localisation.text}			
\${Privacy.Data.Protection.text}			
\${Raising.Concerns	s}		
And I click the clinical safety icon in Account screen			20.74s
Then I wait for 8 sec			8.01s
And I click the Back icons in pulse screen			20.87s
After			0.00s
Back to Table of Contents			