## **Overview**

	Passed	Failed	Known	Undefined	Total	%Passed
Features	16	11	0	0	27	59%
Scenarios	113	29	0	0	142	80%
Steps	853	29	0	108	990	86%

Overall Duration: 2h 28m 41s

## **Table of Contents**

- 1. Verify login functionality on One pulse App
  - 1. Launch the app and select the country as per specified lbu
  - 2. login to the app with correct credentials using "Continue with Email"
  - 3. Verify the Invalid Email id in login screen using "Continue with Email"
  - 4. Verify the User not registerd email in login screen using "Continue with Email"
  - 5. User should be able to retrieve the reset password using forget password link
  - 6. Verify Account should be locked after entering more than 7 times incorrect passwords
  - 7. Verify the Login Functionality using "Continue with Google"
- 2. Verify registration functionality on one pulse App
  - 1. <u>User should be able to register on app with correct credentials using "Continue with Email"</u>
  - 2. verify the field label on registration screen
  - 3. verify the validation message for mandatory fields
  - 4. verify validation message when user enters Invalid password: Pulse@1 on registration page
  - 5. <u>verify validation message when user enters Invalid password: Pulse123 on registration page</u>
  - 6. Verify the validation message when user enter already registered email id on registration page
  - 7. Verify the mobile number screen validation using "Continue with Email"
  - 8. Verify the Gender screen validation using "Continue with Email"
  - 9. Verify the resend OTP functionality on Enter OTP Screen using "Continue with Email"
- 3. Verify Edit Profile functionality on Pulse Health & Wealth app
  - 1. Launch the app and select the country as per specified lbu
  - 2. login to the app with correct credentials using "Continue with Email"
  - 3. Verify User should be able to navigate to Edit profile screen
  - 4. Verify User should be able to change the profile picture in edit profile screen
  - 5. Verify the email, country code and COR fields are non-editable in edit profile screen
  - 6. Verify user can able to change the details in edit profile screen
  - 7. Verify Details updated during pulse profile registration should be reflected in edit profile screen
  - 8. verify the user details should be correctly on babylon screen
  - 9. navigate back to health screen
  - 10. <u>Verify User should not be able to edit email and country of residence fields on myDoc registration page once the user submitted their gender and DOB in edit profile</u>
- 4. Verify the BabyLon Emergency call flow on Pulse Health & Wealth app
  - 1. <u>User should be able to login on app with correct credentials and the BabyLon call 995 flow</u> must be verified
- 5. Verify the BabyLon Perianal lump workflow is working as expected

- 1. <u>User should be able to access Babylon from Pulse app and perform Perianal lump workflow</u>
- 6. Verify the BabyLon Maligant Neoplasm Breast lump workflow is working as expected
  - 1. User should be able to access Babylon from Pulse app and perform Breast lump workflow
- 7. Verify the BabyLon Human Immune Virus workflow is working as expected
  - 1. <u>User should be able to access Babylon from Pulse app and perform Human Immune Virus Rash workflow</u>
- 8. Verify the BabyLon Groin Mass workflow is working as expected
  - 1. User should be able to access Babylon from Pulse app and perform Groin mass workflow
- 9. Verify the BabyLon Maligant Neoplasm postmenopause bleed workflow is working as expected
  - 1. <u>User should be able to access Babylon from Pulse app and perform Postmenopausal Bleed</u> workflow
- 10. Verify the BabyLon Prostatic HyperPlasia workflow is working as expected
  - 1. <u>User should be able to access Babylon from Pulse app and perform Prostatic Hyperplasia</u> workflow
- 11. Verify the BabyLon Rib Fracture workflow is working as expected and user can the chat history after consultation
  - 1. Launch the app and select the country as per specified lbu
  - 2. User should be able to access Babylon from Pulse app and perform Rib Fracture workflow
- 12. Verify Medicine Reminder Positive Flow functionality on one pulse App
  - 1. <u>User should be able to register on app with correct credentials using "Continue with Email"</u>
  - 2. Verify User should be able to navigate to medical reminder page
  - 3. verify the static text on medicine reminder screen
  - 4. <u>verify add medicine screen is launched and user can enter the required info on medical info screen</u>
  - 5. verify user navigated to schedule screen and user can enter the required info
  - 6. Verify User should be able to navigate to More Setting page
  - 7. <u>verify Add medicine screen is displayed when user click on add new reminder on success</u>
    <u>popup</u>
  - 8. verify medicine reminder home screen is displayed when user click on not now button on success popup
- 13. Verify that user can locate near by Hospitals, clinics using PruShoppe Location feature
  - 1. Launch the app and select the country as per specified lbu
  - 2. login to the app with correct credentials using "Continue with Email"
  - 3. User should be able to locate Hospitals using PruShoppe location
  - 4. User should be able to locate cli using PruShoppe location
- 14. Verify MY Event channel functionality on one pulse App
  - 1. Launch the app and select the country as per specified lbu
  - 2. login to the app with correct credentials using "Continue with Email"
  - 3. Verify MyEvent Functionality in Home screen
  - 4. Verify Open Events tab
  - 5. Verify Events Archive tab
- 15. Verify My Health Content functionality on one pulse App
  - 1. Launch the app and select the country as per specified lbu
  - 2. User should be able to login on app with correct credentials using "Continue with Email"
  - 3. Verify User should be able to navigate to Health page
  - 4. Verify User should be able to view the full page article post
  - 5. Verify User should be able to see the Like, Share, Comment options on full page article post
  - 6. Verify User should be able to Like the post in full article view screen

- 7. Verify User should be able to Share the post in full article view screen
- 8. Verify User can navigate to Health homepage
- 16. Verify Notification Center functionality on one pulse App
  - 1. <u>User should be able to register on app with correct credentials using "Continue with Email"</u>
  - 2. Navigate to notification screen via home screen
  - 3. Verify User should be able to see the Notification screen texts
- 17. Verify My Challenges on One Pulse App
  - 1. Launch the app and select the country as per specified lbu
  - 2. User should be able to login on app with correct credentials using "Continue with Email"
  - 3. Verify My Challenges texts
  - 4. Click on All challenges and and verify texts
- 18. Verify My Communities on One Pluse App
  - 1. Launch the app and select the country as per specified lbu
  - 2. User should be able to login on app with correct credentials using "Continue with Gmail"
  - 3. User should be able to login on app with correct credentials using "Continue with Email" and Verify the Mycommunities screen
  - 4. Leave the community if already joined
  - 5. Verify the All Communities Post screen
  - 6. Verify the Likes and comments counts in All communities tab
  - 7. Verify the Share with Friends Functionality in All communities tab
  - 8. Verify the Post Functionality in All communities
  - 9. Verify the Category list and search feature
  - 10. Leave the community if already joined
- 19. Verify Private My Communities on One Pluse App
  - 1. Launch the app and select the country as per specified lbu
  - 2. User should be able to login on app with correct credentials using "Continue with Gmail"
  - 3. User should be able to login on app with correct credentials using "Continue with Gmail" and Verify the Mycommunities screen
  - 4. Verify the Private Communities in communities screen
- 20. Verify legal and legacy on One pulse App
  - 1. Launch the app and select the country as per specified lbu
  - 2. login to the app with correct credentials using "Continue with Email"
  - 3. Navigate to account screen
  - 4. Verify the Legacy and Privacy should be displayed
  - 5. Verify the Terms and condition screen should be displayed
  - 6. Verify the Privacy screen should be displayed
  - 7. Verify the Regulator screen should be displayed
- 21. Verify My accounts options in Account screen
  - 1. Launch the app and select the country as per specified lbu
  - 2. login to the app with correct credentials using "Continue with Email"
  - 3. Navigate to account screen and verify all the options
  - 4. Verify wearable screen in Account tab
  - 5. navigate back to account screen from my wearable screen
  - 6. Navigate to account screen
  - 7. Verify reward screen in Account tab
  - 8. <u>User access My Rewards FAQ</u>
  - 9. Verify the FAO on my rewards screen
  - 10. Verify the FAQ on my rewards screen
  - 11. Verify the FAO on my rewards screen
  - 12. Verify the FAO on my rewards screen

- 13. Verify the FAQ on my rewards screen
- 14. Verify the FAO on my rewards screen
- 15. Verify the FAQ on my rewards screen
- 16. Verify the FAO on my rewards screen
- 17. Verify the FAQ on my rewards screen
- 18. navigate back to account screen from my rewards screen
- 19. Verify Notification screen in Account tab
- 20. navigate back to account screen from Notification screen
- 21. Verify my feedback screen in Account tab
- 22. Verify the submit functionality in My feedback screen
- 23. Verify the Pulse Personalised tab
- 24. Save the consent with data privacy check
- 25. Save the consent without data privacy check
- 26. navigate back to account screen from pulse personalised screen
- 22. Verify My wearable functionality via fitness tab on Pulse Health & Wealth app
  - 1. Launch the app and select the country as per specified lbu
  - 2. login to the app with correct credentials using "Continue with Email"
  - 3. Verify the user can access My Wearables via Fitness
- 23. Verify that user can access calendar under health section
  - 1. Launch the app and select the country as per specified lbu
  - 2. login to the app with correct credentials using "Continue with Email"
  - 3. User should be able to access Calendar screen
- 24. Verify that user can manage events via the Family Vaccine Vaccine Calendar feature
  - 1. User should be able to register on app with correct credentials using "Continue with Email"
  - 2. User should be able to access my family vaccination calendar
  - 3. Verify the user can Add Vaccine Information
  - 4. Verify the added item displayed on the Vaccine Schedule screen
- 25. Verify Pru Safe Covid-19 Cover functionality on one pulse App
  - 1. User should be able to register on app with correct credentials using "Continue with Email"
  - 2. Verify User should be able to see the PRU Shoppe screen
  - 3. Verify User should be able to see the PRUSafe COVIDCover screen options
  - 4. Verify User should be able to see the PRUSafe COVIDCover screen options
- 26. Verify Pru Shoppe My Coverage functionality on one pulse App
  - 1. Launch the app and select the country as per specified lbu
  - 2. login to the app with correct credentials using "Continue with Email"
  - 3. Verify user can access his policies from Pru Shoppe My Policies screen
  - 4. Click on Link policy and verify screen to add policy number
  - 5. Verify the error message when the Policy Number is blank
  - 6. Verify the error message when the Policy Number is invalid or incorrect
  - 7. Verify the error message when the Cancel Button
- 27. Verify share with friends functionality in onepulse app
  - 1. Launch the app and select the country as per specified lbu
  - 2. login to the app with correct credentials using "Continue with Email"
  - 3. Verify User should be able to share the link with Whatsapp
  - 4. Verify User should be able to share the link with Contacts app
  - 5. Verify User should be able to share the link with Messenger app
  - 6. Verify User should be able to share the link with Viber app
  - 7. Verify User should be able to share the link with Line app

## **Detailed Results Report**

sed: 7 Faile	ctionality on C		on: 628.14s
		the country as per specified lbu	11. 020.148
Passed: 8	Failed: 0	Undefined: 0	Duration: 77.33
Before		Chathaut v	0.57s
Given User has puls	e ann		26.61s
		variable "PULSE_EMAIL"	0.01s
<u> </u>		/ITH EMAIL" with Email butto	
		ired on registration page	12.54s
Then I wait for 5 sec		Transfer Lead	5.00s
		uired on registration page	11.93s
And I click the Sign			5.42s
		ons on toggle bar as per specified	lbu on login 2.60s
After			0.00s
Back to Table of Contents			
Scenario: login to the a	pp with corre	et credentials using "Continue wi	th Email'
Passed: 6	Failed: 0	Undefined: 0	Duration: 43.2
Before			0.00s
Given I select the la	nguage ontior	on toggle bar as required on logi	in page 2.39s
When user enters co		on toggie our us required on tog	18.43s
UserName \${PUI Password \${logi	n.password}		
And User clicks on s			0.56s
And I wait for 5 sec			5.00s
		for user email "\${PULSE_EMA	
Then user should be	e landed to "H	ome'' screen	8.46s
After			0.00s
Back to Table of Contents  Samuel Varify the In	wolid Emoil is	in login screen using "Continue	with Email!!
Passed: 16	Failed: 0	Undefined: 0	Duration: 98.2
Before	rancu. v	ondeimed. v	0.00s
Given User has puls	o ann		15.47s
Then I wait for 2 sec			2.00s
		/ITH EMAIL'' with Email butto	
		ired on registration page	12.30s
Then I wait for 5 sec		not on registration page	5.00s
THOM I WAIT TOT 5 SC		uired on registration nage	10.64s
Then I change the la	angijage as re		110.048
Then I change the la And I click the Sign		uneu on registration page	4.94s

When user enters crede	entials		19.16s
UserName t@gmai			
Password Pas\$1234			
And I scroll down			4.11s
And User clicks on sign	in button		0.47s
Then verify invalid ema	ail message ''Emai	l is required''	0.99s
Then User clicks on For	rgot Password but	ton	0.38s
Then enter the email to	request the new p	oassword	3.42s
Email t@gmai			
Then User clicks on Sei	nd button		0.95s
Then verify invalid ema	ail message ''\${em	ail.invalid.text}''	1.14s
After			0.00s
Back to Table of Contents			
Scenario: Verify the User	not registerd emai	ll in login screen using "Continue v	vith Email''
Passed: 17	Failed: 0	Undefined: 0	Duration: 82.85s
Before			0.00s
Given I generate rando "RANDOM NUMBER		sign to variable	0.05s
And I assign value to fo			0.00s
USER_NAME		NUMBER\@mailinator.com	10000
USER_PASSWORD			
Given User has pulse a	•		13.99s
	-	MAIL" with Email button	13.01s
Then I change the coun			10.62s
Then I wait for 5 sec	<u> </u>	I and	5.00s
Then I change the lang	uage as required o	on registration page	0.48s
And I click the Sign in			5.38s
And I select the langua	ge option on togglo	e bar as required on login page	3.85s
When user enters crede	entials		18.11s
UserName \${USER_	NAME}		
Password \${USER_	PASSWORD}		
And I scroll down			4.23s
And User clicks on sign	in button		0.28s
Then verify invalid ema	ail message "\${inv	alid.credential.message}''	1.24s
Then User clicks on For			0.36s
Then enter the email to	request the new p	oassword	4.00s
Email \${USER_NAN	ME}		
Then User clicks on Sei	nd button		0.89s
Then verify invalid ema	ail message ''\${inv	alid.credential.message}''	1.35s
After			0.00s
Back to Table of Contents			
Scenario: User should be a	able to retrieve the	reset password using forget passw	vord link
Passed: 8	Failed: 0	Undefined: 0	Duration: 51.44s

efore			0.00s	
And I assign "\${forgot.p	0.00s			
Then enter the email to a	4.38s			
Email \${PULSE_EMA	AIL}			
Then User clicks on Send	l button		0.81s	
Then I wait for 10 sec			10.00s	
And I read the otp for enstore into a variable "EN		EMAIL}" using mailsac api and	27.76s	
Then I enter "\${EMAIL			1.24s	
Then I wait for 7 sec			7.00s	
Then Verify message: "\$	{password.reset.su	ccess.text}" for Reset Password	0.25s	
fter			0.00s	
ack to Table of Contents				
	nould be locked afte	er entering more than 7 times incor	rect passwords	
	Failed: 0	Undefined: 0	Duration: 231	
efore			0.00s	
Given I generate randon	number and accid	n to variable		
"RANDOM_NUMBER"		ii to variable	0.00s	
And I assign "pulse\${RA	0.00s			
And User has pulse app				
Then I wait for 2 sec				
And user click on "CON	TINUE WITH EM	AIL'' with Email button	13.09s	
Then I change the count	ry as required on re	egistration page	12.02s	
Then I wait for 5 sec			5.00s	
Then I navigate to pulse click on continue with en		nd select the lang on toggle bar the	n 7.59s	
Then I wait for 2 sec			2.00s	
When user enters registr	ation details		7.99s	
FirstName testAutom	ation			
LastName testAutom	ation			
Email \${PULSE_	EMAIL}			
Password Pas\$1234				
And taps on continue "S	ign_Up" button		1.20s	
Then I enter OTP in one	pulse app for user	email ''\${PULSE_EMAIL}''	30.80s	
Then I wait for 10 sec			10.00s	
Then I click skip button			68.26s	
Then user should be land	ded to "Home" scre	een	7.22s	
And I click the Account	icon in Home screen	n	0.77s	
And I click the sign out f	rom pulse app		9.04s	
			2.00s	
Then I wait for 2 sec				

		Pas\$123##\${			<u> </u>			
		Pas\$123##\${			<u> </u>			
		Pas\$123##\${			9 /			
		Pas\$123##\${						
		Pas\$123##\${	{invalid.c	redential.	message}			
		Pas\$123##\${	{invalid.c	redential.	message}			
		Pas\$123##\${	{account.l	locked.me	essage}			
A	fter							0.00s
Ba	ick t	o Table of Cont	tents					
So	ena	ario: Verify tl	he Login	Functiona	lity using "(	Continue with G	loogle''	
_	ssed			Failed: 0		Undefined: 0		Duration: 43.92s
В	efor	e:				<u> </u>		0.00s
	Gi	iven User has	nulse an	n				13.68s
					VITH GOOG	GLE" with Goog	gle hutton	7.66s
		nd click the co				JEE WITH GOOS	510 8411011	0.00s
		nd I click the			<u> </u>	ail		15.46s
	2 11		facebook		ue with Gint	***		12.105
		Password Pu		.texts				
	TL	nen user shou		ded to UII				7.13s
			nd be land	aea to H	ome screen			
	fter							0.00s
			1 4					
<u>Ba</u>	ick t	o Table of Cont	<u>tents</u>					
		Verify regist		nctionalit	y on one pul	se App		
	ıre:				y on one pul Undefined: 0		uration: 720.3s	
Featu Passed Sc	ire: d: 8 cena	Verify regist	tration fu Failed: 1		Undefined: 0	D	uration: 720.3s dentials using "Con	ntinue with
Featu Passed Sc	ıre: d: 8	Verify regist	tration fu Failed: 1		Undefined: 0	D		ntinue with
Featu Passed Sc En	are: d: 8 cena mai	Verify registerio: User sho	tration fu Failed: 1 ould be at	ole to regi	Undefined: 0	vith correct cree		ntinue with  Duration: 201.76
Passed Sc En	are: d: 8 cena mai	Verify registerio: User sho	tration fu Failed: 1 ould be at		Undefined: 0	D		Duration: 201.76
Passed Sc En	are: d: 8 cena mai	Verify registerio: User sho	tration fu Failed: 1 ould be at	ole to regi	Undefined: 0	vith correct cree		
Passed Sc En	d: 8 cena mai	Verify register in the second	tration fu Failed: 1 ould be at te randon	ole to regis	Undefined: 0 ster on app v	vith correct cred Undefined: 8		Duration: 201.76
Passed Sc En	ure: d: 8 cena mai	e Verify register in the second secon	tration furation fura	Die to regis Failed: 1 n number	Undefined: 0 ster on app v	vith correct cred Undefined: 8	dentials using "Con	Duration: 201.76 s 0.00s
Passed Sc En	are: al: 8 cena mai assed Gi "R Ar "P	e Verify register in the control of	tration furation fura	Die to regis Failed: 1 n number	Undefined: 0 ster on app v	vith correct cred Undefined: 8  o variable	dentials using "Con	Duration: 201.76 s 0.00s 0.00s
Passed Sc En	Gi "R Ar	e Verify register:  Ario: User should be should be should be said a said by the should be should	tration furation fura	Die to regis Failed: 1 n number	Undefined: 0 ster on app v	vith correct cred Undefined: 8  o variable	dentials using "Con	Duration: 201.76 s 0.00s 0.00s 0.00s
Passed Sc En	cena mai assed efor "R Ar "P Ar	e Verify register.  Ario: User should be should be say that the same of the sa	tration furation fura	Failed: 1 n number	undefined: 0 ster on app v and assign t	vith correct cred Undefined: 8  o variable	dentials using "Contact of the contact of the conta	Duration: 201.76 s 0.00s 0.00s 0.00s 13.97s
Passed Sc En	cena mai sssed efor Gi "R Ar "P Ar Th	e Verify register.  Ario: User should be should be say that the same of the sa	tration furation furation furation furation furation furation furation furation furation for the random furation furatio	Failed: 1 n number	undefined: 0 ster on app v and assign t	vith correct cree Undefined: 8  o variable  mailsac.com''	dentials using "Contact of the contact of the conta	Duration: 201.76 s 0.00s 0.00s 0.00s 13.97s 2.00s
Passed Sc En	cena mai sssed ''R Ar ''P Ar Th	e Verify registerio: User should be a serify registerio: User should be a serify registerior of the serification o	tration furation furation furation furation furation furation furation furation furation for the furation furat	Failed: 1 n number ' ANDOM_I	undefined: 0 ster on app v and assign t NUMBER}	vith correct creaters to the creaters to the correct creaters to the creaters to the correct creaters	dentials using "Contact of the contact of the conta	Duration: 201.76 s 0.00s 0.00s 0.00s 13.97s 2.00s 12.98s
Passed Sc En	cenamai ssed efor Gi "R Ar "P Ar Th Ar	e Verify registerio: User should be a serify registerio: User should be a serify registerior of the serification o	tration furation furation furation furation furation furation furation furation furation for the random furation furatio	Failed: 1 n number ' ANDOM_I	undefined: 0 ster on app v and assign t NUMBER}	vith correct cree Undefined: 8  o variable  mailsac.com''	dentials using "Contact of the contact of the conta	Duration: 201.76 s 0.00s 0.00s 0.00s 13.97s 2.00s 12.98s 2.00s
Passed Sc En	cenamai sseed Gi "R Ar "P Ar Th Ar Th	e Verify register in the control of	tration furation furation furation furation furation furation furation furation for the random UMBER' for the counting furation for the furation furation for the furation furation for the furation furation furation for the furation furat	Failed: 1 n number ' ANDOM_I	undefined: 0 ster on app v and assign t NUMBER}@	vith correct cree  Undefined: 8  o variable  mailsac.com'' to the control of the correct cree  to the correct cree  undefined: 8	to variable	Duration: 201.76 s 0.00s 0.00s 0.00s 13.97s 2.00s 12.98s 2.00s 11.56s 2.00s
Passed Sc En	cena mai sssed efor Gi "R Ar "P Ar Th Ar Th	e Verify register in the control of	tration furation furation furation furation furation furation furation furation for the random furation furatio	Failed: 1  n number  NDOM_I	undefined: 0 ster on app v and assign t NUMBER   ©	vith correct cree  Undefined: 8  o variable  mailsac.com'' to the control of the correct cree  to the correct cree  undefined: 8	dentials using "Contact of the contact of the conta	Duration: 201.76 s 0.00s 0.00s 0.00s 13.97s 2.00s 12.98s 2.00s 11.56s
Passed Sc En	cena mai ssed Gi "'R Ar "'P Ar Th Ar Th	everify register.  Ario: User should be a second of the se	tration furation furation furation furation furation furation furation furation for the fall of the fa	Failed: 1  n number  NDOM_I	undefined: 0 ster on app v and assign t NUMBER   ©	vith correct cree  Undefined: 8  o variable  mailsac.com'' to the control of the correct cree  to the correct cree  undefined: 8	to variable	Duration: 201.76 s 0.00s 0.00s 0.00s 13.97s 2.00s 12.98s 2.00s 11.56s 2.00s
Passed Sc En	efor Gi "R Ar Th Ar Th Clic	e Verify registerio: User should be a serify registerio: User should be a serify registerior of the serification of the se	tration furation furation furation furation furation furation furation furation for the random furation furation furation furation furation for the random furation f	Failed: 1 n number ' ANDOM_I TINUE W ry as requiregistrationall button	and assign t NUMBER	vith correct cree  Undefined: 8  o variable  mailsac.com'' to the control of the correct cree  to the correct cree  undefined: 8	to variable	Duration: 201.76 s 0.00s 0.00s 0.00s 13.97s 2.00s 12.98s 2.00s 11.56s 2.00s 8.47s
Passed Sc En	efor Gi "R Ar Th Ar Th Clic	everify registerio: User should be a saign "pulse_EMA duser has puen I wait for men I wait for m	tration furation furation furation furation furation furation furation furation for the random furation furation for the random furation furation for the furation fu	Failed: 1  n number ' ANDOM_I  TINUE V  ry as requestration deta	and assign t NUMBER	vith correct cree  Undefined: 8  o variable  mailsac.com'' to the control of the correct cree  to the correct cree  undefined: 8	to variable	Duration: 201.76 s 0.00s 0.00s 0.00s 13.97s 2.00s 12.98s 2.00s 11.56s 2.00s 8.47s 2.00s
Passed Sc En	efor Gi "R Ar Th Ar Th Clic	everify register.  Ario: User should be a second of the se	tration furation furation furation furation furation furation furation furation for the first function for the first furation furation for the first furation furatio	Failed: 1  n number  NDOM_I  TINUE V  ry as requiregistrational button ration deta	and assign t NUMBER	vith correct cree  Undefined: 8  o variable  mailsac.com'' to the control of the correct cree  to the correct cree  undefined: 8	to variable	Duration: 201.76 s 0.00s 0.00s 0.00s 13.97s 2.00s 12.98s 2.00s 11.56s 2.00s 8.47s 2.00s

Email \${PULSE_EMAIL} Password Pas\$1234	
	0.27-
And taps on continue "Sign_Up" button	0.37s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	37.08s
Then I wait for 2 sec	2.02s
And I enter the "mobile number" in welcome to pulse	11.43s
mobileNumber \${registration.mobile.number}	
And I click the continue button	0.79s
And I choose my wellness goals under wellness plan screen	2.30s
And I click the continue button	1.00s
And I click the date in Date of Birth field	7.18s
And I click the Done icon	3.40s
And I click the continue button	1.40s
And I select the Male icon	5.86s
And I click the continue button	1.79s
And I enter my height and weight details	3.96s
And I click on Calculate BMI button	1.69s
And I click the continue button	1.29s
And I select the "How active are you?" in doing exercise	2.80s
And I click the continue button	1.06s
And I select my favorite food dietary	2.36s
And I click the continue button	1.36s
And I answer as "Yes" to "Any Food allergies?"	3.48s
And I click the continue button	1.00s
And I verify that "Tracking your activity is trending" is displayed	2.61s
And I click on connect Later button	0.83s
And I see that "Welcome to Pulse" text is displayed	2.84s
And I click the continue button	0.88s
And I see that fitness subscription exclusive offers screen is displayed	4.61s
And I click on close icon	0.74s
Then I click skip buttons	10.37s
Then user should be landed to "Home" screen	20.50s
java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:94) at org.testng.Assert.failNotEquals(Assert.java:513) at org.testng.Assert.assertTrue(Assert.java:42) at org.testng.Assert.assertTrue(Assert.java:52) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.landingPageVal	
(LoginSteps.java:92) at .Then user should be landed to "Home" screen(features/PulseRegistration	
Then I wait for 4 sec	0.00s
	0.00s
And I click the Account icon in Home screen	
	0.00s
Then I wait for 4 sec	0.00s

When user enters password credentials in sigin screen	0.00s
Password Pas\$1234	
And User clicks on signin button	0.00s
Then I wait for 8 sec	0.00s
Then user should be landed to "Home" screen	0.00s
After	1.75s
Atter	1./58
am nurdential ten eveentien TenEveentien. Feiled to telve geveenshet e	e
com.prudential.tap.exception.TapException: Failed to take screenshot of	
t com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOf CucumberHook.java:95)	raneu i est cases
cucumber 1100k.java. 33) it com.onepulse.app.cucumberhooks.CucumberHook.afterTest(Cucumb	nerHook iava·72)
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Na	
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(Nati	
ava:62)	verviethour recessor imp
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke	
DelegatingMethodAccessorImpl.java:43)	
at java.base/java.lang.reflect.Method.invoke(Method.java:566)	
t cucumber.runtime.Utils\$1.call(Utils.java:40)	
t cucumber.runtime.Timeout.timeout(Timeout.java:16)	
t cucumber.runtime.Utils.invoke(Utils.java:34)	
t cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefini	tion.java:60)
t cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)	)
t cucumber.runtime.Runtime.runHooks(Runtime.java:212)	
t cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)	
$t\ cucumber. runtime. model. Cucumber Scenario. run (Cucumber Scenario) \\$	
$t\ cucumber. runtime. model. Cucumber Feature. run (Cucumber Feature. januari proposition) and the composition of the composi$	
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNC	GCucumberRunner.java
(3)	
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.feature)	
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Na	
nt java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(Nati	veMethodAccessorImp
ava:62)	
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke	
DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566)	
it java.base/java.hang.fenect.Method.mvoke(Method.java.500) it org.testng.internal.MethodInvocationHelper.invokeMethod(MethodIn	vocationHalner iava•86
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)	ivocationiiicipei.java.o
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)	
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)	
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMeth	odWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:	· · · · · · · · · · · · · · · · · · ·
at org.testng.TestRunner.privateRun(TestRunner.java:782)	,
at org.testng.TestRunner.run(TestRunner.java:632)	
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)	
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)	
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)	
nt org.testng.SuiteRunner.run(SuiteRunner.java:268)	
nt org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52	2)
nt org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)	
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)	

at org.testng.TestN			69)	
at org.testng.TestN			D 4 T 4NC 'ava(C)	
			.RemoteTestNG.java:66) moteTestNGStarter.java:10	0)
Back to Table of Conte		GStarter smarr(210	III OTC T CST TO Star terija var 20	<del>)</del>
Scenario: verify the		sistration screen		
Passed: 9	Failed: 0		fined: 0	Duration: 61.29s
Before			illiour v	0.00s
Given User has p	nulse ann			19.85s
Then I wait for 2				2.00s
		VITH EMAIL'' wit	th Email button	13.09s
Then I wait for 2		1222		2.00s
		uired on registratio	n page	11.64s
Then I wait for 2				2.00s
	to pulse registration		the lang on toggle bar then	7.55s
Then I wait for 2	2 sec			2.00s
Then I verify fol	lowing field label	should be displaye	d on registration screen	1.17s
\${firstname.la	abel.text}			
\${lastname.la	ibel.text}			
\${email.text}				
\${password.to	ext}			
After				0.00s
Back to Table of Conte	nt <u>s</u>			
Scenario: verify the	validation messa	ge for mandatory f	fields	
Passed: 2	Failed: 0	Under	fined: 0	<b>Duration: 2.11s</b>
Before				0.00s
Given taps on co	ontinue "Sign_Up"	' button		0.34s
Then I verify the registration page		message is displaye	ed for following field on	1.77s
FirstName \${	firstname.mandat	toryField.message}		
	lastname.mandato			
Email \${	email.mandatoryI	Field.message}		
Password \${	password.validati	on.message}		
After				0.00s
Back to Table of Conte	nt <u>s</u>			
	erify validation m	essage when user o	enters Invalid password: Pu	lse@1 on
registration page				
Passed: 3	Failed: 0	Under	fined: 0	Duration: 2.94s
Before				0.00s
	rs registration deta	ails		1.46s
Password Pul	lse@1			
And taps on con	tinue ''Sign_Up'' l	button		0.58s

registration page			0.90s
Password \${password	d.validation.me	ssage}	
After			0.00s
Back to Table of Contents			·
Scenario Outline: verify va	lidation messag	ge when user enters Invalid password	: Pulse123 on
registration page			
Passed: 3	Failed: 0	Undefined: 0	Duration: 3.85s
Before			0.00s
When user enters regist	ration details		2.48s
Password Pulse123			
And taps on continue "S			0.51s
Then I verify the validate registration page	tion error mess	age is displayed for following field on	0.86s
Password \${password	d.validation.me	ssage}	
After			0.00s
Back to Table of Contents			
Scenario: Verify the valida registration page	tion message w	hen user enter already registered em	ail id on
Passed: 11	Failed: 0	Undefined: 0	Duration: 65.65
Before			0.00s
Given User has pulse ap	р		15.37s
Then I wait for 2 sec			2.00s
	TINUE WITH	EMAIL" with Email button	13.18s
Then I wait for 2 sec		•	2.00s
Then I change the count	try as required	on registration page	11.81s
Then I wait for 2 sec	magistration no	age and galact the lang on taggle have	2.00s
click on continue with e	_	age and select the lang on toggle bar t	7.38s
Then I wait for 2 sec			2.00s
When user enters regist	ration details		8.03s
FirstName testAuton LastName testAuton Email \${login.en} Password Pas\$1234	nation nation		
And taps on continue "S	Sign_Up'' butto	n	0.72s
		age is displayed for following field on	1.17s
Email \${user.exist.tex	xt}		
After			0.00s
Back to Table of Contents			
Scenario: Verify the mobile	e number scree	n validation using "Continue with Er	nail''
Passed: 19	Failed: 0	Undefined: 0	Duration: 130.5

Before		0.00s					
	Given I generate random number and assign to variable  "RANDOM_NUMBER"						
And I assign "pulse\${RA" "PULSE_EMAIL"	And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"						
Given User has pulse ap	p	15.34s					
Then I wait for 2 sec		2.00s					
And user click on "CON	NTINUE WITH EMAIL" with Email button	12.71s					
Then I wait for 2 sec		2.00s					
	try as required on registration page	11.05s					
Then I wait for 2 sec		2.00s					
Then I navigate to pulse click on continue with e	registration page and select the lang on toggle bar then mail button	7.73s					
Then I wait for 2 sec		2.00s					
When user enters regist		8.54s					
FirstName NewAutor	mation						
LastName NewAutor	mation						
Email \${PULSE	_EMAIL}						
Password Pas\$1234							
And taps on continue "S	Sign_Up'' button	0.82s					
And I enter OTP in one	pulse app for user email "\${PULSE_EMAIL}"	35.75s					
Then I wait for 10 sec		10.00s					
Then I verify the countr	ry code should be displayed correctly on phone number	0.19s					
And I enter the "mobile	number" in welcome to pulse	9.91s					
mobileNumber 91767	70						
And I click the continue	button	0.30s					
Then I wait for 10 sec		10.00s					
Then verify Again inval	id Mobile message "\${invalid.mobile.text}"	0.20s					
After		0.00s					
Back to Table of Contents							
	er screen validation using "Continue with Email"						
Passed: 31	Failed: 0 Undefined: 0	<b>Duration: 50.27s</b>					
Before		0.00s					
Given I enter the "mobi	le number'' in welcome to pulse	9.76s					
	istration.mobile.number}						
And I click the continue	button	0.17s					
Then I wait for 1 sec		1.00s					
And I click the continue		0.27s					
Then verify validation n workflow screen	nessage "\${wellness.goal.alert.text}" on registration	0.75s					
And I choose my wellne	ss goals under wellness plan screen	0.25s					
And I click the continue	button	0.80s					
Then I wait for 1 sec		1.00s					

And I click the con	ntinue button		0.83s					
Then verify valida screen	Then verify validation message "\${dob.alert.text}" on registration workflow screen							
And I click the da	te in Date of Birth fie	eld	6.29s					
And I click the Do	ne icon		3.27s					
And I click the con	ntinue button		1.76s					
Then I wait for 1 s	sec		1.00s					
And I click the con	ntinue button		0.83s					
Then verify valida screen	tion message "\${gen	der.alert.text}'' on registration wor	o.82s					
And I select the M	ale icon		5.86s					
And I click the con	ntinue button		1.35s					
Then I wait for 1 s	sec		1.00s					
And I click the cor	ntinue button		1.46s					
Then verify valida screen	tion message "\${bm	i.alert.text}" on registration workfl	ow 0.91s					
And I click on Cal	culate BMI button		0.59s					
And I click the cor	ntinue button		1.21s					
Then I wait for 1 s	sec		1.00s					
And I click the con	ntinue button		1.20s					
Then verify valida workflow screen	tion message ''\${acti	ivity.level.alert.text}" on registratio	n 1.10s					
And I select the "I	How active are you?'	' in doing exercise	0.68s					
And I click the con			0.96s					
Then I wait for 1 s	sec		1.00s					
And I click the con	ntinue button		1.38s					
Then verify valida workflow screen	tion message "\${diet	t.preference.alert.text}'' on registra	1.16s					
After			0.00s					
Back to Table of Content	S							
		nality on Enter OTP Screen using "	Continue with Email"					
Passed: 17	Failed: 0	Undefined: 0	Duration: 201.89					
Before			0.00s					
Given I generate r "RANDOM_NUM	andom number and	assign to variable	0.01s					
	And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable							
	And User has pulse app							
Then I wait for 2 s			15.60s 2.00s					
		H EMAIL" with Email button	12.99s					
Then I wait for 2 s			2.00s					
		on registration page	11.32s					
Then I wait for 2 s	<u> </u>	<u> </u>	2.00s					
		age and select the lang on toggle ba						

click on co	ntinue with	email butto	n	7.58s			
Then I was	Then I wait for 2 sec						
When user	When user enters registration details						
FirstNa	me testAut	omation					
LastNa	me testAut	omation					
Email	\${PUL\$	SE_EMAIL}					
Passwo	rd Pas\$12.	34					
And taps of	n continue	"Sign_Up"	button	0.45s			
Then I was	it for 90 sec	:		90.00s			
Then I clic	k the Reser	nd button in	OTP screen	4.25s			
And I ente	r OTP in o	ne pulse app	for user email ''\${PULSE_EMA}	IL}'' 28.93s			
And I wait	for 8 sec			8.00s			
And I veri	fy enter otp	screen is no	t displayed	<b>7.39</b> s			
After				0.00s			
Back to Table of	'Contents						
Feature: Verify	Edit Profile	functionalit	y on Pulse Health & Wealth app				
Passed: 10	Failed:			on: 232.78s			
Scenario: La	ınch the ap	p and select	the country as per specified lbu				
Passed: 6		Failed: 0	Undefined: 0	Duration: 50.44s			
Before				0.00s			
Given Use	r has pulse	ann		15.57s			
			it.profile}'' to variable ''PULSE_I				
			VITH EMAIL" with Email button				
			ired on registration page	11.64s			
Then I was		<u> </u>		5.00s			
And I click	the Sign in	ı link		5.34s			
After				0.00s			
Back to Table of	<u>Contents</u>	<u> </u>					
Scenario: log	n to the ap	p with corre	ct credentials using "Continue wi	th Email''			
Passed: 6		Failed: 0	Undefined: 0	Duration: 44.89s			
Before				0.00s			
Given I sel	ect the land	nage ontion	on toggle bar as required on logi				
	enters cre		1088-1 was no required our rogi	19.11s			
		SE EMAIL}					
	rd \${pulse						
	And User clicks on signin button 0.43s						
And I wait	`	,		5.00s			
		ne pulse app	for user email "\${PULSE_EMA}				
			ome'' screen	8.03s			
After				0.00s			
Back to Table of	Contents						
		ould be able	to navigate to Edit profile screen				
Passed: 3	j cscr sn	Failed: 0	Undefined: 0	Duration: 16.45s			
- 4550410			Carried V	Duration: 10:700			

Before		0.00s	
Given user navigate to	o account page	5.16s	
And user click on Edit	t profile link	6.29s	
Then I wait for 5 sec		5.00s	
After	0.00s		
Back to Table of Contents			
Scenario: Verify User sh	ould be able to change the profile picture in edit profile sc	reen	
Passed: 2	Failed: 0 Undefined: 0	Duration: 30.84s	
Before	0.00s		
Then I give manage p	rofile camera permission	24.59s	
Then I take picture fr	om Camera	6.25s	
After		0.00s	
Back to Table of Contents			
Scenario: Verify the ema	il,country code and COR fields are non-editable in edit pr	ofile screen	
Passed: 3	Failed: 0 Undefined: 0	Duration: 3.88s	
Before		0.00s	
And verify email field	is non-editable	2.27s	
	de field is non-editable and country code is "\${country.	0.63s	
And verify country of	0.98s		
After		0.00s	
Back to Table of Contents		·	
Scenario: Verify user car	a able to change the details in edit profile screen		
Passed: 4	Failed: 0 Undefined: 0	Duration: 17.08s	
Before			
Given I generate rand "RANDOM_NUMBE	lom number and assign to variable CR''	0.01s	
And I assign value to	following variables	0.00s	
	ation-\${RANDOM_NUMBER} g-\${RANDOM_NUMBER}		
	ng profile details in edit profile screen	4.19s	
FirstName \${First } LastName \${Last N	Name}		
And I click on update	button in edit profile screen	12.89s	
After		0.00s	
Back to Table of Contents			
Scenario: Verify Details profile screen	updated during pulse profile registration should be reflect	ed in edit	
Passed: 2	Failed: 0 Undefined: 0	Duration: 18.99s	
Before		0.00s	
Given user click on E	dit profile link	16.09s	
	g values in edit profile screen	2.90s	
	irst Name}		

LastName \${L	ast Name}		
	nepulse.login.edit.profile}		
	ulse.edit.gender}		
PhoneNumber \${p			
After			0.00s
			0.008
Back to Table of Contents			
	details should be correctl	<u> </u>	
Passed: 6	Failed: 0	Undefined: 0	Duration: 26.03
Before			0.00s
Given I navigate to H	ome page from edit profil	e screen	4.47s
Then I navigate to Ba	bylon health Assessment	and Accept TermsAndCondition	17.31s
Then I wait for 2 sec			2.00s
Then I verify the defa	ult values in babylon regi	stration page is updated as below	1.41s
Gender \${pulse	.edit.gender}		
FirstName \${First	Name}		
LastName \${Last	Name}		
Email \${onep	ulse.login.edit.profile}		
And verify email field	l is non-editable		0.33s
And verify country of	Residence is "\${country.	name}'' and non-editable	0.50s
After			0.00s
Back to Table of Contents			
Scenario: navigate back	to health screen		
Passed: 2	1	Undefined: 0	Duration: 8.72s
Before	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		0.00s
	ealth page from babylon r	agistration seroon	3.72s
And I wait for 5 sec	caitii page iroin babyion i	egistration serven	5.00s
	T T		
After			0.00s
Back to Table of Contents			
		nail and country of residence field	ls on myDoc
	1	nder and DOB in edit profile	D (1 15 45
Passed: 4	Failed: 0	Undefined: 0	<b>Duration: 15.47</b>
Before			0.00s
	lyDoc registration screen		12.21s
	<del></del>	tration page is updated as below	2.45s
FirstName \${First			
LastName \${Last			
	ulse.login.edit.profile}		
And verify email field			0.21s
And verify country of	Residence is "\${country.	name}" and non-editable	0.60s
After			0.00s
Back to Table of Contents			
eature: Verify the RabyI o	n Emergency call flow on	Pulse Health & Wealth app	
active verify the budy E	Liner gener can now on	Tube Health to Treater app	

Pas	ssed: 1 Failed: 0	Undefined: 0	Duration: 149.58s	
	Scenario: User should be ab flow must be verified	ole to login on app with	correct credentials and the Baby	Lon call 995
	Passed: 19	Failed: 0	Undefined: 0	Duration: 149.58
	Before			0.00s
	Given User has pulse app	p		15.63s
	And I assign "\${Babylon	.call}'' to variable ''PU	LSE_EMAIL''	0.00s
	And user click on "CON			12.87s
	Then I change the count	ry as required on regist	tration page	10.47s
	Then I wait for 10 sec			10.00s
	Then I change the langua	age as required on regi	stration page	10.18s
	And I click the Sign in lin	nk		4.89s
	And I select the language	e option on toggle bar a	s required on login page	3.76s
	When user enters creden	ntials		18.51s
	UserName \${PULSE_	EMAIL}		
	Password \${Passwor	d.text}		
	And User clicks on signin	n button		0.63s
	And I wait for 5 sec			5.00s
	And I enter OTP in one	pulse app for user emai	il ''\${PULSE_EMAIL}''	8.73s
	Then user should be land	ded to "Home" screen		8.03s
	And I navigate to Babylo	on Symptoms Page		8.82s
	Then I enter "\${babylon And select "\${babylon.su		" symptoms on Babylon screen ption}"	25.99s
	Then I wait for 2 sec			2.00s
	Then I verify following c	onditions are displayed	i e	0.56s
	\${babylon.call.immed \${babylon.call.numbe	<u> </u>		
	Then I close the babylon	symptoms checker scr	een	0.77s
	Then user views chat his	tory		2.75s
	After			0.00s
	Back to Table of Contents			
Fe	ature: Verify the BabyLon F	Perianal lumn workflov	v is working as expected	
Fo Ag Se:	ellowing condition should med re:48 x:Male runtry:Singapore/Malaysia	•		
Pas	ssed: 1 Failed: 0	Undefined: 0	Duration: 454.21s	
	Scenario: User should be abworkflow	ole to access Babylon fr	om Pulse app and perform Peria	nal lump
	Passed: 25	Failed: 0	Undefined: 0	Duration: 454.21
	Before			0.00s

Given User has pulse app	15.36s
And I assign "\${Babylon.AnalLump}" to variable "PULSE_EMAIL"	0.00s
Then I wait for 5 sec	5.00s
And user click on "CONTINUE WITH EMAIL" with Email button	12.78s
Then I change the country as required on registration page	12.00s
Then I wait for 5 sec	5.00s
And I click the Sign in link	4.86s
And I select the language option on toggle bar as required on login page	4.09s
When user enters credentials	17.72s
UserName \${PULSE_EMAIL}	
Password \${Password.text}	
And User clicks on signin button	0.66s
Then I wait for 10 sec	10.00s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	7.95s
Then user should be landed to "Home" screen	8.36s
And I navigate to Babylon Symptoms Page	9.12s
Then I enter ''\${babylon.symptom.anallump}'' symptoms on Babylon screen And select ''\${babylon.symptom.anallump.choose}''	27.99s
Then I click on Ok button after noting the caseid:	9.19s
text \${babylon.symptom.caseid.txt}	
Then I handle Babylon "AnalLump" questions and answers	277.64s
Then I verify the closure summary and click on continue button	5.07s
text \${babylon.symptom.closureSummary}	10000
Then I click on view results to see the possible causes	9.01s
And Verify following possible causes are displayed	1.88s
\${babylon.symptom.anallump.possiblecause.piles}	1.005
\${babylon.symptom.differential.potentiallyserious}	
When I select on "\${babylon.symptom.anallump.possiblecause.piles}" cause	<del></del>
with offset 100 in report	0.80s
Then I verify following conditions are displayed	3.57s
\${babylon.symptom.anallump.possiblecause.piles}	
\${babylon.symptom.differential.why.title}	
\${babylon.symptom.differential.why.subtitle}	
\${babylon.symptom.differential.why.strainwithpoo}	
\${babylon.symptom.differential.why.bloodystool}	
\${babylon.symptom.differential.why.lumpyanus}	
\${babylon.symptom.differential.why.itchyanus}	
And I click on back button to move back to possible causes screen	0.45s
When I select on ''\${babylon.symptom.differential.potentiallyserious}'' cause	2.75s
with offset 500 in report Then I verify following conditions are displayed	2.97s
	2.718
\${babylon.symptom.differential.potentiallyserious}	
\${babylon.symptom.differential.gp}	
\${babylon.symptom.differential.why.title}	

¢(hahrdan grunntan	differential ruby about	Jh awalh akita)	
	differential.why.changed differential.why.strainw		
· · · · · ·	<u> </u>		
	differential.why.bloodys		
	differential.why.lumpya		
	differential.why.itchyan	us}	
After			0.00s
Back to Table of Contents			
Feature: Verify the BabyLon	Maligant Neoplasm Bre	ast lump workflow is working as	expected
Following condition should m Age:54 Sex:Female Country:Singapore/Malaysia	eet to run this script:		
Passed: 1 Failed: 0	Undefined: 0	Duration: 447.08s	
Scenario: User should be a workflow	ble to access Babylon fro	om Pulse app and perform Breas	
Passed: 26	Failed: 0	Undefined: 0	Duration: 447.08 s
Before			0.00s
Given I assign "\${pulse "PULSE_EMAIL"	.babylon.breastlump.use	rname}'' to variable	0.00s
And User has pulse app	)		15.10s
Then I wait for 5 sec			5.00s
And user click on "CO	NTINUE WITH EMAIL	'' with Email button	13.25s
Then I change the coun	try as required on regist	ration page	11.53s
Then I wait for 5 sec	•	2 0	5.00s
Then I change the lange	age as required on regis	stration page	10.81s
And I click the Sign in			4.19s
And I select the language	ge option on toggle bar a	s required on login page	3.76s
When user enters crede			17.91s
UserName \${PULSE Password \${Passwo			
And User clicks on sign			0.41s
Then I wait for 10 sec			10.00s
	pulse app for user emai	l "\${PULSE_EMAIL}"	8.49s
Then user should be lar			7.67s
And I navigate to Baby	lon Symptoms Page		8.91s
Then I enter "\${babylo		'' symptoms on Babylon screen oose}''	26.63s
	on after noting the casei		9.32s
text \${babylon.symp	tom.caseid.txt}		
	"BreastLump" question	s and answers	253.38s
	e summary and click on		6.00s
	tom.closureSummary}		
The property in the state of th			

Then I click on view results to see the possible causes	9.24s
And Verify following possible causes are displayed	10.99s
\${babylon.symptom.differential.potentiallyserious}	
\${babylon.symptom.possiblecauses.breasrabcess}	
When I select on "\${babylon.symptom.differential.potentiallyserious}" cause	0.90s
with offset 100 in report	
Then I verify following conditions are displayed	2.86s
\${babylon.symptom.differential.potentiallyserious}	
\${babylon.symptom.differential.gp}	
\${babylon.symptom.differential.why.title}	
\${babylon.symptom.differential.why.subtitle}	
\${babylon.symptom.possiblecause.lumpormass.armpit}	
\${babylon.symptom.possiblecause.invrtdnipple}	
\${babylon.symptom.possiblecause.bloodynippledischarge}	
\${babylon.symptom.possiblecause.breastcancer.famhistory}	
\${babylon.symptom.possiblecause.breastlump}	
And I click on back button to move back to possible causes screen	1.00s
When I select on "\${babylon.symptom.possiblecauses.breasrabcess}" cause with offset 500 in report	2.32s
Then I verify following conditions are displayed	2.42s
\${babylon.symptom.possiblecauses.breasrabcess}	
\${babylon.symptom.differential.gp.urgent}	
\${babylon.symptom.differential.why.title}	
\${babylon.symptom.possiblecause.lumpormass.armpit}	
\${babylon.symptom.possiblecause.invrtdnipple}	
\${babylon.symptom.possiblecause.bloodynippledischarge}	
\${babylon.symptom.possiblecause.breastlump}	
fter	0.00s
ack to Table of Contents	
ure: Verify the BabyLon Human Immune Virus workflow is working as expecte	d
owing condition should meet to run this script: 48 Male ntry:Singapore/Malaysia	
d: 1 Failed: 0 Undefined: 0 Duration: 643.19s	
cenario: User should be able to access Babylon from Pulse app and perform Hur irus Rash workflow	man Immune
assed: 26 Undefined: 0	Duration: 643.
	0.00-
efore	0.00s
	_
Given User has pulse app	15.58s
	_

And user click on "CONTINUE WITH EMAIL" with Email button	12.99s
Then I change the country as required on registration page	10.61s
Then I wait for 5 sec	5.00s
Then I change the language as required on registration page	10.79s
And I click the Sign in link	4.55s
And I select the language option on toggle bar as required on login page	4.17s
When user enters credentials	18.85s
UserName \${PULSE_EMAIL} Password \${Password.text}	
And User clicks on signin button	0.32s
Then I wait for 10 sec	10.00s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	9.03s
Then user should be landed to "Home" screen	7.97s
And I navigate to Babylon Symptoms Page	9.06s
Then I enter "\${babylon.symptom.rash}" symptoms on Babylon screen And select "\${babylon.symptom.rash.choose}"	27.13s
Then I click on Ok button after noting the caseid:	9.88s
text \${babylon.symptom.caseid.txt}	
Then I handle Babylon "HumanImmVirusRash" questions and answers	438.99s
Then I verify the closure summary and click on continue button	7.08s
text \${babylon.symptom.closureSummary}	
Then I click on view results to see the possible causes	11.03s
And Verify following possible causes are displayed	13.40s
\${babylon.symptom.rash.possiblecauses1}	13.405
{babylon.symptom.rash.possiblecauses2}	
When I select on '\\${babylon.symptom.rash.possiblecauses1}'' cause with offset	
100 in report	1.56s
Then I verify following conditions are displayed	3.96s
\${babylon.symptom.rash.possiblecauses1}	5.703
\${babylon.symptom.differential.gp}	
\${babylon.symptom.differential.why.title}	
\${babylon.symptom.differential.why.subtitle}	
\${babylon.symptom.rash.differential.why.reason1}	
\${babylon.symptom.rash.differential.why.reason2}	
\${babylon.symptom.rash.differential.why.reason2}	
\${babylon.symptom.rash.differential.why.reason4}	
\${babylon.symptom.rash.differential.why.reason5}	
\${babylon.symptom.rash.differential.why.reason6}	0.25
And I click on back button to move back to possible causes screen	0.35s
When I select on ''\${babylon.symptom.rash.possiblecauses2}'' cause with offset 500 in report	2.94s
Then I verify following conditions are displayed	2.95s
\${babylon.symptom.rash.possiblecauses2}	

		Detailed Resi	uns Report			
	\${babylon.symptom	.differential.why.title}				
	\${babylon.symptom	.rash.differential.why.r	eason1}			
	\${babylon.symptom	.rash.differential.why.r	eason2}			
	\${babylon.symptom	.rash.differential.why.r	eason3}			
		.rash.differential.why.r				
	\${babylon.symptom	.rash.differential.why.r	eason5}			
	\${babylon.symptom	.rash.differential.why.fe	ever}			
	\${babylon.symptom	.rash.differential.why.r	eason6}			
Aft	er			0.00s		
Bac	k to Table of Contents					
Featur	·e· Verify the BabyLon	Groin Mass workflow	is working as expected			
Follow Age:55 Sex:M	ving condition should m					
Passed:	1 Failed: 0	Undefined: 0	Duration: 488.96s			
	nario: User should be a	able to access Babylon f	rom Pulse app and perform Gro	oin mass		
Pass	sed: 28	Failed: 0	Undefined: 0	Duration: 488.96		
Bef	ore			0.00s		
	17.67s					
	And I assign "\${Babylon.hernia}" to variable "PULSE_EMAIL"					
r	5.00s					
	And user click on "CO	NTINUE WITH EMAI	L'' with Email button	13.02s		
r	Then I change the cour	ntry as required on regis	stration page	13.49s		
<u> </u>	Then I wait for 5 sec			5.00s		
7	Then I change the lang	guage as required on reg	istration page	0.74s		
	And I click the Sign in	link		5.19s		
1	And I select the langua	ge option on toggle bar	as required on login page	3.64s		
	When user enters crede	entials		18.89s		
	UserName \${PULSF Password \${Passwo					
	And User clicks on sign	<u>,                                      </u>		0.41s		
-	Then I wait for 10 sec			10.01s		
		e pulse app for user ema	ail ''\${PULSE_EMAIL}''	8.29s		
_		nded to "Home" screen		8.01s		
-	And I navigate to Baby			8.56s		
-	Then I wait for 6 sec	V		6.00s		
		on.symptom.inguinalher abylon.symptom.inguin	nia}'' symptoms on Babylon alhernia.choose}''	27.59s		
		ton after noting the case		9.14s		
	text \${babylon.symp					

	Then verify user is land	ded to ingu	iinal hernia co	nsultation sc	reen	4.10s
	When I handle Babylo	n ''Inguina	lHernia'' que	stions and an	swers	288.87s
	Then I verify the closu	re summar	y and click on	continue bu	tton	5.97s
	text \${babylon.symp	otom.closu	reSummary}			
	And I wait for 5 sec					
	Then I click on view re			causes		6.92s
	When I click on "ingui	nal hernia	'' cause			0.67s
	Then I verify following	conditions	s are displayed	<u> </u>		1.91s
	\${babylon.symptom	.possibleca	uses.inguinal	hernia}		
	\${babylon.symptom	.differenti	al.gp}			
	\${babylon.symptom	.possibleca	uses.reduced.	groinmass}		
	\${babylon.symptom	.possibleca	uses.groinma	ss.lump}		
	And I click on back bu			sible causes s	creen	0.31s
	When I click on "femo					12.27s
	Then I verify following	conditions	s are displayed	d		2.29s
	\${babylon.symptom			nernia}		
	\${babylon.symptom	.differenti	al.gp}			
	\${babylon.symptom	.possibleca	uses.reduced.	groinmass}		
	\${babylon.symptom	.possibleca	uses.groinma	ss.lump}		
Af	fter					0.00s
<u>Ba</u>	ck to Table of Contents					
Featu expec	re: Verify the BabyLor	<b>Maligant</b>	Neoplasm pos	tmenopause	bleed workflow is wo	orking as
	wing condition should m	4 4				
Age:7 Sex:F	74 Female	ieet to run i	this script:			
Age:7 Sex:F Coun	74 Female stry:Singapore/Malaysia				Duration: 483.92s	
Age:7 Sex:F Coun Passed	74 Female try:Singapore/Malaysia 1: 1 Failed: 0	)	Undefined: 0	om Pulse an	Duration: 483.92s	enopausal
Age:7 Sex:F Coun Passed	74 Female stry:Singapore/Malaysia	)	Undefined: 0	om Pulse ap		nenopausal
Age:7 Sex:F Coun Passed Sc Bl	Female stry:Singapore/Malaysia d: 1 Failed: 0 cenario: User should be ced workflow	able to acc	Undefined: 0			nenopausal  Duration: 483.92
Age:7 Sex:F Coun Passed Sc Bl	Female stry:Singapore/Malaysia d: 1 Failed: 0 cenario: User should be deed workflow ssed: 26	)	Undefined: 0	om Pulse app Undefined: 0		Duration: 483.92
Age:7 Sex:F Coun Passed Sc Bl Pas	Female stry:Singapore/Malaysia d: 1 Failed: 0 cenario: User should be ced workflow	able to acc	Undefined: 0			
Age:7 Sex:F Coun Passed Sc Bl Pas	Female stry:Singapore/Malaysia d: 1 Failed: 0 cenario: User should be deed workflow ssed: 26	able to acco	Undefined: 0 ess Babylon fr	Undefined: 0	and perform Postm	Duration: 483.92
Age:7 Sex:F Coun Passed Sc Bl Pas	Female stry:Singapore/Malaysia d: 1 Failed: 0 cenario: User should be deed workflow ssed: 26 efore Given I assign "\${pulse	Failed: 0	Undefined: 0 ess Babylon fr	Undefined: 0 e.username}'	and perform Postm	Duration: 483.92 s 0.00s
Age:7 Sex:F Coun Passed Sc Bl Pas	Female stry:Singapore/Malaysia d: 1 Failed: 0 cenario: User should be deed workflow ssed: 26 efore Given I assign "\${pulse} "PULSE_EMAIL"	Failed: 0 e.babylon.p	Undefined: 0 ess Babylon fr	Undefined: 0 e.username}'	and perform Postm	Duration: 483.92 s 0.00s 0.00s
Age:7 Sex:F Coun Passed Sc Bl Pas	Female stry:Singapore/Malaysia d: 1 Failed: 0 cenario: User should be deed workflow ssed: 26 efore Given I assign "\${pulse "PULSE_EMAIL" And I assign "\${parity}	Failed: 0 e.babylon.p	Undefined: 0 ess Babylon fr	Undefined: 0 e.username}'	and perform Postm	Duration: 483.92 s 0.00s 0.00s
Age:7 Sex:F Coun Passed Sc Bl Pas	Female stry:Singapore/Malaysia d: 1 Failed: 0 cenario: User should be deed workflow ssed: 26 Given I assign "\${pulse "PULSE_EMAIL" And I assign "\${parity Given User has pulse a	Failed: 0 e.babylon.p	Undefined: 0 ess Babylon fr  postmenopaus " to variable	Undefined: 0 e.username}'	o and perform Postm	Duration: 483.92 s 0.00s 0.00s 0.00s 18.13s
Age:7 Sex:F Coun Passed Sc Bl Pas	Female stry:Singapore/Malaysia d: 1 Failed: 0 cenario: User should be deed workflow ssed: 26 Given I assign "\${pulse "PULSE_EMAIL" And I assign "\${parity} Given User has pulse a Then I wait for 5 sec	Failed: 0  e.babylon.p  password	Undefined: 0 ess Babylon fr  postmenopaus " to variable WITH EMAII	Undefined: 0  e.username}'  ''USER_PAS	o and perform Postm	Duration: 483.92 s 0.00s 0.00s 0.00s 18.13s 5.00s
Age:7 Sex:F Coun Passed Sc Bl Pas	Female stry:Singapore/Malaysia d: 1 Failed: 0 cenario: User should be deed workflow ssed: 26 efore  Given I assign "\${pulse "PULSE_EMAIL" And I assign "\${parity} Given User has pulse a Then I wait for 5 sec And user click on "CO	Failed: 0  e.babylon.p  password	Undefined: 0 ess Babylon fr  postmenopaus " to variable WITH EMAII	Undefined: 0  e.username}'  ''USER_PAS	o and perform Postm	Duration: 483.92 s 0.00s 0.00s 0.00s 18.13s 5.00s 13.15s
Age:7 Sex:F Coun Passed Sc Bl Pas	Female stry:Singapore/Malaysia d: 1 Failed: 0 renario: User should be red workflow ssed: 26 efore Given I assign "\${pulse "PULSE_EMAIL" And I assign "\${parity Given User has pulse a Then I wait for 5 sec And user click on "CO Then I change the cour	Failed: 0  e.babylon.p  password  pp  ONTINUE Votry as required	Undefined: 0 ess Babylon fr  postmenopaus " to variable WITH EMAII uired on regis	Undefined: 0  e.username}'  ''USER_PAS  L'' with Emainstration page	' to variable SWORD''	Duration: 483.92 s 0.00s 0.00s 0.00s 18.13s 5.00s 13.15s 11.68s
Age:7 Sex:F Coun Passed Sc Bl Pas	Female stry:Singapore/Malaysia d: 1 Failed: 0 denario: User should be deed workflow ssed: 26 defore  Given I assign "\${pulse "PULSE_EMAIL" And I assign "\${parity} Given User has pulse a Then I wait for 5 sec And user click on "CO Then I change the coun Then I wait for 5 sec	Failed: 0  e.babylon.p  password  pp  ONTINUE V  ntry as required	Undefined: 0 ess Babylon fr  postmenopaus " to variable WITH EMAII uired on regis	Undefined: 0  e.username}'  ''USER_PAS  L'' with Emainstration page	' to variable SWORD''	Duration: 483.92 s 0.00s 0.00s 0.00s 18.13s 5.00s 13.15s 11.68s 5.00s

And I select the language option on toggle bar as required on login page	3.75s
When I login into pulse app with below details	19.81s
UserName \${PULSE_EMAIL}	
Password \$\{USER_PASSWORD\}	
Then I wait for 10 sec	10.00s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	8.51s
Then user should be landed to "Home" screen	7.43s
And I navigate to Babylon Symptoms Page	9.01s
Then I enter "\${babylon.symptom.postmenopausalbleeding}" symptoms on Babylon screen And select "\${babylon.symptom.postmenopausalbleeding.choose}"	26.50s
Then I click on Ok button after noting the caseid:	8.70s
text \${babylon.symptom.caseid.txt}	
Then I handle Babylon "PostmenopausalBleed" questions and answers	248.11s
Then I verify the closure summary and click on continue button	5.33s
text \${babylon.symptom.closureSummary}	
Then I click on view results to see the possible causes	9.66s
And Verify following possible causes are displayed	38.29s
\${babylon.symptom.possiblecause.endopolyp}	
\${babylon.symptom.differential.potentiallyserious}	
\${babylon.symptom.possiblecause.thinning.vaginalwall}	
When I select on "\${babylon.symptom.possiblecause.endopolyp}" cause with offset 500 in report	12.59s
Then I verify following conditions are displayed	2.93s
	4.738
\${babylon.symptom.possiblecause.endopolyp} \${babylon.symptom.differential.gp}	
\${babylon.symptom.differential.why.title}	
\${babylon.symptom.differential.why.subtitle}	
\${babylon.symptom.possiblecause.vaginalbleeding}	
And I click on back button to move back to possible causes screen	0.35s
When I select on "\${babylon.symptom.differential.potentiallyserious}" cause	0.338
	2.74s
vith offset 500 in report	0.51
	12.71s
Then I verify following conditions are displayed	2.71s
Then I verify following conditions are displayed  \${babylon.symptom.differential.potentiallyserious}	<b>2.71s</b>
Then I verify following conditions are displayed   \$\{\bar{babylon.symptom.differential.potentiallyserious}\}   \$\{\bar{babylon.symptom.differential.gp}\}   \$\{\bar{babylon.symptom.differential.gp}\}	2.71s
Then I verify following conditions are displayed   \$\{\text{babylon.symptom.differential.potentiallyserious}\} \ \$\{\text{babylon.symptom.differential.gp}\	2.71s
\${babylon.symptom.differential.gp} \${babylon.symptom.differential.why.title} \${babylon.symptom.possiblecause.vaginalbleeding}	
Then I verify following conditions are displayed   \$\{\text{babylon.symptom.differential.potentiallyserious}\} \ \$\{\text{babylon.symptom.differential.gp}\	0.00s

Following condition should meet to run this script:

untry:Singapore/Mala				D 41 F00 F0	
sed: 1 Fai Scenario: User should	led: 0	Undefined: 0	nom Dulgo	Duration: 598.72s	ostatia.
Hyperplasia workflov		access Danyion 1	tom i dise a	app and perform ric	static
Passed: 27	Failed	. 0	Undefined:	0	Duration: 598.7
	raneu	. 0	Ondermed:	U	s
Before					0.00s
Given I assign ''\${ "PULSE_EMAIL'	11				0.11s
And I assign "\${pa		ord}'' to variable	"USER_P	ASSWORD"	0.01s
Given User has pu					17.30s
Then I wait for 5 s					5.00s
And user click on					13.03s
Then I change the	<u> </u>	required on regis	stration pag	ge	11.27s
Then I wait for 5 s					5.00s
Then I change the		s required on reg	istration pa	age	10.74s
And I click the Sig					5.15s
And I select the lan		on on toggle bar	as required	l on login page	3.55s
When user enters					19.26s
UserName \${PU Password \${Pa					
And User clicks on	signin butt	ton			0.55s
Then I wait for 10	sec				10.00s
And I enter OTP is				SE_EMAIL}''	8.55s
Then user should l	be landed to	''Home'' screen			7.95s
And I navigate to 1		1 0			8.32s
Then I enter '\\${ba select '\\${babylon.}			oms on Ba	bylon screen And	27.09s
Then I click on Ok	button afte	er noting the case	eid:		8.66s
text \${babylon.s	symptom.ca	seid.txt}			
Then I handle Bab	ylon "Prost	taticHyperplasia	'' questions	and answers	400.32s
Then I verify the c	losure sumi	mary and click o	n continue	button	5.88s
text \${babylon.s	symptom.cl	osureSummary}			
Then I click on vie	w results to	see the possible	causes		10.46s
And Verify followi	ng possible	causes are displa	ayed		11.36s
\${babylon.symp	otom.differe	ential.potentiallys	serious}		
\${babylon.ph.p	ossiblecause	e.benign.hyperpla	asia}		
When I select on "	\${babylon. <sub>l</sub>	ph.cause1}" caus	e with offse	et 100 in report	0.64s
Then I verify follo	wing condit	ions are displaye	d		2.57s
\${babylon.ph.p	ossiblecause	e.benign.hyperpla	asia}		
\${babylon.symp	otom.differe	ential.gp}			
\${babylon.symp	otom.differe	ential.why.title}			

.48s
.23s
.27s
).00s
n the chat

Following condition should meet to run this script:
Age:39
Sex:Male

Country:Singapore

Passe	ed: 2	Failed: 0	Undefined: 0	Duration: 449.38s	
S	cenario: Launch	the app a	nd select the country a	s per specified lbu	
Pa	assed: 14	]	Failed: 0	Undefined: 0	Duration: 110.94 s
В	efore				0.00s
	Given User has	pulse app	)		16.04s
	And I assign "\$	{Babylon	.rib}'' to variable ''PU	LSE_EMAIL''	0.00s
	And user click	on "CON	TINUE WITH EMAII	'' with Email button	13.44s
	Then I change	the counti	ry as required on regis	tration page	10.51s
	Then I wait for	5 sec			5.00s
	Then I change	the langua	age as required on regi	stration page	11.08s
	And I click the	Sign in liı	nk		4.78s
	And I select the	language	e option on toggle bar a	s required on login page	3.70s
	Then I verify be page	elow lang	uage options on toggle	bar as per specified lbu on login	0.70s
	When user ente	ers creden	tials		18.80s
	UserName \$ Password \$				

And User clicks on sign	in button		0.49s
And I wait for 10 sec			10.00s
And I enter OTP in one	pulse app for user email	"\${PULSE_EMAIL}"	8.18s
Then user should be lar	ded to "Home" screen		8.22s
After			0.01s
Back to Table of Contents			
Scenario: User should be a workflow	ble to access Babylon fro	m Pulse app and perform Rib F	'racture
Passed: 11	Failed: 0	Undefined: 0	Duration: 33
Before			0.00s
And I navigate to Baby	on Symptoms Page		9.52s
	n.rib.symptom}" sympto	ms on Babylon screen And	26.21s
Then I click on Ok butt	on after noting the caseid	1:	8.75s
text \${babylon.symp	tom.caseid.txt}		
Then I handle Babylon	"RibFracture" questions	s and answers	268.06s
· ·	e summary and click on		5.62s
text \${babylon.symp	tom.closureSummary}		
	ults to see the possible ca	nuses	10.17s
		in}" cause with offset 0 in	0.96s
Then I verify following	conditions are displayed		2.62s
	differential.why.title}		•
	differential.why.subtitle)	<u> </u>	
	lecause.injuredchestwall		
\${babylon.rib.possib	lecause.painonribmovem	ient}	
\${babylon.rib.possib	lecause.rightside.chestpa	in}	
\${babylon.rib.possib	lecause.dull.chestpain}		
\${babylon.rib.possib	lecause.painonchestpress	s}	
+ (			
	ton to move back to poss	ible causes screen	0.34s
And I click on back but	<u>-</u>	ible causes screen ndritis}'' cause with offset 0 in	0.34s 2.45s
And I click on back but When I select on "\${bal report	<u>-</u>	ndritis}" cause with offset 0 in	
And I click on back but When I select on "\${bal report Then I verify following	pylon.rib.cause.costochor	ndritis}" cause with offset 0 in	2.45s
And I click on back but When I select on "\${ballereport} Then I verify following \${babylon.rib.costoc}	oylon.rib.cause.costochor	ndritis}" cause with offset 0 in	2.45s
And I click on back but When I select on "\${balletereport} Then I verify following \${babylon.rib.costoc} \${babylon.symptom.}	oylon.rib.cause.costochor conditions are displayed hondritis.conditionTitle}	ndritis}" cause with offset 0 in	2.45s
And I click on back but When I select on "\${ballereport} Then I verify following \${babylon.rib.costoc} \${babylon.symptom.} \${babylon.rib.possib}	oylon.rib.cause.costochor conditions are displayed hondritis.conditionTitle} differential.why.title}	ndritis}" cause with offset 0 in	2.45s
And I click on back but When I select on "\${balleter report} Then I verify following \${babylon.rib.costoc} \${babylon.symptom.} \${babylon.rib.possib} \${babylon.rib.possib}	oylon.rib.cause.costochor conditions are displayed hondritis.conditionTitle} differential.why.title} lecause.injuredchestwall	ndritis}" cause with offset 0 in	2.45s
And I click on back but When I select on "\${ballereport} Then I verify following \${babylon.rib.costoc} \${babylon.symptom.} \${babylon.rib.possib} \${babylon.rib.possib} \${babylon.rib.possib}	conditions are displayed hondritis.conditionTitle} differential.why.title} lecause.injuredchestwall lecause.rightside.chestpa	ndritis}" cause with offset 0 in	2.45s
And I click on back but When I select on "\${ball report Then I verify following \${babylon.rib.costoc} \${babylon.symptom.} \${babylon.rib.possib} \${babylon.rib.possib} \${babylon.rib.possib} \${babylon.rib.possib}	oylon.rib.cause.costochor conditions are displayed hondritis.conditionTitle} differential.why.title} lecause.injuredchestwall lecause.rightside.chestpa lecause.painonribmovem	hdritis}" cause with offset 0 in	2.45s
And I click on back but When I select on "\${ball report Then I verify following \${babylon.rib.costoc} \${babylon.symptom.} \${babylon.rib.possib} \${babylon.rib.possib} \${babylon.rib.possib} \${babylon.rib.possib}	oylon.rib.cause.costochor conditions are displayed hondritis.conditionTitle} differential.why.title} lecause.injuredchestwall lecause.rightside.chestpa lecause.painonribmovem lecause.dull.chestpain}	hdritis}" cause with offset 0 in	2.45s

ssed: 2	Failed: 6	Undefined: (	Duration: 651.22s	
Scenario: User sh Email''	ould be al	ole to register on app	o with correct credentials using "Co	ntinue with
Passed: 15		Failed: 0	Undefined: 0	Duration: 176.61
Before				0.00s
Given I genera "RANDOM_N		n number and assign	to variable	0.08s
And I assign " "PULSE_EMA		ANDOM_NUMBER	@mailsac.com'' to variable	0.00s
And User has j	pulse app			17.15s
And user click	on "CON	TINUE WITH EMA	AIL'' with Email button	13.25s
Then I wait for	r 2 sec			2.00s
Then I change	the count	ry as required on re	gistration page	11.07s
Then I wait for	r 2 sec			2.00s
Then I navigat click on contin			nd select the lang on toggle bar then	7.61s
When user ent	ers registi	ration details		9.47s
LastName   Email   S Password	\${PULSE_	_EMAIL}		
And taps on co	ntinue ''S	ign_Up" button		0.72s
And I enter O'	ΓP in one	pulse app for user e	mail ''\${PULSE_EMAIL}''	30.67s
Then I wait for	r 2 sec			2.00s
Then I click sk	ip button			69.49s
Then user shou	uld be lan	ded to "Home" scre	en	7.10s
Then I wait for	r 4 sec			4.00s
After				0.00s
Back to Table of Con	<u>tents</u>			
Scenario: Verify l	User shou	ld be able to navigat	e to medical reminder page	
Passed: 3		Failed: 0	Undefined: 0	Duration: 108.9
Before				0.00s
Then I click th	e Health i	con in Home screen		10.83s
		e icon in medical Re	minder	96.16s
Then I wait for	r 2 sec			2.00s
After				0.00s
Back to Table of Con	<u>tents</u>			
		ext on medicine rem	inder screen	
Passed: 0		Failed: 1	Undefined: 2	Duration: 37.74
Before				0.00s
And I verify fo	llowing te	ext displayed in Add	medicine screen	33.66s
\${no.medici				301005
φ(nonneute	HeiteAtj			

\${Medicalremainder.text} \${track.medicine.text}

\${important.dose.text}

java.lang.AssertionError: The following asserts failed:

No medicine added! text is displayed on page expected [true] but found [false],

Medicine Reminder text is displayed on page expected [true] but found [false],

Track the medicine and set reminder text is displayed on page expected [true] but found [false],

before for important dose text is displayed on page expected [true] but found [false]

at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)


at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.VerifyAddMedicine(MyDocSteps. java:885)

at .And I verify following text displayed in Add medicine screen(features/health/MedicineReminder.feature:34)

And I clicks on "\${add.new.reminder}" in app screens

And I wait for 2 sec

0.00s



After			4.07s
<b>Back to Table of Contents</b>	3		
Scenario: verify add i info screen	medicine screen is lau	nched and user can enter the	required info on medical
Passed: 0	Failed: 1	Undefined: 3	Duration: 27.28s
Before			0.00s
And I verify follow	ving text displayed in	Add medicine screen	24.90s
\${medicine info	field)		

\${medicine.info.field} \${schedule.field}

**\${more.setting.field}** 

java.lang.AssertionError: The following asserts failed: Medicine Info text is displayed on page expected [true] but found [false], Schedule text is displayed on page expected [true] but found [false], More Setting text is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.VerifyAddMedicine(MyDocSteps. java:885) at .And I verify following text displayed in Add medicine screen(features/health /MedicineReminder.feature:44) 0 After 2.39s **Back to Table of Contents** Scenario: verify user navigated to schedule screen and user can enter the required info Passed: 0 Failed: 1 Undefined: 4 **Duration: 47.36s** Before 0.00sAnd I verify following text displayed in Add medicine screen 44.95s **\$**{frequency.text} \${dosage.timing.text} \${start.date.text} **\${end.date.text} \${dose.intake.text}** 

java.lang.AssertionError: The following asserts failed:

Frequency text is displayed on page expected [true] but found [false],

Dosage Timing text is displayed on page expected [true] but found [false],

Start Date text is displayed on page expected [true] but found [false],

End Date text is displayed on page expected [true] but found [false],


Dose Intake text is displayed on page expected [true] but found [false]

at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)

at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.VerifyAddMedicine(MyDocSteps.java:885)

at .And I verify following text displayed in Add medicine screen(features/health/MedicineReminder.feature:57)

And I enter following details in add medicine screen	0.00s
Frequency Once	
And I clicks on Timing in Add medcine screen	0.00s
And I clicks on "Before meal" in app screens	0.00s
And I clicks on Next icon in app screens	0.00s




After			2.41s		
Back to Table of Contents					
Scenario: Verify User	r should be able to na	vigate to More Setting page			
Passed: 1	Failed: 1	Undefined: 2	Duration: 24.59s		
Before			0.00s		
Given I wait for 2	sec		2.00s		
And I enter follow	ing details in add med	licine screen	20.07s		
Medication For	fever				
Medicine Stock	x 5				

```
org.openga.selenium.NoSuchElementException: An element could not be located on the page
using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions
/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'RISHANI-PC', ip: '192.168.0.102', os.name: 'Windows 10', os.arch:
'amd64', os.version: '10.0', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29,
deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX,
deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX,
platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true,
viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 1252de93-514d-41ab-9e96-4dbf09416e39
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='What are you
taking this medication for?']/following::android.widget.EditText}
at idk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
iava:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.iava:152)
```


at io.appium.java\_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1) at io.appium.jaya client.android.AndroidDriver.findElementByXPath(AndroidDriver.jaya:1) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309) at io.appium.java\_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java\_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$16.executeCommand(Commands.java:148) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya: at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:265) at com.onepulse.app.screens.PulseHealthScreen.enterDetailsInAddMedScreen (PulseHealthScreen.java:289) at com.onepulse.app.stepdefinitions.mobilesteps.MedicineReminderSteps. enterInfoInAddMedicineScreen(MedicineReminderSteps.java:30) at .And I enter following details in add medicine screen(features/health/MedicineReminder. feature:71) Ш 2.52s After **Back to Table of Contents** Scenario: verify Add medicine screen is displayed when user click on add new reminder on success popup **Duration: 116.75** 

C	Failed: 1	Undefined: 7	S
fore			0.00s
And I clicks of	on ''\${add.another.med}'	' in app screens	96.62s
	"cold" to variable "Medi		0.00s
	ollowing details in add m		17.94s
	Info \${Medicine_Info}		
Unit	Tablet (unit)		
Quantity	5		
using the give For document /no_such_eler Build info: ve	en search parameters. tation on this error, plea ment.html ersion: '3.12.0', revision:	Exception: An element could not see visit: http://seleniumhq.org/ex'/7c6e0b3', time: '2018-05-08T14' 192.168.0.102', os.name: 'Wind	xceptions :04:26.12Z'
			iows io, os.arcii:
	ersion: '10.0', java.versio o.appium.java_client.and		
		ntial.pulse.MainAc, appPackag	ge: com.prudential.pu
		ionName: UiAutomator2, datab	
desired: {app	Activity: com.prudential	.pulse.MainAc, appPackage: c	com.prudential.pulse.ı
		ame: UiAutomator2, deviceNan	
		et: true, platformName: android	
		Model: SM-N770F, deviceName	
		enSize: 1080x2400, deviceUDID: extEnabled: false, networkConr	
		et: true, pixelRatio: 2.625, platfo	
		rsion: 10, statBarHeight: 85, tak	
		p: 85, width: 1080}, warnings: {	
			}, webStorageEnabled
Dessiuli ID. I	252de93-514d-41ab-9e96	-4dbf09416e39	}, webStorageEnable
	252de93-514d-41ab-9e96 info: {Using=xpath, value	-4dbf09416e39 e=//android.widget.TextView[@	
*** Element i /following::an	info: {Using=xpath, value idroid.widget.EditText}	e=//android.widget.TextView[@	text='Medicine Info']
*** Element i /following::an at jdk.interna	info: {Using=xpath, value ndroid.widget.EditText} nl.reflect.GeneratedCons	e=//android.widget.TextView[@ tructorAccessor22.newInstance(	text='Medicine Info'] (Unknown Source)
*** Element i /following::an at jdk.interna at java.base/j	info: {Using=xpath, valuendroid.widget.EditText} al.reflect.GeneratedConst dk.internal.reflect.Delega	e=//android.widget.TextView[@ tructorAccessor22.newInstance( atingConstructorAccessorImpl.)	text='Medicine Info'] (Unknown Source)
*** Element i /following::an at jdk.interna at java.base/j (DelegatingCo	info: {Using=xpath, valuendroid.widget.EditText} al.reflect.GeneratedConst dk.internal.reflect.Delega onstructorAccessorImpl.	e=//android.widget.TextView[@ tructorAccessor22.newInstance( atingConstructorAccessorImpl.i java:45)	text='Medicine Info'] (Unknown Source) newInstance
*** Element i /following::an at jdk.interna at java.base/j (DelegatingCo at java.base/j	info: {Using=xpath, valuendroid.widget.EditText} nl.reflect.GeneratedConst dk.internal.reflect.Delegate onstructorAccessorImpl. ava.lang.reflect.Construc	e=//android.widget.TextView[@ tructorAccessor22.newInstance( atingConstructorAccessorImpl.i java:45) ctor.newInstance(Constructor.ja	text='Medicine Info'] (Unknown Source) newInstance ava:490)
*** Element i /following::an at jdk.interna at java.base/j (DelegatingCo at java.base/j at org.openqa	info: {Using=xpath, valuendroid.widget.EditText} al.reflect.GeneratedConst dk.internal.reflect.Delegates onstructorAccessorImpl. ava.lang.reflect.Construct.selenium.remote.http.W	e=//android.widget.TextView[@ tructorAccessor22.newInstance( atingConstructorAccessorImpl.i java:45)	text='Medicine Info'] (Unknown Source) newInstance ava:490)
*** Element i /following::an at jdk.interna at java.base/j (DelegatingCo at java.base/j at org.openqa (W3CHttpRe	info: {Using=xpath, value ndroid.widget.EditText} al.reflect.GeneratedConst dk.internal.reflect.Delega onstructorAccessorImpl, ava.lang.reflect.Construct a.selenium.remote.http.W sponseCodec.java:187)	e=//android.widget.TextView[@ tructorAccessor22.newInstance( atingConstructorAccessorImpl.i java:45) ctor.newInstance(Constructor.ja	text='Medicine Info'] (Unknown Source) newInstance ava:490)
*** Element i /following::an at jdk.interna at java.base/j (DelegatingCo at java.base/j at org.openqa (W3CHttpRe at org.openqa	info: {Using=xpath, value ndroid.widget.EditText} al.reflect.GeneratedConst dk.internal.reflect.Delega onstructorAccessorImpl, ava.lang.reflect.Construct a.selenium.remote.http.W sponseCodec.java:187)	e=//android.widget.TextView[@ tructorAccessor22.newInstance( atingConstructorAccessorImpl.i java:45) ctor.newInstance(Constructor.ja /3CHttpResponseCodec.createE	text='Medicine Info'] (Unknown Source) newInstance ava:490)
*** Element i /following::an at jdk.interna at java.base/ji (DelegatingCo at java.base/ji at org.openqa (W3CHttpRe at org.openqa (W3CHttpRe at org.openqa	info: {Using=xpath, value ndroid.widget.EditText} al.reflect.GeneratedConst dk.internal.reflect.Delega onstructorAccessorImpl, ava.lang.reflect.Construct a.selenium.remote.http.W sponseCodec.java:187) a.selenium.remote.http.W sponseCodec.java:122) a.selenium.remote.http.W	e=//android.widget.TextView[@ tructorAccessor22.newInstance( atingConstructorAccessorImpl.i java:45) ctor.newInstance(Constructor.ja /3CHttpResponseCodec.createE	text='Medicine Info'] (Unknown Source) newInstance ava:490)
*** Element i /following::an at jdk.interna at java.base/j (DelegatingCo at java.base/j at org.openqa (W3CHttpRe at org.openqa (W3CHttpRe at org.openqa (W3CHttpRe	info: {Using=xpath, value indroid.widget.EditText} il.reflect.GeneratedConsi dk.internal.reflect.Delega onstructorAccessorImpl. ava.lang.reflect.Construct i.selenium.remote.http.W sponseCodec.java:187) i.selenium.remote.http.W sponseCodec.java:122) i.selenium.remote.http.W sponseCodec.java:49)	e=//android.widget.TextView[@ tructorAccessor22.newInstance( atingConstructorAccessorImpl.i java:45) ctor.newInstance(Constructor.ja /3CHttpResponseCodec.createE /3CHttpResponseCodec.decode	text='Medicine Info'] (Unknown Source) newInstance ava:490) Exception
*** Element in /following::an at jdk.interna at java.base/ji (DelegatingCo at java.base/ji at org.openqa (W3CHttpRe at org.openqa 158)	info: {Using=xpath, value ndroid.widget.EditText} al.reflect.GeneratedConst dk.internal.reflect.Delega onstructorAccessorImpl, ava.lang.reflect.Construct a.selenium.remote.http.W sponseCodec.java:187) a.selenium.remote.http.W sponseCodec.java:122) a.selenium.remote.http.W sponseCodec.java:49) a.selenium.remote.HttpC	e=//android.widget.TextView[@ tructorAccessor22.newInstance(atingConstructorAccessorImpl.ijava:45) ctor.newInstance(Constructor.ja/3CHttpResponseCodec.createE/3CHttpResponseCodec.decode //3CHttpResponseCodec.decode //3CHttpResponseCodec.decode	text='Medicine Info'] (Unknown Source) newInstance ava:490) Exception
*** Element i /following::an at jdk.interna at java.base/ji (DelegatingCo at java.base/ji at org.openqa (W3CHttpRe at org.openqa (W3CHttpRe at org.openqa (W3CHttpRe at org.openqa (W3CHttpRe at org.openqa (W3CHttpRe at org.openqa (W3CHttpRe at org.openqa	info: {Using=xpath, value ndroid.widget.EditText} al.reflect.GeneratedConst dk.internal.reflect.Delega onstructorAccessorImpl, ava.lang.reflect.Construct a.selenium.remote.http.W sponseCodec.java:187) a.selenium.remote.http.W sponseCodec.java:122) a.selenium.remote.http.W sponseCodec.java:49) a.selenium.remote.HttpC	e=//android.widget.TextView[@ tructorAccessor22.newInstance( atingConstructorAccessorImpl.i java:45) ctor.newInstance(Constructor.ja /3CHttpResponseCodec.createE /3CHttpResponseCodec.decode /3CHttpResponseCodec.decode ommandExecutor.execute(Httpc umCommandExecutor.execute	text='Medicine Info'] (Unknown Source) newInstance ava:490) Exception
*** Element i /following::an at jdk.interna at java.base/ji (DelegatingCo at java.base/ji at org.openqa (W3CHttpRe at org.openqa (W3CHttpRe at org.openqa (W3CHttpRe at org.openqa (W3CHttpRe at org.openqa 158) at io.appium.i (AppiumCom	info: {Using=xpath, value ndroid.widget.EditText} al.reflect.GeneratedConst dk.internal.reflect.Delega onstructorAccessorImpl, ava.lang.reflect.Construct a.selenium.remote.http.W sponseCodec.java:187) a.selenium.remote.http.W sponseCodec.java:122) a.selenium.remote.http.W sponseCodec.java:49) a.selenium.remote.HttpC java_client.remote.Appit umandExecutor.java:231	e=//android.widget.TextView[@ tructorAccessor22.newInstance( atingConstructorAccessorImpl.i java:45) ctor.newInstance(Constructor.ja //3CHttpResponseCodec.createE //3CHttpResponseCodec.decode //3CHttpResponseCodec.decode ommandExecutor.execute(Httpc imCommandExecutor.execute )	text='Medicine Info'] (Unknown Source) newInstance ava:490) Exception CommandExecutor.ja
*** Element in /following::an at jdk.interna at java.base/ji (Delegating Coat java.base/ji at org.openqa (W3CHttpRe at org.openqa 158) at io.appium. (Appium Com at org.openqa at java was element in /following was element in /following: /following was element in /following was element in /following: /following was element in /following was	info: {Using=xpath, value adroid.widget.EditText} al.reflect.GeneratedConst dk.internal.reflect.Delegated constructorAccessorImpl, ava.lang.reflect.Construct.selenium.remote.http.W.sponseCodec.java:187) a.selenium.remote.http.W.sponseCodec.java:122) a.selenium.remote.http.W.sponseCodec.java:49) a.selenium.remote.http.Construct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConst	tructorAccessor22.newInstance(atingConstructorAccessorImpl.ijava:45) ctor.newInstance(Constructor.ja/3CHttpResponseCodec.createE/3CHttpResponseCodec.decode data CommandExecutor.execute(Http://docume.commandExecutor.execute(Http://docume.commandExecutor.execute(Editary)) ceWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(RemoteWebDriver.execute(Rem	text='Medicine Info'] (Unknown Source) newInstance ava:490) Exception CommandExecutor.ja
*** Element in /following::an at jdk.interna at java.base/ji (DelegatingCo at java.base/ji at org.openqa (W3CHttpRe at org.openqa (W3CHttpRe at org.openqa (W3CHttpRe at org.openqa (W3CHttpRe at org.openqa 158) at io.appium. (AppiumCom at org.openqa at org.openqa at org.openqa at org.openqa at org.openqa at org.openqa	info: {Using=xpath, value adroid.widget.EditText} al.reflect.GeneratedConst dk.internal.reflect.Delegated constructorAccessorImpl, ava.lang.reflect.Construct.selenium.remote.http.W.sponseCodec.java:187) a.selenium.remote.http.W.sponseCodec.java:122) a.selenium.remote.http.W.sponseCodec.java:49) a.selenium.remote.http.Construct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConstruct.HttpConst	e=//android.widget.TextView[@ tructorAccessor22.newInstance( atingConstructorAccessorImpl.i java:45) ctor.newInstance(Constructor.ja //3CHttpResponseCodec.createE //3CHttpResponseCodec.decode //3CHttpResponseCodec.decode ommandExecutor.execute(Httpc imCommandExecutor.execute )	text='Medicine Info'] (Unknown Source) newInstance ava:490) Exception CommandExecutor.ja

$at\ org. open qa. selenium. remote. Remote WebDriver. find Element (Remote at io. appium. java\_client. De fault Generic Mobile Driver. find Element$	r.java:1) eWebDriver.java:317)
(DefaultGenericMobileDriver.java:62) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.javat io.appium.java_client.android.AndroidDriver.findElement(AndroidI at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPatjava:419)	Driver.java:1)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByX(DefaultGenericMobileDriver.java:152) at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumI at io.appium.java_client.android.AndroidDriver.findElementByXPath(at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(Remote at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.javat io.appium.java_client.android.AndroidDriver.findElement(AndroidI at com.prudential.tap.selenium.Commands\$16.executeCommand(Comat com.prudential.tap.selenium.ExecuteCommand.executeCommand(E)	Driver.java:1) AndroidDriver.java:1) eWebDriver.java:309) va:1) Driver.java:1) mands.java:148)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePaget com.onepulse.app.screens.PulseHealthScreen.enterDetailsInAddMed(PulseHealthScreen.java:269) at com.onepulse.app.stepdefinitions.mobilesteps.MedicineReminderStepenterInfoInAddMedicineScreen(MedicineReminderSteps.java:30) at .And I enter following details in add medicine screen(features/health/	ps.
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePa at com.onepulse.app.screens.PulseHealthScreen.enterDetailsInAddMed (PulseHealthScreen.java:269) at com.onepulse.app.stepdefinitions.mobilesteps.MedicineReminderStepenterInfoInAddMedicineScreen(MedicineReminderSteps.java:30) at .And I enter following details in add medicine screen(features/health/feature:83)	Screen ps. MedicineReminder.
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.setCom.onepulse.app.screens.PulseHealthScreen.enterDetailsInAddMed(PulseHealthScreen.java:269) at com.onepulse.app.stepdefinitions.mobilesteps.MedicineReminderStepenterInfoInAddMedicineScreen(MedicineReminderSteps.java:30) at .And I enter following details in add medicine screen(features/health/feature:83) And I clicks on Next icon in app screens	ps. /MedicineReminder.  0.00s
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage) at com.onepulse.app.screens.PulseHealthScreen.enterDetailsInAddMed (PulseHealthScreen.java:269) at com.onepulse.app.stepdefinitions.mobilesteps.MedicineReminderStepenterInfoInAddMedicineScreen(MedicineReminderSteps.java:30) at .And I enter following details in add medicine screen(features/health/feature:83)  And I clicks on Next icon in app screens  And I enter following details in add medicine screen	Screen ps. MedicineReminder.
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePa at com.onepulse.app.screens.PulseHealthScreen.enterDetailsInAddMed (PulseHealthScreen.java:269) at com.onepulse.app.stepdefinitions.mobilesteps.MedicineReminderStepenterInfoInAddMedicineScreen(MedicineReminderSteps.java:30) at .And I enter following details in add medicine screen(features/health/feature:83)  And I clicks on Next icon in app screens  And I enter following details in add medicine screen  Frequency Daily	ps. /MedicineReminder.  0.00s 0.00s
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage) at com.onepulse.app.screens.PulseHealthScreen.enterDetailsInAddMed (PulseHealthScreen.java:269) at com.onepulse.app.stepdefinitions.mobilesteps.MedicineReminderStepenterInfoInAddMedicineScreen(MedicineReminderSteps.java:30) at .And I enter following details in add medicine screen(features/health/feature:83)  And I clicks on Next icon in app screens  And I enter following details in add medicine screen  Frequency Daily  And I clicks on Timing in Add medcine screen	Screen ps. /MedicineReminder.  0.00s 0.00s 0.00s
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage) at com.onepulse.app.screens.PulseHealthScreen.enterDetailsInAddMed (PulseHealthScreen.java:269) at com.onepulse.app.stepdefinitions.mobilesteps.MedicineReminderStepenterInfoInAddMedicineScreen(MedicineReminderSteps.java:30) at .And I enter following details in add medicine screen(features/health/feature:83) And I clicks on Next icon in app screens And I enter following details in add medicine screen  Frequency Daily  And I clicks on Timing in Add medcine screen  And I clicks on ''After meal'' in app screens	MedicineReminder.  0.00s 0.00s 0.00s 0.00s
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage) at com.onepulse.app.screens.PulseHealthScreen.enterDetailsInAddMed (PulseHealthScreen.java:269) at com.onepulse.app.stepdefinitions.mobilesteps.MedicineReminderStepenterInfoInAddMedicineScreen(MedicineReminderSteps.java:30) at .And I enter following details in add medicine screen(features/health/feature:83)  And I clicks on Next icon in app screens  And I enter following details in add medicine screen  Frequency Daily  And I clicks on Timing in Add medcine screen	Screen ps. /MedicineReminder.  0.00s 0.00s 0.00s
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage at com.onepulse.app.screens.PulseHealthScreen.enterDetailsInAddMed(PulseHealthScreen.java:269) at com.onepulse.app.stepdefinitions.mobilesteps.MedicineReminderStepenterInfoInAddMedicineScreen(MedicineReminderSteps.java:30) at .And I enter following details in add medicine screen(features/health/feature:83) And I clicks on Next icon in app screens And I enter following details in add medicine screen  Frequency Daily And I clicks on Timing in Add medcine screen And I clicks on "After meal" in app screens And I clicks on Next icon in app screens	



After			2.19s
Back to Table of Conte	<u>ents</u>		
Scenario: verify mo on success popup	edicine reminder home	screen is displayed when user cl	ick on not now button
Passed: 1	Failed: 1	Undefined: 0	Duration: 111.
Before			0.00s
And I clicks on	''\${notNow.text}'' in ap	op screens	99.86s
And I verify foll	lowing text displayed in	n Add medicine screen	8.21s
\${Medicalren	nainder.text}		
Medicine Remir at org.testng.ass	serts.SoftAssert.assertA .app.stepdefinitions.m	ng asserts failed: n page expected [true] but found All(SoftAssert.java:43) obilesteps.MyDocSteps.VerifyAd	ldMedicine(MyDocStep



Password Pas\$1234


And I wait for 5 sec

And User clicks on signin button

0.29s

5.00s

Then user sho	8.25s		
fter	0.00s		
ack to Table of Cor	<u>tents</u>		
cenario: <mark>User s</mark> h	ould be able to locat	te Hospitals using PruShoppe location	
assed: 5	Failed: 1	Undefined: 9	Duration: 52.1
efore			0.00s
When I clicks	on Health button		4.82s
Then I clicks of	n Location button		33.12s
When I clicks	on Search here text	field	6.77s
And I clicks or	n ''Hospitals'' under	Pulse Search	1.40s
		pitals'' near by to user's current locati	on 2.15s
And User can	see that Call, Naviga	ate and See Details links are displayed	under 2.31s
		owing asserts failed:	
at com.onepulat com.onepulat com.onepulat userCanSeeTh	sserts.SoftAssert.ass se.app.screens.Locat se.app.stepdefinition atCallNavigateAnd	sertAll(SoftAssert.java:43) tionScreen.verifySearchResults(Locatios.mobilesteps.LocationSteps. SeeDetailsLinksAreDisplayedUnderSe	
at org.testng.a at com.onepulat com.onepulat userCanSeeTh (LocationStepulat .And User c	sserts.SoftAssert.ass se.app.screens.Locat se.app.stepdefinition atCallNavigateAnd s.java:51) an see that Call, Nav	sertAll(SoftAssert.java:43) tionScreen.verifySearchResults(LocationSteps. s.mobilesteps.LocationSteps. SeeDetailsLinksAreDisplayedUnderSevigate and See Details links are display	earchResults
at org.testng.a at com.onepulat com.onepulaterCanSeeTh (LocationStepat.And User com.onepulaterCanSeeTh	sserts.SoftAssert.ass se.app.screens.Locat se.app.stepdefinition atCallNavigateAnd s.java:51) an see that Call, Nav	sertAll(SoftAssert.java:43) tionScreen.verifySearchResults(LocationSteps. s.mobilesteps.LocationSteps. SeeDetailsLinksAreDisplayedUnderSevigate and See Details links are displayShoppeLocation.feature:31)	earchResults
at org.testng.a at com.onepulat com.onepulat userCanSeeTh (LocationStepa at .And User c search results( When I clicks	sserts.SoftAssert.ass se.app.screens.Locat se.app.stepdefinition atCallNavigateAnd s.java:51) an see that Call, Nav features/health/Prus	sertAll(SoftAssert.java:43) tionScreen.verifySearchResults(LocationSteps. s.mobilesteps.LocationSteps. SeeDetailsLinksAreDisplayedUnderSevigate and See Details links are displayShoppeLocation.feature:31)	earchResults yed under ''Hospitals 0.00s
at org.testng.a at com.onepul at com.onepul userCanSeeTh (LocationStep at .And User c search results( When I clicks Then I can see buttons	sserts.SoftAssert.ass se.app.screens.Locat se.app.stepdefinition atCallNavigateAnd s.java:51) an see that Call, Nav features/health/Prus	sertAll(SoftAssert.java:43) tionScreen.verifySearchResults(LocationSteps. s.mobilesteps.LocationSteps. SeeDetailsLinksAreDisplayedUnderSevigate and See Details links are displayshoppeLocation.feature:31) n on First result	earchResults yed under ''Hospitals 0.00s
at org.testng.a at com.onepulat com.onepulat com.onepulater CanSeeTh (LocationStepat And User consearch results) When I clicks Then I can see buttons When I clicks	sserts.SoftAssert.ass se.app.screens.Locat se.app.stepdefinition atCallNavigateAnd s.java:51) an see that Call, Nav features/health/Pruson See Details butto the "Hospital" Info	sertAll(SoftAssert.java:43) tionScreen.verifySearchResults(LocationSteps. as.mobilesteps.LocationSteps. SeeDetailsLinksAreDisplayedUnderSevigate and See Details links are displayshoppeLocation.feature:31) n on First result brmation screen with Navigate and Cal	earchResults  yed under ''Hospitals  0.00s  Il Now 0.00s
at org.testng.a at com.onepulat com.onepulat com.onepulat userCanSeeTh (LocationStepat .And User consearch results) When I clicks Then I can see buttons When I clicks Then I verify to	sserts.SoftAssert.ass se.app.screens.Locat se.app.stepdefinition atCallNavigateAnd s.java:51) an see that Call, Nav features/health/Prus on See Details butto the "Hospital" Info	sertAll(SoftAssert.java:43) tionScreen.verifySearchResults(LocationSteps. as.mobilesteps.LocationSteps. SeeDetailsLinksAreDisplayedUnderSevigate and See Details links are displayshoppeLocation.feature:31) n on First result brmation screen with Navigate and Cal	earchResults yed under "Hospitals 0.00s 11 Now 0.00s 0.00s
at org.testng.a at com.onepulat com.onepulat com.onepulationStep at .And User consearch results (When I clicks) Then I can see buttons When I clicks Then I verify (When I clicks)	sserts.SoftAssert.ass se.app.screens.Locat se.app.stepdefinition atCallNavigateAnd s.java:51) an see that Call, Nav features/health/Prus on See Details butto the "Hospital" Info	sertAll(SoftAssert.java:43) tionScreen.verifySearchResults(LocationSteps. as.mobilesteps.LocationSteps. SeeDetailsLinksAreDisplayedUnderSevigate and See Details links are displayshoppeLocation.feature:31) n on First result ormation screen with Navigate and Callis displayed	earchResults  ved under ''Hospitals  0.00s  0.00s  0.00s  0.00s  0.00s  0.00s  0.00s
at org.testng.a at com.onepulat com.onepulat com.onepulationStep at .And User com.one at .And User com.onepulation   when I clicks   Then I can see buttons   When I clicks   Then I verify to    When I clicks   Then I verify to    When I clicks   Then I verify to    When I clicks   Then I verify to    When I clicks    Then I verify to    When I clicks    Then I verify to    When I clicks    Then I verify to    When I clicks    Then I verify to    When I clicks    Then I verify to    When I clicks    Then I verify to    When I clicks    Then I verify to    When I clicks    Then I verify to    When I clicks    Then I verify to    When I clicks    Then I verify to    When I clicks    Then I verify to    When I verify to    Then I verif	sserts.SoftAssert.ass se.app.screens.Locat se.app.stepdefinition atCallNavigateAnd s.java:51) an see that Call, Nav features/health/Prus on See Details butto the "Hospital" Info on "Speciality" tab he Speciality screen on "Doctors" tab he Doctors screen is on "Rooms" tab	sertAll(SoftAssert.java:43) tionScreen.verifySearchResults(LocationSteps. as.mobilesteps.LocationSteps. SeeDetailsLinksAreDisplayedUnderSevigate and See Details links are displayshoppeLocation.feature:31) n on First result ormation screen with Navigate and Callis displayed  is displayed	0.00s
at org.testng.a at com.onepulat com.onepulat com.onepulations. Can See The (Location Step at .And User consearch results). When I clicks then I can see buttons. When I clicks then I verify to When I clicks. Then I verify to When I clicks.	sserts.SoftAssert.ass se.app.screens.Locat se.app.stepdefinition tatCallNavigateAnd s.java:51) an see that Call, Nav features/health/Prus on See Details butto the "Hospital" Info on "Speciality" tab he Speciality screen on "Doctors" tab he Doctors screen is	sertAll(SoftAssert.java:43) tionScreen.verifySearchResults(LocationSteps. as.mobilesteps.LocationSteps. SeeDetailsLinksAreDisplayedUnderSevigate and See Details links are displayshoppeLocation.feature:31) n on First result ormation screen with Navigate and Callis displayed  is displayed	earchResults  ved under ''Hospitals  0.00s  0.00s  0.00s  0.00s  0.00s  0.00s  0.00s



153	88 E E W +	70	5.40					
← 0	Clinics							
Ne	Nar you All							
	III O	<						
After								1.30s
Back to	Table of Cont	tents						
eature.	Verify MV 1	Event c	hannel fund	rtionality on	one nulse A	nn		
	Verify MY			ctionality on	one pulse A		70.49s	
assed: 4		Failed:	1	Undefined: 0		Duration: 17	70.49s	
assed: 4	rio: Launch	Failed:	1			Duration: 17	70.49s	Duration: 61.6s
assed: 4 Scenar	rio: Launch	Failed:	1 p and select	Undefined: 0	as per speci	Duration: 17	70.49s	Duration: 61.6s 0.00s
Scenar Passed: Before	rio: Launch	Failed: the ap	1 p and select Failed: 0	Undefined: 0	as per speci	Duration: 17	70.49s	
Scenar Passed: Before	rio: Launch 7 en User has	Failed: the app	p and select Failed: 0 app	Undefined: 0 the country	as per speci Undefined: 0	Duration: 17		0.00s
Scenar Passed: Before Giv	rio: Launch 7 en User has d I assign ''\$	Failed: the applications of the second secon	p and select Failed: 0 app alse.login.gl	Undefined: 0 the country	as per speci Undefined: 0 variable ''PU	Duration: 17 fied lbu  ULSE_EMAI		0.00s 16.16s
Scenar Passed: Before Giv And And The	rio: Launch 7 en User has d I assign "\$ d user click en I change	Failed: the application is pulse a square for incomplete the countries.	p and select Failed: 0 app alse.login.gl	Undefined: 0 the country obal.id}" to	as per speci Undefined: 0 variable ''PU	Duration: 17 fied lbu  ULSE_EMAI nail button		0.00s 16.16s 0.00s 13.07s 11.34s
Scenar Passed: Before Giv And And The	rio: Launch 7 en User has d I assign " d user click en I change	Failed: the application on "CC the course th	p and select Failed: 0 app alse.login.gl DNTINUE V	undefined: 0 the country obal.id}" to WITH EMA	as per speci Undefined: 0 variable "PU IL" with En	Duration: 17 fied lbu  ULSE_EMAI nail button ge		0.00s 16.16s 0.00s 13.07s 11.34s 5.00s
Scenar Passed: Before Giv And And The The	rio: Launch 7 en User has d I assign "S d user click en I change en I wait for	Failed: the application "CO" the courthe courthe lange	p and select Failed: 0  app alse.login.gl ONTINUE v intry as required	Undefined: 0 the country obal.id}" to	as per speci Undefined: 0 variable "PU IL" with En	Duration: 17 fied lbu  ULSE_EMAI nail button ge		0.00s 16.16s 0.00s 13.07s 11.34s 5.00s 10.60s
Scenar Passed: Before Giv And And The The And	rio: Launch 7 en User has d I assign " d user click en I change	Failed: the application "CO" the courthe courthe lange	p and select Failed: 0  app alse.login.gl ONTINUE v intry as required	undefined: 0 the country obal.id}" to WITH EMA	as per speci Undefined: 0 variable "PU IL" with En	Duration: 17 fied lbu  ULSE_EMAI nail button ge		0.00s 16.16s 0.00s 13.07s 11.34s 5.00s 10.60s 5.45s
Scenar Passed: Before Giv And And The The And After	rio: Launch 7 en User has d I assign " d user click en I change en I wait for en I change	Failed: the application "CC the country the language sign in the second street the seco	p and select Failed: 0  app alse.login.gl ONTINUE v intry as required	undefined: 0 the country obal.id}" to WITH EMA	as per speci Undefined: 0 variable "PU IL" with En	Duration: 17 fied lbu  ULSE_EMAI nail button ge		0.00s 16.16s 0.00s 13.07s 11.34s 5.00s 10.60s
Scenar Passed: Before Giv And The The And After Back to	rio: Launch 7 ren User has d I assign "S d user click en I change en I wait for en I change d I click the	Failed: the application of the courther courther language sign in tents	p and select Failed: 0  app alse.login.gl ONTINUE V antry as requage as rea	Undefined: 0 the country obal.id}" to WITH EMA uired on reg	as per speci Undefined: 0 variable "PU IL" with En stration pag	Duration: 17 fied lbu  ULSE_EMAI nail button ge	L''	0.00s 16.16s 0.00s 13.07s 11.34s 5.00s 10.60s 5.45s
Scenar Passed: Before Giv And And The The And After Back to	rio: Launch 7 een User has d I assign "\$ d user click en I change en I wait for en I change d I click the Table of Cont	Failed: the application of the courther courther language sign in tents	p and select Failed: 0  app alse.login.gl ONTINUE V intry as required as real link  o with correction	Undefined: 0 the country obal.id}" to WITH EMA uired on reg	as per speci Undefined: 0  variable "PU IL" with Endistration page gistration page	Duration: 17 fied lbu  ULSE_EMAI nail button ge	L''	0.00s  16.16s  0.00s  13.07s  11.34s  5.00s  10.60s  5.45s  0.00s
Scenar Passed: Before Giv And And The The And After Back to Scenar Passed:	rio: Launch 7 en User has d I assign " d user click en I change en I wait for en I click the Table of Cont rio: login to	Failed: the application of the courther courther language sign in tents	p and select Failed: 0  app alse.login.gl ONTINUE V antry as requage as rea	Undefined: 0 the country obal.id}" to WITH EMA uired on reg	as per speci Undefined: 0 variable "PU IL" with En stration pag	Duration: 17 fied lbu  ULSE_EMAI nail button ge	L''	0.00s  16.16s  0.00s  13.07s  11.34s  5.00s  10.60s  5.45s  0.00s  Duration: 43.12s
Scenar Passed: Before Giv And And The The And After Back to Scenar Passed: Before	rio: Launch 7 ren User has d I assign "\$ d user click en I change en I wait for en I change d I click the  Table of Control fo: login to	Failed: the applications of the country of the country of the language of the	p and select Failed: 0  app alse.login.gl ONTINUE v intry as required as recommendate as recom	undefined: 0 the country obal.id}" to WITH EMA uired on reg	as per speci Undefined: 0  variable "PU IL" with En istration pag gistration pag using "Co Undefined: 0	Duration: 17 fied Ibu  ULSE_EMAI nail button ge  nge	L''	0.00s  16.16s  0.00s  13.07s  11.34s  5.00s  10.60s  5.45s  0.00s  Duration: 43.12s  0.00s
Scenar Passed: Before Giv And And The The And After Back to Scenar Passed: Before	rio: Launch 7 een User has d I assign "\$ d user click en I change en I wait for en I click the Table of Cont rio: login to 6	Failed: the application on "CC the country in the lange of the application of the applica	p and select Failed: 0  app alse.login.gl ONTINUE ventry as requested as recommendated as r	undefined: 0 the country obal.id}" to WITH EMA uired on reg	as per speci Undefined: 0  variable "PU IL" with En istration pag gistration pag using "Co Undefined: 0	Duration: 17 fied lbu  ULSE_EMAI nail button ge	L''	0.00s 16.16s 0.00s 13.07s 11.34s 5.00s 10.60s 5.45s 0.00s  Duration: 43.12s 0.00s 3.99s
Scenar Passed: Before Giv And And The The And After Back to Scenar Passed: Before Giv Wh	rio: Launch 7 een User has d I assign "S d user click en I change en I wait for en I click the Table of Cont rio: login to 6 een I select te en user ente	Failed: the applications on "CC the country on "CC the language of the language of the language of the applications of the language of the lan	p and select Failed: 0  app app app app app app app app app a	undefined: 0 the country  obal.id}" to  WITH EMA  uired on region  cut credential	as per speci Undefined: 0  variable "PU IL" with En istration pag gistration pag using "Co Undefined: 0	Duration: 17 fied Ibu  ULSE_EMAI nail button ge  nge	L''	0.00s  16.16s  0.00s  13.07s  11.34s  5.00s  10.60s  5.45s  0.00s  Duration: 43.12s  0.00s
Scenar Passed: Before Giv And The The And After Back to Scenar Passed: Before Giv Wh	rio: Launch 7 een User has d I assign "\$ d user click en I change en I wait for en I change d I click the  Table of Cont rio: login to 6 een I select t en user ente UserName \$	Failed: the application on "CC the country on "CC the language of the language	p and select Failed: 0  app alse.login.gl ONTINUE V intry as requested the selection of the	undefined: 0 the country  obal.id}" to  WITH EMA  uired on region  cut credential	as per speci Undefined: 0  variable "PU IL" with En istration pag gistration pag using "Co Undefined: 0	Duration: 17 fied Ibu  ULSE_EMAI nail button ge  nge	L''	0.00s 16.16s 0.00s 13.07s 11.34s 5.00s 10.60s 5.45s 0.00s  Duration: 43.12s 0.00s 3.99s
Scenar Passed: Before Giv And The The And After Back to Scenar Passed: Before Giv Wh	rio: Launch 7 een User has d I assign "\$ d user click en I change en I wait for en I change d I click the  Table of Contrio: login to 6 een I select t en user ente UserName \$ Password \$	Failed: the application on "CC the country the language of the	p and select Failed: 0  app app alse.login.gl DNTINUE ventry as requested as realink  o with correspondentials E_EMAIL password}	undefined: 0 the country  obal.id}" to  WITH EMA  uired on region  cut credential	as per speci Undefined: 0  variable "PU IL" with En istration pag gistration pag using "Co Undefined: 0	Duration: 17 fied Ibu  ULSE_EMAI nail button ge  nge	L''	0.00s 16.16s 0.00s 13.07s 11.34s 5.00s 10.60s 5.45s 0.00s  Duration: 43.12s 0.00s 3.99s 18.17s
Scenar Passed: Before Giv And The The And After Back to Scenar Passed: Before Giv Wh	rio: Launch 7 een User has d I assign "\$ d user click en I change en I wait for en I change d I click the  Table of Cont rio: login to 6 een I select t en user ente UserName \$	Failed: the application on "CC the country the language of the	p and select Failed: 0  app app alse.login.gl DNTINUE ventry as requested as realink  o with correspondentials E_EMAIL password}	undefined: 0 the country  obal.id}" to  WITH EMA  uired on region  cut credential	as per speci Undefined: 0  variable "PU IL" with En istration pag gistration pag using "Co Undefined: 0	Duration: 17 fied Ibu  ULSE_EMAI nail button ge  nge	L''	0.00s 16.16s 0.00s 13.07s 11.34s 5.00s 10.60s 5.45s 0.00s  Duration: 43.12s 0.00s 3.99s

	TD: and mules own for us		5.00s		
	of P in one puise app for us	ser email "\${PULSE_EMAIL}"	7.87s		
fter	Then user should be landed to "Home" screen				
	fter				
ack to Table of Co	<u>ntents</u>				
cenario: Verify	<b>MyEvent Functionality in</b>	Home screen			
assed: 3	Failed: 0	Undefined: 0	Duration: 26.1s		
efore			0.00s		
And I click th	e MyEvent icons		20.14s		
And I wait for	r 5 sec		5.00s		
And I verify f	ollowing texts are displaye	ed	0.96s		
You do no	t have any events enrolled	yet			
Please cho	ose from the open events a	nd get started			
fter			0.00s		
ack to Table of Co	ntents				
	Open Events tab				
assed: 1	Failed: 1	Undefined: 0	Duration: 28.91		
efore			0.00s		
And I click th	e Open Events icon		8.85s		
	ollowing texts are displaye	1	16.85s		
found [false], Stay tuned for		ment text is displayed on page expe			
[false]			cted [true] but found		



After			0.00s
Back to Table of Contents			
Scenario: User should be Email''	e able to login o	n app with correct credentials using "(	Continue with
Passed: 7	Failed: 0	Undefined: 0	Duration: 47.79s
Before			0.00s
And I assign "\${login	.email.id}'' to v	ariable "PULSE_EMAIL"	0.00s
Given I select the lang	guage option on	toggle bar as required on login page	2.38s
When user enters cre	dentials		18.66s
UserName \${PULS	SE_EMAIL}		·
Password \${pulse	.password}		
And User clicks on sig	gnin button		0.70s
Then I wait for 10 sec	c		10.00s
And I enter OTP in o	ne pulse app for	r user email ''\${PULSE_EMAIL}''	8.29s
Then user should be l	landed to "Hom	ne'' screen	7.77s
After			0.00s
Back to Table of Contents			
Scenario: Verify User sh	nould be able to	navigate to Health page	
Passed: 4	Failed: 0	Undefined: 0	Duration: 43.9s
Before			0.00s
Then I navigate to He	ealth Content so	creen	19.62s
Then I wait for 5 sec			5.00s
And I verify following	g texts are displ	ayed	0.40s
<b>Health Channels</b>			
	wing texts "My	Health Content" in Screen	18.88s
Category			<u> </u>
Like			
Share			
Comment			
After			0.00s
Back to Table of Contents	•		<u> </u>
Scenario: Verify User sh	ould be able to	view the full page article post	
Passed: 2	Failed: 0	Undefined: 0	Duration: 17.38s
Before		·	0.00s
Then I click on "Heal	lth Channels'' t	opic for details full view	7.38s
Then I wait for 10 sec			10.00s
After			0.00s
Back to Table of Contents			
	ould be able to	see the Like, Share, Comment options	on full page article
post			
post Passed: 1	Failed: 0	Undefined: 0	Duration: 15 31s
post Passed: 1 Before	Failed: 0	Undefined: 0	Duration: 15.31s 0.00s

Like			
Share			
Comment			
After			0.00s
Back to Table of Contents			
Scenario: Verify User show	uld be able to Like t	he post in full article view screen	
Passed: 2	Failed: 0	Undefined: 0	Duration: 12.75s
Before			0.00s
And I Like the post			6.40s
And I Like the post			6.35s
After			0.00s
Back to Table of Contents			
Scenario: Verify User show	uld be able to Share	the post in full article view screen	1
Passed: 2	Failed: 0	Undefined: 0	Duration: 16.44s
Before			0.00s
And I share the post			5.71s
Then I navigate back to	previous page		10.73s
After			0.00s
Back to Table of Contents			
Scenario: Verify User can	navigate to Health l	homepage	
	Failed: 0	Undefined: 0	Duration: 5.32s
Before			0.00s
Then I navigate to story	y post page		5.32s
After			0.00s
Back to Table of Contents			
eature: Verify Notification (	Center functionality	on one pulse App	
assed: 2 Failed: 1	Undefined	* **	
		pp with correct credentials using	"Continue with
Email"	ible to register on a	pp with correct credentials using	Continue with
Passed: 17	Failed: 0	Undefined: 0	Duration: 179.27
Before			0.00s
Given I generate rando "RANDOM_NUMBER		gn to variable	0.05s
And I assign ''pulse\${R ''PULSE_EMAIL''	ANDOM_NUMBE	R}@mailsac.com'' to variable	0.00s
And User has pulse app	)		16.82s
	0.00		
Then I wait for 2 sec			2.00s
	NTINUE WITH EM	IAIL'' with Email button	2.00s 12.98s
	NTINUE WITH EM	IAIL" with Email button	
And user click on "CO			12.98s
And user click on "CO" Then I wait for 2 sec Then I change the coun Then I wait for 2 sec	ntry as required on r		12.98s 2.00s 11.90s 2.00s

			8.46s
			2.00s
FirstName	ters registration detai	lls	8.54s
	testAutomation		
	testAutomation		
	\${PULSE_EMAIL}		
Password			
And taps on co	ontinue "Sign_Up" bu	utton	0.74s
		or user email ''\${PULSE_EMAIL}''	30.71s
Then I wait fo	r 2 sec		2.00s
Then I click sl			67.27s
	uld be landed to "Ho	me'' screen	7.81s
Then I wait fo	r 4 sec		4.00s
fter			0.00s
ack to Table of Cor	<u>tents</u>		
cenario: <mark>Naviga</mark>	te to notification scre	en via home screen	
assed: 2	Failed: 0	Undefined: 0	Duration: 3.36
efore			0.00s
Given I naviga	te to notification scre	een from home page	1.36s
Then I wait fo	r 2 sec		2.00s
fter			0.00s
ack to Table of Cor	tents		
		o see the Notification screen texts	
assed: 0	Failed: 1	Undefined: 0	Duration: 20.13
efore			0.00s
And I verify for	ollowing texts are disp	nlaved	17.12s
\${notificati		nayeu	17.125
	profile.notification}		
\${complete	prome.nouncation}		
Notification C Complete your	r Profile. text is displa sserts.SoftAssert.asse	owing asserts failed: d on page expected [true] but found [faged on page expected [true] but found ertAll(SoftAssert.java:43) s.mobilesteps.MyDocSteps.verifyTexts	d [false]
at organiza	se.app.stepdefinitions		OnScreen



After		3.06s
-------	--	-------

Back to Table of Contents

	My Challenges on		D (1 120.02
ssed: 2	Failed: 2	Undefined: 0	Duration: 138.92s
		select the country as pe	
Passed: 6	Failed	: 0 Unde	ined: 0 Duration: 48.67s
Before			0.00s
Given Us	er has pulse app		16.85s
And Logo	out of pulse app if <b>u</b>	ıser is logged in	0.00s
And user	click on "CONTIN	NUE WITH EMAIL'' w	ith Email button 12.95s
Then I ch	nange the country a	s required on registrati	on page 11.56s
Then I wa	ait for 3 sec		3.00s
And I clic	ck the Sign in link		4.31s
After			0.00s
Back to Table	of Contents		
Scenario: Us Email''	ser should be able t	o login on app with cor	rect credentials using "Continue with
Passed: 7	Failed	: 0 Unde	ined: 0 Duration: 48.43s
Before			0.00s
And I ass	sign ''\${login.email.	id}" to variable "PULS	E_EMAIL'' 0.00s
Given I s	elect the language (	option on toggle bar as	required on login page 3.79s
When use	er enters credential	ls	18.21s
	fame \${PULSE_EMord \${login.passwo		

	signin button	0.46s		
	Then I wait for 10 sec			
And I enter OTP i	8.61s			
Then user should	pe landed to "Home" screen	7.36s		
er		0.00s		
k to Table of Contents				
nario: Verify My	Challenges texts			
sed: 1	Failed: 1 Undefined: 1	Duration: 30.		
ore		0.00s		
And I click on My	Challenges tile on one pulse app	0.73s		
	ing texts are displayed	25.94s		
\${my.challenge				
\${do.not.have.c				
\${challenge.gets				
\${do.not.have.c				
at .And I verily fol feature:25)	lowing texts are displayed (leatures/nome/mychanel	nges/r unselviy Chanleng		
And I verify the fo		0.00s		
t com.onepulse.aj MyDocSteps.java t .And I verify fol	ts.SoftAssert.assertAll(SoftAssert.java:43) op.stepdefinitions.mobilesteps.MyDocSteps.verifyTo :717) lowing texts are displayed(features/home/mychallen			



After			3.52s
<b>Back to Table of Content</b>	t <u>s</u>		
Scenario: Click on A	ll challenges and and	l verify texts	
Passed: 0	Failed: 1	<b>Undefined: 3</b>	Duration: 11.63s
Before			0.00s
And I clicks on "S	{all.challenges.text}	'' in app screen	8.22s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no\_such\_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'RISHANI-PC', ip: '192.168.0.102', os.name: 'Windows 10', os.arch:


'amd64', os.version: '10.0', java.version: '11.0.10'

Driver info: io.appium.java\_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: ffcd93de-e974-4cf3-9ba0-0c811293af6f

```
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"All
Challenges")]}
at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:168)
at com.onepulse.app.screens.CustomerConnectScreen.clickButton(CustomerConnectScreen.
java:1717)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickUploadIcon
(CustomerConnectSteps.java:533)
at .And I clicks on "${all.challenges.text}" in app screen(features/home/mychallenges
/PulseMyChallenges.feature:36)
```



1 17 1 1147		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0.00				
		bbal.id}" to variable "PULSE_EMAIL"	0.00s 3.59s				
	Given I select the language option on toggle bar as required on login page						
When user enters cro	19.15s						
UserName \${PUL	UserName \${PULSE_EMAIL}						
Password \${pulse	e.password}						
And User clicks on si	And User clicks on signin button						
Then I wait for 10 se	c		10.00s				
And I enter OTP in o	one pulse app	for user email "\${PULSE_EMAIL}"	7.88s				
Then user should be	landed to "H	ome" screen	8.59s				
After			0.00s				
Back to Table of Contents							
Scenario: User should b Email" and Verify the M		n on app with correct credentials using "Coies screen	ntinue with				
Passed: 5	Failed: 0	Undefined: 0	<b>Duration: 30.07s</b>				
Before			0.00s				
Then I wait for 6 sec			6.00s				
	verify ''\${mv.	communities.text}" tab in Home screen	7.85s				
Then I wait for 6 sec	<i>y</i> . ( <i>y</i>	,	6.00s				
And I verify followin	g texts are di	splaved	0.58s				
\${icon.communiti							
		All Communities" in Screen	9.63s				
\${my.communitie		M SOLULI	71005				
\${All.Communities							
After	DS.CCAC)		0.01s				
Back to Table of Contents			0.018				
		and rising					
Scenario: Leave the con	T		D (1 12.00				
Passed: 4 Before	Failed: 0	Undefined: 0	Duration: 13.06s 0.00s				
	y.communiti	es.text}'' in app screen	0.69s				
And I scroll down	,		4.21s				
		y three dots menu icon	0.32s				
And I click on leave	button for joi	ned community	7.84s				
After			0.00s				
Back to Table of Contents							
Scenario: Verify the All		s Post screen					
Passed: 1	Failed: 1	Undefined: 7	Duration: 17.83s				
Before			0.00s				
Then I wait for 5 sec			5.01s				
And I clicks on "\${A	ll.Communit	ies.text}'' in app screen	8.63s				
using the given search	h parameters	nentException: An element could not be loca s. please visit: http://seleniumhq.org/exception					

```
/no such element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'RISHANI-PC', ip: '192.168.0.102', os.name: 'Windows 10', os.arch:
'amd64', os.version: '10.0', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29,
deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX,
deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX,
platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true,
viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 3aa3406b-bb31-44fb-8503-47787e9b4c4f
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"All
Communities'')]}
at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
```

at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.tindElement(AppiumDriver.tindElement(And at com.prudential.tap.selenium.Commands\$15.executeCommand()	er.java:1) lroidDriver.java:1) Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand.19)	nd(ExecuteCommand.java:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage)	· · · · · · · · · · · · · · · · · · ·
at com.onepulse.app.screens.CustomerConnectScreen.clickButton(java:1717)	(CustomerConnectScreen.
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnect	tSteps.clickUploadIcon
(CustomerConnectSteps.java:533)	· /]- · / · · - · · · · · · · ·
at .And I clicks on "\${All.Communities.text}" in app screen(featur/PulseMyCommunities.feature:42)	es/home/mycommunities
And I click the Join button in Communties tab	0.00s
And I click the static Active icon in community screen	0.00s
And I click Edit icon in stay Active icon	0.00s
And Enter the post in community screen	0.00s
POST TEST1	
And Enter the post in community large text screen	0.00s
POST welcome	
And I click the Post icon in create post screen	0.00s
Then I verify the following text "TEST1" in Screen	0.00s
TEST1 welcome	
← Invited By	
III O <	
ter	4.19s
lCI	4.178

ssed: 0	Failed: 1	Undefined: 6	Duration: 28.
fore			0.00s
And I click t	he Post icon in My com	munities	23.64s
using the give For docume Ino_such_eld Build info: very System info: very land 64', os. Driver info: Capabilities uat, autoDist desired: {apautoDismissed newCommandeviceScreet javascriptEnewCommandeviceScreet javascriptEnewCommandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNandeviceManutoplatformNan	ren search parameters. Intation on this error, ple Imment.html Itersion: '3.12.0', revision Itersion: '10.0', java.vers Itersion: '10.0', java	ndroid.AndroidDriver lential.pulse.MainAc, appPack ationName: UiAutomator2, data al.pulse.MainAc, appPackage: aName: UiAutomator2, deviceNa eset: true, platformName: andro ceModel: SM-N770F, deviceNan reenSize: 1080x2400, deviceUDII ntextEnabled: false, networkCon eset: true, pixelRatio: 2.625, plat fersion: 10, statBarHeight: 85, ta	/exceptions  [4:04:26.12Z' Indows 10', os.arch:  age: com.prudential.pulse.us Indows abaseEnabled: false, Is com.prudential.pulse.us Indows Android-Test, In
false} Session ID: ( *** Element Pulsemate!') at jdk.intern at java.base/ (Delegating( at java.base/	Baa3406b-bb31-44fb-850 info: {Using=xpath, val ]} ial.reflect.GeneratedCor (jdk.internal.reflect.Dele ConstructorAccessorImp (java.lang.reflect.Constr	ue=//android.widget.TextView[constructorAccessor22.newInstancegatingConstructorAccessorImplo1.java:45) uctor.newInstance(Constructor.	contains(@text,'Hi e(Unknown Source) l.newInstance .java:490)
(W3CHttpR at org.openo (W3CHttpR	esponseCodec.java:187) a.selenium.remote.http. esponseCodec.java:122)	W3CHttpResponseCodec.decod	le
at org.openo 158) at io.appium	.java_client.remote.App	CommandExecutor.execute(Htt	- -
at org.openg at io.appium java:42)	i.java_client.DefaultGen	31) oteWebDriver.execute(RemoteV ericMobileDriver.execute(Defau iver.execute(AppiumDriver.java	ıltGenericMobileDriver.
at io.appium	.java_client.android.An	iver.execute(ApplumDriver.java idroidDriver.execute(AndroidDr oteWebDriver.findElement(Ren	civer.java:1)

at is appium java aliant android Android Driver find Flament (Android Driver	iova.1)			
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.				
java:419)	ote wed Driver.			
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath				
(DefaultGenericMobileDriver.java:152)				
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.	iava•1)			
at io.appium.java_client.appiumDriver.imdElementByXrath(AppiumDriver. at io.appium.java_client.android.AndroidDriver.findElementByXPath(Andro				
at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)	iuDiivei.java.i)			
	hivon iovo. 200)			
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebD	river.java:509)			
at io.appium.java_client.DefaultGenericMobileDriver.findElement				
(DefaultGenericMobileDriver.java:58)				
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)	• 41			
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.				
at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands				
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execute	Command.java:			
19)				
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:168				
at com.onepulse.app.screens.TestBasePage.popupstart(TestBasePage.java:495				
at com.onepulse.app.screens.mydocui.MyCommunitiesScreen.ClickFeeds				
(MyCommunitiesScreen.java:297)				
at com.onepulse.app.stepdefinitions.mobilesteps.MyCommunitiesSteps.clickIc	ons			
(MyCommunitiesSteps.java:106)				
at .And I click the Post icon in My communities(features/home/mycommunities	C			
/PulseMyCommunities.feature:56)	3			
	0.00			
And I click the like button in Post screen	0.00s			
And Verify the like count in Post screen '' 1 Likes'' likes	0.00s			
And I click the Comment icon in feed screen	0.00s			
And Enter the comments in Feeds screen	0.00s			
Comments TEST1				
	0.00-			
And I click the submit icon in feeds screen	0.00s			
And Verify the comments count in Feeds screen " 0 Comments" comments	0.00s			



org.openga.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions /no such element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'RISHANI-PC', ip: '192.168.0.102', os.name: 'Windows 10', os.arch:

'amd64', os.version: '10.0', java.version: '11.0.10'

And I click the share icon in Post screen

Before

Driver info: io.appium.java\_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 3aa3406b-bb31-44fb-8503-47787e9b4c4f

21.73s

```
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Hi
Pulsemate!')]}
at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:168)
at com.onepulse.app.screens.TestBasePage.popupstart(TestBasePage.java:495)
at com.onepulse.app.screens.mydocui.MyCommunitiesScreen.ClickShareIcon
(MyCommunitiesScreen.java:528)
at com.onepulse.app.stepdefinitions.mobilesteps.MyCommunitiesSteps.ClickShareIcon
(MyCommunitiesSteps.java:173)
at .And I click the share icon in Post screen(features/home/mycommunities
/PulseMyCommunities.feature:66)
```

1554 EI EI W +	permission		0.00s
← Invited By	/ W % A D		
After Back to Table of Contents	<		3.13s
Scenario: Verify the Po	ost Functionality in	n All communities	
Passed: 0	Failed: 1	Undefined: 11	Duration: 18.32s
Before			0.00s
Then I click skip bu	tton in feeds scree	n	0.00s 17.13s

```
Session ID: 3aa3406b-bb31-44fb-8503-47787e9b4c4f
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Hi
Pulsemate!')]}
at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:168)
at com.onepulse.app.screens.TestBasePage.popupstart(TestBasePage.java:495)
at com.onepulse.app.screens.mydocui.MyCommunitiesScreen.ClickSkipfeedbutton
(MyCommunitiesScreen.java:633)
at com.onepulse.app.stepdefinitions.mobilesteps.MyCommunitiesSteps.clickSkipbutton
(MyCommunitiesSteps.java:208)
at .Then I click skip button in feeds screen(features/home/mycommunities
/PulseMyCommunities.feature:73)
```

There I '4 C	Back icon in Stay A	Active screen	0.00s
Then I wait for		•	0.00s
	t icon in stay Activ		0.00s
	Camera icon in cre		0.00s 0.00s
	Upload Image icon	1	
And I give came			0.00s 0.00s
^	ture from Camera		
	post in community	screen	0.00s
POST TEST			0.00
	post in community	large text screen	0.00s
POST welcom			
And I click the	Post icon in create	post screen	0.00s
III O	· ·		1.20
C4			1.20s
ack to Table of Conto	10 Cake 10 4	d google foots	
ack to Table of Conto cenario: Verify th			- B - 11 - 05
ack to Table of Conto cenario: Verify th assed: 1	re Category list and Failed: 1	d search feature Undefined: 5	Duration: 25.4
ack to Table of Conto cenario: Verify th assed: 1 defore	Failed: 1		0.00s
ack to Table of Conto cenario: Verify the assed: 1 Before Then I wait for	Failed: 1 15 sec	Undefined: 5	0.00s 15.00s
cenario: Verify the assed: 1 efore  Then I wait for And I clicks on org.openqa.sele using the given	Failed: 1  15 sec  "\${category.text}"  nium.NoSuchElem search parameters tion on this error, j	Undefined: 5  ' in app screen  nentException: An element could n	0.00s 15.00s 9.08s ot be located on the page

```
'amd64', os.version: '10.0', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29,
deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX,
deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX,
platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true,
viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 3aa3406b-bb31-44fb-8503-47787e9b4c4f
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"
Category")]}
at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
```

at com.prudential.ta at com.prudential.ta 19) at com.onepulse.app at com.onepulse.app	.screens.TestBasePage.	\$15.executeCommand(nmand.executeCommaclickButton(TestBaseP	Commands.java:141) and(ExecuteCommand.java:
java:1717) at com.onepulse.app	stepdefinitions.mobiles	steps.CustomerConnec	tSteps.clickUploadIcon
(CustomerConnectSt	•		
	{category.text}" in app	o screen(features/home	e/mycommunities
/PulseMyCommuniti	· · · · · · · · · · · · · · · · · · ·		2.00
	wing texts "Category"	in Screen	0.00s
COVID-19			
Fitness			
Global Awareness	s Days		
Mental Health			
And I clicks on "Men	ntal Health" in app scr	een	0.00s
And I clicks on "\${a <sub>1</sub>	pply.button}" in app sc	reen	0.00s
And I verify followin	g texts are displayed		0.00s
\${no.post.found.te	ext}		
And I click the Back	icon in Stay Active scr	een	0.00s
After			1.39s
Back to Table of Contents			
Scenario: Leave the con	nmunity if already join	ed	
Passed: 0	Failed: 1	Undefined: 3	Duration: 9.27s
Before			0.00s

```
And I clicks on '${my.communities.text}'' in app screen
                                                                            8.05s
org.openga.selenium.NoSuchElementException: An element could not be located on the page
using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions
/no such element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'RISHANI-PC', ip: '192.168.0.102', os.name: 'Windows 10', os.arch:
'amd64', os.version: '10.0', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29,
deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX,
deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX,
platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true,
viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 3aa3406b-bb31-44fb-8503-47787e9b4c4f
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,''My
Communities'')]}
at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
```

at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152) at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.ja at io.appium.java_client.android.AndroidDriver.findElementByXPath(Android at io.appium.java_client.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.android.and					
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.jaat io.appium.java_client.android.AndroidDriver.findElementByXPath(Android					
at io.appium.java_client.android.AndroidDriver.findElementByXPath(Android					
lot one on on an aclominum Dv. V Doth find I'l om out (Dv. 10v.o. 252)	iDriver.java:1)				
at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)	i-von io-vo (200)				
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDri	iver.java:309)				
at io.appium.java_client.DefaultGenericMobileDriver.findElement					
(DefaultGenericMobileDriver.java:58)					
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)					
${\bf at~io.appium.java\_client.android.AndroidDriver.findElement} (AndroidDriver.jaulum.java\_client.android.AndroidDriver.findElement (AndroidDriver.jaulum.java\_client.android.AndroidDriver.findElement (AndroidDriver.jaulum.java\_client.androidDriver.jaulum.java\_client.androidDriver.jaulum.java\_client.androidDriver.jaulum.java\_client.androidDriver.jaulum.java\_client.androidDriver.jaulum.java\_client.androidDriver.jaulum.java\_client.androidDriver.jaulum.java\_client.androidDriver.jaulum.java\_client.androidDriver.jaulum.java\_client.androidDriver.jaulum.java\_client.androidDriver.jaulum.java\_client.androidDriver.jaulum.java\_client.androidDriver.jaulum.java\_client.androidDriver.jaulum.java\_client.androidDriver.jaulum.java\_client.androidDriver.jaulum.java\_client.androidDriver.jaulum.java\_client.androidDriver.jaulum.java\_client.androidDriver.jaulum.java\_client.androidDriver.jaulum.java\_client.androidDriver.jaulum.java\_client.androidDriver.jaulum.java\_client.androidDriver.jaulum.java\_client.androidDriver.jaulum.java\_client.androidDriver.jaulum.java\_client.androidDriver.jaulum.java\_client.androidDriver.jaulum.java\_client.androidDriver.jaulum.java\_client.androidDriver.jaulum.java\_client.androidDriver.jaulum.java\_client.androidDriver.jaulum.java\_client.androidDriver.jaulum.java\_client.androidDriver.jaulum.java\_client.androidDriver.jaulum.java\_client.androidDriver.jaulum.java\_client.androidDriver.jaulum.java\_client.androidDriver.jaulum.java\_client.androidDriver.jaulum.java\_client.androidDriver.jaulum.java\_client.androidDriver.jaulum.java\_client.androidDriver.jaulum.java\_client.androidDriver.jaulum.java\_client.androidDriver.jaulum.java\_client.androidDriver.jaulum.java\_client.androidDriver.jaulum.java\_client.androidDriver.jaulum.java\_client.androidDriver.jaulum.java\_client.androidDriver.jaulum.java\_client.androidDriver.jaulum.java\_client.androidDriver.jaulum.java\_client.androidDriver.jaulum.java\_client.androidDriver.jaulum.java\_client.androidDriver.jaulum.java\_client.androidDriver.jaulum.java\_client.androidDriver.jaulum.java\_cli$					
at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.ja					
$at\ com.prudential. tap. selenium. Execute Command. execute Command (Execute Command) at\ com. prudential. tap. selenium. Execute Command. execute Command (Execute Command) at\ com. prudential. tap. selenium. Execute Command. execute Command (Execute Command) at\ com. prudential. tap. selenium. Execute Command. execute Command (Execute Command) at\ com. prudential. tap. selenium. Execute Command. execute Command (Execute Command) at\ com. prudential. tap. selenium. Execute Command (Execute Command) at\ com. prudential. tap. selenium. Execute Command (Execute Command) at\ com. prudential. tap. selenium. Execute Command (Execute Command) at\ com. prudential. tap. selenium. Execute Command (Execute Command) at\ com. prudential. tap. selenium. Execute Command (Execute Command) at\ com. prudential. tap. selenium. Execute Command (Execute Command) at\ com. prudential. tap. selenium. Execute Command (Execute Command) at\ com. prudential. tap. selenium. Execute Command (Execute Command) at\ com. prudential. tap. selenium. Execute Command (Execute Command) at\ com. prudential. tap. selenium. Execute Command (Execute Command) at\ com. prudential. tap. selenium. Execute Command (Execute Command) at\ com. prudential. tap. selenium. Execute Command (Execute Command) at\ com. prudential. tap. selenium. Execute Command (Execute Command) at\ com. prudential. tap. selenium. Execute Command (Execute Command) at\ com. prudential. tap. selenium. Execute Command (Execute Command) at\ com. prudential. tap. selenium. Execute Command (Execute Command) at\ com. prudential. tap. selenium. Execute Command (Execute Command) at\ com. prudential. tap. selenium. Execute Command (Execute Command) at\ com. prudential. tap. selenium. Execute Command (Execute Command) at\ com. prudential. tap. selenium. Execute Command (Execute Command) at\ com. prudential. tap. selenium. Execute Command (Execute Command) at\ com. prudential. tap. selenium. tap. selenium.$	ommand.java:				
19)					
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:168)					
at com.onepulse.app.screens.CustomerConnectScreen.clickButton(CustomerCo	nnectScreen.				
java:1717)					
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickUp	nloadIcon				
(Customer ConnectSteps, java: 533)	pioacicon				
at .And I clicks on "\${my.communities.text}" in app screen(features/home/myco	Jiiiiiuiiiues				
/PulseMyCommunities.feature:104)					
And I scroll down	0.00s				
When I click on joined community three dots menu icon	0.00s				
And I click on leave button for joined community	0.00s				
ter  ck to Table of Contents	1.22s				
ter ck to Table of Contents	1.22s				
ter ck to Table of Contents are: Verify Private My Communities on One Pluse App	1.22s				
ter ck to Table of Contents	1.22s				

Passed: 6	Failed: 0	Undefined: 0	Duration: 50.3
Before			0.00s
Given User has pulse	арр		18.25s
And Logout of pulse a		ged in	0.00s
		H EMAIL'' with Email button	12.90s
Then I change the cou	intry as required	d on registration page	11.67s
Then I wait for 3 sec			3.00s
And I click the Sign in	ı link		4.50s
After			0.00s
Back to Table of Contents			
Scenario: User should be Gmail''	e able to login on	app with correct credentials using "Con	tinue with
Passed: 7	Failed: 0	Undefined: 0	Duration: 48.8
Before			0.00s
And I assign "pulse12	23456@mailsac.o	com" to variable "PULSE_EMAIL"	0.00s
		toggle bar as required on login page	3.69s
When user enters cre		voggio sur us required on rogin page	18.41s
UserName \${PULS			10.115
Password \${pulse			
And User clicks on sig			0.62s
Then I wait for 10 sec			
		"I HACINETE CENTRATE ) II	10.00s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"  Then user should be landed to "Home" screen			7.56s
	anded to "Home	e'' screen	8.57s
After			0.00s
Back to Table of Contents			
Scenario: User should be Gmail'' and Verify the M		app with correct credentials using "Con creen	tinue with
Passed: 3	Failed: 0	Undefined: 0	Duration: 25.0
Before			0.00s
And I click the MyCo	mmunities icon		13.71s
Then I wait for 3 sec			3.00s
And I verify the follow	wing texts "Com	munities" in Screen	8.94s
\${my.communities			
\${All.Communities			
After			0.00s
Back to Table of Contents			0.005
	zata Communitio	es in communities screen	
Passed: 12	Failed: 0		Duration: 46.1
asseu: 12	raneu: v	Undefined: 0	0.00s
Roforo			0.008
Before	44 A A A A A A A A A A A A A A A A A A	4.4	= 40
And I click the Privat		inities.text}" in Communities screen	5.49s
And I click the Privat		ent, Challenges etc." in "Test" in home	5.49s 3.45s

And I click the Upload Image icon And I click the Upload Image icon And I click the Upload Image icon And I give camera permission Then I take picture from Camera Then I wait for 3 sec And I scroll down And I click the continue button Then I click skip button in feeds screen And I click son "OK" in app screen And I clicks on "OK" in app screen And I clicks on "OK" in app screen And I click son "OK" in app screen After Back to Table of Contents  Feature: Verify legal and legacy on One pulse App Passed: 7	-		1			
And I click the Upload Image icon 4.28s And I give camera permission 12.37s Then I take picture from Camera 5.89s Then I wait for 3 sec 3.00s And I scroll down 4.22s And I click the continue button 5.89s Then I click skip button in feeds screen 1.38s And I click skip button in feeds screen 2.60s After 0.00s Back to Table of Contents  Feature: Verify legal and legacy on One pulse App Passed: 7 Failed: 0 Undefined: 0 Duration: 185.79s  Scenario: Launch the app and select the country as per specified thu Passed: 6 Failed: 0 Undefined: 0 Duration: 50 Before 0.00s And user click on "CONTINUE WITH EMAIL" with Email button 13.45s Then I change the country as required on registration page 10.81s Then I change the country as required on registration page 10.81s Then I wait for 5 sec And I click the Sign in link 4.58s After 0.00s Back to Table of Contents Scenario: login to the app with correct credentials using "Continue with Email" Passed: 6 Failed: 0 Undefined: 0 Duration: 43 Before 0.00s  Given I select the language option on toggle bar as required on login page 3.56s When user enters credentials User-Name (SPULSE_EMAIL) Password Spulse.edit) And User clicks on signin button 0.38s And I wait for 5 sec And I enter OTP in one pulse app for user email "SPULSE_EMAIL" 3.88s Then user should be landed to "Home" screen 7.97s After 0.00s Back to Table of Contents Scenario: Navigate to account screen Passed: 1 Failed: 0 Undefined: 0 Duration: 4.3 Before 0.00s	home screen		2.35s			
And I give camera permission   12.37s     Then I take picture from Camera   5.89s     Then I wait for 3 sec   3.00s     And I scroll down   4.22s     And I click the continue button   0.30s     Then I click skip button in feeds screen   1.38s     And I clicks on "OK" in app screen   2.60s     After   0.00s     Back to Table of Contents						
Then I take picture from Camera Then I wait for 3 sec And I scroll down And I click the continue button Then I click skip button in feeds screen And I clicks on "OK" in app screen And I click son "OK" in app screen And I clicks on "OK" in app screen And I clicks on "OK" in app screen Atter Back to Table of Contents  Feature: Verify legal and legacy on One pulse App Passed: 7 Failed: 0 Undefined: 0 Duration: 185.79s  Scenario: Launch the app and select the country as per specified lbu Passed: 6 Failed: 0 Undefined: 0 Duration: 185.79s  And I assign "\${pulse.legal.privacy.login.id}" to variable "PULSE_EMAIL" 0.00s And user click on "CONTINUE WITH EMAIL" with Email button 13.45s Then I change the country as required on registration page 10.81s Then I wait for 5 sec And I click the Sign in link 4.58s After 0.00s Back to Table of Contents Scenario: login to the app with correct credentials using "Continue with Email" Passed: 6 Failed: 0 Undefined: 0 Duration: 43 Before 0.00s  Given I select the language option on toggle bar as required on login page 3.56s When user enters credentials UserName(\${PULSE_EMAIL}} Password \${pulse.edit} And User clicks on signin button 0.38s And I wait for 5 sec 5.00s	And I click the Upload	l Image icon	4.28s			
Then I wait for 3 sec And I scroll down And I click the continue button Then I click skip button in feeds screen And I clicks on "OK" in app screen  2.60s After 3.00s After 3.00s After 3.08s And I clicks on "OK" in app screen 2.60s  After 3.00s After 4.22s After 4.26s After 4.26s After 4.26s After 4.26s After 4.00s And I assign "\$[pulse.legal.privacy.login.id]" to variable "PULSE_EMAIL" 0.00s And user click on "CONTINUE WITH EMAIL" with Email button 13.45s Then I wait for 5 sec And I click the Sign in link 4.58s After 4.58s After 4.58s After 5.00s And I click the Sign in link 4.58s Scenario: login to the app with correct credentials using "Continue with Email" Passed: 6 Before 4.00s Given I select the language option on toggle bar as required on login page 3.56s When user enters credentials 4.59s When user enters credentials 4.59s UserName \${PULSE_EMAIL}} Password \${pulse.edit} And User clicks on signin button 3.38s And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" 8.88s Then user should be landed to "Home" screen After 4.797s After 4.798cd: 1 4.791s 4.791						
And I scroll down And I click the continue button Then I click skip button in feeds screen And I clicks on "OK" in app screen And I clicks on "OK" in app screen  After    0.00s   2.60s   After   0.00s   0.0	Then I take picture fr	om Camera	5.89s			
And I click skip button in feeds screen  And I clicks skip button in feeds screen  And I clicks skip button in feeds screen  And I clicks skip button in feeds screen  Atter  Back to Table of Contents  Feature: Verify legal and legacy on One pulse App  Passed: 7 Failed: 0 Undefined: 0 Duration: 185.798  Scenario: Launch the app and select the country as per specified lbu  Passed: 6 Failed: 0 Undefined: 0 Duration: 185.798  Given User has pulse app  And I assign "\${pulse.legal.privacy.login.id}" to variable "PULSE_EMAIL" 0.008  And user click on "CONTINUE WITH EMAIL" with Email button 13.45s  Then I change the country as required on registration page 10.81s  Then I wait for 5 sec  And I click the Sign in link 4.58s  After 0.008  Back to Table of Contents  Scenario: login to the app with correct credentials using "Continue with Email"  Passed: 6 Failed: 0 Undefined: 0 Duration: 43  Before 0.008  Given I select the language option on toggle bar as required on login page 3.56s  When user enters credentials  UserName \${PULSE_EMAIL}}{Password \${pulse.edit}}{Password \${pulse.ed	Then I wait for 3 sec		3.00s			
Then I click skip button in feeds screen And I clicks on "OK" in app screen  After Back to Table of Contents  Feature: Verify legal and legacy on One pulse App Passed: 7 Failed: 0 Undefined: 0 Duration: 185.79s  Scenario: Launch the app and select the country as per specified lbu Passed: 6 Failed: 0 Undefined: 0 Duration: 185.79s  Given User has pulse app And I assign "\${pulse.legal.privacy.login.id}" to variable "PULSE_EMAIL" 0.00s And user click on "CONTINUE WITH EMAIL" with Email button 13.45s Then I change the country as required on registration page 10.81s Then I wait for 5 sec And I click the Sign in link 4.58s After 0.00s  Back to Table of Contents  Scenario: login to the app with correct credentials using "Continue with Email" Passed: 6 Failed: 0 Undefined: 0 Duration: 43 Before 0.00s  Given I select the language option on toggle bar as required on login page 3.56s When user enters credentials UserName \${PULSE_EMAIL}\$ Password \${pulse.edit}\$ Password \${pulse.edit}\$ And User clicks on signin button 0.38s And I wait for 5 sec And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}\$ Back to Table of Contents  Scenario: Navigate to account screen Passed: 1 Failed: 0 Undefined: 0 Duration: 4.5 Back to Table of Contents  Scenario: Navigate to account screen Passed: 1 Failed: 0 Undefined: 0 Duration: 4.5 Before 0.00s	And I scroll down		4.22s			
And I clicks on "OK" in app screen  After  Back to Table of Contents  Feature: Verify legal and legacy on One pulse App  Passed: 7 Failed: 0 Undefined: 0 Duration: 185.79s  Scenario: Launch the app and select the country as per specified lbu  Passed: 6 Failed: 0 Undefined: 0 Duration: 185.79s  Given User has pulse app  And I assign "\${pulse.legal.privacy.login.id}" to variable "PULSE_EMAIL" 0.00s  And user click on "CONTINUE WITH EMAIL" with Email button 13.45s  Then I change the country as required on registration page 10.81s  Then I wait for 5 sec 5.00s  And I click the Sign in link 4.58s  After 0.00s  Back to Table of Contents  Scenario: login to the app with correct credentials using "Continue with Email"  Passed: 6 Failed: 0 Undefined: 0 Duration: 43  Before 0.00s  Given I select the language option on toggle bar as required on login page 3.56s  When user enters credentials  UserName \${PULSE_EMAIL}\$  Password \${pulse.edit}\$  And User clicks on signin button 0.38s  And I wait for 5 sec 5.00s  And I wait for 5 sec 5.00s  And I click on signin button 0.38s  Then user should be landed to "Home" screen 7.97s  After 0.00s  Back to Table of Contents  Scenario: Navigate to account screen  Passed: 1 Failed: 0 Undefined: 0 Duration: 4.8  Before 0.00s	And I click the contin	ue button	0.30s			
After   0.00s    Back to Table of Contents    Feature: Verify legal and legacy on One pulse App    Passed: 7   Failed: 0   Undefined: 0   Duration: 185.79s    Scenario: Launch the app and select the country as per specified lbu    Passed: 6   Failed: 0   Undefined: 0   Duration: 50    Before   0.00s    Given User has pulse app   16.74s    And I assign "\${pulse.legal.privacy.login.id}" to variable "PULSE_EMAIL"   0.00s    And user click on "CONTINUE WITH EMAIL" with Email button   13.45s    Then I change the country as required on registration page   10.81s    Then I wait for 5 sec   5.00s    And I click the Sign in link   4.58s    After   0.00s    Back to Table of Contents    Scenario: login to the app with correct credentials using "Continue with Email"    Passed: 6   Failed: 0   Undefined: 0   Duration: 43    Before   0.00s    Given I select the language option on toggle bar as required on login page   3.56s    When user enters credentials    UserName \${PULSE_EMAIL}    Password \${pulse.edit}    And User clicks on signin button   0.38s    And I wait for 5 sec   5.00s    And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}    Password \${puse.edit}    And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}    Back to Table of Contents    Scenario: Navigate to account screen    Passed: 1   Failed: 0   Undefined: 0    Duration: 4.8    Before   0.00s    Duration: 4.8    Duration:	Then I click skip butte	on in feeds screen	1.38s			
Feature: Verify legal and legacy on One pulse App Passed: 7   Failed: 0   Undefined: 0   Duration: 185.79s    Scenario: Launch the app and select the country as per specified lbu   Passed: 6   Failed: 0   Undefined: 0   Duration: 50   Before   Undefined: 0   Duration: 50   Given User has pulse app   16.74s   And I assign "\${pulse.legal.privacy.login.id}" to variable "PULSE_EMAIL"   0.00s   And user click on "CONTINUE WITH EMAIL" with Email button   13.45s   Then I change the country as required on registration page   10.81s   Then I wait for 5 sec   5.00s   And I click the Sign in link   4.58s   After   0.00s   Back to Table of Contents   Scenario: login to the app with correct credentials using "Continue with Email"     Passed: 6   Failed: 0   Undefined: 0   Duration: 43   Before   0.00s   Given I select the language option on toggle bar as required on login page   3.56s   When user enters credentials   17.91s   UserName   \${PULSE_EMAIL}      Password   \${pulse.edit}      And User clicks on signin button   0.38s     And I wait for 5 sec   5.00s     And I wait for 5 sec	And I clicks on "OK"	in app screen	2.60s			
Feature: Verify legal and legacy on One pulse App Passed: 7   Failed: 0   Undefined: 0   Duration: 185.79s    Scenario: Launch the app and select the country as per specified lbu   Passed: 6   Failed: 0   Undefined: 0   Duration: 50   Before   Undefined: 0   Duration: 50   Given User has pulse app   16.74s   And I assign "\$fpulse.legal.privacy.login.id}" to variable "PULSE_EMAIL"   0.00s   And user click on "CONTINUE WITH EMAIL" with Email button   13.45s   Then I change the country as required on registration page   10.81s   Then I wait for 5 sec   5.00s   And I click the Sign in link   4.58s   After   0.00s   Back to Table of Contents   After   Duration: 43   Before   Duration: 43   Before   Be	After		0.00s			
Feature: Verify legal and legacy on One pulse App Passed: 7   Failed: 0   Undefined: 0   Duration: 185.79s    Scenario: Launch the app and select the country as per specified lbu   Passed: 6   Failed: 0   Undefined: 0   Duration: 50   Before   Undefined: 0   Duration: 50   Given User has pulse app   16.74s   And I assign "% pulse.legal.privacy.login.id}" to variable "PULSE_EMAIL"   0.00s   And user click on "CONTINUE WITH EMAIL" with Email button   13.45s   Then I change the country as required on registration page   10.81s   Then I wait for 5 sec   5.00s   And I click the Sign in link   4.58s   After   0.00s   Back to Table of Contents   After   Duration: 43   Before   Duration: 43   Before   Be	Back to Table of Contents					
Passed: 7 Failed: 0 Undefined: 0 Duration: 185.79s    Scenario: Launch the app and select the country as per specified lbu     Passed: 6 Failed: 0 Undefined: 0 Duration: 50     Before		room on One pulse App				
Scenario: Launch the app and select the country as per specified lbu  Passed: 6 Failed: 0 Undefined: 0 Duration: 50  Before 0.000s  Given User has pulse app 16.74s  And I assign "\${pulse.legal.privacy.login.id}" to variable "PULSE_EMAIL" 0.00s  And user click on "CONTINUE WITH EMAIL" with Email button 13.45s  Then I change the country as required on registration page 10.81s  Then I wait for 5 sec 5.00s  And I click the Sign in link 4.58s  After 0.000s  Back to Table of Contents  Scenario: login to the app with correct credentials using "Continue with Email"  Passed: 6 Failed: 0 Undefined: 0 Duration: 43  Before 0.00s  Given I select the language option on toggle bar as required on login page 3.56s  When user enters credentials UserName \${PULSE_EMAIL}\$  Password \${pulse.edit}\$  And User clicks on signin button 0.38s  And I wait for 5 sec 5.00s  And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}\$" 8.88s  Then user should be landed to "Home" screen 7.97s  After 0.00s  Back to Table of Contents  Scenario: Navigate to account screen  Passed: 1 Failed: 0 Undefined: 0 Duration: 4.8  Before 0.00s						
Passed: 6 Failed: 0 Undefined: 0 Duration: 50  Before 0.008  Given User has pulse app 16.74s  And I assign "\${pulse.legal.privacy.login.id}" to variable "PULSE_EMAIL" 0.008  And user click on "CONTINUE WITH EMAIL" with Email button 13.45s  Then I change the country as required on registration page 10.81s  Then I wait for 5 sec 5.00s  And I click the Sign in link 4.58s  After 0.008  Back to Table of Contents  Scenario: login to the app with correct credentials using "Continue with Email"  Passed: 6 Failed: 0 Undefined: 0 Duration: 43  Before 0.008  Given I select the language option on toggle bar as required on login page 3.56s  When user enters credentials 17.91s  UserName \${PULSE_EMAIL}{Password \${pulse.edit}}  And User clicks on signin button 0.38s  And I wait for 5 sec 5.00s  And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" 8.88s  Then user should be landed to "Home" screen 7.97s  After 0.008  Back to Table of Contents  Scenario: Navigate to account screen  Passed: 1 Failed: 0 Undefined: 0 Duration: 4.8  Before 0.008						
Before   0.00s   Given User has pulse app   16.74s   And I assign "\${pulse.legal.privacy.login.id}" to variable "PULSE_EMAIL"   0.00s   And user click on "CONTINUE WITH EMAIL" with Email button   13.45s   Then I change the country as required on registration page   10.81s   Then I wait for 5 sec   5.00s   And I click the Sign in link   4.58s   After   0.00s   Back to Table of Contents   Scenario: login to the app with correct credentials using "Continue with Email"   Passed: 6   Failed: 0   Undefined: 0   Duration: 43   Before   0.00s   Given I select the language option on toggle bar as required on login page   3.56s   When user enters credentials   17.91s   UserName   \${PULSE_EMAIL}   Password   \${pulse.edit}   And User clicks on signin button   0.38s   And I wait for 5 sec   5.00s   And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"   8.88s   Then user should be landed to "Home" screen   7.97s   After   0.00s   Back to Table of Contents   Scenario: Navigate to account screen   Passed: 1   Failed: 0   Undefined: 0   Duration: 4.8   Before   0.00s			D (1 50.50			
Given User has pulse app  And I assign "\${pulse.legal.privacy.login.id}" to variable "PULSE_EMAIL"  0.00s  And user click on "CONTINUE WITH EMAIL" with Email button 13.45s  Then I change the country as required on registration page 10.81s  Then I wait for 5 sec 5.00s  And I click the Sign in link 4.58s  After 0.00s  Back to Table of Contents  Scenario: login to the app with correct credentials using "Continue with Email"  Passed: 6 Failed: 0 Undefined: 0 Duration: 43  Before 0.00s  Given I select the language option on toggle bar as required on login page When user enters credentials 17.91s  UserName \${PULSE_EMAIL}{Password }{pulse.edit}}  And User clicks on signin button 0.38s  And I wait for 5 sec 5.00s  And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}{" 8.88s}  Then user should be landed to "Home" screen 7.97s  After 0.00s  Back to Table of Contents  Scenario: Navigate to account screen  Passed: 1 Failed: 0 Undefined: 0 Duration: 4.8  Before 0.00s		Failed: 0 Undefined: 0				
And I assign "\${pulse.legal.privacy.login.id}" to variable "PULSE_EMAIL" 0.00s And user click on "CONTINUE WITH EMAIL" with Email button 13.45s Then I change the country as required on registration page 10.81s Then I wait for 5 sec 5.00s And I click the Sign in link 4.58s  After 0.00s  Back to Table of Contents  Scenario: login to the app with correct credentials using "Continue with Email"  Passed: 6 Failed: 0 Undefined: 0 Duration: 43  Before 0.00s  Given I select the language option on toggle bar as required on login page 3.56s When user enters credentials 17.91s  UserName \${PULSE_EMAIL}\$  Password \${pulse.edit}  And User clicks on signin button 0.38s And I wait for 5 sec 5.00s And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" 8.88s Then user should be landed to "Home" screen 7.97s  After 0.00s  Back to Table of Contents  Scenario: Navigate to account screen  Passed: 1 Failed: 0 Undefined: 0 Duration: 4.8  Before 0.00s						
And user click on "CONTINUE WITH EMAIL" with Email button  13.45s Then I change the country as required on registration page  10.81s Then I wait for 5 sec  5.00s And I click the Sign in link  4.58s  After  0.00s  Back to Table of Contents  Scenario: login to the app with correct credentials using "Continue with Email"  Passed: 6 Failed: 0 Undefined: 0 Duration: 43  Before  0.00s  Given I select the language option on toggle bar as required on login page When user enters credentials  UserName \${PULSE_EMAIL}}  Password \${pulse.edit}  And User clicks on signin button  And I wait for 5 sec  And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"  8.88s Then user should be landed to "Home" screen  7.97s  After  0.00s  Back to Table of Contents  Scenario: Navigate to account screen  Passed: 1 Failed: 0 Undefined: 0 Duration: 4.8  Before  0.00s			16.74s			
Then I change the country as required on registration page Then I wait for 5 sec And I click the Sign in link 4.58s  After 0.00s  Back to Table of Contents  Scenario: login to the app with correct credentials using "Continue with Email"  Passed: 6 Failed: 0 Undefined: 0 Duration: 43  Before 0.00s  Given I select the language option on toggle bar as required on login page When user enters credentials UserName \${PULSE_EMAIL}\$  Password \${pulse.edit}\$  And User clicks on signin button 0.38s And I wait for 5 sec And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"  Then user should be landed to "Home" screen 7.97s  After 0.00s  Back to Table of Contents  Scenario: Navigate to account screen Passed: 1 Failed: 0 Undefined: 0 Duration: 4.8  Before 0.00s						
Then I wait for 5 sec And I click the Sign in link  4.58s  After  0.00s  Back to Table of Contents  Scenario: login to the app with correct credentials using "Continue with Email"  Passed: 6 Failed: 0 Undefined: 0 Duration: 43  Before  0.00s  Given I select the language option on toggle bar as required on login page When user enters credentials  17.91s  UserName \${PULSE_EMAIL}\$  Password \${pulse.edit}\$  And User clicks on signin button 0.38s  And I wait for 5 sec 5.00s  And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" 8.88s  Then user should be landed to "Home" screen 7.97s  After  0.00s  Back to Table of Contents  Scenario: Navigate to account screen  Passed: 1 Failed: 0 Undefined: 0 Duration: 4.8  Before  0.00s	And user click on "CO	ONTINUE WITH EMAIL" with Email button	13.45s			
And I click the Sign in link  After  0.00s  Back to Table of Contents  Scenario: login to the app with correct credentials using "Continue with Email"  Passed: 6 Failed: 0 Undefined: 0 Duration: 43  Before  0.00s  Given I select the language option on toggle bar as required on login page When user enters credentials  17.91s  UserName \${PULSE_EMAIL}}  Password \${pulse.edit}  And User clicks on signin button  And I wait for 5 sec  And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"  8.88s  Then user should be landed to "Home" screen  7.97s  After  0.00s  Back to Table of Contents  Scenario: Navigate to account screen  Passed: 1 Failed: 0 Undefined: 0 Duration: 4.8  Before  0.00s	Then I change the cou	ntry as required on registration page	10.81s			
After   0.00s  Back to Table of Contents  Scenario: login to the app with correct credentials using "Continue with Email"  Passed: 6   Failed: 0   Undefined: 0   Duration: 43  Before   0.00s  Given I select the language option on toggle bar as required on login page   3.56s  When user enters credentials   17.91s  UserName   \${PULSE_EMAIL}\$  Password   \${pulse.edit}\$  And User clicks on signin button   0.38s  And I wait for 5 sec   5.00s  And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"   8.88s  Then user should be landed to "Home" screen   7.97s  After   0.00s  Back to Table of Contents  Scenario: Navigate to account screen  Passed: 1   Failed: 0   Undefined: 0   Duration: 4.8  Before   0.00s	Then I wait for 5 sec		5.00s			
Back to Table of Contents  Scenario: login to the app with correct credentials using "Continue with Email"  Passed: 6 Failed: 0 Undefined: 0 Duration: 43  Before 0.00s  Given I select the language option on toggle bar as required on login page 3.56s  When user enters credentials 17.91s  UserName \${PULSE_EMAIL}\$  Password \${pulse.edit}\$  And User clicks on signin button 0.38s  And I wait for 5 sec 5.00s  And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" 8.88s  Then user should be landed to "Home" screen 7.97s  After 0.00s  Back to Table of Contents  Scenario: Navigate to account screen  Passed: 1 Failed: 0 Undefined: 0 Duration: 4.8  Before 0.00s	And I click the Sign in	4.58s				
Scenario: login to the app with correct credentials using "Continue with Email"  Passed: 6 Failed: 0 Undefined: 0 Duration: 43  Before 0.00s  Given I select the language option on toggle bar as required on login page 3.56s  When user enters credentials 17.91s  UserName \${PULSE_EMAIL} Password \${pulse.edit}  And User clicks on signin button 0.38s  And I wait for 5 sec 5.00s  And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" 8.88s  Then user should be landed to "Home" screen 7.97s  After 0.00s  Back to Table of Contents  Scenario: Navigate to account screen  Passed: 1 Failed: 0 Undefined: 0 Duration: 4.8  Before 0.00s	After		0.00s			
Passed: 6 Failed: 0 Undefined: 0 Duration: 43  Before 0.00s  Given I select the language option on toggle bar as required on login page 3.56s  When user enters credentials 17.91s  UserName \${PULSE_EMAIL}\$ Password \${pulse.edit}\$  And User clicks on signin button 0.38s  And I wait for 5 sec 5.00s  And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" 8.88s  Then user should be landed to "Home" screen 7.97s  After 0.00s  Back to Table of Contents  Scenario: Navigate to account screen  Passed: 1 Failed: 0 Undefined: 0 Duration: 4.8  Before 0.00s	Back to Table of Contents					
Passed: 6 Failed: 0 Undefined: 0 Duration: 43  Before 0.00s  Given I select the language option on toggle bar as required on login page 3.56s  When user enters credentials 17.91s  UserName \${PULSE_EMAIL}\$ Password \${pulse.edit}\$  And User clicks on signin button 0.38s  And I wait for 5 sec 5.00s  And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" 8.88s  Then user should be landed to "Home" screen 7.97s  After 0.00s  Back to Table of Contents  Scenario: Navigate to account screen  Passed: 1 Failed: 0 Undefined: 0 Duration: 4.8  Before 0.00s	Scenario: login to the app	with correct credentials using "Continue with Email"				
Given I select the language option on toggle bar as required on login page  When user enters credentials  UserName \${PULSE_EMAIL}}  Password \${pulse.edit}  And User clicks on signin button  And I wait for 5 sec  And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"  Then user should be landed to "Home" screen  7.97s  After  0.00s  Back to Table of Contents  Scenario: Navigate to account screen  Passed: 1 Failed: 0 Undefined: 0 Duration: 4.8  Before  0.00s			Duration: 43.69s			
When user enters credentials  UserName \${PULSE_EMAIL} Password \${pulse.edit}  And User clicks on signin button  And I wait for 5 sec  And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"  Then user should be landed to "Home" screen  7.97s  After  0.00s  Back to Table of Contents  Scenario: Navigate to account screen  Passed: 1 Failed: 0 Undefined: 0 Duration: 4.8  Before  0.00s	Before		0.00s			
When user enters credentials  UserName \${PULSE_EMAIL} Password \${pulse.edit}  And User clicks on signin button  And I wait for 5 sec  And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"  Then user should be landed to "Home" screen  7.97s  After  0.00s  Back to Table of Contents  Scenario: Navigate to account screen  Passed: 1 Failed: 0 Undefined: 0 Duration: 4.8  Before  0.00s	Given I select the land	uage ontion on toggle har as required on login nage	3 56s			
UserName \${PULSE_EMAIL} Password \${pulse.edit}  And User clicks on signin button  And I wait for 5 sec  And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"  Then user should be landed to "Home" screen  7.97s  After  0.00s  Back to Table of Contents  Scenario: Navigate to account screen  Passed: 1 Failed: 0 Undefined: 0 Duration: 4.8  Before  0.00s						
Password \${pulse.edit}  And User clicks on signin button  And I wait for 5 sec  And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"  Then user should be landed to "Home" screen  7.97s  After  0.00s  Back to Table of Contents  Scenario: Navigate to account screen  Passed: 1 Failed: 0 Undefined: 0 Duration: 4.8  Before  0.00s			110210			
And User clicks on signin button  And I wait for 5 sec  And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"  8.88s  Then user should be landed to "Home" screen  7.97s  After  0.00s  Back to Table of Contents  Scenario: Navigate to account screen  Passed: 1  Failed: 0  Undefined: 0  Duration: 4.8  Before						
And I wait for 5 sec  And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"  8.88s Then user should be landed to "Home" screen  7.97s  After  0.00s  Back to Table of Contents  Scenario: Navigate to account screen  Passed: 1 Failed: 0 Undefined: 0 Duration: 4.8  Before			0.386			
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" 8.88s Then user should be landed to "Home" screen 7.97s  After 0.00s  Back to Table of Contents  Scenario: Navigate to account screen  Passed: 1 Failed: 0 Undefined: 0 Duration: 4.8  Before 0.00s		and buttoff				
Then user should be landed to "Home" screen  After  0.00s  Back to Table of Contents  Scenario: Navigate to account screen  Passed: 1 Failed: 0 Undefined: 0 Duration: 4.8  Before  0.00s		as mules one for ugan amail !!#(DIII CE_EN/AII )!!				
After 0.00s  Back to Table of Contents  Scenario: Navigate to account screen  Passed: 1 Failed: 0 Undefined: 0 Duration: 4.8  Before 0.00s						
Back to Table of Contents  Scenario: Navigate to account screen  Passed: 1 Failed: 0 Undefined: 0 Duration: 4.8  Before 0.00s		_				
Scenario: Navigate to account screen  Passed: 1 Failed: 0 Undefined: 0 Duration: 4.8  Before 0.00s			0.00s			
Passed: 1 Failed: 0 Undefined: 0 Duration: 4.8  Before 0.00s						
Before 0.00s						
		Failed: 0 Undefined: 0	Duration: 4.86s			
Given user navigate to account page 4.86s	Before		0.00s			
	Given user navigate to	account page	4.86s			
After 0.00s	After		0.00s			


Scenario: Verify the Leg	gacy and Privacy	should be displayed	
Passed: 2	Failed: 0	Undefined: 0	Duration: 7.4s
Before			0.00s
And I click the Legac	ev and Privacy in	Account screen	4.18s
	<u> </u>	ayed in terms and condition screen	3.22s
\${Terms.condition			
\${icon.privacyNot			
\${icon.regulatory}			
\${app.version.text			
After			0.00s
Back to Table of Contents			100000
	ms and condition	screen should be displayed	
Passed: 4	Failed: 0	Undefined: 0	Duration: 19.97
Before			0.00s
	rms.conditions te	xt}'' link in Account screen	0.26s
And I click the pulse			15.34s
And I click the Back			2.74s
And I click the Back			1.63s
After			0.00s
Back to Table of Contents	<u> </u>		
Scenario: Verify the Pri	vacy screen shoul	d he displayed	
Passed: 4	Failed: 0	Undefined: 0	Duration: 21.42
Before	2 411041 0	Charles v	0.00s
And I click the Priva	cy icon in legal sc	raan	2.45s
And I click the pulse	<u> </u>		13.79s
And I click the Back			2.65s
And I click the Back			2.54s
After			0.00s
Back to Table of Contents			0.000
Scenario: Verify the Reg	pulator screen sho	ould be displayed	
Passed: 3	Failed: 0	Undefined: 0	Duration: 37.87
Before	2 411041 0		0.00s
And I click the Regul	atory icon in logo	l screen	15.00s
And I click the Babyl	<u> </u>		20.64s
•		nyed in terms and condition screen	2.23s
\${clinicalSafety.te			
\${ai.healthcare.tex			
\${localisation.text			
\${privacy.date.pro			
\${concern.reporting			
1			0.00s

Back to Table of Contents				
Feature: Verify My account	Feature: Verify My accounts options in Account screen			
1 catales verify hay account	s operous in recount sereen			
1)My wearable				
2)My Rewards				
3)My Notifications				
4)My Feedback				
5)Pulse Personalised	1 T 10 10 D D D D D			
Passed: 25 Failed:				
	p and select the country as per specified lbu	D # 02.01		
Passed: 6 Before	Failed: 0 Undefined: 0	Duration: 63.61s 0.00s		
		_		
Given User has pulse		28.99s		
	ulse.login.edit.profile}" to variable "PULSE_EMAIL"	0.02s		
	ONTINUE WITH EMAIL" with Email button	13.64s		
	intry as required on registration page	11.60s		
Then I wait for 5 sec		5.01s		
And I click the Sign in	ı link	4.36s		
After		0.00s		
Back to Table of Contents				
Scenario: login to the ap	p with correct credentials using "Continue with Email"			
Passed: 6	Failed: 0 Undefined: 0	Duration: 44.59s		
Before		0.00s		
Given I select the lang	guage option on toggle bar as required on login page	3.74s		
When user enters cree		18.69s		
UserName \${PULS	E EMAIL}	•		
Password \${pulse.				
And User clicks on sig		1.05s		
And I wait for 5 sec		5.00s		
	ne pulse app for user email "\${PULSE_EMAIL}"	8.34s		
	anded to "Home" screen	7.77s		
After		0.00s		
Back to Table of Contents		101000		
	count screen and verify all the options			
Passed: 3	Failed: 0 Undefined: 0	Duration: 14.61s		
Before	Charlinea. V	0.00s		
		_		
Given user navigate to Then I wait for 2 sec	o account page	5.61s		
	y following enting on account gaves:	2.00s 6.99s		
	y following options on account screen	0.998		
\${my.wearable.tex				
\${my.rewards.text				
\${my.notification.text}				
\${icon.mySettings}				
\${my.feedback.text				

\${icon.legal&Pri	ivacy}	
\${pulsePersonal	ised.text}	
\${sign.out.butto	n.text}	
\${logs.text}		
After		0.00s
Back to Table of Contents		
Scenario: Verify wear	able screen in Account tab	
Passed: 3	Failed: 0 Undefined: 0	Duration: 8.28s
Before		0.00s
And I click on "\${n	ny.wearable.text}'' link in Account screen	1.40s
Then I wait for 2 se	c	2.00s
Then I verify follow	ving text are displayed under My Wearables screen	4.88s
\${wearables.title	}	
\${wearables.sub	Title}	
\${wearables.des	cription}	
\${wearables.fitb	it}	
\${wearables.gar		
\${wearables.goo	gleFit}	
After		0.00s
<b>Back to Table of Contents</b>		
Scenario: navigate bac	k to account screen from my wearable screen	
Passed: 2	Failed: 0 Undefined: 0	Duration: 2.89s
Before		0.00s
And user navigate	oack to the Home screen from My Wearables screen	0.89s
And I wait for 2 sec		2.00s
After		0.00s
Back to Table of Contents		
Scenario: Navigate to	account screen	
Passed: 2	Failed: 0 Undefined: 0	Duration: 6.86s
Before		0.00s
Given user navigate	e to account page	4.86s
Then I wait for 2 se	c	2.00s
After		0.00s
Back to Table of Contents		
Scenario: Verify rewa	rd screen in Account tab	
Passed: 3	Failed: 0 Undefined: 0	Duration: 10.08s
Before		0.00s
And I click on "\${n	ny.rewards.text}" link in Account screen	1.24s
Then I wait for 2 se		2.00s
Then User verify fo	llowing texts are displayed in My Rewards screen	6.84s
\${myRewards.ti	tle}	
\${myRewards.ba		

\${myRewards.voi	ichers}	
\${myRewards.dis	cover}	
\${my.rewards.tex	t}	
After		0.00s
Back to Table of Contents		
Scenario: User access M	Iy Rewards FAQ	
Passed: 3	Failed: 0 Undefined: 0	Duration: 6.5s
Before		0.00s
When I scroll down		3.72s
Then I wait for 2 sec		2.00s
	owing texts are displayed in My Rewards screen	0.78s
\${myRewards.fag	.title}	
After		0.00s
Back to Table of Contents		
	y the FAQ on my rewards screen	
Passed: 4	Failed: 0 Undefined: 0	Duration: 4.59s
Before		0.00s
displayed in My Rew		0.53s
\${myRewards.fag		
	{myRewards.faq.1}'' in My Rewards screen	0.68s
displayed in My Rew		2.21s
\${myRewards.fag		T
	{myRewards.faq.1}'' in My Rewards screen	1.16s
After		0.00s
Back to Table of Contents		
	y the FAQ on my rewards screen	1
Passed: 4	Failed: 0 Undefined: 0	Duration: 3.99s
Before		0.00s
displayed in My Rew		1.03s
\${myRewards.faq		
	{myRewards.faq.2}'' in My Rewards screen	0.34s
displayed in My Rew		1.23s
\${myRewards.faq		4 20
	{myRewards.faq.2}'' in My Rewards screen	1.39s
After		0.00s
Back to Table of Contents		
	y the FAQ on my rewards screen	
Passed: 4	Failed: 0 Undefined: 0	Duration: 3.77s
Before		0.00s

Then Use subtext}' \${myI ##\${m	er verify following are displayed in Rewards.faq.3.ann yRewards.faq.3	Rewards.faq.3}" in My Rewards screen ng faqs and answers "\${myRewards.faq.3.ans. in My Rewards screen ns.1}##\${myRewards.faq.3.ans.2}##\${myRewards.fa	1.06s
\${myI ##\${m ##\${m	Rewards.faq.3.a 1yRewards.faq.3		1.003
	nyRewards.faq.3	$3.ans.4$ }## ${myRewards.faq.3.ans.5}$ ## ${myRewards.faq.3.ans.5}$	
	pand faq ''\${my	Rewards.faq.3}" in My Rewards screen	1.02s
fter			0.00s
ack to Table	of Contents		
cenario Ou	ıtline: Verify the	e FAQ on my rewards screen	
assed: 0	Fai	iled: 1 Undefined: 3	Duration: 4.3
efore			0.00s
	er verify following ayed in My Rew	ng faqs and answers ''\${myRewards.faq.4.subtext}'' vards screen	2.08s
\${mv1	Rewards fan 41	}##\${myRewards.faq.4.2}##\${myRewards.faq.4.3}	
verifyFA	nepulse.app.step .QOnRewardsSo	Assert.assertAll(SoftAssert.java:43) odefinitions.mobilesteps.ManageProfileSteps. creen(ManageProfileSteps.java:291)	t)!! ava dianlaya
verifyFA at .Then	nepulse.app.step .QOnRewardsSo User verify follo	odefinitions.mobilesteps.ManageProfileSteps.	
verifyFA at .Then in My Re	nepulse.app.step .QOnRewardsSo User verify follo ewards screen(fe	odefinitions.mobilesteps.ManageProfileSteps. creen(ManageProfileSteps.java:291) owing faqs and answers ''\${myRewards.faq.4.subtex	
verifyFA at .Then in My Re And I ex Then Use	nepulse.app.step. QOnRewardsSo User verify follo ewards screen(fe pand faq "\${my	odefinitions.mobilesteps.ManageProfileSteps.creen(ManageProfileSteps.java:291) owing faqs and answers ''\${myRewards.faq.4.subtexeatures/my/MyAccount/PulseMyAccount.feature:79) or Rewards.faq.4.subtext}'' in My Rewards screen or faqs and answers ''\${myRewards.faq.4.ans}'' are	0.00s
verifyFA at .Then in My Re And I ex Then Use displayed	nepulse.app.step .QOnRewardsSo User verify follo ewards screen(fe pand faq ''\${my er verify followi	odefinitions.mobilesteps.ManageProfileSteps.creen(ManageProfileSteps.java:291) owing faqs and answers ''\${myRewards.faq.4.subtexeatures/my/MyAccount/PulseMyAccount.feature:79) Rewards.faq.4.subtext}'' in My Rewards screen ng faqs and answers ''\${myRewards.faq.4.ans}'' are as screen	0.00s



And I expand faq "S	{myRewards.faq.6}'' in My Rewards screen	0.44s
After		0.00s
Back to Table of Contents		
Scenario Outline: <mark>Veri</mark>	fy the FAQ on my rewards screen	
Passed: 4	Failed: 0 Undefined: 0	Duration: 3.91s
Before		0.00s
Then User verify foldisplayed in My Rev	llowing faqs and answers "\${myRewards.faq.7}" are wards screen	1.22s
\${myRewards.fa	q.7}	
	\${myRewards.faq.7}'' in My Rewards screen	0.35s
Then User verify foldisplayed in My Rev	llowing faqs and answers "\${myRewards.faq.7.ans}" are wards screen	1.80s
\${myRewards.fa	q.7.ans}	
And I expand faq "	\${myRewards.faq.7}'' in My Rewards screen	0.55s
After		0.00s
Back to Table of Contents		
Scenario Outline: Veri	fy the FAQ on my rewards screen	
Passed: 4	Failed: 0 Undefined: 0	Duration: 3.1s
Before		0.00s
Then User verify foldisplayed in My Rev	llowing faqs and answers ''\${myRewards.faq.8}'' are wards screen	1.21s
\${myRewards.fa	q.8}	
And I expand faq "S	\${myRewards.faq.8}'' in My Rewards screen	0.45s
	llowing faqs and answers ''\${myRewards.faq.8.ans. yed in My Rewards screen	1.08s
\${myRewards.fa	$q. 8. ans. 1\} \#\#\$\{myRewards.faq. 8. ans. 2\} \#\#\$\{myRewards.faq. 8\} \#\#\$\{myRewards.faq. 8\} \#\#\$\{my$	8.ans.3}
And I expand faq "S	\${myRewards.faq.8}'' in My Rewards screen	0.37s
After		0.00s
Back to Table of Contents		
Scenario Outline: Veri	fy the FAQ on my rewards screen	
Passed: 4	Failed: 0 Undefined: 0	Duration: 3.64s
Before		0.00s
Then User verify foldisplayed in My Rev	llowing faqs and answers "\${myRewards.faq.9}" are wards screen	1.17s
\${myRewards.fa	q.9}	
	{myRewards.faq.9}'' in My Rewards screen	0.34s
displayed in My Rev		1.33s
\${myRewards.fa	q.9.ans}	
And I expand faq "S	\${myRewards.faq.9}'' in My Rewards screen	0.80s

Scenario: navigate back t	o account screen from 1	ny rewards screen	
Passed: 2	Failed: 0	Undefined: 0	Duration: 44.33s
Before			0.00s
Then I click on back b	utton on my reward scr	een to navigate to account screen	42.33s
And I wait for 2 sec			2.00s
After			0.00s
Back to Table of Contents			
Scenario: Verify Notificat	tion screen in Account t	ab	
Passed: 2	Failed: 0	Undefined: 0	Duration: 3.05s
Before			0.00s
And I click on "\${my.i	notification.text}" link i	n Account screen	0.29s
		in My Notification screen	2.76s
\${notification.msg}	1		
After			0.00s
Back to Table of Contents			
Scenario: navigate back t	o account screen from N	Notification screen	
	Failed: 0	Undefined: 0	Duration: 2.48s
Before			0.00s
Then I click on back b	utton on notification sci	reen to navigate to account screen	0.48s
And I wait for 2 sec	dittoii on notification se	teen to havigute to account serven	2.00s
After			0.00s
Back to Table of Contents			0.005
Scenario: Verify my feed	hack screen in Account	tah	
• • •	Failed: 0	Undefined: 0	Duration: 6.74s
Before	I uncu. V	Charles v	0.00s
	feedback.text}'' link in A	Account screen	0.76s
	wing texts are displayed		5.72s
\${feedback.static.te		in ity recubuch between	01725
\${feedback.improve			
\${aime.text}			
\${health.article.text	t}		
\${bmi.text.upperca			
\${wrinkle.text}			
\${health.assessmen	t.text}		
\${babylon.sympton	n.checker}		
Then I verify following	g edit box sample text is	displayed in account screen	0.26s
\${share.thought.tex			
After			0.00s
Back to Table of Contents			
Scenario: Verify the subn	nit functionality in My f	eedback screen	
Passed: 4	Failed: 0	Undefined: 0	Duration: 11.88s
Before			0.00s

	Given I select "5" sta	r in feedback scr	reen	0.38s
	Then I enter feedback	K		3.68s
	Feedback Test_12.	345		
	And I click the Subm	5.82s		
	And I wait for 2 sec			2.00s
Af	ter			0.00s
Bac	ck to Table of Contents	•		
Sc	enario: Verify the Pul	se Personalised ta	ab	
Pas	ssed: 4	Failed: 0	Undefined: 0	Duration: 12.86s
Be	fore			0.00s
	And I click the Pulse	by Personalised i	icons	4.85s
	And I wait for 2 sec	~ y = 0= 0 = 1 = 1 = 1 = 1 = 1 = 1 = 1 = 1		2.00s
		owing texts are di	isplayed in pulse personalised screen	2.11s
	\${pulsePersonalise		1 1	
	\${data.privacy.tex			
			t in pulse personalised screen	3.90s
	\${pulse.personalis			
	\${pulse.personalis	<u> </u>		
	\${pulse.personalis			
	\${pulse.personalis	ed.consent.text7}		
Af	ter			0.00s
Ba	ck to Table of Contents			·
Sc	enario: Save the conse	ent with data priv	vacy check	
Pas	ssed: 4	Failed: 0	Undefined: 0	Duration: 15.74s
Be	fore		·	0.00s
	Given I select the dat	a privacy checkb	OX	0.40s
	And I click the save b			4.38s
			isplayed in pulse personalised screen	1.84s
	\${consent.success.i			
	And I click the Ok bu	<u> </u>	rsonlised screen	9.13s
Af	ter			0.00s
_	ck to Table of Contents			
_	enario: Save the conse	ent without data	privacy check	
_	ssed: 4	Failed: 0	Undefined: 0	Duration: 16.75s
Be	fore			0.00s
	Given I select the dat	a privacy checkh	ox	1.74s
		<u> </u>	ersonalised icons	4.35s
	And I chek the save in	ditton in puncting		1.000
				2.15s
		owing texts are di	isplayed in pulse personalised screen	

	utton in pulse personlised screen	8.51s
After		0.00s
Back to Table of Contents		
Scenario: navigate bac	x to account screen from pulse personalised screen	
Passed: 2	Failed: 0 Undefined: 0	Duration: 11.4
Before		0.00s
And I click the Back	icon in pulse personalised screen	9.47s
And I wait for 2 sec		2.00s
After		0.00s
Back to Table of Contents		
oturo: Vorify My woors	ble functionality via fitness tab on Pulse Health & V	Voolth opp
ssed: 3 Failed		
Passed: 6	pp and select the country as per specified lbu  Failed: 0 Undefined: 0	Duration: 55.7'
Before	raned: 0 Undermed: 0	0.00s
Given User has puls		21.77s
	n.email.id}" to variable "PULSE_EMAIL"	0.00s
	CONTINUE WITH EMAIL" with Email button	13.03s
	ountry as required on registration page	11.44s
Then I wait for 5 sec		5.00s
And I click the Sign	in link	4.54s
After		0.00s
Back to Table of Contents		
Scenario: login to the a	pp with correct credentials using "Continue with Er	nail''
Passed: 6	Failed: 0 Undefined: 0	Duration: 43.25
Before		0.00s
Given I select the la	nguage option on toggle bar as required on login pag	ge 4.07s
When user enters cr	edentials	18.64s
UserName \${PUI	SE_EMAIL}	
Password \${logi	n.password}	
And User clicks on s	ignin button	0.41s
And I wait for 5 sec		5.00s
	one pulse app for user email "\${PULSE_EMAIL}"	7.65s
	landed to "Home" screen	7.48s
After		0.00s
Back to Table of Contents		
	er can access My Wearables via Fitness	
Passed: 4	Failed: 0 Undefined: 0	Duration: 12.3
Before	- January V	0.00s
	Fitness tab	4.26s
M/hom I gow oliotre or	Titless tab	4.20S
When User clicks or	earables tile on Fitness screen	2.02s

		\${fitness.myWeara	bles.description}					
		When I click on Conn	nect Now button on Fitne	ess screen	0.62s			
		Then I verify followin	g text are displayed und	ler My Wearables screen	5.41s			
	\${wearables.title}							
	\${wearables.garmin} \${wearables.googleFit}							
Ā	<b>Af</b>	ter			0.00s			
E	Bac	ck to Table of Contents						
Fea	tu	re: Verify that user ca	ın access calendar under	· health section				
Pass		<del> </del>		Duration: 218.56s				
			p and select the country					
		sed: 6	Failed: 0	Undefined: 0	Duration: 48.47s			
I	Be	fore			0.00s			
		Given User has pulse	ann		16.82s			
			.email.id}'' to variable ''	PULSE EMAIL"	0.00s			
			ONTINUE WITH EMAIL'' with Email button untry as required on registration page		13.50s			
					11.36s			
		Then I wait for 2 sec			2.00s			
		And I click the Sign in	n link		4.80s			
Ā	\ \f	ter			0.00s			
I	Bac	ck to Table of Contents						
_			p with correct credentia	ls using "Continue with Email"				
		ssed: 6	Failed: 0	Undefined: 0	Duration: 45.03s			
Ī	Be	fore			0.00s			
		Given I select the lang	uage option on toggle b	ar as required on login page	4.82s			
		When user enters cred		1 0 1 0	18.57s			
UserName \${PULSE_EMAIL}								
		Password \${pulse.						
		And User clicks on sig	<u>*                                    </u>		0.33s			
		And I wait for 5 sec	,	5.00s				
			ne pulse app for user em	ail "\${PULSE_EMAIL}"	7.97s			
			anded to "Home" screen		8.34s			
Ā	After			0.00s				
		ck to Table of Contents						
_			able to access Calendar	· screen				
		ssed: 6	Failed: 1	Undefined: 0	Duration: 125.07			
I	Be	fore			0.00s			
		When I clicks on Heal	Ith button		4.72s			
		And I scroll down			3.84s			

And I click on Ca	llendar tile				14.16s
And I wait for 3 s	sec				3.00s
Then I verify follo	owing texts a	re displayed			3.13s
\${calendar.tex					
\${no.events.tex					
And I click on evo	ents dropdov	wn button in caler	ndar screen		0.48s
		xts ''Calendar eve		en	93.73s
\${medicine.ren					
\${appointment		,			
\${vaccination.					
\${workout.tex					
\${pulse.tv.text					
\${policy.remai					
	app.stepdefin ayedOncomr	nitions.mobilestep munitiesScreen(C	s.Customer( ustomerCon	ConnectStep mectSteps.ja	
feature:34)					
16:12 48 12 48 •	/ W TO A B				
← Calendar	CAT Secretary 14				
June 2021	All Events V				
Sun Mon Tue Wed Thu	. 14 54				
Sun Mon Tue Wed The	4 5				
Sun Mon Tue Wed Thi 1 2 3 6 7 8 9 10	4 5				
Sun Mon Tue Wed The 1 2 3 6 7 8 9 10 13 14 15 16 17 20 21 22 23 24					
5un Mon Tue Wind The 1 2 3 6 7 8 9 10 13 14 15 16 17 20 21 22 23 24 27 28 29 30					
Sun Mon Ton Wind This 1 2 3 3 6 7 8 9 10 13 14 15 16 17 20 21 22 23 24 27 28 29 30					
5un Mon Tue Wind The 1 2 3 6 7 8 9 10 13 14 15 16 17 20 21 22 23 24 27 28 29 30					
5un Mon Tue Wind The 1 2 3 6 7 8 9 10 13 14 15 16 17 20 21 22 23 24 27 28 29 30					
5un Non Tue Wind Thi 1 2 3 6 7 8 9 10 13 14 15 16 17 20 21 22 23 24 27 28 29 30					
5un Non Tue Wied Thi 1 2 3 6 7 8 9 10 13 14 15 16 17 26 21 22 23 24 27 28 29 30					
29 21 22 23 24 27 28 29 30	18 19 25 26				
20 21 22 23 24 27 28 29 30	18 19 25 26				
28 21 22 23 24 27 28 29 30	18 19 25 26				
28 21 22 23 24 27 28 29 30	18 19 25 26				
28 21 22 23 24 27 28 29 30 A	18 19 25 26				
28 21 22 23 24 27 28 29 30	y 18 19 25 26 V				2.00s
28 21 22 23 24 27 28 29 30 A	y 18 19 25 26 V				2.00s
28 21 22 23 24 27 28 29 30	y 18 19 25 26 25 26 27 27 27 27 27 27 27 27 27 27 27 27 27	ge events via the l	Family Vacci	ine Vaccine	

Email"					
Passed: 14	Failed: 1	Undefined: 2	Duration: 145.86		
Before			0.00s		
Given I generate randon "RANDOM_NUMBER		o variable	0.03s		
And I assign ''pulse\${R. "PULSE_EMAIL"	And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable				
And User has pulse app			17.06s		
Then I wait for 2 sec			2.00s		
And user click on "CON	NTINUE WITH EMAI	L'' with Email button	13.48s		
Then I wait for 2 sec			2.00s		
Then I change the coun	try as required on regis	stration page	12.60s		
Then I wait for 2 sec			2.00s		
Then I navigate to pulse click on continue with e		select the lang on toggle bar then	8.13s		
Then I wait for 2 sec			2.00s		
When user enters regist	ration details		9.38s		
FirstName testAuton					
LastName testAuton					
Email \${PULSE					
Password Pas\$1234	<u> </u>				
And taps on continue "S			0.37s		
		SI UCCDIN CE EMANT IU	30.48s		
Then I wait for 2 sec	pulse app for user ema	ail "\${PULSE_EMAIL}"	2.00s		
Then I click skip button			43.23s		
using the given search p For documentation on t /no_such_element.html Build info: version: '3.1	parameters. This error, please visit: l 2.0', revision: '7c6e0b3	n: An element could not be located that p://seleniumhq.org/exceptions ', time: '2018-05-08T14:04:26.12Z	7		
'amd64', os.version: '10			s.ai cii.		
Driver info: io.appium.j	, · · · · · · · · · · · · · · · · · · ·				
		se.MainAc, appPackage: com.pr	udential.pulse.		
	-	e: UiAutomator2, databaseEnable			
		ainAc, appPackage: com.pruder			
		Automator2, deviceName: Androi			
		platformName: android}, deviceA			
	<i>O</i> ,	SM-N770F, deviceName: RF8N311			
		080x2400, deviceUDID: RF8N31E			
_		led: false, networkConnectionEna pixelRatio: 2.625, platform: LINU			
		, statBarHeight: 85, takesScreensh			
		idth: 1080}, warnings: {}, webStor			
false}	, , , , , , , , , , , , , , , , ,				
Session ID: c2972a1f-08	d9-45e5-92a4-b973c0f8				

```
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'DD-MM-
  YYYY')]}
  at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
  (DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
  (W3CHttpResponseCodec.java:187)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:122)
  at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
  (W3CHttpResponseCodec.java:49)
  at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
  at io.appium.java client.remote.AppiumCommandExecutor.execute
  (AppiumCommandExecutor.java:231)
  at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
  java:42)
  at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:62)
  at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  iava:419)
  at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  19)
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:168)
  at com.onepulse.app.screens.PulseRegistrationScreen.clickSkipButton
  (PulseRegistrationScreen.java:1043)
  at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iClickSkipButton
  (RegistrationSteps.java:374)
  at .Then I click skip button(features/my/health/FamilyVaccineCalendar.feature:24)
                                                                              1.12s
After
```


```
com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:93)
at jdk.internal.reflect.GeneratedMethodAccessor41.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)
Back to Table of Contents
Scenario: User should be able to access my family vaccination calendar
Passed: 0
                          Failed: 1
                                               Undefined: 4
                                                                               Duration: 10.25s
                                                                               0.00s
Before
  Given I clicks on Health button
                                                                               7.72s
  org.openga.selenium.NoSuchElementException: An element could not be located on the page
```


```
using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions
/no such element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'RISHANI-PC', ip: '192.168.0.102', os.name: 'Windows 10', os.arch:
'amd64', os.version: '10.0', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29,
deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX,
deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX,
platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true,
viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: c2972a1f-08d9-45e5-92a4-b973c0f8dd1a
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Health']}
at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
```

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309) at io.appium.java client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java\_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java\_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:168) at com.onepulse.app.screens.PulseHealthScreen.clickHealthButton(PulseHealthScreen.java: at com.onepulse.app.stepdefinitions.mydocuisteps.MyDocUiSteps.iClicksOnHealthButton (MyDocUiSteps.java:98) at .Given I clicks on Health button(features/my/health/FamilyVaccineCalendar.feature:29) Phone Numbe What's your mobile number? Please start by entering your mobile phone number +60 9867841909 2.54s After **Back to Table of Contents** Scenario: Verify the user can Add Vaccine Information Passed: 0 Failed: 1 **Undefined: 5** Duration: 10.74s 0.00sBefore 8.24s When I click on Add more button in Vaccine Calendar screen

```
org.openqa.selenium.NoSuchElementException: An element could not be located on the page
using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions
/no such element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'RISHANI-PC', ip: '192.168.0.102', os.name: 'Windows 10', os.arch:
'amd64', os.version: '10.0', java.version: '11.0.10'
Driver info: io.appium.java client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29,
deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX,
deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX,
platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true,
viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: c2972a1f-08d9-45e5-92a4-b973c0f8dd1a
*** Element info: {Using=xpath, value=//android.widget.TextView[@text="Add more"]}
at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
```

at org.openqa.selenium.remote.RemoteWebDriat io.appium.java_client.DefaultGenericMobile (DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findEloat io.appium.java_client.android.AndroidDrive at com.prudential.tap.selenium.Commands\$15 at com.prudential.tap.selenium.ExecuteComma 19) at com.onepulse.app.screens.TestBasePage.clicat com.onepulse.app.screens.PulseHealthScreen 243) at com.onepulse.app.stepdefinitions.mobilestep (VaccineCalendarSteps.java:42) at .When I click on Add more button in Vaccin	Driver.findElement ement(AppiumDriver.java:1) er.findElement(AndroidDriver.ja executeCommand(Commands.ja end.executeCommand(ExecuteCo kButton(TestBasePage.java:168) elickAddMoreBtn(PulseHealth) es.VaccineCalendarSteps.clickAdo	va:1) va:141) ommand.java Screen.java: dMoreBtn
/FamilyVaccineCalendar.feature:39) And I wait for 2 sec		0.00s
Then User verifies following texts are displayed	in Vaccina Calanday sayoon	0.00s
\$\{vaccineCalendar.addMore.name}\ \$\{vaccineCalendar.addMore.dob}\ \$\{vaccineCalendar.addMore.cancelButton}\ \$\{vaccineCalendar.addMore.saveButton}\		
And I assign value to following variables relation Child name testing_one		0.00s
Then I add following information in Vaccine C	alendar add information screen	0.00s
Relation \${relation} Name \${name}		
And I click on ''\${vaccineCalendar.addMore.sa Calendar screen	veButton}'' button in Vaccine	0.00s





eat	ture: Verify Pru S	Safe Covid-19	Cover functionali	ty on one pulse App	
SSE	ed: 0	Failed: 4	Undefined: 0	Duration: 237.58s	
	cenario: User sho Cmail''	ould be able to	register on app v	vith correct credentials using "Co	ntinue with
P	assed: 14	Failed	l: 1	Undefined: 2	Duration: 174.42 s
В	Before				0.00s
	Given I generat		nber and assign to	o variable	0.01s
	And I assign "p "PULSE_EMA		OM_NUMBER}@	mailsac.com'' to variable	0.00s
	And User has p	oulse app			17.01s
	Then I wait for	2 sec			2.00s
	And user click	on "CONTIN	UE WITH EMAI	L'' with Email button	12.88s
	Then I wait for	2 sec			2.00s
	Then I change	the country as	required on regis	stration page	11.73s
	Then I wait for	2 sec			2.00s
	Then I navigate click on continu	_	1 0	select the lang on toggle bar then	7.59s
	Then I wait for	2 sec			2.00s
	When user ente	ers registration	n details		7.43s
	FirstName to	estAutomation	ı		

	LastName	testAutomation		
	Email	\${PULSE_EMAIL}		
	Password	Pas\$1234		
Ar	d taps on c	ontinue ''Sign_Up''	button	0.38s
Ar	d I enter O	TP in one pulse app	for user email "\${PULSE_EMAIL}"	30.44s
Th	en I wait fo	or 2 sec		2.00s
Th	en I click s	kip button		75.66s
Th	ien I click s	kip button		75.6

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no\_such\_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'RISHANI-PC', ip: '192.168.0.102', os.name: 'Windows 10', os.arch:

'amd64', os.version: '10.0', java.version: '11.0.10'

Driver info: io.appium.java\_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: e17182af-ff02-4463-be73-c1c002bc513b

\*\*\* Element info: {Using=xpath, value=//android.widget.TextView[@text='SKIP']}

at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance

(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException

(W3CHttpResponseCodec.java:187)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode

(W3CHttpResponseCodec.java:122)

at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode

(W3CHttpResponseCodec.java:49)

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)

at io.appium.java\_client.remote.AppiumCommandExecutor.execute

(AppiumCommandExecutor.java:231)

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

at io.appium.java\_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.iava:42)

at io.appium.java\_client.AppiumDriver.execute(AppiumDriver.java:1)

at io.appium.java\_client.android.AndroidDriver.execute(AndroidDriver.java:1)


at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)

```
at io.appium.java_client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:62)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
  java:419)
  at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
  (DefaultGenericMobileDriver.java:152)
  at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
  at io.appium.java client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
  at org.openga.selenium.By$ByXPath.findElement(By.java:353)
  at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
  at io.appium.java_client.DefaultGenericMobileDriver.findElement
  (DefaultGenericMobileDriver.java:58)
  at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
  at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
  at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
  at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:168)
  at com.onepulse.app.screens.PulseRegistrationScreen.clickSkipButton
  (PulseRegistrationScreen.java:1070)
  at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iClickSkipButton
  (RegistrationSteps.java:374)
  at .Then I click skip button(features/my/home/prushopee/PruCovid19Protection.feature:23)
                                                                              1.29s
After
com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:93)
at jdk.internal.reflect.GeneratedMethodAccessor41.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
```

```
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)
Back to Table of Contents
Scenario: Verify User should be able to see the PRU Shoppe screen
                          Failed: 1
                                                Undefined: 2
Passed: 0
                                                                                 Duration: 12.34s
Before
                                                                                 0.00s
   And I click on pru shoppe button on the home page
                                                                                 9.19s
  org.openga.selenium.NoSuchElementException: An element could not be located on the page
  using the given search parameters.
  For documentation on this error, please visit: http://seleniumhq.org/exceptions
  /no such element.html
  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
  System info: host: 'RISHANI-PC', ip: '192.168.0.102', os.name: 'Windows 10', os.arch:
   'amd64', os.version: '10.0', java.version: '11.0.10'
  Driver info: io.appium.java_client.android.AndroidDriver
  Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
  uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
  desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
  autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
  newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29,
  deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX,
  deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX,
  javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
  newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX,
  platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true,
  viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled:
  false}
  Session ID: e17182af-ff02-4463-be73-c1c002bc513b
  *** Element info: {Using=xpath, value=//android.widget.TextView[@text='Shoppe']/parent::
```

android.view.ViewGroup}

```
at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:168)
at com.onepulse.app.screens.PruShoppeScreen.clickOnPruShoppeIConOnHomePage
(PruShoppeScreen.java:54)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.
navigateToPruShoppeHomePage(PruShoppeSteps.java:40)
at .And I click on pru shoppe button on the home page(features/my/home/prushopee
/PruCovid19Protection.feature:36)
```



Back to Table of Contents					
Scenario: Verify User should be able to see the PRUSafe COVIDCover screen options					
Passed: 0	Failed: 1 Undefined: 8 Duration: 11.09s				
Before			0.00s		

Then I click on Proceed button on prushoppe screen 7.96s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no-such\_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'RISHANI-PC', ip: '192.168.0.102', os.name: 'Windows 10', os.arch:


'amd64', os.version: '10.0', java.version: '11.0.10'

Driver info: io.appium.java\_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 29, deviceManufacturer: samsung, deviceModel: SM-N770F, deviceName: RF8N31EE5JX, deviceScreenDensity: 420, deviceScreenSize: 1080x2400, deviceUDID: RF8N31EE5JX, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.625, platform: LINUX, platformName: Android, platformVersion: 10, statBarHeight: 85, takesScreenshot: true, viewportRect: {height: 2104, left: 0, top: 85, width: 1080}, warnings: {}, webStorageEnabled:

```
false}
Session ID: e17182af-ff02-4463-be73-c1c002bc513b
*** Element info: {Using=xpath, value=//android.widget.TextView[@text="Proceed"]}
at idk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.jaya client.android.AndroidDriver.findElement(AndroidDriver.jaya:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:168)
at com.onepulse.app.screens.PruShoppeScreen.clickProceedBtn(PruShoppeScreen.java:103)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.clickOnProceedBtn
(PruShoppeSteps.java:100)
at .Then I click on Proceed button on prushoppe screen(features/my/home/prushopee
/PruCovid19Protection.feature:46)
```

And I verify following texts are displayed	0.00s
\${my.covid19.hospitalization.text}	
\${my.covid19.for.pru.malaysia.customer}	
\${my.covid.19.benefit.offered}	
\${my.covid19.hospital.assistence}	
And I verify the following texts "Covid 19" in Screen	0.00s
\${my.self.text}	
\${family.text}	
And I verify following texts are displayed	0.00s
\${my.covid19.disclosure.text.1}	
\${my.covid19.disclosure.text.2}	
\${my.covid19.disclosure.text.3}	
\${my.covid19.disclosure.text.4}	
\${my.covid19.disclosure.text.5}	
\${my.covid19.disclosure.text.6}	
\${my.covid19.disclosure.text.7}	
And I scroll down	0.00s
And I verify following texts are displayed	0.00s
\${my.name.as.nric.text}	
\${gender.text}	
\${my.covid19.dob}	
Welcome to Pulse where you do health your way  Here is how you can improve your health and wellness everyday with Pulse Basics  Track and monitor activity to improve physical health  Assess and monitor BMI to stay fit	
Continue  Exclusive Offert Still relowing and a your FREE Telegraphic and Your FREE Telegraphic Allowards and Your Free	
III O <	
	3.13s
After	3.13s
	•



After		3.08s
Back to Table of Contents		
eature: Verify Pru Shopp	e My Coverage functionality on one pulse App	
ssed: 7 Failed		
Scenario: Launch the a	op and select the country as per specified lbu	
Passed: 6	Failed: 0 Undefined: 0	Duration: 48.88
Before		0.00s
Given User has pulse	app	16.47s
And I assign "\${logir	0.00s	
	ONTINUE WITH EMAIL" with Email button	12.99s
Then I change the co	untry as required on registration page	10.21s
Then I wait for 5 sec	v i c	5.00s
And I click the Sign i	n link	4.22s
After		0.00s
Back to Table of Contents		
Scenario: login to the ar	op with correct credentials using "Continue with Email"	
Passed: 6	Failed: 0 Undefined: 0	Duration: 44.76
Before		0.00s
Given I select the lan	guage option on toggle bar as required on login page	3.89s
When user enters cre		19.01s
UserName \${PUL		1271015
Password \${login		
And User clicks on si		0.46s
And I wait for 5 sec	5.00s	
And I enter OTP in (	8.69s	
	landed to "Home" screen	7.72s
After		0.00s
Back to Table of Contents		0.005
	n access his policies from Pru Shoppe My Policies screen	<u> </u>
Passed: 4	Failed: 0 Undefined: 0	Duration: 12.61
Before	- Interior v	0.00s
	oppe button on the home page	0.52s
And I wait for 5 sec	oppe button on the nome page	5.00s
	licies tile on prushoppe screen	0.83s
And I verify followin		6.26s
\${myCoverage.titl		0.200
\${myCoverage.lin		
\${myCoverage.inf		
	formationDescription}	
After		0.00s
Back to Table of Contents		0.005
	nolicy and vorify goroon to add nolicy number	
Scenario: Chek on Link	policy and verify screen to add policy number	

Passed: 4	Failed: 0 Undefined: 0	<b>Duration: 7.78s</b>
Before		0.00s
And I clicks on "\${my	yCoverage.linkPolicyButton}" in app screen	0.46s
And I wait for 2 sec		2.00s
And I hide one pulse	app mobile keyboard	2.19s
And I verify following	g texts are displayed	3.14s
\${myCoverage.pol	icyNumber.title}	
\${myCoverage.pol	icyNumber.description}	
\${myCoverage.pol	icyNumber.description1}	
After		0.00s
Back to Table of Contents		
Scenario: Verify the erro	or message when the Policy Number is blank	
Passed: 3	Failed: 0 Undefined: 0	Duration: 4.34s
Before		0.00s
When I click on "\${m	yCoverage.policyNumber.saveButton}'' button on app	1.00s
	yCoverage.policyNumber.saveButton}" button on app	1.21s
Then I verify following		2.12s
	icyNumber.errorMessage}	2.125
After		0.00s
		0.00S
Back to Table of Contents		
	or message when the Policy Number is invalid or incorrect	
Passed: 3	Failed: 0 Undefined: 0	Duration: 8.56s
Before		0.00s
When I enter "1234"	· ·	1.91s
` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` `	yCoverage.policyNumber.saveButton}" button on app	1.29s
Then I verify following	5.36s	
\${myCoverage.pol	icyNumber.errorMessage}	
After		0.00s
Back to Table of Contents		
Scenario: Verify the erro	or message when the Cancel Button	
Passed: 2	Failed: 0 Undefined: 0	Duration: 15.11
Before		0.00s
When I click on "\${m	yCoverage.policyNumber.cancelButton}" button on app	0.77s
`	anded to "Home" screen	14.34s
After		0.00s
Back to Table of Contents		13.000
	fuianda functionality in an analys and	
•	friends functionality in onepulse app	
Failed:		
	p and select the country as per specified lbu	<b>-</b>
Passed: 7	Failed: 0 Undefined: 0	<b>Duration: 47.25</b>
Before		0.00s
Given User has pulse	арр	15.68s

And Logout of pulse a	pp if user is	logged in			0.00s
And I assign "\${login.			PULSE_EMAIL''		0.00s
And user click on "CC					13.55s
Then I change the cou	Then I change the country as required on registration page				
Then I wait for 2 sec					2.00s
And I click the Sign in	And I click the Sign in link				
After					0.00s
Back to Table of Contents					
Scenario: login to the app	with corre	ct credential	s using "Continue with l	Email''	
Passed: 6	Failed: 0		Undefined: 0		Duration: 48.91s
Before					0.00s
And I select the langua	age option o	n toggle bar	as required on login pag	ge	3.93s
When user enters cred	<u> </u>		<u> </u>	<i></i>	18.80s
UserName \${PULS	E_EMAIL}				
Password \${login.					
And User clicks on sig	nin button				0.48s
And I wait for 10 sec					10.00s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"			11	8.18s	
Then user should be la	anded to "H	ome" screer	1		7.52s
After					0.00s
Back to Table of Contents					
Scenario: Verify User sho	ould be able	to share the	link with Whatsapp		
Passed: 1	Failed: 0		Undefined: 0		Duration: 9.74s
Before					0.00s
Then I verify the share with friends links					9.75s
After					0.00s
Back to Table of Contents					
Scenario: Verify User sho	ould be able	to share the	link with Contacts app		
	Failed: 0		Undefined: 0		Duration: 9.89s
Before					0.00s
Then I verify the conta	acts share ic	con			9.89s
After					0.00s
Back to Table of Contents					10000
Scenario: Verify User should be able to share the link with Messenger app					
Passed: 1	Failed: 0		Undefined: 0		Duration: 7.29s
Before					0.00s
Then I verify the fb m	essenger sh	are icon			7.29s
After	-sseriger bile	• 10011			0.00s
Back to Table of Contents					
Scenario: Verify User should be able to share the link with Viber app					
Passed: 1	Failed: 0	to share the	Undefined: 0		Duration: 22.53s
Before					0.00s

## Detailed Results Report

Then I verify the Viber share icon			22.53s			
After			0.00s			
<b>Back to Table of Contents</b>	Back to Table of Contents					
Scenario: Verify User	Scenario: Verify User should be able to share the link with Line app					
Passed: 1	Failed: 0	Undefined: 0	Duration: 21.86s			
Before			0.00s			
Then I verify the Li	21.86s					
After			0.00s			
Back to Table of Contents						