# **Overview**

	Passed	Failed	Known	Undefined	Total	%Passed
Features	9	9	0	0	18	50%
Scenarios	312	56	0	0	368	85%
Steps	1,985	<b>56</b>	0	388	2,429	82%

Overall Duration: 1h 22m 52s

## **Table of Contents**

- 1. Verify agent registration workflow
  - 1. verify default and sample text on agent registration page
  - 2. Invalid password check on agent registration page
  - 3. Invalid password check on agent registration page
  - 4. Invalid password check on agent registration page
  - 5. Invalid password check on agent registration page
  - 6. Invalid password check on agent registration page
  - 7. Create password and confirm password mismatch check on agent registration page
  - 8. Validate mask and unmask functionality for create and confirm password field
  - 9. verify that the next button is enabled only when agent entered the correct create and confirm password
  - 10. verify that the next button is enabled only when agent entered the correct create and confirm password
  - 11. verify that the next button is enabled only when agent entered the correct create and confirm password
  - 12. <u>verify that the next button is enabled only when agent entered the correct create and confirm password</u>
  - 13. verify Agent should be able to create the password for sales portal
  - 14. Verify Agent account is activated and can proceed with login
  - 15. verify the user should be prompted to login when already registered user is loaded in bulk upload and he opens the agent registration page
  - 16. Close from Sales Portal
- 2. Validate the forgot password with valid and invalid condition
  - 1. Agent Registration using api
  - 2. Verify agent registration flow Setting up password
  - 3. Verify agent registration flow Email Verification
  - 4. Verify static text and elements on Forgot Password page in Sales Portal
  - 5. Validate the return to the login link in Forgot your password page
  - 6. Verify the confirmation message on forgot password page when user enter valid email id
  - 7. Verify back button navigates user back to login page
  - 8. Close sales portal
  - 9. Verify reset password link is sent to user email account
  - 10. Validate mask and unmask functionality for create and confirm password field
  - 11. <u>verify that the reset password button is enabled only when agent entered the correct create</u> and confirm password
  - 12. <u>verify that the reset password button is enabled only when agent entered the correct create</u> and confirm password

- 13. <u>verify that the reset password button is enabled only when agent entered the correct create</u> and confirm password
- 14. verify that the reset password button is enabled only when agent entered the correct create and confirm password
- 15. verify Agent should be able to reset the password for sales portal
- 16. verify Agent should be able to logout and Login back with the new/reset password
- 17. Close from Sales Portal
- 3. Verify the homepage for Agent ID, Navigation bar & Toggle bar
  - 1. Verify the agent ID is displayed on home page
  - 2. Verify the Toggle bar on the home page
  - 3. I verify the navigation to the New Quote page and verify that user is landed on New Quote page and verify the presence of toggle bar items when navigate to the New Quote page
  - 4. I verify the navigation to the Quotes page and verify that user is landed on Quotes page and verify the presence of toggle bar items when navigate to the Quotes page
  - 5. I verify the navigation to the Documents page and verify that user is landed on Documents page and verify the presence of toggle bar items when navigate to the Documents page
  - 6. I verify the navigation to the Get Help page and verify that user is landed on Get Help page and verify the presence of toggle bar items when navigate to the Get Help page
  - 7. I verify the navigation to the Agent Profile page and verify that user is landed on Agent Profile page and verify the presence of toggle bar items when navigate to the Agent Profile page
  - 8. I verify the navigation to the Information page and verify that user is landed on Information page and verify the presence of toggle bar items when navigate to the Information page
  - 9. Verify the Navigation bar on the New Quote page
  - 10. I verify the navigation to the Select Plan page and verify that user is landed on Select Plan page and all left toggle bar items are present
  - 11. I verify the navigation to the Employees page and verify that user is landed on Employees page and all left toggle bar items are present
  - 12. I verify the navigation to the Company page and verify that user is landed on Company page and all left toggle bar items are present
  - 13. I verify the navigation to the Submit page and verify that user is landed on Submit page and all left toggle bar items are present
  - 14. Create a Quote for Sticky bar validation
  - 15. I verify the sticky bar is present in all the Select Plan page in the new quote creation journey
  - 16. <u>I verify the sticky bar is present in all the Employees page in the new quote creation</u> iourney
  - 17. I verify the sticky bar is present in all the Company page in the new quote creation journey
  - 18. I verify the sticky bar is present in all the Submit page in the new quote creation journey
  - 19. verify toggle bar items are minimised when user opts to collapse the sidebar option
  - 20. Close Sales Portal
- 4. Verify login functionality with OTP to landing in the welcome page
  - 1. Verify static text and elements on Login page Sales Portal
  - 2. Sales Portal Login Page fields error message validation "Invalid email format and password"
  - 3. Sales Portal Login Page fields error message validation "Blank email and Password"
  - 4. Sales Portal Login Page fields error message validation "Registered email and blank password"
  - 5. Sales Portal Login Page fields error message validation "Registered email and invalid password"

- 6. Sales Portal Login Page fields error message validation "Registered email and password length more than 50"
- 7. Verify Agent is not able to login with wrong credential
- 8. Validate the eye icon functionality for password field
- 9. Login to Sales portal and verify OTP page is displayed
- 10. verify by validation message displays by providing Invalid OTP checks
- 11. verify by validation message displays by providing Invalid OTP checks
- 12. Enter invalid otp and click on Login button
- 13. Validate the return to the login link in verify your account page
- 14. Validate the "Didnt receive code" in verify your account page
- 15. Verify contact support link is navigating to knowledgebase
- 16. Close Sales Portal
- 5. Verify user is landed to Sales pitch page after login which is a Information page
  - 1. Verify Sales pitch page is displayed after login
  - 2. Verify the first section on sales pitch page
  - 3. Verify the second section on sales pitch page
  - 4. Verify the third section on sales pitch page
  - 5. Verify the fourth section on sales pitch page
  - 6. Verify the fifth section on sales pitch page
  - 7. Verify the sixth section on sales pitch page
  - 8. Close Sales Portal
- 6. Verify agent can view his profile and reset the password
  - 1. Log in to Sales portal with valid agent credentials
  - 2. Navigate to Agent profile page and verify the agent details
  - 3. Verify sample text in change password section
  - 4. Invalid password check on profile page
  - 5. Invalid password check on profile page
  - 6. Invalid password check on profile page
  - 7. Invalid password check on profile page
  - 8. Invalid password check on profile page
  - 9. New password and confirm your password mismatch check on profile page
  - 10. Validate mask and unmask functionality for current, new and confirm password field
  - 11. verify that the save button is enabled only when agent entered the correct current,new and confirm password
  - 12. <u>verify that the save button is enabled only when agent entered the correct current,new and confirm password</u>
  - 13. verify that the save button is enabled only when agent entered the correct current,new and confirm password
  - 14. <u>verify that the save button is enabled only when agent entered the correct current, new and confirm password</u>
  - 15. verify Agent should be able to change the password for sales portal
  - 16. Verify Agent should be able to reset the password back to Agent 123 after 5 update
  - 17. Verify Agent should be able to reset the password back to Agent 123 after 5 update
  - 18. Verify Agent should be able to reset the password back to Agent 123 after 5 update
  - 19. Verify Agent should be able to reset the password back to Agent 123 after 5 update
  - 20. Verify Agent should be able to reset the password back to Agent 123 after 5 update
  - 21. Verify Agent should be able to reset the password back to Agent 123 after 5 update
  - 22. verify Agent should be able to logout and Login back with the updated password
  - 23. Close from Sales Portal
- 7. Verify select plan page functionality
  - 1. Launch Sales application for PAMB

- 2. verify static and sample text on company and category section on select plan page
- 3. Verify optional plan GHS is not selected by default
- 4. Verify the validation when user saves the quote without entering the Mandatory fields
- 5. Verify Next button validation message without entering any values
- 6. verify that the coverage date should be current date by default
- 7. verify the coverage date should set to current date if Agent input past date in text field
- 8. verify that the past date should be disabled on coverage date calendar
- 9. verify coverage date calendar is functioning properly
- 10. verify coverage date calendar is functioning properly
- 11. Enter number of employees: 4 for single category
- 12. Verify Agent should be able to enter company and category details
- 13. <u>verify employee screen is displayed when user click on next button at the bottom of the screen</u>
- 14. <u>verify the company name should be displayed as entered on select plan page on subsequent Employees page</u>
- 15. <u>verify the company name should be displayed as entered on select plan page on subsequent Company page</u>
- 16. <u>verify the company name should be displayed as entered on select plan page on subsequent Submit page</u>
- 17. verify the estimated premium amount should be displayed as entered on select plan page on subsequent Employees page
- 18. verify the estimated premium amount should be displayed as entered on select plan page on subsequent Company page
- 19. verify the estimated premium amount should be displayed as entered on select plan page on subsequent Submit page
- 20. Close Sales Portal
- 8. Verify Agent can add, edit or delete members manually
  - 1. Log into sales portal as an agent and navigate to employee page
  - 2. Verify Sample text on employee view
  - 3. Verify PDPA Consent requirement title and text
  - 4. <u>verify Upload file,Add employee and download template button is disabled when PDPA Consent requirement check box is unchecked</u>
  - 5. <u>verify Upload file,Add members and download template button is enabled when PDPA Consent requirement check box is checked</u>
  - 6. verify Agent can download the excel template
  - 7. verify static sample text header and footer on Member profile page
  - 8. verify the values of Occupational Class field on Add member modal
  - 9. Verify nationality field is uneditable
  - 10. Verify the dropdown lists in State field
  - 11. verify country field should be un editable
  - 12. Validating the error message When user clicks on save button without entering field value on member view
  - 13. Validating the error message: "\${emp.error.min.max.validation.firstname}" When user enters invalid value
    - <u>"ABCDEFGH324LMNOPORSTUVWXYZvABCDEFGHIJKLMNOPORSTUVWXYZABC</u>
  - 14. Validating the error message: "\${emp.error.min.max.validation.surname}" When user enters invalid value
    - "ABCDEFGH324LMNOPORSTUVWXYZvABCDEFGHIJKLMNOPORSTUVWXYZABC
  - 15. Validating the error message: "\${emp.error.min.max.validation.zipcode}" When user enters invalid value "abcD" for field "Post Code" on member profile page

- 16. Validating the error message: "\${emp.error.min.max.validation.zipcode}" When user enters invalid value "103" for field "Post Code" on member profile page
- 17. Validating the error message: "\${emp.error.min.max.validation.zipcode}" When user enters invalid value "145607" for field "Post Code" on member profile page
- 18. Validating the error message: "\${emp.error.formatvalidation.email}" When user enters invalid value "testmailinator.com" for field "Email Address" on member profile page
- 19. Validating the error message: "\${emp.error.min.max.validation.email}" When user enters invalid value
  - <u>"ABCDEFGHIJK5LMNOPqrstuvWXYZ1234567890123456789012345678901234567890AB</u>
- 20. Validating the error message: "\{\text{error.numeric.validation.city}\" When user enters invalid value "Test123" for field "City" on member profile page
- 21. Validating the error message: "\${emp.error.formatvalidation.nationalid}" When user enters invalid value "G1234567@H45" for field "NRIC no." on member profile page
- 22. Validating the error message: "\${emp.error.min.max.validation.address1}" When user enters invalid value
  "ABCDEFGHIJKLMNOPORSTUVWXYZ1234567890123456789012345678901234567890A
- 23. Validating the error message: "\${emp.error.min.max.validation.city}" When user enters
  - invalid value "ABCDEfgIJKLMNO#\$%
    ^&@PORSTUVWXYZvABCDEFGHIJKLMNOPORSTUVWXYZABCDEFGHIJKLMNO
- 24. Validating the error message: "\{\text{bulk.upload.error.minmax.validation.ID}\" When user enters invalid value "1234567891" for field "NRIC no." on member profile page
- 25. Validating the error message: "\${emp.error.min.max.validation.address2}" When user enters invalid value
  - "ABCDEFGHIJKLMNOPQRSTUVWXYZ1234567890123456789012345678901234567890A
- 26. Validating the error message: "\${emp.error.min.max.validation.address3}" When user enters invalid value
  - "ABCDEFGHIJKLMNOPQRSTUVWXYZ1234567890123456789012345678901234567890A
- 27. <u>Validating the error message: "\${emp.error.min.max.validation.address4}" When user enters invalid value</u>
- "ABCDEFGHIJKLMNOPQRSTUVWXYZ123456789012345678901234567890A 28. validate the error message when member DOB is future dated or age is not between 16 &
- 28. <u>validate the error message when member DOB is future dated or age is not between 16 & 30 (inclusive)</u>
- 29. verify calendar functionality is working for date of birth
- 30. verify calendar functionality is working for coverage start date
- 31. Verify agent can perform following functions
- 32. Verify the email duplicate check is present while adding same email for employees manually
- 33. Verify the presence of the Search field
- 34. Verify the agent can search member details by entering "First Name"
- 35. Verify the agent can search member details by entering "NRIC no."
- 36. Verify the agent can search member details by entering "Email Address"
- 37. Verify the agent can edit the employee information on employee page
- 38. Verify the agent can delete single member profile
- 39. Verify that the quote can be saved by clicking on Save Quote button after entering member details
- 40. Verify workflow of adding multiple member profiles manually
- 41. <u>Verify that the quote can be saved by clicking on Save Quote button in the Members page</u> before entering member details
- 42. <u>Verify the validation message when user click on next button without adding required number of members page</u>
- 43. Close Sales Portal

- 9. Verify upload, re upload, download member excel functionality on members page
  - 1. Prerequisite to upload members xlsm using \${employee.upload.file.btn} button
  - 2. Set up the member view for uploading member data file
  - 3. verify error message when wrong file type is uploaded
  - 4. Sales Portal upload member error message validation "XLSM file with no details"
  - 5. Sales Portal upload member error message validation "XLSM file with no headers"
  - 6. Sales Portal upload member error message validation "XLSM file with missing header"
  - 7. Sales Portal upload member error message validation "XLSM file with diff headers"
  - 8. Sales Portal upload member error message validation "XLSM file with no data"
  - 9. Sales Portal upload member error message validation "XLSM file with wrong header name"
  - 10. Verify the validation message when Agent upload wrong data file with multiple errors
  - 11. Verify agent should be landed back to members screen after clicking on download member data file link
  - 12. verify the member Screen when member file is uploaded successfully
  - 13. Re-upload prep
  - 14. verify Re upload popup window
  - 15. Re upload Member excel and verify the modified and new data have inserted and searched field text is cleared out
  - 16. Upload Member xls file with duplicate data and check upload is not allowed
  - 17. Closing the error modal view
  - 18. Close Sales Portal
- 10. Verify Agent can update the required details on company page and verify validations
  - 1. verify default, sample text, header and footer on company page
  - 2. Verify Sample text on Company page
  - 3. Validate State data in dropdown
  - 4. verify the default value of country field on company page
  - 5. verify Agent details should be pre populated based on registration details
  - 6. Validating the error message When user clicks on next button without entering mandatory fields value on company page
  - 7. Validating the error message: "\${company.error.min.max.validation.firstname}" When user enters invalid value
    - "ABCDEFGH324LMNOPQRSTUVWXYZyABCDEFGHIJKLMNOPQRSTUVWXYZABC
  - 8. Validating the error message: "\${company.error.min.max.validation.surname}" When user enters invalid value
  - "ABCDEFGH324LMNOPQRSTUVWXYZyABCDEFGHIJKLMNOPQRSTUVWXYZABC
  - 9. Validating the error message: "\\$\{company.error.formatvalidation.email\}\" When user enters invalid value "testmailinator.com" for field "Email Address" on company page
  - 10. Validating the error message: "Please ensure Contact Fax Number is 10 digits" When user enters invalid value "123456789" for field "Contact Fax Number" on company page
  - 11. Validating the error message: "Please ensure Telephone Number is 10 digits" When user enters invalid value "78456" for field "Telephone Number" on company page
  - 12. <u>Validating the error message: "\${company.error.min.max.validation.email}" When user enters invalid value</u>
    - "ABCDEFGHIJK5LMNOPqrstuvWXYZ1234567890123456789012345678901234567890AB
  - 13. Validating the error message: "\${error.numeric.validation.city}" When user enters invalid value "City123456" for field "City" on company page
  - 14. Validating the error message: "\${emp.error.min.max.validation.zipcode}" When user enters invalid value "123" for field "Postcode" on company page
  - 15. Validating the error message: "\${emp.error.min.max.validation.zipcode}" When user enters invalid value "123" for field "Postcode" on company page

- 16. Validating the error message: "\${emp.error.min.max.validation.zipcode}" When user enters invalid value "123456" for field "Postcode" on company page
- 17. Validating the error message: "\${company.error.signatoryDesignation.format. validation}" When user enters invalid value "test2Title" for field "Authorised Signatory Title" on company page
- 18. Validating the error message: "\${company.error.signatoryName.min.max.validation}"
  When user enters invalid value "abCD" for field "Authorised Signatory Name" on
  company page
- 19. Validating the error message: "\${company.error.signatoryName.min.max.validation}"
  When user enters invalid value
- "ABCDEFGH324LMNOPQRSTUVWXYZyABCDEFGHIJKLMNOPQRSTUVWXYZABC
- 21. Validating the error message: "\${company.error.min.max.validation.address1}" When user enters invalid value "ABCDEFGHIJKLMNOPORSTUVWXYZ1234567890123456789012345678901234567890A
- 22. Validating the error message: "\${company.error.min.max.validation.address2}" When user enters invalid value
  - "ABCDEFGHIJKLMNOPQRSTUVWXYZ1234567890123456789012345678901234567890A
- 23. Validating the error message: "\${company.error.min.max.validation.address3}" When user enters invalid value
  "ABCDEFGHIJKLMNOPORSTUVWXYZ1234567890123456789012345678901234567890A
- 24. Validating the error message: "\${company.error.min.max.validation.address4}" When user enters invalid value
  - "ABCDEFGHIJKLMNOPQRSTUVWXYZ1234567890123456789012345678901234567890A
- 25. Validating the error message: "\${company.error.min.max.validation.city}" When user enters invalid value "ABCDEfgIJKLMNO#\$%

  ^&@PQRSTUVWXYZyABCDEFGHIJKLMNOPQRSTUVWXYZABCDEFGHIJKLMNO
- 26. validating the toast error message for scenario Primary Email Address already exists user clicks on next button
- 27. verify Agent should be able to fill Company Name
- 28. verify Agent should be able to fill Primary Contact details
- 29. verify Agent should be able to fill company details
- 30. verify Agent should be able to fill company address details
- 31. verify Agent should be able to fill Authorised signatory details
- 32. <u>Verify all the information should persist when user return to company screen after clicking on back button</u>
- 33. Verify Agent can add additional Signatory information on company page to maximum 3 signatory
- 34. Verify Agent can add additional Signatory information on company page to maximum 3 signatory
- 35. Verify Agent should be able to fill multiple authorised signatories and Title titles in company page
- 36. Verify Agent can save and export the quote on company page
- 37. Verify pop up message is displayed when we delete added signatory
- 38. Confirm delete of added signatory
- 39. Verify Signatory added are displayed in Submit page to add documents
- 40. Close Sales Portal
- 11. Verify the Submit page for page verification and various document uploads
  - 1. Login to Sales portal and go to New Quote page

- 2. Verify the text and buttons on Submit page
- 3. Verify the upload for signed proposal document section
- 4. verify delete popup window on submit page
- 5. Verify agent can upload pdf.png.jpg.jpeg file types
- 6. Verify agent can upload pdf,png,jpg,jpeg file types
- 7. Verify agent can upload pdf,png,jpg,jpeg file types
- 8. Verify agent can upload pdf,png,jpg,jpeg file types
- 9. Verify agent can upload pdf,png,jpg,jpeg file types
- 10. Verify agent can upload pdf,png,jpg,jpeg file types
- 11. Verify agent can upload pdf,png,jpg,jpeg file types
- 12. Verify agent can upload pdf,png,jpg,jpeg file types
- 13. Verify uploading invalid file format is throwing error on UI
- 14. Verify the upload for Form 8 document
- 15. Verify the upload for Form 24 document
- 16. Verify the upload for Form 49 document
- 17. Verify the upload for Direct Credit document
- 18. Verify the upload for Schedule of assurance document
- 19. Verify the upload for GHS schedule of benefits document
- 20. Verify the upload for Authorized Signatory document 1 document
- 21. Verify the upload for Copy of NRIC document
- 22. Verify the upload for Copy of Memos document
- 23. Verify the select payment method Bank transfer section
- 24. Verify the select payment method Bank transfer section
- 25. Add quote for Group term life for all 5 categories
- 26. <u>Verify Summary of benefit table display data selected in select plan page and getting updated based on payment frequency</u>
- 27. <u>Verify Summary of benefit table display data selected in select plan page and getting updated based on payment frequency</u>
- 28. Validating the error message When user clicks on Confirm and Submit button without entering mandatory fields value on submit page
- 29. Verify Agent can save and export the quote on submit page
- 30. Close Sales Portal

#### 12. Verify agent can see all the PLUK documents and can download them

- 1. Verify default and documents on Documents Page
- 2. Verify documents table on document page
- 3. Verify "PRUEd Protect Leaflet" document download button is enabled
- 4. Verify "Claim Form" document download button is enabled
- 5. Verify "Medical Claim Doctor's Statement" document download button is enabled
- 6. Verify "Personal Accident Claim Doctor's Statement" document download button is enabled
- 7. Verify "Personal Accident Claim Healing Progress Form" document download button is enabled
- 8. Verify "Total and Permanent Disability Claim Doctor's Statement" document download button is enabled
- 9. Verify "Total and Permanent Disability Disability Instalment Benefit Doctor's Statement" document download button is enabled
- 10. Verify "Death Claim Doctor's Statement" document download button is enabled
- 11. Verify "Consent To Release Information" document download button is enabled
- 12. Verify "Master Application Form" document download button is enabled
- 13. Verify "Application For Direct Credit Form" document download button is enabled

- 14. Verify "Authorised Company Representative Declaration Form" document download button is enabled
- 15. <u>Download PDF documents by click on down arrow button and verify "PRUEd Protect Leaflet" document is downloaded</u>
- 16. Download PDF documents by click on down arrow button and verify "Claim Form" document is downloaded
- 17. Download PDF documents by click on down arrow button and verify "Medical Claim Doctor's Statement" document is downloaded
- 18. <u>Download PDF documents by click on down arrow button and verify "Personal Accident Claim Doctor's Statement" document is downloaded</u>
- 19. <u>Download PDF documents by click on down arrow button and verify "Personal Accident Claim Healing Progress Form" document is downloaded</u>
- 20. Download PDF documents by click on down arrow button and verify "Total and Permanent Disability Claim Doctor's Statement" document is downloaded
- 21. <u>Download PDF documents by click on down arrow button and verify "Total and Permanent Disability Disability Instalment Benefit Doctor's Statement" document is downloaded</u>
- 22. <u>Download PDF documents by click on down arrow button and verify "Death Claim Doctor's Statement" document is downloaded</u>
- 23. <u>Download PDF documents by click on down arrow button and verify "Consent To Release</u> Information" document is downloaded
- 24. <u>Download PDF documents by click on down arrow button and verify "Master Application</u> Form" document is downloaded
- 25. Download PDF documents by click on down arrow button and verify "Application For Direct Credit Form" document is downloaded
- 26. Download PDF documents by click on down arrow button and verify "Authorised Company Representative Declaration Form" document is downloaded
- 27. Close Sales Portal
- 13. Verify agent can search for saved quotes based on search criteria, filter options and take required action
  - 1. Create Draft quote and verify default and sample text of Quotes page
  - 2. Verify Table headers and fields on Quotes page
  - 3. Verify the filter option
  - 4. Create Draft Quote
  - 5. Create Archived Ouote
  - 6. Create Submitted Quote
  - 7. Create In Force Ouote
  - 8. Create Denied Quote
  - 9. Verify Archive quotes are not displayed when no filters are selected on quote page
  - 10. Verify search can be performed with "The exact company name"
  - 11. Verify search can be performed with "Company name by regex pattern"
  - 12. Verify search can be performed with "Reference Number"
  - 13. Verify Search Quote functionality is working for Company Name
  - 14. Verify search with invalid search value
  - 15. Verify Quote Filter functionality for "Filter quotes for status Draft"
  - 16. Verify Quote Filter functionality for "Filter quotes for status Archived"
  - 17. Verify Quote Filter functionality for "Filter quotes for status Submitted"
  - 18. Verify Quote Filter functionality for "Filter quotes for status In Force"
  - 19. Verify Quote Filter functionality for "Filter quotes for status Denied"
  - 20. Verify Quote Filter functionality for "Filter quotes for status Draft,In Force"
  - 21. Verify Quote Filter functionality for "Filter quotes for status Draft, Denied"

- 22. Verify Quote Filter functionality for "Filter quotes for status Draft, Archived, Denied"
- 23. Verify Quote Filter functionality for "Filter quotes for status Draft, Archived, In Force"
- 24. Verify Quote Filter functionality for "Filter quotes for status Draft, Submitted"
- 25. Verify Quote Filter functionality for "Filter quotes for status Draft, Submitted, Archived"
- 26. <u>Verify Quote Filter functionality for "Filter quotes for status Draft, Submitted, Archived, In Force, Denied"</u>
- 27. Verify Action options for "Action option for status Draft" quotes
- 28. Verify Action options for "Action option for status Submitted" quotes
- 29. Verify Action options for "Action option for status Archived" quotes
- 30. Verify Action options for "Action option for status InForce" quotes
- 31. Verify Action options for "Action option for status Denied" quotes
- 32. Verify Ouote Action item Edit for Draft quote
- 33. Quote Action item Export PDF: "Verify quote is exported to PDF for Draft quote"
- 34. Quote Action item Export PDF: "Verify quote is exported to PDF for Submitted quote"
- 35. Quote Action item Export PDF: "Verify quote is exported to PDF for Archived quote"
- 36. Quote Action item Export PDF: "Verify quote is exported to PDF for Inforce quote"
- 37. Quote Action item Export PDF: "Verify quote is exported to PDF for Denied quote"
- 38. 1. Verify "Draft" quotes should return irrespective of is Archived flag for filter option "\${quote.filter.option.draft}"
- 39. 1.Verify "Denied" quotes should return irrespective of isArchived flag for filter option "\${quote.filter.option.denied}"
- 40. 1. Verify "Inforce" quotes should return irrespective of is Archived flag for filter option "\${quote.filter.option.in.force}"
- 41. Verify Action Duplicate for "\${quote.filter.option.draft}"
- 42. Verify Action Duplicate for "\${quote.filter.option.denied}"
- 43. verify Delete popup window
- 44. Verify Draft Quote is deleted
- 45. Verify Quote Action item Edit for Archived quote
- 46. Verify Quote Action item Unarchive text and cancel function
- 47. Verify Archived Ouote is deleted
- 48. Verify Quote Action item View for Submitted quote
- 49. Verify Ouote Action item View for Inforce quote
- 50. Close Sales Portal
- 14. Verify the Get Help page functionality
  - 1. Verify agent should be navigated to Get Help page
  - 2. Verify static text on Get Help page
  - 3. Submit a ticket on sales portal app
  - 4. View Knowledge base
  - 5. Close from Sales Portal
- 15. Verify product plan by benefit table data is as per requirement
  - 1. Login to Sales Portal
  - 2. Verify default state of Premium and Benefit page
  - 3. Compare plan by Annual benefit data for "\${select.plan.group.coverage.gtl.text}" product on screen with the Required value in CSV "GTL\_ANNUAL"
  - 4. Close premium and benefit screen and logout
  - 5. Close from Sales Portal
- 16. Verify Quote is getting multiplied by number of employees and based on premium for selected plan for GTL product
  - 1. Launch Sales portal and navigate to New Quote page
  - 2. Load Premium and modal factor csv file
  - 3. Estimated Annual Premium for Plan "GTL" for number of members "1"

- 4. Estimated Annual Premium for Plan "GTL" for number of members "4"
- 5. Estimated Annual Premium for Plan "GTL" for number of members "5"
- 6. Estimated Annual Premium for Plan "GTL" for number of members "50"
- 7. Estimated Annual Premium for Plan "GTL" for number of members "100"
- 8. Estimated Annual Premium for Plan "GTL" for number of members "200"
- 9. Estimated Annual Premium for Plan "GTL" for number of members "1000"
- 10. Estimated Annual Premium for Plan "GTL" for number of members "5000"
- 11. Estimated Annual Premium for Plan "GTL" for number of members "10000"
- 12. Close Sales Portal
- 17. Verify agent can download the quotes in pdf format and check all information is correct for GTL
  - 1. Login to sales portal
  - 2. Assign value to variables and enter details on select plan page
  - 3. Select plan and category
  - 4. Save Ouote and get reference number from Ouotes screen
  - 5. Verify Export Quote is working in "Select Plan" page in sales Journey
  - 6. Verify Export Quote is working in "Employees" page in sales Journey
  - 7. Verify Export Quote is working in "Company" page in sales Journey
  - 8. Verify Export Quote is working in "Submit" page in sales Journey
  - 9. Close Sales Portal
- 18. Verify agent can download the quotes in pdf format and check all information is correct for GTL
  - 1. Login to sales portal
  - 2. Assign value to variables and enter details on select plan page
  - 3. Select plan and category
  - 4. Save Ouote and get reference number from Ouotes screen
  - 5. Verify Export Quote is working in "Select Plan" page in sales Journey
  - 6. Verify Export Quote is working in "Employees" page in sales Journey
  - 7. Verify Export Quote is working in "Company" page in sales Journey
  - 8. Verify Export Ouote is working in "Submit" page in sales Journey
  - 9. Close Sales Portal

# **Detailed Results Report**

	l: 16
	enario: verify default and sample text on agent registration page
a	ssed: 16
<b>Be</b>	efore
	Given I assign ''/testdata/\${sales.fe.lbu}/bulk_user_upload'' to variable ''testdata.path''
	Output
	Assigning value /testdata/my/bulk_user_upload to variable testdata.path
	And I assign ''\${testdata.path}/input/AgentReg_Template.csv'' to variable ''INPUT_PATH''
	Output

Assigning value /testdata/my/bulk\_user\_upload/input/AgentReg\_Template.csv to variable INPUT\_PATH And I assign "\${testdata.path}/output/Users.csv" to variable "OUTPUT PATH" Assigning value /testdata/my/bulk\_user\_upload/output/Users.csv to variable OUTPUT\_PATH And I generate random number and assign to variable "RANDOM\_NUMBER" Output Random number generated is :416 And I copy the csv template "\${INPUT\_PATH}" and replace following variables in output path " agent.Email taf-\${RANDOM NUMBER}@mailinator.com And I assign value to following variables GROUP\_ID \${group.id} And I upload the csv file "\${OUTPUT\_PATH}" received from agent group "\${GROUP\_ID}" usin Then I verify File is uploaded successfully Then I verify for below email content is matching with "/testdata/\${sales.fe.lbu}/email\_template/ag EMAIL\_SUBJECT \$ { register.email.subject } EMAIL FROM **\${register.email.from**} **EMAIL\_TO** \${agent.Email} Output Mailinator url is https://www.mailinator.com/v3/index.jsp?zone=public&query=taf-4162702629 Expected email content Welcome to the team Hi Test, A warm welcome from the Prudential Enterprise Business team. You are 2 steps away from completing your account. Please click on the below link and follow the instructions to create your account password. This link expires after 24 hours. Create Password Warm Regards, Prudential \*\*Please note that this is a system generated email, please do not reply\*\* Actual email content Welcome to the team Hi Test, A warm welcome from the Prudential Enterprise Business team. You are 2 steps away from completing your account. Please click on the below link and follow the instructions to create your account password. This link expires after 24 hours. Create Password Warm Regards, Prudential \*\*Please note that this is a system generated email, please do not reply\*\*

And I close sales portal And I launch the agent registration URL Output https://uat-sales.eb.prudential.com.my/identity/register/eyJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJhY3RpdmF0aW9ubGluayIsInRlbG Then I verify following text is displayed on "Agent Registration" page \${agent.registration.text} \${agent.password.rule.text} Then verify Welcome text "Welcome \${agent.Email}" on agent registration page And I verify field label text on "Agent Registration" page **\$**{agent.create.password.text} \${agent.confirm.password.text} Then I verify next button text And I verify next button is disabled After **Back to Table of Contents** Scenario Outline: Invalid password check on agent registration page Passed: 2 Before When I enter "Agent" password in create password field Then I verify "\${agent.password.rule.text}" validation error message is highlighted After **Back to Table of Contents** Scenario Outline: Invalid password check on agent registration page Passed: 2 Before When I enter "1234567#" password in create password field Then I verify "\${agent.password.rule.text}" validation error message is highlighted After **Back to Table of Contents** Scenario Outline: Invalid password check on agent registration page Passed: 2 Before When I enter "AGENT@1234" password in create password field Then I verify "\${agent.password.rule.text}" validation error message is highlighted After **Back to Table of Contents** 

Scenario Outline: Invalid password check on agent registration page

Passed: 2

Before

When I enter "agent@12334" password in create password field

Then I verify "\${agent.password.rule.text}" validation error message is highlighted

**After** 

**Back to Table of Contents** 

Scenario Outline: Invalid password check on agent registration page

Passed: 2

Before

When I enter "Agent1236666667777777777Agent12344444444444444442" password in create pa

Then I verify "\${password.field.length.validation}" validation error message is highlighted

After

**Back to Table of Contents** 

Scenario: Create password and confirm password mismatch check on agent registration page

Passed: 3

Before

When I enter "Agent1234" password in create password field

And I enter "Agent3456" password in confirm password field

Then I verify "The passwords entered do not match, please try again" validation error message is

After

**Back to Table of Contents** 

Scenario: Validate mask and unmask functionality for create and confirm password field

Passed: 5

Before

And I verify the Password entered is masked

When I click on the eve icon for Create Password field

Then I validate the password should display without encrypted

When I click on the eye icon for Confirm Password field

Then I validate the confirm password should display without encrypted

**After** 

**Back to Table of Contents** 

Scenario Outline: verify that the next button is enabled only when agent entered the correct create an

Passed: 3

Before

When I enter "Agent" password in create password field

And I enter "Agent" password in confirm password field

Then I verify next button is disabled

After

**Back to Table of Contents** 

Scenario Outline: verify that the next button is enabled only when agent entered the correct create an

Passed: 3

### Before

When I enter "Agent123" password in create password field

And I enter ''' password in confirm password field

Then I verify next button is disabled

After

**Back to Table of Contents** 

Scenario Outline: verify that the next button is enabled only when agent entered the correct create an

Passed: 3

Before

When I enter "Agent123" password in create password field

And I enter "Agent" password in confirm password field

Then I verify next button is disabled

After

**Back to Table of Contents** 

Scenario Outline: verify that the next button is enabled only when agent entered the correct create an

Passed: 3

Before

When I enter "" password in create password field

And I enter "Agent123" password in confirm password field

Then I verify next button is disabled

After

**Back to Table of Contents** 

Scenario: verify Agent should be able to create the password for sales portal

Passed: 9

Before

Given I assign "Agent123" to variable "AGENT PASSWORD"

Output

Assigning value Agent123 to variable AGENT\_PASSWORD

When I enter "\${AGENT\_PASSWORD}" password in create password field

And I enter ''\${AGENT\_PASSWORD}'' password in confirm password field

And I verify next button is enabled

And I click on next button

Then I verify following text is displayed on "Email Confirmation" page

\${agent.registration.text}

And I verify following paragraph is displayed on "Email Confirmation" page

An email has been sent to

Please click on the link sent to your email address to verify your account and proceed to the log

And I verify email confirmation contains the agent email address as "\${agent.Email}"

And I close sales portal

fter	
	able of Contents
	o: Verify Agent account is activated and can proceed with login
ssed: 17	
fore	, <u> </u>
	I wait for 10 sec
	n I assign "\${verify.email.from}" to variable "EMAIL_FROM"
Output	
Catyat	
Assign	ning value rits.ciampru@prudential.com.sg to variable EMAIL_FROM
Give	n I assign "\${verify.email.subject}" to variable "EMAIL_SUBJECT"
Output	
Assign	ing value Prudential Enterprise Business Account E-mail Verification to variable EMAIL_SUBJECT
~.	
	n I read Agent registration email from ''\${agent.Email}'' in Mailinator and get ''\${verify.er
Output	
	ator url is https://www.mailinator.com/v3/index.jsp?zone=public&query=taf-4162702629 ration link is https://uat-sales.eb.prudential.com.my/identity/activate?app=eb_sme&token=11553bbe-8e00-4a71-a860-a
Then	I verify email content is matching with "/testdata/\${sales.fe.lbu}/email_template/agent_reg
	n I navigate to the email verification link sent to agent
Output	
https://	/uat-sales.eb.prudential.com.my/identity/activate?app=eb_sme&token=11553bbe-8e00-4a71-a860-a511741a9730&cod
ļ	
Then	I verify following text is displayed on "Confirmation" page
C	onfirmation
And	I verify following paragraph is displayed on "Confirmation" page
	our account has now been activated, please proceed to login page.
	I verify Proceed to login button is enabled
	n I click on Proceed to login button
	I verify following text is displayed on "Login" page
	elcome
	I close sales portal
vvnei	n I launch to mailinator email ''\${agent.Email}'' on UI

	Output
	Mailinator url is https://www.mailinator.com/v3/index.jsp?zone=public&query=taf-4162702629
	And I wait for 10 sec
	When I click on email with from "\${verify.email.from}" and subject "\${login.email.success}" on
	Then I verify email content is matching with ''/testdata/\${sales.fe.lbu}/email_template/agent_regis
	And I close sales portal
<b>4</b> 1	fter
	ack to Table of Contents
	cenario: verify the user should be prompted to login when already registered user is loaded in bulk
	assed: 7
_	efore
	When I launch the agent registration URL Output
	Then verify user is landed to agent registration page
	And I assign "Agent123" to variable "AGENT_PASSWORD"
	Output
	Assigning value Agent123 to variable AGENT_PASSWORD
	And I enter ''\${AGENT_PASSWORD}'' password in create password field
	And I enter "\${AGENT_PASSWORD}" password in confirm password field
	And I click on next button
	Then I verify "Error: This account already exists" form validation error message is displayed
<b>\</b> 1	fter
	ack to Table of Contents
	cenario: Close from Sales Portal
	assed: 1
	efore
	And I close sales portal
	<u>fter</u>
<u>3a</u>	ack to Table of Contents
tı	ure: Validate the forgot password with valid and invalid condition
	d: 17
C.	Panario: Agant Ragistration using ani

Given I a	ssign ''/te	stdata/\${sales.fe.lb	u}/bulk_user_upload'' to variable ''testdata.path''
Output	-8		with Substitution of the Laborator Constitution Parties
[			
Assigning v	value /testdat	a/my/bulk_user_upload t	to variable testdata.path
		, – – 1	•
i			
And I ass	sign ''\${te	stdata.path}/input/	AgentReg_Template.csv" to variable "INPUT_PATH"
Output			
Assigning v	value /testdat	a/mv/bulk user upload/	input/AgentReg_Template.csv to variable INPUT_PATH
. 1991 <b>g</b> g		a mj, o am_aser_aproaca	mputing_remputed turner in the r_rriin
And I ass	sign ''\${te	stdata.path}/outpu	t/Users.csv'' to variable "OUTPUT_PATH"
Output			
Accioning v	alua /tactdat	a/mv/bulk user upload/	output/Users.csv to variable OUTPUT_PATH
Assigning v	aruc / icsidai	··· J. · · · · — · · · · — · · · · · · · · ·	output oscis.esv to variable oo ii o i_i Aiii
Assigning v	arue / testuat	2 = =	
Assigning v			
			assign to variable "RANDOM_NUMBER"
And I ge			
And I ge			
And I ger Output	nerate rar	ndom number and	
And I ger Output	nerate rar	ndom number and	
And I ger Output	nerate rar	ndom number and	
And I ger Output Random nu	merate rar	ted is :540	
And I gen Output Random nu When I c	mber genera	ted is :540	assign to variable "RANDOM_NUMBER"  PUT_PATH}" and replace following variables in output p
And I ger Output  Random nu  When I coagent.	mber genera opy the cs	ted is :540  sv template "\${INP-\${RANDOM_NUM	assign to variable "RANDOM_NUMBER"  PUT_PATH}" and replace following variables in output public mailinator.com
And I ger Output  Random nu  When I coordinates agent.  And I ass	mber genera opy the co	ted is :540  sv template "\${INP -\${RANDOM_NUM_ to following varial}	assign to variable "RANDOM_NUMBER"  PUT_PATH}" and replace following variables in output public mailinator.com
And I ger Output  Random nu  When I c agent.  And I ass GROU	mber genera  copy the continue to the continue	ted is :540  sv template ''\${INP -\${RANDOM_NUM to following varial group.id}	assign to variable "RANDOM_NUMBER"  PUT_PATH}" and replace following variables in output publes  MBER}@mailinator.com  bles
And I ger Output  Random nu  When I c agent. And I ass GROU	mber genera  copy the continue taffign value  UP_ID \${g}  load the continue the continue taffice taffi	ted is :540  sv template "\${INP-\${RANDOM_NUME to following varial group.id}}  esv file "\${OUTPU	assign to variable "RANDOM_NUMBER"  PUT_PATH}" and replace following variables in output publes  MBER}@mailinator.com  bles  T_PATH}" received from agent group "\${GROUP_ID}"
And I ger Output  Random nu  When I c agent. And I ass GROU And I up Then I ver	mber genera copy the co Email taf- sign value UP_ID \${g load the co	ted is :540  sv template "\${INP -\${RANDOM_NUM to following varial group.id} sv file "\${OUTPUT is uploaded success	assign to variable "RANDOM_NUMBER"  PUT_PATH}" and replace following variables in output publics  MBER}@mailinator.com  bles  T_PATH}" received from agent group "\${GROUP_ID}"  sfully
And I ger Output  Random nu  When I c agent.  And I ass GROU  And I up Then I ve	mber genera  copy the continue to the continue	ted is :540  sv template "\${INP-\${RANDOM_NUME to following varial group.id}} sv file "\${OUTPUT is uploaded success to following varial varial varial suploaded success to following varial vari	assign to variable "RANDOM_NUMBER"  PUT_PATH}" and replace following variables in output publes  MBER}@mailinator.com  bles  T_PATH}" received from agent group "\${GROUP_ID}" sfully  bles
And I ger Output  Random nu  When I c agent. And I ass GROU And I up Then I ver And I ass	mber genera copy the cs Email taf- sign value UP_ID \${g load the cerify File is sign value	ted is :540  sv template "\${INP-\${RANDOM_NUMEROUP.id}}  csv file "\${OUTPUMEROUP.id}  is uploaded success to following varial \${JWT_BLK_UPI	assign to variable "RANDOM_NUMBER"  PUT_PATH}" and replace following variables in output publes  MBER}@mailinator.com  bles  T_PATH}" received from agent group "\${GROUP_ID}" sfully  bles
And I ger Output  Random nu  When I c agent.  And I ass GROU  And I up Then I ve And I ass JWT_ USER	mber genera  copy the company	ted is :540  sv template "\${INP-\${RANDOM_NUMEROUP.id}} sv file "\${OUTPUMEROUP.is uploaded success to following varial \${JWT_BLK_UPI\${agent.Email}}	assign to variable "RANDOM_NUMBER"  PUT_PATH}" and replace following variables in output publes  MBER}@mailinator.com  bles  T_PATH}" received from agent group "\${GROUP_ID}" sfully  bles
And I ger Output  Random nu  When I c agent.  And I ass GROU  And I up Then I ver And I ass JWT_ USER USER	mber genera  copy the continue to the continue	ted is :540  sv template "\${INP-\${RANDOM_NUMED TO FOLLOWING VARIABLY SERVICES TO FOLLOWING VARIABLY STATES TO FOLLOWING VARIABLY STA	assign to variable "RANDOM_NUMBER"  PUT_PATH}" and replace following variables in output publes  MBER}@mailinator.com  bles  T_PATH}" received from agent group "\${GROUP_ID}" sfully  bles
And I ger Output  Random nu  When I c agent.  And I ass GROU  And I up Then I ve And I ass JWT_ USER USER CONS	mber genera  copy the company	ted is :540  sv template "\${INP- \${RANDOM_NUMEROUP.id}}  sv file "\${OUTPUMEROUP.id}  sv file "\${OUTPUMEROUP.id}  suploaded success to following varial \${JWT_BLK_UPI \${agent.Email}  Agent123 true	assign to variable "RANDOM_NUMBER"  PUT_PATH}" and replace following variables in output publes  MBER}@mailinator.com  bles  T_PATH}" received from agent group "\${GROUP_ID}" sfully  bles
And I ger Output  Random nu  When I c agent.  And I ass GROU  And I up Then I ve And I ass  JWT_ USER USER CONS ACCE	mber genera  copy the continued by the c	ted is :540  sv template "\${INP-\${RANDOM_NUMED TO FOLLOWING VARIABLY SERVICES TO FOLLOWING VARIABLY STATES TO FOLLOWING VARIABLY STA	assign to variable "RANDOM_NUMBER"  PUT_PATH}" and replace following variables in output public mailinator.com  bles  T_PATH}" received from agent group "\${GROUP_ID}" of the state of the

https://uat-sales.eb.prudential.com.my/identity/register/eyJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJhY3RpdmF0aW9ubGluayIsInF	abG
Then I verify following text is displayed on "Agent Registration" page	
\${agent.registration.text}	
After	
Back to Table of Contents	
Scenario: Verify agent registration flow - Setting up password	
Passed: 8	
Before	
Given I assign "Agent123" to variable "AGENT_PASSWORD"	
Output	
Assigning value Agent123 to variable AGENT_PASSWORD	
When I enter "\${AGENT_PASSWORD}" password in create password field	
And I enter "\${AGENT_PASSWORD}" password in confirm password field	
And I click on next button	
Then I verify following text is displayed on "Email Confirmation" page	
\${agent.registration.text}	
And I verify following paragraph is displayed on "Email Confirmation" page	
An email has been sent to	
Please click on the link sent to your email address to verify your account and proceed to the	log
And I wait for 10 sec	
And I close sales portal	
After	
Back to Table of Contents	
Scenario: Verify agent registration flow - Email Verification	
Passed: 3	
Before	
Given I assign "\${verify.email.from}" to variable "EMAIL_FROM"	
Output	
Assigning value rits.ciampru@prudential.com.sg to variable EMAIL_FROM	
Given I assign "\${verify.email.subject}" to variable "EMAIL_SUBJECT"	
Output	

ven I read Agent registration email from ''\${agent.Email}'' in Mailinator and get ''\${verify.comput}  illinator url is https://www.mailinator.com/v3/index.jsp?zone=public&query=taf-5402702622 gistration link is https://uat-sales.eb.prudential.com.my/identity/activate?app=eb_sme&token=93e4da4d-dfaf-4c33-9250
ilinator url is https://www.mailinator.com/v3/index.jsp?zone=public&query=taf-5402702622
o Table of Contents
rio: Verify static text and elements on Forgot Password page in Sales Portal
: 11
e
hen I navigate to the email verification link sent to agent
tput
<u> </u>
en I verify following text is displayed on "Confirmation" page
Confirmation
hen I click on Proceed to login button
en I verify following text is displayed on "Login" page
\${agent.login.welcome.text}
ven I click on the forgot password link from the login page
en I verify following text is displayed on "Forgot your password" page
\${agent.login.forgot.password.text}
nd I verify field label text on "Forgot your password" page
\${agent.forgot.password.field.label.text}
d I verify sample text in email field on "Forgot your password" page
\${reset.password.email.id.field.sample.text}
nd I verify Return to login link text on Forgot your password page
d I verify following buttons are displayed on "Forgot your password"
\${agent.contact.support.text}
nd I verify ''\${submit.button.text}'' button is ''disabled''
o Table of Contents
rio: Validate the return to the login link in Forgot your password page
:4
e

When I click on the Return to Login link in Forgot your password page Then I verify following text is displayed on "Login" page \${agent.login.welcome.text} When I click on the forgot password link from the login page Then I verify the forgot password email text box is empty After **Back to Table of Contents** Scenario: Verify the confirmation message on forgot password page when user enter valid email id Passed: 7 Before When I enter email address "\${USER\_EMAIL}" in Forgot your password page taf-5402702622@mailinator.com And I verify "\${submit.button.text}" button is "enabled" When I click on "\${submit.button.text}" button Then I verify following text is displayed on "Forgot your password?" page \${agent.login.forgot.password.text} And I verify email confirmation contains the agent email address as "\${USER\_EMAIL}" And I verify following paragraph is displayed on "Email Confirmation" page \${reset.password.instruction.message.text} And I verify link label text on "Forgot your password" page \${back.button.text} After **Back to Table of Contents** Scenario: Verify back button navigates user back to login page Passed: 2 Before And I click on "\${back.button.text}" link label And I verify following text is displayed on "Login" page **\$**{agent.login.welcome.text} After **Back to Table of Contents** Scenario: Close sales portal Passed: 1 Before And I close sales portal After **Back to Table of Contents** Scenario: Verify reset password link is sent to user email account

Given I assign "\${reset.email.from}" to variable "EMAIL_FROM"  Output  Assigning value rits.ciampru@prudential.com.sg to variable EMAIL_FROM  Given I assign "\${reset.email.subject}" to variable "EMAIL_SUBJECT"  Output  Assigning value Prudential Enterprise Business Account Password Reset Request to variable EMAIL_SUBJECT  And I wait for 10 sec  Given I read Agent registration email from "\${agent.Email}" in Mailinator and get "\${reset.eoutput}  Mailinator url is https://www.mailinator.com/v3/index.jsp?zone_public&query_taf-5402702622  Registration link is https://uat-sales.eb.prudential.com.my/identity/reset-password?app=eb_sme&token=1c823c9a-a526-4b  Then I verify email content is matching with "/testdata/\${sales.fe.lbu}/email_template/agent_r When I navigate to the reset password link sent to agent  Output  Then I verify following text is displayed on "Password Reset" page  \${reset.password.label.text} \${agent.password.label.text} \${agent.password.rule.text}  And I verify field label text on "Password Reset" page  \${agent.create.password.text} }	Given I assign "\${reset.email.from}" to variable "EMAIL_FROM"  Dupped  Assigning value rits.ciampru@prodential.com.sg to variable EMAIL_FROM  Given I assign "\${reset.email.subject}" to variable "EMAIL_SUBJECT"  Dupped  Assigning value Prodential Enterprise Business Account Password Reset Request to variable EMAIL_SUBJECT  And I wait for 10 sec  Given I read Agent registration email from "\${agent.Email}" in Mailinator and get "\${reset.eDupped}  Mailinator url is https://www.mailinator.com/v3/index.jsp?zone=public.&query=taf-5402702622  Registration link is https://wat-sales.eb.prodential.com.my/identity/reset-password?app=eb_sme&token=1c823c9a-a526-4b  Then I verify email content is matching with "/testdata/\${sales.fe.lbu}/email_template/agent_r When I navigate to the reset password link sent to agent  Dupped  https://wat-sales.eb.prodential.com.my/identity/reset-password?app=eb_sme&token=1c823c9a-a526-4b5b-9058-b8b09dfec  Then I verify following text is displayed on "Password Reset" page  \${reset.password.label.text} /	fore	
Assigning value rits.ciampru@prudential.com.sg to variable EMAIL_FROM  Given I assign "\${reset.email.subject}" to variable "EMAIL_SUBJECT"  Output  Assigning value Prudential Enterprise Business Account Password Reset Request to variable EMAIL_SUBJECT  And I wait for 10 sec  Given I read Agent registration email from "\${agent.Email}" in Mailinator and get "\${reset.eomput  Mailinator url is https://www.mailinator.com/v3/index.jsp?zone=public&query=taf-5402702622  Registration link is https://www.mailinator.com/v3/index.js	Assigning value rits.ciampru@prudential.com.sg to variable EMAIL_FROM  Given I assign "\${reset.email.subject}" to variable "EMAIL_SUBJECT"  Duppul  Assigning value Prudential Enterprise Business Account Pussword Reset Request to variable EMAIL_SUBJECT  And I wait for 10 sec  Given I read Agent registration email from "\${agent.Email}" in Mailinator and get "\${reset.e}  Duppul  Mailinator url is https://www.mailinator.com/v3/index_jsp?zone=public&query=taf-5402702622  Registration link is https://www.mailinator.com/v3/index_jsp?zone=public&query=taf-5402702622  Registration link is https://www.mailinator.com/v3/index_jsp?zone=public&query=taf-5402702622  Registration link is https://wat-sales.eb.prudential.com.my/identity/reset-password?app=eb_sme&token=1c823c9a-a526-4b  Then I verify email content is matching with "/testdata/\${sales.fe.lbu}/email_template/agent_r  When I navigate to the reset password link sent to agent  Duppul  https://wat-sales.eb.prudential.com.my/identity/reset-password?app=eb_sme&token=1c823c9a-a526-4b5b-9058-b8b09dfcc  Then I verify following text is displayed on "Password Reset" page  \${reset.password.label.text} \${agent.password.rule.text} }  And I verify field label text on "Password Reset" page  \${agent.create.password.text}  And I verify field label text on "Password Reset" page  \${agent.create.password.text}  And I verify following buttons are displayed on "Forgot your password"  \${agent.contact.support.text}  er  ko Table of Contents  nario: Validate mask and unmask functionality for create and confirm password field  ned: 5		
Assigning value rits.ciampru@prudential.com.sg to variable EMAIL_FROM  Given I assign "\${reset.email.subject}" to variable "EMAIL_SUBJECT"  Output  Assigning value Prudential Enterprise Business Account Password Reset Request to variable EMAIL_SUBJECT  And I wait for 10 sec  Given I read Agent registration email from "\${agent.Email}" in Mailinator and get "\${reset.ec.output}  Mailinator url is https://www.mailinator.com/v3/index.jsp?zone=public&query=taf.5402702622  Registration link is https://wat-sales.eb.prudential.com.my/identity/reset-password?app=eb_sme&token=1c823c9a-a526-4b  Then I verify email content is matching with "/testdata/\${sales.fe.lbu}/email_template/agent_routput}  https://wat-sales.eb.prudential.com.my/identity/reset-password?app=eb_sme&token=1c823c9a-a526-4b5b-9058-b8b09dfect  Then I verify following text is displayed on "Password Reset" page  \${reset.password.label.text}\$ \${agent.password.label.text}\$ \${agent.password.label.text}\$ And I verify field label text on "Password Reset" page  \${agent.create.password.text}\$  And I verify following buttons are displayed on "Forgot your password"  \${agent.contact.support.text}}  ter  k to Table of Contents  enario: Validate mask and unmusk functionality for create and confirm password field	Assigning value rits.ciampru@prudential.com.sg to variable EMAIL_FROM  Given I assign "\${reset.email.subject}" to variable "EMAIL_SUBJECT"  Duput  Assigning value Prudential Enterprise Business Account Password Reset Request to variable EMAIL_SUBJECT  And I wait for 10 sec  Given I read Agent registration email from "\${agent.Email}" in Mailinator and get "\${reset.eDuput  Mailinator url is https://www.mailinator.com/v3/index_jsp?zone=public&query=taf-5-402702622  Registration link is https://wat-sales.eb.prudential.com.my/identity/reset-password?app=eb_sme&token=1c823c9a-a526-4b  Then I verify email content is matching with "/testdata/\${sales.fe.lbu}/email_template/agent_r  When I navigate to the reset password link sent to agent  Duput  Then I verify following text is displayed on "Password Reset" page  \${reset.password.label.text} \${agent.password.rule.text} \${agent.password.rule.text} \$And I verify field label text on "Password Reset" page  \${agent.create.password.text}  And I verify "\${reset.password.button.text}" button is "disabled"  And I verify following buttons are displayed on "Forgot your password"  \${agent.contact.support.text}}  er  k to Table of Contents  marrio: Validate mask and unmask functionality for create and confirm password field sed: 5		
Given I assign "\${reset.email.subject}" to variable "EMAIL_SUBJECT"  Output  Assigning value Prudential Enterprise Business Account Password Reset Request to variable EMAIL_SUBJECT  And I wait for 10 sec  Given I read Agent registration email from "\${agent.Email}" in Mailinator and get "\${reset.eoutput}  Mailinator url is https://www.mailinator.com/v3/index.jsp?zone=public&query=taf-5402702622  Registration link is https://wat-sales.eb.prudential.com.my/identity/reset-password?app=eb_sme&token=1c823c9a-a526-4b  Then I verify email content is matching with "/testdata/\${sales.fe.lbu}/email_template/agent_r  When I navigate to the reset password link sent to agent  Output  Then I verify following text is displayed on "Password Reset" page  \${reset.password.label.text} \${agent.password.label.text} \${agent.password.rule.text} \$And I verify field label text on "Password Reset" page  \${agent.create.password.text} \$And I verify following buttons are displayed on "Forgot your password"  \${agent.contact.support.text} \${a	Given I assign "\${reset.email.subject}" to variable "EMAIL_SUBJECT"  Duput  Assigning value Prudential Enterprise Business Account Password Reset Request to variable EMAIL_SUBJECT  And I wait for 10 sec  Given I read Agent registration email from "\${agent.Email}" in Mailinator and get "\${reset.e}  Duput  Mailinator url is https://www.mailinator.com/v3/index.jsp?zone=public&query=taf-5402702622  Registration link is https://uat-sales.eb.prudential.com.my/identity/reset-password?app=eb_sme&token=1c823c9a-a526-4t  Then I verify email content is matching with "/testdata/\${sales.fe.lbu}/email_template/agent_r  When I navigate to the reset password link sent to agent  Duput  https://uat-sales.eb.prudential.com.my/identity/reset-password?app=eb_sme&token=1c823c9a-a526-4b5b-9058-b8b09dfec  Then I verify following text is displayed on "Password Reset" page  \${reset.password.label.text}   \${agent.password.label.text}   And I verify field label text on "Password Reset" page  \${agent.create.password.text}   And I verify iffeld label text on "Password Reset" page  \${agent.create.password.text}   And I verify following buttons are displayed on "Forgot your password"  \${agent.contact.support.text}   And I verify following buttons are displayed on "Forgot your password"  \${agent.contact.support.text}   Stagent.contact.support.text}   And I verify following buttons are displayed on "Forgot your password"  \${agent.contact.support.text}   Stagent.contact.support.text}   Stagent.contact.support.text}		
Assigning value Prudential Enterprise Business Account Password Reset Request to variable EMAIL_SUBJECT  And I wait for 10 sec  Given I read Agent registration email from "\${agent.Email}" in Mailinator and get "\${reset.eOutput}  Mailinator url is https://www.mailinator.com/v3/index.jsp?zone=public&query=taf-5402702622 Registration link is https://wat-sales.cb.prudential.com.my/identity/reset-password?app=cb_smc&token=1c823c9a-a526-4b  Then I verify email content is matching with "/testdata/\${sales.fe.lbu}/email_template/agent_r When I navigate to the reset password link sent to agent Output  https://wat-sales.cb.prudential.com.my/identity/reset-password?app=cb_smc&token=1c823c9a-a526-4b5b-9058-b8b09dfec  Then I verify following text is displayed on "Password Reset" page  \${reset.password.label.text} \${agent.password.label.text} And I verify field label text on "Password Reset" page  \${agent.create.password.text} And I verify "\${reset.password.button.text}" button is "disabled"  And I verify following buttons are displayed on "Forgot your password"  \${agent.contact.support.text}}  ter  to Table of Contents enario: Validate mask and unmask functionality for create and confirm password field	Assigning value Prudential Enterprise Business Account Password Reset Request to variable EMAIL_SUBJECT  And I wait for 10 sec  Given I read Agent registration email from "\${agent.Email}" in Mailinator and get "\${reset.e_Dupput}  Mailinator url is https://www.mailinator.com/v3/index.jsp?zone=public&query=taf-5402702622 Registration link is https://uat-sales.eb.prudential.com.my/identity/reset-password?app=eb_sme&token=1c823c9a-a526-4b  Then I verify email content is matching with "/testdata/\${sales.fe.lbu}/email_template/agent_r When I navigate to the reset password link sent to agent  Output  https://uat-sales.eb.prudential.com.my/identity/reset-password?app=eb_sme&token=1c823c9a-a526-4b5b-9058-b8b09dfec  Then I verify following text is displayed on "Password Reset" page  \${reset.password.label.text} \${agent.password.label.text} And I verify field label text on "Password Reset" page  \${agent.create.password.text}  And I verify ("\${reset.password.button.text}" button is "disabled"  And I verify following buttons are displayed on "Forgot your password"  \${agent.contact.support.text}}  er  k to Table of Contents  nario: Validate mask and unmask functionality for create and confirm password field sed: 5	Assigning value rits.ciampru@prudential.com.sg to variable EMAIL_FROM	
Assigning value Prudential Enterprise Business Account Password Reset Request to variable EMAIL_SUBJECT  And I wait for 10 sec  Given I read Agent registration email from "\${agent.Email}" in Mailinator and get "\${reset.eoutput}  Mailinator url is https://www.mailinator.com/v3/index.jsp?zone=public&query=taf-5402702622 Registration link is https://uat-sales.eb.prudential.com.my/identity/reset-password?app=eb_sme&token=1c823c9a-a526-4b  Then I verify email content is matching with "/testdata/\${sales.fe.lbu}/email_template/agent_r  When I navigate to the reset password link sent to agent  Output  https://uat-sales.eb.prudential.com.my/identity/reset-password?app=eb_sme&token=1c823c9a-a526-4b5b-9058-b8b09dfec  Then I verify following text is displayed on "Password Reset" page  \${reset.password.label.text} \${agent.password.label.text} \${agent.create.password.text}  And I verify field label text on "Password Reset" page  \${agent.create.password.button.text}" button is "disabled"  And I verify following buttons are displayed on "Forgot your password"  \${agent.contact.support.text}  ter  to Table of Contents  enaio: Validate mask and unmask functionality for create and confirm password field	Assigning value Prudential Enterprise Business Account Password Reset Request to variable EMAIL_SUBJECT  And I wait for 10 sec  Given I read Agent registration email from "\${agent.Email}" in Mailinator and get "\${reset.e}  Mailinator url is https://www.mailinator.com/v3/index.jsp?zone=public&query=taf-5402702622  Registration link is https://wat-sales.eb.prudential.com.my/identity/reset-password?app=eb_sme&token=1c823c9a-a526-4b  Then I verify email content is matching with "/testdata/\${sales.fe.lbu}/email_template/agent_r  When I navigate to the reset password link sent to agent  Duput  https://wat-sales.eb.prudential.com.my/identity/reset-password?app=eb_sme&token=1c823c9a-a526-4b5b-9058-b8b09dfec  Then I verify following text is displayed on "Password Reset" page  \${reset.password.label.text} \${agent.password.label.text} \${agent.password.rule.text}  And I verify field label text on "Password Reset" page  \${agent.create.password.button.text}" button is "disabled"  And I verify following buttons are displayed on "Forgot your password"  \${agent.contact.support.text} er  k to Table of Contents  nario: Validate mask and unmask functionality for create and confirm password field  sed: 5	Given I assign ''\${reset.email.subject}'' to variable ''EMAIL_SUBJE	CT"
And I wait for 10 sec  Given I read Agent registration email from "\${agent.Email}" in Mailinator and get "\${reset.e}  Output  Mailinator url is https://www.mailinator.com/v3/index.jsp?zone=public&query=taf-5402702622  Registration link is https://uat-sales.eb.prudential.com.my/identity/reset-password?app=eb_sme&token=1c823c9a-a526-4b  Then I verify email content is matching with "/testdata/\${sales.fe.lbu}/email_template/agent_r  When I navigate to the reset password link sent to agent  Output  https://uat-sales.eb.prudential.com.my/identity/reset-password?app=eb_sme&token=1c823c9a-a526-4b5b-9058-b8b09dfec  Then I verify following text is displayed on "Password Reset" page  \${reset.password.label.text}}  \${agent.password.label.text}}  And I verify field label text on "Password Reset" page  \${agent.create.password.text}}  And I verify "\${reset.password.button.text}" button is "disabled"  And I verify following buttons are displayed on "Forgot your password"  \${agent.contact.support.text}}  der  & to Table of Contents  enario: Validate mask and unmask functionality for create and confirm password field	And I wait for 10 sec  Given I read Agent registration email from "\${agent.Email}" in Mailinator and get "\${reset.e}  Duppil  Mailinator url is https://www.mailinator.com/v3/index.jsp?zone=public&query=taf-5402702622  Registration link is https://uat-sales.eb.prudential.com.my/identity/reset-password?app=eb_sme&token=1c823c9a-a526-4b  Then I verify email content is matching with "/testdata/\${sales.fe.lbu}/email_template/agent_r  When I navigate to the reset password link sent to agent  Output  https://uat-sales.eb.prudential.com.my/identity/reset-password?app=eb_sme&token=1c823c9a-a526-4b5b-9058-b8b09dfec  Then I verify following text is displayed on "Password Reset" page  \${reset.password.label.text} \${agent.password.label.text} And I verify field label text on "Password Reset" page  \${agent.create.password.text} And I verify "\${reset.password.button.text}" button is "disabled"  And I verify following buttons are displayed on "Forgot your password"  \${agent.contact.support.text}}  er  k to Table of Contents  nario: Validate mask and unmask functionality for create and confirm password field  sed: 5	Output	
Given I read Agent registration email from "\${agent.Email}" in Mailinator and get "\${reset.ei Output  Mailinator url is https://www.mailinator.com/v3/index.jsp?zone=public&query=taf-5402702622 Registration link is https://wat-sales.eb.prudential.com.my/identity/reset-password?app=eb_sme&token=1c823c9a-a526-4b  Then I verify email content is matching with "/testdata/\${sales.fe.lbu}/email_template/agent_rewhen I navigate to the reset password link sent to agent  Output  https://wat-sales.eb.prudential.com.my/identity/reset-password?app=eb_sme&token=1c823c9a-a526-4b5b-9058-b8b09dfed  Then I verify following text is displayed on "Password Reset" page  \${reset.password.label.text} \${agent.password.rule.text}  And I verify field label text on "Password Reset" page  \${agent.create.password.text}  And I verify "\${reset.password.button.text}" button is "disabled"  And I verify following buttons are displayed on "Forgot your password"  \${agent.contact.support.text}}  ter  **k to Table of Contents  enario: Validate mask and unmask functionality for create and confirm password field	Given I read Agent registration email from "\${agent.Email}" in Mailinator and get "\${reset.eoupput  Mailinator url is https://www.mailinator.com/v3/index.jsp?zone=public&query=taf-5402702622 Registration link is https://uat-sales.eb.prudential.com.my/identity/reset-password?app=eb_sme&token=1c823c9a-a526-4b  Then I verify email content is matching with "/testdata/\${sales.fe.lbu}/email_template/agent_r  When I navigate to the reset password link sent to agent  Output  https://uat-sales.eb.prudential.com.my/identity/reset-password?app=eb_sme&token=1c823c9a-a526-4b5b-9058-b8b09dfec  Then I verify following text is displayed on "Password Reset" page  \${reset.password.label.text} \${agent.password.rule.text}}  And I verify field label text on "Password Reset" page  \${agent.create.password.text}  And I verify following buttons are displayed on "Forgot your password"  \${agent.contact.support.text}}  er  k to Table of Contents  mario: Validate mask and unmask functionality for create and confirm password field  sed: 5	Assigning value Prudential Enterprise Business Account Password Reset Request to varia	ble EMAIL_SUBJECT
Mailinator url is https://www.mailinator.com/v3/index.jsp?zone=public&query=taf-5402702622 Registration link is https://uat-sales.eb.prudential.com.my/identity/reset-password?app=eb_sme&token=1c823c9a-a526-4b  Then I verify email content is matching with "/testdata/\${sales.fe.lbu}/email_template/agent_r When I navigate to the reset password link sent to agent  Output  https://uat-sales.eb.prudential.com.my/identity/reset-password?app=eb_sme&token=1c823c9a-a526-4b5b-9058-b8b09dfec  Then I verify following text is displayed on "Password Reset" page  \${reset.password.label.text} { \${agent.password.rule.text}}  And I verify field label text on "Password Reset" page  \${agent.create.password.text} {  And I verify "\${reset.password.button.text}" button is "disabled"  And I verify following buttons are displayed on "Forgot your password"  \${agent.contact.support.text} {  ter the Table of Contents to Table o	Mailinator url is https://www.mailinator.com/v3/index.jsp?zone=public&query=taf-5402702622 Registration link is https://uat-sales.eb.prudential.com.my/identity/reset-password?app=eb_sme&token=1c823c9a-a526-4b  Then I verify email content is matching with "/testdata/\${sales.fe.lbu}/email_template/agent_r When I navigate to the reset password link sent to agent  Output  https://uat-sales.eb.prudential.com.my/identity/reset-password?app=eb_sme&token=1c823c9a-a526-4b5b-9058-b8b09dfec  Then I verify following text is displayed on "Password Reset" page  \${reset.password.label.text}  \${agent.password.rule.text}   And I verify field label text on "Password Reset" page  \${agent.create.password.text}   And I verify "\${reset.password.button.text}" button is "disabled"  And I verify following buttons are displayed on "Forgot your password"  \${agent.contact.support.text}   er  k to Table of Contents  mario: Validate mask and unmask functionality for create and confirm password field  sed: 5	And I wait for 10 sec	
Mailinator url is https://www.mailinator.com/v3/index.jsp?zone=public&query=taf-5402702622 Registration link is https://uat-sales.eb.prudential.com.my/identity/reset-password?app=eb_sme&token=1c823c9a-a526-4b  Then I verify email content is matching with "/testdata/\${sales.fe.lbu}/email_template/agent_r When I navigate to the reset password link sent to agent  Output  https://uat-sales.eb.prudential.com.my/identity/reset-password?app=eb_sme&token=1c823c9a-a526-4b5b-9058-b8b09dfec  Then I verify following text is displayed on "Password Reset" page  \${reset.password.label.text} { \${agent.password.rule.text}}  And I verify field label text on "Password Reset" page  \${agent.create.password.text} {  And I verify "\${reset.password.button.text}" button is "disabled"  And I verify following buttons are displayed on "Forgot your password"  \${agent.contact.support.text} {  ter the Table of Contents to Table o	Mailinator url is https://www.mailinator.com/v3/index.jsp?zone=public&query=taf-5402702622 Registration link is https://uat-sales.eb.prudential.com.my/identity/reset-password?app=eb_sme&token=1c823c9a-a526-4b  Then I verify email content is matching with "/testdata/\${sales.fe.lbu}/email_template/agent_r When I navigate to the reset password link sent to agent  Output  https://uat-sales.eb.prudential.com.my/identity/reset-password?app=eb_sme&token=1c823c9a-a526-4b5b-9058-b8b09dfec  Then I verify following text is displayed on "Password Reset" page  \${reset.password.label.text}  \${agent.password.rule.text}   And I verify field label text on "Password Reset" page  \${agent.create.password.text}   And I verify "\${reset.password.button.text}" button is "disabled"  And I verify following buttons are displayed on "Forgot your password"  \${agent.contact.support.text}   er  k to Table of Contents  mario: Validate mask and unmask functionality for create and confirm password field  sed: 5	Given I read Agent registration email from "\${agent.Email}" in Mai	linator and get "\${reset.e
Mailinator url is https://www.mailinator.com/v3/index.jsp?zone=public&query=taf-5402702622 Registration link is https://uat-sales.eb.prudential.com.my/identity/reset-password?app=eb_sme&token=1c823c9a-a526-4b  Then I verify email content is matching with "/testdata/\${sales.fe.lbu}/email_template/agent_r  When I navigate to the reset password link sent to agent  Output  https://uat-sales.eb.prudential.com.my/identity/reset-password?app=eb_sme&token=1c823c9a-a526-4b5b-9058-b8b09dfec  Then I verify following text is displayed on "Password Reset" page  \${reset.password.label.text}  \${agent.password.rule.text}  And I verify field label text on "Password Reset" page  \${agent.create.password.text}  And I verify "\${reset.password.button.text}" button is "disabled"  And I verify following buttons are displayed on "Forgot your password"  \${agent.contact.support.text}  ter  *k to Table of Contents  *enario: Validate mask and unmask functionality for create and confirm password field	Mailinator url is https://www.mailinator.com/v3/index.jsp?zone=public&query=taf-5402702622 Registration link is https://uat-sales.eb.prudential.com.my/identity/reset-password?app=eb_sme&token=1c823c9a-a526-4b  Then I verify email content is matching with "/testdata/\${sales.fe.lbu}/email_template/agent_r  When I navigate to the reset password link sent to agent  Output  https://uat-sales.eb.prudential.com.my/identity/reset-password?app=eb_sme&token=1c823c9a-a526-4b5b-9058-b8b09dfec  Then I verify following text is displayed on "Password Reset" page  \${reset.password.label.text} \${agent.password.rule.text}  And I verify field label text on "Password Reset" page  \${agent.create.password.text}  And I verify "\${reset.password.button.text}" button is "disabled"  And I verify following buttons are displayed on "Forgot your password"  \${agent.contact.support.text}}  er  k to Table of Contents  mario: Validate mask and unmask functionality for create and confirm password field  sed: 5		
When I navigate to the reset password link sent to agent  Output  https://uat-sales.eb.prudential.com.my/identity/reset-password?app=eb_sme&token=1c823c9a-a526-4b5b-9058-b8b09dfec  Then I verify following text is displayed on "Password Reset" page  \${reset.password.label.text} \${agent.password.rule.text}  And I verify field label text on "Password Reset" page  \${agent.create.password.text}  And I verify "\${reset.password.button.text}" button is "disabled"  And I verify following buttons are displayed on "Forgot your password"  \${agent.contact.support.text}}  ter  text to Table of Contents  tenario: Validate mask and unmask functionality for create and confirm password field	When I navigate to the reset password link sent to agent  Output  https://uat-sales.eb.prudential.com.my/identity/reset-password?app=eb_sme&token=1c823c9a-a526-4b5b-9058-b8b09dfec  Then I verify following text is displayed on "Password Reset" page  \${reset.password.label.text} \${agent.password.rule.text}  And I verify field label text on "Password Reset" page  \${agent.create.password.text}  And I verify "\${reset.password.button.text}" button is "disabled"  And I verify following buttons are displayed on "Forgot your password"  \${agent.contact.support.text}  er  k to Table of Contents  mario: Validate mask and unmask functionality for create and confirm password field  sed: 5	Then I verify email content is matching with "/testdata/\${sales.fe.lbu	}/email_template/agent_r
Output  https://uat-sales.eb.prudential.com.my/identity/reset-password?app=eb_sme&token=1c823c9a-a526-4b5b-9058-b8b09dfec  Then I verify following text is displayed on "Password Reset" page  \${reset.password.label.text} \${agent.password.rule.text}  And I verify field label text on "Password Reset" page  \${agent.create.password.text}  And I verify "\${reset.password.button.text}" button is "disabled"  And I verify following buttons are displayed on "Forgot your password"  \${agent.contact.support.text}  ter  to Table of Contents  tenario: Validate mask and unmask functionality for create and confirm password field	Output  https://uat-sales.eb.prudential.com.my/identity/reset-password?app=eb_sme&token=1c823c9a-a526-4b5b-9058-b8b09dfec  Then I verify following text is displayed on "Password Reset" page  \${reset.password.label.text}  \${agent.password.rule.text}  And I verify field label text on "Password Reset" page  \${agent.create.password.text}  And I verify "\${reset.password.button.text}" button is "disabled"  And I verify following buttons are displayed on "Forgot your password"  \${agent.contact.support.text}  er  k to Table of Contents  mario: Validate mask and unmask functionality for create and confirm password field  sed: 5		) <u> </u>
Then I verify following text is displayed on "Password Reset" page  \${reset.password.label.text} \${agent.password.rule.text}  And I verify field label text on "Password Reset" page  \${agent.create.password.text}  And I verify "\${reset.password.button.text}" button is "disabled"  And I verify following buttons are displayed on "Forgot your password"  \${agent.contact.support.text}  ter  *k to Table of Contents  enario: Validate mask and unmask functionality for create and confirm password field	Then I verify following text is displayed on "Password Reset" page  \${reset.password.label.text}  \${agent.password.rule.text}  And I verify field label text on "Password Reset" page  \${agent.create.password.text}  And I verify "\${reset.password.button.text}" button is "disabled"  And I verify following buttons are displayed on "Forgot your password"  \${agent.contact.support.text}  er  k to Table of Contents  mario: Validate mask and unmask functionality for create and confirm password field sed: 5	Output	
Then I verify following text is displayed on "Password Reset" page  \${reset.password.label.text} \${agent.password.rule.text}  And I verify field label text on "Password Reset" page  \${agent.create.password.text}  And I verify "\${reset.password.button.text}" button is "disabled"  And I verify following buttons are displayed on "Forgot your password"  \${agent.contact.support.text}  ter  *k to Table of Contents  enario: Validate mask and unmask functionality for create and confirm password field	Then I verify following text is displayed on "Password Reset" page  \${reset.password.label.text}  \${agent.password.rule.text}  And I verify field label text on "Password Reset" page  \${agent.create.password.text}  And I verify "\${reset.password.button.text}" button is "disabled"  And I verify following buttons are displayed on "Forgot your password"  \${agent.contact.support.text}  er  k to Table of Contents  mario: Validate mask and unmask functionality for create and confirm password field sed: 5		
\${reset.password.label.text} \${agent.password.rule.text}  And I verify field label text on "Password Reset" page \${agent.create.password.text}  And I verify "\${reset.password.button.text}" button is "disabled"  And I verify following buttons are displayed on "Forgot your password"  \${agent.contact.support.text}  ter  tex to Table of Contents  enario: Validate mask and unmask functionality for create and confirm password field	\${reset.password.label.text} \${agent.password.rule.text}  And I verify field label text on "Password Reset" page \${agent.create.password.text}  And I verify "\${reset.password.button.text}" button is "disabled"  And I verify following buttons are displayed on "Forgot your password"  \${agent.contact.support.text}  er  k to Table of Contents  enario: Validate mask and unmask functionality for create and confirm password field  sed: 5	https://uat-sales.eb.prudential.com.my/identity/reset-password?app=eb_sme&token=1c82	3c9a-a526-4b5b-9058-b8b09dfec
\$\{agent.password.rule.text\}\$ And I verify field label text on "Password Reset" page \$\{agent.create.password.text\}\$ And I verify "\$\{reset.password.button.text\}" button is "disabled" And I verify following buttons are displayed on "Forgot your password" \$\{agent.contact.support.text\}\$ ter  **Ret to Table of Contents  **Password T	\$\{agent.password.rule.text\}\$ And I verify field label text on "Password Reset" page \$\{agent.create.password.text\}\$ And I verify "\$\{reset.password.button.text\}" button is "disabled" And I verify following buttons are displayed on "Forgot your password" \$\{agent.contact.support.text\}\$ er  k to Table of Contents enario: Validate mask and unmask functionality for create and confirm password field sed: 5	Then I verify following text is displayed on "Password Reset" page	
And I verify field label text on "Password Reset" page  \$\{\text{agent.create.password.text}\}\  And I verify "\\$\{\text{reset.password.button.text}\}" button is "disabled"  And I verify following buttons are displayed on "Forgot your password"  \$\{\text{agent.contact.support.text}\}\  ter  **k to Table of Contents  **enario: Validate mask and unmask functionality for create and confirm password field	And I verify field label text on "Password Reset" page  \${agent.create.password.text}  And I verify "\${reset.password.button.text}" button is "disabled"  And I verify following buttons are displayed on "Forgot your password"  \${agent.contact.support.text}  er  k to Table of Contents  mario: Validate mask and unmask functionality for create and confirm password field  sed: 5		
\$\{agent.create.password.text\}\ And I verify "\$\{reset.password.button.text\}" button is "disabled"  And I verify following buttons are displayed on "Forgot your password"  \$\{agent.contact.support.text\}\  ter  **k to Table of Contents**  **chario: Validate mask and unmask functionality for create and confirm password field**	\$\{agent.create.password.text\}\ And I verify "\$\{reset.password.button.text\}" button is "disabled" And I verify following buttons are displayed on "Forgot your password"  \$\{agent.contact.support.text\}\ er  k to Table of Contents  mario: Validate mask and unmask functionality for create and confirm password field  sed: 5	\${agent.password.rule.text}	
And I verify "\${reset.password.button.text}" button is "disabled"  And I verify following buttons are displayed on "Forgot your password"  \${agent.contact.support.text}}  ter  tex to Table of Contents  enario: Validate mask and unmask functionality for create and confirm password field	And I verify "\${reset.password.button.text}" button is "disabled"  And I verify following buttons are displayed on "Forgot your password"  \${agent.contact.support.text}  er  k to Table of Contents  mario: Validate mask and unmask functionality for create and confirm password field  sed: 5	And I verify field label text on "Password Reset" page	
And I verify following buttons are displayed on "Forgot your password"  \${agent.contact.support.text}}  ter  *k to Table of Contents  enario: Validate mask and unmask functionality for create and confirm password field	And I verify following buttons are displayed on "Forgot your password"  \$\{\text{agent.contact.support.text}\}\]  er  k to Table of Contents  mario: Validate mask and unmask functionality for create and confirm password field  sed: 5	\${agent.create.password.text}	
And I verify following buttons are displayed on "Forgot your password"  \${agent.contact.support.text}}  ter  ter  that Table of Contents  enario: Validate mask and unmask functionality for create and confirm password field	And I verify following buttons are displayed on "Forgot your password"  \$\{\text{agent.contact.support.text}\}\]  er  k to Table of Contents  mario: Validate mask and unmask functionality for create and confirm password field  sed: 5	And I verify "\${reset.password.button.text}" button is "disabled"	
\$\{\text{agent.contact.support.text}\}\text{ter} \text{to Table of Contents} \text{enario: Validate mask and unmask functionality for create and confirm password field}	\$\{\text{agent.contact.support.text}\}\ \text{er} \text{k to Table of Contents} \text{onario: Validate mask and unmask functionality for create and confirm password field} \text{sed: 5}		ord"
ter  the to Table of Contents  the to Table	er k to Table of Contents enario: Validate mask and unmask functionality for create and confirm password field sed: 5		
enario: Validate mask and unmask functionality for create and confirm password field	k to Table of Contents enario: Validate mask and unmask functionality for create and confirm password field sed: 5		
enario: Validate mask and unmask functionality for create and confirm password field	enario: Validate mask and unmask functionality for create and confirm password field sed: 5		
·	sed: 5		m paggward Cald
sed: 5			TII password neid
	ore		

And I verify the Password entered is masked

When I click on the eye icon for Create Password field

Then I validate the password should display without encrypted

When I click on the eye icon for Confirm Password field

Then I validate the confirm password should display without encrypted

After

**Back to Table of Contents** 

Scenario Outline: verify that the reset password button is enabled only when agent entered the correct

Passed: 3

Before

When I enter "Agent" password in create password field

And I enter "Agent" password in confirm password field

And I verify "\${reset.password.button.text}" button is "disabled"

After

**Back to Table of Contents** 

Scenario Outline: verify that the reset password button is enabled only when agent entered the correc

Passed: 3

Before

When I enter "Agent123" password in create password field

And I enter ''' password in confirm password field

And I verify "\${reset.password.button.text}" button is "disabled"

After

**Back to Table of Contents** 

Scenario Outline: verify that the reset password button is enabled only when agent entered the correct

Passed: 3

Before

When I enter "Agent123" password in create password field

And I enter "Agent" password in confirm password field

And I verify "\${reset.password.button.text}" button is "disabled"

After

**Back to Table of Contents** 

Scenario Outline: verify that the reset password button is enabled only when agent entered the correc

Passed: 3

Before

When I enter "" password in create password field

And I enter "Agent123" password in confirm password field

And I verify "\${reset.password.button.text}" button is "disabled"

After

**Back to Table of Contents** 

Scenario: verify Agent should be able to reset the password for sales portal

Passed: 14

Before

Given I assign "Agent124" to variable "AGENT_NEW_PASSWORD"	
Output	
Assigning value Agent124 to variable AGENT_NEW_PASSWORD	
When I enter ''\${AGENT_NEW_PASSWORD}'' password in create password field	
And I enter "\${AGENT_NEW_PASSWORD}" password in confirm password field	
And I verify ''\${reset.password.button.text}'' button is ''enabled''	
And I click on ''\${reset.password.button.text}'' button	
And I verify following text is displayed on "Password Reset" page	
\${reset.password.label.text}	
\${reset.password.confirmation.message.text}	
Then I verify ''\${agent.proceed.login.text}'' button is ''enabled''	
And I verify following buttons are displayed on "Forgot your password"	
\${agent.contact.support.text}	
Then I click on Proceed to login button	
Then I verify following text is displayed on "Welcome" page	
\${agent.login.welcome.text}	
When I enter username and password in Sales portal Login page	
UserName \${USER_EMAIL}	
Password \${AGENT_NEW_PASSWORD}	
And I click on Login button	
And I enter the verification code if page appears for agent "\${USER_EMAIL}"	
Output	
Mailinator url is https://www.mailinator.com/v3/index.jsp?zone=public&query=taf-5402702622	
Email OTP is 58125155	
Then I verify '\${welcome.to.prudential}'' screen is displayed	
ter	
ck to Table of Contents	
enario: verify Agent should be able to logout and Login back with the new/reset password	
ssed: 5	
fore	
When I Logout of the sales portal	
When I enter username and password in Sales portal Login page	
UserName \${USER_EMAIL}	
Password \${AGENT_NEW_PASSWORD}	
And I click on Login button	
And I enter the verification code if page appears for agent "\${USER_EMAIL}"	
Then I verify '\\${welcome.to.prudential}'' screen is displayed	

After					
Back to Table of Contents					
	Scenario: Close from Sales Portal				
Passed: 1					
Before					
And I close sales p	acutal				
After	ortai				
Back to Table of Contents					
	nepage for Agent ID, Navigation bar & Toggle bar				
Passed: 20					
	agent ID is displayed on home page				
Passed: 7					
Before					
Given Launch sale	es portal				
https://uat-sales.eb.prud	lential.com.my/				
	e to following variables				
Agent_Email	\${agent.email.id.global}				
	rd \${agent.password}				
	Sales Portal with below details				
UserName \${As					
	gent_Password}				
	erification code if page appears for agent "\${Agent_Email}"				
	glish" language is selected by default based on LBU				
	language button as required				
	welcome.to.prudential}'' screen is displayed				
	After				
Back to Table of Contents					
Scenario: Verify the Toggle bar on the home page					
Passed: 3					
Before					
Given The toggle bar is present at left side of the page					
Then I verify the presence of following toggle bar items					
New Quote \$\{\text{toggleBarItem.newQuote.label}\}					
Information	\$\{\text{toggleBarItem.information.label}\}				
Quotes	\$\{\text{toggleBarItem.quotes.label}\}				
Documents	\$\{\text{toggleBarItem.documents.label}\}				
Support	\$\{\text{toggleBarItem.support.label}\}				
Logout	\$\{\text{toggleBarItem.logOut.label}\}				

		Detailed Results Report					
	Profile	\${toggleBarItem.profile.label}					
	Toggle SideBa	r \${toggleBarItem.toggleSidebar.label}					
	Then I verify following language options are available on toggle bar based on the LBU						
	\${language.selection.options}						
Af	ter	•					
Ba	ck to Table of Content	<u>s</u>					
Sc	enario Outline: I v	erify the navigation to the New Quote	page and verify that user is landed on New				
	ssed: 4						
Be	fore						
	Given I click on "	New Quote'' Link					
		er is landed on "New Quote" page					
	Then I verify the	presence of following toggle bar items					
	Toggle SideBa	r \${toggleBarItem.toggleSidebar.label}					
	New Quote	\${toggleBarItem.newQuote.label}					
	Information	\${toggleBarItem.information.label}					
	Quotes	\${toggleBarItem.quotes.label}					
	Documents	\${toggleBarItem.documents.label}					
	Support	\${toggleBarItem.support.label}					
	Logout	\${toggleBarItem.logOut.label}					
	Profile	\${toggleBarItem.profile.label}					
	Then I verify follo	owing language options are available or	toggle bar based on the LBU				
	\${language.sel	ection.options}					
Af	ter						
Ba	ck to Table of Content	<u>s</u>					
Sc	enario Outline: I v	rerify the navigation to the Quotes page	and verify that user is landed on Quotes				
Pas	ssed: 4						
Be	fore						
	Given I click on "Quotes" Link						
	And verify the user is landed on "Quotes" page						
	Then I verify the	presence of following toggle bar items					
	Toggle SideBa	r \${toggleBarItem.toggleSidebar.label}					
	New Quote	\${toggleBarItem.newQuote.label}					
	Information	\${toggleBarItem.information.label}					
	Quotes	\${toggleBarItem.quotes.label}					
	Documents	\${toggleBarItem.documents.label}					
	Support	\${toggleBarItem.support.label}					
	Logout	\${toggleBarItem.logOut.label}					
	Profile	\${toggleBarItem.profile.label}					

Then I verify following language options are available on toggle bar based on the LBU

\${language.selection.options}

## After

**Back to Table of Contents** 

Scenario Outline: I verify the navigation to the Documents page and verify that user is landed on Doc

Passed: 4						
Before	Sefore					
	Given I click on "Documents" Link					
	And verify the user is landed on "Documents" page					
		resence of following toggle bar items				
Togg	gle SideBar	\${toggleBarItem.toggleSidebar.label}				
New	Quote	\${toggleBarItem.newQuote.label}				
Info	rmation	\${toggleBarItem.information.label}				
Quot	tes	\${toggleBarItem.quotes.label}				
Docu	ıments	\${toggleBarItem.documents.label}				
Supp	ort	\${toggleBarItem.support.label}				
Logo	out	\${toggleBarItem.logOut.label}				
Prof	ile	\${toggleBarItem.profile.label}				
Then I	verify follo	wing language options are available on	toggle bar based on the LBU			
\${lar	guage.sele	ction.options}				
After						
	e of Contents					
			ge and verify that user is landed on Get H			
Passed: 4	dunic. I v	triny the havigation to the Get Help pag	e and verify that user is failured on Get I			
Before						
	11.1.11.4	N . T				
		Get Help'' Link				
		r is landed on "Get Help" page				
		resence of following toggle bar items				
		\$\{toggleBarItem.toggleSidebar.label\}				
	Quote	\${toggleBarItem.newQuote.label}				
	rmation	\${toggleBarItem.information.label}				
Quot		\${toggleBarItem.quotes.label}				
Docu	iments	\${toggleBarItem.documents.label}				
Supp		\${toggleBarItem.support.label}				
Logo		\${toggleBarItem.logOut.label}				
Prof		\${toggleBarItem.profile.label}				
Then I	verify follo	wing language options are available on	toggle bar based on the LBU			
\${lar	nguage.sele	ction.options}				
After						
Back to Tabl	e of Contents					
			e page and verify that user is landed on A			
Passed: 4						
Before						
	click on !!/	Agent Profile'' Link				
		r is landed on "Agent Profile" page				
	Then I verify the presence of following toggle bar items  Toggle SideBar \$\{\text{toggleBarItem.toggleSidebar.label}\}					
New	Quote	\${toggleBarItem.newQuote.label}				

Information	\${toggleBarItem.information.label}
Quotes	\${toggleBarItem.quotes.label}
Documents	\${toggleBarItem.documents.label}
Support	\${toggleBarItem.support.label}
Logout	\${toggleBarItem.logOut.label}
Profile	\${toggleBarItem.profile.label}

Then I verify following language options are available on toggle bar based on the LBU

**\${language.selection.options}** 

#### After

#### **Back to Table of Contents**

Scenario Outline: I verify the navigation to the Information page and verify that user is landed on Inf

Passed: 4

## Before

Given I click on "Information" Link

And verify the user is landed on "Information" page

Then I verify the presence of following toggle bar items

Toggle SideBa	r \${toggleBarItem.toggleSidebar.label}
New Quote	\${toggleBarItem.newQuote.label}
Information	\${toggleBarItem.information.label}
Quotes	\${toggleBarItem.quotes.label}
Documents	\${toggleBarItem.documents.label}
Support	\${toggleBarItem.support.label}
Logout	\${toggleBarItem.logOut.label}
Profile	\${toggleBarItem.profile.label}

Then I verify following language options are available on toggle bar based on the LBU

**\${language.selection.options}** 

#### After

## **Back to Table of Contents**

Scenario: Verify the Navigation bar on the New Quote page

Passed: 3

## Before

## Given I click on Create Quote Link

Then I accept disclaimer if present for new quote

Then I verify the presence of following navigation bar items

\${selectPlan.tab.text}

**\${employee.tab.text}** 

\${company.tab.text}

\${submit.tab.text}

#### After

#### **Back to Table of Contents**

Scenario Outline: I verify the navigation to the Select Plan page and verify that user is landed on Sele

Passed: 7

Before

Given I navigate to "Select Plan" screen And verify the user is landed on "Select Plan" page Then I wait for 2 sec Then I verify the presence of following toggle bar items Toggle SideBar \${toggleBarItem.toggleSidebar.label} \$\toggleBarItem.newQuote.label} **New Quote** Information \${toggleBarItem.information.label} \$\toggleBarItem.quotes.label} **Ouotes Documents** \$\toggleBarItem.documents.label} Support \${toggleBarItem.support.label} \${toggleBarItem.logOut.label} Logout **Profile** \${toggleBarItem.profile.label} Then I verify following language options are available on toggle bar based on the LBU **\${language.selection.options}** When I click on Estimated Premium info icon Then I verify following text is displayed on "Info Section" page \${info.text} After **Back to Table of Contents** Scenario Outline: I verify the navigation to the Employees page and verify that user is landed on Emp Passed: 7 Before Given I navigate to "Employees" screen And verify the user is landed on "Employees" page Then I wait for 2 sec Then I verify the presence of following toggle bar items Toggle SideBar \$\toggleBarItem.toggleSidebar.label} **New Quote** \${toggleBarItem.newQuote.label} Information \${toggleBarItem.information.label} **Ouotes** \${toggleBarItem.quotes.label} \$\{toggleBarItem.documents.label\} **Documents** \${toggleBarItem.support.label} Support \$\toggleBarItem.logOut.label} Logout **Profile** \${toggleBarItem.profile.label} Then I verify following language options are available on toggle bar based on the LBU **\${language.selection.options}** When I click on Estimated Premium info icon Then I verify following text is displayed on "Info Section" page \${info.text} After

**Back to Table of Contents** 

Scenario Outline: I verify the navigation to the Company page and verify that user is landed on Com

Passed: 7

Befor	re					
Gi	Given I navigate to "Company" screen					
	And verify the user is landed on "Company" page					
	Then I wait for 2 sec					
	Then I verify the presence of following toggle bar items					
		r \${toggleBarItem.toggleSidebar.label}				
	New Quote	\$\{toggleBarItem.newQuote.label\}				
	Information	\$\{toggleBarItem.information.label\}				
	Quotes	\$\{toggleBarItem.quotes.label}				
	Documents	\${toggleBarItem.documents.label}				
	Support	\${toggleBarItem.support.label}				
	Logout	\$\{toggleBarItem.logOut.label\}				
	Profile	\${toggleBarItem.profile.label}				
Tł	nen I verify follo	owing language options are available or	toggle bar based on the LBU			
	\${language.selection.options}					
When I click on Estimated Premium info icon						
Then I verify following text is displayed on "Info Section" page						
\$\{\text{info.text}\}						
After						
	to Table of Content	's				
			and verify that user is landed on Submit			
Scenario Outline: I verify the navigation to the Submit page and verify that user is landed on Submit Passed: 7						
Before						
	Given I navigate to "Submit" screen  And verify the user is landed on "Submit" page					
	nen I wait for 2					
		presence of following toggle bar items				
11		r \${toggleBarItem.toggleSidebar.label}				
	New Quote	\$\{\text{toggleBarItem.toggleSideBar.nabel}\}				
	<b>Information</b>	\$\{\text{toggleBarItem.inewQuote.iabel}\}				
	Quotes	\${toggleBarItem.quotes.label}				
	Documents	\${toggleBarItem.documents.label}				
	Support	\$\{toggleBarItem.support.label\}				
	Logout	\${toggleBarItem.logOut.label}				
	Profile	\$\{toggleBarItem.profile.label\}				
Tł		owing language options are available or	toggle bar based on the LBU			
	\${language.selection.options}					
W	When I click on Estimated Premium info icon					
Then I verify following text is displayed on "Info Section" page						
\${info.text}						
After						
	Back to Table of Contents					
	Scenario: Create a Quote for Sticky bar validation					
scena	Cenario. Cicate a Quote foi Sucky Dai vanuation					

## Passed: 7 Before Given I generate random number and assign to variable "RANDOM\_NUMBER" Output Random number generated is :486 And I assign "TestDraft \${RANDOM NUMBER}" to variable "COMP NAME" Output Assigning value TestDraft\_4862702625 to variable COMP\_NAME Then I navigate to "\${selectPlan.tab.text}" screen And I enter following details on select plan page Company Name \${COMP NAME} Industry Type \${selectplan.industry.type.value1} **Position Name** Position No. of Employees 10 And I click on export quote button Then I verify following validation message on "Select plan page" \${validationMessage.export.pdf} And I click on "\${saveQuote.button.text}" button After **Back to Table of Contents** Scenario Outline: I verify the sticky bar is present in all the Select Plan page in the new quote creation Passed: 14 Before Given I navigate to "Select Plan" screen Then I wait for 2 sec When I scroll to the end of page And I verify company text field is displayed on the top of the "Select Plan" page Then I verify Payment frequency dropdown is displayed for PH with following values \${payment.frequency.annual} \${payment.frequency.semi.annual} \${payment.frequency.quarterly} **\${payment.frequency.monthly}** And I verify following text is displayed on "Select Plan" page \${estimatedAnnualPremium.button.text} Then I verify following buttons are displayed on top right corner of the screen Save Quote \${saveQuote.button.text}

Then I verify the presence of export quote button Then I verify the presence of following items on page footer **\$**{next.button.text} And I scroll the page up And I verify company text field is displayed on the top of the "Select Plan" page And I verify following text is displayed on "Select Plan" page \${estimatedAnnualPremium.button.text} Then I verify following buttons are displayed on top right corner of the screen Save Quote \${saveQuote.button.text} Then I verify the presence of following items on page footer \${next.button.text} After **Back to Table of Contents** Scenario Outline: I verify the sticky bar is present in all the Employees page in the new quote creation Passed: 14 Before Given I navigate to "Employees" screen Then I wait for 2 sec When I scroll to the end of page And I verify company text field is displayed on the top of the "Employees" page Then I verify Payment frequency dropdown is displayed for PH with following values **\$**{payment.frequency.annual} \${payment.frequency.semi.annual} **\${payment.frequency.quarterly}** \${payment.frequency.monthly} And I verify following text is displayed on "Employees" page **\${estimatedAnnualPremium.button.text}** Then I verify following buttons are displayed on top right corner of the screen Save Quote \${saveQuote.button.text} Then I verify the presence of export quote button Then I verify the presence of following items on page footer \${previous.button.text}##\${next.button.text} And I scroll the page up And I verify company text field is displayed on the top of the "Employees" page And I verify following text is displayed on "Employees" page \${estimatedAnnualPremium.button.text} Then I verify following buttons are displayed on top right corner of the screen Save Quote \${saveQuote.button.text} Then I verify the presence of following items on page footer \${previous.button.text}##\${next.button.text} After **Back to Table of Contents** 

Scenario Outline: I verify the sticky bar is present in all the Company page in the new quote creation Passed: 14 Before Given I navigate to "Company" screen Then I wait for 2 sec When I scroll to the end of page And I verify company text field is displayed on the top of the "Company" page Then I verify Payment frequency dropdown is displayed for PH with following values \${payment.frequency.annual} \${payment.frequency.semi.annual} **\${payment.frequency.quarterly} \${payment.frequency.monthly}** And I verify following text is displayed on "Company" page **\${estimatedAnnualPremium.button.text}** Then I verify following buttons are displayed on top right corner of the screen Save Quote \${saveQuote.button.text} Then I verify the presence of export quote button Then I verify the presence of following items on page footer \${previous.button.text}##\${next.button.text} And I scroll the page up And I verify company text field is displayed on the top of the "Company" page And I verify following text is displayed on "Company" page **\${estimatedAnnualPremium.button.text}** Then I verify following buttons are displayed on top right corner of the screen Save Quote \${saveQuote.button.text} Then I verify the presence of following items on page footer \${previous.button.text}##\${next.button.text} After **Back to Table of Contents** Scenario Outline: I verify the sticky bar is present in all the Submit page in the new quote creation jo Passed: 14 Before Given I navigate to "Submit" screen Then I wait for 2 sec When I scroll to the end of page And I verify company text field is displayed on the top of the "Submit" page Then I verify Payment frequency dropdown is displayed for PH with following values \${payment.frequency.annual} \${payment.frequency.semi.annual} \${payment.frequency.quarterly} **\${payment.frequency.monthly}** And I verify following text is displayed on "Submit" page \${estimatedAnnualPremium.button.text}

Then I verify following buttons are displayed on top right corner of the screen Save Quote \${saveQuote.button.text} Then I verify the presence of export quote button Then I verify the presence of following items on page footer \${previous.button.text}##\${confirm.submit.button} And I scroll the page up And I verify company text field is displayed on the top of the "Submit" page And I verify following text is displayed on "Submit" page **\${estimatedAnnualPremium.button.text}** Then I verify following buttons are displayed on top right corner of the screen Save Quote \${saveQuote.button.text} Then I verify the presence of following items on page footer \${previous.button.text}##\${confirm.submit.button} After **Back to Table of Contents** Scenario: verify toggle bar items are minimised when user opts to collapse the sidebar option Passed: 4 Before Given I verify following static text on "Navigation Bar" page New Quote Then I click on "Toggle Sidebar" Link Then I wait for 2 sec And I verify following span text is not displayed "Navigation Bar" page **New Quote** After **Back to Table of Contents** Scenario: Close Sales Portal Passed: 1 Before And I close sales portal After **Back to Table of Contents** Feature: Verify login functionality with OTP to landing in the welcome page Passed: 16 Scenario: Verify static text and elements on Login page Sales Portal Passed: 7 Before Given I decode the password "\${agent.login.password}" to variable "AGENT\_PASSWORD" Given Launch sales portal Output

https://uat-sales.eb.prudential.com.my/ Then I verify following text is displayed on "Welcome" page \${agent.login.welcome.text} And I verify field label text on "Login" page **\${agent.login.id.text}** \${agent.login.password.text} And I verify the login button is disabled And I verify Forgot your password link is enabled And I verify following buttons are displayed on "Login" \${agent.login.contact.support.text} **After Back to Table of Contents** Scenario Outline: Sales Portal Login Page fields error message validation "Invalid email format and Passed: 2 Before When I enter username and password in Sales portal Login page UserName test@gmail Password Test@123 Then I verify "\${login.email.format.error.message}" validation error message is displayed After **Back to Table of Contents** Scenario Outline: Sales Portal Login Page fields error message validation "Blank email and Password Passed: 2 Before When I enter username and password in Sales portal Login page UserName Password Test@123 Then I verify "Email is mandatory, please provide the relevant details" validation error message i After **Back to Table of Contents** Scenario Outline: Sales Portal Login Page fields error message validation "Registered email and blan Passed: 2 Before When I enter username and password in Sales portal Login page UserName test@gmail.com Password Then I verify "Password is mandatory, please provide the relevant details" validation error messa After **Back to Table of Contents** Scenario Outline: Sales Portal Login Page fields error message validation "Registered email and inva

Passed: 2 Before When I enter username and password in Sales portal Login page UserName test@gmail.com Password Test Then I verify "\${agent.password.rule.text}" validation error message is displayed After **Back to Table of Contents** Scenario Outline: Sales Portal Login Page fields error message validation "Registered email and pass Passed: 2 Before When I enter username and password in Sales portal Login page UserName test@gmail.com Then I verify "\${password.field.length.validation}" validation error message is displayed After **Back to Table of Contents** Scenario: Verify Agent is not able to login with wrong credential Passed: 3 Before When I enter username and password in Sales portal Login page UserName \${agent.email.id.login} Password Test@123 And I click on Login button Then I verify otp validation error message "Error: Your email and/or password do not match, ple After **Back to Table of Contents** Scenario: Validate the eye icon functionality for password field Passed: 4 Before When I enter username and password in Sales portal Login page UserName test@gmail.com Password Test@123 Then I verify the Password entered is masked Then I click on the eve icon And I validate the password should display without encrypted **After Back to Table of Contents** Scenario: Login to Sales portal and verify OTP page is displayed Passed: 12 Before Given I assign "\${agent.email.id.login}" to variable "agent.Email"

Output Assigning value testpambuat\_1001@mailinator.com to variable agent.Email When I enter username and password in Sales portal Login page UserName \${agent.Email} Password \${AGENT\_PASSWORD} And I validate the Login button is enabled in Sales portal When I click on Login button Then I wait for 5 sec Then I verify following text is displayed on "Verify your account" page Verify your account And I verify following paragraph is displayed on "Verify your account" page A code has just been sent to the following The code expires after 10 minutes. And I verify email confirmation contains the agent email address as "\${agent.Email}" And I verify field label text on "Verify your account" page Verification Code And I verify button label text on "Verify your account" page Return to login Didn't receive code? And I verify following buttons are displayed on "Login" \${agent.login.contact.support.text} And I verify the login button is disabled After **Back to Table of Contents** Scenario Outline: verify by validation message displays by providing Invalid OTP checks Passed: 3 Before When I enter the verification Code as "test" And I verify the login button is disabled Then I verify "Invalid Verification Code format" validation error message is displayed After **Back to Table of Contents** Scenario Outline: verify by validation message displays by providing Invalid OTP checks Passed: 3 Before When I enter the verification Code as '''' And I verify the login button is disabled Then I verify "Verification Code is mandatory, please provide the relevant details" validation error After

**Back to Table of Contents** 

Scenario: Enter invalid otp and click on Login button

Passed: 4

Before

When I enter the verification Code as "12345"

And I validate the Login button is enabled in Sales portal

When I click on Login button

Then I verify otp validation error message "\${login.otp.format.error.message}" is displayed

After

**Back to Table of Contents** 

Scenario: Validate the return to the login link in verify your account page

Passed: 2

Before

When I click on the Return to Login

Then I verify following text is displayed on "Login" page

\${agent.login.welcome.text}

After

**Back to Table of Contents** 

Scenario: Validate the "Didnt receive code" in verify your account page

Passed: 7

Before

When I enter username and password in Sales portal Login page

UserName \${agent.Email}

Password |\${AGENT\_PASSWORD}

And I validate the Login button is enabled in Sales portal

When I click on Login button

Then I wait for 5 sec

Then I verify following text is displayed on "Verify your account" page

Verify your account

When I click on Didn't receive code? link

Then I verify following text is displayed on "Welcome" page

\${agent.login.welcome.text}

After

**Back to Table of Contents** 

Scenario: Verify contact support link is navigating to knowledgebase

Passed: 3

Before

When I click on "\${agent.login.contact.support}" button

And I wait for 15 sec

Then I verify "\${support.application.page.title}" link is opened in new browser tab

**After** 


**Back to Table of Contents** 

Scenario: Close Sales Portal							
Passed: 1							
Before							
And I close sales portal							
After							
Back to Table of Contents							
eature: Verify user is landed to Sales pitch page after login which is a Information page							
assed: 8							
Scenario: Verify Sales pitch page is displayed after login							
Passed: 6							
Before							
Given Launch sales portal							
Output Control of the							
https://uat-sales.eb.prudential.com.my/							
And I assign value to following variables							
Agent_Email \${agent.email.id.global}							
Agent_Password \${agent.password}							
When I Login to Sales Portal with below details							
UserName \${Agent_Email}							
Password \${Agent_Password}							
And I enter the verification code if page appears for agent "\${Agent_Email}"							
Then I toggle the language button as required							
Then I verify "\${welcome.to.prudential}" screen is displayed							
After							
Back to Table of Contents							
Scenario: Verify the first section on sales pitch page							
Passed: 1							
Before							
Given I verify following paragraph is displayed on "Welcome to Prudential section" on Sales Pit							
\${welcome.prudential.informational.text.1}							
\${welcome.prudential.informational.text.2}							
After							
Back to Table of Contents							
Scenario: Verify the second section on sales pitch page							
Passed: 3							
Before							
Given I scroll to the "\${whatMakeUsDifferent.static.text}" of the sales pitch page							
Then I verify following header texts are displayed on "Sales Pitch" page							
\${whatMakeUsDifferent.static.text}							

Then I verify following paragraph is displayed on "What make us different section" on Sales Pitch \${whatMakeUsDifferent.informational.text} After **Back to Table of Contents** Scenario: Verify the third section on sales pitch page Passed: 3 Before Given I scroll to the "\${howCanWeHelp.static.text}" of the sales pitch page Then I verify following header texts are displayed on "Sales Pitch" page **\${howCanWeHelp.static.text}** And I verify following paragraph is displayed on "How can we help section" on Sales Pitch page \${howCanWeHelp.informational.text.1} \${howCanWeHelp.informational.text.2} After **Back to Table of Contents** Scenario: Verify the fourth section on sales pitch page Passed: 3 Before Given I scroll to the "\{\text{ourOffering.static.text}\" of the sales pitch page Then I verify following header texts are displayed on "Sales Pitch" page \${ourOffering.static.text} And I verify following paragraph is displayed on "Our offering section" on Sales Pitch page **\$**{ourOffering.informational.text} After **Back to Table of Contents** Scenario: Verify the fifth section on sales pitch page Passed: 3 Before Given I scroll to the "\${valueAddedService.static.text}" of the sales pitch page Then I verify following header texts are displayed on "Understanding your value added section" o \${valueAddedService.static.text} And I verify following paragraph is displayed on "Understanding your value added section" on Sa \${valueAddedService.informational.text.1} \${valueAddedService.informational.text.2} After **Back to Table of Contents** Scenario: Verify the sixth section on sales pitch page Passed: 6 Before Given I scroll to the "\${createPolicy.static.text}" of the sales pitch page Then I verify following header texts are displayed on "Sales Pitch" page \${createPolicy.static.text}

Then I verify following paragraph is displayed on "Creating your policy section" on Sales Pitch pa \${createPolicy.informational.text} And I verify following buttons are displayed on pitch page **\$**{startNewQuote.button.label} Then I click on following button on sales pitch page \${startNewQuote.button.label} Then verify the user is landed on "New Quote" page After **Back to Table of Contents** Scenario: Close Sales Portal Passed: 1 Before And I close sales portal After **Back to Table of Contents** Feature: Verify agent can view his profile and reset the password Passed: 22 Scenario: Log in to Sales portal with valid agent credentials Passed: 6 Before Given I assign value to following variables AGENT EMAIL ID \${agent.email.id.profile} AGENT\_PROFILE\_NAME \${agent.email.id.profilename} AGENT ID \${agent.code.profile} Given Launch sales portal Output https://uat-sales.eb.prudential.com.my/ When I Login to Sales Portal with below details UserName \${AGENT EMAIL ID} Password \${agent.password} And I enter the verification code if page appears for agent "\${AGENT\_EMAIL\_ID}" And I toggle the language button as required Then I verify "\${welcome.to.prudential}" screen is displayed After **Back to Table of Contents** Scenario: Navigate to Agent profile page and verify the agent details Passed: 3 Before Given I decode the password "\${agent.password}" to variable "AGENT PASSWORD"

	exts are displayed on "Profile" page
\${AGENT_PROFILE_NAME}	1
\${AGENT_EMAIL_ID}	
\${AGENT_ID}	
at org.testng.asserts.SoftAssert.ass at com.pru.sales.portal.stepdef.Pro	s displayed on page Profile expected [true] but found [false]
And I verify h1 header text is disp	
\${profile.text}	asjed on 11 one page
Then I verify following text is disp	laved on ''Profile'' nage
\${profile.text.sub.header}	myeu on 110me page



# **Profile**

View your account details and security settings.

# **PAMB Automation**



# **Change Password**

#### **Current Password**

Password

# New Password

Password

Password must be at least 8 characters long and contain upper, lower

Save

E→ Logout Collapse Sidebar After **Back to Table of Contents** Scenario: Verify sample text in change password section Passed: 4 Before And I verify following h3 header texts are displayed on "Profile" page \${profile.update.password.text} Then I verify "\${save.button.text}" button is "disabled" Then I verify the field label text on "profile page" \${profile.current.password.label} \${profile.new.password.label} \${profile.confirm.password.label} Then I verify following text is displayed on "Profile" page \${agent.password.rule.text} After **Back to Table of Contents** Scenario Outline: Invalid password check on profile page Passed: 3 Before When I enter "Agent" password in new password field Then I verify "\${agent.password.rule.text}" validation error message is highlighted Then I verify "\${save.button.text}" button is "disabled" After Back to Table of Contents Scenario Outline: Invalid password check on profile page Passed: 3 Before When I enter "1234567#" password in new password field Then I verify "\${agent.password.rule.text}" validation error message is highlighted Then I verify "\${save.button.text}" button is "disabled" After **Back to Table of Contents** Scenario Outline: Invalid password check on profile page Passed: 3 Before When I enter "AGENT@1234" password in new password field Then I verify "\${agent.password.rule.text}" validation error message is highlighted Then I verify "\${save.button.text}" button is "disabled"

After

**Back to Table of Contents** 

Scenario Outline: Invalid password check on profile page

Passed: 3

Before

When I enter "agent@12334" password in new password field

Then I verify "\${agent.password.rule.text}" validation error message is highlighted

Then I verify "\{\save.button.text\}" button is "disabled"

After

**Back to Table of Contents** 

Scenario Outline: Invalid password check on profile page

Passed: 3

Before

When I enter "Agent1236666667777777777Agent12344444444444444442" password in new pass

Then I verify "\${new.password.field.length.validation}" validation error message is highlighted

Then I verify "\${save.button.text}" button is "disabled"

After

**Back to Table of Contents** 

Scenario: New password and confirm your password mismatch check on profile page

Passed: 4

Before

When I enter "Agent1234" password in new password field

And I enter "Agent3456" password in confirm your password field

Then I verify "The passwords entered do not match, please try again" validation error message is

Then I verify "\${save.button.text}" button is "disabled"

After

**Back to Table of Contents** 

Scenario: Validate mask and unmask functionality for current, new and confirm password field

Passed: 9

Before

And I verify the Current Password entered is masked

When I click on the eye icon for current Password field

Then I validate the current password should display without encrypted

And I verify the New Password entered is masked

When I click on the eye icon for new Password field

Then I validate the new password should display without encrypted

And I verify the Confirm Password entered is masked

When I click on the eye icon for confirm your Password field

Then I validate the confirm your password should display without encrypted

After

**Back to Table of Contents** 

Detailed Results Report Scenario Outline: verify that the save button is enabled only when agent entered the correct current, r Passed: 4 Before Given I enter "\${AGENT\_PASSWORD}" password in current password field When I enter "Agent" password in new password field And I enter "Agent" password in confirm your password field Then I verify "\${save.button.text}" button is "disabled" After **Back to Table of Contents** Scenario Outline: verify that the save button is enabled only when agent entered the correct current, Passed: 4 Before Given I enter "" password in current password field When I enter "Agent123" password in new password field And I enter ''' password in confirm your password field Then I verify "\${save.button.text}" button is "disabled" After **Back to Table of Contents** Scenario Outline: verify that the save button is enabled only when agent entered the correct current, Passed: 4 Before Given I enter "wrong@Password1" password in current password field When I enter "Agent123" password in new password field And I enter "Agent" password in confirm your password field Then I verify "\${save.button.text}" button is "disabled" After **Back to Table of Contents** Scenario Outline: verify that the save button is enabled only when agent entered the correct current, i Passed: 4 Before Given I enter "testing" password in current password field When I enter ''' password in new password field And I enter "Agent123" password in confirm your password field Then I verify "\${save.button.text}" button is "disabled" After **Back to Table of Contents** Scenario: verify Agent should be able to change the password for sales portal Passed: 10 Before

Given I assign "Agent124" to variable "AGENT NEW PASSWORD"

Output

	Assigning value Agent124 to variable AGENT_NEW_PASSWORD							
	Then I enter "\${AGENT_PASSWORD}" password in current password field							
	When I enter "\${AGENT_NEW_PASSWORD}" password in new password field							
	And I enter "\${AGENT_NEW_PASSWORD}" password in confirm your password field							
	Then I verify "\${save.button.text}" button is "enabled"							
	And I click on "\${save.button.text}" button							
	And I wait for 5 sec							
	Then I verify following text is displayed on "popup window on profile" page							
	\${agent.change.password.confirmation.text}							
	Then I verify following buttons are displayed on "change password confirmation popup"							
	\${close.button}							
	Then I click on '\\${close.button}'' button							
Af	iter							
Ba	ck to Table of Contents							
	enario Outline: Verify Agent should be able to reset the password back to Agent123 after 5 update							
	ssed: 6							
_	efore							
	Given I assign "Agent125" to variable "AGENT_NEW_PASSWORD"  Output							
	Output							
	Assigning value Agent125 to variable AGENT_NEW_PASSWORD							
	Then I enter "Agent124" password in current password field							
	When I enter "\${AGENT_NEW_PASSWORD}" password in new password field							
	And I enter "\${AGENT_NEW_PASSWORD}" password in confirm your password field							
	And I click on "\${save.button.text}" button							
	Then I click on "\${close.button}" button							
Af	iter							
Ba	ck to Table of Contents							
Sc	enario Outline: Verify Agent should be able to reset the password back to Agent123 after 5 update							
	ssed: 6							
_	efore							
F	Given I assign "Agent126" to variable "AGENT_NEW_PASSWORD"							
	Output							
	Assigning value Agent126 to variable AGENT_NEW_PASSWORD							
	Then I enter "Agent125" password in current password field							

When I enter "\${AGENT\_NEW\_PASSWORD}" password in new password field
And I enter "\${AGENT\_NEW\_PASSWORD}" password in confirm your password field

And I click on "\${save.button.text}" button

Then I click on "\${close.button}" button

#### After

#### **Back to Table of Contents**

Scenario Outline: Verify Agent should be able to reset the password back to Agent123 after 5 update

Passed: 6

#### Before

Given I assign "Agent127" to variable "AGENT\_NEW\_PASSWORD"

# Output

Assigning value Agent127 to variable AGENT\_NEW\_PASSWORD

Then I enter "Agent126" password in current password field

When I enter "\${AGENT\_NEW\_PASSWORD}" password in new password field

And I enter ''\${AGENT\_NEW\_PASSWORD}'' password in confirm your password field

And I click on "\${save.button.text}" button

Then I click on "\${close.button}" button

#### After

# **Back to Table of Contents**

Scenario Outline: Verify Agent should be able to reset the password back to Agent123 after 5 update

Passed: 6

# Before

Given I assign "Agent128" to variable "AGENT\_NEW\_PASSWORD"

# Output

Assigning value Agent128 to variable AGENT\_NEW\_PASSWORD

Then I enter "Agent127" password in current password field

When I enter "\${AGENT\_NEW\_PASSWORD}" password in new password field

And I enter '\\${AGENT\_NEW\_PASSWORD}'' password in confirm your password field

And I click on "\${save.button.text}" button

Then I click on "\${close.button}" button

#### After

#### **Back to Table of Contents**

Scenario Outline: Verify Agent should be able to reset the password back to Agent123 after 5 update

Passed: 6

#### Before

Given I assign "Agent129" to variable "AGENT\_NEW\_PASSWORD"

Output

Assigning value Agent129 to variable AGENT\_NEW\_PASSWORD

Then I enter "Agent128" password in current password field

When I enter "\${AGENT\_NEW\_PASSWORD}" password in new password field

And I enter "\${AGENT\_NEW\_PASSWORD}" password in confirm your password field

And I click on "\${save.button.text}" button

Then I click on "\${close.button}" button

After

**Back to Table of Contents** 

Scenario Outline: Verify Agent should be able to reset the password back to Agent123 after 5 update

Passed: 6

Before

Given I assign "Agent123" to variable "AGENT\_NEW\_PASSWORD"

Output

Assigning value Agent123 to variable AGENT\_NEW\_PASSWORD

Then I enter "Agent129" password in current password field

When I enter "\${AGENT\_NEW\_PASSWORD}" password in new password field

And I enter "\${AGENT\_NEW\_PASSWORD}" password in confirm your password field

And I click on "\${save.button.text}" button

Then I click on "\${close.button}" button

After

**Back to Table of Contents** 

Scenario: verify Agent should be able to logout and Login back with the updated password

Passed: 6

Before

When I Logout of the sales portal

When I Login to Sales Portal with below details

UserName \${AGENT\_EMAIL\_ID}

Password \${agent.password}

And I enter the verification code if page appears for agent "\${AGENT\_EMAIL\_ID}"

Then I verify "\${welcome.to.prudential}" screen is displayed

Then I click on "Agent Profile" Link

And verify the user is landed on "Agent Profile" page

After

**Back to Table of Contents** 

Scenario: Close from Sales Portal

Passed: 1							
Before							
And I close sales portal							
After							
Back to Table of Contents							
Feature: Verify select plan page functionality							
Passed: 16							
Scenario: Launch Sales application for PAMB							
Passed: 5							
Before							
Given Launch sales portal							
Output Output							
https://uat-sales.eb.prudential.com.my/							
And I assign value to following variables							
Agent_Email \${agent.email.id.global}							
Agent_Password \${agent.password}							
When I Login to Sales Portal with below details							
UserName \${Agent_Email}							
Password \${Agent_Password}							
And I enter the verification code if page appears for agent "\${Agent_Email}"							
Then I verify "\${welcome.to.prudential}" screen is displayed							
After							
Back to Table of Contents							
Scenario: verify static and sample text on company and category section on select plan page							
Passed: 11							
Before							
Given I click on Create Quote Link							
Then verify the user is landed on "Select Plan" page							
And I verify following text is displayed on "Select plan Page" page							
\${estimatedAnnualPremium.button.text}							
\${newQuote.static.text}							
And I verify the h2 header text is displayed on "Select plan" page							
\${select.plan.group.coverage.ghs.text}							
\${select.group.plan.static.text}							
And I verify following static text on "Select plan" page							
\${select.plan.group.coverage.gtl.text}							
\${select.plan.group.coverage.gtl.death.text}							
\${select.plan.group.coverage.gtl.tpd.text}							
\$\{\select.plan.gtl.gadd.text\}							

And I verify following paragraph is displayed on "Select Plan" page								
\${select.plan.group.ghs.confirm.text}								
Then I verify following buttons are displayed on "Select Plan page"								
\${saveQuote.button.text}								
\${premiumandbenefit.button.text}								
\${selectplan.ghs.yes.button}								
\${selectplan.ghs.no.button}								
Then I verify field label text on "Select Plan" page								
\${numOfEmp.field.label.text}								
\${selectCoverageStartDate.field.label.text}								
Then I verify the presence of following items on page footer								
\${next.button.text}								
Then I verify ''\${previous.button.text}'' button should not be visible on ''select plan page footer''								
Then I verify the sample text of following fields on select plan page								
Select coverage date \${coverageDate.default.value}								
Number of Members								
After								
Back to Table of Contents								
Scenario: Verify optional plan GHS is not selected by default								
Passed: 2								
Before								
Then I verify following buttons are displayed and enabled								
\${selectplan.ghs.yes.button}								
\${selectplan.ghs.no.button}								
And I verify selection status of following buttons are "not selected"								
\${selectplan.ghs.yes.button}								
\$\{\selectplan.ghs.no.button}								
After								
Back to Table of Contents								
Scenario: Verify the validation when user saves the quote without entering the Mandatory fields								
Passed: 2								
Before								
Given I click on "\${saveQuote.button.text}" button								
Then I verify following validation message on "Select plan page"								
\${validationMessage.company.name}								
\${emp.bulk.upload.error.empcount.message}								
\${validationMessage.ghs.button}								
After								
Back to Table of Contents								
Scenario: Verify Next button validation message without entering any values								
Passed: 5								
Before								

Given I click on '\$\next.button.text\' button

Then I verify following validation message on "Select plan page"

\${validationMessage.ghs.button}

And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button

Given I click on "\${next.button.text}" button

Then I verify following text is displayed on "Select Plan" page

\${selectplan.error.num.employee}

#### After

**Back to Table of Contents** 

Scenario: verify that the coverage date should be current date by default

Passed: 2

Before

Given I generate "current date" and assign to variable "current date" in "dd/MM/yyyy" format

Then I verify the sample text of following fields on select plan page

Select Coverage Date \${current date}

#### After

**Back to Table of Contents** 

Scenario: verify the coverage date should set to current date if Agent input past date in text field

Passed: 2

#### Before

Then I generate "current date" and assign to variable "current date" in "dd/MM/yyyy" format And I calculate "-31d" from current date in "dd/MM/yyyy" format and assign to variable "past d

Then I enter following details on select plan page

Select Coverage Date \${past date}

org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <input(Session info: headless chrome=83.0.4103.116)

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'eb-sme-backend-jenkinslave-v12-gttg3-rl5r7', ip: '10.153.104.18', os.name: 'Lin Driver info: org.openga.selenium.chrome.ChromeDriver

Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103.116, c Session ID: 5bc61f72f8f7999053617bdab0ba33c8

at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)

at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorA

 $at\ java. base/jdk. internal. reflect. Delegating Constructor Accessor Impl. new Instance (Delegating Construction Accessor Impl. new Impl. n$ 

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponse

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.ja

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.ja at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158

at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java.136

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)


at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:276)

at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:83)


at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141)

at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)


4	at com.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184) at com.pru.sales.portal.pages.SelectPlanPage.enterPlanDetailsOnSelectPlanPage(SelectPlanPage.javat com.pru.sales.portal.stepdef.SelectPlanSteps.enterDetailsOnSelectPlanPage(SelectPlanSteps.javat .Then I enter following details on select plan page(features/my/01.SelectPlanPage.feature:81)
, r	Then I verify the sample text of following fields on select plan page
	Select Coverage Date \${current date}




	[→ Logout				
	Collapse Si	debar			
Af	After				
Ba	Back to Table of Conten	<u>ls</u>			
Sc	Scenario: verify that	the past date show	ld be disabled on co	verage date calendar	
	Passed: 1				
Be	Before				
	And I calculate "	-32d" from curren	t date in ''MMM/dd	/yyyy'' format and assign t	o variable ''pas
		overage date calen			· ·
	(Session info: head Build info: version System info: host Driver info: org. of Capabilities {accompabilities	dless chrome=83.0 n: '3.12.0', revision : 'eb-sme-backend penqa.selenium.ch petInsecureCerts: 6 f72f8f7999053617 nternal.reflect.Nat nternal.reflect.Nat nternal.reflect.Constrenium.remote.http enium.remote.http enium.remote.http enium.remote.Rem enium.remote.Re	.4103.116) a: '7c6e0b3', time: '2 e-jenkinslave-v12-gttg arome.ChromeDrive arue, browserName: bdab0ba33c8 aveConstructorAcces	chrome, browserVersion: 8 ssorImpl.newInstance0(National Stance) ssorImpl.newInstance(National Stance) ssorImpl.newInstance(National Stance) ccessorImpl.newInstance(Constructor.java:490) Codec.createException(W3CODEC.createException(W3CODEC.createException(W3CODEC.createCode(W3C	8', os.name: 'Lir 83.0.4103.116, c tive Method) veConstructor A DelegatingCons 8CHttpResponse sponseCodec.ja esponseCodec.ja ecutor.java:158 ommandExecut a:543) java:276) a:83) :141) mand.java:19) ge.java:897)



	⊖	Logout	
	0	Collapse Sidebar	
Af	ter		
Bac	ck to Tab	ole of Contents	
Sc	enario (	Outline: verify coverage date	calendar is functioning properly
Pas	ssed: 0		
Be	fore		
	Then I	open the coverage date caler	ndar
	(Session Build in System Driver Capabi Session at java at java at java at java at java at orgo at orgo at orgo at orgo at orgo at orgo at compat comp	n info: headless chrome=83.0 nfo: version: '3.12.0', revision info: host: 'eb-sme-backend info: org.openqa.selenium.chilities {acceptInsecureCerts: in ID: 5bc61f72f8f7999053617.base/jdk.internal.reflect.Nat.base/jdk.internal.reflect.Nat.base/jdk.internal.reflect.Del.base/jdk.internal.reflect.Constropenqa.selenium.remote.http.openqa.selenium.remote.http.openqa.selenium.remote.http.openqa.selenium.remote.Http.openqa.selenium.remote.Remopenqa.selenium.remote.Remopenqa.selenium.remote.Remopenqa.selenium.remote.Remopenqa.selenium.remote.Remopenqa.selenium.remote.Remopenqa.selenium.remote.Remopenqa.selenium.remote.Remopenqa.selenium.remote.Remopenqa.selenium.remote.Remopenqa.selenium.selenium.Com.prudential.tap.selenium.Com.prudential.tap.selenium.Exe.pru.sales.portal.pages.Select.pru.sales.portal.stepdef.Select.pru.sales.po	n: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' l-jenkinslave-v12-gttg3-rl5r7', ip: '10.153.104.18', os.name: 'Li hrome.ChromeDriver true, browserName: chrome, browserVersion: 83.0.4103.116, of bdab0ba33c8 tiveConstructorAccessorImpl.newInstance(Native Method) tiveConstructorAccessorImpl.newInstance(NativeConstructor legatingConstructorAccessorImpl.newInstance(DelegatingCon ructor.newInstance(Constructor.java:490) o.W3CHttpResponseCodec.createException(W3CHttpRespons o.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.ja o.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.ja o.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.ja pCommandExecutor.execute(HttpCommandExecutor.java:150 vice.DriverCommandExecutor.execute(DriverCommandExecutor noteWebDriver.execute(RemoteWebDriver.java:543) noteWebElement.exicck(RemoteWebElement.java:276) noteWebElement.click(RemoteWebElement.java:141) ecuteCommand.executeCommand(Commands.java:141) ecuteCommand.executeCommand(ExecuteCommand.java:19) dasePage.clickButton(TestBasePage.java:184) tfPlanPage.openCoverageDateCal(SelectPlanPage.java:897) ectPlanSteps.openCoverageDateCal(SelectPlanPage.java:897) ectPlanSteps.openCoverageDateCal(SelectPlanPage.java:897) ectPlanSteps.openCoverageDateCalendar(SelectPlanSteps.java alendar(features/my/01.SelectPlanPage.feature:95) dassign to variable "Current date" in "MMM/dd/yyyy" forma dassign to variable "DATE_SELECTED" in "MM/dd/yyyy" forma dassign to variable "EXPECTED_DATE_SELECTED" in "darrent date" using calendar lowing fields on select plan page



	€	Logout	
	0	Collapse Sidebar	
Af	ter		
		le of Contents	
Sc	enario (	Outline: verify coverage date	calendar is functioning properly
	ssed: 0	· · · · · · · · · · · · · · · · · · ·	
Be	fore		
	Then I	open the coverage date caler	ndar
	(Session Build in System Driver Capabi Session at java at java at java at java at orgo at comat coma	n info: headless chrome=83.0 nfo: version: '3.12.0', revision info: host: 'eb-sme-backend info: org.openqa.selenium.cl ilities {acceptInsecureCerts: a ID: 5bc61f72f8f7999053617 .base/jdk.internal.reflect.Nat .base/jdk.internal.reflect.Nat .base/jdk.internal.reflect.Del .base/jdk.internal.reflect.Const openqa.selenium.remote.http openqa.selenium.remote.http openqa.selenium.remote.http openqa.selenium.remote.Ren	n: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'  -jenkinslave-v12-gttg3-rl5r7', ip: '10.153.104.18', os.name: 'Linkrome.ChromeDriver true, browserName: chrome, browserVersion: 83.0.4103.116, cbdab0ba33c8 tiveConstructorAccessorImpl.newInstance0(Native Method) tiveConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.newInstance(DelegatingConstructor.newInstance(Constructor.java:490)  0.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:AW3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:DW3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:DecommandExecutor.execute(HttpCommandExecutor.java:158-vice.DriverCommandExecutor.execute(DriverCommandExecutor.oteWebDriver.execute(RemoteWebDriver.java:543) noteWebElement.execute(RemoteWebElement.java:276) noteWebElement.click(RemoteWebElement.java:141) tecuteCommand.executeCommand(Commands.java:141) tecuteCommand.executeCommand(ExecuteCommand.java:19) tasePage.clickButton(TestBasePage.java:184) tePlanPage.openCoverageDateCal(SelectPlanPage.java:897) ctPlanSteps.openCoverageDateCalendar(SelectPlanSteps.java:alendar(features/my/01.SelectPlanPage.feature:95)
			assign to variable "future date" in "MMM/dd/yyyy" format
			assign to variable ''DATE_SELECTED'' in ''MM/dd/yyyy'' for assign to variable ''EXPECTED_DATE_SELECTED'' in ''dd/
		select the coverage date "fut	
			owing fields on select plan page
		ct Coverage Date \${EXPEC	



		⊖	Logout					
		01	Collapse Sideba	r				
Af	ter							
<u>Ba</u>	ck t	o Tab	le of Contents					
Sc	ena	rio (	Outline: Enter	number of em	ployees: 4 for single	cate	gory	
	1)verify Agent should not be allowed to enter less than 5 employees for single category 2)verify Agent should not be allowed to enter more than 200 employees for single category							
	efor							
			onton following	r dotoila on asl	oot plan page			
	_		enter following of Employees 4	7	ect plan page			
	_				tplan.ghs.yes.button	\'' b	utton	
	-				n.text}'' button	j Di	utton	
	-				essage on "Select pl	an pa	age''	
	_		ıp.bulk.upload	<u> </u>	<del></del>	1		
			click on "\${ne					
	-		<u>`</u>		yed on "Select Plan	' pag	ge	
		\${en	ıp.bulk.upload	l.error.empcoı	int.message}			
Af	After							
<u>Ba</u>	ck t	o Tab	le of Contents					
Sc	ena	rio:	Verify Agent s	hould be able	to enter company an	d ca	tegory details	
			nformation sho d message sho		• 0	selec	et plan page after saving the quote	
-		l: 14						
Ве	for							
	_		click on Quot					
			click on Creat					
	_		navigate to "S			iturc	e date" in "dd/MM/yyyy" format	
	_							
	Then I generate random number and assign to variable "RANDOM_NUMBER"  Output							
	Random number generated is :109							
	Then I assign value to following variables							
		Com	pany_Name	Automation_S	{RANDOM_NUMB	ER}		

No.\_of\_Employees 200 And I enter following details on select plan page **Company Name** \${Company Name} Select Coverage Date \${future date} No. of Employees \${No.\_of\_Employees} And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button Then I click on "\${saveQuote.button.text}" button Then I verify following validation message on "Select plan page" \${success.quote.message.text} Then I verify following information is displayed on page footer **\$**{lastSavedMessage.static.text} Given I verify company name is displayed as entered on select plan page Company Name \${Company\_Name} Then I verify the sample text of following fields on select plan page Select Coverage Date \${future date} Number of Members \${No.\_of\_Employees} Then I verify the presence of export quote button After **Back to Table of Contents** Scenario: verify employee screen is displayed when user click on next button at the bottom of the scre Passed: 3 Before Given I verify "\${next.button.text}" button is "enabled" Then I click on next button present on page footer And verify the user is landed on "Employees" page After Back to Table of Contents Scenario Outline: verify the company name should be displayed as entered on select plan page on sub Passed: 4 Before Given I navigate to "Employees" screen Then I verify company name is displayed as entered on select plan page Company Name \{Company\_Name} Then I click on "\${saveQuote.button.text}" button Then I verify following validation message on "Select plan page" \${success.quote.message.text} After Back to Table of Contents Scenario Outline: verify the company name should be displayed as entered on select plan page on sub Passed: 4 Before

Given I navigate to "Company" screen

Then I verify company name is displayed as entered on select plan page

Company Name \${Company\_Name}

Then I click on "\${saveQuote.button.text}" button

Then I verify following validation message on "Select plan page"

\${success.quote.message.text}

After

#### **Back to Table of Contents**

Scenario Outline: verify the company name should be displayed as entered on select plan page on sub

Passed: 4

Before

Given I navigate to "Submit" screen

Then I verify company name is displayed as entered on select plan page

Company Name \{Company Name}

Then I click on "\${saveQuote.button.text}" button

Then I verify following validation message on "Select plan page"

\${success.quote.message.text}

After

# **Back to Table of Contents**

Scenario Outline: verify the estimated premium amount should be displayed as entered on select plan

Passed: 3

Before

Given I navigate to "Employees" screen

Then I get the estimated premium value displayed on select plan page and assign to variable "PRE

Then I verify estimated premium amount is displayed same as select plan page

**Estimated Annual Premium \${PREMIUM\_AMOUNT}** 

After

# **Back to Table of Contents**

Scenario Outline: verify the estimated premium amount should be displayed as entered on select plan

Passed: 3

Before

Given I navigate to "Company" screen

Then I get the estimated premium value displayed on select plan page and assign to variable "PRE

Then I verify estimated premium amount is displayed same as select plan page

Estimated Annual Premium \${PREMIUM\_AMOUNT}

After

# **Back to Table of Contents**

Scenario Outline: verify the estimated premium amount should be displayed as entered on select plan

Passed: 3

Before

Given I navigate to "Submit" screen

Then I get the estimated premium value displayed on select plan page and assign to variable "PRE

Then I verify estimated premium amount is displayed same as select plan page

	Estimated Annual Premium \${PREMIUM_AMOUNT}							
	After							
	Back to Table of Contents							
	Scenario: Close Sales Portal							
	Passed: 1							
	Before							
	And I close sales portal							
	After							
	Back to Table of Contents							
Fe	ature: Verify Agent can add,edit or delete members manually							
	sed: 36							
2 445	Scenario: Log into sales portal as an agent and navigate to employee page							
	Passed: 5							
	Before							
	Given Launch sales portal							
	Output							
	https://uat-sales.eb.prudential.com.my/							
	And I assign value to following variables							
	Agent_Email \${agent.email.id.global}							
	Agent_Password \${agent.password}							
	Occupational Class \${emp.occupationalclass.dropdown.value1}							
	Nationality \${nationality.dropDown.list}							
	When I Login to Sales Portal with below details							
	UserName \${Agent_Email}							
	Password \${Agent_Password}							
	And I enter the verification code if page appears for agent ''\${Agent_Email}''							
	Then I verify "\${welcome.to.prudential}" screen is displayed							
	After							
	Back to Table of Contents							
	Scenario: Verify Sample text on employee view							
	Passed: 20							
	Before Section 1997 - Section 1997 - Before 1997 - B							
	When I click on Create Quote Link							
	Then I navigate to "Select Plan" screen							
	And I generate "current date" and assign to variable "\${COVERAGE_DATE}" in "dd/MM/yyyy							
	And I assign value to following variables							
	Noof_Members 10							
	And I enter following details on select plan page							
	Effective Date of Coverage \${COVERAGE_DATE}							

No. of En	ıployees	\${Noof_Men	nbers}						
And I click of	on PAMB GHS ''\$	{selectplan.gh	s.yes.butto	n}'' button					
Then I navig	Then I navigate to "Members" screen								
And verify t	And verify the user is landed on ''Members'' page								
And I verify	And I verify following text is displayed on "Employee Page" page								
\${estimat	\${estimatedAnnualPremium.button.text}								
\${newQu	\${newQuote.static.text}								
Then I verify	y following button	s are displayed	d on top ri	ght corner of	the screen				
Save Quo	Save Quote \${saveQuote.button.text}								
Then I verif	Then I verify the the presence of following button on "members page"								
\${employ	\${employee.upload.file.btn}								
\${addEm	\${addEmployeeManually.button.text}								
Then I verify	y the presence of '	'\${employee.de	ownload.te	emplate.btn}''	on employee	page			
Then I verif	y the presence of t	hree dots drop	down for	ph on employ	ree page				
Then I verif	y the following inf	ormation text	on the scr	een					
Info \${em	ployee.drop.data.	file}							
Then I assig	n value to followin	ng variables							
EMP_CC	UNT 0								
	y the presence of f	collowing mem	ber table l	neaders on ''m	nember page''				
	ee.detail.name}				1 0				
	ee.detail.startdate	<u>.}</u>							
			for emplo	vee and deper	ndant on empl	ovee page			
	Then I verify following counts are displayed for employee and dependant on employee page  Member Count \${employee.uploaded.count}								
	y the presence of f								
	is.button.text}	<u> </u>	re- F8-						
	itton.text}								
	"\${previous.butto	on.text}" butto	n is "enab	oled''					
	"\${next.button.te								
After		<u>,                                      </u>							
Back to Table of C	ontents								
	y PDPA Consent	requirement ti	tle and tex	rt.					
Passed: 2	<del>,                                    </del>			<del></del>					
Before									
Then I verif	y following text is	displayed on "	'Member''	nage					
	ee.PDPAtitle.txt}		- IVICINIDEI	puge					
100	y below pdpa cons	sent text is disn	laved on l	Employee nag	'e				
	ee.PDPA.consent.		nayeu on i	Employee pag	<u>, c</u>				
	cen Di A.consent.	text)							
After	Same and an								
	tack to Table of Contents Scenario: verify Upload file,Add employee and download template button is disabled when PDPA Co								
	/ Upload file,Add	employee and	download	template but	ton is disabled	when PDPA Co			
Passed: 3									
Before									

Given I verify PDPA Consent requirement checkbox is "unchecked"					
Then I verify following buttons are "disabled" on employee page					
\${addEmployeeManually.button.text}					
Then I verify following span type link are "disabled" on employee page					
\${employee.download.template.btn}					
After					
Back to Table of Contents					
Scenario: verify Upload file,Add members and download template button is enabled when Pl	DPA Cor				
Passed: 6					
Before Section 1997 -					
Given I select the PDPA Consent requirement check box					
And I verify PDPA consent information is collapsed					
Then I click on three dots at the top right corner of employee table					
Then I verify the the presence of following button on "top right corner of member table"					
\${employee.reupload.btn}					
And I verify button label text on "Employee Page on click on 3 dots" page					
\${employee.reupload.btn}					
Then I verify "\${employee.reupload.btn}" button is "enabled"					
After					
Back to Table of Contents					
cenario: verify Agent can download the excel template					
yverify template format should be excel The file should contain expected headers Passed: 14					
Before					
	ile II				
Given I assign "/testdata/\${sales.fe.lbu}/bulk_upload_employee" to variable "testdata.pat Output	in"				
Assigning value /testdata/my/bulk_upload_employee to variable testdata.path					
Then I assign "Employee_Temp_To_Compare_With.xlsm" to variable "FILE_NAME"					
Output					
Assigning value Employee_Temp_To_Compare_With.xlsm to variable FILE_NAME					
Then I assign "employees_template.xlsm" to variable "DOWNLOADED_FILE_NAME"					
Output					
Assigning value employees_template.xlsm to variable DOWNLOADED_FILE_NAME					

		\${employee.addemp.field.su	rname}				
		\${employee.addemp.field.do	<b>b</b> }				
	\${employee.addemp.field.gender}						
		<b>\${employee.addemp.field.cm</b>	pnyemail}				
	\${employee.addemp.field.occupationclass}						
	\${employee.addemp.field.empstartdate}						
	\${employee.addemp.field.nationality}						
	\${employee.addemp.field.nric}						
		\${employee.addemp.field.ma	indatory.address}				
	\${employee.addemp.field.optional.address2}						
	\${employee.addemp.field.optional.address3}						
	\${employee.addemp.field.optional.address4}						
	\${employee.addemp.field.state}						
	\${employee.addemp.field.city}		y}				
		\${employee.addemp.field.zip					
		\${employee.addemp.field.cou	untry}				
	Th	en I verify the informational	text on "Add Emp	oloyee Modal''			
		\${employee.addemp.field.op	tional.address2} \${	employee.infotext}			
		\${employee.addemp.field.op	tional.address3} \${	employee.infotext}			
		\${employee.addemp.field.op	tional.address4} \${	employee.infotext}			
	Th	en I verify the default value i	n following fields o	on add employee sci	reen		
		State	\${state.default.valı	ue}			
		MY Occupational Class	\${emp.occupationa	alclass.dropdown.va	alue1}		
		static Nationality	\${nationality.drop	Down.list}			
		Country	\${country.dropDo	wn.value}			
		Date of Birth default	\${emp.date.format	t}			
		<b>Coverage Start Date default</b>	\${emp.date.format	t}			
	And I verify the the presence of following button		following button of	on "Add employee n	nodal''		
		\${employee.addemp.saveand	lnew}				
		\${employee.addemp.close}					
Aft	ter						
Bac	k te	Table of Contents					
Sce	ena	rio: verify the values of Occu	pational Class field	d on Add member n	nodal		
Pas	sed	:1					
Be	for	e					
	Th	en I verify Occupational Cla	ss field is non edita	ble on Add member	r screen		
Aft	er						
Bac	k t	o Table of Contents					
Sce	Scenario: Verify nationality field is uneditable						
	Passed: 1						
Before							
	Th	en I verify Nationality field is	s non editable on A	dd employee screen	1		
Aft				i i i i i i i i i i i i i i i i i i i			

#### **Back to Table of Contents**

Scenario: Verify the dropdown lists in State field

Passed: 1

Before

Then I verify State field dropdown values matches with "/testdata/my/state/state.txt" file

Output

StateField data: [Johor, Kedah, Kelantan, Melaka, Negeri Sembilan, Pahang, Perak, Perlis, Pulau Pinang, Sabah, Sarawak, Selan FileData: [Johor, Kedah, Kelantan, Melaka, Negeri Sembilan, Pahang, Perak, Perlis, Pulau Pinang, Sabah, Sarawak, Selangor, T

**After** 

**Back to Table of Contents** 

Scenario: verify country field should be un editable

Passed: 1

Before

Given I verify Country field is non editable on Add employee screen

After

**Back to Table of Contents** 

Scenario: Validating the error message When user clicks on save button without entering field value

Passed: 3

Before

Given I close the Add employee Modal if it is already opened

Then I click on "Add Member" button

Then I click on "\${employee.addemp.saveandnew}" button

Then I verify the error message on "Add Member modal"

\${employee.addemp.field.firstname}	\${emp.error.mandatoryfield1}
\${employee.addemp.field.surname}	\${emp.error.mandatoryfield3}
\${employee.addemp.field.dob}	\${emp.error.mandatoryfield5}
\${employee.addemp.field.cmpnyemail}	\${emp.error.mandatoryfield6}
\${employee.addemp.field.empstartdate}	\${emp.error.mandatoryfield8}
PAMB Gender	\${emp.error.mandatoryfield9}
\${employee.addemp.field.nric}	\${emp.error.mandatoryfield10}
PAMB State	\${emp.error.mandatoryfield12}
\${employee.addemp.field.city}	\${emp.error.mandatoryfield13}
\${employee.addemp.field.zipcode}	\${emp.error.mandatoryfield14}
\${employee.addemp.field.mandatory.address	\${emp.error.mandatoryfield11}

java.lang.AssertionError: The following asserts failed:

validation message is: Coverage Start Date is mandatory, please provide the relevant details present org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)

at com.pru.sales.portal.stepdef.EmployeeAndDependentSteps.iVerifyValidationMessageOnAddEnat.Then I verify the error message on "Add Member modal"(features/my/02.SalesMembersDetail

# **Add Member Member Details** First Name First Name is mandatory, please prov Date of Birth Date of Birth is mandatory, please pri relevant details **Email Address** Email Address is mandatory, please p **Nationality Details** NRIC no.

NRIC no. is mandatory, please provide

Output Checking validation message for First Name Checking validation message for Surname Checking validation message for Date of Birth Checking validation message for Email Address Checking validation message for Coverage Start Date Checking validation message for PAMB Gender Checking validation message for NRIC no. Checking validation message for PAMB State Checking validation message for City Checking validation message for Post Code Checking validation message for Address 1 After **Back to Table of Contents** Scenario Outline: Validating the error message: "\{emp.error.min.max.validation.firstname}" When Passed: 3 Before Then I enter following details on "add member" screen First Name ABCDEFGH324LMNOPQRSTUVWXYZyABCDEFGHIJKLMNOPQRSTUVWX Then I click on "\${employee.addemp.saveandnew}" button Then I verify the error message on "Add Member modal" \${employee.addemp.field.firstname}|\${emp.error.min.max.validation.firstname} Output Checking validation message for First Name **After** Back to Table of Contents Scenario Outline: Validating the error message: "\${emp.error.min.max.validation.surname}" When Passed: 3 Before Then I enter following details on "add member" screen Surname ABCDEFGH324LMNOPQRSTUVWXYZyABCDEFGHIJKLMNOPQRSTUVWXY Then I click on "\${employee.addemp.saveandnew}" button Then I verify the error message on "Add Member modal" \${employee.addemp.field.surname}|\${emp.error.min.max.validation.surname}

Output
Checking validation message for Surname
After
Back to Table of Contents
Scenario Outline: Validating the error message: "\${emp.error.min.max.validation.zipcode}" When u Passed: 3
Before
Then I enter following details on "add member" screen
Post Code abcD
Then I click on ''\${employee.addemp.saveandnew}'' button Then I verify the error message on ''Add Member modal''
\${employee.addemp.field.zipcode} \${emp.error.min.max.validation.zipcode}
Output
Checking validation message for Post Code
After
Back to Table of Contents
Scenario Outline: Validating the error message: "\${emp.error.min.max.validation.zipcode}" When u
Passed: 3
Before
Then I enter following details on "add member" screen
Post Code 103
Then I click on '\\${employee.addemp.saveandnew}'' button
Then I verify the error message on "Add Member modal"
\${employee.addemp.field.zipcode} \${emp.error.min.max.validation.zipcode}
Output
Checking validation message for Post Code
After
Back to Table of Contents
Scenario Outline: Validating the error message: "\${emp.error.min.max.validation.zipcode}" When u
Passed: 3
Before
Then I enter following details on "add member" screen

Post Code 145607				
Then I click on "\${employee.addemp.saveandnew}" button				
Then I verify the error message on "Add Member modal"				
\${employee.addemp.field.zipcode} \${emp.error.min.max.validation.zipcode}				
Output				
Checking validation message for Post Code				
Checking validation message for Fost Code				
After				
Back to Table of Contents				
Scenario Outline: Validating the error message: "\${emp.error.formatvalidation.email}" When u	ser e			
Passed: 3	ibel (			
Before				
Then I enter following details on "add member" screen				
Email Address testmailinator.com				
Then I click on "\${employee.addemp.saveandnew}" button				
Then I verify the error message on "Add Member modal"  \${employee.addemp.field.cmpnyemail}}\${emp.error.formatvalidation.email}				
Output Stempleyee.addemp.Heid.cmpnyeman   \$\\$\{\emp.\error.formatvandation.eman \}\\$				
Output				
Checking validation message for Email Address				
After				
Back to Table of Contents				
Scenario Outline: Validating the error message: "\${emp.error.min.max.validation.email}" When	n use			
Passed: 3				
Before				
Then I enter following details on "add member" screen				
Email Address ABCDEFGHIJK5LMNOPqrstuvWXYZ12345678901234567890123456789	0123			
Then I click on "\${employee.addemp.saveandnew}" button				
Then I verify the error message on "Add Member modal"				
\${employee.addemp.field.cmpnyemail} \${emp.error.min.max.validation.email}				
Output				
Checking validation message for Email Address				
A Story				
After				
Back to Table of Contents				

Sc	enario Outline: Validating the error message: "\${error.numeric.validation.city}" When user enter			
	sed: 3			
	fore			
	Then I enter following details on "add member" screen			
	City Test123			
	Then I click on '\\${employee.addemp.saveandnew}'' button			
	Then I verify the error message on "Add Member modal"			
	\${employee.addemp.field.city} \${error.numeric.validation.city}			
	S{employee.addemp.field.city} S{error.numeric.validation.city}  Output			
	Checking validation message for City			
	ter			
	ck to Table of Contents			
	enario Outline: Validating the error message: "\${emp.error.formatvalidation.nationalid}" When			
	ssed: 3			
Be	fore			
	Then I enter following details on "add member" screen			
	NRIC no. G1234567@H45			
	Then I click on ''\${employee.addemp.saveandnew}'' button			
Then I verify the error message on "Add Member modal"				
\${employee.addemp.field.nric} \${emp.error.formatvalidation.nationalid}				
	Output			
	Checking validation message for NRIC no.			
A f	ter			
	ck to Table of Contents			
	enario Outline: Validating the error message: "\${emp.error.min.max.validation.address1}" When used: 3			
	fore			
ВС				
	Then I enter following details on "add member" screen			
	Address 1 ABCDEFGHIJKLMNOPQRSTUVWXYZ12345678901234567890123456789012345			
	Then I click on '\\${employee.addemp.saveandnew}'' button			
	Then I verify the error message on "Add Member modal"			
	\$\{\text{employee.addemp.field.mandatory.address}\}\\$\{\text{emp.error.min.max.validation.address1}\}\\$			
	Output			
	Checking validation message for Address 1			
	encering variation message for Address 1			

After			
	ole of Contents		
	Outline: Validating the error message: "\${emp.error.min.max.validation.city}" When user		
Passed: 3 Before			
	enter following details on "add member" screen		
	City ABCDEfgIJKLMNO#\$%^&@PQRSTUVWXYZyABCDEFGHIJKLMNOPQRSTUVWX		
	click on "\${employee.addemp.saveandnew}" button		
	verify the error message on "Add Member modal"		
\${eı	mployee.addemp.field.city} \${emp.error.min.max.validation.city}		
Output			
CI 1:			
Checking	g validation message for City		
After			
Back to Tal	ole of Contents		
Scenario (	Outline: Validating the error message: ''\${bulk.upload.error.minmax.validation.ID}'' Whe		
Passed: 3			
Before			
Then I	enter following details on "add member" screen		
	IC no. 1234567891		
	click on ''\${employee.addemp.saveandnew}'' button		
	verify the error message on "Add Member modal"		
	mployee.addemp.field.nric} \$\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		
Output	inproyee.addemp.neid.in ic		
Output			
Checkin	g validation message for NRIC no.		
After			
	ple of Contents		
	Outline: Validating the error message: "\{emp.error.min.max.validation.address2\}" When		
Passed: 3			
Before			
	enter following details on "add member" screen		
Add	dress 2 ABCDEFGHIJKLMNOPQRSTUVWXYZ12345678901234567890123456789012345		
Then I	click on "\${employee.addemp.saveandnew}" button		
	verify the error message on Optional fields in "Add Member modal"		

\${employee.addemp.field.optional.address2} \${emp.error.min.max.validation.address2}
Output
Checking validation message for Address 2
After
Back to Table of Contents
Scenario Outline: Validating the error message: "\${emp.error.min.max.validation.address3}" When
Passed: 3
Before
Then I enter following details on "add member" screen
Address 3 ABCDEFGHIJKLMNOPQRSTUVWXYZ123456789012345678901234567890123456
Then I click on "\${employee.addemp.saveandnew}" button
Then I verify the error message on Optional fields in "Add Member modal"
\${employee.addemp.field.optional.address3} \${emp.error.min.max.validation.address3}
Output
Checking validation message for Address 3
After
Back to Table of Contents
Scenario Outline: Validating the error message: "\${emp.error.min.max.validation.address4}" When
Passed: 3
Before
Then I enter following details on "add member" screen
Address 4 ABCDEFGHIJKLMNOPQRSTUVWXYZ123456789012345678901234567890123456
Then I click on "\${employee.addemp.saveandnew}" button
Then I verify the error message on Optional fields in "Add Member modal"
\${employee.addemp.field.optional.address4} \${emp.error.min.max.validation.address4}
Output
Checking validation message for Address 4
After
Back to Table of Contents
Scenario: validate the error message when member DOB is future dated or age is not between 16 & 3
Passed: 6
Before

Given I generate "current date" and assign to variable "current date" in "dd/MM/yyyy" form And I enter following details on "add employee" screen  Coverage Start Date \${current date} Date of Birth \${future date} Gender \${gender.female.text}  Then I click on "\${employee.addemp.saveandnew}" button And I wait for 2 sec Then I verify the error message on "Add Employee modal"  \${employee.addemp.field.dob}\${emp.addemp.future.DOB.error.message}  ava.lang.AssertionError: The following asserts failed: avalidation message is: Member age must be between 16 & 30, please provide the relevant detain to rg. testing.asserts.SoftAssert.assert.All/SoftAssert.java:43) at com.pru.sales.portal.stepdef.EmployeeAndDependentSteps.iVerifyValidationMessageOnAdat. Then I verify the error message on "Add Employee modal" (features/my/02.SalesMembers)  Duppu  Checking validation message for Date of Birth  Then I calculate age of the user is 15 in "dd/MM/yyyy" format from current date and assign to And I enter following details on "add employee" screen  Date of Birth \${DOB}\$.  Gender **Igender.male.text}  Then I calculate age of the user is 31 in "dd/MM/yyyy" format from current date and assign to And I enter following details on "add employee" screen  Date of Birth \${DOB}\$.  Gender **Igender.male.text}  Then I calculate age of the user is 31 in "dd/MM/yyyy" format from current date and assign to And I enter following details on "add employee modal"  [Semployee.addemp.field.dob] \${emp.addemp.age.criteria.error.message}  Then I calculate age of the user is 31 in "dd/MM/yyyy" format from current date and assign to And I enter following details on "add employee modal"  [Semployee.addemp.field.dob] \${emp.addemp.age.criteria.error.message}  [Semployee.addemp.field.dob] \${emp.addemp.age.criteria.error.message}  [Semployee.addemp.field.dob] \${emp.addemp.age.criteria.error.message}  [Semployee.addemp.field.dob] \${emp.addemp.age.criteria.error.message}  [Semployee.addemp.field.dob] \${emp.addemp.age.criteria.error.message}  [Semployee.addemp.field.dob		re date" and assign to variable "future date" in "dd/MM/yyyy" format
Coverage Start Date   Sturrent date   Date of Birth   Sturrent date   Gender   Stgender.female.text   Then I click on "Stemployee.addemp.saveandnew}" button Then I click on "Stemployee.addemp.saveandnew}" button And I wait for 2 sec Then I verify the error message on "Add Employee modal"  Stemployee.addemp.field.dob)   Stemp.addemp.future.DOB.error.message    ava.lang.AssertionError: The following asserts failed: validation message is: Member age must be between 16 & 30, please provide the relevant detail at org.testing.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.pru.sales.portal.stepdef.EmployeeAndDependentSteps.iVerifyValidationMessageOnAdt.Then I verify the error message on "Add Employee modal"(features/my/02.SalesMembers)  Checking validation message for Date of Birth  Then I calculate age of the user is 15 in "dd/MM/yyyy" format from current date and assign to And I enter following details on "add employee" screen  Date of Birth StDOB} Gender Stgender.male.text)  Then I calculate age of the user is 31 in "dd/MM/yyyy" format from current date and assign to And I enter following details on "add employee modal"  Stemployee.addemp.field.dob   Stemp.addemp.age.criteria.error.message  Then I calculate age of the user is 31 in "dd/MM/yyyy" format from current date and assign to And I enter following details on "add employee" screen  Date of Birth StDOB   Gender Stgender.female.text   Then I click on "Stemployee.addemp.saveandnew}" button  Then I calculate age of the user is 31 in "dd/MM/yyyy" format from current date and assign to And I enter following details on "add employee" screen  Date of Birth StDOB   Gender Stgender.female.text   Then I click on "Stemployee.addemp.saveandnew}" button  Then I verify the error message on "Add Employee modal"  Date of Birth StDOB   Gender Stgender.female.text		
Date of Birth Gender  \${gender.female.text}}  Then I click on "\${gemployee.addemp.saveandnew}" button  Then I click on "\${gemployee.addemp.saveandnew}" button  And I wait for 2 sec  Then I verify the error message on "Add Employee modal"  \${gemployee.addemp.field.dob} \${gemp.addemp.future.DOB.error.message}  ava.lang.AssertionError: The following asserts failed:  validation message is: Member age must be between 16 & 30, please provide the relevant detait at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)  at com.pru.sales.portal.stepdef.EmployeeAndDependentSteps.iVerifyValidationMessageOnAdt.Then I verify the error message on "Add Employee modal" (features/my/02.SalesMembersDuppd  Checking validation message for Date of Birth  Then I calculate age of the user is 15 in "dd/MM/yyyy" format from current date and assign to And I enter following details on "add employee" screen  Date of Birth \${DOB}  Sender \${gender.male.text}}  Then I verify the error message on "Add Employee modal"  **Yemployee.addemp.field.dob }{gemp.addemp.age.criteria.error.message}  Then I calculate age of the user is 31 in "dd/MM/yyyy" format from current date and assign to And I enter following details on "add employee" screen  Date of Birth \${DOB}  Sender \${gender.female.text}}  Then I calculate age of the user is 31 in "dd/MM/yyyy" format from current date and assign to And I enter following details on "add employee" screen  Date of Birth \${DOB}  Sender \${gender.female.text}}  Then I click on "\${gemployee.addemp.saveandnew}" button  Then I verify the error message on "Add Employee modal"  **Date of Birth \${DOB}  Sender \${gender.female.text}}  Then I click on "\${gemployee.addemp.saveandnew}" button  Then I verify the error message on "Add Employee modal"		
Sender   Sigender.female.text	Coverage Start Date	\${current date}
Then I click on "\${employee.addemp.saveandnew}" button  Then I click on "\${employee.addemp.saveandnew}" button  And I wait for 2 sec  Then I verify the error message on "Add Employee modal"  \${employee.addemp.field.dob} \${emp.addemp.future.DOB.error.message}  ava.lang.AssertionError: The following asserts failed: validation message is: Member age must be between 16 & 30, please provide the relevant detain torg.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)  at com.pru.sales.portal.stepdef.EmployeeAndDependentSteps.iVerifyValidationMessageOnAdat. Then I verify the error message on "Add Employee modal"(features/my/02.SalesMembersIDMPMI)  Checking validation message for Date of Birth  Then I calculate age of the user is 15 in "dd/MM/yyyy" format from current date and assign to And I enter following details on "add employee" screen  Date of Birth \${DOB}\$  Gender \${gender.mel.text}}  Then I calculate age of the user is 31 in "dd/MM/yyyy" format from current date and assign to And I enter following details on "Add Employee modal"  \${employee.addemp.field.dob} \${employee}\$ screen  Date of Birth \${DOB}\$  Gender \${gender.female.text}}  Then I click on "\${employee.addemp.saveandnew}" button  Fleen I click on "\${employee.addemp.saveandnew}" button  Fleen I click on "\${employee.addemp.saveandnew}" button  Fleen I verify the error message on "Add Employee modal"  Fleen I click on "\${employee.addemp.saveandnew}" button	Date of Birth	\${future date}
Then I click on "\${employee.addemp.saveandnew}" button And I wait for 2 sec Then I verify the error message on "Add Employee modal"  [\${employee.addemp.field.dob}]\${emp.addemp.future.DOB.error.message}]  [ava.lang.AssertionError: The following asserts failed: avalation message is: Member age must be between 16 & 30, please provide the relevant detail torg.testing.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.pru.sales.portal.stepdef.EmployeeAndDependentSteps.iVerifyValidationMessageOnAdd t.Then I verify the error message on "Add Employee modal"(features/my/02.SalesMembersIDupul  Checking validation message for Date of Birth  Then I calculate age of the user is 15 in "dd/MM/yyyy" format from current date and assign to And I enter following details on "add employee" screen  Date of Birth   S{OBB}   S{gender.male.text}    Then I verify the error message on "Add Employee modal"  [\${employee.addemp.field.dob}   S{emp.addemp.age.criteria.error.message}    Then I calculate age of the user is 31 in "dd/MM/yyyy" format from current date and assign to And I enter following details on "add employee" screen  Date of Birth   S{DOB}   Semp.addemp.age.criteria.error.message}    Then I click on "\${employee.addemp.saveandnew}" button	Gender	\${gender.female.text}
And I wait for 2 sec  Then I verify the error message on "Add Employee modal"  [stemployee.addemp.field.dob] [stemployee.addem	Then I click on ''\${emp	loyee.addemp.saveandnew}'' button
Semployee.addemp.field.dob  Semp.addemp.future.DOB.error.message      Semployee.addemp.field.dob  Semp.addemp.future.DOB.error.message      Sava.lang.AssertionError: The following asserts failed:   Sava.lang.AssertionError: The following asserts failed:   Sava.lang.Asserts.SoftAssert.assertAll(SoftAssert.asvar43)		loyee.addemp.saveandnew}'' button
Semployee.addemp.field.dob  Semp.addemp.future.DOB.error.message    Sava.lang.AssertionError: The following asserts failed:   validation message is: Member age must be between 16 & 30, please provide the relevant detail at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)   at com.pru.sales.portal.stepdef.EmployeeAndDependentSteps.iVerifyValidationMessageOnAdt at .Then I verify the error message on "Add Employee modal"(features/my/02.SalesMembersIDDIDIDIDIDIDIDIDIDIDIDIDIDIDIDIDIDIDI	And I wait for 2 sec	
ava.lang.AssertionError: The following asserts failed: validation message is: Member age must be between 16 & 30, please provide the relevant detail torg.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.pru.sales.portal.stepdef.EmployeeAndDependentSteps.iVerifyValidationMessageOnAd at .Then I verify the error message on "Add Employee modal"(features/my/02.SalesMembersI Dutput  Checking validation message for Date of Birth  Checking validation message for Date of Birth  Then I calculate age of the user is 15 in "dd/MM/yyyy" format from current date and assign to And I enter following details on "add employee" screen  Date of Birth \$(DOB)_ Gender \$(gender.male.text)  Then I click on "\${employee.addemp.saveandnew}" button  Then I verify the error message on "Add Employee modal"  \${employee.addemp.field.dob} \$(emp.addemp.age.criteria.error.message)  Then I calculate age of the user is 31 in "dd/MM/yyyy" format from current date and assign to And I enter following details on "add employee" screen  Date of Birth \$(DOB)_ Gender \$(gender.female.text)  Then I click on "\${employee.addemp.saveandnew}" button  Then I click on "\${employee.addemp.saveandnew}" button  Then I click on "\${employee.addemp.saveandnew}" button		
Then I calculate age of the user is 15 in "dd/MM/yyyy" format from current date and assign to the following details on "add employee" screen  Date of Birth {DOB} Gender	\${employee.addemp	field.dob} \${emp.addemp.future.DOB.error.message}
Then I calculate age of the user is 15 in "dd/MM/yyyy" format from current date and assign to And I enter following details on "add employee" screen  Date of Birth \${DOB}  Gender \${gender.male.text}  Then I click on "\${employee.addemp.saveandnew}" button  Then I verify the error message on "Add Employee modal"  \${employee.addemp.field.dob} \${emp.addemp.age.criteria.error.message}  Then I calculate age of the user is 31 in "dd/MM/yyyy" format from current date and assign to And I enter following details on "add employee" screen  Date of Birth \${DOB}  Gender \${gender.female.text}  Then I click on "\${employee.addemp.saveandnew}" button  Then I verify the error message on "Add Employee modal"	at com.pru.sales.portal. at .Then I verify the eri	step def. Employee And Dependent Steps. iVerify Validation Message On Additional Control of the Control of C
And I enter following details on "add employee" screen  Date of Birth \${DOB} Gender \${gender.male.text}  Then I click on "\${employee.addemp.saveandnew}" button  Then I verify the error message on "Add Employee modal"  \${employee.addemp.field.dob} \${emp.addemp.age.criteria.error.message}  Then I calculate age of the user is 31 in "dd/MM/yyyy" format from current date and assign to And I enter following details on "add employee" screen  Date of Birth \${DOB} Gender \${gender.female.text}  Then I click on "\${employee.addemp.saveandnew}" button  Then I verify the error message on "Add Employee modal"		
Date of Birth \${DOB} Gender \${gender.male.text}  Then I click on "\${employee.addemp.saveandnew}" button  Then I verify the error message on "Add Employee modal"  \${employee.addemp.field.dob} \${emp.addemp.age.criteria.error.message}  Then I calculate age of the user is 31 in "dd/MM/yyyy" format from current date and assign to And I enter following details on "add employee" screen  Date of Birth \${DOB} Gender \${gender.female.text}  Then I click on "\${employee.addemp.saveandnew}" button  Then I verify the error message on "Add Employee modal"		
Gender \${gender.male.text}  Then I click on ''\${employee.addemp.saveandnew}'' button  Then I verify the error message on ''Add Employee modal''  \${employee.addemp.field.dob} \${emp.addemp.age.criteria.error.message}  Then I calculate age of the user is 31 in ''dd/MM/yyyy'' format from current date and assign to And I enter following details on ''add employee'' screen  Date of Birth \${DOB}  Gender \${gender.female.text}}  Then I click on ''\${employee.addemp.saveandnew}'' button  Then I verify the error message on ''Add Employee modal''		
Then I click on "\${employee.addemp.saveandnew}" button  Then I verify the error message on "Add Employee modal"  \${employee.addemp.field.dob} \${emp.addemp.age.criteria.error.message}  Then I calculate age of the user is 31 in "dd/MM/yyyy" format from current date and assign to And I enter following details on "add employee" screen  Date of Birth \${DOB}  Gender \${gender.female.text}  Then I click on "\${employee.addemp.saveandnew}" button  Then I verify the error message on "Add Employee modal"		
Then I verify the error message on "Add Employee modal"  \${employee.addemp.field.dob} \${emp.addemp.age.criteria.error.message}  Then I calculate age of the user is 31 in "dd/MM/yyyy" format from current date and assign to And I enter following details on "add employee" screen  Date of Birth \${DOB}  Gender \${gender.female.text}  Then I click on "\${employee.addemp.saveandnew}" button  Then I verify the error message on "Add Employee modal"		
\$\{\text{employee.addemp.field.dob}\} \\$\{\text{emp.addemp.age.criteria.error.message}\}\$  Then I calculate age of the user is 31 in ''dd/MM/yyyy'' format from current date and assign to And I enter following details on ''add employee'' screen  Date of Birth \\$\{\text{DOB}\}\  Gender \\$\{\text{gender.female.text}\}\  Then I click on ''\\$\{\text{employee.addemp.saveandnew}\}'' button  Then I verify the error message on ''Add Employee modal''		
Then I calculate age of the user is 31 in ''dd/MM/yyyy' format from current date and assign to And I enter following details on ''add employee'' screen  Date of Birth \${DOB}  Gender \${gender.female.text}  Then I click on ''\${employee.addemp.saveandnew}'' button  Then I verify the error message on ''Add Employee modal''		
And I enter following details on "add employee" screen  Date of Birth \${DOB} Gender \${gender.female.text}  Then I click on "\${employee.addemp.saveandnew}" button  Then I verify the error message on "Add Employee modal"		
Date of Birth \${DOB} Gender \${gender.female.text}  Then I click on ''\${employee.addemp.saveandnew}'' button  Then I verify the error message on ''Add Employee modal''		
Gender \${gender.female.text}  Then I click on ''\${employee.addemp.saveandnew}'' button  Then I verify the error message on ''Add Employee modal''		
Then I click on "\${employee.addemp.saveandnew}" button Then I verify the error message on "Add Employee modal"		
Then I verify the error message on "Add Employee modal"		
\${employee.addemp.neid.dob} \${emp.addemp.age.criteria.error.message}		
	\${employee.addemp	neid.dob   \${emp.addemp.age.criteria.error.message}

# **Add Member**

# **Member Details**

First Name

ABCDEFGH324LMNOPQRSTUV

Please ensure First Name field length

Date of Birth

01/03/2021

Date of Birth is mandatory, please pr relevant details

**Email Address** 

ABCDEFGHIJK5LMNOPqrstuvW.

Please ensure Email Address field ler

# **Nationality Details**

NRIC no.

1234567891

Please ensure NRIC no. is 12 digits

After **Back to Table of Contents** Scenario: verify calendar functionality is working for date of birth Passed: 11 Before Given I close the Add employee Modal if it is already opened And I scroll the page up Then I click on "\${addEmployeeManually.button.text}" button And I generate "current date" and assign to variable "current date" in "dd/MMM/yyyy" format And I generate "future date" and assign to variable "future date 1" in "dd/MMM/yyyy" format And I generate "future date" and assign to variable "future date 2" in "dd/MM/yyyy" format Then I click on date of birth calendar button on Add employee modal on Sales Then I verify the value "\{current date}" is selected by default for date of birth calendar on Add e Then I verify month field dropdown value matches with "/testdata/\${sales.fe.lbu}/month dropdow Output expected data: [Apr, Aug, Dec, Feb, Jan, Jul, Jun, Mar, May, Nov, Oct, Sep] actual data: [Apr, Aug, Dec, Feb, Jan, Jul, Jun, Mar, May, Nov, Oct, Sep] Then I select date "\${future date\_1}" using calendar Then I verify Add Employee page is displayed with all data pre-populated from employee table Date of Birth \${future date\_2} After **Back to Table of Contents** Scenario: verify calendar functionality is working for coverage start date Passed: 5 Before Then I click on employee start date calendar button on Add employee modal on Sales Then I verify the value "\${current date}" is selected by default for employee start date calendar or Then I verify month field dropdown value matches with "/testdata/\${sales.fe.lbu}/month\_dropdow Output expected data: [Apr, Aug, Dec, Feb, Jan, Jul, Jun, Mar, May, Nov, Oct, Sep] actual data: [Apr, Aug, Dec, Feb, Jan, Jul, Jun, Mar, May, Nov, Oct, Sep]

	Then I select date "\${future date_1}" using calendar		
	Then I verify Add Employee page is displayed with all data pre-populated from employee table		
	Date of Birth \${future date_2}		
Af	ter		
Bac	ck to Table of Contents		
Sc	enario: Verify agent can perform following functions		
2)S 3)T	nanually add the single member after uploading a bulk emp file Save using Save and New button The member count per category and total no of members is updated after employee is manually added		
_	ssed: 35		
Be	fore		
	Given I close the Add employee Modal if it is already opened		
	Then I click on Create Quote Link		
	And I generate "current date" and assign to variable "COVERAGE_DATE" in "dd/MM/yyyy" fo		
	And I enter Company Name as "MY Member Bulk Upload Tests"		
	Output		
	company name is: MY Member Bulk Upload Tests		
	And I assign value to following variables		
	Noof_Members 10		
	And I enter following details on select plan page		
	Effective Date of Coverage \${COVERAGE_DATE}		
	No. of Members \${Noof_Members}		
	And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button		
	Then I navigate to "Members" screen		
	Then I select the PDPA Consent requirement check box		
	And I assign ''/testdata/\${sales.fe.lbu}/bulk_upload_employee'' to variable ''testdata.path''		
	Output		
	Assigning value /testdata/my/bulk_upload_employee to variable testdata.path		
	Then I assign "employee_CorrectData.xlsm" to variable "FILE_NAME"  Output		
	Assigning value employee_CorrectData.xlsm to variable FILE_NAME		
	Then I upload the employee csv file ''\${testdata.path}/003/\${FILE_NAME}''		
	Then I upload the employee csv the \(\phi\{\testuata.path\}/003/\phi\{\testuata_\textuata.path\}/003/\phi\{\textuata_\textuata.path\}/003/\phi\{\textuata_\textuata.path\}/003/\phi\{\t		

And I wait for 10 sec

And I verify the "\${employee.upload.success.msg}" validation message on employee screen

And I scroll the page up

Then I click on "\${addEmployeeManually.button.text}" button

Then I verify "\${employee.addemp.modal.title}" modal comes up

And I generate random number and assign to variable "RANDOM\_NUMBER"

### Output

Random number generated is:549

## And I assign value to following variables

<b>Employee First Name</b>	Employee One
<b>Employee Surname</b>	Sur.name
Date of Birth	01/01/1995
Gender	\${gender.female.text}
<b>Email Address</b>	testuser_\${RANDOM_NUMBER}@test.com
<b>Coverage Start Date</b>	\${COVERAGE_DATE}
NRIC no.	123456789102
Address 1	Test Address1
Address 2	Test Address2
Address 3	Test Address3
Address 4	Test Address4
State	\${state.dropdown.value.2}
City	Test City
Post Code	54787

# Given I enter following details on "Add Employee" screen

First Name	\${Employee First Name}
Surname	\${Employee Surname}
Date of Birth	\${Date of Birth}
Gender	\${Gender}
<b>Email Address</b>	\${Email Address}
<b>Coverage Start Date</b>	\${Coverage Start Date}
NRIC no.	\${NRIC no.}
Address 1	\${Address 1}
Address 2	\${Address 2}
Address 3	\${Address 3}
Address 4	\${Address 4}
State	\${State}
City	\${City}
Post Code	\${Post Code}

And I assign "\${Employee First Name} \${Employee Surname}" to variable "Employee Full Name

Output

Assigning value Employee One Sur.name to variable Employee Full Name Then I scroll the page up And I click on "\${employee.addemp.saveandnew}" button Then I click on "\${employee.addemp.close}" button Then verify the user is landed on "Members" page Then I assign value to following variables EMP COUNT 11 And I scroll the page up Then I verify following counts are displayed for employee and dependant on employee page **Employee Count \$ { employee.uploaded.count }** Then I enter '\${Employee Full Name}'' in search text field in Members page Then I scroll to the end of page Then I verify following information is displayed for member "\${Employee Full Name}" in membe \${employee.detail.name} **\${Employee Full Name}** \$\{employee.detail.startdate}\| \$\{COVERAGE DATE}\} When I expand the member "\${Employee Full Name}" using > button And I verify following details for the added/updated members \${employee.addemp.field.dob} \${Date of Birth} \${employee.addemp.field.gender} **\${Gender} \${employee.addemp.field.nationality} \${Nationality}** \${employee.detailsview.field.empid} \${NRIC no.} \${employee.addemp.field.occupationclass}|\${Occupational Class} \${employee.addemp.field.cmpnyemail} \${Email Address} Then I navigate to "Select Plan" screen Then I verify the sample text of following fields on select plan page Number of Members 11 After **Back to Table of Contents** Scenario: Verify the email duplicate check is present while adding same email for employees manuall Passed: 13 Before Given I navigate to "Members" screen And I scroll the page up And I click on "\${addEmployeeManually.button.text}" button And I verify "\${employee.addemp.modal.title}" modal comes up Then I enter following details on "Add Employee" screen Email Address \${hr.admin.id} And I click on "\${employee.addemp.saveandnew}" button When I verify the error message on "Add Employee modal"

\$\{employee.addemp.field.cmpnyemail}\\$\{emp.bulk.upload.error.email.exist}\

Output Checking validation message for Email Address Then I enter following details on "Add Employee" screen Email Address \${Email Address} And I click on "\{employee.addemp.saveandnew}" button And I wait for 2 sec When I verify the error message on "Add Employee modal" {employee.addemp.field.cmpnyemail} {emp.bulk.upload.error.email.exist} Output Checking validation message for Email Address And I click on "\{employee.addemp.close\" button And verify the user is landed on "Members" page After **Back to Table of Contents** Scenario: Verify the presence of the Search field Passed: 3 Before Given I close the Add employee Modal if it is already opened And I verify Search text field is displayed and enabled with magnifying class and default text as Se And I verify sample text of search text field on "member page" page on Sales Portal \${member.search.text} After Back to Table of Contents Scenario Outline: Verify the agent can search member details by entering "First Name" Passed: 3 Before Given I enter "\${Employee First Name}" in search text field in Members page And I verify searched member count is 1 Then I remove search text on manage members page in Sales Portal After Back to Table of Contents Scenario Outline: Verify the agent can search member details by entering "NRIC no." Passed: 3 Before Given I enter "\${NRIC no.}" in search text field in Members page And I verify searched member count is 1

Then I remove search text on manage members page in Sales Portal

After

Back to Table of Contents

Scenario Outline: Verify the agent can search member details by entering "Email Address"

Passed: 3

Before

Given I enter "\${Email Address}" in search text field in Members page

And I verify searched member count is 1

Then I remove search text on manage members page in Sales Portal

After

**Back to Table of Contents** 

Scenario: Verify the agent can edit the employee information on employee page

Passed: 23

Before

Given I close the Add employee Modal if it is already opened

And I navigate to "Select Plan" screen

And I navigate to "Members" screen

Then I enter '\\${Email Address}'' in search text field in Members page

And I click on edit button next to the employee "\${Employee Full Name}"

Then I click on profile button "\{employee.editprofile.button.text\" on Add employee page

Then I verify "\${employee.editemp.modal.title}" modal comes up

Then I verify Add Employee page is displayed with all data pre-populated from employee table

First Name	\${Employee First Name}
Surname	\${Employee Surname}
Date of Birth	\${Date of Birth}
Gender	\${Gender}
Email Address	\${Email Address}
<b>MY Occupational Class</b>	\${Occupational Class}
<b>Coverage Start Date</b>	\${Coverage Start Date}
static Nationality	\${Nationality}
NRIC no.	\${NRIC no.}
Address 1	\${Address 1}
Address 2	\${Address 2}
Address 3	\${Address 3}
Address 4	\${Address 4}
State	\${state.dropdown.value.2}
City	\${City}
Post Code	\${Post Code}

Then I scroll the page up

Then I generate random number and assign to variable "RANDOM NUMBER"

Output

Random number generated is:564

# And I assign value to following variables

8	
updated_Employee First Name	Test FN updated
updated_Employee Sur Name	Test SN updated
updated_Date of Birth	23/09/1992
updated_Gender	\${gender.male.text}
updated_Email Address	testuser_\${RANDOM_NUMBER}@test.com
updated_CoverageStart Date	\${COVERAGE_DATE}
updated_NRIC no.	456789012345
updated_Address 1	Test Address1
updated_Address 2	Test Address2
updated_Address 3	Test Address3
updated_Address 4	Test Address4
updated_State	\${state.dropdown.value.3}
updated_City	Test City
updated_Post Code	53783

# Then I enter following details on "add employee" screen

First Name	\${updated_Employee First Name}
Surname	\${updated_Employee Sur Name}
Date of Birth	\${updated_Date of Birth}
Gender	\${updated_Gender}
<b>Email Address</b>	\${updated_Email Address}
<b>Coverage Start Date</b>	\${updated_CoverageStart Date}
NRIC no.	\${updated_NRIC no.}
Address 1	\${updated_Address 1}
Address 2	\${updated_Address 2}
Address 3	\${updated_Address 3}
Address 4	\${updated_Address 4}
State	\${updated_State}
City	\${updated_City}
Post Code	\${updated_Post Code}

And I assign ''\${updated\_Employee First Name} \${updated\_Employee Sur Name}'' to variable ''u

#### Output

Assigning value Test FN updated Test SN updated to variable updated\_Employee Full Name

# Then I scroll the page up

Then I click on "\${employee.addemp.save}" button


Then verify the user is landed on "Members" page

Then I wait for 5 sec

Then I remove search text on manage members page in Sales Portal


Then I assign value to following variables			
EMP_COUNT 11			
Then I verify following counts are displayed for employee and dependant on employee pa	ge		
Employee Count \${employee.uploaded.count}			
Then I enter "\${updated_Employee Full Name}" in search text field in Members page			
When I expand the member "\{\text{updated_Employee Full Name}}\" using > button			
And I verify following details for the added/updated members			
\${employee.addemp.field.dob} \${updated_Date of Birth}			
\${employee.addemp.field.gender} \${updated_Gender}			
\${employee.addemp.field.nationality} \${Nationality}			
\${employee.addemp.field.nationanty} \${\text{nationanty}} \$\$ {\text{updated_NRIC no.}}			
\${employee.addemp.field.occupationclass} \${Occupational Class}			
\${employee.addemp.field.cmpnyemail} \${updated_Email Address}			
After			
Back to Table of Contents			
Scenario: Verify the agent can delete single member profile			
Passed: 4			
Before			
Given I enter ''\${updated_Employee Full Name}'' in search text field in Members page			
And I click on edit button next to the employee "\${updated_Employee Full Name}"			
Then I assign "\${updated_Employee Full Name}" to variable "Employee Full Name"			
Output Control of the			
A - i - u iu - u - lua T - 4 EN - u data d T - 4 CN - u data d ta - u - u ialda E - u - u iu la 1 N - u -			
Assigning value Test FN updated Test SN updated to variable Employee Full Name			
Then I click on delete profile button "\${employee.deleteprofile.button.text}" on Add emp	ovoc poc		
Then I verify following text is displayed on "delete profile popup window on employee" p			
	age		
\${employee.delete.popup.Header.text}			
\${employee.delete.popup.message}			
iovo long Aggartian Erman. The following aggarts failed:			
java.lang.AssertionError: The following asserts failed:  Are you sure you would like to delete Test FN updated Test SN updated? text is displayed.	on nogo		
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)	on page		
at com.pru.sales.portal.stepdef.AgentRegistrationSteps.verifyMessageOnPage(AgentRegistrationSteps.verifyMessage	strationS		
at .Then I verify following text is displayed on "delete profile popup window on employee			
Then I verify following buttons are displayed on "delete profile popup window on employ	ee''		
\${employee.delete.popup.cancel.button}			
\${employee.delete.popup.delete.button}			
Then I click on '\\${employee.delete.popup.cancel.button}'' button			
Given I click on edit button next to the employee "\${updated_Employee Full Name}"			
Then I click on delete profile button "\{employee.deleteprofile.button.text\}" on Add emp	lovee nac		
Then I click on '\${employee.delete.popup.delete.button}'' button			

Than I remove search tout an manage members nage in Sales Doutel	
Then I remove search text on manage members page in Sales Portal  Then I assign value to following variables	
EMP_COUNT 10	
Then I verify following counts are displayed for employee and dependant on employee page	
Employee Count \${employee.uploaded.count}	
Then I verify following employees should not present on employee page	
\${Employee Full Name}	



[→ Logout
Collapse Sidebar < Previous
After
Back to Table of Contents
Scenario: Verify that the quote can be saved by clicking on Save Quote button after entering member
Passed: 6
Before
Given I close the Add employee Modal if it is already opened
Then I navigate to "Members" screen
And I verify following buttons are displayed on top right corner of the screen
Save Quote \${saveQuote.button.text}
And I generate random number and assign to variable "RANDOM_NUMBER"
Output
Random number generated is :587
And I assign "Test_Quote_\${RANDOM_NUMBER}" to variable "Company_Name"
Output
Assigning value Test_Quote_5872702627 to variable Company_Name
And I enter Company Name as "\${Company_Name}"
Output
company name is: Test_Quote_5872702627
And I click on "\${saveQuote.button.text}" button
org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element (Session info: headless chrome=83.0.4103.116) Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'eb-sme-backend-jenkinslave-v12-gttg3-rl5r7', ip: '10.153.104.18', os.name: 'Li
Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103.116,
Session ID: 6d420ddb7e60c5fc7c3c592d75f7e610 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructor

at java,base/java,lang,reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.jat org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.jat org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.jat org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:15 at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(FiverCommandExecutor.java:15 at org.openqa.selenium.remote.RemoteWebDirver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebDelment.java:276) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:276) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:276) at org.openqa.selenium.commands3is.executeCommand(ExecuteCommand, java:14) at com.prucales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184) at com.prucales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184) at com.prucales.portal.pages.TestBasePage.clickButton(BasedOnBrowser(TestBasePage.java:927 at com.prucales.portal.pages.SelectPlanPage.clickOnButton(SelectPlanPage.java:585) at com.prucales.portal.pages.SelectPlanPage.clickOnButton(SelectPlanPage.java:585) at com.prucales.portal.stepdef.SelectPlanSteps.clickOnButton(SelectPlanPage.java:397) at .And I click on "S(saveQutoe.button.testy") button(Features/my/02.SalesMembersDetailsPage.filen I verify following information is displayed on page footer  [startSevedWessage.static.text]  [duch I verify the presence of export quote button And I click on "S(saveQutoe.button.text)" button(Features/my/02.SalesMembersDetailsPage.filen I verify the presence of export quote button And I click on "S(saveQutoe.button.text)" button(Features/my/02.SalesMembersDetailsPage.filen I verify the presence of export quote button And I click on "Govept Timb." And Timb.	at iava.hase/idk.in	ternal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.newInstance)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponse torg.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.jat org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.jat org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:15 at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.gopenqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:276) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:83) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19) at com.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184) at com.pru.sales.portal.pages.TestBasePage.clickButton(SelectPlanPage.java:585) at com.pru.sales.portal.pages.SelectPlanPage.clickOnButton(SelectPlanPage.java:397) at .And I click on "\${saveQuote.button.text}" button(features/my/02.SalesMembersDetailsPage.feThen I verify following information is displayed on page footer  \${lastSavedMessage.static.text}\$  Then I verify the presence of export quote button And I click on "Quotes" Link When I enter "\${Company_Name}" in search text field in Quotes page		
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.jat org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.jat org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:15 at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.gopenqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:276) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:83) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19) at com.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184) at com.pru.sales.portal.pages.TestBasePage.clickButton(SelectPlanPage.java:927 at com.pru.sales.portal.pages.SelectPlanPage.clickOnButton(SelectPlanPage.java:585) at com.pru.sales.portal.stepdef.SelectPlanSteps.clickOnButton(SelectPlanSteps.java:397) at .And I click on "\${saveQuote.button.text}" button(features/my/02.SalesMembersDetailsPage.forthen I verify following information is displayed on page footer  \${lastSavedMessage.static.text}}  Then I verify the presence of export quote button And I click on "Quotes" Link When I enter "\${Company_Name}" in search text field in Quotes page		
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:15 at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecu at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:276) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:83) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19) at com.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184) at com.pru.sales.portal.pages.TestBasePage.clickButtonBasedOnBrowser(TestBasePage.java:927 at com.pru.sales.portal.pages.SelectPlanPage.clickOnButton(SelectPlanPage.java:585) at com.pru.sales.portal.stepdef.SelectPlanSteps.clickOnButton(SelectPlanSteps.java:397) at .And I click on "\${saveQuote.button.text}" button(features/my/02.SalesMembersDetailsPage.fe Then I verify following information is displayed on page footer  \${lastSavedMessage.static.text}}  Then I verify the presence of export quote button And I click on "Quotes" Link When I enter "\${Company_Name}" in search text field in Quotes page		
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:276) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:83) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19) at com.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184) at com.pru.sales.portal.pages.TestBasePage.clickButtonBasedOnBrowser(TestBasePage.java:927 at com.pru.sales.portal.pages.SelectPlanPage.clickOnButton(SelectPlanPage.java:585) at com.pru.sales.portal.stepdef.SelectPlanSteps.clickOnButton(SelectPlanSteps.java:397) at .And I click on "\${saveQuote.button.text}" button(features/my/02.SalesMembersDetailsPage.fotThen I verify following information is displayed on page footer  \${lastSavedMessage.static.text}  Then I verify the presence of export quote button  And I click on "Quotes" Link  When I enter "\${Company_Name}" in search text field in Quotes page	at org.openqa.sele	nium. remote. http. W3CHttpResponseCodec. decode (W3CHttpResponseCodec. januari et al. 1998) and the property of the propert
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:276) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:83) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19) at com.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184) at com.pru.sales.portal.pages.TestBasePage.clickButtonBasedOnBrowser(TestBasePage.java:927 at com.pru.sales.portal.pages.SelectPlanPage.clickOnButton(SelectPlanPage.java:585) at com.pru.sales.portal.stepdef.SelectPlanSteps.clickOnButton(SelectPlanSteps.java:397) at .And I click on "\${saveQuote.button.text}" button(features/my/02.SalesMembersDetailsPage.fo Then I verify following information is displayed on page footer  \${lastSavedMessage.static.text}  Then I verify the presence of export quote button And I click on "Quotes" Link When I enter "\${Company_Name}" in search text field in Quotes page		
at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:276) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:83) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19) at com.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184) at com.pru.sales.portal.pages.TestBasePage.clickButtonBasedOnBrowser(TestBasePage.java:927 at com.pru.sales.portal.pages.SelectPlanPage.clickOnButton(SelectPlanPage.java:585) at com.pru.sales.portal.stepdef.SelectPlanSteps.clickOnButton(SelectPlanSteps.java:397) at .And I click on "\${saveQuote.button.text}" button(features/my/02.SalesMembersDetailsPage.fe Then I verify following information is displayed on page footer \${lastSavedMessage.static.text}\$  Then I verify the presence of export quote button And I click on "Quotes" Link When I enter "\${Company_Name}" in search text field in Quotes page	~	
at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:83) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19) at com.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184) at com.pru.sales.portal.pages.TestBasePage.clickButtonBasedOnBrowser(TestBasePage.java:927 at com.pru.sales.portal.pages.SelectPlanPage.clickOnButton(SelectPlanPage.java:585) at com.pru.sales.portal.stepdef.SelectPlanSteps.clickOnButton(SelectPlanSteps.java:397) at .And I click on "\${saveQuote.button.text}" button(features/my/02.SalesMembersDetailsPage.fe Then I verify following information is displayed on page footer \${lastSavedMessage.static.text}}  Then I verify the presence of export quote button And I click on "Quotes" Link When I enter "\${Company_Name}" in search text field in Quotes page		
at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19) at com.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184) at com.pru.sales.portal.pages.TestBasePage.clickButtonBasedOnBrowser(TestBasePage.java:927 at com.pru.sales.portal.pages.SelectPlanPage.clickOnButton(SelectPlanPage.java:585) at com.pru.sales.portal.stepdef.SelectPlanSteps.clickOnButton(SelectPlanSteps.java:397) at .And I click on ''\${saveQuote.button.text}'' button(features/my/02.SalesMembersDetailsPage.fe Then I verify following information is displayed on page footer \${lastSavedMessage.static.text}  Then I verify the presence of export quote button And I click on ''Quotes'' Link When I enter ''\${Company_Name}'' in search text field in Quotes page		
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19) at com.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184) at com.pru.sales.portal.pages.TestBasePage.clickButtonBasedOnBrowser(TestBasePage.java:927 at com.pru.sales.portal.pages.SelectPlanPage.clickOnButton(SelectPlanPage.java:585) at com.pru.sales.portal.stepdef.SelectPlanSteps.clickOnButton(SelectPlanSteps.java:397) at .And I click on "\${saveQuote.button.text}" button(features/my/02.SalesMembersDetailsPage.feature)	~	
at com.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184) at com.pru.sales.portal.pages.TestBasePage.clickButtonBasedOnBrowser(TestBasePage.java:927 at com.pru.sales.portal.pages.SelectPlanPage.clickOnButton(SelectPlanPage.java:585) at com.pru.sales.portal.stepdef.SelectPlanSteps.clickOnButton(SelectPlanSteps.java:397) at .And I click on "\${saveQuote.button.text}" button(features/my/02.SalesMembersDetailsPage.fe Then I verify following information is displayed on page footer  \${lastSavedMessage.static.text}  Then I verify the presence of export quote button And I click on "Quotes" Link When I enter "\${Company_Name}" in search text field in Quotes page	<u> </u>	
at com.pru.sales.portal.pages.TestBasePage.clickButtonBasedOnBrowser(TestBasePage.java:927 at com.pru.sales.portal.pages.SelectPlanPage.clickOnButton(SelectPlanPage.java:585) at com.pru.sales.portal.stepdef.SelectPlanSteps.clickOnButton(SelectPlanSteps.java:397) at .And I click on "\${saveQuote.button.text}" button(features/my/02.SalesMembersDetailsPage.fe Then I verify following information is displayed on page footer  \${lastSavedMessage.static.text}  Then I verify the presence of export quote button And I click on "Quotes" Link When I enter "\${Company_Name}" in search text field in Quotes page		
at com.pru.sales.portal.pages.SelectPlanPage.clickOnButton(SelectPlanPage.java:585) at com.pru.sales.portal.stepdef.SelectPlanSteps.clickOnButton(SelectPlanSteps.java:397) at .And I click on "\${saveQuote.button.text}" button(features/my/02.SalesMembersDetailsPage.fe Then I verify following information is displayed on page footer  \${lastSavedMessage.static.text}  Then I verify the presence of export quote button And I click on "Quotes" Link When I enter "\${Company_Name}" in search text field in Quotes page		
at com.pru.sales.portal.stepdef.SelectPlanSteps.clickOnButton(SelectPlanSteps.java:397) at .And I click on "\${saveQuote.button.text}" button(features/my/02.SalesMembersDetailsPage.fe Then I verify following information is displayed on page footer \${lastSavedMessage.static.text}  Then I verify the presence of export quote button And I click on "Quotes" Link When I enter "\${Company_Name}" in search text field in Quotes page		
at .And I click on "\${saveQuote.button.text}" button(features/my/02.SalesMembersDetailsPage.fe Then I verify following information is displayed on page footer \${lastSavedMessage.static.text}  Then I verify the presence of export quote button And I click on "Quotes" Link When I enter "\${Company_Name}" in search text field in Quotes page		
Then I verify following information is displayed on page footer  \${lastSavedMessage.static.text}  Then I verify the presence of export quote button  And I click on "Quotes" Link  When I enter "\${Company_Name}" in search text field in Quotes page		
\${lastSavedMessage.static.text} Then I verify the presence of export quote button And I click on "Quotes" Link When I enter "\${Company_Name}" in search text field in Quotes page		
And I click on "Quotes" Link When I enter "\${Company_Name}" in search text field in Quotes page		
And I click on "Quotes" Link When I enter "\${Company_Name}" in search text field in Quotes page	Then I verify the p	presence of export quote button
	When I enter ''\${	Company_Name}'' in search text field in Quotes page



enario: Verify workflow of adding multiple member profiles manually  Verify the agent can add multiple member profiles manually  Verify the functionality of save and new button to add multiple members  seed: 1  fore  Given I close the Add employee Modal if it is already opened  Then I click on Create Quote Link  org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element (Session info: headless chrome=83.0.4103.116)  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'  System info: host: 'eb-sme-backend-jenkinslave-v12-gttg3-r15r7', ip: '10.153.104.18', os.nan Driver info: org.openqa.selenium.chrome.ChromeDriver  Capabilities facecptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103  Session ID: 6d420ddb7e0c9fc7e3c592d7sfTe610  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.newInstance(NativeConstruatiorAccessorImpl.newInstance(Delegatin at java.base/jdk.internal.reflect.Delegating ConstructorAccessorImpl.newInstance(Delegatin at java.base/jdk.internal.reflect.Delegating ConstructorAccessorImpl.newInstance(Delegatin at java.base/jdk.internal.reflect.Delegating ConstructorAccessorImpl.newInstance(Delegatin at java.base/jdk.internal.reflect.Delegating Constructor.accessorImpl.newInstance(Delegatin at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCode at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCode at org.openqa.selenium.remote.Http.W3CHttpResponseCodec.decode(W3CHttpResponseCode at org.openqa.selenium.remote.Service.DriverCommandExecutor.execute(HttpCommandExecutor)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.Command  at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:54)  at org.openqa.selenium.remote.RemoteWebElement.dick(RemoteWebElement.java:276)  at com.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:141)  at com.pru.sales.portal.pages.TestBas	Collapse Sidebar	
ter k to Table of Contents enario: Verify workflow of adding multiple member profiles manually  Verify the agent can add multiple member profiles manually  Verify the functionality of save and new button to add multiple members  seed: 1  fore  Given I close the Add employee Modal if it is already opened  Then I click on Create Quote Link  org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element Closesion info: headless chrome=83.0.4103.116)  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'  System info: host: 'eb-sme-backend_jenkinslave-v12-gttg3-r15r7', ip: '10.153.104.18', os.nan Driver info: org.openqa.selenium.chrome.ChromeDriver  Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103  Session ID: 6d420ddb7e60e5fc7c3e592dr58Te610  at java.base/jdk.internal.reflect.AntiveConstructorAccessorImpl.newInstance(NativeConstrat java.base/jdk.internal.reflect.CollegatingConstructorAccessorImpl.newInstance(NativeConstrat java.base/java.lang.reflect.Constructor.newInstanceConstructor.flue.newInstance(Onstructor.flue.newInstanceConstructor.flue.newInstance.newInstance.newInstanceConstructor.flue.newInstance.newInstance.newInstanceConstructor.flue.newInstance.newInstance.newInstance.newInstance.newInstance.newInstance.newInstance.newInstance.newInstance.newInstance.newInstance.newInstance.n	ter  ck to Table of Contents  enario: Verify workflow of adding multiple member profiles manually  Verify the agent can add multiple member profiles manually  Verify the functionality of save and new button to add multiple members  ssed: 1  fore  Given I close the Add employee Modal if it is already opened	
ter k to Table of Contents enario: Verify workflow of adding multiple member profiles manually  Verify the agent can add multiple member profiles manually  Verify the functionality of save and new button to add multiple members  seed: 1  fore  Given I close the Add employee Modal if it is already opened  Then I click on Create Quote Link  org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element Closesion info: headless chrome=83.0.4103.116)  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'  System info: host: 'eb-sme-backend_jenkinslave-v12-gttg3-r15r7', ip: '10.153.104.18', os.nan Driver info: org.openqa.selenium.chrome.ChromeDriver  Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103  Session ID: 6d420ddb7e60e5fc7c3e592dr58Te610  at java.base/jdk.internal.reflect.AntiveConstructorAccessorImpl.newInstance(NativeConstrat java.base/jdk.internal.reflect.CollegatingConstructorAccessorImpl.newInstance(NativeConstrat java.base/java.lang.reflect.Constructor.newInstanceConstructor.flue.newInstance(Onstructor.flue.newInstanceConstructor.flue.newInstance.newInstance.newInstanceConstructor.flue.newInstance.newInstance.newInstanceConstructor.flue.newInstance.newInstance.newInstance.newInstance.newInstance.newInstance.newInstance.newInstance.newInstance.newInstance.newInstance.newInstance.n	Ster Ck to Table of Contents  enario: Verify workflow of adding multiple member profiles manually  Verify the agent can add multiple member profiles manually  Verify the functionality of save and new button to add multiple members  ssed: 1  Iffore  Given I close the Add employee Modal if it is already opened	
enario: Verify workflow of adding multiple member profiles manually  Verify the agent can add multiple member profiles manually  Verify the functionality of save and new button to add multiple members  seed: 1  fore  Given I close the Add employee Modal if it is already opened  Then I click on Create Quote Link  org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element (Session info: headless chrome=83.0.4103.116)  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'  System info: host: 'eb-sme-backend-jenkinslave-v12-gttg3-r15r7', ip: '10.153.104.18', os.nan Driver info: org.openqa.selenium.chrome.ChromeDriver  Capabilities facecptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103  Session ID: 6d420ddb7e0c9fc7e3c592d7sfTe610  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.newInstance(NativeConstruatiorAccessorImpl.newInstance(Delegatin at java.base/jdk.internal.reflect.Delegating ConstructorAccessorImpl.newInstance(Delegatin at java.base/jdk.internal.reflect.Delegating ConstructorAccessorImpl.newInstance(Delegatin at java.base/jdk.internal.reflect.Delegating ConstructorAccessorImpl.newInstance(Delegatin at java.base/jdk.internal.reflect.Delegating Constructor.accessorImpl.newInstance(Delegatin at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCode at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCode at org.openqa.selenium.remote.Http.W3CHttpResponseCodec.decode(W3CHttpResponseCode at org.openqa.selenium.remote.Service.DriverCommandExecutor.execute(HttpCommandExecutor)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.Command  at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:54)  at org.openqa.selenium.remote.RemoteWebElement.dick(RemoteWebElement.java:276)  at com.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:141)  at com.pru.sales.portal.pages.TestBas	ck to Table of Contents enario: Verify workflow of adding multiple member profiles manually  Verify the agent can add multiple member profiles manually  Verify the functionality of save and new button to add multiple members  ssed: 1  Efore  Given I close the Add employee Modal if it is already opened	
enario: Verify workflow of adding multiple member profiles manually Verify the agent can add multiple member profiles manually Verify the functionality of save and new button to add multiple members Seed: 1  fore  Given I close the Add employee Modal if it is already opened Then I click on Create Quote Link  org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Elemen (Session info: headless chrome=83.0.4103.116) Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'eb-sme-backend-jenkinslave-v12-gttg3-r15-r7', ip: '10.153.104.18', os.nan Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103 Session ID: 6d420ddb7e60c5fc7e3c592d75f7e610 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Mett at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstr at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(NativeConstr at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpReat org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseC at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseC at org.openqa.selenium.remote.RemoteWebEment.java:543) at org.openqa.selenium.remote.RemoteWebElement.creactute(RitpCommandExecutor) at org.openqa.selenium.remote.RemoteWebElement.creactute(RomoteWebElement.java:33) at org.openqa.selenium.remote.RemoteWebElement.creactute(RomoteWebElement.java:33) at org.openqa.selenium.remote.RemoteWebElement.fick(RemoteWebElement.java:33) at com.prucales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184) at com.prucales.portal.pages.TestBasePage.clickButtonBasedOnBrowser(TestBasePage.java 1 t.Then I click on Create Quote Link(features/my/02.SalesMembersDetailsPage.feature:51 And I generate "current date" and assign to variable "COVERAGE DATE" in "dd/MM/y And Lassign value	Verify the agent can add multiple member profiles manually Verify the functionality of save and new button to add multiple members  ssed: 1  fore  Given I close the Add employee Modal if it is already opened	
Verify the agent can add multiple member profiles manually Verify the functionality of save and new button to add multiple members  seet: 1  fore  Given I close the Add employee Modal if it is already opened  Then I click on Create Quote Link  org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Elemen (Session info: headless chrome=83.0.4103.116)  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'  System info: host: 'eb-sme-backend-jenkinslave-v12-gtg3-rl5r7', ip: '10.153.104.18', os.nan Driver info: org.openqa.selenium.chrome.ChromeDriver  Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103  Session ID: 6d420ddb7e60c5fc7c3c592d75f7e610  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstrutorAccessorImpl.newInstance(NativeConstrutorAccessorImpl.newInstance(NativeConstrutorAccessorImpl.newInstance(Delegatin java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(Delegatin tjava.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(Delegatin tjava.base/java.lang.reflect.Constructor.newInstanceConstructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCode org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.openqa.selenium.remote.RemoteWebElement.executor.execute(HttpCommandExecutor.ja at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:83) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:83) at com.prudential.tap.selenium.ExecuteCommandExecutor.execute(RemoteWebElement.java:83) at com.prudential.tap.selenium.ExecuteCommands.secutor.mand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommands.secutor.mand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:141) at com.prudential.tap.seleni	Verify the agent can add multiple member profiles manually Verify the functionality of save and new button to add multiple members  ssed: 1  fore  Given I close the Add employee Modal if it is already opened	
Given I close the Add employee Modal if it is already opened Then I click on Create Quote Link  org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element (Session info: headless chrome=83.0.4103.116) Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'eb-sme-backend-jenkinslave-v12-gttg3-rl5r7', ip: '10.153.104.18', os.nan Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103.5ession ID: 6d420ddb7e60c5fc7c3c592d75f7e610 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Metat java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstrat java.base/jdk.internal.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCoder.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCoder org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:00) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:00) at org.openqa.selenium.remote.RemoteWebElement.executor.execute(DriverCommand at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:276) at org.openqa.selenium.remote.RemoteWebElement.click(Remot	Werify the functionality of save and new button to add multiple members  ssed: 1  fore  Given I close the Add employee Modal if it is already opened	
Given I close the Add employee Modal if it is already opened Then I click on Create Quote Link  org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element (Session info: headless chrome=83.0.4103.116) Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'eb-sme-backend-jenkinslave-v12-gttg3-rl5r7', ip: '10.153.104.18', os.nan Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103.5ession ID: 6d420ddb7e60c5fc7c3c592d75f7e610 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Metat java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstrat java.base/jdk.internal.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCoder.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCoder org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:00) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:00) at org.openqa.selenium.remote.RemoteWebElement.executor.execute(DriverCommand at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:276) at org.openqa.selenium.remote.RemoteWebElement.click(Remot	Werify the functionality of save and new button to add multiple members  ssed: 1  fore  Given I close the Add employee Modal if it is already opened	
Given I close the Add employee Modal if it is already opened Then I click on Create Quote Link  org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Elemet (Session info: headless chrome=83.0.4103.116) Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'eb-sme-backend-jenkinslave-v12-gttg3-rl5r7', ip: '10.153.104.18', os.nan Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103 Session ID: 6d420ddb7e60c5fc7c3c592d75f7e610 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Meft at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(Construt java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(Delegatint java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpRestors.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.decode(W3CHttpResponseCodec.decode(W3CHttpResponseCodec.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.openqa.selenium.remote.RemoteWebDriver.commandExecutor.execute(HttpCommandExecutor) at org.openqa.selenium.remote.RemoteWebDriver.CommandExecutor.execute(DriverCommand at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:276) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:236) at com.prudential.tap.selenium.commands*15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:141) at com.prusales.portal.pages.TestBasePage.clickButtonBasedOnBrowser(TestBasePage.java:141) at com.prusales.portal.pages.TestBasePage.clickCreateQuoteLink(HomePage.java:37) at .Then I click on Create Quote Link(features/my/02.SalesMembersDetailsPage.feature:51.  Ind I generate "current date" and assign to variable "COVERAG	Given I close the Add employee Modal if it is already opened	
Given I close the Add employee Modal if it is already opened  Then I click on Create Quote Link  org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element (Session info: headless chrome=83.0.4103.116)  Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'  System info: host: 'eb-sme-backend-jenkinslave-v12-gttg3-r15r7', ip: '10.153.104.18', os.nan Driver info: org.openqa.selenium.chrome.ChromeDriver  Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103  Session ID: 6d420ddb7e60c5fc7c3c592d75f7e610  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Metiat java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(NativeConstrut java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(Delegatiat java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.gopenqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.decode(W3CHttpResponseCodec.gopenqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.gopenqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.gopenqa.selenium.remote.RemoteWebDriver.cexecute(RemoteWebDriver.java:543)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:276)  at com.prudential.tap.selenium.ExecuteCommands*15.executeCommand(Commands.java:83)  at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Commands.java:83)  at com.prusales.portal.pages.TestBasePage.clickButtonBasedOnBrowser(TestBasePage.java:141)  at com.prusales.portal.pages.TestBasePage.clickCreateQuoteLink(HomePage.java:177)  at .Then I click on Create Quote Link(features/my/02.SalesMembersDetailsPage.feature:51.  And I generate "current date" and assign to variable "COVERAGE_DATE" in "dd/MM/yAnd Las	Given I close the Add employee Modal if it is already opened	
org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element (Session info: headless chrome=83.0.4103.116) Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'eb-sme-backend-jenkinslave-v12-gttg3-rl5r7', ip: '10.153.104.18', os.nam Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103 Session ID: 6d420ddb7e60c5fc7c3c592d75f7e610 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Metl at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.newInstan		
org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Elemen (Session info: headless chrome=83.0.4103.116) Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'eb-sme-backend-jenkinslave-v12-gttg3-r15r7', ip: '10.153.104.18', os.nan Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103 Session ID: 6d420ddb7e60c5fc7e3c592d75f7e610 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(Native Metl at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstruational.pl.) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.gopenqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.gopenqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCode org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCode org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.ja at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebElement.java:276) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:276) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:2376) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:2376) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:2376) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:2376) at com.pru.sales.portal.pages.TestBasePage.clickButtonTestBasePage.java:141) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.javat com.pru.sales.portal.pages.TestBasePage.clickButtonBasedOnBrowser(TestBasePage.javat com.pru.sales.portal.pages.TestBasePage.clickButtonBased	Then I click on Create Quote Link	
(Session info: headless chrome=83.0.4103.116) Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'eb-sme-backend-jenkinslave-v12-gttg3-rl5r7', ip: '10.153.104.18', os.nan Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103 Session ID: 6d420ddb7e60c5fc7c3c592d75f7e610 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstrat java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(NativeConstrat java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(Delegatin at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpRat org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.gopenqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.gopenqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebElement.java:543) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:276) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:141) at com.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184) at com.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184) at com.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184) at com.pru.sales.portal.pages.HomePage.clickCreateQuoteLink(HomeSteps.java:37) at com.pru.sales.portal.pages.HomePage.clickCreateQuoteLink(HomeSteps.java:37) at com.pru.sales.portal.stepdef.HomeSteps.clickCreateQuoteLink(HomeSteps.java:37) at com.pru.sales.portal.stepdef.HomeSteps.clickCreateQuoteLink(HomeSteps.java:37) at com.pru.sales.portal.pages.HomePage.clickCreateQuoteLink(HomeSteps.java:37) at com.pru		
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.javat com.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184) at com.pru.sales.portal.pages.TestBasePage.clickButtonBasedOnBrowser(TestBasePage.java:170) at com.pru.sales.portal.pages.HomePage.clickCreateQuoteLink(HomePage.java:177) at com.pru.sales.portal.stepdef.HomeSteps.clickCreateQuoteLink(HomeSteps.java:170) at .Then I click on Create Quote Link(features/my/02.SalesMembersDetailsPage.feature:51:  And I generate "current date" and assign to variable "COVERAGE_DATE" in "dd/MM/y And I assign value to following variables  Noof_Members 10	Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0 Session ID: 6d420ddb7e60c5fc7c3c592d75f7e610 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.newInstance(Deleat java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(Deleat java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CH at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponat org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.gopenqa.selenium.remote.HttpCommandExecutor.execute(DriverCommat org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:54 at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:80.000) at org.openqa.selenium.execute(RemoteWebElement.java:80.000) at org.openqa.selenium.execute(RemoteWebElement.java:80.000) at org.openqa.selenium.execute(RemoteWebElemen	Metho Constru egating IttpRes onseCoo tor.java mandE 13) a:276)
at .Then I click on Create Quote Link(features/my/02.SalesMembersDetailsPage.feature:51: And I generate "current date" and assign to variable "COVERAGE_DATE" in "dd/MM/y And I assign value to following variables  Noof_Members 10	at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand at com.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184) at com.pru.sales.portal.pages.TestBasePage.clickButtonBasedOnBrowser(TestBasePage at com.pru.sales.portal.pages.HomePage.clickCreateQuoteLink(HomePage.java:77)	nd.java ge.java
And I generate "current date" and assign to variable "COVERAGE_DATE" in "dd/MM/y And I assign value to following variables  Noof_Members 10		
And I assign value to following variables  Noof_Members 10		MM/yy
And Lenten Company Name of IIM Member Dully Unlead Tortall	Noof_Members 10	
And I enter Company Name as 1911 Member Bulk Optoad Tests	And I enter Company Name as "MY Member Bulk Upload Tests"	

Effective Date of Coverage \${COVERAGE\_DATE}
No. of Members \${No.\_of\_Members}

And I click on PAMB GHS "\${selectplan.ghs.no.button}" buttor

And I navigate to "Members" screen

And verify the user is landed on "Members" page

Then I select the PDPA Consent requirement check box

And I scroll the page up

Then I click on "\faddEmployeeManually.button.text}" button

Then I verify "\${employee.addemp.modal.title}" modal comes up

And I generate random number and assign to variable "RANDOM NUMBER"

And I assign value to following variables

Employee First Name_emp1	First User
Employee Surname_emp1	Sur'name
Date of Birth_emp1	27/08/1996
Gender_emp1	\${gender.male.text}
Email Address_emp1	testuser_\${RANDOM_NUMBER}@test.com
CoverageStart Date_emp1	\${COVERAGE_DATE}
NRIC noemp1	896789012345
Address 1_emp1	Test Address1
Address 2_emp1	Test Address2
Address 3_emp1	Test Address3
Address 4_emp1	Test Address24
State_emp1	\${state.dropdown.value.1}
City_emp1	Test City
Post Code_emp1	60258

Given I enter following details on "Add Employee" screen

First Name	\${Employee First Name_emp1}
Surname	\${Employee Surname_emp1}
Date of Birth	\${Date of Birth_emp1}
Gender	\${Gender_emp1}
<b>Email Address</b>	\${Email Address_emp1}
<b>Coverage Start Dat</b>	e \${CoverageStart Date_emp1}
NRIC no.	\${NRIC noemp1}
Address 1	\${Address 1_emp1}
Address 2	\${Address 2_emp1}
Address 3	\${Address 3_emp1}
Address 4	\${Address 4_emp1}
State	\${State_emp1}
City	\${City_emp1}
Post Code	\${Post Code_emp1}

And I assign '\\${Employee First Name\_emp1} \\${Employee Surname\_emp1}'' to variable 'Employ

Then I scroll the page up

And I click on "\${employee.addemp.saveandnew}" button

l'hen I verify ''\${employee.addemp.modal.title}'' modal comes up

#### And I scroll the page up

And I generate random number and assign to variable "RANDOM NUMBER"

And I assign value to following variables

Employee First Name_emp2	Second User
Employee Surname_emp2	SN
Date of Birth_emp2	18/12/1994
Gender_emp2	\${gender.male.text}
Email Address_emp2	testuser_\${RANDOM_NUMBER}@test.com
CoverageStart Date_emp2	\${COVERAGE_DATE}
NRIC noemp2	545767689022
Address 1_emp2	Second Address1
Address 2_emp2	Second Address2
Address 3_emp2	Second Address3
Address 4_emp2	Second Address4
State_emp2	\${state.dropdown.value.2}
City_emp2	Second City
Post Code_emp2	04988

Given I enter following details on "Add Employee" screen

First Name	\${Employee First Name_emp2}
Surname	\${Employee Surname_emp2}
Date of Birth	\${Date of Birth_emp2}
Gender	\${Gender_emp2}
Email Address	\${Email Address_emp2}
<b>Coverage Start Date</b>	\${CoverageStart Date_emp2}
NRIC no.	\${NRIC noemp2}
Address 1	\${Address 1_emp2}
Address 2	\${Address 2_emp2}
Address 3	\${Address 3_emp2}
Address 4	\${Address 4_emp2}
State	\${State_emp2}
City	\${City_emp2}
Post Code	\${Post Code_emp2}

And I assign ''\${Employee First Name\_emp2} \${Employee Surname\_emp2}'' to variable ''Employ

And I click on '\${employee.addemp.saveandnew}' button

Then I verify ''\${employee.addemp.modal.title}'' modal comes up

And I scroll the page up

And I generate random number and assign to variable "RANDOM\_NUMBER"


And I assign value to following variables

Emp	oloyee First Name_emp3	Third User
Emp	oloyee Surname_emp3	S-N
Date	e of Birth_emp3	19/09/1996
Ema	nil Address_emp3	testuser_\${RANDOM_NUMBER}@test.com
NRI	C noemp3	8545454545
Add	ress 1_emp3	Test Address@3

	State_emp3		\${state.dropdo	own.value	.3}		
	City_emp3		<b>Test-City</b>				
	Post Code_emp3		76548				
Gi	iven I enter following	details	on ''Add Emplo	oyee'' scre	een		
	First Name	\${Empl	oyee First Nan	ne_emp3}			
	Surname	\${Empl	oyee Surname	_emp3}			
	Date of Birth	\${Date	of Birth_emp3	}			
	Gender	\${Gend	er_emp2}				
	<b>Coverage Start Date</b>	\${COV	ERAGE_DAT	<b>E</b> }			
	Email Address	\${Emai	l Address_emp	3}			
	NRIC no.	\${NRIC	C noemp3}				
	Address 1	\${Addr	ess 1_emp3}				
	State	\${State	_emp3}				
	City	\${City_					
	Post Code	\${Post	Code_emp3}				
Aı	nd I assign ''\${Emplo	yee Firs	t Name_emp3}	\${Employ	yee Surname_e	mp3}''	to variable "Employ
	nd I click on ''\${emple				ton		
Tì	nen I click on ''\${emp	loyee.ad	demp.close}'' k	button			
Tì	nen verify the user is l	landed o	n ''Members''	page			
Tì	nen I assign value to f	ollowing	y variables				
	EMP_COUNT 3						
Tì	nen I verify following	counts a	are displayed fo	or employ	ee and dependa	ant on e	employee page
	<b>Employee Count \${e</b>	mployee	.uploaded.cou	nt}			
Tì	nen I verify following	informa	tion is displaye	ed for mer	nber ''\${Emplo	oyee Fu	ll Name_emp1}'' in
	\${employee.detail.na	ıme}	\${Employee Fi	ull Name_	emp1}		
	\${employee.detail.sta	artdate}	\${COVERAG	E_DATE}	}		
Gi	iven I enter ''\${Emplo	oyee Ful	Name_emp1}	" in searc	h text field in N	<b>Iember</b>	rs page
	hen I expand the mer						
	nd I verify following o						
	\${employee.addemp	.field.do	b}	\${Date of	Birth_emp1}		
	\${employee.addemp	.field.ge	nder}	\${Gender	_emp1}		
	\${employee.addemp	.field.na	tionality}	\${Nationa	lity}		
	\${employee.detailsvi	iew.field	.empid}	\${NRIC n	oemp1}		
	\${employee.addemp	.field.oc	cupationclass}	\${Occupa	tional Class}		
	\${employee.addemp	.field.cn	pnyemail}	\${Email A	ddress_emp1}		
W	hen I expand the mer	mber ''\$	Employee Ful	l Name_ei	mp1}" using >	button	
Tì	nen I remove search t	ext on n	nanage member	rs page in	Sales Portal		
Gi	iven I enter ''\${Emplo	oyee Ful	l Name_emp2}	" in searc	h text field in N	<b>Iember</b>	rs page
Tì	nen I verify following	informa	ntion is displaye	ed for men	mber ''\${Emplo	oyee Fu	ll Name_emp2}'' in
	\${employee.detail.na						
	\${employee.detail.sta	artdate}	\${COVERAG	E_DATE}			
Aı	nd I remove search te	xt on m	anage members	s page in S	Sales Portal		
	iven I enter ''\${Emplo					<b>Iember</b>	rs page


# Detailed Results Report

{employee.detail.name}	\${Employee Full Name_emp3}	
{employee.detail.startdate}		




	→ Logout
	Collapse Sidebar < Previous
fter	
	Table of Contents
	io: Verify that the quote can be saved by clicking on Save Quote button in the Members pa
ssed:	
efore	
_	
Giv	en I click on Create Quote Link
at ja	wa.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) wa.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.newInstanc
at o at c at c at c at c at c at c	ava.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructor.java:190) ava.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) arg.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.gopenqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.gopenqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.gopenqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190.190.190.190.190.190.190.190.190.190.
at o at o at o at o at o at c at c at c	rg.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.gopenqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.gopenqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.gopenqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.gopenqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:rg.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.gopenqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) rg.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:276) rg.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:233) om.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) om.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:100) om.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184) om.pru.sales.portal.pages.TestBasePage.clickButtonBasedOnBrowser(TestBasePage.java:90) om.pru.sales.portal.pages.HomePage.clickCreateQuoteLink(HomePage.java:77) om.pru.sales.portal.stepdef.HomeSteps.clickCreateQuoteLink(HomeSteps.java:37) Given I click on Create Quote Link(features/my/02.SalesMembersDetailsPage.feature:659) on I navigate to "Select Plan" screen
at o at o at o at o at o at c at c at c	rg.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.gopenqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.gopenqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.gopenqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.gopenqa.selenium.remote.httpCommandExecutor.execute(HttpCommandExecutor.java:rg.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.gopenqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) rg.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:276) rg.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:33) om.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) om.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:160) om.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184) om.pru.sales.portal.pages.TestBasePage.clickButtonBasedOnBrowser(TestBasePage.java:90) om.pru.sales.portal.pages.HomePage.clickCreateQuoteLink(HomePage.java:37) om.pru.sales.portal.stepdef.HomeSteps.clickCreateQuoteLink(HomeSteps.java:37) om.pru.sales.portal.stepdef.HomeSteps.clickCreateQuoteLink(HomeSteps.java:37) om.pru.sales.portal.stepdef.HomeSteps.clickCreateQuoteLink(HomeSteps.java:37) om.pru.sales.portal.stepdef.HomeSteps.clickCreateQuoteLink(HomeSteps.java:37) om.pru.sales.portal.stepdef.HomeSteps.clickCreateQuoteLink(HomeSteps.java:37) om.pru.sales.portal.stepdef.HomeSteps.clickCreateQuoteLink(HomeSteps.java:37) om.pru.sales.portal.stepdef.HomeSteps.clickCreateQuoteLink(HomeSteps.java:37) om.pru.sales.portal.stepdef.HomeSteps.clickCreateQuoteLink(HomeSteps.java:37)
at o at o at o at o at o at c at c at c	rg.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.gopenqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.gopenqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.gopenqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.gopenqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:rg.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExec.gopenqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) rg.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:276) rg.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:276) rg.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:141) pm.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) pm.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:100000000000000000000000000000000000
at o at o at o at o at o at c at c at c	rg.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.gopenqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.gopenqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.gopenqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.gopenqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:rg.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExec.gopenqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) rg.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:276) rg.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:33) om.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) om.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:100) om.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184) om.pru.sales.portal.pages.TestBasePage.clickButtonBasedOnBrowser(TestBasePage.java:900) om.pru.sales.portal.pages.HomePage.clickCreateQuoteLink(HomePage.java:77) om.pru.sales.portal.stepdef.HomeSteps.clickCreateQuoteLink(HomeSteps.java:37) ofiven I click on Create Quote Link(features/my/02.SalesMembersDetailsPage.feature:659) on I navigate to "Select Plan" screen on I generate random number and assign to variable "RANDOM_NUMBER" on I assign "Dummy_Quote_\${RANDOM_NUMBER}}" to variable "Company_Name" on I enter Company_Name as "\${Company_Name}"
at o at o at o at o at o at c at c at c	rg.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.gopenqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.gopenqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.gopenqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.gopenqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:rg.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.execute(RemoteWebDriver.java:543) rg.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:276) rg.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:276) rg.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:33) om.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) om.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:100) om.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184) om.pru.sales.portal.pages.TestBasePage.clickButtonBasedOnBrowser(TestBasePage.java:90) om.pru.sales.portal.stepdef.HomeSteps.clickCreateQuoteLink(HomePage.java:77) om.pru.sales.portal.stepdef.HomeSteps.clickCreateQuoteLink(HomeSteps.java:37) om.pru.sales.portal.stepdef.HomeSteps.clickCre
at o at o at o at o at o at c at c at c	rg.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.gopenqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.gopenqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.gopenqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.gopenqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:rg.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExec.gopenqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) rg.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:276) rg.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:33) om.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) om.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:100) om.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184) om.pru.sales.portal.pages.TestBasePage.clickButtonBasedOnBrowser(TestBasePage.java:900) om.pru.sales.portal.pages.HomePage.clickCreateQuoteLink(HomePage.java:77) om.pru.sales.portal.stepdef.HomeSteps.clickCreateQuoteLink(HomeSteps.java:37) ofiven I click on Create Quote Link(features/my/02.SalesMembersDetailsPage.feature:659) on I navigate to "Select Plan" screen on I generate random number and assign to variable "RANDOM_NUMBER" on I assign "Dummy_Quote_\${RANDOM_NUMBER}}" to variable "Company_Name" on I enter Company_Name as "\${Company_Name}"

Save Quote \${saveQuote.button.text}
Then I click on ''\${saveQuote.button.text}'' button
Then I verify following information is displayed on page footer
\${lastSavedMessage.static.text}
Then I verify the presence of export quote button
Then I click on Quotes link
And I wait for 2 sec
When I enter ''\${Company_Name}'' in search text field in Quotes page
Then I verify Quote is present only for ''\${Company_Name}'' search criteria in ''Company Name'



0	Collapse Sidebar	Previous
ter		
ck to Tab	ble of Contents	
enario:	Verify the validation mes	ssage when user click on next button without adding required i
ssed: 0		
fore		
Given 1	I click on Create Quote L	ink
Capab	info: org.openqa.seleniu oilities {acceptInsecureCe	end-jenkinslave-v12-gttg3-rl5r7', ip: '10.153.104.18', os.name: m.chrome.ChromeDriver rts: true, browserName: chrome, browserVersion: 83.0.4103.11
Capabi Session at java at java at java at org. at org. at org. at org. at org. at org. at org. at com at com at com at com at com at com	rinfo: org.openqa.selenium bilities {acceptInsecureCen n ID: 6d420ddb7e60c5fc7d n.base/jdk.internal.reflect. n.base/jdk.internal.reflect. n.base/jdk.internal.reflect. n.base/java.lang.reflect.Compenqa.selenium.remote.lopenqa.selenium.selenium.lopenqa.selenium.selenium.lopenqa.selenium.lopenqa.selenium.lopenqa.selenium.selenium.lopenqa.selenium.selenium.lopenqa.selenium.selenium.lopenqa.selenium.selenium.lopenqa.selenium.selenium.selenium.lopenqa.selenium.selenium.selenium.selenium.selenium.selenium.selenium.selenium.selenium.selenium.selenium.selenium.	m.chrome.ChromeDriver rts: true, browserName: chrome, browserVersion: 83.0.4103.11
Capabi Session at java at java at java at org. at org. at org. at org. at org. at org. at org. at com at com at com at com at com at com at com	rinfo: org.openqa.selenium bilities {acceptInsecureCen n ID: 6d420ddb7e60c5fc7d a.base/jdk.internal.reflect. a.base/jdk.internal.reflect. a.base/jdk.internal.reflect. a.base/jdk.internal.reflect. a.base/java.lang.reflect.Colopenqa.selenium.remote.lopenqa.selenium.lopenqa.selenium.lopenqa.selenium.lopenqa.selenium.lopenqa.selenium.lopenqa.selenium.lopenqa.selenium.lopenqa.selenium.lopenqa.selenium.lopenqa.selenium.lopenqa.selenium.lopenqa.selenium.lopenqa.selenium.lopenqa.selenium.lopenqa.selenium.lopenqa.selenium.lopenqa.selenium.lopenqa.selenium.lopenqa.selenium.lopenqa.sele	m.chrome.ChromeDriver cts: true, browserName: chrome, browserVersion: 83.0.4103.11 c3c592d75f7e610 .NativeConstructorAccessorImpl.newInstance0(Native Method.NativeConstructorAccessorImpl.newInstance(NativeConstructor.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructor.newInstance(Constructor.java:490) http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.decode(W3CHttpResponseCodec.dttp.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.dttp.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.decodec.decodec.decode(W3CHttpResponseCodec.decode(W3CHttpResponseCodec.decodecodec.decodecodec.deco
Capabi Session at java at java at java at org. at org. at org. at org. at org. at org. at org. at com at com at com at com at com at com at com at com at com at com	rinfo: org.openqa.selenium ilities {acceptInsecureCent ID: 6d420ddb7e60c5fc7d.base/jdk.internal.reflect.d.base/jdk.internal.reflect.d.base/jdk.internal.reflect.d.base/jdk.internal.reflect.d.base/jdk.internal.reflect.d.base/java.lang.reflect.Co.openqa.selenium.remote.l.op	m.chrome.ChromeDriver rts: true, browserName: chrome, browserVersion: 83.0.4103.11 c3c592d75f7e610 NativeConstructorAccessorImpl.newInstance0(Native Method NativeConstructorAccessorImpl.newInstance(NativeConstruct DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructor.newInstance(Constructor.java:490) http.W3CHttpResponseCodec.createException(W3CHttpResponseCode http.W3CHttpResponseCodec.decode(W3CHttpResponseCode http.W3CHttpResponseCodec.decode(W3CHttpResponseCode http.W3CHttpResponseCodec.decode(W3CHttpResponseCode httpCommandExecutor.execute(HttpCommandExecutor.java service.DriverCommandExecutor.execute(DriverCommandEx RemoteWebDriver.execute(RemoteWebDriver.java:543) RemoteWebElement.execute(RemoteWebElement.java:276) RemoteWebElement.click(RemoteWebElement.java:83) Commands\$15.executeCommand(Commands.java:141) ExecuteCommand.executeCommand(ExecuteCommand.java: estBasePage.clickButton(TestBasePage.java:184) estBasePage.clickButtonBasedOnBrowser(TestBasePage.java:90 omePage.clickCreateQuoteLink(HomePage.java:77) HomeSteps.clickCreateQuoteLink(HomeSteps.java:37) te Link(features/my/02.SalesMembersDetailsPage.feature:681) sereen text}" button
Capabi Session at java at java at java at org. at org. at org. at org. at org. at org. at com at com at com at com at com at com at com at com at com	rinfo: org.openqa.selenium ilities {acceptInsecureCent ID: 6d420ddb7e60c5fc7d.base/jdk.internal.reflect.d.base/jdk.internal.reflect.d.base/jdk.internal.reflect.d.base/jdk.internal.reflect.d.base/jdk.internal.reflect.d.base/java.lang.reflect.Co.openqa.selenium.remote.lopenqa.selenium.lopenqa.selenium.remote.lopenqa.selenium.remote.lopenqa.selenium.lopenqa.selenium.remote.lopenqa.selenium.remote.lopenqa.selenium.remote.lopenqa.selenium.lopenqa.selenium.lopenqa.selenium.lopenqa.selenium.lopenqa.selenium.lopenqa.selenium.lopenqa.selenium.lopenqa.selenium.lopenqa.selenium.lopenqa.selenium.lopenqa.seleniu	m.chrome.ChromeDriver rts: true, browserName: chrome, browserVersion: 83.0.4103.11 c3c592d75f7e610 NativeConstructorAccessorImpl.newInstance0(Native Method NativeConstructorAccessorImpl.newInstance(NativeConstruct DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructor.newInstance(Constructor.java:490) http.W3CHttpResponseCodec.createException(W3CHttpResponseCode http.W3CHttpResponseCodec.decode(W3CHttpResponseCode http.W3CHttpResponseCodec.decode(W3CHttpResponseCode httpCommandExecutor.execute(HttpCommandExecutor.java service.DriverCommandExecutor.execute(DriverCommandEx RemoteWebDriver.execute(RemoteWebDriver.java:543) RemoteWebElement.execute(RemoteWebElement.java:276) RemoteWebElement.click(RemoteWebElement.java:141) ExecuteCommand.executeCommand(Commands.java:141) ExecuteCommand.executeCommand(ExecuteCommand.java: extBasePage.clickButton(TestBasePage.java:184) extBasePage.clickButtonBasedOnBrowser(TestBasePage.java:9 omePage.clickCreateQuoteLink(HomePage.java:77) HomeSteps.clickCreateQuoteLink(HomePage.java:37) te Link(features/my/02.SalesMembersDetailsPage.feature:681) screen text}" button om message on "member page"



		ı	[ <del>-</del> >	Logout											
		ı		Collapse Sidebar		<	Prev	vious	_	_	_	_	_		
4	\ \ft	ter	_		_										
=		ack to Table of Contents													
Scenario: Close Sales Portal															
F	Pass	sed:	1												
Before And I close sales portal After															
E	<b>Bac</b>	k to	Tabl	e of Contents											
Fea	tuı	re:	Veri	fy upload,re uplo	oad, downlo	oad mem	ber e	xcel fun	ctional	ity on	meml	oers p	oage		
1) Verify upload members using xlsm file 2) Verify Re upload Member xlsm file 3) Verify the Member Table data downloadable into xlsm  Passed: 1															
			io:	Prerequisite to u	pload mem	bers xlsn	n usin	g \${emr	olovee.	upload	.file.h	otn} b	utton		
		sed:		<u>-</u>				8 + ( <u>-</u>	J			· · · · · · ·			
I	3ef	fore													
		Giv	en I	assign ''/testdata	a/\${sales.fe.	lbu}/bull	k_upl	oad_em	ployee	'' to va	riable	e ''tes	tdata.	path''	
Given I assign "/testdata/\${sales.fe.lbu}/bulk_upload_employee" to variable "testdata.poutput"  Assigning value /testdata/my/bulk_upload_employee to variable testdata.path															
	Ī	Giv	en I	generate "curre	nt date" an	d assign	to va	riable ''	curren	t date'	' in ''(	dd/M	M/yyy	y'' forma	t
When Launch sales portal															
		Outp	ut												
https://uat-sales.eb.prudential.com.my/  And I assign value to following variables															
	ŀ						-110								
		_		nt_Email nt_Password	\${agent.en \${agent.pa										
		_		ERAGE_DATE	_										
				Login to Sales P			tails								
	-			Name \${Agent_I	_	Jelow uci	tuiis -								
		_		word \${Agent_l											

```
org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling q
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
```

System info: host: 'eb-sme-backend-jenkinslave-v12-gttg3-rl5r7', ip: '10.153.104.18', os.name: 'Lin Driver info: driver.version: RemoteWebDriver

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:125 at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(D

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)

at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java: at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)

at com.prudential.tap.selenium.Commands\$12.executeCommand(Commands.java:116)

at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)

at com.pru.sales.portal.pages.TestBasePage.setTextWithoutTab(TestBasePage.java:386)

at com.pru.sales.portal.pages.LoginPage.enterUserName(LoginPage.java:47)

at com.pru.sales.portal.stepdef.LoginSteps.iLoginToSalesPortal(LoginSteps.java:70)

at .When I Login to Sales Portal with below details(features/my/03.SalesUploadMembersUsingCS)

And I enter the verification code if page appears for agent "\${Agent\_Email}"

Then I verify "\${welcome.to.prudential}" screen is displayed

#### After

#### **Back to Table of Contents**

Scenario: Set up the member view for uploading member data file

Passed: 0

#### Before

### When I click on Create Quote Link

org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling q Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'eb-sme-backend-jenkinslave-v12-gttg3-rl5r7', ip: '10.153.104.18', os.name: 'Lin Driver info: driver.version: RemoteWebDriver

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:125 at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecut

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)

at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:

at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)

at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141)

at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)

at com.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184)

at com.pru.sales.portal.pages.TestBasePage.clickButtonBasedOnBrowser(TestBasePage.java:927)

at com.pru.sales.portal.pages.HomePage.clickCreateQuoteLink(HomePage.java:77)

at com.pru.sales.portal.stepdef.HomeSteps.clickCreateQuoteLink(HomeSteps.java:37)

at .When I click on Create Quote Link(features/my/03.SalesUploadMembersUsingCSV.feature:24

And I assign value to following variables

# No.\_of\_Employees 10

And I enter Company Name as "MY Member Bulk Upload Tests"

And I enter following details on select plan page

No. of Employees \${No.\_of\_Employees} After **Back to Table of Contents** Scenario: verify error message when wrong file type is uploaded Passed: 1 Before Given I assign "Wrong\_file\_type.txt" to variable "FILE\_NAME" Output Assigning value Wrong file type.txt to variable FILE NAME When I upload the employee csv file "\{testdata.path\}/001/\\$\{FILE\_NAME\}" org.openga.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling q Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'eb-sme-backend-jenkinslave-v12-gttg3-rl5r7', ip: '10.153.104.18', os.name: 'Lin **Driver info: driver.version: RemoteWebDriver** at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:125  $at\ org. open qa. selenium. remote. service. Driver Command Executor. execute (Driver Command Executor) at org. open quality of the command of the command$ at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openga.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:480) at com.prudential.tap.selenium.JavaScriptExec.scrollPage(JavaScriptExec.java:42) at com.pru.sales.portal.pages.TestBasePage.scrollPageDown(TestBasePage.java:339) at com.pru.sales.portal.pages.EmployeePage.uploadEmployeeCSVFile(EmployeePage.java:208)  ${f at\ com.pru.sales.portal.stepdef.} Employee And Dependent Steps.upload Employee CSV File (Employee$ at .When I upload the employee csv file ''\${testdata.path}/001/\${FILE\_NAME}''(features/my/03.S After **Back to Table of Contents** Scenario Outline: Sales Portal upload member error message validation "XLSM file with no details" Passed: 3 Before Given I assign "employee EmptyFile.xlsm" to variable "FILE NAME" Output Assigning value employee EmptyFile.xlsm to variable FILE NAME And I navigate to "Select Plan" screen And I navigate to "Members" screen When I upload the employee csv file '\\$\testdata.path\\001/\\$\FILE\_NAME\\'

org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling q Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'eb-sme-backend-jenkinslave-v12-gttg3-rl5r7', ip: '10.153.104.18', os.name: 'Lin Driver info: driver.version: RemoteWebDriver

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:125 at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(D

at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:480)

at com.prudential.tap.selenium.JavaScriptExec.scrollPage(JavaScriptExec.java:42)

at com.pru.sales.portal.pages.TestBasePage.scrollPageDown(TestBasePage.java:339)

at com.pru.sales.portal.pages.EmployeePage.uploadEmployeeCSVFile(EmployeePage.java:208)

at com.pru.sales.portal.stepdef.EmployeeAndDependentSteps.uploadEmployeeCSVFile(Employee at .When I upload the employee csv file ''\${testdata.path}/001/\${FILE\_NAME}''(features/my/03.Sa

When I click on View button to see errors

Then I verify following text is displayed on "emp bulk upload error modal" page

\${employee.empty.file.upload.error}

Given I close "\${employee.error.view.close}" the error modal if it is opened

#### After

#### **Back to Table of Contents**

Scenario Outline: Sales Portal upload member error message validation "XLSM file with no headers

Passed: 3

#### Before

## Given I assign "employee\_No\_Header.xlsm" to variable "FILE\_NAME"

### Output

Assigning value employee\_No\_Header.xlsm to variable FILE\_NAME

#### And I navigate to "Select Plan" screen

#### And I navigate to "Members" screen

When I upload the employee csv file "\{testdata.path\/001/\{FILE\_NAME\}"

org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling q Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'eb-sme-backend-jenkinslave-v12-gttg3-rl5r7', ip: '10.153.104.18', os.name: 'Lin Driver info: driver.version: RemoteWebDriver

 $at\ org. open qa. selenium. remote. Http Command Executor. execute (Http Command Executor. java: 125) and the command of the$ 

at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecut

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

at org.openga.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:480)

at com.prudential.tap.selenium.JavaScriptExec.scrollPage(JavaScriptExec.java:42)

at com.pru.sales.portal.pages.TestBasePage.scrollPageDown(TestBasePage.java:339)

at com.pru.sales.portal.pages.EmployeePage.uploadEmployeeCSVFile(EmployeePage.java:208)

at com.pru.sales.portal.stepdef.EmployeeAndDependentSteps.uploadEmployeeCSVFile(Employee at .When I upload the employee csv file ''\${testdata.path}/001/\${FILE\_NAME}''(features/my/03.Sa

When I click on View button to see errors

After **Back to Table of Contents** Scenario Outline: Sales Portal upload member error message validation "XLSM file with missing hea Passed: 3 Before Given I assign "employee\_MissingColumn.xlsm" to variable "FILE\_NAME" Output Assigning value employee\_MissingColumn.xlsm to variable FILE\_NAME And I navigate to "Select Plan" screen And I navigate to "Members" screen When I upload the employee csv file "\{testdata.path\/001/\{FILE\_NAME\}" org.openga.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling g Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'eb-sme-backend-jenkinslave-v12-gttg3-rl5r7', ip: '10.153.104.18', os.name: 'Lin Driver info: driver.version: RemoteWebDriver at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:125  ${f at\ org.openga. selenium. remote. service.} Driver Command Executor. execute (Driver Command Executor) at org.openga. selenium. remote. service. Driver Command Executor. execute (Driver Command Executor) at org.openga. selenium. remote. service. Driver Command Executor. execute (Driver Command Executor) at org. openga. Selenium. The selenium at org. openga. Openg$ at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openga.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:480) at com.prudential.tap.selenium.JavaScriptExec.scrollPage(JavaScriptExec.java:42) at com.pru.sales.portal.pages.TestBasePage.scrollPageDown(TestBasePage.java:339) at com.pru.sales.portal.pages.EmployeePage.uploadEmployeeCSVFile(EmployeePage.java:208)  $at\ com. pru. sales. portal. step def. Employee And Dependent Steps. upload Employee CSVFile (Employee$ at .When I upload the employee csv file ''\${testdata.path}/001/\${FILE\_NAME}''(features/my/03.Sa After **Back to Table of Contents** Scenario Outline: Sales Portal upload member error message validation "XLSM file with diff header Passed: 3 Before Given I assign "employee diff language.xlsm" to variable "FILE NAME" Output Assigning value employee diff language.xlsm to variable FILE NAME

### And I navigate to "Select Plan" screen

### And I navigate to "Members" screen

When I upload the employee csv file '\\$\{testdata.path\}/001/\\$\{FILE\_NAME\}''

org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling q Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'eb-sme-backend-jenkinslave-v12-gttg3-rl5r7', ip: '10.153.104.18', os.name: 'Lin Driver info: driver.version: RemoteWebDriver

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:125 at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(D

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:480)

at com.prudential.tap.selenium.JavaScriptExec.scrollPage(JavaScriptExec.java:42)

at com.pru.sales.portal.pages.TestBasePage.scrollPageDown(TestBasePage.java:339)

at com.pru.sales.portal.pages.EmployeePage.uploadEmployeeCSVFile(EmployeePage.java:208)

at com.pru.sales.portal.stepdef.EmployeeAndDependentSteps.uploadEmployeeCSVFile(Employee at .When I upload the employee csv file ''\${testdata.path}/001/\${FILE\_NAME}''(features/my/03.Sa

When I click on View button to see errors

Then I verify following text is displayed on "emp bulk upload error modal" page

{employee.diff.language.upload.error}

Given I close "\${employee.error.view.close}" the error modal if it is opened

#### After

### **Back to Table of Contents**

Scenario Outline: Sales Portal upload member error message validation "XLSM file with no data"

Passed: 3

#### Before

# Given I assign "employee\_nodata.xlsm" to variable "FILE\_NAME"

#### Output

Assigning value employee\_nodata.xlsm to variable FILE\_NAME

### And I navigate to "Select Plan" screen

### And I navigate to "Members" screen

When I upload the employee csv file ''\{testdata.path\}/001/\\$\{FILE\_NAME\}''

org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling q Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'eb-sme-backend-jenkinslave-v12-gttg3-rl5r7', ip: '10.153.104.18', os.name: 'Lin Driver info: driver.version: RemoteWebDriver

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:125 at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecut at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

at org.openga.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:480)

at com.prudential.tap.selenium.JavaScriptExec.scrollPage(JavaScriptExec.java:42)

at com.pru.sales.portal.pages.TestBasePage.scrollPageDown(TestBasePage.java:339)

at com.pru.sales.portal.pages.EmployeePage.uploadEmployeeCSVFile(EmployeePage.java:208)

at com.pru.sales.portal.stepdef.EmployeeAndDependentSteps.uploadEmployeeCSVFile(Employee at .When I upload the employee csv file ''\${testdata.path}/001/\${FILE\_NAME}''(features/my/03.Sa

When I click on View button to see errors

Then I verify following text is displayed on "emp bulk upload error modal" page

\${employee.no.data.upload.error}

Given I close "\${employee.error.view.close}" the error modal if it is opened

#### After

#### **Back to Table of Contents**

Scenario Outline: Sales Portal upload member error message validation "XLSM file with wrong head

Passed: 3

#### Before

Given I assign "employee\_IncorrectColumnName.xlsm" to variable "FILE\_NAME"

#### Output

Assigning value employee IncorrectColumnName.xlsm to variable FILE NAME

#### And I navigate to "Select Plan" screen

#### And I navigate to "Members" screen

When I upload the employee csv file ''\${testdata.path}/001/\${FILE\_NAME}''

org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling q Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'eb-sme-backend-jenkinslave-v12-gttg3-rl5r7', ip: '10.153.104.18', os.name: 'Lin Driver info: driver.version: RemoteWebDriver

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:125

 $at\ org. open qa. selenium. remote. service. Driver Command Executor. execute (Driver Command Executor) at\ org. open qa. selenium. The command executor is a constant of the command of the constant of the$ 

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

at org.openga.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:480)

at com.prudential.tap.selenium.JavaScriptExec.scrollPage(JavaScriptExec.java:42)

at com.pru.sales.portal.pages.TestBasePage.scrollPageDown(TestBasePage.java:339)

at com.pru.sales.portal.pages.EmployeePage.uploadEmployeeCSVFile(EmployeePage.java:208)

at com.pru.sales.portal.stepdef.EmployeeAndDependentSteps.uploadEmployeeCSVFile(Employee

at .When I upload the employee csv file "\${testdata.path}/001/\${FILE\_NAME}"(features/my/03.S

When I click on View button to see errors

fhen I verify following text is displayed on "emp bulk upload error modal" page

{employee.missing.column.upload.error}

Given I close ''\${employee.error.view.close}'' the error modal if it is opened

#### After

#### **Back to Table of Contents**

Scenario: Verify the validation message when Agent upload wrong data file with multiple errors

1) Verify All error related to given records should display under relevant row number

# 2) Verify All validation messages are displayed correctly Passed: 4 Before Given I close "\${employee.error.view.close}" the error modal if it is opened And I navigate to "Select Plan" screen And I navigate to "Members" screen Given I assign "employees\_wrongdata.xlsm" to variable "FILE\_NAME" Output Assigning value employees\_wrongdata.xlsm to variable FILE\_NAME Then I upload the employee csv file "\${testdata.path}/002/\${FILE\_NAME}" org.openga.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling q Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'eb-sme-backend-jenkinslave-v12-gttg3-rl5r7', ip: '10.153.104.18', os.name: 'Lin Driver info: driver.version: RemoteWebDriver at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:125 ${f at~org.openga.selenium.remote.service.DriverCommandExecutor.execute} (DriverCommandExecutor.execute)$ at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openga.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:480) at com.prudential.tap.selenium.JavaScriptExec.scrollPage(JavaScriptExec.java:42) at com.pru.sales.portal.pages.TestBasePage.scrollPageDown(TestBasePage.jaya:339) at com.pru.sales.portal.pages.EmployeePage.uploadEmployeeCSVFile(EmployeePage.java:208) at com.pru.sales.portal.stepdef.EmployeeAndDependentSteps.uploadEmployeeCSVFile(Employee at .Then I upload the employee csv file "\${testdata.path}/002/\${FILE\_NAME}"(features/my/03.Sa

	\${emp.bulk.upload.error.startdate.mandatory}	
	\${emp.bulk.upload.error.emp.email.format}	
	\${bulk.upload.error.numeric.validation.city}	
	\${emp.error.min.max.validation.zipcode}	
	\${emp.bulk.upload.error.country.mandatory}	
	\${emp.bulk.upload.error.nric.mandatory}	
	\${emp.bulk.upload.error.emp.occupationclass.mandatory}	
	\${emp.bulk.upload.error.age.range.message}	
	\${bulk.upload.error.minmax.validation.ID}	
	\${bulk.upload.error.numeric.validation.city}	
	\${bulk.upload.error.minmax.validation.email}	
	\${bulk.upload.error.minmax.validation.firstname}	
	\${bulk.upload.error.minmax.validation.lastname}	
	\${bulk.upload.error.minmax.validation.address1}	
	\${bulk.upload.error.minmax.validation.address2}	
	\${bulk.upload.error.minmax.validation.address3}	
	\${bulk.upload.error.minmax.validation.address4}	
	\${bulk.upload.error.minmax.validation.city}	
	And I verify button label text on "emp bulk upload error mod	al" page
	\${employee.error.view.downloadlabel.text}	
	Then I verify "\${employee.error.view.downloadlabel.text}" bu	tton is anahlad
	Then I click on "\${employee.error.view.close}" button	tion is chapicu
A C	ter	
	ek to Table of Contents	
Sce	enario: Verify agent should be landed back to members screen	after clicking on download member
7 <b>)</b> T	7	1
	Verify Agent should be able to upload the member data using uplo	aa juncuonauiy
	sed: 2	
Be	fore	
	Given I close "\${employee.error.view.close}" the error modal i	
	Then I assign 'employees_wrongdata.xlsm' to variable 'FILE	_NAME''
	Output	
	Aii	
	Assigning value employees_wrongdata.xlsm to variable FILE_NAME	
	Th I	T TO NIANTEDU
	Then I upload the employee csv file ''\${testdata.path}/002/\${FI	LE_NAME}"
	org.openqa.selenium.NoSuchSessionException: Session ID is n	ull Using WahDriver ofter colling o
	Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05	
	System info: host: 'eb-sme-backend-jenkinslave-v12-gttg3-rl5r	
	Driver info: driver.version: RemoteWebDriver	, 1
	at org.openqa.selenium.remote.HttpCommandExecutor.execut	e(HttpCommandExecutor.java:125
	L. L	4 (D ' C IE

 $at\ org. open qa. selenium. remote. service. Driver Command Executor. execute (Driver Command Executor) at\ org. open qa. selenium. The service of the command Executor (Driver Command Executor) at\ org. open qa. selenium. The service of the command Executor (Driver Command Executor) at\ org. open qa. selenium. The service of the command Executor (Driver Command Executor) at\ org. open qa. selenium. The service of the command Executor (Driver Command Executor) at\ org. open qa. selenium. The service of the command Executor (Driver Command Executor) at\ org. open qa. selenium. The service of the command Executor (Driver Command Executor) at\ org. open qa. selenium. The service of the command Executor (Driver Command Executor) at\ org. open qa. selenium. The service of the command Executor (Driver Command Executor) at\ org. open qa. selenium. The service of the command Executor (Driver Command Executor) at\ org. open qa. selenium. The service of the command Executor (Driver Command Executor) at\ org. open qa. selenium. The service of the command Executor (Driver Command Executor) at\ org. open qa. selenium. The service of the command Executor (Driver Command Executor) at\ org. open qa. selenium. The service of the command Executor (Driver Command Executor) at\ org. open quality at\ org. open quality$ 

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

at org.openga.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:480) at com.prudential.tap.selenium.JavaScriptExec.scrollPage(JavaScriptExec.java:42) at com.pru.sales.portal.pages.TestBasePage.scrollPageDown(TestBasePage.jaya:339) at com.pru.sales.portal.pages.EmployeePage.uploadEmployeeCSVFile(EmployeePage.java:208) at com.pru.sales.portal.stepdef.EmployeeAndDependentSteps.uploadEmployeeCSVFile(Employee at .Then I upload the employee csv file "\${testdata.path}/002/\${FILE\_NAME}"(features/my/03.Sa Then I verify following text is displayed on ''Download Employee Data File'' page Then I verify following buttons are displayed on "Download Member Data File" After **Back to Table of Contents** Scenario: verify the member Screen when member file is uploaded successfully Passed: 2 Before Given I close download employee data file popup if it is opened Given I close "\${employee.error.view.close}" the error modal if it is opened When I click on Create Quote Link org.openga.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling q Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'eb-sme-backend-jenkinslave-v12-gttg3-rl5r7', ip: '10.153.104.18', os.name: 'Lin **Driver info: driver.version: RemoteWebDriver** 

at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:125  $at\ org. open ga. selenium. remote. service. Driver Command Executor. execute (Driver Command Execut$ at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317) at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java: at org.openga.selenium.By\$ByXPath.findElement(By.java:353) at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19) at com.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184) at com.pru.sales.portal.pages.TestBasePage.clickButtonBasedOnBrowser(TestBasePage.java:927) at com.pru.sales.portal.pages.HomePage.clickCreateQuoteLink(HomePage.java:77) at com.pru.sales.portal.stepdef.HomeSteps.clickCreateQuoteLink(HomeSteps.java:37) at .When I click on Create Quote Link(features/my/03.SalesUploadMembersUsingCSV.feature:14 No.\_of\_Employees 10 And I enter following details on select plan page No. of Employees \${No.\_of\_Employees} And I verify the ''\${employee.upload.success.msg}'' validation message on employee screen Employee Count \${employee.uploaded.count} Then I scroll the page up After **Back to Table of Contents** Scenario: Re-upload prep Passed: 0

#### **Before**

#### Given I expand the member "\{EMP\_NAME\}" using > button

org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling q Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'eb-sme-backend-jenkinslave-v12-gttg3-rl5r7', ip: '10.153.104.18', os.name: 'Lin Driver info: driver.version: RemoteWebDriver

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:125 at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(D

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

at org.openqa.selenium.remote.RemoteWebDriver.findElements(RemoteWebDriver.java:344)

at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath(RemoteWebDriver.java

at org.openqa.selenium.By\$ByXPath.findElements(By.java:348)

at org.openqa.selenium.remote.RemoteWebDriver.findElements(RemoteWebDriver.java:305)

at com.pru.sales.portal.pages.TestBasePage.getWebElements(TestBasePage.java:209)

at com.pru.sales.portal.pages.EmployeePage.clickMemberExpandButton(EmployeePage.java:1275) at com.pru.sales.portal.stepdef.EmployeeAndDependentSteps.expandMemberDetails(EmployeeAr at .Given I expand the member ''\${EMP\_NAME}'' using > button(features/my/03.SalesUploadMember)

Then I verify Add Employee button is displayed at the top right corner of employee table

When I click on three dots at the top right corner of employee table

And I verify button label text on "Member Page on click on 3 dots" page

\${employee.reupload.btn}

When I click on three dots at the top right corner of employee table

#### After

#### **Back to Table of Contents**

Scenario: verify Re upload popup window

Passed: 0

#### Before

#### And I scroll the page up

org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling q Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'eb-sme-backend-jenkinslave-v12-gttg3-rl5r7', ip: '10.153.104.18', os.name: 'Lin

Driver info: driver.version: RemoteWebDriver

 $at\ org. open qa. selenium. remote. Http Command Executor. execute (Http Command Executor. java: 125) and the command of the$ 

 $at\ org. open qa. selenium. remote. service. Driver Command Executor. execute (Driver Command Executor) and the command executor of the command exec$ 

at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:480)

at com.pru.sales.portal.pages.TestBasePage.scrollPageUP(TestBasePage.java:345)

at com.pru.sales.portal.stepdef.BaseSteps.scrollPageUp(BaseSteps.java:47)

at .And I scroll the page up(features/my/03.SalesUploadMembersUsingCSV.feature:185)

When I click on three dots at the top right corner of employee table

Then I click on "\${employee.reupload.htn}" button

Then I verify following text is displayed on "reupload nopun window on employee" page

**\${employee.reupload.pagename}** 

\${employee.reupload.pagetext}

Then I verify following buttons are displayed on "reupload popup"

Detailed Results Report After **Back to Table of Contents** Scenario: Re upload Member excel and verify the modified and new data have inserted and searched Passed: 0 Before Then I enter "testMemberUpload1.0567890@mailinator.com" in search text field in Members pag org.openga.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling q Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'eb-sme-backend-jenkinslave-v12-gttg3-rl5r7', ip: '10.153.104.18', os.name: 'Lin **Driver info: driver.version: RemoteWebDriver** at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:125  ${f at\ org.openga. selenium. remote. service. Driver Command Executor. execute (Driver Command Executor)}$ at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317) at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java: at org.openga.selenium.By\$ByXPath.findElement(By.java:353) at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)  $at\ com. prudential. tap. selenium. Java Script Exec. scroll WebPage Till Element Visible (Java Script Exec)$ at com.pru.sales.portal.pages.TestBasePage.scrollTillElementFound(TestBasePage.java:222) at com.pru.sales.portal.pages.EmployeePage.enterSearchCriteria(EmployeePage.java:1239)  $at\ com.pru.sales.portal.stepdef.EmployeeAndDependentSteps.enterSearchCriteria(EmployeeAndI$ at .Then I enter "testMemberUpload1.0567890@mailinator.com" in search text field in Members Employee Count \${employee.uploaded.count

EMP COUNT 10

Then I upload the employee csv file ''\${testdata.path}/004/\${FILE\_NAME}''

Then I scroll the page up

And I wait for 10 sec

And I verify the "\${employee.upload.success.msg}" validation message on employee screen

Then I verify following counts are displayed for employee and dependant on employee page

Employee Count \${employee.uploaded.count}

Given I enter "\${EMP\_NAME}" in search text field in Members page

When I expand the member '\\$\{EMP\_NAME\}'\ using > button

And I verify following details for the added/updated members

\${employee.addemp.field.dob}	28/01/1995
\${employee.addemp.field.gender}	\${gender.female.text}
\${employee.addemp.field.nationality}	Malaysian
\${employee.detailsview.field.empid}	755454343430
\${employee.addemp.field.occupationclass}	\${emp.occupationalclass.dropdown.value1}
\${employee.addemp.field.cmpnyemail}	testMemberUpload1.0567890@mailinator.com

#### After

#### **Back to Table of Contents**

Scenario: Upload Member xls file with duplicate data and check upload is not allowed

Passed: 0

#### Before

#### Given I click on Quotes link

org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling q Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'eb-sme-backend-jenkinslave-v12-gttg3-rl5r7', ip: '10.153.104.18', os.name: 'Lin Driver info: driver.version: RemoteWebDriver

 $at\ org. open qa. selenium. remote. Http Command Executor. execute (Http Command Executor. java: 125) and the command of the$ 

 $at\ org. open qa. selenium. remote. service. Driver Command Executor. execute (Driver Command Executor) and the command executor of the command exec$ 

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)

at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:

at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)

at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141)

at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)

 $at\ com.pru.sales.portal.pages. TestBasePage.clickButton (TestBasePage.java:184)$ 

at com.pru.sales.portal.pages.TestBasePage.clickButtonBasedOnBrowser(TestBasePage.java:927)

at com.pru.sales.portal.pages.HomePage.clickQuotesLink(HomePage.java:89)

at com.pru.sales.portal.stepdef.HomeSteps.clickQuoteLink(HomeSteps.java:174)

at .Given I click on Quotes link(features/my/03.SalesUploadMembersUsingCSV.feature:235)

When I click on Create Quote Link

And I assign value to following variables

No.\_of\_Employees 10

And I enter Company Name as ''MY Member Bulk Upload Tests''

And I enter following details on select plan page

No. of Employees \${No.\_of\_Employees

And I navigate to "Members" screen

And I select the PDPA Consent requirement check box

Then I assign "employee DuplicateData.xlsm" to variable "FILE NAME"

Then I upload the employee csy file "\${testdata.path}/004/\${FILE NAME}"

Then I scroll the page up

And I assign "2" to variable "ERROR\_COUNT"

And I verify View button is displayed to see error messages

When I click on View button to see errors

Then I verify employee data file upload error modal is displayed

Then I verify the error message ''\${ERROR\_COUNT}'' is displayed in employee bulk upload erro

Then I verify following text is displayed on "member bulk upload error modal" page

{emp.bulk.upload.error.email.exist}

#### After

#### **Back to Table of Contents**

Scenario: Closing the error modal view

Passed: 0

#### Before

### Then I click on "\${employee.error.view.close}" button

org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling q Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'eb-sme-backend-jenkinslave-v12-gttg3-rl5r7', ip: '10.153.104.18', os.name: 'Lin

Driver info: driver.version: RemoteWebDriver

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:125

 ${f at~org.openga.selenium.remote.service.DriverCommandExecutor.execute} (DriverCommandExecutor.execute)$ 

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)

at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:

at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)

at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141)

at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)

at com.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184)

at com.pru.sales.portal.pages.TestBasePage.clickButtonBasedOnBrowser(TestBasePage.java:927)

at com.pru.sales.portal.pages.SelectPlanPage.clickOnButton(SelectPlanPage.java:585)

at com.pru.sales.portal.stepdef.SelectPlanSteps.clickOnButton(SelectPlanSteps.java:397)

at .Then I click on "\${employee.error.view.close}" button(features/my/03.SalesUploadMembersUs

#### After

#### **Back to Table of Contents**

Scenario: Close Sales Portal

Passed: 1

#### Before

#### And I close sales portal

#### **After**

#### **Back to Table of Contents**

Feature: Verify Agent can update the required details on company page and verify validations

### Passed: 37 Scenario: verify default, sample text, header and footer on company page Passed: 5 Before Given Launch sales portal Output https://uat-sales.eb.prudential.com.my/ And I assign value to following variables **Agent Email** \${agent.email.id.global} Agent\_Password **\${agent.password}** \${agent.email.id.firstname} Agent First Name Agent\_Middle\_Name \${agent.email.id.middlename} **Agent Surname** \${agent.email.id.lasttname} \${agent.email.id.agentcode} Agent\_Code **Agent Phone \${agent.phone}** When I Login to Sales Portal with below details UserName \${Agent\_Email} Password \${Agent\_Password} And I enter the verification code if page appears for agent "\${Agent\_Email}" Then I verify "\${welcome.to.prudential}" screen is displayed After **Back to Table of Contents** Scenario: Verify Sample text on Company page Passed: 17 Before When I click on Create Quote Link Then I navigate to "Company" screen And verify the user is landed on "Company" page Then I verify the sample text of New Quote fields on Company page Company name \{\company.name.text.field\} And I verify following text is displayed on "Company Page" page **\${estimatedAnnualPremium.button.text}** \${newQuote.static.text} Then I verify following buttons are displayed on top right corner of the screen Save Quote \${saveQuote.button.text} And I verify the heading of all sections on company page **\${company.hrContactDetails.text}** \${company.companyDetails.text} \${company.companyAddress.header.text}

\${company.authorised.signatory.header}

\${company.agentDetails.text}

And I verify following paragraph is displayed on "Primary Contact details section on Company" |

\${company.hr.primarycontact.info.text}

Then I verify the informational text under "agent details" section on Company page

Email \${company.agentEmailInformation.text}

Then I verify following buttons are displayed on "Company page"

\${company.add.signatory.link}

And I verify 1 "\${company.add.signatory.link}" buttons are displayed on "Company page"

And I verify following text is not displayed on "Company Page" page

\${company.signatory.delete.button}

And I scroll the page up

Then I verify the field label text on company page

	company page
HR First Name	\${company.hrFirstName.text}
Surname	\${company.hrSurname.text}
HR Email	\${company.hrEmail.text}
Contact Mobile Number	\${company.hrContactMobile.text}
<b>Company Registration Number</b>	*{company.registration.num.text}
Telephone Number	\${company.hrTelephone.text}
Contact Fax Number	\${company.fax.num.text}
Address 1	\${company.companyAddress1.text}
Address 2	\${company.companyAddress2.text}
Address 3	\${company.companyAddress3.text}
Address 4	\${company.companyAddress4.text}
City	\${company.companyCity.text}
State	\${company.companyState.text}
Post Code	\${company.companyZipCode.text}
Country	\${company.companyCountry.text}
<b>Authorised Signatory Name</b>	\${company.companyAuthorisedSignatoryName.text}
<b>Authorised Signatory Title</b>	\${company.companyAuthorisedSignatoryTitle.text}
Agent First Name	\${company.agentFirstName.text}
Agent Surname	\${company.agentSurname.text}
Agent Code	\${company.agentCode.text}
Agent Phone Number	\${company.agent.phone.text}
Agent Email	\${company.agentEmail.text}

Then I verify the presence of following items on page footer

\${previous.button.text}

**\${next.button.text}** 

And I verify "\${previous.button.text}" button is "enabled"

And I verify "\${next.button.text}" button is "enabled"

After

**Back to Table of Contents** 

Scenario: Validate State data in dropdown

#### Passed: 1

#### Before

Then I verify State dropdown values matches with "/testdata/my/state/state.txt" file

#### Output

State data: [Johor, Kedah, Kelantan, Melaka, Negeri Sembilan, Pahang, Perak, Perlis, Pulau Pinang, Sabah, Sarawak, Selangor, TelleData: [Johor, Kedah, Kelantan, Melaka, Negeri Sembilan, Pahang, Perak, Perlis, Pulau Pinang, Sabah, Sarawak, Selangor, Te

#### After

#### **Back to Table of Contents**

Scenario: verify the default value of country field on company page

Passed: 3

#### Before

Given I scroll the page till country field is displayed on company page

Then Verify all the previously entered details/default values are persistent/present on company page

Ph Country \${country.dropDown.value}

Then I verify country field is non editable on company page

#### After

#### **Back to Table of Contents**

Scenario: verify Agent details should be pre populated based on registration details

Passed: 1

#### Before

Then I verify following fields are "Non editable" on company page

Agen	t First Name
Agen	t Middle Name
Agen	t Surname
Agen	t Code
Agen	t Email
Agen	t Phone

Given Verify all the previously entered details/default values are persistent/present on company pa

<b>Agent First Name</b>	<b>\${Agent_First_Name}</b>
<b>Agent Surname</b>	\${Agent_Surname}
Agent Code	\${Agent_Code}
Agent Email	\${Agent_Email}
MY TelephoneNumber	0299999999
Ph MobileNumber	0199999999
<b>Agent Phone</b>	\${Agent_Phone}


java.lang.AssertionError: Actual value is: 6590909001 expected [] but found [6590909001]

at org.testng.Assert.fail(Assert.java:94)

at org.testng.Assert.failNotEquals(Assert.java:513)

at org.testng.Assert.assertEqualsImpl(Assert.java:135)

	at org.testng.Assert.assertEquals(Assert.java:116) at org.testng.Assert.assertEquals(Assert.java:190) at com.pru.sales.portal.pages.CompanyPage.verifyFieldValueOnCompanyPage(CompanyPage.javat com.pru.sales.portal.stepdef.CompanySteps.verifyDataIsPersistentOnCompanyPage(CompanySteps.verifyDataIsPersistentOnCompanyPage(CompanySteps.verifyDataIsPersistentOnCompanyPage(CompanySteps.verifyDataIsPersistentOnCompanyPage(CompanySteps.verifyDataIsPersistentOnCompanyPage(CompanySteps.verifyDataIsPersistentOnCompanyPage(CompanySteps.verifyDataIsPersistentOnCompanyPage(CompanySteps.verifyDataIsPersistentOnCompanyPage(CompanySteps.verifyDataIsPersistentOnCompanyPage(CompanySteps.verifyDataIsPersistentOnCompanyPage(CompanySteps.verifyDataIsPersistentOnCompanyPage(CompanySteps.verifyDataIsPersistentOnCompanyPage(CompanySteps.verifyDataIsPersistentOnCompanyPage(CompanySteps.verifyDataIsPersistentOnCompanyPage(CompanySteps.verifyDataIsPersistentOnCompanyPage(CompanySteps.verifyDataIsPersistentOnCompanyPage(CompanySteps.verifyDataIsPersistentOnCompanyPage(CompanySteps.verifyDataIsPersistentOnCompanyPage(CompanySteps.verifyDataIsPersistentOnCompanyPage(CompanySteps.verifyDataIsPersistentOnCompan				



€	Logout		
0	Collapse Sidebar	<	Previous
ter			
	ble of Contents		
	: Validating the error messag	e When	user clicks on next button without entering mandatory
ssed: 19 efore			
_	I gananata wandam numban a	nd aggi	gn to variable "RANDOM_NUMBER"
Output	1 generate random number a	mu assi	gii to variable KANDOM_NUMBER
Randon	n number generated is :714		
	assign "TestQuote_\${RAND	OM_NU	UMBER}'' to variable "COMP_NAME_QUOTE"
Output			
Assigni	ng value TestQuote_71427026258 to	variable C	COMP_NAME_QUOTE
And I Output	assign ''/src/test/resources/te	stdata/\$	6{sales.fe.lbu}/bulk_upload_employee/quotes'' to variab
Assigni	ng value /src/test/resources/testdata/m	y/bulk_up	pload_employee/quotes to variable testdata.path
And I	assign ''\${testdata.path}/uplo	adEmp	ployees.xlsm'' to variable ''INPUT_PATH''
	ng value /src/test/resources/testdata/m	y/bulk_up	bload_employee/quotes/uploadEmployees.xlsm to variable INPUT_PAT
-	assign ''\${testdata.path}/out	out" to	variable ''OUTPUT_PATH''
Output			
Assigni	ng value /src/test/resources/testdata/m	y/bulk_up	oload_employee/quotes/output to variable OUTPUT_PATH
And I	assign "/testdata/\${sales.fe.lb	nı}/bulk	

Output

Assigning value /testdata/my/bulk\_upload\_employee/quotes/output/uploadEmployees.xlsm to variable EMPLOYEE\_FILE

When I copy the xls template "\${INPUT\_PATH}" and replace following variables in output path

email.id \${RANDOM\_NUMBER}

COMP\_NAME \${COMP\_NAME\_QUOTE}

When I click on Create Quote Link

Then I navigate to "Select Plan" screen

And I enter following details on select plan page

Company Name \${COMP\_NAME\_QUOTE}

No. of Employees 10

And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button

And I click on "\${next.button.text}" button

And I select the PDPA Consent requirement check box

And I upload the employee csv file "\${EMPLOYEE\_FILE}"

And I wait for 6 sec

And I click on "\${next.button.text}" button

And I click on "\${next.button.text}" button

Then I verify following validation message on "company page"

\${company.error.popup.text}

Then I verify following field level error message on company page

HR Given Name	\${company.error.HR.firstname.mandatory}	
HR Family Name	\${company.error.HR.surname.mandatory}	
Company Email	\${company.error.HR.email.mandatory}	
<b>Telephone Number</b>	\${company.error.HR.telephone.number.mandatory}	
<b>Company Registration Number</b>	r \${company.error.registration.num.mandatory}	
Address1	\${company.error.address.mandatory}	
State	\${company.error.state.mandatory}	
City	\${company.error.city.mandatory}	
Postcode	\${company.error.postcode.mandatory}	
<b>Authorised Signatory Name</b>	\${company.error.signatoryName.mandatory}	
<b>Authorised Signatory Title</b>	\${company.error.signatoryDesignation.mandatory}	

#### After

**Back to Table of Contents** 

Scenario Outline: Validating the error message: "\${company.error.min.max.validation.firstname}" V

Passed: 3

Before

Given I enter following details on company page

HR Given Name ABCDEFGH324LMNOPQRSTUVWXYZyABCDEFGHIJKLMNOPQRSTU

Then I click on "\${next.button.text}" button

Then I verify following field level error message on company page

HR Given Name \$\{company.error.min.max.validation.firstname}\ After **Back to Table of Contents** Scenario Outline: Validating the error message: "\${company.error.min.max.validation.surname}" W Passed: 3 Before Given I enter following details on company page Surname ABCDEFGH324LMNOPQRSTUVWXYZyABCDEFGHIJKLMNOPQRSTUVWXY Then I click on "\${next.button.text}" button Then I verify following field level error message on company page Surname|\${company.error.min.max.validation.surname} **After Back to Table of Contents** Scenario Outline: Validating the error message: "\${company.error.formatvalidation.email}" When u Passed: 3 Before Given I enter following details on company page Email Address testmailinator.com Then I click on "\${next.button.text}" button Then I verify following field level error message on company page Email Address \${company.error.formatvalidation.email} After Back to Table of Contents Scenario Outline: Validating the error message: "Please ensure Contact Fax Number is 10 digits" WI Passed: 3 Before Given I enter following details on company page Contact Fax Number 123456789 Then I click on "\${next.button.text}" button Then I verify following field level error message on company page Contact Fax Number Please ensure Contact Fax Number is 10 digits After **Back to Table of Contents** Scenario Outline: Validating the error message: "Please ensure Telephone Number is 10 digits" Whe Passed: 3 Before Given I enter following details on company page Telephone Number 78456 Then I click on "\${next.button.text}" button Then I verify following field level error message on company page Telephone Number Please ensure Telephone Number is 10 digits

### **Detailed Results Report** After **Back to Table of Contents** Scenario Outline: Validating the error message: "\${company.error.min.max.validation.email}" When Passed: 3 Before Given I enter following details on company page Email Address ABCDEFGHIJK5LMNOPgrstuvWXYZ123456789012345678901234567890123 Then I click on "\${next.button.text}" button Then I verify following field level error message on company page Email Address \${company.error.min.max.validation.email} After **Back to Table of Contents** Scenario Outline: Validating the error message: "\${error.numeric.validation.city}" When user enters Passed: 3 Before Given I enter following details on company page City City123456 Then I click on "\${next.button.text}" button Then I verify following field level error message on company page City \${error.numeric.validation.city} **After Back to Table of Contents** Scenario Outline: Validating the error message: "\${emp.error.min.max.validation.zipcode}" When u Passed: 3 Before Given I enter following details on company page Postcode 123 Then I click on "\${next.button.text}" button Then I verify following field level error message on company page Postcode \$\{emp.error.min.max.validation.zipcode\} After **Back to Table of Contents** Scenario Outline: Validating the error message: "\${emp.error.min.max.validation.zipcode}" When u Passed: 3 Before Given I enter following details on company page Postcode 123 Then I click on "\${next.button.text}" button

Then I verify following field level error message on company page

Postcode \${emp.error.min.max.validation.zipcode}

After

Page 126 of 266

#### **Back to Table of Contents**

Scenario Outline: Validating the error message: "\${emp.error.min.max.validation.zipcode}" When u

Passed: 3

Before

Given I enter following details on company page

Postcode 123456

Then I click on "\${next.button.text}" button

Then I verify following field level error message on company page

Postcode \${emp.error.min.max.validation.zipcode}

After

**Back to Table of Contents** 

Scenario Outline: Validating the error message: "\${company.error.signatoryDesignation.format.valid

Passed: 3

Before

Given I enter following details on company page

**Authorised Signatory Title test2Title** 

Then I click on "\${next.button.text}" button

Then I verify following field level error message on company page

Authorised Signatory Title \$\{company.error.signatoryDesignation.format.validation}

After

**Back to Table of Contents** 

Scenario Outline: Validating the error message: ''\${company.error.signatoryName.min.max.validation

Passed: 3

Before

Given I enter following details on company page

Authorised Signatory Name abCD

Then I click on "\${next.button.text}" button

Then I verify following field level error message on company page

Authorised Signatory Name \${company.error.signatoryName.min.max.validation}

After

**Back to Table of Contents** 

Scenario Outline: Validating the error message: "\${company.error.signatoryName.min.max.validation

Passed: 3

Before

Given I enter following details on company page

Authorised Signatory Name ABCDEFGH324LMNOPQRSTUVWXYZyABCDEFGHIJKLMN

Then I click on "\${next.button.text}" button

Then I verify following field level error message on company page

Authorised Signatory Name \${company.error.signatoryName.min.max.validation}

After

**Back to Table of Contents** 

Scenario Outline: Validating the error message: "\${company.error.signatoryDesignation.min.max.va

Passed: 3

Before

Given I enter following details on company page

Authorised Signatory Title ABCDEfgIJKLMNO#\$%^&@PQRSTUVWXYZyABCDEFGHIJk

Then I click on "\${next.button.text}" button

Then I verify following field level error message on company page

Authorised Signatory Title \${company.error.signatoryDesignation.min.max.validation}

After

**Back to Table of Contents** 

Scenario Outline: Validating the error message: "\${company.error.min.max.validation.address1}" W

Passed: 3

Before

Given I enter following details on company page

Address1 ABCDEFGHIJKLMNOPQRSTUVWXYZ123456789012345678901234567890123456

Then I click on "\${next.button.text}" button

Then I verify following field level error message on company page

Address1 \${company.error.min.max.validation.address1}

After

**Back to Table of Contents** 

Scenario Outline: Validating the error message: "\${company.error.min.max.validation.address2}" W

Passed: 3

Before

Given I enter following details on company page

Address2 ABCDEFGHIJKLMNOPQRSTUVWXYZ123456789012345678901234567890123456

Then I click on "\${next.button.text}" button

Then I verify following field level error message on company page

Address2 \${company.error.min.max.validation.address2}

After

**Back to Table of Contents** 

Scenario Outline: Validating the error message: "\${company.error.min.max.validation.address3}" W

Passed: 3

Before

Given I enter following details on company page

Address3 ABCDEFGHIJKLMNOPQRSTUVWXYZ123456789012345678901234567890123456

Then I click on "\${next.button.text}" button

Then I verify following field level error message on company page

Address3 \${company.error.min.max.validation.address3}

After

Back to Table of Contents

Scenario Outline: Validating the error message: "\${company.error.min.max.validation.address4}" W

Passed: 3

**Before** 

Given I enter following details on company page

Address4 ABCDEFGHIJKLMNOPQRSTUVWXYZ123456789012345678901234567890123456

Then I click on "\${next.button.text}" button

Then I verify following field level error message on company page

Address4 \$ {company.error.min.max.validation.address4}

#### **After**

#### **Back to Table of Contents**

Scenario Outline: Validating the error message: ''\${company.error.min.max.validation.city}'' When to

Passed: 3

#### Before

Given I enter following details on company page

City ABCDEfgIJKLMNO#\$%^&@PQRSTUVWXYZyABCDEFGHIJKLMNOPQRSTUVWX

Then I click on "\${next.button.text}" button

Then I verify following field level error message on company page

City \${company.error.min.max.validation.city}

#### After

#### **Back to Table of Contents**

Scenario Outline: validating the toast error message for scenario Primary Email Address already exis

Passed: 2

#### Before

Then I enter following details on company page

Email Address \${hr.admin.id}

Then I click on "\${next.button.text}" button

Then I verify following field level error message on company page

Company Email \${company.toast.message.primaryconatct.already.exists}

java.lang.AssertionError: An account with this email address already exists. Please use another. is

at org.testng.Assert.fail(Assert.java:94) at org.testng.Assert.failNotEquals(Assert.java:513)

at org.testng.Assert.assertEqualsImpl(Assert.java:135)


at org.testng.Assert.assertEquals(Assert.java:116)

at org.testng.Assert.assertEquals(Assert.java:190)

at com.pru.sales.portal.pages.CompanyPage.verifyErrorMessages(CompanyPage.java:648)

at com.pru.sales.portal.stepdef.CompanySteps.validateErrorMessage(CompanySteps.java:172)

at .Then I verify following field level error message on company page(features/my/04.SalesCompar



#### Select Plan

Memb

New Quote

TestQuote\_71427026258

### **Primary Contact Details**

This will be the primary account administrator

First Name

ABCDEFGH324LMNOPQRSTUVWXYZyABCDEF(

Please ensure First Name field length is between 1 &

Mobile Number

0199999999

Optional

### **Company Details**

Company Registration Number

Company Registration Number is mandatory, please prelevant details

	⊖	Logout		Telephone Number			
				78456			
	0	Collapse Sidebar	<	Previous			
Af	ter						
Ba	ck to Tab	le of Contents					
Sc	enario:	verify Agent should be able	to fill C	ompany Name			
	ssed: 4						
Be	fore						
	Then I	navigate to "Company" scr	een				
		I generate random number a	nd assig	gn to variable ''RANDOM_NUMBER''			
	Output						
	Random	number generated is :292					
	L						
	And I a	assign "TestCompany_\${RA	NDOM <sub>.</sub>	_NUMBER}'' to variable ''COMP_NAME''			
	Output						
	Assignin	g value TestCompany_29227026248	to variabl	e COMP_NAME			
	19918	g + mao 1050000mpmiy_2>227020210	,				
	And I	enter Company Name as "\${	COMP_	NAME}''			
	Output						
	company	name is: TestCompany_2922702624	18				
	Company	name is. Testcompany_2922702025	FO				
	L						
Af	After						
		le of Contents					
			to fill P	rimary Contact details			
	Scenario: verify Agent should be able to fill Primary Contact details  Passed: 3  Before						
Be							
	Given 1	I generate random number a	nd assig	gn to variable "RANDOM_NUMBER"			
	Output  Output						
	Random	number generated is :588					
	-tun <b>u</b> oni						
	<u> </u>						
And I assign value to following variables							

HR FIRSTNAME	Tost Civa	anNama	
HR SURNAME		TestGivenName TestSurName	
HR EMAIL		itomation_\${RANDOM_NUMBER}@mailinator.com	
HR_CONTACT_MOBIL			
Then I enter following detail			
	\${HR_FIRSTN		
	\${HR_SURNAN		
	\${HR_EMAIL}		
Contact Mobile Number	,		
After			
Back to Table of Contents			
Scenario: verify Agent should	be able to fill cor	mpany details	
Passed: 2			
Before			
Given I assign value to follo	wing variables		
HR_CONTACT_LAND		0272109678	
HR_CONTACT_REGIS	TRATION_NO	123456789876	
HR_CONTACT_FAX_N	Ю	1234567898	
Then I enter following detail	ls on company p	page	
Company Registration N	umber \${HR_C	CONTACT_REGISTRATION_NO}	
HR Contact Phone Num	ber \${HR_C	CONTACT_LANDLINE_NO}	
Contact Fax Number	\${HR_C	CONTACT_FAX_NO}	
After			
Back to Table of Contents			
Scenario: verify Agent should	be able to fill cor	mpany address details	
Passed: 2			
Before			
Given I assign value to follo	wing variables		
COMPANY_ADDRESS	_1 #02-2b,XYZ	Z Bld	
COMPANY_ADDRESS	_2 test address	line 1	
COMPANY_ADDRESS	3 test address	line 1	
COMPANY_ADDRESS		line 1	
COMPANY_TOWN_CI			
COMPANY_STATE		odown.value.2}	
COMPANY_ZIPCODE			
Then I enter following details on company page			
Address1 \${COMPANY_ADDRESS_1}			
Address2 \${COMPANY_			
Address3 \${COMPANY_			
Address4 \${COMPANY_			
City \${COMPANY_TOWN_CITY}			
State \${COMPANY_			
Postcode \${COMPANY_	ZIPCODE}		

	_	
	11/21	
$\Delta$		Δr

**Back to Table of Contents** 

Scenario: verify Agent should be able to fill Authorised signatory details

Passed: 2

Before

Given I assign value to following variables

AUTHORISED\_SIGNATORY\_NAME authorisedName AUTHORISED\_SIGNATORY\_TITLE authoriseTitle

Then I enter following details on company page

Authorised Signatory Name \${AUTHORISED\_SIGNATORY\_NAME}
Authorised Signatory Title \${AUTHORISED\_SIGNATORY\_TITLE}

#### After

**Back to Table of Contents** 

Scenario: Verify all the information should persist when user return to company screen after clicking

Passed: 4

#### Before

Then I navigate to "Members" screen

Then verify the user is landed on "Employees" page


Then I navigate to "Company" screen

Then verify the user is landed on "Company" page

And Verify all the previously entered details/default values are persistent/present on company pag

na verify an the previously enter	ed details/detailt values are persistent/prese
<b>Company Name</b>	\${COMP_NAME}
Given Name	\${HR_FIRSTNAME}
Surname	\${HR_SURNAME}
<b>Company Email</b>	\${HR_EMAIL}
<b>Contact Phone Number</b>	\${HR_CONTACT_LANDLINE_NO}
<b>Contact Mobile Number</b>	\${HR_CONTACT_MOBILE_NO}
<b>Company Registration Number</b>	\${HR_CONTACT_REGISTRATION_NO}
<b>Contact Fax Number</b>	\${HR_CONTACT_FAX_NO}
Address1	\${COMPANY_ADDRESS_1}
Address2	\${COMPANY_ADDRESS_2}
Address3	\${COMPANY_ADDRESS_3}
Address4	\${COMPANY_ADDRESS_4}
City	\${COMPANY_TOWN_CITY}
State	\${COMPANY_STATE}
Post Code	\${COMPANY_ZIPCODE}
<b>Authorised Signatory Name</b>	\${AUTHORISED_SIGNATORY_NAME}
<b>Authorised Signatory Title</b>	\${AUTHORISED_SIGNATORY_TITLE}
Agent First Name	\${Agent_First_Name}
<b>Agent Middle Name</b>	\${Agent_Middle_Name}
Agent Surname	\${Agent_Surname}
Agent Code	\${Agent_Code}
Agent Email	\${Agent_Email}

pected [] but found [6590909001]  alueOnCompanyPage(CompanyPage.ja IsPersistentOnCompanyPage(Company



Get Help

#### Select Plan

Membe

New Quote

# TestCompany\_29227026248

Please ensure Authorised Signatory Name field length 100

+ Add another signatory

### **Agent Details**

Agent Code

PAMB9876

First Name

**PAMB** 

**Email Address** 

testpambuat\_98769@mailinator.com

Optional. Email will be sent to agent only when a valid Agent en provided

	⊖	Logout							
	0	Collapse Sidebar	<	Previous					
Afte	r								
Back	to Tab	le of Contents							
Scen	Scenario Outline: Verify Agent can add additional Signatory information on company page to maxin								
Passe	Passed: 4								
Befo	re								
V	When I click on "\${company.add.signatory.link}" button present below "\${company.companyZij} Then I verify the field label text on company page								
T									
	2nd Authorised Signatory Name \${company.companyAuthorisedSignatoryName.text}								
	2nd Authorised Signatory Title \${company.companyAuthorisedSignatoryTitle.text}								
A	And I verify following buttons are displayed on "Company page"								
	\${company.signatory.delete.button}								
A	And I verify "\${company.add.signatory.link}" link count is 1 in Sales Company Page								
Afte	After								
Back	to Tab	le of Contents							
Scen	ario (	Outline: Verify Agent can ad	d additio	nal Signat	ory information on co	mpany page	to maxim		
Passe	ed: 4								
Befo	Before								
V	When I click on "\${company.add.signatory.link}" button present below "\${company.companyZip								
T	Then I verify the field label text on company page								
	3rd Authorised Signatory Name \${company.companyAuthorisedSignatoryName.text}								
	3rd	<b>Authorised Signatory Title</b>	\${compa	ny.compai	nyAuthorisedSignator	yTitle.text}			
A	And I verify following buttons are displayed on "Company page"								
	\${company.signatory.delete.button}								
A	and I v	verify "\${company.add.signa	tory.link	x}'' link cou	ınt is 0 in Sales Comp	any Page			
Afte	After								
Back	to Tab	le of Contents							
Scen	ario:	Verify Agent should be able	to fill m	ıltiple auth	orised signatories and	d Title titles	in compar		
Passe	ed: 2								
Befo	Before								
G	iven I	assign value to following va	riables						
	AUI	THORISED_SIGNATORY_	NAME_	2	authorisedName2				
	AUI	THORISED_SIGNATORY_	DESIGN	ATION_2	testdesignationTwo				
	AUI	THORISED_SIGNATORY_	NAME_	3	authorisedName3				
	_	THORISED_SIGNATORY_			testdesignationThree				
T	Then I enter following details on company page								
	Authorised Signatory Name 2 \${AUTHORISED_SIGNATORY_NAME_2}								
	Authorised Signatory Title 2   \${AUTHORISED_SIGNATORY_DESIGNATION_2}								

**Detailed Results Report** Authorised Signatory Name 3 \$ {AUTHORISED\_SIGNATORY\_NAME\_3} Authorised Signatory Title 3 \$\{AUTHORISED\_SIGNATORY\_DESIGNATION\_3\} After Back to Table of Contents Scenario: Verify Agent can save and export the quote on company page Passed: 4 Before Then I click on "\${saveQuote.button.text}" button And I wait for 2 sec Then I verify following information is displayed on page footer \${lastSavedMessage.static.text} Then I verify the presence of export quote button After **Back to Table of Contents** Scenario: Verify pop up message is displayed when we delete added signatory Passed: 6 Before Given I scroll the page till authorised signatory field is displayed on company page Then I verify 3 "\${company.signatory.delete.button}" buttons are displayed on "Company Page" When I click on delete button for "2nd Authorised Signatory Title" signatory Then I verify following text is displayed on "popup window on Signatory" page \${signatory.delete.popup.message1} \${signatory.delete.popup.message2} Then I verify following buttons are displayed on "delete popup" \${signatory.delete.popup.cancel.button} \${signatory.delete.popup.delete.button} Then I click on "\${signatory.delete.popup.cancel.button}" button After **Back to Table of Contents** Scenario: Confirm delete of added signatory Passed: 4 Before When I click on delete button for "2nd Authorised Signatory Title" signatory And I click on "\${signatory.delete.popup.delete.button}" button And I verify following buttons are displayed on "Company page" \${company.signatory.delete.button} And I verify 2 "\${company.signatory.delete.button}" buttons are displayed on "Company Page" After **Back to Table of Contents** Scenario: Verify Signatory added are displayed in Submit page to add documents

Passed: 3
Before

When I navigate to "Submit" screen						
And verify the user is landed on "Submit" page						
Then I verify following text is displayed on "Submit" page						
\${submit.authorized.signatory} \${AUTHORISED_SIGNATORY_NAME}						
\${submit.authorized.signatory} \${AUTHORISED_SIGNATORY_NAME_3}						
After						
Back to Table of Contents						
Scenario: Close Sales Portal						
Passed: 1						
Before						
And I close sales portal						
After						
Back to Table of Contents						
Feature: Verify the Submit page for page verification and various document uploads						
Passed: 30						
Scenario: Login to Sales portal and go to New Quote page						
Passed: 6						
Before						
Given Launch sales portal						
Output						
https://uat-sales.eb.prudential.com.my/						
And I assign value to following variables						
Agent_Email \${agent.email.id.global}						
Agent_Password \\${agent.password}						
When I Login to Sales Portal with below details						
UserName \${Agent_Email}						
Password \${Agent_Password}						
And I enter the verification code if page appears for agent "\${Agent_Email}"						
Then I verify "\${welcome.to.prudential}" screen is displayed						
Given I assign "/testdata/my/submit_document" to variable "testdata.path"  Output						
Assigning value /testdata/my/submit_document to variable testdata.path						
After						
Back to Table of Contents						
Scenario: Verify the text and buttons on Submit page						
Passed: 9						

## Before When I click on Create Quote Link When I navigate to "Submit" screen And verify the user is landed on "Submit" page And I verify following text is displayed on "Submit Page" page **\${estimatedAnnualPremium.button.text} \${newQuote.static.text}** Then I verify following buttons are displayed on top right corner of the screen Save Quote \${saveQuote.button.text} Then verify "Summary of Benefit" heading is visible on the screen And I verify the presence of following table headers on summary table **Group Plan - Group Term Life (GTL)** Benefit per member Then I verify the presence of following items on page footer **\${previous.button.text}** \${confirm.submit.button} And I verify "\${previous.button.text}" button is "enabled" **After Back to Table of Contents** Scenario: Verify the upload for signed proposal document section Passed: 6 Before And I assign "Signed\_Proposal.png" to variable "FILE\_NAME" Assigning value Signed\_Proposal.png to variable FILE\_NAME Then verify "\${submit.signed.proposal.text}" heading is visible on the screen Then I verify following static text on "Submit" page \${submit.signed.proposal} Then I verify the presence of "\${submit.upload.file.text}" button below the message "\${submit.sig And I upload the Signed Proposal file "\ftestdata.path\ftest]/\frac{FILE\_NAME}" Then I verify the upload of file "\${FILE\_NAME}" by the uploaded document name **After Back to Table of Contents** Scenario: verify delete popup window on submit page Passed: 9 Before And I verify delete button is present for attached document "\${FILE\_NAME}" When I click on delete doc button for "\{FILE NAME\" on submit page Then I verify following text is displayed on "popup window on submit" page

\${submit.delete.popup.message1}

|\${submit.delete.popup.message2}|
Then I verify following buttons are displayed on "delete popup"

\${submit.delete.popup.cancel.button}

\${submit.delete.popup.delete.button}

Then I click on "\${submit.delete.popup.cancel.button}" button

Then I verify the upload of file "\${FILE\_NAME}" by the uploaded document name

When I click on delete doc button for '\\${FILE\_NAME}'' on submit page

Then I click on "\${submit.delete.popup.delete.button}" button

Then I verify following static text on "Submit" page

\${submit.signed.proposal}

#### After

#### **Back to Table of Contents**

Scenario Outline: Verify agent can upload pdf,png,jpg,jpeg file types

Passed: 5

#### Before

When I click on Create Quote Link

When I navigate to "Submit" screen

And verify the user is landed on "Submit" page

And I upload the Signed Proposal file "\${testdata.path}/filetype/FileType.jpg"

Then I verify the upload of file "FileType.jpg" by the uploaded document name

#### After

#### **Back to Table of Contents**

Scenario Outline: Verify agent can upload pdf,png,jpg,jpeg file types

Passed: 5

#### Before

When I click on Create Quote Link

When I navigate to "Submit" screen

And verify the user is landed on "Submit" page

And I upload the Signed Proposal file "\${testdata.path}/filetype/FileType.jpeg"

Then I verify the upload of file "FileType.jpeg" by the uploaded document name

#### **After**

#### **Back to Table of Contents**

Scenario Outline: Verify agent can upload pdf,png,jpg,jpeg file types

Passed: 5

#### Before

When I click on Create Quote Link

When I navigate to "Submit" screen

And verify the user is landed on "Submit" page

And I upload the Signed Proposal file ''\${testdata.path}/filetype/FileType.pdf''

Then I verify the upload of file "FileType.pdf" by the uploaded document name

#### After

#### **Back to Table of Contents**

Scenario Outline: Verify agent can upload pdf,png,jpg,jpeg file types

Passed: 5

Before

When I click on Create Quote Link

When I navigate to "Submit" screen

And verify the user is landed on "Submit" page

And I upload the Signed Proposal file '\\$\{testdata.path\}/filetype/FileType.PNG''

Then I verify the upload of file "FileType.PNG" by the uploaded document name

After

**Back to Table of Contents** 

Scenario Outline: Verify agent can upload pdf,png,jpg,jpeg file types

Passed: 5

Before

When I click on Create Quote Link

When I navigate to "Submit" screen

And verify the user is landed on "Submit" page

And I upload the Signed Proposal file "\${testdata.path}/filetype/FileType.xlsm"

Then I verify the upload of file "FileType.xlsm" by the uploaded document name

After

**Back to Table of Contents** 

Scenario Outline: Verify agent can upload pdf,png,jpg,jpeg file types

Passed: 5

Before

When I click on Create Quote Link

When I navigate to "Submit" screen

And verify the user is landed on "Submit" page

And I upload the Signed Proposal file "\${testdata.path}/filetype/FileType.doc"

Then I verify the upload of file "FileType.doc" by the uploaded document name

After

**Back to Table of Contents** 

Scenario Outline: Verify agent can upload pdf,png,jpg,jpeg file types

Passed: 5

Before

When I click on Create Ouote Link

When I navigate to "Submit" screen

And verify the user is landed on "Submit" page

And I upload the Signed Proposal file ''\${testdata.path}/filetype/FileType.docx''

Then I verify the upload of file "FileType.docx" by the uploaded document name

After

**Back to Table of Contents** 

Scenario Outline: Verify agent can upload pdf,png,jpg,jpeg file types

Passed: 5

Before

When I click on Create Quote Link When I navigate to "Submit" screen And verify the user is landed on "Submit" page And I upload the Signed Proposal file "\${testdata.path}/filetype/FileType.xlsx" Then I verify the upload of file "FileType.xlsx" by the uploaded document name **After Back to Table of Contents** Scenario: Verify uploading invalid file format is throwing error on UI Passed: 18 Before When I click on Create Quote Link When I navigate to "Submit" screen And verify the user is landed on "Submit" page And I upload the Signed Proposal file '\\$\{testdata.path\}\/filetype/FileType.txt'' And I wait for 6 sec When I click on Bank Transfer button And I upload the payment proof file "\${testdata.path}/filetype/FileType.txt" And I wait for 6 sec And I upload the copy NRIC file "\ftestdata.path\filetype/FileType.txt" And I wait for 6 sec And I upload the Authorised Signatory file "\filetype/FileType.txt" And I wait for 6 sec And I upload the direct credit file "\${testdata.path}/filetype/FileType.txt" And I wait for 6 sec And I upload the Form 49 file "\${testdata.path}/filetype/FileType.txt" And I wait for 6 sec And I upload the Form 24 file "\${testdata.path}/filetype/FileType.txt" Then I verify invalid file type error message "\${submit.invalid.file.format.text}" for following field **Proposal Form** Form 24 Form 49 **Direct Credit Authorised Signatory** Copy NRIC Payment proof After **Back to Table of Contents** 

Scenario: Verify the upload for Form 8 document

Passed: 13

Before

When I click on Create Quote Link

When I navigate to "Submit" screen

And I assign 'General\_Information\_Sheet.png' to variable 'FILE\_NAME'

Output Assigning value General\_Information\_Sheet.png to variable FILE\_NAME Then verify "\${submit.upload.relevant.doc.text}" heading is visible on the screen Then I verify following text is displayed on "Submit" page **\${submit.file.size.text}** Then verify file label is displayed as "\${submit.form.8.text}" Then I verify following static text on "Submit" page \${submit.drop.document.here.text} Then I verify the presence of "\{\submit.upload.file.text\}" button below the message "\{\submit.dro And I upload the Form 8 file "\${testdata.path}/\${FILE\_NAME}" Then I verify the upload of file "\\${FILE NAME}" by the uploaded document name And I verify delete button is present for attached document "\${FILE NAME}" When I click on delete doc button for "\{FILE\_NAME\" on submit page Then I click on "\${submit.delete.popup.delete.button}" button **After Back to Table of Contents** Scenario: Verify the upload for Form 24 document Passed: 11 Before When I click on Create Quote Link When I navigate to "Submit" screen And I assign "Articles\_Bylaws.png" to variable "FILE\_NAME" Output Assigning value Articles\_Bylaws.png to variable FILE\_NAME Then verify file label is displayed as "\${submit.form.24.text}" Then I verify the presence of "\${submit.upload.file.text}" button below the message "\${submit.dro And I upload the Form 24 file "\${testdata.path}/\${FILE\_NAME}" Then I verify the upload of file "\${FILE\_NAME}" by the uploaded document name And I verify delete button is present for attached document "\${FILE\_NAME}" When I click on delete doc button for "\${FILE\_NAME}" on submit page Then I click on "\${submit.delete.popup.delete.button}" button Then verify file label is displayed as "\${submit.form.24.text}" After **Back to Table of Contents** Scenario: Verify the upload for Form 49 document Passed: 11

#### Before

When I click on Create Quote Link

When I navigate to "Submit" screen

And I assign "Latest\_Audited\_Financial\_Statement.png" to variable "FILE\_NAME"

#### Output

Assigning value Latest\_Audited\_Financial\_Statement.png to variable FILE\_NAME

Then verify file label is displayed as "\${submit.form.49.text}"

Then I verify the presence of "\${submit.upload.file.text}" button below the message "\${submit.drc

And I upload the Form 49 file ''\${testdata.path}/\${FILE\_NAME}''

Then I verify the upload of file "\${FILE NAME}" by the uploaded document name

And I verify delete button is present for attached document "\${FILE\_NAME}"

When I click on delete doc button for '\\${FILE\_NAME}'' on submit page

Then I click on "\${submit.delete.popup.delete.button}" button

Then verify file label is displayed as "\${submit.form.49.text}"

#### **After**

#### **Back to Table of Contents**

Scenario: Verify the upload for Direct Credit document

Passed: 11

#### Before

When I click on Create Quote Link

When I navigate to "Submit" screen

And I assign "Latest Audited Financial Statement.png" to variable "FILE NAME"

#### Output

Assigning value Latest\_Audited\_Financial\_Statement.png to variable FILE\_NAME

Then verify file label is displayed as "\${submit.direct.credit.text}"

Then I verify the presence of "\{submit.upload.file.text}" button below the message "\{submit.dro

And I upload the direct credit file "\ftestdata.path\/\ftest\ftale NAME\"

Then I verify the upload of file "\\${FILE\_NAME}" by the uploaded document name

And I verify delete button is present for attached document "\${FILE\_NAME}"

When I click on delete doc button for ''\${FILE\_NAME}'' on submit page

Then I click on "\${submit.delete.popup.delete.button}" button

Then verify file label is displayed as "\${submit.direct.credit.text}"

#### After

#### **Back to Table of Contents**

Scenario: Verify the upload for Schedule of assurance document

Passed: 11

Before

When I click on Create Quote Link When I navigate to "Submit" screen And I assign "Latest Audited Financial Statement.png" to variable "FILE NAME" Output Assigning value Latest\_Audited\_Financial\_Statement.png to variable FILE\_NAME Then verify file label is displayed as "\${submit.schedule.assurance.text}" Then I verify the presence of "\${submit.upload.file.text}" button below the message "\${submit.dro And I upload the schedule assurance file "\${testdata.path}/\${FILE\_NAME}" Then I verify the upload of file "\${FILE\_NAME}" by the uploaded document name And I verify delete button is present for attached document "\${FILE\_NAME}" When I click on delete doc button for "\${FILE NAME}" on submit page Then I click on "\${submit.delete.popup.delete.button}" button Then verify file label is displayed as "\{submit.schedule.assurance.text}" After **Back to Table of Contents** Scenario: Verify the upload for GHS schedule of benefits document Passed: 11 Before When I click on Create Quote Link When I navigate to "Submit" screen And I assign "Latest\_Audited\_Financial\_Statement.png" to variable "FILE\_NAME" Output Assigning value Latest Audited Financial Statement.png to variable FILE NAME Then verify file label is displayed as "\${submit.ghs.benefit.text}" Then I verify the presence of "\${submit.upload.file.text}" button below the message "\${submit.dro And I upload the ghs benefit file "\${testdata.path}/\${FILE\_NAME}" Then I verify the upload of file "\\${FILE\_NAME}" by the uploaded document name And I verify delete button is present for attached document "\${FILE\_NAME}" When I click on delete doc button for '\\${FILE\_NAME}'' on submit page Then I click on "\${submit.delete.popup.delete.button}" button Then verify file label is displayed as "\${submit.ghs.benefit.text}" After **Back to Table of Contents** Scenario: Verify the upload for Authorized Signatory document 1 document Passed: 13 Before

When I click on Create Quote Link When I navigate to "Submit" screen And I assign "General Information Sheet.png" to variable "FILE NAME" Output Assigning value General\_Information\_Sheet.png to variable FILE\_NAME Then verify "\${submit.authorized.personal.text}" heading is visible on the screen Then I verify following text is displayed on "Submit" page \${submit.authorized.signatory} Then verify file label is displayed as "\${submit.authorized.declaration.text}" Then I verify following static text on "Submit" page \${submit.drop.document.here.text} Then I verify the presence of "\{\submit.upload.file.text\}" button below the message "\{\submit.dro And I upload the Authorised Signatory file "\${testdata.path}/\${FILE\_NAME}" Then I verify the upload of file "\\${FILE NAME}" by the uploaded document name And I verify delete button is present for attached document "\${FILE\_NAME}" When I click on delete doc button for "\{FILE NAME\" on submit page Then I click on "\${submit.delete.popup.delete.button}" button After **Back to Table of Contents** Scenario: Verify the upload for Copy of NRIC document Passed: 11 Before When I click on Create Quote Link When I navigate to "Submit" screen And I assign "Latest Audited Financial Statement.png" to variable "FILE NAME" Output Assigning value Latest Audited Financial Statement.png to variable FILE NAME Then verify file label is displayed as "\${submit.copy.nric.text}" Then I verify the presence of "\{submit.upload.file.text}" button below the message "\{submit.dro And I upload the copy NRIC file "\${testdata.path}/\${FILE\_NAME}" Then I verify the upload of file "\\${FILE\_NAME}" by the uploaded document name And I verify delete button is present for attached document "\${FILE\_NAME}" When I click on delete doc button for "\{FILE NAME\" on submit page Then I click on "\${submit.delete.popup.delete.button}" button Then verify file label is displayed as "\${submit.copy.nric.text}" After

## **Back to Table of Contents** Scenario: Verify the upload for Copy of Memos document Passed: 13 Before When I click on Create Quote Link When I navigate to "Submit" screen And I assign "Latest\_Audited\_Financial\_Statement.png" to variable "FILE\_NAME" Output Assigning value Latest Audited Financial Statement.png to variable FILE NAME And I verify following text is displayed on "Submit" page \${submit.memo.max.text} Then verify file label is displayed as "\${submit.memo.text}" Then I verify the presence of "\\${submit.upload.file.text}" button below the message "\\${submit.dro And I upload the memos file "\${testdata.path}/\${FILE\_NAME}" Then I verify the upload of file "\${FILE NAME}" by the uploaded document name And I verify delete button is present for attached document "\${FILE NAME}" Then I verify following buttons are displayed on "Submit page" \${submit.upload.another.file.text} When I click on delete doc button for "\${FILE NAME}" on submit page Then I click on "\${submit.delete.popup.delete.button}" button Then verify file label is displayed as "\${submit.memo.text}" **After Back to Table of Contents** Scenario: Verify the select payment method Bank transfer section Passed: 12 Before Then verify "\${submit.payment.method.text}" heading is visible on the screen Then I verify following text is displayed on "Submit" page \${submit.bank.transfer.text} **\${submit.cheque.text}** When I click on Bank Transfer button And I assign "Latest Audited Financial Statement.png" to variable "FILE NAME" Output Assigning value Latest\_Audited\_Financial\_Statement.png to variable FILE\_NAME Then verify file label is displayed as "\${submit.upload.payment.proof.text}" Then I verify the presence of "\${submit.upload.file.text}" button below the message "\${submit.dro

And I upload the payment proof file '\\$\testdata.path\/\\$\FILE_NAME\}'	
Then I verify the upload of file "\${FILE_NAME}" by the uploaded document name	
And I verify delete button is present for attached document "\${FILE_NAME}"	
When I click on delete doc button for ''\${FILE_NAME}'' on submit page	
Then I click on "\${submit.delete.popup.delete.button}" button	
Then verify file label is displayed as "\${submit.upload.payment.proof.text}"	
er er	
k to Table of Contents	
nario: Verify the select payment method Bank transfer section	
sed: 12	
Core Core	
When I click on Create Quote Link	
When I navigate to "Submit" screen	
When I click on Cheque button	
And I assign "Latest_Audited_Financial_Statement.png" to variable "FILE_NAME"	
Output	
Assigning value Latest_Audited_Financial_Statement.png to variable FILE_NAME	
Then verify file label is displayed as ''\${submit.upload.payment.proof.text}''	
Then I verify the presence of ''\${submit.upload.file.text}'' button below the message ''\$	{submit.d
And I upload the payment proof file ''\${testdata.path}/\${FILE_NAME}''	
Then I verify the upload of file ''\${FILE_NAME}'' by the uploaded document name	
And I verify delete button is present for attached document ''\${FILE_NAME}''	
When I click on delete doc button for ''\${FILE_NAME}'' on submit page	
Then I click on ''\${submit.delete.popup.delete.button}'' button	
Then verify file label is displayed as ''\${submit.upload.payment.proof.text}''	
er er	
k to Table of Contents	
enario: Add quote for Group term life for all 5 categories	
sed: 6	
Fore	
Given I generate random number and assign to variable "RANDOM_NUMBER" Output	
Random number generated is :132	
Then I assign ''Dummy_Quote_\${RANDOM_NUMBER}'' to variable ''Company_Nam	ne!!
Output	10

	hen I click on Create Quote Link
-	en I navigate to "Select Plan" screen
	en I enter Company Name as "\${Company_Name}"
Out	put
cor	npany name is: Dummy_Quote_13227026210
Th	en I enter following details on select plan page
	No. of Members 10
ter	
ck t	Table of Contents
	rio Outline: Verify Summary of benefit table display data selected in select plan page and getti
ssed	
for	e
Th	en I navigate to "Select Plan" screen
	d I click on PAMB GHS "\${selectplan.ghs.no.button}" button
	hen I navigate to "Submit" screen
	d verify the user is landed on "Submit" page
_	en I assign ''Annual_Summary.csv'' to variable ''FILE_NAME''
Out	put
Ass	igning value Annual_Summary.csv to variable FILE_NAME
An	d I assign ''testdata/my/submit_document/summarydata/\${FILE_NAME}'' to variable ''summ
Out	
Ass	igning value testdata/my/submit_document/summarydata/Annual_Summary.csv to variable summary.data.compareFile.path
Th	en I assign ''SummaryTable'' to variable ''Table_Name''
	put

	10 RM107.50	
	RM6.50	
	Total members	
	Annual Premium (Before Tax)	
	Service Tax 6%	
te		
	to Table of Contents	
	<u> </u>	benefit table display data selected in select plan page and
	d: 9	
fo	re	
T	hen I navigate to "Select Plan" sc	reen
A	nd I click on PAMB GHS "\${sele	ctplan.ghs.yes.button}" button
_	When I navigate to "Submit" scree	
_	nd verify the user is landed on "S	
_	hen I assign "Annual_WithGHS.	
_	utput	<u></u>
,		
A	ssigning value Annual_WithGHS.csv to var	iable FILE_NAME
۱		
A	.nd I assign "testdata/my/submit_	document/summarydata/\${FILE_NAME}'' to variable ''sı
$\overline{\cap}$	utput	
$\mathbf{P}$		
	ssigning value testdata/my/submit_document	nt/summarydata/Annual_WithGHS.csv to variable summary.data.compareFi
	ssigning value testdata/my/submit_documer	nt/summarydata/Annual_WithGHS.csv to variable summary.data.compareFi
	ssigning value testdata/my/submit_documer	nt/summarydata/Annual_WithGHS.csv to variable summary.data.compareFi
Α	ssigning value testdata/my/submit_documer	
 А Т		nt/summarydata/Annual_WithGHS.csv to variable summary.data.compareFi variable ''Table_Name''
 А Т	hen I assign "SummaryTable" to	
 Т	hen I assign "SummaryTable" to	
A T	hen I assign "SummaryTable" to	variable "Table_Name"

\*UI data: {Group Hospital and Surgical Benefit (GHS)={Benefit per member=RM20,000}, Death Benefit (due to ALL causes)={ csvData: {Group Hospital and Surgical Benefit (GHS)={Benefit per member=RM20,000}, Death Benefit (due to ALL causes)= And I verify following static text on "Summary Table" page RM2,667.50 RM160.10 **Total members** Annual Premium (Before Tax, GHS Included) Service Tax 6% After **Back to Table of Contents** Scenario: Validating the error message When user clicks on Confirm and Submit button without enter Passed: 3 Before When I click on Bank Transfer button When I click on the Confirm and Submit button Then I verify following field upload error message on submit page **Proposal Form** \${submit.error.proposal.form.mandatory} Form 8 \${submit.error.form.8.mandatory} Form 24 \${submit.error.form.24.mandatory} Form 49 \${submit.error.form.49.mandatory} **Direct Credit** \${submit.error.direct.credit.mandatory} Authorised Signatory \${submit.error.authorised.signatory.mandatory} Copy NRIC \${submit.error.copy.nric.mandatory} Payment proof \${submit.error.payment.proof} After **Back to Table of Contents** Scenario: Verify Agent can save and export the quote on submit page Passed: 3 Before Then I click on "\${saveQuote.button.text}" button Then I verify following information is displayed on page footer **\${lastSavedMessage.static.text}** Then I verify the presence of export quote button After **Back to Table of Contents** Scenario: Close Sales Portal Passed: 1 Before And I close sales portal After

# **Back to Table of Contents** Feature: Verify agent can see all the PLUK documents and can download them Passed: 26 Scenario: Verify default and documents on Documents Page Passed: 7 Before Given I get the project directory path to variable "project.path" Given I assign "\${project.path}/src/test/resources/testdata/my/documentstocompare/input" to vari Output Assigning value /tmp/workspace/me-sales-portal-ui-tests develop/src/test/resources/testdata/my/documentstocompare/input to v Given Launch sales portal Output https://uat-sales.eb.prudential.com.my/ And I assign value to following variables Agent\_Email \$\{agent.email.id.global\} Agent\_Password \${agent.password} When I Login to Sales Portal with below details UserName \${Agent\_Email} Password \${Agent Password} And I enter the verification code if page appears for agent "\${Agent\_Email}" Then I verify "\${welcome.to.prudential}" screen is displayed After **Back to Table of Contents** Scenario: Verify documents table on document page Passed: 3 Before When I click on Documents link Then I verify following text is displayed on "Documents" page \$\{\toggleBarItem.documents.label\} Then I verify the presence of following table headers on "Documents page" \${document.table.header.document.name} After Back to Table of Contents Scenario Outline: Verify "PRUEd Protect Leaflet" document download button is enabled Passed: 1 Before

And I verify download button for "PRUEd Protect Leaflet" document is enabled

After

**Back to Table of Contents** 

Scenario Outline: Verify "Claim Form" document download button is enabled

Passed: 1

Before

And I verify download button for "Claim Form" document is enabled

After

**Back to Table of Contents** 

Scenario Outline: Verify "Medical Claim - Doctor's Statement" document download button is enable

Passed: 1

Before

And I verify download button for "Medical Claim - Doctor's Statement" document is enabled

After

**Back to Table of Contents** 

Scenario Outline: Verify "Personal Accident Claim - Doctor's Statement" document download button

Passed: 1

Before

And I verify download button for "Personal Accident Claim - Doctor's Statement" document is en

After

**Back to Table of Contents** 

Scenario Outline: Verify "Personal Accident Claim - Healing Progress Form" document download by

Passed: 1

Before

And I verify download button for "Personal Accident Claim - Healing Progress Form" document

After

**Back to Table of Contents** 

Scenario Outline: Verify "Total and Permanent Disability Claim - Doctor's Statement" document do

Passed: 1

Before

And I verify download button for "Total and Permanent Disability Claim - Doctor's Statement" d

**After** 

**Back to Table of Contents** 

Scenario Outline: Verify "Total and Permanent Disability - Disability Instalment Benefit - Doctor's S

Passed: 1

Before

And I verify download button for "Total and Permanent Disability - Disability Instalment Benefit

After

**Back to Table of Contents** 

Scenario Outline: Verify "Death Claim - Doctor's Statement" document download button is enabled

Passed: 1

Before

And I verify download button for "Death Claim - Doctor's Statement" document is enabled After Back to Table of Contents Scenario Outline: Verify "Consent To Release Information" document download button is enabled Passed: 1 Before And I verify download button for "Consent To Release Information" document is enabled After **Back to Table of Contents** Scenario Outline: Verify "Master Application Form" document download button is enabled Passed: 1 Before And I verify download button for "Master Application Form" document is enabled After **Back to Table of Contents** Scenario Outline: Verify "Application For Direct Credit Form" document download button is enable Passed: 1 Before And I verify download button for "Application For Direct Credit Form" document is enabled After **Back to Table of Contents** Scenario Outline: Verify "Authorised Company Representative Declaration Form" document downlo Passed: 1 Before And I verify download button for "Authorised Company Representative Declaration Form" document After **Back to Table of Contents** Scenario Outline: Download PDF documents by click on down arrow button and verify "PRUEd Pro Passed: 7 Before Given I assign "PRUEd Protect Leaflet" to variable "DOWNLOADED\_FILE\_NAME" Assigning value PRUEd Protect Leaflet to variable DOWNLOADED\_FILE\_NAME Then I assign the downloaded file "\${DOWNLOADED\_FILE\_NAME}" to variable "document.to And I assign "\${document.to.compare.path}.pdf" to variable "DOCUMENT\_FILE\_PATH" Output Assigning value /tmp/workspace/me-sales-portal-ui-tests develop/PRUEd Protect Leaflet.pdf to variable DOCUMENT FILE F

	And I delete the downloaded file "\${DOCUMENT_FILE_PATH}" if it already exists				
	When I click on download button for document ''PRUEd Protect Leaflet''				
	Then I verify downloaded file name is "\${DOCUMENT_FILE_PATH}"				
	Output				
	Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/PRUEd Protect Leaflet.pdf				
	And I verify ''\${testdata.path}/PRUEd Protect Leaflet.pdf'' pdf file is matching with ''\${DOCUMI				
Aft	ter				
Bac	k to Table of Contents				
Sce	enario Outline: Download PDF documents by click on down arrow button and verify "Claim Form				
Pas	sed: 7				
Be	fore				
	Given I assign "Claim Form" to variable "DOWNLOADED_FILE_NAME"				
	Output				
	A CONTRACTOR OF THE NAME				
	Assigning value Claim Form to variable DOWNLOADED_FILE_NAME				
	Then I assign the downloaded file "\${DOWNLOADED_FILE_NAME}" to variable "document.to				
	And I assign ''\${document.to.compare.path}.pdf'' to variable ''DOCUMENT_FILE_PATH''				
	Output				
	Assigning value /tmp/workspace/me-sales-portal-ui-tests_develop/Claim Form.pdf to variable DOCUMENT_FILE_PATH				
	And I delete the downloaded file "\${DOCUMENT_FILE_PATH}" if it already exists				
	When I click on download button for document "Claim Form"				
	Then I verify downloaded file name is "\${DOCUMENT_FILE_PATH}"				
	Output Control of the				
	Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/Claim Form.pdf				
	And I verify ''\${testdata.path}/Claim Form.pdf'' pdf file is matching with ''\${DOCUMENT_FILE				
Aft	ter				
Bac	k to Table of Contents				
Sco	enario Outline: Download PDF documents by click on down arrow button and verify "Medical Cla				

Passed: 7

Be	fore
	Given I assign "Medical Claim - Doctor's Statement" to variable "DOWNLOADED_FILE_NAM
	Output
	Assigning value Medical Claim - Doctor's Statement to variable DOWNLOADED_FILE_NAME
	Then I assign the downloaded file "\${DOWNLOADED_FILE_NAME}" to variable "document.to
	And I assign "\${document.to.compare.path}.pdf" to variable "DOCUMENT_FILE_PATH"
	Output
	Assigning value /tmp/workspace/me-sales-portal-ui-tests_develop/Medical Claim - Doctor's Statement.pdf to variable DOCUM
	And I delete the downloaded file ''\${DOCUMENT_FILE_PATH}'' if it already exists  When I click on download button for document ''Medical Claim - Doctor's Statement''
	Then I verify downloaded file name is "\${DOCUMENT_FILE_PATH}"
	Output
	Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/Medical Claim - Doctor's Statement.pdf
	And I verify "\${testdata.path}/Medical Claim - Doctor's Statement.pdf" pdf file is matching with
Af	
	:k to Table of Contents
	enario Outline: Download PDF documents by click on down arrow button and verify "Personal Ac
	sed: 7
	fore
De.	
	Given I assign ''Personal Accident Claim - Doctor's Statement'' to variable ''DOWNLOADED_FI Output
	Assigning value Personal Accident Claim - Doctor's Statement to variable DOWNLOADED_FILE_NAME
	Then Lessian the desymbolded file !!¢(DOWNLOADED_FILE_NAME)!! to visible !!decument to
	Then I assign the downloaded file "\${DOWNLOADED_FILE_NAME}" to variable "document.to
	And I assign "\${document.to.compare.path}.pdf" to variable "DOCUMENT_FILE_PATH"  Output
	Assigning value /tmp/workspace/me-sales-portal-ui-tests_develop/Personal Accident Claim - Doctor's Statement.pdf to variable

	And I delete the downloaded file "\${DOCUMENT_FILE_PATH}" if it already exists				
	When I click on download button for document "Personal Accident Claim - Doctor's Statement"				
	Then I verify downloaded file name is ''\${DOCUMENT_FILE_PATH}''				
	Output				
	Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/Personal Accident Claim - Doctor's Statement.pdf				
	And I verify ''\${testdata.path}/Personal Accident Claim - Doctor's Statement.pdf'' pdf file is mate				
	ter				
	ek to Table of Contents				
Sc	enario Outline: Download PDF documents by click on down arrow button and verify "Personal Ac				
Pas	sed: 7				
Be	fore				
	Given I assign "Personal Accident Claim - Healing Progress Form" to variable "DOWNLOADED				
	Output				
	Assigning value Personal Accident Claim - Healing Progress Form to variable DOWNLOADED_FILE_NAME				
	Then I assign the downloaded file "\${DOWNLOADED_FILE_NAME}" to variable "document.to				
	And I assign "\${document.to.compare.path}.pdf" to variable "DOCUMENT_FILE_PATH"				
	Output				
	Assissing value (two /vantemass/massales montal vi tasta davalen/Dansanal Assidant Claim. Hasling Dusanasa Formandf to vari				
	Assigning value /tmp/workspace/me-sales-portal-ui-tests_develop/Personal Accident Claim - Healing Progress Form.pdf to vari				
	And I delete the downloaded file "\$(DOCUMENT_FILE_DATH)" if it already evicts				
	And I delete the downloaded file "\${DOCUMENT_FILE_PATH}" if it already exists  When I click on download button for document "Personal Assident Claim, Healing Progress For				
	When I click on download button for document "Personal Accident Claim - Healing Progress For				
	Then I verify downloaded file name is "\${DOCUMENT_FILE_PATH}"  Output				
	Output				
	Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/Personal Accident Claim - Healing Progress Form.pdf				
	And I verify ''\${testdata.path}/Personal Accident Claim - Healing Progress Form.pdf'' pdf file is n				
	ter				
	k to Table of Contents				
	enario Outline: Download PDF documents by click on down arrow button and verify "Total and P				
	sed: 7				
be	fore				

Given I assign "Total and Permanent Disability Claim - Doctor's Statement" to variable "DOW!
Output
Assigning value Total and Permanent Disability Claim - Doctor's Statement to variable DOWNLOADED_FILE_NAME
Then I assign the downloaded file ''\${DOWNLOADED_FILE_NAME}'' to variable ''document.t
And I assign "\${document.to.compare.path}.pdf" to variable "DOCUMENT_FILE_PATH"
Output
Assigning value /tmp/workspace/me-sales-portal-ui-tests_develop/Total and Permanent Disability Claim - Doctor's Statement.
And I delete the downloaded file "\${DOCUMENT_FILE_PATH}" if it already exists
When I click on download button for document "Total and Permanent Disability Claim - Doctor
Then I verify downloaded file name is "\${DOCUMENT_FILE_PATH}"
Output
Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/Total and Permanent Disability Claim - Doctor's Sta
And I verify ''\${testdata.path}/Total and Permanent Disability Claim - Doctor's Statement.pdf''    Ster
ck to Table of Contents
enario Outline: Download PDF documents by click on down arrow button and verify "Total and l
ssed: 6
efore
Given I assign ''Total and Permanent Disability - Disability Instalment Benefit - Doctor's Statem Output
Assigning value Total and Permanent Disability - Disability Instalment Benefit - Doctor's Statement to variable DOWNLOAD
Then I assign the downloaded file ''\${DOWNLOADED_FILE_NAME}'' to variable ''document.t
And I assign ''\${document.to.compare.path}.pdf'' to variable ''DOCUMENT_FILE_PATH''
Output
Assigning value /tmp/workspace/me-sales-portal-ui-tests_develop/Total and Permanent Disability - Disability Instalment Bene
And I delete the desymbolded file !!\$(DOCUMENT_FILE_DATIO!! : 6:4 already arists
And I delete the downloaded file "\${DOCUMENT_FILE_PATH}" if it already exists

	on download but				isability - Disa	bility In
Output	y downloaded file	name is "\${DO	CUMENT_FI	LE_PATH}"		
ownloaded fil	e name=/tmp/workspace	e/me-sales-portal-ui	-tests_develop/Tota	al and Permanent	Disability - Disabi	lity Instalr
and I verify	'''\${testdata.path}	/Total and Peri	nanent Disabi	lity - Disabilit	y Instalment B	enefit -
					·	
-	tial.tap.exception.	•		<u>-</u>	_	
	sales.portal.pages.] sales.portal.stepdef					Dr (Tes
	rify ''\${testdata.pa					nt Benef



- + New Quote
- B Information
- [ Quotes
- Documents

Presented by Present Al Tolk



### **Documents**

#### **Document Name**

Application For Direct Credit Form

Authorised Company Representative Declaration F

Claim Form

Consent To Release Information

Death Claim - Doctor's Statement

Master Application Form

Medical Claim - Doctor's Statement

PRUEd Protect Leaflet

Personal Accident Claim - Doctor's Statement

Personal Accident Claim - Healing Progress Form

Total and Permanent Disability - Disability Instalme

Total and Permanent Disability Claim - Doctor's Sta

	⊖	Logout	
	011	Collapse Sidebar	
Af	ter		
Ba	ck to Tab	ole of Contents	
Sc	enario (	Outline: Download PDF docum	ents by click on down arrow button and verify "Death Clain
	ssed: 7		
Be	fore		
	Given 1 Output	I assign "Death Claim - Doctor	s Statement" to variable "DOWNLOADED_FILE_NAME
	Assignin	ng value Death Claim - Doctor's Statemen	t to variable DOWNLOADED_FILE_NAME
			DOWNLOADED_FILE_NAME}" to variable "document.to
	And I a Output	assign "\${document.to.compare	.path}.pdf" to variable "DOCUMENT_FILE_PATH"
	Output		
	Assignin	ng value /tmp/workspace/me-sales-portal-	ui-tests_develop/Death Claim - Doctor's Statement.pdf to variable DOCUME
	And I	delete the downloaded file "\${D	OCUMENT_FILE_PATH}" if it already exists
			document "Death Claim - Doctor's Statement"
			"\${DOCUMENT_FILE_PATH}"
	Output	voing downloaded life little is	(LOCCHILITY_IIIL_IIII)
	f		
	Downloa	aded file name=/tmp/workspace/me-sales	-portal-ui-tests_develop/Death Claim - Doctor's Statement.pdf
	AndIx	vanify !!\$(togtdata nath)/Dogth (	Claim - Doctor's Statement.pdf" pdf file is matching with "
A 6	ter	verny \$\{\testuata.patn}/Death\	Diami - Doctor's Statement.pur pur me is matching with
_		1 60 4 4	
		ole of Contents	
		Outline: Download PDF docum	ents by click on down arrow button and verify "Consent To
	ssed: 7		
Be	fore		
	Given 1 Output	I assign "Consent To Release In	nformation" to variable "DOWNLOADED_FILE_NAME"
	Assignin	ng value Consent To Release Information	to variable DOWNLOADED_FILE_NAME

	Then I assign the downloaded file ''\${DOWNLOADED_FILE_NAME}'' to variable ''document.t And I assign ''\${document.to.compare.path}.pdf'' to variable ''DOCUMENT_FILE_PATH''
	Output
	Assigning value /tmp/workspace/me-sales-portal-ui-tests_develop/Consent To Release Information.pdf to variable DOCUMEN
	And I delete the downloaded file "\${DOCUMENT_FILE_PATH}" if it already exists
	When I click on download button for document "Consent To Release Information"
	Then I verify downloaded file name is "\${DOCUMENT_FILE_PATH}"
	Output
	Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/Consent To Release Information.pdf
j	And I verify "\${testdata.path}/Consent To Release Information.pdf" pdf file is matching with "\$
	ger
C	k to Table of Contents
•	enario Outline: Download PDF documents by click on down arrow button and verify "Master Ap
S	sed: 7
j	fore
	Given I assign "Master Application Form" to variable "DOWNLOADED_FILE_NAME"
	Output
	Assigning value Master Application Form to variable DOWNLOADED_FILE_NAME
	Then I assign the downloaded file ''\${DOWNLOADED_FILE_NAME}'' to variable ''document.t
	And I assign ''\${document.to.compare.path}.pdf'' to variable ''DOCUMENT_FILE_PATH''
	Output
	Assigning value /tmp/workspace/me-sales-portal-ui-tests_develop/Master Application Form.pdf to variable DOCUMENT_FIL
Ì	
	And I delete the downloaded file "\${DOCUMENT_FILE_PATH}" if it already exists
	When I click on download button for document "Master Application Form"  Then I verify downloaded file name is "\${DOCUMENT_FILE_PATH}"

	Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/Master Application Form.pdf
	And I verify "\${testdata.path}/Master Application Form.pdf" pdf file is matching with "\${DOCU
Af	îter
Ba	ck to Table of Contents
Sc	enario Outline: Download PDF documents by click on down arrow button and verify "Application
Pas	ssed: 7
Be	efore
	Given I assign "Application For Direct Credit Form" to variable "DOWNLOADED_FILE_NAM Output
	Assigning value Application For Direct Credit Form to variable DOWNLOADED_FILE_NAME
	Then I assign the downloaded file "\${DOWNLOADED_FILE_NAME}" to variable "document.to
	And I assign "\${document.to.compare.path}.pdf" to variable "DOCUMENT_FILE_PATH"
	Output
	Assigning value /tmp/workspace/me-sales-portal-ui-tests_develop/Application For Direct Credit Form.pdf to variable DOCUM
	And I delete the downloaded file "\${DOCUMENT_FILE_PATH}" if it already exists
	When I click on download button for document "Application For Direct Credit Form"
	Then I verify downloaded file name is "\${DOCUMENT_FILE_PATH}"
	Output
	Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/Application For Direct Credit Form.pdf
	And I verify "\${testdata.path}/Application For Direct Credit Form.pdf" pdf file is matching with
Af	îter
	ck to Table of Contents
	enario Outline: Download PDF documents by click on down arrow button and verify "Authorised
	ssed: 7
Be	efore
	Given I assign "Authorised Company Representative Declaration Form" to variable "DOWNLO.  Output
	Assigning value Authorised Company Representative Declaration Form to variable DOWNLOADED_FILE_NAME

	Then I assign the downloaded file "\${DOWNLOADED_FILE_NAME}" to variable "document.to
į	And I assign ''\${document.to.compare.path}.pdf'' to variable ''DOCUMENT_FILE_PATH''
	Output
	Assigning value /tmp/workspace/me-sales-portal-ui-tests_develop/Authorised Company Representative Declaration Form.pdf to
ĺ	And I delete the downloaded file "\${DOCUMENT_FILE_PATH}" if it already exists
	When I click on download button for document "Authorised Company Representative Declaration
l  -	Then I verify downloaded file name is "\${DOCUMENT_FILE_PATH}"
	Output
	Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/Authorised Company Representative Declaration For
ŀ	And I verify "\${testdata.path}/Authorised Company Representative Declaration Form.pdf" pdf fi
Aft	er er
Bac	k to Table of Contents
Sce	enario: Close Sales Portal
Pass	sed: 1
Bef	fore
	And I close sales portal
Aft	er
Bac	k to Table of Contents
atuı sed:	re: Verify agent can search for saved quotes based on search criteria, filter options and take requires 35
Sce	enario: Create Draft quote and verify default and sample text of Quotes page
	sed: 9
Bef	fore
	Given I assign ''/testdata/\${sales.fe.lbu}/ExportQuote'' to variable ''testdata.path'' Output
	Assigning value /testdata/my/ExportQuote to variable testdata.path
ļ	And I assign "LifePlan.txt" to variable "FILE_NAME"
15	Output
	Assigning value LifePlan.txt to variable FILE_NAME
l t	

And I generate "current d					
And I generate "current d		to variable '	PDF_GENERA	ATION_DATE	_1'' in ''dd/N
Given Launch sales portal					
Output					
https://uat-sales.eb.prudential.com	.my/				
And I assign value to follo			1		
Agent_Email		ail.id.global}			
Agent_Password	\${agent.pas				
Agent_ID COMP_NAME_INFO	\${agent.id.g	-			
When I Login to Sales Por UserName \${Agent_En		etans			
Password \${Agent_En					
And I enter the verification		manus fam as	ont !!\$[Agont ]	Email)!!	
Then I verify "\${welcome				Lillali }	
ter	to.prudentiar,	screen is dis	Jiayeu		
ck to Table of Contents					
enario: Verify Table heade	re and fields on (	Ouotos paga			
ssed: 5	18 and fields off	Quotes page			
fore					
When I click on Quotes lin	ık				
Then I verify following tex		"Onotes" n	 മൗല		
\${quote.page.text}	t is displayed on	Quotes p	<u> </u>		
And I verify Search text fi	eld is displayed a	and enabled	with magnifyin	 σ class and def	ault text as S
And I verify Filter image i			with magning in	g class and del	duit text us k
Then I verify the presence	<u> </u>		n ''Ouotes page	11	
\${quote.table.header.co					
\${quote.table.header.re					
\${quote.table.header.last.updated}					
\${quote.table.header.qu	iote.status}				
\${quote.table.header.ac	tion}				
ter					
ck to Table of Contents					
enario: Verify the filter op	tion				
ssed: 3					
fore					
When I click on filter butt	on				
Then I verify following file	er options are di	isplayed			
\${quote.filter.option.dr	aft}				

	\${quote.filter.option.archived}
	\${quote.filter.option.submitted}
	\${quote.filter.option.in.force}
	\${quote.filter.option.denied}
	\${quote.filter.option.expired}
	And I click on filter button
f	fter
a	nck to Table of Contents
C	cenario: Create Draft Quote
	assed: 16
e	efore
	Given I generate random number and assign to variable "RANDOM_NUMBER"
	Output
	Random number generated is :518
	And I assign "TestDraft_\${RANDOM_NUMBER}" to variable "COMP_NAME"
	Output
	Assigning value TestDraft_51827026248 to variable COMP_NAME
	When I click on Create Quote Link
	Then I accept disclaimer if present for new quote
	Then I navigate to "Select Plan" screen
	And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button
	And I enter following details on select plan page
	Company Name \${COMP_NAME}
	No. of Employees 12
	And I click on "\${saveQuote.button.text}" button
	Then I wait for 2 sec
	Then I click on Quotes link
	Then I wait for 5 sec
	When I enter "\${COMP_NAME}" in search text field in Quotes page
	And I get the reference number for searched quote in variable "REF_NUMBER"
	Output
	Output
	Output

	Output Control of the
	Quote reference number is : PAMBDKBX62
	And I verify number of characters in quote ref number ''\${REF_NUMBER}'' is as per design
	Then I verify following information is displayed for company "\${COMP_NAME}" in quote table
	Reference Number not null
	Quote Status Draft
Aft	
_	k to Table of Contents
	enario: Create Archived Quote
	sed: 15
	fore
	Given I generate random number and assign to variable "RANDOM_NUMBER"  Output
	Output
	Random number generated is :522
	And I assign "TestArch_\${RANDOM_NUMBER}" to variable "COMP_NAME_ARCHIVE"
	Output
	Assigning value TestArch_5222702624 to variable COMP_NAME_ARCHIVE
	Wiless I alkala an Carata Ocata I kala
	When I click on Create Quote Link
	Then I accept disclaimer if present for new quote
	Then I navigate to "Select Plan" screen
	And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button
	And I enter following details on select plan page
	Company Name \${COMP_NAME_ARCHIVE}
	No. of Employees 12
	And I click on "\${saveQuote.button.text}" button
	Then I wait for 2 sec
	When I click on Quotes link
	Then I wait for 5 sec
	When I enter "\${COMP_NAME_ARCHIVE}" in search text field in Quotes page
	And I click on Action button next to searched quote
	And I select "\${quote.action.archive}" option from Action menu
	Then I verify following information is displayed for company "\${COMP_NAME_ARCHIVE}" in
	Reference Number not null

Q	uote Status 1	Draft			
After					
Back to T	Table of Contents				
<u>Scenari</u>	o: Create Submitte	ed Quote			
Passed: 5	50				
Before					
Give	n I generate rando	om number and assi	ign to variable ''R	ANDOM_NUMBE	ER''
Outpu	ıt				
Rando	om number generated is	:478			
And	I assign "TestSub	_\${RANDOM_NUN	MBER}" to varial	ble "COMP_NAMI	E_SUBMITTED''
Outpu	ıt				
Assig	ning value TestSub_478	27026219 to variable CO	DMP_NAME_SUBMIT	TED	
And	I assign ''/src/test/	resources/testdata/	\${sales.fe.lbu}/bul	k_upload_employe	e/quotes'' to variab
Outpu	t				
Assig	ning value /src/test/reso	urces/testdata/my/bulk_up	pload_employee/quote	s to variable testdata.path	1
And	Laccion "\$steetdat	ta.path}/uploadEm	nlovees vism'' to v	variable "INPLIT P	
Outpu		a.patiij/upioauEmi	pioyees.Aisiii to		AIII
	_				
Assig	ning value /src/test/reso	urces/testdata/my/bulk_uj	pload_employee/quote	s/uploadEmployees.xlsm	to variable INPUT_PATI
And	I assign "\${testdat	ta.path}/output'' to	variable "OUTP	UT_PATH''	
Outpu	ıt				
Assig.	ning value /src/test/reso	urces/testdata/my/bulk_up	pload_employee/quote	s/output to variable OUT	PUT_PATH
A 3	Laggiore 11/44-1-4	/\$(golog fo 11)/1 11	le unlocal compl	and an at and an at	nloodEl
And Outpu		/\${saies.ie.ibu}/bull	k_upioad_employ	ee/quotes/output/uj	ploadEmployees.xls
5741,50					
Assig	ning value /testdata/mv/	bulk upload emplovee/a	quotes/output/uploadEn	nployees.xlsm to variable	EMPLOYEE FILE

When I copy the xls template "\${INPUT\_PATH}" and replace following variables in output path

email.id \${RANDOM\_NUMBER}

COMP\_NAME \${COMP\_NAME\_SUBMITTED}

When I click on Ouotes link

When I click on Create Quote Link

Then I navigate to "Select Plan" screen

And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button

And I enter following details on select plan page

Company Name | \${COMP\_NAME\_SUBMITTED}

No. of Employees 10

And I click on "\${next.button.text}" button

And I select the PDPA Consent requirement check box

And I upload the employee csv file "\${EMPLOYEE\_FILE}"

And I wait for 6 sec

And I click on "\${next.button.text}" button

Then I enter following details on company page

HR Given Name	TestGivenName
Surname	TestSurName
Contact Email	primaryContact1-\${email.id}@mailinator.com
HR Contact Phone Number	0275109628
<b>Company Registration Number</b>	123456789876
Contact Fax Number	1234567898
Address1	#02-2b,XYZ Bld
Address2	test address line 1
City	test City
State	\${state.dropdown.value.2}
Postcode	25415
<b>Authorised Signatory Name</b>	authorisedName One
<b>Authorised Signatory Title</b>	authorisedTitle One

And I click on next button "\${next.button.text}" for company page

And I wait for 3 sec

And I assign "/testdata/\${sales.fe.lbu}/submit document" to variable "testdata.path"

Output

Assigning value /testdata/my/submit document to variable testdata.path

When I click on Bank Transfer button

And I upload the payment proof file "\${testdata.path}/Articles\_Bylaws.png"

And I wait for 6 sec

And I upload the copy NRIC file "\${testdata.path}/Articles\_Bylaws.png"

And I wait for 6 sec		
And I upload the Authorised Signatory file ''\${testdata.path}/Articles_Bylaws.png''		
And I wait for 6 sec		
And I upload the direct credit file ''\${testdata.path}/Articles_Bylaws.png''		
And I wait for 6 sec		
And I upload the Form 49 file ''\${testdata.path}/Articles_Bylaws.png''		
And I wait for 6 sec		
And I upload the Form 24 file "\${testdata.path}/Articles_Bylaws.png"		
And I wait for 6 sec		
And I upload the Form 8 file ''\${testdata.path}/Articles_Bylaws.png''		
And I wait for 5 sec		
And I upload the Signed Proposal file "\${testdata.path}/Signed_Proposal.png"		
And I wait for 6 sec		
When I click on the Confirm and Submit button		
Then I verify following text is displayed on "Submit popup" page		
\${submit.confirmandsubmit.message1}		
\${submit.confirmandsubmit.message2}		
Then I verify following buttons are displayed on "Submit popup"		
\${submit.confirmandsubmit.confirm.btn}		
\${submit.confirmandsubmit.cncl.btn}		
Then I click on ''\${submit.confirmandsubmit.confirm.btn}'' button		
And I wait for 5 sec		
Then I verify following static text on "Quote Submission" page		
Quote Submitted		
And I verify following paragraph is displayed on "Quote Submission" page		
We look forward in helping your business grow		
When I click on Quotes link Then I wait for 5 sec		
When I enter "\${COMP_NAME_SUBMITTED}" in search text field in Quotes page  Then I get the reference number for searched gueta in veriable "DEE NUMBER"		
Then I get the reference number for searched quote in variable "REF_NUMBER"  Output		
Reference number is: PAMBYCSVV7		
Then I verify following information is displayed for company "\${COMP_NAME_SUBMITTED}"		
Reference Number not null		
Quote Status Submitted		
After		
Back to Table of Contents		
Scenario: Create In Force Quote		
Section of Citation In Porce Quote		
Passed: 64		

Before Sefore Se
Given I generate random number and assign to variable "RANDOM_NUMBER"
Output
Random number generated is :164
And I assign "TestGtlForce_\${RANDOM_NUMBER}" to variable "COMP_NAME_INFORCE"
Output
Assigning value TestGtlForce_1642702625 to variable COMP_NAME_INFORCE
A - 3 T
And I assign ''/src/test/resources/testdata/\${sales.fe.lbu}/bulk_upload_employee/quotes'' to variabl Output
Assigning value /src/test/resources/testdata/my/bulk_upload_employee/quotes to variable testdata.path
And I assign "\${testdata.path}/uploadEmployeesMaxPosition.xlsm" to variable "INPUT_PATH"
Output
Assigning value /src/test/resources/testdata/my/bulk_upload_employee/quotes/uploadEmployeesMaxPosition.xlsm to variable I
And I assign "\${testdata.path}/output" to variable "OUTPUT_PATH"
Output
Assigning value /src/test/resources/testdata/my/bulk_upload_employee/quotes/output to variable OUTPUT_PATH
And I against 11/4 and 14 a /6 (galog fo lbw) /b wills unload aromic was /gwateg/awtwyt/wyload Frynlaws a Mar
And I assign ''/testdata/\${sales.fe.lbu}/bulk_upload_employee/quotes/output/uploadEmployeesMax Output
Assigning value /testdata/my/bulk_upload_employee/quotes/output/uploadEmployeesMaxPosition.xlsm to variable EMPLOYE
When I copy the xls template "\${INPUT_PATH}" and replace following variables in output path '
email.id \${RANDOM_NUMBER}
COMP_NAME \${COMP_NAME_INFORCE}
When I click on Quotes link
Warn Tower on Anotes min

When I click on Create Quote Link

Then I navigate to "Select Plan" screen

And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button

And I enter following details on select plan page

Company Name \${COMP\_NAME\_INFORCE}

No. of Employees 10

And I click on "\${next.button.text}" button

And I select the PDPA Consent requirement check box

And I upload the employee csv file "\${EMPLOYEE\_FILE}"

And I wait for 5 sec

And I click on "\${next.button.text}" button

Then I enter following details on company page

HR Given Name	TestGivenName
Surname	TestSurName
Contact Email	primaryContact2-\${email.id}@mailinator.com
HR Contact Phone Number	0275109628
<b>Company Registration Number</b>	123456789876
Contact Fax Number	1234567898
Address1	#02-2b,XYZ Bld
Address2	test address line 1
City	test City
State	\${state.dropdown.value.2}
Postcode	25417
<b>Authorised Signatory Name</b>	authorisedName One
<b>Authorised Signatory Title</b>	authorisedTitle One

And I click on next button "\${next.button.text}" for company page

And I wait for 3 sec

And I assign ''/testdata/\${sales.fe.lbu}/submit\_document'' to variable ''testdata.path''

#### Dutput

Assigning value /testdata/my/submit\_document to variable testdata.path

#### When I click on Bank Transfer button

And I upload the payment proof file "\${testdata.path}/Articles\_Bylaws.png"

And I wait for 6 sec

And I upload the copy NRIC file "\${testdata.path}/Articles\_Bylaws.png"

And I wait for 6 sec

And I upload the Authorised Signatory file "\ftestdata.path\/Articles\_Bylaws.png"

And I wait for 6 sec

And I upload the direct credit file "\${testdata.path}/Articles Bylaws.png"

And I wait for 6 sec

And I upload the Form 49 file "\${testdata.path}/Articles Bylaws.png"

And I wait for 6 sec

And I upload the Form 24 file "\${testdata.path}/Articles_Bylaws.png" And I wait for 6 sec And I upload the Form 8 file "\${testdata.path}/Articles_Bylaws.png" And I wait for 6 sec And I upload the Signed Proposal file "\${testdata.path}/Signed_Proposal.png" And I wait for 6 sec When I click on the Confirm and Submit button And I click on "\${submit.confirmandsubmit.confirm.btn}" button And I wait for 3 sec Then I verify following static text on "Quote Submission" page Quote Submitted When I click on Quotes link And I wait for 5 sec When I click on Quotes link And I wait for 5 sec When I enter "\${COMP_NAME_INFORCE}" in search text field in Quotes page Then I yet for for searched quote in variable "REF_NUMBER"  Date of the reference number for searched quote in variable "REF_NUMBER"  Then I verify following information is displayed for company "\${COMP_NAME_INFORCE}" in Reference Number pot null Quote Status Submitted Given I assign "\${REF_NUMBER}_\${COMP_NAME_INFORCE}_QUOTATION.xlsx" to variable assigning value PAMBZKA2TR_TestGilForce_1642702625_QUOTATION.xlsx to variable AZURE_FILE_NAME_QUOTE  Assigning value PAMBZKA2TR_TestGilForce_1642702625_MEMBERLIST.xlsx to variable AZURE_FILE_NAME_EMPL  And I assign "\${REF_NUMBER}_\${COMP_NAME_INFORCE}_MEMBERLIST.xlsx" to variable AZURE_FILE_NAME_EMPL  And I assign "\${azure.storage.folder.submitted.quotation}/\${REF_NUMBER}_\${COMP_NAME_INFORCE}_MEMBERLIST.xlsx" to variable AZURE_FILE_NAME_EMPL  And I assign "\${azure.storage.folder.submitted.quotation}/\${REF_NUMBER}_\${COMP_NAME_INFORCE}_DEST_FOLDER_NAME_INFORCE}_DEST_FOLDER_NAME_INFORCE_INF		
And I upload the Form 8 file "\${testdata.path}/Articles_Bylaws.png" And I wait for 6 see And I upload the Signed Proposal file "\${testdata.path}/Signed_Proposal.png" And I wait for 6 see When I click on the Confirm and Submit button And I click on "\${submit.confirm.andsubmit.confirm.btn}" button And I click on "\${submit.confirm.andsubmit.confirm.btn}" button And I wait for 3 see Then I verify following static text on "Quote Submission" page  [Quote Submitted] When I click on Quotes link And I wait for 5 see When I enter "\${COMP_NAME_INFORCE}" in search text field in Quotes page Then I get the reference number for searched quote in variable "REF_NUMBER"  Durant  Reference number is: PAMBZKA2TR  Then I verify following information is displayed for company "\${COMP_NAME_INFORCE}" in Reference Number not null Quote Status Submitted Given I assign "\${REF_NUMBER}_\${COMP_NAME_INFORCE}_QUOTATION.xlsx" to variable  Assigning value PAMBZKA2TR_TestGtlForce_1642702625_QUOTATION.xlsx to variable AZURE_FILE_NAME_QUOTATION  Assigning value PAMBZKA2TR_TestGtlForce_1642702625_MEMBERLIST.xlsx to variable AZURE_FILE_NAME_EMPI  Assigning value PAMBZKA2TR_TestGtlForce_1642702625_MEMBERLIST.xlsx to variable AZURE_FILE_NAME_EMPI  And I assign "\${azure.storage.folder.submitted.quotation}/\${REF_NUMBER}_\${COMP_NAME}_INFORCE} to variable AZURE_FILE_NAME_EMPI  And I assign "\${azure.storage.folder.submitted.quotation}/\${REF_NUMBER}_\${COMP_NAME}_INFORCE} to variable AZURE_SRC_FOLDER_NAME_INFORCE}  Assigning value 1_Submitted_Quotations*PAMBZKA2TR_TestGtlForce_1642702625 to variable AZURE_SRC_FOLDER_NAME_INFORCE}  Assigning value 1_Submitted_Quotations*PAMBZKA2TR_TestGtlForce_1642702625 to variable AZURE_SRC_FOLDER_NAME_INFORCE}  Assigning value 1_Submitted_Quotations*PAMBZKA2TR_TestGtlForce_1642702625 to variable AZURE_SRC_FOLDER_NAME_INFORCE}	And I upload th	e Form 24 file ''\${testdata.path}/Articles_Bylaws.png''
And I wait for 6 sec And I upload the Signed Proposal file "\${testdata.path}/Signed_Proposal.png" And I wait for 6 sec When I click on the Confirm and Submit button And I click on "\${submit.confirm.dsubmit.confirm.btn}" button And I wait for 3 sec Then I verify following static text on "Quote Submission" page Quote Submitted When I click on Quotes link And I wait for 5 sec When I click on Quotes link And I wait for 5 sec When I click on Quotes link And I wait for 5 sec When I click on Quotes link And I wait for 5 sec When I cuter "\${COMP_NAME_INFORCE}" in search text field in Quotes page Then I get the reference number for searched quote in variable "REF_NUMBER"  Output  Reference number is: PAMEZKA2TR  Then I verify following information is displayed for company "\${COMP_NAME_INFORCE}" in Reference Number not null Quote Status Submitted Given I assign "\${REF_NUMBER}_\${COMP_NAME_INFORCE}_QUOTATION.xlsx" to variable  Given I assign "\${REF_NUMBER}_\${COMP_NAME_INFORCE}_QUOTATION.xlsx" to variable AZURE_FILE_NAME_QUOTI  Assigning value PAMBZKA2TR_TestGtlForce_1642702625_QUOTATION.xlsx to variable AZURE_FILE_NAME_EMPI  Assigning value PAMBZKA2TR_TestGtlForce_1642702625_MEMBERLIST.xlsx to variable AZURE_FILE_NAME_EMPI  Assigning value PAMBZKA2TR_TestGtlForce_1642702625_MEMBERLIST.xlsx to variable AZURE_FILE_NAME_EMPI  Assigning value 1_Submitted_Quotations/PAMBZKA2TR_TestGtlForce_1642702625 to variable AZURE_SRC_FOLDER_N  Assigning value 1_Submitted_Quotations/PAMBZKA2TR_TestGtlForce_1642702625 to variable AZURE_SRC_FOLDER_N	And I wait for 6	sec
And I upload the Signed Proposal file "\${testdata.path}/Signed_Proposal.png" And I wait for 6 sec When I click on the Confirm and Submit button And I click on "\${submit.confirm.andsubmit.confirm.btn}" button And I wait for 3 sec Then I verify following static text on "Quote Submission" page  Quote Submitted When I click on Quotes link And I wait for 5 sec When I enter "\${COMP_NAME_INFORCE}" in search text field in Quotes page Then I get the reference number for searched quote in variable "REF_NUMBER"  Durgut  Reference number is: PAMBZKA2TR  Then I verify following information is displayed for company "\${COMP_NAME_INFORCE}" in Reference Number not null Quote Status Submitted  Given I assign "\${REF_NUMBER}_\${COMP_NAME_INFORCE}_QUOTATION.xlsx" to variable  Assigning value PAMBZKA2TR_TestGtlForce_1642702625_QUOTATION.xlsx to variable AZURE_FILE_NAME_QUOTE  Assigning value PAMBZKA2TR_TestGtlForce_1642702625_MEMBERLIST.xlsx to variable AZURE_FILE_NAME_EMPL  Assigning value PAMBZKA2TR_TestGtlForce_1642702625_MEMBERLIST.xlsx to variable AZURE_FILE_NAME_EMPL  Assigning value PAMBZKA2TR_TestGtlForce_1642702625_MEMBERLIST.xlsx to variable AZURE_FILE_NAME_EMPL  Assigning value PAMBZKA2TR_TestGtlForce_1642702625_to variable AZURE_FILE_NAME_EMPL  Assigning value 1_Submitted_Quotations/PAMBZKA2TR_TestGtlForce_1642702625 to variable AZURE_SRC_FOLDER_NAME  Durgut  Assigning value 1_Submitted_Quotations/PAMBZKA2TR_TestGtlForce_1642702625 to variable AZUR	And I upload th	e Form 8 file ''\${testdata.path}/Articles_Bylaws.png''
And I wait for 6 sec When I click on the Confirm and Submit button And I click on "\${submit.confirm.andsubmit.confirm.btn}" button And I wait for 3 sec Then I verify following static text on "Quote Submission" page  Quote Submitted When I click on Quotes link And I wait for 5 sec When I enter "\${COMP_NAME_INFORCE}" in search text field in Quotes page Then I get the reference number for searched quote in variable "REF_NUMBER"  Duput  Reference number is: PAMBZKA2TR  Then I verify following information is displayed for company "\${COMP_NAME_INFORCE}" in Reference Number not null Quote Status Submitted  Given I assign "\${REF_NUMBER}_\${COMP_NAME_INFORCE}_QUOTATION.xlsx" to variable azure_File_NAME_QUOTE  Assigning value PAMBZKA2TR_TestGtlForce_1642702625_QUOTATION.xlsx to variable Azure_File_NAME_QUOTE  Given I assign "\${REF_NUMBER}_\${COMP_NAME_INFORCE}_MEMBERLIST.xlsx" to variable azure_File_NAME_ENDITE  Assigning value PAMBZKA2TR_TestGtlForce_1642702625_MEMBERLIST.xlsx to variable azure_File_NAME_EMPL  Assigning value PAMBZKA2TR_TestGtlForce_1642702625_MEMBERLIST.xlsx to variable azure_File_NAME_EMPL  And I assign "\${azure.storage.folder.submitted.quotation}/\${REF_NUMBER}_\${COMP_NAME}_EMPL  And I assign "\${azure.storage.folder.submitted.quotation}/\${REF_NUMBER}_\${COMP_NAME}_EMPL  Assigning value 1_Submitted_Quotations/PAMBZKA2TR_TestGtlForce_1642702625 to variable Azure_SRC_FOLDER_NAME_EMPL  Assigning value 1_Submitted_Quotations/PAMBZKA2TR_TestGtlForce_1	And I wait for 6	sec
When I click on the Confirm and Submit button And I click on "\${submit.confirm.dsubmit.confirm.btn}" button And I wait for 3 sec Then I verify following static text on "Quote Submission" page  [Quote Submitted] When I click on Quotes link And I wait for 5 sec When I enter "\${COMP_NAME_INFORCE}" in search text field in Quotes page Then I get the reference number for searched quote in variable "REF_NUMBER"    Description	And I upload th	e Signed Proposal file ''\${testdata.path}/Signed_Proposal.png''
And I click on "\${submit.confirmandsubmit.confirm.btn}" button  And I wait for 3 sec  Then I verify following static text on "Quote Submission" page  Quote Submitted  When I click on Quotes link  And I wait for 5 sec  When I enter "\${COMP_NAME_INFORCE}" in search text field in Quotes page  Then I get the reference number for searched quote in variable "REF_NUMBER"  DUIDED  Reference number is: PAMBZKA2TR  Then I verify following information is displayed for company "\${COMP_NAME_INFORCE}" in Reference Number not null Quote Status Submitted  Given I assign "\${REF_NUMBER}_\${COMP_NAME_INFORCE}_QUOTATION.xlsx" to variable accurate accurate to variable accurate accurate to variable accurate accurate accurate to variable accurate accur	And I wait for 6	sec
And I wait for 3 sec  Then I verify following static text on "Quote Submission" page  Quote Submitted  When I click on Quotes link  And I wait for 5 sec  When I enter "\${COMP_NAME_INFORCE}" in search text field in Quotes page  Then I get the reference number for searched quote in variable "REF_NUMBER"  Digut  Reference number is: PAMBZKA2TR  Then I verify following information is displayed for company "\${COMP_NAME_INFORCE}" in  Reference Number not null  Quote Status Submitted  Given I assign "\${REF_NUMBER}_\${COMP_NAME_INFORCE}_QUOTATION.xlsx" to variable of the page of the p	When I click on	the Confirm and Submit button
Then I verify following static text on "Quote Submission" page  Quote Submitted  When I click on Quotes link  And I wait for 5 see  When I enter "\${COMP_NAME_INFORCE}" in search text field in Quotes page  Then I get the reference number for searched quote in variable "REF_NUMBER"  Duput  Reference number is: PAMBZKA2TR  Then I verify following information is displayed for company "\${COMP_NAME_INFORCE}" in  Reference Number not null  Quote Status Submitted  Given I assign "\${REF_NUMBER}_\${COMP_NAME_INFORCE}_QUOTATION.xlsx" to variable assigning value PAMBZKA2TR_TestGtlForce_1642702625_QUOTATION.xlsx to variable AZURE_FILE_NAME_QUOTI  Given I assign "\${REF_NUMBER}_\${COMP_NAME_INFORCE}_MEMBERLIST.xlsx" to variable assigning value PAMBZKA2TR_TestGtlForce_1642702625_MEMBERLIST.xlsx to variable AZURE_FILE_NAME_EMPL  Assigning value PAMBZKA2TR_TestGtlForce_1642702625_MEMBERLIST.xlsx to variable AZURE_FILE_NAME_EMPL  And I assign "\${azure.storage.folder.submitted.quotation}/\${REF_NUMBER}_\${COMP_NAME}  And I assign "\${azure.storage.folder.submitted.quotation}/\${REF_NUMBER}_\${COMP_NAME}  And I assign "\${azure.storage.folder.submitted.quotation}/\${REF_NUMBER}_\${COMP_NAME}  AASSigning value 1_Submitted_Quotations/PAMBZKA2TR_TestGtlForce_1642702625 to variable AZURE_SRC_FOLDER_NAME}  AASSigning value 1_Submitted_Quotations/PAMBZKA2TR_TestGtlForce_1642702625 to variable AZURE_SRC_FOLDER_NAME}  AASSIgning value 1_Submitted_Quotations/PAMBZKA2TR_TestGtlForce_1642702625 to variable AZURE_SRC_FOLDER_NAME}	And I click on '	\${submit.confirmandsubmit.confirm.btn}'' button
Quote Submitted  When I click on Quotes link  And I wait for 5 see  When I enter "\${COMP_NAME_INFORCE}" in search text field in Quotes page  Then I get the reference number for searched quote in variable "REF_NUMBER"  Output  Reference number is: PAMBZKA2TR  Then I verify following information is displayed for company "\${COMP_NAME_INFORCE}" in Reference Number not null Quote Status Submitted  Given I assign "\${REF_NUMBER}_\${COMP_NAME_INFORCE}_QUOTATION.xlsx" to variaounput  Assigning value PAMBZKA2TR_TestGtlForce_1642702625_QUOTATION.xlsx to variable AZURE_FILE_NAME_QUOTICIONED  Given I assign "\${REF_NUMBER}_\${COMP_NAME_INFORCE}_MEMBERLIST.xlsx" to variable AZURE_FILE_NAME_QUOTICIONED  Given I assign "\${REF_NUMBER}_\${COMP_NAME_INFORCE}_MEMBERLIST.xlsx" to variable AZURE_FILE_NAME_EMPL  Assigning value PAMBZKA2TR_TestGtlForce_1642702625_MEMBERLIST.xlsx to variable AZURE_FILE_NAME_EMPL  And I assign "\${azure.storage.folder.submitted.quotation}/\${REF_NUMBER}_\${COMP_NAME_OUtput}  Assigning value L_Submitted_Quotations/PAMBZKA2TR_TestGtlForce_1642702625 to variable AZURE_SRC_FOLDER_NAME_OUtput  Assigning value L_Submitted_Output  Assigning value L_Submitted	And I wait for 3	sec
When I click on Quotes link And I wait for 5 sec When I enter "\${COMP_NAME_INFORCE}" in search text field in Quotes page Then I get the reference number for searched quote in variable "REF_NUMBER"  Output  Reference number is: PAMBZKA2TR  Then I verify following information is displayed for company "\${COMP_NAME_INFORCE}" in  Reference Number not null  Quote Status Submitted  Given I assign "\${REF_NUMBER}_\${COMP_NAME_INFORCE}_QUOTATION.xlsx" to variable accurately assigning value PAMBZKA2TR_TestGtlForce_1642702625_QUOTATION.xlsx to variable AZURE_FILE_NAME_QUOTATION.xlsx via variable accurately assigning value PAMBZKA2TR_TestGtlForce_1642702625_MEMBERLIST.xlsx to variable AZURE_FILE_NAME_EMPL  Assigning value PAMBZKA2TR_TestGtlForce_1642702625_MEMBERLIST.xlsx to variable AZURE_FILE_NAME_EMPL  And I assign "\${azure.storage.folder.submitted.quotation}/\${REF_NUMBER}_\${COMP_NAME}  Output  Assigning value I_Submitted_Quotations/PAMBZKA2TR_TestGtlForce_1642702625 to variable AZURE_SRC_FOLDER_NAME  Output  Outp	Then I verify fo	llowing static text on "Quote Submission" page
And I wait for 5 sec  When I enter "\$(COMP_NAME_INFORCE)" in search text field in Quotes page Then I get the reference number for searched quote in variable "REF_NUMBER"  Duput  Reference number is: PAMBZKA2TR  Then I verify following information is displayed for company "\$(COMP_NAME_INFORCE)" in  Reference Number not null  Quote Status Submitted  Given I assign "\${REF_NUMBER}_\${COMP_NAME_INFORCE}_QUOTATION.xlsx" to variable additional company  Assigning value PAMBZKA2TR_TestGtlForce_1642702625_QUOTATION.xlsx to variable AZURE_FILE_NAME_QUOTICIONAL company  Assigning value PAMBZKA2TR_TestGtlForce_1642702625_MEMBERLIST.xlsx to variable AZURE_FILE_NAME_EMPL  Assigning value PAMBZKA2TR_TestGtlForce_1642702625_MEMBERLIST.xlsx to variable AZURE_FILE_NAME_EMPL  And I assign "\${azure.storage.folder.submitted.quotation}/\${REF_NUMBER}_\${COMP_NAME}  Duput  Assigning value 1_Submitted_Quotations/PAMBZKA2TR_TestGtlForce_1642702625 to variable AZURE_SRC_FOLDER_NAME  Duput  Assigning value 1_Submitted_Quotations/PAMBZKA2TR_TestGtlForce_1642702625 to variable AZURE_SRC_FOLDER_NAME  Duput	Quote Subm	itted
When I enter "\$(COMP_NAME_INFORCE}" in search text field in Quotes page Then I get the reference number for searched quote in variable "REF_NUMBER"  Output  Reference number is: PAMBZKA2TR  Then I verify following information is displayed for company "\$(COMP_NAME_INFORCE)" in Reference Number not null Quote Status Submitted  Given I assign "\${REF_NUMBER}_\${COMP_NAME_INFORCE}_QUOTATION.xlsx" to variable additional assign "\${REF_NUMBER}_\${COMP_NAME_INFORCE}_QUOTATION.xlsx" to variable additional assign "\${REF_NUMBER}_\${COMP_NAME_INFORCE}_MEMBERLIST.xlsx" to variable additional additional assign "\${REF_NUMBER}_\${COMP_NAME_INFORCE}_MEMBERLIST.xlsx" to variable additional additional assign "\${REF_NUMBER}_\${COMP_NAME_INFORCE}_MEMBERLIST.xlsx" to variable additional a	When I click on	Quotes link
Then I get the reference number for searched quote in variable "REF_NUMBER"  Duppy  Reference number is: PAMBZKA2TR  Then I verify following information is displayed for company "\${COMP_NAME_INFORCE}" in Reference Number not null Quote Status Submitted  Given I assign "\${REF_NUMBER}_\${COMP_NAME_INFORCE}_QUOTATION.xlsx" to variable Given I assign "\${REF_NUMBER}_\${COMP_NAME_INFORCE}_QUOTATION.xlsx" to variable AZURE_FILE_NAME_QUOTE Assigning value PAMBZKA2TR_TestGtlForce_1642702625_QUOTATION.xlsx to variable AZURE_FILE_NAME_QUOTE Company "\${REF_NUMBER}_\${COMP_NAME_INFORCE}_MEMBERLIST.xlsx" to variable AZURE_FILE_NAME_EMPLEMENT ASSIGNING value PAMBZKA2TR_TestGtlForce_1642702625_MEMBERLIST.xlsx to variable AZURE_FILE_NAME_EMPLEMENT ASSIGNING value PAMBZKA2TR_TestGtlForce_1642702625 to variable AZURE_SRC_FOLDER_NAME Company value 1_Submitted_Quotations/PAMBZKA2TR_TestGtlForce_1642702625 to variable AZURE_SRC_FOLDER_NAME Assigning value 1_Submitted_Quotation	And I wait for 5	sec
Reference number is: PAMBZKA2TR  Then I verify following information is displayed for company "\${COMP_NAME_INFORCE}" in Reference Number not null Quote Status Submitted  Given I assign "\${REF_NUMBER}_\${COMP_NAME_INFORCE}_QUOTATION.xlsx" to variable additional assign assigning value PAMBZKA2TR_TestGtlForce_1642702625_QUOTATION.xlsx to variable additional additional assign "\${REF_NUMBER}_\${COMP_NAME_INFORCE}_MEMBERLIST.xlsx" to variable additional assign assigning value PAMBZKA2TR_TestGtlForce_1642702625_MEMBERLIST.xlsx to variable additional additional assign "\${REF_NUMBER}_\${COMP_NAME_INFORCE}_MEMBERLIST.xlsx" to variable additional assign "\${Assigning value PAMBZKA2TR_TestGtlForce_1642702625_MEMBERLIST.xlsx to variable additional additional assign "\${Add I assign "}{{Add I assign "}{{Add I assign "}{{Add I assign "}{{Add I assign "}{	When I enter "S	S{COMP_NAME_INFORCE}" in search text field in Quotes page
Then I verify following information is displayed for company "\${COMP_NAME_INFORCE}" in Reference Number not null Quote Status Submitted  Given I assign "\${REF_NUMBER}_\${COMP_NAME_INFORCE}_QUOTATION.xlsx" to variable according to value PAMBZKA2TR_TestGtlForce_1642702625_QUOTATION.xlsx to variable AZURE_FILE_NAME_QUOTE  Given I assign "\${REF_NUMBER}_\${COMP_NAME_INFORCE}_MEMBERLIST.xlsx" to variable according to value PAMBZKA2TR_TestGtlForce_1642702625_MEMBERLIST.xlsx to variable according to value PAMBZKA2TR_TestGtlForce_1642702625 to variable according to value 1_Submitted_Quotations/PAMBZKA2TR_TestGtlForce_1642702625 to variable accord	Then I get the r	eference number for searched quote in variable "REF_NUMBER"
Fhen I verify following information is displayed for company "\${COMP_NAME_INFORCE}" in Reference Number not null Quote Status Submitted  Given I assign "\${REF_NUMBER}_\${COMP_NAME_INFORCE}_QUOTATION.xlsx" to variable Given I assign "\${REF_NUMBER}_\${COMP_NAME_INFORCE}_QUOTATION.xlsx" to variable Azure_File_NAME_QUOTE Given I assign "\${REF_NUMBER}_\${COMP_NAME_INFORCE}_MEMBERLIST.xlsx" to variable Azure_File_NAME_QUOTE Given I assign "\${REF_NUMBER}_\${COMP_NAME_INFORCE}_MEMBERLIST.xlsx" to variable Azure_File_NAME_EMPL  Assigning value PAMBZKA2TR_TestGtlForce_1642702625_MEMBERLIST.xlsx to variable Azure_File_NAME_EMPL  And I assign "\${azure.storage.folder.submitted.quotation}/\${REF_NUMBER}_\${COMP_NAME_DUDUIL}  Assigning value I_Submitted_Quotations/PAMBZKA2TR_TestGtlForce_1642702625 to variable Azure_SRC_FOLDER_NAME_NAME_NAME_NAME_NAME_NAME_NAME_NAME		
Reference Number not null Quote Status Submitted  Given I assign "\${REF_NUMBER}_\${COMP_NAME_INFORCE}_QUOTATION.xlsx" to varia  Dutput  Assigning value PAMBZKA2TR_TestGtlForce_1642702625_QUOTATION.xlsx to variable AZURE_FILE_NAME_QUOTE  Given I assign "\${REF_NUMBER}_\${COMP_NAME_INFORCE}_MEMBERLIST.xlsx" to variable AZURE_FILE_NAME_END  Dutput  Assigning value PAMBZKA2TR_TestGtlForce_1642702625_MEMBERLIST.xlsx to variable AZURE_FILE_NAME_EMPL  And I assign "\${azure.storage.folder.submitted.quotation}/\${REF_NUMBER}_\${COMP_NAME}_Output  Assigning value 1_Submitted_Quotations/PAMBZKA2TR_TestGtlForce_1642702625 to variable AZURE_SRC_FOLDER_N		
Quote Status  Given I assign "\${REF_NUMBER}_\${COMP_NAME_INFORCE}_QUOTATION.xlsx" to variable Dutput  Assigning value PAMBZKA2TR_TestGtlForce_1642702625_QUOTATION.xlsx to variable AZURE_FILE_NAME_QUOTE  Given I assign "\${REF_NUMBER}_\${COMP_NAME_INFORCE}_MEMBERLIST.xlsx" to variable AZURE_FILE_NAME_EMPL  Assigning value PAMBZKA2TR_TestGtlForce_1642702625_MEMBERLIST.xlsx to variable AZURE_FILE_NAME_EMPL  And I assign "\${azure.storage.folder.submitted.quotation}/\${REF_NUMBER}_\${COMP_NAME}_Dutput  Assigning value 1_Submitted_Quotations/PAMBZKA2TR_TestGtlForce_1642702625 to variable AZURE_SRC_FOLDER_NAME_MEMORY.		
Given I assign "\${REF_NUMBER}_\${COMP_NAME_INFORCE}_QUOTATION.xlsx" to variable Output  Assigning value PAMBZKA2TR_TestGtlForce_1642702625_QUOTATION.xlsx to variable AZURE_FILE_NAME_QUOTE  Given I assign "\${REF_NUMBER}_\${COMP_NAME_INFORCE}_MEMBERLIST.xlsx" to variable AZURE_FILE_NAME_EMPL  Output  Assigning value PAMBZKA2TR_TestGtlForce_1642702625_MEMBERLIST.xlsx to variable AZURE_FILE_NAME_EMPL  Output  And I assign "\${azure.storage.folder.submitted.quotation}/\${REF_NUMBER}_\${COMP_NAME}_Output  Assigning value 1_Submitted_Quotations/PAMBZKA2TR_TestGtlForce_1642702625 to variable AZURE_SRC_FOLDER_N		
Assigning value PAMBZKA2TR_TestGtlForce_1642702625_QUOTATION.xlsx to variable AZURE_FILE_NAME_QUOTE  Given I assign "\${REF_NUMBER}_\${COMP_NAME_INFORCE}_MEMBERLIST.xlsx" to variable Azure_File_NAME_EMPL  Assigning value PAMBZKA2TR_TestGtlForce_1642702625_MEMBERLIST.xlsx to variable AZURE_FILE_NAME_EMPL  And I assign "\${azure.storage.folder.submitted.quotation}/\${REF_NUMBER}_\${COMP_NAME}_Dutput  Assigning value 1_Submitted_Quotations/PAMBZKA2TR_TestGtlForce_1642702625 to variable AZURE_SRC_FOLDER_N		
Assigning value PAMBZKA2TR_TestGtlForce_1642702625_QUOTATION.xlsx to variable AZURE_FILE_NAME_QUOTE  Given I assign ''\${REF_NUMBER}_\${COMP_NAME_INFORCE}_MEMBERLIST.xlsx'' to var  Dutput  Assigning value PAMBZKA2TR_TestGtlForce_1642702625_MEMBERLIST.xlsx to variable AZURE_FILE_NAME_EMPL  And I assign ''\${azure.storage.folder.submitted.quotation}/\${REF_NUMBER}_\${COMP_NAME}_  Dutput  Assigning value 1_Submitted_Quotations/PAMBZKA2TR_TestGtlForce_1642702625 to variable AZURE_SRC_FOLDER_N		\${REF_NUMBER}_\${COMP_NAME_INFORCE}_QUOTATION.xlsx'' to varia
Given I assign "\${REF_NUMBER}_\${COMP_NAME_INFORCE}_MEMBERLIST.xlsx" to various value PAMBZKA2TR_TestGtlForce_1642702625_MEMBERLIST.xlsx to variable AZURE_FILE_NAME_EMPLANDEDUTE.  And I assign "\${azure.storage.folder.submitted.quotation}/\${REF_NUMBER}_\${COMP_NAME}  Dutput  Assigning value 1_Submitted_Quotations/PAMBZKA2TR_TestGtlForce_1642702625 to variable AZURE_SRC_FOLDER_N	Output	
Assigning value PAMBZKA2TR_TestGtlForce_1642702625_MEMBERLIST.xlsx to variable AZURE_FILE_NAME_EMPL  And I assign ''\${azure.storage.folder.submitted.quotation}/\${REF_NUMBER}_\${COMP_NAME}  Output  Assigning value 1_Submitted_Quotations/PAMBZKA2TR_TestGtlForce_1642702625 to variable AZURE_SRC_FOLDER_N		
Assigning value PAMBZKA2TR_TestGtlForce_1642702625_MEMBERLIST.xlsx to variable AZURE_FILE_NAME_EMPL  And I assign ''\${azure.storage.folder.submitted.quotation}/\${REF_NUMBER}_\${COMP_NAME}  Output  Assigning value 1_Submitted_Quotations/PAMBZKA2TR_TestGtlForce_1642702625 to variable AZURE_SRC_FOLDER_N		\${REF_NUMBER}_\${COMP_NAME_INFORCE}_MEMBERLIST.xisx** to vari
And I assign ''\${azure.storage.folder.submitted.quotation}/\${REF_NUMBER}_\${COMP_NAME}  Output  Assigning value 1_Submitted_Quotations/PAMBZKA2TR_TestGtlForce_1642702625 to variable AZURE_SRC_FOLDER_N		
Output  Assigning value 1_Submitted_Quotations/PAMBZKA2TR_TestGtlForce_1642702625 to variable AZURE_SRC_FOLDER_N	Assigning value PA	MBZKA2TR_TestGtlForce_1642702625_MEMBERLIST.xlsx to variable AZURE_FILE_NAME_EMPL
Assigning value 1_Submitted_Quotations/PAMBZKA2TR_TestGtlForce_1642702625 to variable AZURE_SRC_FOLDER_N		{azure.storage.folder.submitted.quotation}/\${REF_NUMBER}_\${COMP_NAME
	Dutput	
And Lassion "\${azure storage folder ready inforce quotation}" to variable "AZURE DEST FOI	Assigning value 1_S	ubmitted_Quotations/PAMBZKA2TR_TestGtlForce_1642702625 to variable AZURE_SRC_FOLDER_N
That assign whatatestoragestoracts cary simple enquotations to variable 1120th DEST 1 Of	And I assign ''\$	{azure.storage.folder.ready.inforce.quotation}'' to variable ''AZURE_DEST_FOI

Output
Assigning value 2_Quotations_Ready_for_Processing to variable AZURE_DEST_FOLDER_NAME
And I assign the downloaded file ''\${AZURE_FILE_NAME_QUOTE}'' to variable ''DOWNLOA
And I delete the downloaded file ''\${DOWNLOADED_FILE_PATH_QUOTE}'' if it already exis
And I assign the downloaded file "\${AZURE_FILE_NAME_EMPLOYEE}" to variable "DOWN
And I delete the downloaded file ''\${DOWNLOADED_FILE_PATH_EMP}'' if it already exists
When I download azure storage file ''\${AZURE_FILE_NAME_QUOTE}'' from storage folder ''
Output
Azure storage file name is PAMBZKA2TR_TestGtlForce_1642702625_QUOTATION.xlsx Azure storage folder name is 1_Submitted_Quotations/PAMBZKA2TR_TestGtlForce_1642702625 File Download Path is /tmp/workspace/me-sales-portal-ui-tests_develop/PAMBZKA2TR_TestGtlForce_1642702625_QUOTA
When I download azure storage file ''\${AZURE_FILE_NAME_EMPLOYEE}'' from storage fold
Output
Azure storage file name is PAMBZKA2TR_TestGtlForce_1642702625_MEMBERLIST.xlsx Azure storage folder name is 1_Submitted_Quotations/PAMBZKA2TR_TestGtlForce_1642702625 File Download Path is /tmp/workspace/me-sales-portal-ui-tests_develop/PAMBZKA2TR_TestGtlForce_1642702625_MEMB
Then I verify downloaded file name is "\${DOWNLOADED_FILE_PATH_QUOTE}"
Output
Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/PAMBZKA2TR_TestGtlForce_1642702625_QUOT
Then I verify downloaded file name is ''\${DOWNLOADED_FILE_PATH_EMP}''
Output
Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/PAMBZKA2TR_TestGtlForce_1642702625_MEMI
When I write to excel file ''\${DOWNLOADED_FILE_PATH_QUOTE}'' into below rows for colu
Policy Status APPROVED
Policy Number 68123456
When I write to excel file "\${DOWNLOADED_FILE_PATH_EMP}" into below rows for column
testEmpAutomation1-\${email.id}@mailinator.com  \${RANDOM_NUMBER}001
testEmpAutomation2-\${email.id}@mailinator.com \${RANDOM_NUMBER}002
φ(mmma) Chamatoricon   φ(minimatoricon)

	1
testEmpAutomation3-\${email.id}@mailinator.com	
testEmpAutomation4-\${email.id}@mailinator.com	
testEmpAutomation5-\${email.id}@mailinator.com	
testEmpAutomation6-\${email.id}@mailinator.com	
testEmpAutomation7-\${email.id}@mailinator.com	
testEmpAutomation8-\${email.id}@mailinator.com	
testEmpAutomation9-\${email.id}@mailinator.com	
testEmpAutomation10-\${email.id}@mailinator.com	
And I upload local file ''\${AZURE_FILE_NAME_QU	OTE}" to storage folder "\${AZURE_DEST_
Output	
Azure storage file name is PAMBZKA2TR_TestGtlForce_1642702625 Azure storage folder name is 2_Quotations_Ready_for_Processing File upload Path is /tmp/workspace/me-sales-portal-ui-tests_develop/Path	
And I upload local file "\${AZURE_FILE_NAME_EM	PLOVEE!" to storage folder "\$\A7IIRE D
Output	it LOTEL; to storage tolder \$\\AZCKL_D
Azure storage file name is PAMBZKA2TR_TestGtlForce_1642702625 Azure storage folder name is 2_Quotations_Ready_for_Processing File upload Path is /tmp/workspace/me-sales-portal-ui-tests_develop/Path	
Then I wait for storage file "\${AZURE_FILE_NAME_	_EMPLOYEE}" to be processed from storage
Output	
Azure storage file name is PAMBZKA2TR_TestGtlForce_1642702625 Azure storage folder name is 2_Quotations_Ready_for_Processing	5_MEMBERLIST.xlsx
After	
Back to Table of Contents	
Scenario: Create Denied Quote Passed: 57	
Before	
Given I generate random number and assign to variab	Je "RANDOM NIJMRFR"
Output  Output	KANDOM_NUMBER
Random number generated is :794	
And I assign "TestDenied_\${RANDOM_NUMBER}"	to variable "COMP_NAME_DENIED"

Output	
Assigning value TestDenied_7942702625 to variable COMP_l	NAME_DENIED
And I assign ''/src/test/resources/testdata/\${sales	.fe.lbu}/bulk_upload_employee/quotes'' to variab
Assigning value /src/test/resources/testdata/my/bulk_upload_e	nployee/quotes to variable testdata.path
And I assign ''\${testdata.path}/uploadEmployee Output	s.xlsm'' to variable "INPUT_PATH"
Assigning value /src/test/resources/testdata/my/bulk_upload_e	mployee/quotes/uploadEmployees.xlsm to variable INPUT_PAT
And I assign ''\${testdata.path}/output'' to varial	ole ''OUTPUT_PATH''
Assigning value /src/test/resources/testdata/my/bulk_upload_e	nployee/quotes/output to variable OUTPUT_PATH
And I assign ''/testdata/\${sales.fe.lbu}/bulk_uplo	ad_employee/quotes/output/uploadEmployees.xls
Assigning value /testdata/my/bulk_upload_employee/quotes/or	ntput/uploadEmployees.xlsm to variable EMPLOYEE_FILE
	" and replace following variables in output path
email.id \${RANDOM_NUMBER} COMP_NAME \${COMP_NAME_DENIED}	
When I click on Quotes link	
When I click on Create Quote Link	
Then I navigate to "Select Plan" screen	1 4 201 4
And I click on PAMB GHS '\\${selectplan.ghs.yearnd I enter following details on select plan page	s.button}" button
Company Name \${COMP_NAME_DENIED No. of Employees 10	<u>)}</u>
And I click on "\${next.button.text}" button	
,	
And I select the PDPA Consent requirement che	ck box

	And I	unload 1	the employee	csv file	"\${EMPL	OYEE	FILE)"
- 11							

And I wait for 5 sec

And I click on "\${next.button.text}" button

Then I enter following details on company page

HR Given Name	TestGivenName
Surname	TestSurName
Contact Email	primarycontact3-\${email.id}@mailinator.com
HR Contact Phone Number	0275109628
<b>Company Registration Number</b>	123456789876
Contact Fax Number	1234567898
Address1	#02-2b,XYZ Bld
Address2	test address line 1
City	test City
State	\${state.dropdown.value.2}
Postcode	25415
<b>Authorised Signatory Name</b>	authorisedName One
<b>Authorised Signatory Title</b>	authorisedTitle One

#### And I click on next button "\${next.button.text}" for company page

And I wait for 3 sec

And I assign "/testdata/\${sales.fe.lbu}/submit\_document" to variable "testdata.path"

### Output

Assigning value /testdata/my/submit document to variable testdata.path

#### When I click on Bank Transfer button

And I upload the payment proof file "\${testdata.path}/Articles Bylaws.png"

And I wait for 6 sec

And I upload the copy NRIC file "\${testdata.path}/Articles\_Bylaws.png"

And I wait for 6 sec

And I upload the Authorised Signatory file "\${testdata.path}/Articles\_Bylaws.png"

And I wait for 6 sec

And I upload the direct credit file "\${testdata.path}/Articles\_Bylaws.png"

And I wait for 6 sec

And I upload the Form 49 file "\${testdata.path}/Articles\_Bylaws.png"

And I wait for 6 sec

And I upload the Form 24 file "\${testdata.path}/Articles\_Bylaws.png"

And I wait for 6 sec

And I upload the Form 8 file "\${testdata.path}/Articles\_Bylaws.png"

And I wait for 6 sec

And I upload the Signed Proposal file "\${testdata.path}/Signed\_Proposal.png"

And I wait for 6 sec

When I click on the Confirm and Submit button

And I click on "\${submit.confirmandsubmit.confirm.btn}" button

Then I worth following static tout on HOwate Cubmission!! no co								
Then I verify following static text on "Quote Submission" page								
Quote Submitted								
When I click on Quotes link And I wait for 5 sec When I enter "\${COMP_NAME_DENIED}" in search text field in Quotes page								
								Then I get the reference number for searched quote in variable "REF_NUMBER"
								Output
Reference number is: PAMBWV8MHU								
Reference number is. FAMIDW VOIVITO								
Then I verify following information is displayed for company "\${COMP_NAME_DENIED}" in								
Reference Number not null								
Quote Status Submitted								
Given I assign "\${REF_NUMBER}_\${COMP_NAME_DENIED}_QUOTATION.xlsx" to varial								
Output								
Assigning value PAMBWV8MHU_TestDenied_7942702625_QUOTATION.xlsx to variable AZURE_FILE_NAME_QUOT								
And I assign ''\${azure.storage.folder.submitted.quotation}/\${REF_NUMBER}_\${COMP_NAMI								
Output Control of the								
Assigning value 1_Submitted_Quotations/PAMBWV8MHU_TestDenied_7942702625 to variable AZURE_SRC_FOLDER_								
Assigning value 1_Submitted_Quotations/1 Aivib w volvi110_1estDenied_7742702023 to variable AZORE_SRE_10EDER_								
And I assign ''\${azure.storage.folder.ready.inforce.quotation}'' to variable ''AZURE_DEST_FO								
Output								
Assigning value 2_Quotations_Ready_for_Processing to variable AZURE_DEST_FOLDER_NAME								
Assigning value 2_Quotations_Ready_for_Processing to variable AZURE_DEST_FOLDER_NAME								
Assigning value 2_Quotations_Ready_for_Processing to variable AZURE_DEST_FOLDER_NAME  And I assign the downloaded file ''\${AZURE_FILE_NAME_QUOTE}'' to variable ''DOWNLO								
Assigning value 2_Quotations_Ready_for_Processing to variable AZURE_DEST_FOLDER_NAME  And I assign the downloaded file ''\${AZURE_FILE_NAME_QUOTE}'' to variable ''DOWNLO  And I delete the downloaded file ''\${DOWNLOADED_FILE_PATH_QUOTE}'' if it already exi								
Assigning value 2_Quotations_Ready_for_Processing to variable AZURE_DEST_FOLDER_NAME  And I assign the downloaded file ''\${AZURE_FILE_NAME_QUOTE}'' to variable ''DOWNLO  And I delete the downloaded file ''\${DOWNLOADED_FILE_PATH_QUOTE}'' if it already exi  When I download azure storage file ''\${AZURE_FILE_NAME_QUOTE}'' from storage folder '								
Assigning value 2_Quotations_Ready_for_Processing to variable AZURE_DEST_FOLDER_NAME  And I assign the downloaded file "\${AZURE_FILE_NAME_QUOTE}" to variable "DOWNLO  And I delete the downloaded file "\${DOWNLOADED_FILE_PATH_QUOTE}" if it already exi  When I download azure storage file "\${AZURE_FILE_NAME_QUOTE}" from storage folder 'Output								
Assigning value 2_Quotations_Ready_for_Processing to variable AZURE_DEST_FOLDER_NAME  And I assign the downloaded file ''\${AZURE_FILE_NAME_QUOTE}'' to variable ''DOWNLO  And I delete the downloaded file ''\${DOWNLOADED_FILE_PATH_QUOTE}'' if it already exi  When I download azure storage file ''\${AZURE_FILE_NAME_QUOTE}'' from storage folder '  Output  Azure storage file name is PAMBWV8MHU_TestDenied_7942702625_QUOTATION.xlsx								
Assigning value 2_Quotations_Ready_for_Processing to variable AZURE_DEST_FOLDER_NAME  And I assign the downloaded file "\${AZURE_FILE_NAME_QUOTE}" to variable "DOWNLO  And I delete the downloaded file "\${DOWNLOADED_FILE_PATH_QUOTE}" if it already exi  When I download azure storage file "\${AZURE_FILE_NAME_QUOTE}" from storage folder 'Output								

Then I verify downloaded file name is "\${DOWNLOADED_FILE_PATH_QUO"	TE}''				
Output					
Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/PAMBWV8MHU_TestDenied	7942702625 OHOT				
Downloaded the name=/timp/workspace/me-sales-portai-ur-tests_develop/1/AMD w v own10_1estDefined	_//42/02023_Q001/				
hen I write to excel file ''\${DOWNLOADED_FILE_PATH_QUOTE}'' into below rows for colu					
Policy Status REJECTED					
And I upload local file "\${AZURE_FILE_NAME_QUOTE}" to storage folder "\$	\${AZURE DEST				
Output					
Azure storage file name is PAMBWV8MHU_TestDenied_7942702625_QUOTATION.xlsx					
Azure storage folder name is 2_Quotations_Ready_for_Processing File upload Path is /tmp/workspace/me-sales-portal-ui-tests_develop/PAMBWV8MHU_TestDenied_794	2702625 OUOTATIO				
Then I wait for storage file "\${AZURE_FILE_NAME_QUOTE}" to be processed	d from storage fo				
Output					
Azure storage file name is PAMBWV8MHU_TestDenied_7942702625_QUOTATION.xlsx Azure storage folder name is 2_Quotations_Ready_for_Processing					
Azure storage rolder hame is 2_Quotations_Ready_for_Processing					
After					
Back to Table of Contents					
	770000000000000000000000000000000000000				
Scenario: Verify Archive quotes are not displayed when no filters are selected on qu	ote page				
Passed: 5					
Before					
Given I click on Quotes link					
And I wait for 5 sec					
Then I enter "\${COMP_NAME_ARCHIVE}" in search text field in Quotes page	9				
Then I verify search Result is empty in Quotes page					
Then I remove the search text					
After					
Back to Table of Contents					
Scenario Outline: Verify search can be performed with "The exact company name"					
Passed: 4					
Before					
When I enter "\${COMP_NAME}" in search text field in Quotes page					
Then I wait for 5 sec					
Then I verify searched Quote count is 1					
Then I remove the search text					
Then I Temore the Search text					

#### After

#### **Back to Table of Contents**

Scenario Outline: Verify search can be performed with "Company name by regex pattern"

Passed: 4

Before

When I enter "\${RANDOM\_NUMBER}" in search text field in Quotes page

Then I wait for 5 sec

Then I verify searched Quote count is 1

Then I remove the search text

After

**Back to Table of Contents** 

Scenario Outline: Verify search can be performed with "Reference Number"

Passed: 4

Before

When I enter "\${REF\_NUMBER}" in search text field in Quotes page

Then I wait for 5 sec

Then I verify searched Quote count is 1

Then I remove the search text

After

**Back to Table of Contents** 

Scenario: Verify Search Quote functionality is working for Company Name

Passed: 3

Before

When I enter "\${COMP\_NAME}" in search text field in Quotes page

Then I wait for 5 sec

Then I verify Quote is present only for "\${COMP\_NAME}" search criteria in "\${quote.table.head

After

**Back to Table of Contents** 

Scenario: Verify search with invalid search value

Passed: 5

Before

When I enter "Test123456" in search text field in Quotes page

Then I wait for 5 sec

Then I verify search Result is empty in Quotes page

Then I remove the search text

And I wait for 2 sec

After

**Back to Table of Contents** 

Scenario Outline: Verify Quote Filter functionality for "Filter quotes for status Draft"

Passed: 4

Before

And I select "\${quote.filter.option.draft}" filter option in Quotes page

And I verify quotes are loaded in the view

Then I verify Quote is present only for "Draft" search criteria in "\${quote.table.header.quote.state

And I unselect ''\${quote.filter.option.draft}'' filter option in Quotes page

## After

### **Back to Table of Contents**

Scenario Outline: Verify Quote Filter functionality for "Filter quotes for status Archived"

Passed: 4

## Before

And I select "\${quote.filter.option.archived}" filter option in Quotes page

And I verify quotes are loaded in the view

Then I verify Quote is present only for ''Draft'' search criteria in ''\${quote.table.header.quote.stat

And I unselect '\\${quote.filter.option.archived}'' filter option in Quotes page

#### After

#### **Back to Table of Contents**

Scenario Outline: Verify Quote Filter functionality for "Filter quotes for status Submitted"

Passed: 4

#### Before

And I select "\${quote.filter.option.submitted}" filter option in Quotes page

And I verify quotes are loaded in the view

Then I verify Quote is present only for "Submitted" search criteria in "\${quote.table.header.quote

And I unselect '\\${quote.filter.option.submitted}'' filter option in Quotes page

#### After

#### **Back to Table of Contents**

Scenario Outline: Verify Quote Filter functionality for "Filter quotes for status In Force"

Passed: 4

#### Before

And I select "\${quote.filter.option.in.force}" filter option in Quotes page

And I verify quotes are loaded in the view

Then I verify Quote is present only for "In Force" search criteria in "\${quote.table.header.quote.s

And I unselect ''\${quote.filter.option.in.force}'' filter option in Quotes page

#### After

#### **Back to Table of Contents**

Scenario Outline: Verify Quote Filter functionality for "Filter quotes for status Denied"

Passed: 4

#### Before

And I select '\${quote.filter.option.denied}' filter option in Quotes page

And I verify quotes are loaded in the view

Then I verify Quote is present only for "Denied" search criteria in "\${quote.table.header.quote.sta

And I unselect '\${quote.filter.option.denied}' filter option in Quotes page

# After

#### **Back to Table of Contents**

Scenario Outline: Verify Quote Filter functionality for "Filter quotes for status Draft, In Force"

Passed: 4

#### Before

And I select "\${quote.filter.option.draft};\${quote.filter.option.in.force}" filter option in Quotes pages And I verify quotes are loaded in the view

Then I verify Quote is present only for "Draft;In Force" search criteria in "\${quote.table.header.c}
And I unselect "\${quote.filter.option.draft};\${quote.filter.option.in.force}" filter option in Quotes

#### After

#### **Back to Table of Contents**

Scenario Outline: Verify Quote Filter functionality for "Filter quotes for status Draft, Denied"

Passed: 4

## Before

And I select "\${quote.filter.option.draft};\${quote.filter.option.denied}" filter option in Quotes pag And I verify quotes are loaded in the view

Then I verify Quote is present only for "Draft;Denied" search criteria in "\${quote.table.header.qu And I unselect "\${quote.filter.option.draft};\${quote.filter.option.denied}" filter option in Quotes p

#### **After**

#### **Back to Table of Contents**

Scenario Outline: Verify Quote Filter functionality for "Filter quotes for status Draft, Archived, Denie

Passed: 4

## Before

And I select ''\${quote.filter.option.draft};\${quote.filter.option.archived};\${quote.filter.option.denic And I verify quotes are loaded in the view

Then I verify Quote is present only for "Draft;Denied" search criteria in "\${quote.table.header.qu And I unselect "\${quote.filter.option.draft};\${quote.filter.option.archived};\${quote.filter.option.de

#### After

## **Back to Table of Contents**

Scenario Outline: Verify Quote Filter functionality for "Filter quotes for status Draft, Archived, In Fo

Passed: 4

#### Before

And I select ''\${quote.filter.option.draft};\${quote.filter.option.archived};\${quote.filter.option.in.fo And I verify quotes are loaded in the view

Then I verify Quote is present only for "Draft;In Force" search criteria in "\${quote.table.header.c} And I unselect "\${quote.filter.option.draft};\${quote.filter.option.in

## After

## **Back to Table of Contents**

Scenario Outline: Verify Quote Filter functionality for "Filter quotes for status Draft, Submitted"

Passed: 4

#### Before

And I select ''\${quote.filter.option.draft};\${quote.filter.option.submitted}'' filter option in Quotes |
And I verify quotes are loaded in the view

Then I verify Quote is present only for "Draft;Submitted" search criteria in "\${quote.table.headerAnd I unselect "\${quote.filter.option.draft};\${quote.filter.option.submitted}" filter option in Quote

#### After

#### **Back to Table of Contents**

Scenario Outline: Verify Quote Filter functionality for "Filter quotes for status Draft, Submitted, Arcl

Passed: 4

#### Before

 $\textbf{And I select ''\$ \{quote.filter.option.draft\}; \$ \{quote.filter.option.submitted\}; \$ \{quote.filter.option.architecture \}; \$ \{quote.fi$ 

And I verify quotes are loaded in the view

Then I verify Quote is present only for "Draft;Submitted" search criteria in "\${quote.table.headerAnd I unselect "\${quote.filter.option.draft};\${quote.filter.option.submitted};\${quote.filter.option.a

#### After

#### **Back to Table of Contents**

Scenario Outline: Verify Quote Filter functionality for "Filter quotes for status Draft, Submitted, Arcl

Passed: 4

#### Before

 $\textbf{And I select "$\{quote.filter.option.draft\}; \$\{quote.filter.option.submitted\}; \$\{quote.filter.option.architect.option.architect.option.draft\}; \$\{quote.filter.option.architect.option.architec$ 

And I verify quotes are loaded in the view

Then I verify Quote is present only for "Draft;Submitted;Denied;In Force" search criteria in "\${q

And I unselect '\\${quote.filter.option.draft};\${quote.filter.option.submitted};\${quote.filter.option.a

#### After

## **Back to Table of Contents**

Scenario Outline: Verify Action options for "Action option for status Draft" quotes

Passed: 3

## Before

And I select "\${quote.filter.option.draft}" filter option in Quotes page

When I enter "\${COMP\_NAME}" in search text field in Quotes page

Then I wait for 2 sec

And I click on Action button next to searched quote

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {''met (Session info: headless chrome=83.0.4103.116)

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no\_such\_element.h Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'eb-sme-backend-jenkinslave-v12-gttg3-rl5r7', ip: '10.153.104.18', os.name: 'Lin Driver info: org.openga.selenium.chrome.ChromeDriver

Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103.116, cl Session ID: 4359d361ad7e304d789484b541fb67ba

\*\*\* Element info: {Using=xpath, value=//tbody//tr//td[5]/div/button[1]}

at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)

at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorA


at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingCons

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponse at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.ja at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.ja at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.jaya:158

at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecut

a a a a a	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java: at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19) at com.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184) at com.pru.sales.portal.pages.QuotesPage.clickActionButton(QuotesPage.java:96) at com.pru.sales.portal.stepdef.QuoteSteps.clickActionButton(QuoteSteps.java:84) at .And I click on Action button next to searched quote(features/my/07.SalesQuotesPage.feature:41)		
1	Then I verify ''\${quote.action.edit};\${quote.action.duplicate};\${quote.action.export.pdf};\${quote.a		
A	And I unselect ''\${quote.filter.option.draft}'' filter option in Quotes page		



Q TestDenied\_7942702625

E→ Logout

Collapse Sidebar

## After

#### **Back to Table of Contents**

Scenario Outline: Verify Action options for "Action option for status Submitted" quotes

Passed: 6

#### **Before**

And I select "\${quote.filter.option.submitted}" filter option in Quotes page

When I enter "\${COMP\_NAME\_SUBMITTED}" in search text field in Quotes page

Then I wait for 2 sec

And I click on Action button next to searched quote

Then I verify ''\${quote.action.export.pdf};\${quote.action.view}'' action options are displayed for st

And I unselect "\${quote.filter.option.submitted}" filter option in Quotes page

#### After

#### **Back to Table of Contents**

Scenario Outline: Verify Action options for "Action option for status Archived" quotes

Passed: 6

#### Before

And I select "\${quote.filter.option.archived}" filter option in Quotes page

When I enter "\${COMP\_NAME\_ARCHIVE}" in search text field in Quotes page

Then I wait for 2 sec

And I click on Action button next to searched quote

Then I verify "\${quote.action.edit};\${quote.action.export.pdf};\${quote.action.Unarchive};\${quote.

And I unselect '\${quote.filter.option.archived}'' filter option in Quotes page

#### After

## **Back to Table of Contents**

Scenario Outline: Verify Action options for "Action option for status InForce" quotes

Passed: 6

#### Before

And I select "\${quote.filter.option.in.force}" filter option in Quotes page

When I enter "\${COMP\_NAME\_INFORCE}" in search text field in Quotes page

Then I wait for 2 sec

And I click on Action button next to searched quote

Then I verify "\${quote.action.export.pdf};\${quote.action.archive};\${quote.action.view}" action op

And I unselect '\\${quote.filter.option.in.force}'' filter option in Quotes page

#### After

#### Back to Table of Contents

Scenario Outline: Verify Action options for "Action option for status Denied" quotes

Passed: 6

## Before

And I select "\${quote.filter.option.denied}" filter option in Quotes page

When I enter "\${COMP\_NAME\_DENIED}" in search text field in Quotes page

Then I wait for 2 sec

And I click on Action button next to searched quote

Then I verify "\${quote.action.duplicate};\${quote.action.export.pdf};\${quote.action.archive}" actio

And I unselect "\${quote.filter.option.denied}" filter option in Quotes page

## After

#### **Back to Table of Contents**

Scenario: Verify Quote Action item Edit for Draft quote

Passed: 2

#### Before

When I select "\${quote.filter.option.draft}" filter option in Quotes page

When I enter "\${COMP\_NAME}" in search text field in Quotes page

And I click on Action button next to searched quote

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"met (Session info: headless chrome=83.0.4103.116)

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no\_such\_element.h Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'eb-sme-backend-jenkinslave-v12-gttg3-rl5r7', ip: '10.153.104.18', os.name: 'Lin Driver info: org.openga.selenium.chrome.ChromeDriver

Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103.116, c Session ID: 4359d361ad7e304d789484b541fb67ba

\*\*\* Element info: {Using=xpath, value=//tbody//tr//td[5]/div/button[1]}

at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)

at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorA

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingCons

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponse

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.ja

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.ja at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158

at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecut

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)

at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:

at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)

at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141)

at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)

 $at\ com.pru.sales.portal.pages. TestBasePage.clickButton (TestBasePage.java:184)$ 

at com.pru.sales.portal.pages.QuotesPage.clickActionButton(QuotesPage.java:96)

at com.pru.sales.portal.stepdef.QuoteSteps.clickActionButton(QuoteSteps.java:84)


at .And I click on Action button next to searched quote(features/my/07.SalesQuotesPage.feature:4

And I select ''\${quote.action.edit}'' option from Action menu

Then I wait for 2 sec

Then verify the user is landed on "Select Plan" page


Then I verify company name is displayed as entered on select plan page
Company Name \${COMP_NAME}
Then I click on "\${saveQuote.button.text}" button
Then I wait for 2 sec
And I click on Quotes link
Then I wait for 5 sec
Then I verify following information is displayed for company "\${COMP_NAME}" in quote table
Reference Number not null



Q TestDenied\_7942702625

E→ Logout Collapse Sidebar After **Back to Table of Contents** Scenario Outline: Quote Action item Export PDF: "Verify quote is exported to PDF for Draft quote" Passed: 10 Before Given I assign "/testdata/\${sales.fe.lbu}/ExportQuote" to variable "testdata.path" Output Assigning value /testdata/my/ExportQuote to variable testdata.path And I assign "LifePlan.txt" to variable "FILE NAME" Output Assigning value LifePlan.txt to variable FILE\_NAME And I wait for 6 sec And I click on Quotes link And I scroll the page up And I clear all filter options And I select "\${quote.filter.option.draft}" filter option in Quotes page Given I delete the downloaded file "\${EXPORT QUOTE PATH}" if it already exists When I enter "\${COMP\_NAME}" in search text field in Quotes page Then I wait for 4 sec Then I get the reference number for searched quote in variable "REF\_NUMBER" org.openga.selenium.NoSuchElementException: no such element: Unable to locate element: {''met (Session info: headless chrome=83.0.4103.116) For documentation on this error, please visit: http://seleniumhq.org/exceptions/no such element.h Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'eb-sme-backend-jenkinslave-v12-gttg3-rl5r7', ip: '10.153.104.18', os.name: 'Lin Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103.116, c Session ID: 4359d361ad7e304d789484b541fb67ba \*\*\* Element info: {Using=xpath, value=//div/table/tbody/tr[1]/td[2]} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorA at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingCons

at org.openqa.selenium.remo	t.Constructor.newInstance(Constructor.java:490)
	ote.http.W3CHttpResponseCodec.createException(W3CHttpRespon
	ote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec
	ote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec
	ote.HttpCommandExecutor.execute(HttpCommandExecutor.java:1
	ote.service.DriverCommandExecutor.execute(DriverCommandExecute.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	ote.RemoteWebDriver.findElement(RemoteWebDriver.java:343)
	ote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.jav
	ByXPath.findElement(By.java:353)
	ote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
	um.WebTableMethods.getTDCellValue(WebTableMethods.java:64
	s.TestBasePage.getTableCellData(TestBasePage.java:484)
	s.QuotesPage.getReferenceNumberForSearchedQuote(QuotesPage.
	def.QuoteSteps.getRefNumberInVariable(QuoteSteps.java:147)
at .Then I get the reference r	number for searched quote in variable ''REF_NUMBER''(features/i
And I assign "\${COMP_NA	ME}_\${REF_NUMBER}_\${FILE_GENERATION_DATE}.pdf" to
Given I assign the download	ed file ''\${DOWNLOADED_FILENAME}'' to variable ''EXPORT_
And I assign value to followi	
COMPANY NAME	\${COMP_NAME}
QUOTE_REF	\${REF NUMBER}
DEED COLVE DATE	#(DDE CENEDATION DATE 1)
EFFECTIVE_DATE	\${PDF_GENERATION_DATE_1}
	ATE \${PDF_GENERATION_DATE_1}
And I click on Action button	next to searched quote
And I select "\${quote.action	.export.pdf}'' option from Action menu
And I wait for 12 sec	
And I unselect "\${quote.filte	er.option.draft}'' filter option in Quotes page
	le name is ''\${EXPORT QUOTE PATH}''
and a voling do willouded in	



Q TestDenied\_7942702625

⊖	Logout
0	Collapse Sidebar
fter	
ack to Tal	ole of Contents
cenario (	Outline: Quote Action item Export PDF: "Verify quote is exported to PDF for Submitted o
assed: 19	
efore	
Given Output	I assign ''/testdata/\${sales.fe.lbu}/ExportQuote'' to variable ''testdata.path''
Assignin	ng value /testdata/my/ExportQuote to variable testdata.path
A J T	UT '
Output	assign "LifePlan.txt" to variable "FILE_NAME"
Output	
Assignin	ng value LifePlan.txt to variable FILE_NAME
And I	wait for 6 sec
	click on Quotes link
	scroll the page up
	clear all filter options
	select ''\${quote.filter.option.submitted}'' filter option in Quotes page
	I delete the downloaded file "\${EXPORT_QUOTE_PATH}" if it already exists
When	I enter "\${COMP_NAME_SUBMITTED}" in search text field in Quotes page
	wait for 4 sec
Then I	get the reference number for searched quote in variable "REF_NUMBER"
Output	
f	
Referenc	ce number is: PAMBYCSVV7
	assign ''\${COMP_NAME_SUBMITTED}_\${REF_NUMBER}_\${FILE_GENERATION_D
Output	
Assignir	ng value TestSub_47827026219_PAMBYCSVV7_20210227.pdf to variable DOWNLOADED_FILENAME

	Given I assign the downloaded file "\${DOWNLOADED_FILENAME}" to variable "EXPORT_O			
	And I assign value to following variables			
	COMPANY_NAME	\${COMP_NAME_SUBMITTED}		
	QUOTE_REF	\${REF_NUMBER}		
	EFFECTIVE_DATE	\${PDF_GENERATION_DATE_1}		
	PDF_GENERATION_DAT	E \${PDF_GENERATION_DATE_1}		
	And I click on Action button next to searched quote			
	And I select "\${quote.action.export.pdf}" option from Action menu			
	And I wait for 12 sec			
	And I unselect "\${quote.filter.option.submitted}" filter option in Quotes page			
		Then I verify downloaded file name is ''\${EXPORT_QUOTE_PATH}''		
	Output			
	Downloaded file name=/tmp/workspace	/me-sales-portal-ui-tests_develop/TestSub_47827026219_PAMBYCSVV7_20210227.p		
		, o postati uz tosto_ut (110p, 10stouto_1, 020, 02021) _111112 1 00 ( ( ( , 12021022 ) , p		
Af	fter			
$\vdash$	ick to Table of Contents			
		em Export PDF : ''Verify quote is exported to PDF for Archived qu		
	assed: 19	em Export 121 (		
_				
IDt	G: I : "" A I A / (A C I C II A ) / F			
De		os fo lhul/EvnortΩuoto" to variable "testdate noth"		
	Given I assign "/testdata/\${sale	es.fe.lbu}/ExportQuote'' to variable ''testdata.path''		
		es.fe.lbu}/ExportQuote'' to variable ''testdata.path''		
De	Given I assign "/testdata/\${sale	es.fe.lbu}/ExportQuote'' to variable ''testdata.path''		
De	Given I assign "/testdata/\${sale			
De	Given I assign "/testdata/\${sale			
De	Given I assign "/testdata/\${sale Output  Assigning value /testdata/my/ExportQue	ote to variable testdata.path		
De	Given I assign "/testdata/\${sale Output  Assigning value /testdata/my/ExportQue  And I assign "LifePlan.txt" to	ote to variable testdata.path		
	Given I assign "/testdata/\${sale Output  Assigning value /testdata/my/ExportQue	ote to variable testdata.path		
	Given I assign "/testdata/\${sale Output  Assigning value /testdata/my/ExportQue  And I assign "LifePlan.txt" to	ote to variable testdata.path		
	Given I assign "/testdata/\${sale Output  Assigning value /testdata/my/ExportQue  And I assign "LifePlan.txt" to Output	ote to variable testdata.path  variable "FILE_NAME"		
	Given I assign "/testdata/\${sale Output  Assigning value /testdata/my/ExportQue  And I assign "LifePlan.txt" to	ote to variable testdata.path  variable "FILE_NAME"		
	Given I assign "/testdata/\${sale Output  Assigning value /testdata/my/ExportQue  And I assign "LifePlan.txt" to Output	ote to variable testdata.path  variable "FILE_NAME"		
	Given I assign "/testdata/\${sale Output  Assigning value /testdata/my/ExportQue  And I assign "LifePlan.txt" to Output	ote to variable testdata.path  variable "FILE_NAME"		
	Given I assign ''/testdata/\${sale Output  Assigning value /testdata/my/ExportQue  And I assign ''LifePlan.txt'' to Output  Assigning value LifePlan.txt to variable	ote to variable testdata.path  variable "FILE_NAME"		
	Assigning value /testdata/my/ExportQue  And I assign "LifePlan.txt" to Output  Assigning value LifePlan.txt to variable  And I wait for 6 sec	ote to variable testdata.path  variable "FILE_NAME"		
	Given I assign "/testdata/\${sale Output  Assigning value /testdata/my/ExportQue  And I assign "LifePlan.txt" to Output  Assigning value LifePlan.txt to variable  And I wait for 6 sec And I click on Quotes link	ote to variable testdata.path  variable "FILE_NAME"		
	And I wait for 6 sec And I click on Quotes link And I scroll the page up And I clear all filter options	ote to variable testdata.path  variable "FILE_NAME"		
	Assigning value /testdata/my/ExportQue  And I assign "LifePlan.txt" to Output  And I wait for 6 sec And I click on Quotes link And I scroll the page up And I clear all filter options And I select "\${quote.filter.opt}	variable ''FILE_NAME''  FILE_NAME		
	Assigning value /testdata/my/ExportQue  And I assign "LifePlan.txt" to Output  And I wait for 6 sec And I click on Quotes link And I scroll the page up And I clear all filter options And I select "\${quote.filter.opt} Given I delete the downloaded	variable "FILE_NAME"  FILE_NAME  ion.archived}" filter option in Quotes page		
	Assigning value /testdata/my/ExportQue  And I assign "LifePlan.txt" to Output  And I wait for 6 sec And I click on Quotes link And I scroll the page up And I clear all filter options And I select "\${quote.filter.opt} Given I delete the downloaded	ote to variable testdata.path  variable "FILE_NAME"  FILE_NAME  ion.archived}" filter option in Quotes page  file "\${EXPORT_QUOTE_PATH}" if it already exists		

Output		
Reference number is: PAMBUW2QL9		
And I assign "\${COMP_NAME_ARCHIVE}_\${REF_NUMBER}_\${FILE_GEN		
Output		
Assigning value TestArch_5222702624_PAMBUW2QL9_20210227.pdf to variable DOWNLOADED_FILENAME		
Given I assign the downloaded	d file ''\${DOWNLOADED_FILENAME}'' to variable ''EXPORT_Q	
And I assign value to following	g variables	
COMPANY_NAME	\${COMP_NAME_ARCHIVE}	
QUOTE_REF	\${REF_NUMBER}	
EFFECTIVE_DATE	\${PDF_GENERATION_DATE_1}	
PDF_GENERATION_DAT	TE \${PDF_GENERATION_DATE_1}	
And I click on Action button n	ext to searched quote	
And I select "\${quote.action.ex	xport.pdf}'' option from Action menu	
And I wait for 12 sec		
And I unselect "\${quote.filter.	option.archived}" filter option in Quotes page	
Then I verify downloaded file	name is "\${EXPORT_QUOTE_PATH}"	
Output		
Downloaded file name=/tmp/workspace	e/me-sales-portal-ui-tests_develop/TestArch_5222702624_PAMBUW2QL9_20210227.	
ter		
ck to Table of Contents		
enario Outline: Quote Action i	tem Export PDF: "Verify quote is exported to PDF for Inforce quo	
ssed: 19		
fore		
Given I assign ''/testdata/\${sal	les.fe.lbu}/ExportQuote'' to variable ''testdata.path''	
Assigning value /testdata/my/ExportQu	note to variable testdata.path	
And I assign "LifePlan.txt" to	variable "FILE NAME"	
Output	VILLED THE	


Assigning value LifePlan.txt to varial	ole FILE_NAME
And I wait for 6 sec	
And I click on Quotes link	
And I scroll the page up	
And I clear all filter options	
	ption.in.force}" filter option in Quotes page
	ed file "\${EXPORT_QUOTE_PATH}" if it already exists
	ME_INFORCE}" in search text field in Quotes page
Then I wait for 4 sec	
Then I get the reference num	ber for searched quote in variable "REF_NUMBER"
Output	<b>1</b> —
Reference number is: PAMBZKA2Tl	R
And I assign ''\${COMP_NA	ME_INFORCE}_\${REF_NUMBER}_\${FILE_GENERATION_DATE
Output	
Given I assign the downloadd And I assign value to following the control of the c	ed file ''\${DOWNLOADED_FILENAME}'' to variable ''EXPORT_Q ng variables
COMPANY_NAME	\${COMP_NAME_INFORCE}
QUOTE_REF	\${REF_NUMBER}
EFFECTIVE_DATE	\${PDF_GENERATION_DATE_1}
PDF_GENERATION_DA	ATE \${PDF_GENERATION_DATE_1}
And I click on Action button	next to searched quote
And I select "\${quote.action.	export.pdf}" option from Action menu
And I wait for 12 sec	
And I unselect "\${quote.filte	r.option.in.force}'' filter option in Quotes page
Then I verify downloaded fil	e name is ''\${EXPORT_QUOTE_PATH}''
Output	
Downloaded file name—/tmn/worksna	ace/me-sales-portal-ui-tests_develop/TestGtlForce_1642702625_PAMBZKA2TR_202102
Downloaded the name—/timp/workspa	ice/file-sales-portai-ur-tests_develop/ restour-oree_10+2/02025_1 AMBZKA21K_202102
ter	
ek to Table of Contents	itan Francis DDE - UVarie
	item Export PDF: "Verify quote is exported to PDF for Denied quot
ssed: 19	

fore		
Given I assign ''/testdata/\${sa	ales.fe.lbu}/ExportQuote'' to variable ''testdata.path''	
Output		
Assigning value /testdata/my/ExportQ	Quote to variable testdata.path	
nd I assign "LifePlan.txt" to variable "FILE_NAME"		
Output		
A:: I : G-Dl 44 4 :-l	.1. EH E NAME	
Assigning value LifePlan.txt to variab	DIE FILE_NAME	
A 17 1/0 /		
And I wait for 6 sec		
And I click on Quotes link		
And I scroll the page up		
And I clear all filter options		
	ption.denied}" filter option in Quotes page	
	ed file "\${EXPORT_QUOTE_PATH}" if it already exists	
When I enter ''\${COMP_NA	ME_DENIED}" in search text field in Quotes page	
Then I wait for 4 sec		
	Then I get the reference number for searched quote in variable "REF_NUMBER"	
	ber for searched quote in variable "REF_NUMBER"	
	ber for searched quote in variable "REF_NUMBER"	
Then I get the reference num	ber for searched quote in variable "REF_NUMBER"	
Then I get the reference num Output		
Then I get the reference num		
Then I get the reference num Output		
Then I get the reference num Output Reference number is: PAMBWV8MF	HU	
Then I get the reference num Output  Reference number is: PAMBWV8MF  And I assign ''\${COMP_NAMBER 1   1   1   1   1   1   1   1   1   1	HU	
Then I get the reference num Output Reference number is: PAMBWV8MF	HU	
Then I get the reference num Output  Reference number is: PAMBWV8MF  And I assign ''\${COMP_NAMBER 1   1   1   1   1   1   1   1   1   1	HU	
Then I get the reference num Output Reference number is: PAMBWV8MF And I assign "\${COMP_NAMOutput}	HU  ME_DENIED}_\${REF_NUMBER}_\${FILE_GENERATION_DATE}	
Then I get the reference num Output Reference number is: PAMBWV8MF And I assign "\${COMP_NAMOutput}	HU	
Then I get the reference num Output Reference number is: PAMBWV8MF And I assign "\${COMP_NAMOutput}	HU  ME_DENIED}_\${REF_NUMBER}_\${FILE_GENERATION_DATE}	
Then I get the reference num Output  Reference number is: PAMBWV8MF  And I assign ''\${COMP_NAMOUTPUT}  Assigning value TestDenied_7942702	ME_DENIED}_\${REF_NUMBER}_\${FILE_GENERATION_DA'} 2625_PAMBWV8MHU_20210227.pdf to variable DOWNLOADED_FILENAME	
Then I get the reference num Output  Reference number is: PAMBWV8MF  And I assign "\${COMP_NAMOUTPUT}  Assigning value TestDenied_7942702  Given I assign the downloade	ME_DENIED}_\${REF_NUMBER}_\${FILE_GENERATION_DATE}  2625_PAMBWV8MHU_20210227.pdf to variable DOWNLOADED_FILENAME  ed file ''\${DOWNLOADED_FILENAME}'' to variable ''EXPORT	
Then I get the reference num Output  Reference number is: PAMBWV8MF  And I assign "\${COMP_NAMOUTPUT}  Assigning value TestDenied_7942702  Given I assign the downloade And I assign value to following	ME_DENIED}_\${REF_NUMBER}_\${FILE_GENERATION_DATE}  2625_PAMBWV8MHU_20210227.pdf to variable DOWNLOADED_FILENAME  26d file ''\${DOWNLOADED_FILENAME}'' to variable ''EXPORT and variables	
Then I get the reference num Output  Reference number is: PAMBWV8MF  And I assign ''\${COMP_NAME}  Output  Assigning value TestDenied_7942702  Given I assign the downloade And I assign value to followin  COMPANY_NAME	ME_DENIED}_\${REF_NUMBER}_\${FILE_GENERATION_DATE}  2625_PAMBWV8MHU_20210227.pdf to variable DOWNLOADED_FILENAME  ed file ''\${DOWNLOADED_FILENAME}'' to variable ''EXPORT ng variables  \${COMP_NAME_DENIED}	
Then I get the reference num Output  Reference number is: PAMBWV8MF  And I assign "\${COMP_NAMOUTPUT}  Assigning value TestDenied_7942702  Given I assign the downloade And I assign value to followin  COMPANY_NAME  QUOTE_REF	ME_DENIED}_\${REF_NUMBER}_\${FILE_GENERATION_DATE}  2625_PAMBWV8MHU_20210227.pdf to variable DOWNLOADED_FILENAME  26d file ''\${DOWNLOADED_FILENAME}'' to variable ''EXPORT ng variables  \${COMP_NAME_DENIED} \${REF_NUMBER}	
Then I get the reference num Output  Reference number is: PAMBWV8MF  And I assign ''\${COMP_NAMOUTPUT}  Assigning value TestDenied_7942702  Given I assign the downloade And I assign value to followin  COMPANY_NAME QUOTE_REF EFFECTIVE_DATE	ME_DENIED}_\${REF_NUMBER}_\${FILE_GENERATION_DATE	
Then I get the reference num Output  Reference number is: PAMBWV8MF  And I assign "\${COMP_NAME} Output  Assigning value TestDenied_7942702  Given I assign the downloade And I assign value to followin  COMPANY_NAME QUOTE_REF EFFECTIVE_DATE PDF_GENERATION_DA	ME_DENIED}_\${REF_NUMBER}_\${FILE_GENERATION_DA7}  2625_PAMBWV8MHU_20210227.pdf to variable DOWNLOADED_FILENAME  ed file ''\${DOWNLOADED_FILENAME}'' to variable ''EXPORT ng variables  \${COMP_NAME_DENIED} \${REF_NUMBER} \${PDF_GENERATION_DATE_1}  ATE \${PDF_GENERATION_DATE_1}	
Then I get the reference num Output  Reference number is: PAMBWV8MF  And I assign "\${COMP_NAMOUTPUT}  Assigning value TestDenied_7942702  Given I assign the downloade And I assign value to followin  COMPANY_NAME QUOTE_REF EFFECTIVE_DATE PDF_GENERATION_DA  And I click on Action button	ME_DENIED}_\${REF_NUMBER}_\${FILE_GENERATION_DATE_1}  2625_PAMBWV8MHU_20210227.pdf to variable DOWNLOADED_FILENAME  ed file ''\${DOWNLOADED_FILENAME}'' to variable ''EXPORT ng variables  \${COMP_NAME_DENIED} \${REF_NUMBER} \${PDF_GENERATION_DATE_1}  next to searched quote	
Then I get the reference num Output  Reference number is: PAMBWV8MF  And I assign "\${COMP_NAMOUTPUT}  Assigning value TestDenied_7942702  Given I assign the downloade And I assign value to followin  COMPANY_NAME QUOTE_REF EFFECTIVE_DATE PDF_GENERATION_DA  And I click on Action button	ME_DENIED}_\${REF_NUMBER}_\${FILE_GENERATION_DATE	

**Detailed Results Report** And I unselect '\${quote.filter.option.denied}' filter option in Quotes page Then I verify downloaded file name is "\{EXPORT\_QUOTE\_PATH}" Output Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests develop/TestDenied 7942702625 PAMBWV8MHU 2021022 After **Back to Table of Contents** Scenario Outline: 1.Verify "Draft" quotes should return irrespective of isArchived flag for filter option 2. verify only archived quote is displayed when Archived filter option is selected Before And I scroll the page up When I select "\${quote.filter.option.draft}" filter option in Quotes page When I enter "\${COMP NAME}" in search text field in Quotes page Then I wait for 2 sec And I click on Action button next to searched quote org.openga.selenium.NoSuchElementException: no such element: Unable to locate element: {"met (Session info: headless chrome=83.0.4103.116) For documentation on this error, please visit: http://seleniumhq.org/exceptions/no\_such\_element.h Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'eb-sme-backend-jenkinslave-v12-gttg3-rl5r7', ip: '10.153.104.18', os.name: 'Lin Driver info: org.openga.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103.116, c Session ID: 4359d361ad7e304d789484b541fb67ba \*\*\* Element info: {Using=xpath, value=//tbody//tr//td[5]/div/button[1]} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorA at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingCons at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponse at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.ja at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.ja at org. openga. selenium. remote. HttpCommandExecutor. execute (HttpCommandExecutor. java: 158  ${f at\ org.openga. selenium. remote. service. Driver Command Executor. execute (Driver Command Executor)}$ at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317) at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java: at org.openga.selenium.By\$ByXPath.findElement(By.java:353) at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)

at com.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184) at com.pru.sales.portal.pages.QuotesPage.clickActionButton(QuotesPage.java:96)

at com.pru.sales.portal.stepdef.QuoteSteps.clickActionButton(QuoteSteps.java:84) at .And I click on Action button next to searched quote(features/my/07.SalesQuotesPage.feature:48



Q TestDenied\_7942702625

C→ Logout

Collapse Sidebar

## After

## **Back to Table of Contents**

Scenario Outline: 1.Verify "Denied" quotes should return irrespective of isArchived flag for filter op

2. verify only archived quote is displayed when Archived filter option is selected

Passed: 16

#### Before

## And I scroll the page up

When I select "\${quote.filter.option.denied}" filter option in Quotes page

When I enter "\${COMP\_NAME\_DENIED}" in search text field in Quotes page

Then I wait for 2 sec

And I click on Action button next to searched quote

And I select "\${quote.action.archive}" option from Action menu

Then I verify searched Quote count is 1

And I unselect '\${quote.filter.option.denied}' filter option in Quotes page

And I click on Documents link

And I click on Ouotes link

Then I select "\${quote.filter.option.archived}" filter option in Quotes page

When I enter "\${COMP\_NAME\_DENIED}" in search text field in Quotes page

Then I wait for 2 sec

Then I verify searched Quote count is 1

And I click on Action button next to searched quote

And I select "\${quote.action.Unarchive}" option from Action menu

And I click on Documents link

org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <a cl (Session info: headless chrome=83.0.4103.116)

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'eb-sme-backend-jenkinslave-v12-gttg3-rl5r7', ip: '10.153.104.18', os.name: 'Lin

Driver info: org.openqa.selenium.chrome.ChromeDriver

Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103.116, cl

Session ID: 4359d361ad7e304d789484b541fb67ba

at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)

at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorA

 $at\ java. base/jdk. internal. reflect. Delegating Constructor Accessor Impl. new Instance (Delegating Construction Accessor) and the construction of the constructio$ 

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)


 $at\ org. open qa. selenium. remote. http. W3CHttpResponse Codec. create Exception (W3CHttpResponse) at org. open qa. selenium. remote. http. W3CHttpResponse Codec. create Exception (W3CHttpResponse) at org. open qa. selenium. remote. http. W3CHttpResponse Codec. create Exception (W3CHttpResponse) at org. open qa. selenium. remote. http://www.exception.org. open qa. selenium. remote. remote. remote. http://www.exception.org. open qa. selenium. remote. remo$ 

 $at\ org. open qa. selenium. remote. http. W3CHttpResponseCodec. decode (W3CHttpResponseCodec. januari and the proposed proposed$ 

 $at\ org. open qa. selenium. remote. http. W3CHttpResponseCodec. decode (W3CHttpResponseCodec. januari and the proposed proposed$ 

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158 at org.openqa.selenium.remote.service.DriverCommandExecut

	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:276) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:83) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19) at com.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184) at com.pru.sales.portal.pages.TestBasePage.clickButtonBasedOnBrowser(TestBasePage.java:927) at com.pru.sales.portal.pages.HomePage.clickDocumentsLink(HomePage.java:85) at com.pru.sales.portal.stepdef.HomeSteps.clickDocumentsLink(HomeSteps.java:179) at .And I click on Documents link(features/my/07.SalesQuotesPage.feature:498)
	And I click on Quotes link
	And I select ''\${quote.filter.option.archived}'' filter option in Quotes page
	When I enter ''\${COMP_NAME_DENIED}'' in search text field in Quotes page
	Then I verify search Result is empty in Quotes page
	And I unselect "\${quote.filter.option.archived}" filter option in Quotes page



[→ Logout

Collapse Sidebar

## After

#### **Back to Table of Contents**

Scenario Outline: 1.Verify "Inforce" quotes should return irrespective of isArchived flag for filter op

2. verify only archived quote is displayed when Archived filter option is selected

Passed: 1

#### Before

# And I scroll the page up

When I select "\${quote.filter.option.in.force}" filter option in Quotes page

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'eb-sme-backend-jenkinslave-v12-gttg3-rl5r7', ip: '10.153.104.18', os.name: 'Lin Driver info: org.openga.selenium.chrome.ChromeDriver

Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103.116, c Session ID: 4359d361ad7e304d789484b541fb67ba

at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)

at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAat java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImp

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

 $at\ org. open qa. selenium. remote. http. W3CHttpResponse Codec. create Exception (W3CHttpResponse) at org. open qa. selenium. remote. http. W3CHttpResponse Codec. create Exception (W3CHttpResponse) at org. open qa. selenium. remote. http. W3CHttpResponse Codec. create Exception (W3CHttpResponse) at org. open qa. selenium. remote. http://www.exception.org. open qa. selenium. remote. remote. remote. http://www.exception.org. open qa. selenium. remote. remo$ 

 $at\ org. open qa. selenium. remote. http. W3CHttpResponseCodec. decode (W3CHttpResponseCodec. januari and the proposed proposed$ 

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.ja

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158 at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.execute(DriverCommandExecutor.execute(DriverCommandExecutor.executor.

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:276)

at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:83)

at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141)

at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)

 $at\ com.pru.sales.portal.pages. Test Base Page.click Button (Test Base Page.java: 184)$ 

at com.pru.sales.portal.pages.QuotesPage.clickFilterButton(QuotesPage.java:45)

 $at\ com.pru.sales.portal.stepdef. Quote Steps.select Filter Option (Quote Steps.java: 74)$ 

at .When I select ''\${quote.filter.option.in.force}'' filter option in Quotes page(features/my/07.Sales

When I enter "\${COMP\_NAME\_INFORCE}" in search text field in Quotes page

Then I wait for 2 sec

And I click on Action button next to searched quote


And I select ''\${quote.action.archive}'' option from Action menu

I'hen I verify searched Quote count is 1

And I unselect "\${quote.filter.option.in.force}" filter option in Ouotes page

And I click on Documents link

And I click on Quotes link
Then I select "\${quote.filter.option.archived}" filter option in Quotes page
When I enter "\${COMP_NAME_INFORCE}" in search text field in Quotes page
Then I wait for 2 sec
Then I verify searched Quote count is 1
And I click on Action button next to searched quote
And I select "\${quote.action.Unarchive}" option from Action menu
And I click on Documents link
And I click on Quotes link
And I select "\${quote.filter.option.archived}" filter option in Quotes page
When I enter "\${COMP_NAME_INFORCE}" in search text field in Quotes page
Then I verify search Result is empty in Quotes page
And I unselect "\${quote.filter.option.archived}" filter option in Quotes page
And I unselect stquote.inter.option.arcinved inter option in Quotes page



[→ Logout

Collapse Sidebar

## After

**Back to Table of Contents** 

Scenario Outline: Verify Action Duplicate for "\${quote.filter.option.draft}"

Passed: 0

#### Before

## And I click on Quotes link

org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <a cl (Session info: headless chrome=83.0.4103.116)

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'eb-sme-backend-jenkinslave-v12-gttg3-rl5r7', ip: '10.153.104.18', os.name: 'Lin Driver info: org.openqa.selenium.chrome.ChromeDriver

Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103.116, c Session ID: 4359d361ad7e304d789484b541fb67ba

at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)

at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorA

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingCons

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponse at org.openqa.selenium.remote.http.W3CHttpResponseCodec.ja

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.ja

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158

 $at\ org. open qa. selenium. remote. service. Driver Command Executor. execute (Driver Command Executor) and the command executor of the command exec$ 

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:276)

at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:83)

at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)

 $at\ com.pru.sales.portal.pages. TestBasePage.clickButton (TestBasePage.java:184)$ 

at com.pru.sales.portal.pages.TestBasePage.clickButtonBasedOnBrowser(TestBasePage.java:927)

at com.pru.sales.portal.pages.HomePage.clickQuotesLink(HomePage.java:89)

at com.pru.sales.portal.stepdef.HomeSteps.clickQuoteLink(HomeSteps.java:174)

at .And I click on Quotes link(features/my/07.SalesQuotesPage.feature:512)

#### And I clear all filter options

When I enter ''\${COMP NAME}'' in search text field in Quotes page

Then I wait for 2 sec

And I click on Action button next to searched quote

And I select ''\${quote.action.duplicate}'' option from Action menu


Then I wait for 2 sec

When I enter ''\${COMP\_NAME}'' in search text field in Quotes page

Then I wait for 2 sec

Then I verify searched Quote count is 2

	Detailed Results Report
Then I select "\${quote	e.filter.option.draft}" filter option in Quotes page
	present only for "Draft" search criteria in "\${quote.table.header.quote.st
Then I verify searched	
· · · · · · · · · · · · · · · · · · ·	button next to searched quote
	action.edit}" option from Action menu
And I wait for 2 sec	
Then I verify company	y name is displayed as entered on select plan page
Company Name \${(	COMP_NAME}
Then I verify the samp	ole text of following fields on select plan page
Position Name	Category 1
No. of Employees	12
Total Employees	12
	pe \${selectplan.industry.type.value1}



[→ Logout

Collapse Sidebar

## After

#### **Back to Table of Contents**

Scenario Outline: Verify Action Duplicate for "\${quote.filter.option.denied}"

Passed: 0

#### Before

## And I click on Quotes link

org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <a cl (Session info: headless chrome=83.0.4103.116)

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'eb-sme-backend-jenkinslave-v12-gttg3-rl5r7', ip: '10.153.104.18', os.name: 'Lin Driver info: org.openqa.selenium.chrome.ChromeDriver

Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103.116, c Session ID: 4359d361ad7e304d789484b541fb67ba

at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)

at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorA

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingCons

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponse at org.openqa.selenium.remote.http.W3CHttpResponseCodec.ja

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.ja

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158

 $at\ org. open qa. selenium. remote. service. Driver Command Executor. execute (Driver Command Executor) and the command executor of the command exec$ 

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:276)

at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:83)

at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141)

at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)

at com.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184)

at com.pru.sales.portal.pages.TestBasePage.clickButtonBasedOnBrowser(TestBasePage.java:927)

at com.pru.sales.portal.pages.HomePage.clickQuotesLink(HomePage.java:89)

at com.pru.sales.portal.stepdef.HomeSteps.clickQuoteLink(HomeSteps.java:174)

at .And I click on Quotes link(features/my/07.SalesQuotesPage.feature:512)

# And I clear all filter options

When I enter "\${COMP\_NAME\_DENIED}" in search text field in Quotes page

Then I wait for 2 sec

And I click on Action button next to searched quote

And I select ''\${quote.action.duplicate}'' option from Action menu


Then I wait for 2 sec

When I enter ''\${COMP\_NAME\_DENIED}'' in search text field in Quotes page

Then I wait for 2 sec


Then I verify searched Quote count is 2

	Detailed Results Report
Then I select "\${auote.filter	r.option.draft}'' filter option in Quotes page
	ent only for ''Draft'' search criteria in ''\${quote.table.header.quote.sta
Then I verify searched Quo	
And I click on Action button	
	n.edit}'' option from Action menu
And I wait for 2 sec	
Then I verify company nam	ne is displayed as entered on select plan page
Company Name \${COM	
	xt of following fields on select plan page
	sition
No. of Employees 10	
Total Employees 10	
	electplan.industry.type.value1}




E→ Logout Collapse Sidebar After **Back to Table of Contents** Scenario: verify Delete popup window Passed: 0 Before And I click on Quotes link org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <a cl (Session info: headless chrome=83.0.4103.116) Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'eb-sme-backend-jenkinslave-v12-gttg3-rl5r7', ip: '10.153.104.18', os.name: 'Lin Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103.116, c Session ID: 4359d361ad7e304d789484b541fb67ba at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorA at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingCons at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponse at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.ja at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.ja at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158  ${f at\ org.open}$ qa. ${f selenium.remote.service.DriverCommandExecutor.execute}$ at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:276) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:83) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19) at com.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184) at com.pru.sales.portal.pages.TestBasePage.clickButtonBasedOnBrowser(TestBasePage.java:927) at com.pru.sales.portal.pages.HomePage.clickQuotesLink(HomePage.java:89) at com.pru.sales.portal.stepdef.HomeSteps.clickQuoteLink(HomeSteps.java:174) at .And I click on Quotes link(features/my/07.SalesQuotesPage.feature:543)

\${quote.delete.popup.delete.button}
Then I click on ''\${quote.delete.popup.cancel.button}'' button
And verify the user is landed on "Quotes" page




E→ Logout Collapse Sidebar After **Back to Table of Contents** Scenario: Verify Draft Quote is deleted Passed: 0 Before When I select "\${quote.filter.option.draft}" filter option in Quotes page org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element < but (Session info: headless chrome=83.0.4103.116) Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'eb-sme-backend-jenkinslave-v12-gttg3-rl5r7', ip: '10.153.104.18', os.name: 'Lin Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103.116, c Session ID: 4359d361ad7e304d789484b541fb67ba at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorA at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingCons at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponse at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.ja at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.ja at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158  ${f at\ org.open}$ qa. ${f selenium.remote.service.DriverCommandExecutor.execute}$ at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openga.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:276) at org.openga.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:83) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19) at com.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184) at com.pru.sales.portal.pages.QuotesPage.clickFilterButton(QuotesPage.java:45) at com.pru.sales.portal.stepdef.QuoteSteps.selectFilterOption(QuoteSteps.java:74) at .When I select "\${quote.filter.option.draft}" filter option in Quotes page(features/my/07.SalesQ




E→ Logout Collapse Sidebar After **Back to Table of Contents** Scenario: Verify Quote Action item Edit for Archived quote Passed: 0 Before When I select ''\${quote.filter.option.archived}'' filter option in Quotes page org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element < but (Session info: headless chrome=83.0.4103.116) Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'eb-sme-backend-jenkinslave-v12-gttg3-rl5r7', ip: '10.153.104.18', os.name: 'Lin Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103.116, c Session ID: 4359d361ad7e304d789484b541fb67ba at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorA at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingCons at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponse at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.ja at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.ja at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158  ${f at\ org.open}$ qa. ${f selenium.remote.service.DriverCommandExecutor.execute}$ at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openga.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:276) at org.openga.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:83) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19) at com.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184) at com.pru.sales.portal.pages.QuotesPage.clickFilterButton(QuotesPage.java:45) at com.pru.sales.portal.stepdef.QuoteSteps.selectFilterOption(QuoteSteps.java:74) at .When I select "\${quote.filter.option.archived}" filter option in Quotes page(features/my/07.Salo

And I click on Quotes link
Then I wait for 5 sec
When I enter ''\${COMP_NAME_ARCHIVE}'' in search text field in Quotes page
And I click on Action button next to searched quote
And I select ''\${quote.action.archive}'' option from Action menu
Then I verify following information is displayed for company "\${COMP_NAME_ARCHIVE}" in
Reference Number not null




E→ Logout Collapse Sidebar After **Back to Table of Contents** Scenario: Verify Quote Action item Unarchive text and cancel function Passed: 0 Before And I click on Quotes link org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <a cl (Session info: headless chrome=83.0.4103.116) Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'eb-sme-backend-jenkinslave-v12-gttg3-rl5r7', ip: '10.153.104.18', os.name: 'Lin Driver info: org.openga.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103.116, c Session ID: 4359d361ad7e304d789484b541fb67ba at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorA at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingCons at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponse at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.ja at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.ja at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158  ${f at\ org.open}$ qa. ${f selenium.remote.service.DriverCommandExecutor.execute}$ at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openga.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:276) at org.openga.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:83) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19) at com.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184) at com.pru.sales.portal.pages.TestBasePage.clickButtonBasedOnBrowser(TestBasePage.java:927) at com.pru.sales.portal.pages.HomePage.clickQuotesLink(HomePage.java:89) at com.pru.sales.portal.stepdef.HomeSteps.clickQuoteLink(HomeSteps.java:174) at .And I click on Quotes link(features/my/07.SalesQuotesPage.feature:595)

	Then I click on ''\${quote.unarchive.popup.cancel.button}'' button




E→ Logout Collapse Sidebar After **Back to Table of Contents** Scenario: Verify Archived Quote is deleted Passed: 0 Before And I click on Quotes link org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <a cl (Session info: headless chrome=83.0.4103.116) Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'eb-sme-backend-jenkinslave-v12-gttg3-rl5r7', ip: '10.153.104.18', os.name: 'Lin Driver info: org.openga.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103.116, c Session ID: 4359d361ad7e304d789484b541fb67ba at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorA at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingCons at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponse at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.ja at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.ja at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158  ${f at\ org.open}$ qa. ${f selenium.remote.service.DriverCommandExecutor.execute}$ at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openga.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:276) at org.openga.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:83) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19) at com.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184) at com.pru.sales.portal.pages.TestBasePage.clickButtonBasedOnBrowser(TestBasePage.java:927) at com.pru.sales.portal.pages.HomePage.clickQuotesLink(HomePage.java:89) at com.pru.sales.portal.stepdef.HomeSteps.clickQuoteLink(HomeSteps.java:174) at .And I click on Quotes link(features/my/07.SalesQuotesPage.feature:609)




E→ Logout Collapse Sidebar After **Back to Table of Contents** Scenario: Verify Quote Action item View for Submitted quote Passed: 0 Before And I clear all filter options org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element < but (Session info: headless chrome=83.0.4103.116) Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'eb-sme-backend-jenkinslave-v12-gttg3-rl5r7', ip: '10.153.104.18', os.name: 'Lin Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103.116, c Session ID: 4359d361ad7e304d789484b541fb67ba at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorA at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingCons at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)  ${f at~org.open}$ qa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponse at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.ja at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.ja at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158  ${f at\ org.open}$ qa. ${f selenium.remote.service.DriverCommandExecutor.execute}$ at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:276) at org.openga.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:83) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19) at com.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184) at com.pru.sales.portal.pages.QuotesPage.clickFilterButton(QuotesPage.java:45) at com.pru.sales.portal.stepdef.QuoteSteps.clearAllFilter(QuoteSteps.java:196) at .And I clear all filter options(features/my/07.SalesQuotesPage.feature:619)

	Detailed Results Report
	When I navigate to "Submit" screen
	Then I verify following buttons are not displayed
	\${confirm.submit.button}
	And I click on "\${close.button}" button
	Then I wait for 2 sec
	Then I verify following text is displayed on "Quotes" page
	\${quote.page.text}
П	



E→ Logout Collapse Sidebar After **Back to Table of Contents** Scenario: Verify Quote Action item View for Inforce quote Passed: 1 Before When I enter "\${COMP NAME INFORCE}" in search text field in Quotes page And I click on Action button next to searched quote org.openga.selenium.NoSuchElementException: no such element: Unable to locate element: {''met (Session info: headless chrome=83.0.4103.116) For documentation on this error, please visit: http://seleniumhq.org/exceptions/no\_such\_element.h Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'eb-sme-backend-jenkinslave-v12-gttg3-rl5r7', ip: '10.153.104.18', os.name: 'Lin Driver info: org.openga.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 83.0.4103.116, c Session ID: 4359d361ad7e304d789484b541fb67ba \*\*\* Element info: {Using=xpath, value=//tbody//tr//td[5]/div/button[1]} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorA at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingCons at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponse at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.ja at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.ja at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158  ${f at\ org.open}$ qa. ${f selenium.remote.service.DriverCommandExecutor.execute}$ at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317) at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java: at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19) at com.pru.sales.portal.pages.TestBasePage.clickButton(TestBasePage.java:184) at com.pru.sales.portal.pages.QuotesPage.clickActionButton(QuotesPage.java:96) at com.pru.sales.portal.stepdef.QuoteSteps.clickActionButton(QuoteSteps.java:84) at .And I click on Action button next to searched quote(features/my/07.SalesQuotesPage.feature:6.

And I verify following buttons are displayed and enabled
\${close.button}
When I navigate to "Submit" screen
Then I verify following buttons are not displayed
\${confirm.submit.button}
And I click on ''\${close.button}'' button
Then I wait for 2 sec
Then I verify following text is displayed on "Quotes" page
\${quote.page.text}



[→ Logout
■ Collapse Sidebar
After
Back to Table of Contents
Scenario: Close Sales Portal
Passed: 1
Before
And I close sales portal
After
Back to Table of Contents
eature: Verify the Get Help page functionality
assed: 5
Scenario: Verify agent should be navigated to Get Help page
Passed: 8
Before
Given Launch sales portal
Output
https://uat-sales.eb.prudential.com.my/
And Laggier value to following variables
And I assign value to following variables
Agent_Email \${agent.email.id.global}
Agent_Password \${agent.password}   When I Login to Sales Portal with below details
UserName \${Agent_Email}
Password \${Agent_Password}
And I enter the verification code if page appears for agent "\${Agent_Email}"
And I toggle the language button as required
Then I verify "\${welcome.to.prudential}" screen is displayed
When I click on "Get Help" Link
And verify the user is landed on "Get Help" page
After
Back to Table of Contents
Scenario: Verify static text on Get Help page
Passed: 3
Before
And I verify h1 header text is displayed on "Get Help" page
And I verify it header text is displayed on Get Help page

\$\langle BarItem.support.label}
Then I verify following text is displayed on "Get Help" page
\$\{\support.what.can.help.text\}
\$\{\support.access.pru.service.desk.text\}
\$\{\support.submit.ticket.text\}
\$\{\support.feedback.text\}
\$\{\support.application.help.text\}
\$\{\support.freq.asked.ques.article.text\}
\${support.direct.support}
\$\{\support.email.text\}
\${support.phone.text}
\${support.email.us.text}
And I verify support phone number are as below
\${support.phone.number.text1}
\${support.phone.number.text2}
ter
ck to Table of Contents
enario: Submit a ticket on sales portal app
sed: 5
fore
And I get parent window handle
When I click on "\${support.feedback.text}" support button
And I wait for 15 sec
Then I verify "\${support.submit.ticket.page.title}" link is opened in new browser tab
And I switch to parent window
ter
ck to Table of Contents
enario: View Knowledge base
sed: 5
fore
And I scroll to the end of page
When I click on "\${support.application.help.text}" support button
And I wait for 15 sec
Then I verify "\${support.application.page.title}" link is opened in new browser tab
And I switch to parent window
ter
ek to Table of Contents
enario: Close from Sales Portal
sed: 1
fore
And I close sales portal
ter
ck to Table of Contents

SOC	ure: Verify product plan by benefit table data is as per requirement d: 5
_	cenario: Login to Sales Portal
	assed: 5
_	efore
D	
	Given Launch sales portal Output
	Output
	https://uat-sales.eb.prudential.com.my/
	And I assign value to following variables
	Agent_Email \${agent.email.id.global}
	Agent_Password \${agent.password}
	When I Login to Sales Portal with below details
	UserName \${Agent_Email}
	Password \${Agent_Password}
	And I enter the verification code if page appears for agent ''\${Agent_Email}''
	Then I verify ''\${welcome.to.prudential}'' screen is displayed
Aí	fter
Ba	ack to Table of Contents
Sc	cenario: Verify default state of Premium and Benefit page
Pa	assed: 6
Be	efore
	When I click on Create Quote Link
	Then I navigate to "Select Plan" screen
	And I click on Premium and Benefits button
	Then I verify following buttons are displayed and enabled
	\${close.button}
	And I verify h1 header text is displayed on "Benefit Page" page
	\${group.plan.static.text}
	And I verify following static text on "Benefit Page" page
	\${coverage.plan.static.text}
	\${benefit.total.static.text}
	\${benefit.ghs.text}
	\${benefit.ghs.hospital.text}
	\${benefit.ghs.surgical.text}
	\${benefit.ghs.non.surgical.text}
	\${benefit.ghs.other.text}
	\${benefit.ghs.Additional.text} \${select.plan.gtl.gadd.text}

	Annual Premium per Member (with GHS)
	RM11.40
	RM282.76
A	fter
=	ack to Table of Contents
S	cenario Outline: Compare plan by Annual benefit data for "\${select.plan.group.coverage.gtl.text}"
_	issed: 1
В	efore
	Then I verify "GTL_ANNUAL" csv file data matches with Plans By Benefits table "GroupTermL
	Output
	UI Data:{Pre-Surgical Consultation and Diagnosis Benefit={Benefit=As Charged}, Loss of all sight in both eyes={Benefit=100   Test Data:{Pre-Surgical Consultation and Diagnosis Benefit={Benefit=As Charged}, Loss of all sight in both eyes={Benefit=10   Test Data:{Pre-Surgical Consultation and Diagnosis Benefit=10   Tes
<u> </u>	ļ fter
<b>—</b>	nck to Table of Contents
_	cenario: Close premium and benefit screen and logout ussed: 2
_	efore
F	
	When I click on "\${close.button}" button
	And I Logout of the sales portal  fter
	uck to Table of Contents
	cenario: Close from Sales Portal
_	ssed: 1
	efore
F	
_	And I close sales portal  fter
_	ack to Table of Contents
	ure: Verify Quote is getting multiplied by number of employees and based on premium for selected
	d: 12
	cenario: Launch Sales portal and navigate to New Quote page
-	ssed: 5
B	efore
	Given Launch sales portal
	Output
	https://uat-sales.eb.prudential.com.my/
	And Lossian value to following variables
	And I assign value to following variables

\${agent.email.id.global} Agent\_Email Agent\_Password \${agent.password} When I Login to Sales Portal with below details UserName \${Agent\_Email} Password | \${Agent\_Password} And I enter the verification code if page appears for agent "\${Agent\_Email}" Then I verify "\${welcome.to.prudential}" screen is displayed **After Back to Table of Contents** Scenario: Load Premium and modal factor csy file Passed: 3 Before When I click on Create Quote Link Then I navigate to "Select Plan" screen And I assign value to following variables ANNUAL\_PREMIUM\_WITHOUT\_GHS\_AFTER\_TAX 11.40 ANNUAL\_PREMIUM\_WITH\_GHS\_AFTER\_TAX 282.76 **After Back to Table of Contents** Scenario Outline: Estimated Annual Premium for Plan "GTL" for number of members "1" Passed: 7 Before And I enter following details on select plan page No. of Employees 1 And I click on PAMB GHS "\${selectplan.ghs.no.button}" button And I calculate the estimated premium value for the selected plans into below variable ESTIMATED\_PREMIUM\_ANNUALIZED 1 \* \${ANNUAL\_PREMIUM\_WITHOUT\_GHS\_A Output ESTIMATED PREMIUM ANNUALIZED=11.4 Then I verify the the Estimated Annual Premium value on screen should match with "\${ESTIMA} Actual Estimated Premium value on screen =11.40 Expected Estimated Premium value on screen =11.4 And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button And I calculate the estimated premium value for the selected plans into below variable ESTIMATED\_PREMIUM\_ANNUALIZED|1 \* \${ANNUAL\_PREMIUM\_WITH\_GHS\_AFTE

	Output Control of the
	ESTIMATED_PREMIUM_ANNUALIZED=282.76
	Then I verify the the Estimated Annual Premium value on screen should match with ''\${ESTIMA} Output
	Actual Estimated Premium value on screen =282.76 Expected Estimated Premium value on screen =282.76
f	ter
	ck to Table of Contents
c	enario Outline: Estimated Annual Premium for Plan "GTL" for number of members "4"
_	ssed: 7
e	efore
	And I enter following details on select plan page
	No. of Employees 4
	And I click on PAMB GHS "\${selectplan.ghs.no.button}" button
	And I calculate the estimated premium value for the selected plans into below variable
	ESTIMATED_PREMIUM_ANNUALIZED 4 * \${ANNUAL_PREMIUM_WITHOUT_GHS_A
	Output
	ESTIMATED_PREMIUM_ANNUALIZED=45.6
	Then I verify the the Estimated Annual Premium value on screen should match with "\${ESTIMA
	Output
	Actual Estimated Premium value on screen =45.60 Expected Estimated Premium value on screen =45.6
	And I click on PAMB GHS ''\${selectplan.ghs.yes.button}'' button
	And I calculate the estimated premium value for the selected plans into below variable
	ESTIMATED_PREMIUM_ANNUALIZED 4 * \${ANNUAL_PREMIUM_WITH_GHS_AFTE
	Output
	ESTIMATED_PREMIUM_ANNUALIZED=1131.04

1	Then I verify the the Estimated Annual Premium value on screen should match with ''\${ESTIMA
C	Dutput
-	actual Estimated Premium value on screen =1131.04
Ε	Expected Estimated Premium value on screen =1131.04
\fte	
	to Table of Contents
	nario Outline: Estimated Annual Premium for Plan "GTL" for number of members "5"
	ed: 7
ass Befo	
_	And I enter following details on select plan page
F	No. of Employees 5
	And I click on PAMB GHS "\${selectplan.ghs.no.button}" button
_	And I calculate the estimated premium value for the selected plans into below variable
<u></u>	ESTIMATED_PREMIUM_ANNUALIZED 5 * \${ANNUAL_PREMIUM_WITHOUT_GHS_A}
C	Dutput
_	
Ε	STIMATED_PREMIUM_ANNUALIZED=57.0
	Then I verify the the Estimated Annual Premium value on screen should match with "\${ESTIMA
C	Dutput
F	actual Estimated Premium value on screen =57.00
Ε	Expected Estimated Premium value on screen =57.0
-	and Lakish on DAMD CHC !!¢(galactralan aha waa hattan)!! hattan
	and I click on PAMB GHS "\${selectplan.ghs.yes.button}" button
F	And I calculate the estimated premium value for the selected plans into below variable ESTIMATED_PREMIUM_ANNUALIZED 5 * \${ANNUAL_PREMIUM_WITH_GHS_AFTED}
c	Dutput
_	
E	STIMATED_PREMIUM_ANNUALIZED=1413.8
i.	
7	Then I verify the the Estimated Annual Premium value on screen should match with "\${ESTIMA
C	Dutput
[	
,	actual Estimated Premium value on screen =1413.80
	Expected Estimated Premium value on screen = 1413.8

14	
ter	
	ole of Contents
	Outline: Estimated Annual Premium for Plan "GTL" for number of members "50"
ssed: 7	
fore	
And I	enter following details on select plan page
No.	of Employees 50
And I	click on PAMB GHS ''\${selectplan.ghs.no.button}'' button
And I	calculate the estimated premium value for the selected plans into below variable
EST	TIMATED_PREMIUM_ANNUALIZED 50 * \${ANNUAL_PREMIUM_WITHOUT_GE
Output	
ESTIM <i>?</i>	TED_PREMIUM_ANNUALIZED=570.0
Then I	verify the the Estimated Annual Premium value on screen should match with "\${ESTI
Output	
	stimated Premium value on screen =570.00 I Estimated Premium value on screen =570.0
Expected	1 Estimated Premium value on screen =570.0
Expected  And I	Elick on PAMB GHS ''\${selectplan.ghs.yes.button}'' button
Expected  And I of An	Estimated Premium value on screen = 570.0  Click on PAMB GHS ''\${selectplan.ghs.yes.button}'' button  Calculate the estimated premium value for the selected plans into below variable
Expected  And I of An	Elick on PAMB GHS ''\${selectplan.ghs.yes.button}'' button
And I ( And I ( EST)	Estimated Premium value on screen = 570.0  Click on PAMB GHS ''\${selectplan.ghs.yes.button}'' button  Calculate the estimated premium value for the selected plans into below variable
And I ( And I ( ESTIMA	Elick on PAMB GHS ''\${selectplan.ghs.yes.button}'' button  calculate the estimated premium value for the selected plans into below variable  TIMATED_PREMIUM_ANNUALIZED 50 * \${ANNUAL_PREMIUM_WITH_GHS_A}
And I ( And I ( ESTIMA	Estimated Premium value on screen =570.0  Click on PAMB GHS ''\${selectplan.ghs.yes.button}'' button  Calculate the estimated premium value for the selected plans into below variable  TIMATED_PREMIUM_ANNUALIZED 50 * \${ANNUAL_PREMIUM_WITH_GHS_A}  ATED_PREMIUM_ANNUALIZED=14138.0
And I ( And I ( ESTIMA  ESTIMA  Then I Output	Estimated Premium value on screen =570.0  Click on PAMB GHS ''\${selectplan.ghs.yes.button}'' button  Calculate the estimated premium value for the selected plans into below variable  TIMATED_PREMIUM_ANNUALIZED 50 * \${ANNUAL_PREMIUM_WITH_GHS_A}  ATED_PREMIUM_ANNUALIZED=14138.0
And I ( And I ( ESTIMA  ESTIMA  Then I Output  Actual E Expected	Elick on PAMB GHS ''\${selectplan.ghs.yes.button}'' button calculate the estimated premium value for the selected plans into below variable TIMATED_PREMIUM_ANNUALIZED 50 * \${ANNUAL_PREMIUM_WITH_GHS_A}  TED_PREMIUM_ANNUALIZED=14138.0  verify the the Estimated Annual Premium value on screen should match with ''\${ESTD}  stimated Premium value on screen = 14138.00
And I ( And I ( ESTIMA  Then I Output  Actual E Expected	Elick on PAMB GHS ''\${selectplan.ghs.yes.button}'' button calculate the estimated premium value for the selected plans into below variable TIMATED_PREMIUM_ANNUALIZED 50 * \${ANNUAL_PREMIUM_WITH_GHS_A}  TED_PREMIUM_ANNUALIZED=14138.0  verify the the Estimated Annual Premium value on screen should match with ''\${ESTD}  stimated Premium value on screen = 14138.00

U	<u>re</u>
A	nd I enter following details on select plan page
	No. of Employees 100
	nd I click on PAMB GHS "\${selectplan.ghs.no.button}" button
A	nd I calculate the estimated premium value for the selected plans into below variable
	ESTIMATED_PREMIUM_ANNUALIZED 100 * \${ANNUAL_PREMIUM_WITHOUT_
Ο	ıtput
E	STIMATED_PREMIUM_ANNUALIZED=1140.0
	hen I verify the the Estimated Annual Premium value on screen should match with "\${ES}
O	<u>itput</u>
A	ctual Estimated Premium value on screen =1140.00
Е	spected Estimated Premium value on screen =1140.0
_	nd I click on PAMB GHS "\${selectplan.ghs.yes.button}" button
A	nd I calculate the estimated premium value for the selected plans into below variable
	ESTIMATED_PREMIUM_ANNUALIZED 100 * \${ANNUAL_PREMIUM_WITH_GHS
	ESTIMATED_PREMIUM_ANNUALIZED 100 * \${ANNUAL_PREMIUM_WITH_GHS
0	ESTIMATED_PREMIUM_ANNUALIZED 100 * \${ANNUAL_PREMIUM_WITH_GHS
0	ESTIMATED_PREMIUM_ANNUALIZED 100 * \${ANNUAL_PREMIUM_WITH_GHS
0	ESTIMATED_PREMIUM_ANNUALIZED 100 * \${ANNUAL_PREMIUM_WITH_GHS
O E	ESTIMATED_PREMIUM_ANNUALIZED 100 * \${ANNUAL_PREMIUM_WITH_GHS
O E	ESTIMATED_PREMIUM_ANNUALIZED 100 * \${ANNUAL_PREMIUM_WITH_GHS  Itput  STIMATED_PREMIUM_ANNUALIZED=28276.0
O T	ESTIMATED_PREMIUM_ANNUALIZED 100 * \${ANNUAL_PREMIUM_WITH_GHS  Itput  STIMATED_PREMIUM_ANNUALIZED=28276.0  hen I verify the the Estimated Annual Premium value on screen should match with ''\${EST
E T	ESTIMATED_PREMIUM_ANNUALIZED 100 * \${ANNUAL_PREMIUM_WITH_GHS}  STIMATED_PREMIUM_ANNUALIZED=28276.0  hen I verify the the Estimated Annual Premium value on screen should match with ''\${EST_utput}
О Т О	ESTIMATED_PREMIUM_ANNUALIZED 100 * \${ANNUAL_PREMIUM_WITH_GHS  Itput  STIMATED_PREMIUM_ANNUALIZED=28276.0  hen I verify the the Estimated Annual Premium value on screen should match with ''\${EST
О Т О	ESTIMATED_PREMIUM_ANNUALIZED 100 * \${ANNUAL_PREMIUM_WITH_GHS}  STIMATED_PREMIUM_ANNUALIZED=28276.0  then I verify the the Estimated Annual Premium value on screen should match with ''\${EST_  striput  ctual Estimated Premium value on screen = 28276.00
О Т О	ESTIMATED_PREMIUM_ANNUALIZED 100 * \${ANNUAL_PREMIUM_WITH_GHS}  STIMATED_PREMIUM_ANNUALIZED=28276.0  then I verify the the Estimated Annual Premium value on screen should match with ''\${EST_  striput  ctual Estimated Premium value on screen = 28276.00
E A E	ESTIMATED_PREMIUM_ANNUALIZED 100 * \${ANNUAL_PREMIUM_WITH_GHS}  STIMATED_PREMIUM_ANNUALIZED=28276.0  hen I verify the the Estimated Annual Premium value on screen should match with ''\${EST}  utput  ctual Estimated Premium value on screen =28276.00  spected Estimated Premium value on screen =28276.0
O A A E	ESTIMATED_PREMIUM_ANNUALIZED 100 * \${ANNUAL_PREMIUM_WITH_GHS}  STIMATED_PREMIUM_ANNUALIZED=28276.0  hen I verify the the Estimated Annual Premium value on screen should match with ''\${EST}  utput  ctual Estimated Premium value on screen =28276.00  spected Estimated Premium value on screen =28276.0
O AAEE	ESTIMATED_PREMIUM_ANNUALIZED 100 * \${ANNUAL_PREMIUM_WITH_GHS}  STIMATED_PREMIUM_ANNUALIZED=28276.0  then I verify the the Estimated Annual Premium value on screen should match with ''\${EST}  atput  ctual Estimated Premium value on screen =28276.00  spected Estimated Premium value on screen =28276.00
O AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	ESTIMATED_PREMIUM_ANNUALIZED 100 * \${ANNUAL_PREMIUM_WITH_GHS}  STIMATED_PREMIUM_ANNUALIZED=28276.0  then I verify the the Estimated Annual Premium value on screen should match with ''\${EST}  stiput  ctual Estimated Premium value on screen =28276.00  spected Estimated Premium value on screen =28276.00  spected Estimated Premium value on screen =28276.00
O A A E E E E E E E E E E E E E E E E E	ESTIMATED_PREMIUM_ANNUALIZED 100 * \${ANNUAL_PREMIUM_WITH_GHS}  STIMATED_PREMIUM_ANNUALIZED=28276.0  STIMATED_PREMIUM_ANNUALIZED=28276.0  STIMATED_PREMIUM_ANNUALIZED=28276.0  STIMATED_PREMIUM_ANNUALIZED=28276.0  STIMATED_PREMIUM_ANNUALIZED=28276.0  STIMATED_PREMIUM_ANNUALIZED=28276.0  STIMATED_PREMIUM_ANNUALIZED=28276.0  STIMATED_PREMIUM_WITH_GHS  STIMATED_PREMIUM_WITH_GHS  STIMATED_PREMIUM_WITH_GHS  STIMATED_PREMIUM_WITH_GHS  STIMATED_PREMIUM_WITH_GHS  STIMATED_PREMIUM_WITH_GHS  STIMATED_PREMIUM_ANNUALIZED=28276.0  STIMATED
T O A A E E E E E E E E E E E E E E E E E	ESTIMATED_PREMIUM_ANNUALIZED 100 * \${ANNUAL_PREMIUM_WITH_GHS}  STIMATED_PREMIUM_ANNUALIZED=28276.0  STIMATED_PREMIUM_ANNUALIZED=28276.0  STIMATED_PREMIUM_ANNUALIZED=28276.0  STIMATED_PREMIUM_ANNUALIZED=28276.0  City of the the Estimated Annual Premium value on screen should match with "\${EST}  STIMATED_PREMIUM_ANNUALIZED=28276.0  STIMATED_PREMIUM_ANNUALIZED=28276.0  STIMATED_PREMIUM_WITH_GHS  STIMATED_PREMIUM_WITH_GHS  STIMATED_PREMIUM_WITH_GHS  STIMATED_PREMIUM_ANNUALIZED=28276.0  STIMA
T A A A E E E E E E E E E E E E E E E E	ESTIMATED_PREMIUM_ANNUALIZED 100 * \${ANNUAL_PREMIUM_WITH_GHS}  STIMATED_PREMIUM_ANNUALIZED=28276.0  STIMATED_PREMIUM_ANNUALIZED=28276.0  STIMATED_PREMIUM_ANNUALIZED=28276.00  STIMATED_PREMIUM_ANNUALIZED=28276.00  STIMATED_PREMIUM_ANNUALIZED=28276.00  STIMATED_PREMIUM_ANNUALIZED=28276.00  STIMATED_PREMIUM_ANNUALIZED=28276.00  STIMATED_PREMIUM_ANNUALIZED=28276.00  STIMATED_PREMIUM_WITH_GHS  STIMATED_PREMIUM_WITH_GHS  STIMATED_PREMIUM_WITH_GHS  STIMATED_PREMIUM_WITH_GHS  STIMATED_PREMIUM_WITH_GHS  STIMATED_PREMIUM_ANNUALIZED=28276.0  STIMATED_PREMIUM_ANNUALIZED=2

	calculate the estimated premium value for the selected plans into below variable
	TIMATED_PREMIUM_ANNUALIZED 200 * \${ANNUAL_PREMIUM_WITHOUT_GHS_
Output	
ESTIN	IATED_PREMIUM_ANNUALIZED=2280.0
	I verify the the Estimated Annual Premium value on screen should match with "\${ESTIMA
Output	
	Estimated Premium value on screen =2280.00 ed Estimated Premium value on screen =2280.0
	click on PAMB GHS "\${selectplan.ghs.yes.button}" button
-	calculate the estimated premium value for the selected plans into below variable
	TIMATED_PREMIUM_ANNUALIZED 200 * \${ANNUAL_PREMIUM_WITH_GHS_AFT
Output	
ESTIM	IATED_PREMIUM_ANNUALIZED=56552.0
Then	I verify the the Estimated Annual Premium value on screen should match with "\${ESTIMA}"
Output	
	Estimated Premium value on screen =56552.00 ed Estimated Premium value on screen =56552.0
fter	
	able of Contents
	Outline: Estimated Annual Premium for Plan "GTL" for number of members "1000"
ssed: 7	Outmet Estimated Aminda Fernanti for Fun GTE for number of members 1000
efore	
_	enter following details on select plan page
	o. of Employees 1000
	[ click on PAMB GHS "\${selectplan.ghs.no.button}" button
	calculate the estimated premium value for the selected plans into below variable
	TIMATED_PREMIUM_ANNUALIZED 1000 * \${ANNUAL_PREMIUM_WITHOUT_GHS
Output	TIMATED_PREMIUM_AMMUALIZED 1000 * \${AMMUAL_PREMIUM_WITHOUT_GH
Output	

	ESTIMATED_PREMIUM_ANNUALIZED=11400.0					
	Then I verify the the Estimated Annual Premium value on screen should match with "\${ESTIMA					
	Output					
	Actual Estimated Premium value on screen =11400.00					
	Expected Estimated Premium value on screen =11400.0					
	And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button					
	And I calculate the estimated premium value for the selected plans into below variable					
	ESTIMATED_PREMIUM_ANNUALIZED 1000 * \${ANNUAL_PREMIUM_WITH_GHS_AF					
	Output					
	ESTIMATED_PREMIUM_ANNUALIZED=282760.0					
	Then I verify the the Estimated Annual Premium value on screen should match with "\${ESTIMA Output					
	Actual Estimated Premium value on screen =282760.00 Expected Estimated Premium value on screen =282760.0					
	îter					
	ck to Table of Contents					
_	seenario Outline: Estimated Annual Premium for Plan "GTL" for number of members "5000" ssed: 7					
_	efore					
	And I enter following details on select plan page					
	No. of Employees 5000					
	And I click on PAMB GHS "\${selectplan.ghs.no.button}" button					
	And I calculate the estimated premium value for the selected plans into below variable					
	ESTIMATED_PREMIUM_ANNUALIZED 5000 * \${ANNUAL_PREMIUM_WITHOUT_GH					
	Output					
	ESTIMATED_PREMIUM_ANNUALIZED=57000.0					
	Then I verify the the Estimated Annual Premium value on screen should match with "\${ESTIM					
	Output					


	ck on PAMB GHS ''\${selectplan.ghs.yes.button}'' button					
And I calculate the estimated premium value for the selected plans into below variable						
	MATED_PREMIUM_ANNUALIZED 5000 * \${ANNUAL_PREMIUM_WITH_GHS					
Output						
ESTIMATI	ED_PREMIUM_ANNUALIZED=1413800.0					
Then I v	erify the the Estimated Annual Premium value on screen should match with "\${EST					
Output	φ(281)					
Actual Feti	mated Premium value on screen =1413800.00					
1	Estimated Premium value on screen =1413800.00					
1						
L						
ter						
1 / 70 11						
<u>ek to Table</u>	of Contents					
	of Contents utline: Estimated Annual Premium for Plan "GTL" for number of members "10000"					
enario Ou						
enario Ou						
enario Ou sed: 7 fore						
enario Ou sed: 7 fore And I en	utline: Estimated Annual Premium for Plan "GTL" for number of members "10000"					
enario Ou sed: 7 fore And I en No. of	utline: Estimated Annual Premium for Plan "GTL" for number of members "10000"  ter following details on select plan page f Employees 10000					
enario Ou sed: 7 fore And I en No. of And I cli	utline: Estimated Annual Premium for Plan "GTL" for number of members "10000" ter following details on select plan page					
enario Ou sed: 7 fore And I en No. of And I cli	ter following details on select plan page f Employees 10000 ck on PAMB GHS "\${selectplan.ghs.no.button}" button					
enario Ou sed: 7 fore And I en No. of And I cli And I ca ESTI	ter following details on select plan page f Employees 10000 ck on PAMB GHS "\${selectplan.ghs.no.button}" button lculate the estimated premium value for the selected plans into below variable					
enario Ou sed: 7 fore And I en No. of And I cli And I ca ESTI	ter following details on select plan page f Employees 10000 ck on PAMB GHS "\${selectplan.ghs.no.button}" button lculate the estimated premium value for the selected plans into below variable					
enario Oused: 7 fore  And I en No. of And I cli And I ca ESTI	ter following details on select plan page f Employees 10000 ck on PAMB GHS "\${selectplan.ghs.no.button}" button lculate the estimated premium value for the selected plans into below variable MATED_PREMIUM_ANNUALIZED 10000 * \${ANNUAL_PREMIUM_WITHOUT					
enario Oused: 7 fore  And I en No. of And I cli And I ca ESTI	ter following details on select plan page f Employees 10000 ck on PAMB GHS "\${selectplan.ghs.no.button}" button lculate the estimated premium value for the selected plans into below variable					
enario Oused: 7 fore  And I en No. of And I cli And I ca ESTI	ter following details on select plan page f Employees 10000 ck on PAMB GHS "\${selectplan.ghs.no.button}" button lculate the estimated premium value for the selected plans into below variable MATED_PREMIUM_ANNUALIZED 10000 * \${ANNUAL_PREMIUM_WITHOUT					
enario Oused: 7 fore And I en No. of And I cli And I ca ESTII Output	ter following details on select plan page f Employees 10000 ck on PAMB GHS "\${selectplan.ghs.no.button}" button lculate the estimated premium value for the selected plans into below variable MATED_PREMIUM_ANNUALIZED 10000 * \${ANNUAL_PREMIUM_WITHOUT}  ED_PREMIUM_ANNUALIZED=114000.0					
enario Oused: 7 fore  And I en No. of And I cli And I ca ESTI Output  ESTIMATI	ter following details on select plan page f Employees 10000 ck on PAMB GHS "\${selectplan.ghs.no.button}" button lculate the estimated premium value for the selected plans into below variable MATED_PREMIUM_ANNUALIZED 10000 * \${ANNUAL_PREMIUM_WITHOUT					
enario Oussed: 7 fore  And I en No. of And I cli And I ca ESTII Output	ter following details on select plan page f Employees 10000 ck on PAMB GHS "\${selectplan.ghs.no.button}" button lculate the estimated premium value for the selected plans into below variable MATED_PREMIUM_ANNUALIZED 10000 * \${ANNUAL_PREMIUM_WITHOUT}  ED_PREMIUM_ANNUALIZED=114000.0					
enario Oused: 7 fore  And I en No. of And I cli And I ca ESTI Output  ESTIMATI	ter following details on select plan page f Employees 10000 ck on PAMB GHS "\${selectplan.ghs.no.button}" button lculate the estimated premium value for the selected plans into below variable MATED_PREMIUM_ANNUALIZED 10000 * \${ANNUAL_PREMIUM_WITHOUT}  ED_PREMIUM_ANNUALIZED=114000.0					

And I calculate the estimated premium value for the selected plans into below variable  ESTIMATED_PREMIUM_ANNUALIZED 10000 * \${ANNUAL_PREMIUM_WITH_GHS_}.						
0	putput					
ESTIMATED_PREMIUM_ANNUALIZED=2827600.0						
	actual Estimated Premium value on screen =2827600.00 xpected Estimated Premium value on screen =2827600.0					
fte	r					
	to Table of Contents					
	nario: Close Sales Portal					
	ed: 1					
efo						
_						
_	and I close sales portal					
fte						
1CK	to Table of Contents					
ure	e: Verify agent can download the quotes in pdf format and check all information is correct for					
d: 5						
cen	nario: Login to sales portal					
isse	ed: 5					
efo	re					
G	Given Launch sales portal					
O	utput					
https://uat-sales.eb.prudential.com.my/						
L						
	nd Laggign value to following variables					
A	and I assign value to following variables					
A	Agent_Email \${agent.email.id.global}					
A	Agent_Email \${agent.email.id.global} Agent_Password \${agent.password}					
	Agent_Email\${agent.email.id.global}Agent_Password\${agent.password}Agent_ID\${agent.email.id.agentcode}					
	Agent_Email \${agent.email.id.global} Agent_Password \${agent.password} Agent_ID \${agent.email.id.agentcode}  When I Login to Sales Portal with below details					
	Agent_Email\${agent.email.id.global}Agent_Password\${agent.password}Agent_ID\${agent.email.id.agentcode}					

	Then I verify "\${welcome.to.prudential}" screen is displayed						
Af	fter						
Ba	Back to Table of Contents						
Sc	enario: Assign value to variables and enter details on select plan page						
Pa	ssed: 7						
Be	Before Sefore Se						
	Given I assign "/testdata/my/ExportQuote" to variable "testdata.path"						
	Output						
Assigning value /testdata/my/ExportQuote to variable testdata.path							
	And I assign "GTL_Annual.txt" to variable "FILE_NAME"						
	Output						
	Assigning value GTL_Annual.txt to variable FILE_NAME						
	And I generate "current date" and assign to variable "PDF_GENERATION_DATE" in "yyyyMN						
	And I generate "current date" and assign to variable "PDF_GENERATION_DATE_1" in "dd/M						
	And I generate random number and assign to variable "RANDOM_NUMBER"						
	Output						
	Random number generated is :344						
	And I assign "Gtl_\${RANDOM_NUMBER}" to variable "COMP_NAME"						
Output							
	A 1 Cd 24407027222						
	Assigning value Gtl_34427027232 to variable COMP_NAME						
	And I generate "future date" and assign to variable "COVERACE DATE" in "dd/MM/yyyy" for						
A 4	And I generate "future date" and assign to variable "COVERAGE_DATE" in "dd/MM/yyyy" for After						
⊨							
_	ck to Table of Contents						
	enario: Select plan and category						
	Passed: 4						
Be	Before						
	When I click on Create Quote Link						
	Then verify the user is landed on "Select Plan" page						
	Then I enter following details on select plan page						

_							
	Company Name \${COMP_NAME}						
	Select Coverage Date \${COVERAGE_DATE}						
	No. of Employees 10						
	And I click on PAMB GHS "\${selectplan.ghs.yes.button}" button						
⊨	After						
_	Back to Table of Contents						
	Scenario: Save Quote and get reference number from Quotes screen						
	Passed: 11						
Be	Before						
	And I click on "\${saveQuote.button.text}" button						
	And I get the estimated premium value displayed on select plan page and assign to variable	"ESTI					
	Then I wait for 5 sec						
	When I click on Quotes link						
	And I enter "\${COMP_NAME}" in search text field in Quotes page						
	Then I get the reference number for searched quote in variable "REF_NUMBER"						
	Output						
	Reference number is: PAMBY86XOP						
	And I click on Action button next to searched quote						
	And I select "\${quote.action.edit}" option from Action menu						
	And I assign "\${COMP_NAME}_\${REF_NUMBER}_\${PDF_GENERATION_DATE}.pdf	' to vai					
	Output						
	Assigning value Gtl_34427027232_PAMBY86XOP_20210227.pdf to variable DOWNLOADED_FILENAME						
	Given I assign the downloaded file "\${DOWNLOADED_FILENAME}" to variable "EXPO	RT_Q					
	And I assign value to following variables						
	QUOTE_REF \${REF_NUMBER}						
	φ(ItEL_I(CIIELLI)						
	TOTAL_PREMIUM_PER_YEAR \${ESTIMATED_PREMIUM_VAL}						
Af							
	TOTAL_PREMIUM_PER_YEAR \${ESTIMATED_PREMIUM_VAL}						
Ba	TOTAL_PREMIUM_PER_YEAR \${ESTIMATED_PREMIUM_VAL}  fter  ack to Table of Contents						
Ba Sc	TOTAL_PREMIUM_PER_YEAR \${ESTIMATED_PREMIUM_VAL}  fter						
Ba Sc Pa	TOTAL_PREMIUM_PER_YEAR \${ESTIMATED_PREMIUM_VAL}  fter  nck to Table of Contents  cenario Outline: Verify Export Quote is working in "Select Plan" page in sales Journey						
Ba Sc Pa	TOTAL_PREMIUM_PER_YEAR \${ESTIMATED_PREMIUM_VAL}  fter  nck to Table of Contents  cenario Outline: Verify Export Quote is working in "Select Plan" page in sales Journey  assed: 6  efore						
Ba Sc Pa	TOTAL_PREMIUM_PER_YEAR \${ESTIMATED_PREMIUM_VAL}  fter  ick to Table of Contents  cenario Outline: Verify Export Quote is working in "Select Plan" page in sales Journey  issed: 6  efore  And I wait for 5 sec						
Ba Sc Pa	TOTAL_PREMIUM_PER_YEAR \${ESTIMATED_PREMIUM_VAL}  fter  nek to Table of Contents  cenario Outline: Verify Export Quote is working in "Select Plan" page in sales Journey  assed: 6  efore  And I wait for 5 sec  Given I delete the downloaded file "\${EXPORT_QUOTE_PATH}" if it already exists						
Ba Sc Pa	TOTAL_PREMIUM_PER_YEAR \${ESTIMATED_PREMIUM_VAL}  fter  ick to Table of Contents  cenario Outline: Verify Export Quote is working in "Select Plan" page in sales Journey  issed: 6  efore  And I wait for 5 sec  Given I delete the downloaded file "\${EXPORT_QUOTE_PATH}" if it already exists  When I navigate to "Select Plan" screen						
Ba Sc Pa	TOTAL_PREMIUM_PER_YEAR \${ESTIMATED_PREMIUM_VAL}  fter  nek to Table of Contents  cenario Outline: Verify Export Quote is working in "Select Plan" page in sales Journey  assed: 6  efore  And I wait for 5 sec  Given I delete the downloaded file "\${EXPORT_QUOTE_PATH}" if it already exists						

ŗ	Then I verify downloaded file name is "\${EXPORT_QUOTE_PATH}"
(	Dutput
]	Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/Gtl_34427027232_PAMBY86XOP_20210227.pdf
1	And I verify downloaded PDF file ''\${EXPORT_QUOTE_PATH}'' should contain the values in fi
4	java.lang.AssertionError: If the Insured Member dies (due to all causes or natural causes), the Deat org.junit.Assert.fail(Assert.java:88) at org.junit.Assert.assertTrue(Assert.java:41) at com.prudential.tap.tapsteps.PdfSteps.verifyDownloadedPDFText(PdfSteps.java:77) at .And I verify downloaded PDF file "\${EXPORT_QUOTE_PATH}" should contain the values in the contain the contain the values in the contain the values in the contain the contain the values in the contain



	€	> Logout	
	n	Collansa Sidobar	
		Collapse Sidebar	
A	fter		
Ba	ck to Tab	able of Contents	
So	cenario (	Outline: Verify Export Quote is working in "Employees" page in sales Journey	7
	ssed: 6		
B	efore		
		I wait for 5 sec	
		n I delete the downloaded file ''\${EXPORT_QUOTE_PATH}'' if it already exists	5
		I navigate to "Employees" screen	
		I click on export quote button I wait for 15 sec	
		I verify downloaded file name is "\${EXPORT_QUOTE_PATH}"	
	Output		
	Downloa	oaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/Gtl_34427027232_PAMBY86XOP_	20210227.pdf
	And I v	I verify downloaded PDF file "\${EXPORT_QUOTE_PATH}" should contain th	e values in fil
	at org.j at org.j at com.	lang.AssertionError: If the Insured Member dies (due to all causes or natural cag.junit.Assert.fail(Assert.java:88) g.junit.Assert.assertTrue(Assert.java:41) m.prudential.tap.tapsteps.PdfSteps.verifyDownloadedPDFText(PdfSteps.java:7' nd I verify downloaded PDF file ''\${EXPORT_QUOTE_PATH}'' should contain	7)

## **PRUDENTIAL** New Quote Information Ouotes Documents PRUDENTIAL 35/ Profile Get Help

## Select Plan

Memb

New Quote

Gtl\_34427027232

## PDPA Consent Requirement

## Agent's declaration


By submitting these documents, I declare

- a. I am authorised by the Company nam
- **b.** I have explained to the Company the acceptance to these terms and conditions:
  - i. The information and documents s
  - ii. The information or document sul the Company's application for group
  - iii. The Company's duties under the
  - iv. If there is any incomplete, untrue part of the quotation and take any ac
  - v. The personal data, including any Privacy Policy displayed on its corpor
  - vi. PAMB's Privacy Policy will be up latest version of the Privacy Policy on
- To the best of my knowledge, I believe correct;
- **d.** I will not keep any of the original and that are not submitted to PAMB, to the Co
- e. I understand that PAMB reserves the (including quotation generation) or after the
- f. I have not tampered, altered and/or m
- g. I have not withheld any information a

Q

Search Name, NRIC or Email


	۲.								
	Ĺ→	Logout		N	Members (0)				
	01	Collapse Sidebar		<	Previous				
A	After								
Ba	ck to Tal	ble of Contents							
So	enario	Outline: Verify E	Export Quote	is work	king in "Com	pany'' page	in sales Jou	rney	
	Passed: 6								
Be	Before								
		wait for 5 sec							
		I delete the down			ORT_QUOTI	E_PATH}''	if it already	exists	
		I navigate to "Co		een					
		click on export q wait for 15 sec	uote button						
		wait for 15 sec verify download	od filo nomo	ic "\$IF	YPORT OU	OTE DATE	<b>1</b> )''		
	Output	erny download	eu me name	18 \${E	AFORT_QU	OIE_FAII	1}		
	ŗ								
	Downlo	aded file name=/tmp/v	vorkspace/me-sa	les-portal-	-ui-tests_develop/	/Gtl_344270272	232_PAMBY86	5XOP_20210227.pdf	
	And I	verify downloade	ed PDF file ''	\${EXP(	ORT_QUOTE	E_PATH}'' s	should conta	ain the values in fil	
java.lang.AssertionError: If the Insured Member dies (due to all causes or natural causes), t at org.junit.Assert.fail(Assert.java:88) at org.junit.Assert.assertTrue(Assert.java:41) at com.prudential.tap.tapsteps.PdfSteps.verifyDownloadedPDFText(PdfSteps.java:77) at .And I verify downloaded PDF file '\\${EXPORT_QUOTE_PATH}'' should contain the va							ava:77)		



Membe Gtl\_34427027232 **Primary Contact Details** This will be the primary account administrator **Company Details Company Registration Number** 

Telephone Number

[→	Logout		
			029999999
0	Collapse Sidebar	< P	revious
After			
	<u>lle of Contents</u>		
	Outline: Verify Export Quot	e is working	g in "Submit" page in sales Journey
Passed: 6 Before			
_	wait for 5 sec		
		''\${EXPOR	T_QUOTE_PATH}" if it already exists
	I navigate to "Submit" scree		1_QUOTE_1ATII) II it aircady caists
	click on export quote button		
	wait for 15 sec		
	verify downloaded file name	e is ''\${EXP	ORT_QUOTE_PATH}"
Output			
And I	verify downloaded PDF file '	'\${EXPOR	T_QUOTE_PATH}'' should contain the values in fi
at org.j at org.j at com	junit.Assert.fail(Assert.java: junit.Assert.assertTrue(Asse .prudential.tap.tapsteps.Pdf	88) rt.java:41) Steps.verify	ber dies (due to all causes or natural causes), the DownloadedPDFText(PdfSteps.java:77) DRT_QUOTE_PATH}" should contain the values in



	€	Logout															
	0	Collapse Side	bar	<	Pre	vic	ous									İ	
Af	fter																
Ba	ck to Tab	le of Contents															
Sc	enario:	Close Sales 1	Portal														
Pa	ssed: 1																
Be	efore																
	And I	close sales po	ortal														
Af	fter																
Ba	ck to Tab	le of Contents															
Featr	ıre: Ver	ify agent can	download the q	nuotes in	ndf	for	mat	and	che	ck a	ll inf	orn	natio	nn is	corr	ect f	for G
Passed		ily agent can	i do villoud the q	uotes III	pur	101	THE C	uiiu	CHIC			.011	10010		COII		UI G
		Login to sale	es portal														
	ssed: 5	20811 00 541	es por un														
	efore																
	Given 1	Launch sales	nortal														
	Output	<u>Dadren sares</u>	portur														
	[																
	https://ua	ıt-sales.eb.prude	ntial.com.my/														
	A 1.T	• 1	4 6 11 •														
			to following vari			1											
		nt_Email	\${agent.email.i		}												
			l \${agent.passwo			4											
		nt_ID	\${agent.email.i														
			les Portal with b	below de	tails												
		rName \${Age															
		1, 0	ent_Password}						<b></b>								
			ification code if							gent	_Er	nail	<u>}''</u>				
		verify "\${we	elcome.to.prude	ntial}'' so	creer	1 IS	disp	layed	<u>a</u>								
	fter																
		<u>le of Contents</u>							_								
		Assign value	e to variables and	d enter d	letail	S O	n sel	ect p	lan	pag	e						
_	ssed: 7																
Be	efore																
		l assign "/tes	tdata/my/Expor	tQuote"	to v	ari	able '	"test	tdat	a.pa	th"						
	Output																

A	Assigning value /testdata/my/ExportQuote to variable testdata.path
A	And I assign "GTL_WithoutGHS.txt" to variable "FILE_NAME"
C	Dutput
A	Assigning value GTL_WithoutGHS.txt to variable FILE_NAME
Δ	And I generate "current date" and assign to variable "PDF_GENERATION_DATE" in "yyyyMI
_	
_	And I generate "current date" and assign to variable "PDF_GENERATION_DATE_1" in "dd/M
<u></u>	And I generate random number and assign to variable "RANDOM_NUMBER"
C	Dutput Control of the
F	Random number generated is :978
	ALI
_	And I assign "Gtl_\${RANDOM_NUMBER}" to variable "COMP_NAME"
C	Dutput
A	Assigning value Gtl_97827027217 to variable COMP_NAME
	And I generate "future date" and assign to variable "COVERAGE_DATE" in "dd/MM/yyyy" fo
Afte	er
Back	c to Table of Contents
Scer	nario: Select plan and category
Pass	ed: 4
Befo	
_	When I click on Create Quote Link
<u> </u>	Then verify the user is landed on "Select Plan" page
_	Then I enter following details on select plan page
ΙÉ	Company Name \${COMP_NAME}
	Select Coverage Date \${COVERAGE_DATE}
	No. of Employees 10
A	And I click on PAMB GHS ''\${selectplan.ghs.no.button}'' button
Afte	
=	t to Table of Contents
	nario: Save Quote and get reference number from Quotes screen
Pass	ed: 11

Before
And I click on "\${saveQuote.button.text}" button
And I get the estimated premium value displayed on select plan page and assign to variable "EST
Then I wait for 5 sec
When I click on Quotes link
And I enter "\${COMP_NAME}" in search text field in Quotes page
Then I get the reference number for searched quote in variable "REF_NUMBER"
Output
Reference number is: PAMBOR2AGT
And I click on Action button next to searched quote
And I select "\${quote.action.edit}" option from Action menu
And I assign "\${COMP_NAME}_\${REF_NUMBER}_\${PDF_GENERATION_DATE}.pdf" to various and the second secon
Output
Assigning value Gtl_97827027217_PAMBOR2AGT_20210227.pdf to variable DOWNLOADED_FILENAME
Given I assign the downloaded file "\${DOWNLOADED_FILENAME}" to variable "EXPORT_O
And I assign value to following variables
QUOTE_REF \${REF_NUMBER}
TOTAL_PREMIUM_PER_YEAR \${ESTIMATED_PREMIUM_VAL}
<u>After</u>
Back to Table of Contents
Scenario Outline: Verify Export Quote is working in "Select Plan" page in sales Journey
Passed: 6
Before Section 1997 -
And I wait for 5 sec
Given I delete the downloaded file ''\${EXPORT_QUOTE_PATH}'' if it already exists
When I navigate to "Select Plan" screen
And I click on export quote button
And I wait for 15 sec
Then I verify downloaded file name is "\${EXPORT_QUOTE_PATH}"
Output
Downloaded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/Gtl_97827027217_PAMBOR2AGT_20210227.pdf
And I worlfy downloaded DDE file !!f(EVDODT_OUOTE_DATIT)!!
And I verify downloaded PDF file ''\${EXPORT_QUOTE_PATH}'' should contain the values in f

at org.juni at org.juni	AssertionError t.Assert.fail(As t.Assert.assert' idential.tap.tap	ssert.java:88) True(Assert.j	ava:41)				
at com.pru at .And I v	erify download	led PDF file '	'\${EXPORT	T_QUOTE_	PATH}" sh	ould contain	n the values

PRUDENTIAL 73/	Select Plan Membe
+ New Quote	New Quote Gtl_97827027217
마 Information	
[일 Quotes	
Documents	Effective Date of Coverage
	01/03/2021
	Group Plan
	Group Term Life (GTL)
	Death Benefit (due to ALL causes)
Powered by PRUDENTIAL ************************************	Total and Permanent Disability Benefit (TPD)
PA Profile	Group Accidental Death and Disablement Be
۞ Get Help	

	€	Logout
	0	Collapse Sidebar
A	fter	
_		ple of Contents
		Outline: Verify Export Quote is working in "Employees" page in sales Journey
	ssed: 6	Stemes verily Export Quote is working in Employees page in suces source;
В	efore	
	And I v	wait for 5 sec
	Given l	I delete the downloaded file "\${EXPORT_QUOTE_PATH}" if it already exists
	When l	I navigate to ''Employees'' screen
		click on export quote button
		wait for 15 sec
		verify downloaded file name is "\${EXPORT_QUOTE_PATH}"
	Output	
	Downloa	aded file name=/tmp/workspace/me-sales-portal-ui-tests_develop/Gtl_97827027217_PAMBOR2AGT_20210227.pdf
	And I v	verify downloaded PDF file ''\${EXPORT_QUOTE_PATH}'' should contain the values in fi
	at org.j at org.j at com.	ng.AssertionError: If the Insured Member dies (due to all causes or natural causes), the De junit.Assert.fail(Assert.java:88) junit.Assert.assertTrue(Assert.java:41) .prudential.tap.tapsteps.PdfSteps.verifyDownloadedPDFText(PdfSteps.java:77) d I verify downloaded PDF file ''\${EXPORT_QUOTE_PATH}'' should contain the values in

# **PRUDENTIAL** New Quote Information Ouotes Documents PRUDENTIAL 35/ Profile Get Help

### Select Plan

Memb

New Quote

Gtl\_97827027217

## PDPA Consent Requirement

### Agent's declaration


By submitting these documents, I declare

- a. I am authorised by the Company nam
- **b.** I have explained to the Company the acceptance to these terms and conditions:
  - i. The information and documents s
  - ii. The information or document sul the Company's application for group
  - iii. The Company's duties under the
  - iv. If there is any incomplete, untrue part of the quotation and take any ac
  - v. The personal data, including any <u>Privacy Policy displayed on its corpor</u>
  - vi. PAMB's Privacy Policy will be up latest version of the Privacy Policy on
- To the best of my knowledge, I believe correct;
- **d.** I will not keep any of the original and that are not submitted to PAMB, to the Co
- e. I understand that PAMB reserves the (including quotation generation) or after the
- f. I have not tampered, altered and/or m
- g. I have not withheld any information a

Q

Search Name, NRIC or Email

	٠.								
	L→	Logout		N	Members (0)				
	0	Collapse Sidebar		<	Previous				
A	fter								
Ba	ck to Tab	ole of Contents							
So	enario (	Outline: Verify Ex	port Quote	is work	king in "Comp	pany'' page	in sales Jou	ırney	
	ssed: 6								
Be	efore								
		wait for 5 sec							
		I delete the downl			ORT_QUOTE	C_PATH}''	if it already	exists	
		I navigate to "Cor		en					
		click on export qu wait for 15 sec	ote button						
		verify downloade	d filo nomo i	e "CIE	VPOPT OH	TE DATE	ייו		
	Output	verny downloade	u me name	is of E.	ATOKI_QU	JIL_IAII	1 }		
	Downloa	aded file name=/tmp/wo	orkspace/me-sal	es-portal- 	-ui-tests_develop/	Gt1_978270272	217_PAMBOR	2AGT_20210227.pdf	
	And I	verify downloaded	PDF file ''\$	{EXPC	ORT_QUOTE	_PATH}'' s	should cont	ain the values in	fil
	at org. at org. at com	ng.AssertionError junit.Assert.fail(A junit.Assert.assert .prudential.tap.ta l I verify downloa	ssert.java:88 True(Assert psteps.PdfSt	8) t.java:4 teps.ver	l1) rifyDownloadd	edPDFText	(PdfSteps.ja	ava:77)	




# Membe Gtl\_97827027217 **Primary Contact Details** This will be the primary account administrator Mobile Number

# **Company Details**

**Company Registration Number** 

Telephone Number

_	Logout	
		029999999
0	Collapse Sidebar	<b>〈</b> Previous
ter		
	ole of Contents	
	Outline: Verify Export Quot	e is working in "Submit" page in sales Journey
ssed: 6 efore		
_	wait for 5 sec	
Given	I delete the downloaded file '	'\${EXPORT_QUOTE_PATH}'' if it already exists
	I navigate to "Submit" scree	n
	click on export quote button wait for 15 sec	
		e is ''\${EXPORT_QUOTE_PATH}''
Output	verny downloaded life hame	ψ(LM ORI_QCOLL_IMIN)
And I	verify downloaded PDF file '	(CVDODT OHOTE DATH)" should contain the values in fi
at org. at org. at com	junit.Assert.fail(Assert.java: junit.Assert.assertTrue(Asse .prudential.tap.tapsteps.Pdf	
at org. at org. at com	junit.Assert.fail(Assert.java: junit.Assert.assertTrue(Asse .prudential.tap.tapsteps.Pdf	sured Member dies (due to all causes or natural causes), the 88) rt.java:41) Steps.verifyDownloadedPDFText(PdfSteps.java:77)



### Detailed Results Report

