

Overview

	Passed	Failed	Known	Undefined	Total	%Passed
Features	9	17	0	0	26	35%
Scenarios	83	198	0	0	281	30%
Steps	663	198	0	316	1,177	56%

Overall Duration: 1h 23m 37s

Table of Contents

1. Verify login functionality on One pulse App
 1. Launch the app and select the country as per specified Ibu
 2. login to the app with correct credentials using "Continue with Email"
 3. Verify the Invalid Email id in login screen using "Continue with Email"
 4. Verify the User not registered email in login screen using "Continue with Email"
 5. User should be able to retrieve the reset password using forget password link
 6. Verify Account should be locked after entering more than 7 times incorrect passwords
 7. Verify the Login Functionality using "Continue with Facebook"
2. Verify registration functionality on one pulse App
 1. User should be able to register on app with correct credentials using "Continue with Email"
 2. verify the field label on registration screen
 3. verify the validation message for mandatory fields
 4. verify validation message when user enters Invalid password: Pulse@1 on registration page
 5. verify validation message when user enters Invalid password: Pulse123 on registration page
 6. Verify the validation message when user enter already registered email id on registration page
 7. Verify the mobile number screen validation using "Continue with Email"
 8. Verify the Registration screen validation using "Continue with Email"
 9. Verify the resend OTP functionality on Enter OTP Screen using "Continue with Email"
3. Verify Edit Profile functionality on Pulse Health & Wealth app
 1. Launch the app and select the country as per specified Ibu
 2. login to the app with correct credentials using "Continue with Email"
 3. Verify User should be able to navigate to Edit profile screen
 4. Verify User should be able to change the profile picture in edit profile screen
 5. Verify the email,country code and COR fields are non-editable in edit profile screen
 6. Verify user can able to change the details in edit profile screen
 7. Verify Details updated during pulse profile registration should be reflected in edit profile screen
 8. verify the user details should be correctly on babylon screen
 9. navigate back to health screen
4. Verify the Babylon Registration via HRA journey
 1. User should be able to Register for Babylon HRA
 2. User should be able to Register for Babylon HRA
5. Verify that user can locate near by Hospitals,clinics using PruShoppe Location feature
 1. Launch the app and select the country as per specified Ibu
 2. login to the app with correct credentials using "Continue with Email"

3. User should be able to locate Hospitals using PruShoppe location
4. User can see details of listed hospitals in detail
5. User can see the details in speciality tab
6. User can see the details in doctor's tab
7. User can see the details in rooms tab
8. User can navigate out of the hospital details screen
9. User should be able to locate cli using PruShoppe location
10. User can verify the clinic page
11. User can view listed clinic details
12. User can view listed clinic info
13. User can view listed clinic info details
14. User can navigate back to clinics screen
6. Verify Medicine Reminder Positive Flow functionality on one pulse App
 1. User should be able to register on app with correct credentials using "Continue with Email"
 2. Verify User should be able to navigate to medical reminder page
 3. verify the static text on medicine reminder screen
 4. verify add medicine screen is launched and user can enter the required info on medical info screen
 5. verify user navigated to schedule screen and user can enter the required info
 6. Verify User should be able to navigate to More Setting page
 7. verify Add medicine screen is displayed when user click on add new reminder on success popup
 8. verify medicine reminder home screen is displayed when user click on not now button on success popup
 9. navigate to health screen
 10. Verify User should be able to navigate to calendar page
7. Verify MY Event channel functionality on one pulse App
 1. Launch the app and select the country as per specified Ibu
 2. login to the app with correct credentials using "Continue with Email"
 3. Verify MyEvent Functionality in Home screen
 4. Verify Events Archive tab
 5. Verify Open Events tab
8. Verify My Health Content functionality on One Pulse App
 1. Launch the app and select the country as per specified Ibu
 2. User should be able to login on app with correct credentials using "Continue with Email"
 3. Verify User should be able to navigate to Health page
 4. Verify User should be able to view the full page article post
 5. Verify User should be able to see the Like, Share, Comment options on full page article post
 6. Verify User should be able to Like the post in full article view screen
 7. Verify User should be able to Share the post in full article view screen
 8. Verify User can navigate to Health homepage
9. Verify Notification Center functionality on one pulse App
 1. User should be able to register on app with correct credentials using "Continue with Email"
 2. Navigate to notification screen via home screen
 3. Verify User should be able to see the Notification screen texts
10. Verify My Challenges on One Pulse App
 1. Launch the app and select the country as per specified Ibu
 2. User should be able to login on app with correct credentials using "Continue with Email"

3. Verify My Challenges texts
4. Click on All challenges and and verify texts
11. Verify My Communities on One Pulse App
 1. Launch the app and select the country as per specified Ibu
 2. User should be able to login on app with correct credentials using "Continue with Gmail"
 3. User should be able to login on app with correct credentials using "Continue with Email" and Verify the Mycommunities screen
 4. Leave the community if already joined
 5. Verify the All Communities Post screen
 6. Verify the Likes and comments counts in All communities tab
 7. Verify the Share with Friends Functionality in All communities tab
 8. Verify the Post Functionality in All communities
 9. Verify the Category list and search feature
 10. User navigates back to the community screen
 11. Leave the community if already joined
12. Verify Private My Communities on One Pulse App
 1. Launch the app and select the country as per specified Ibu
 2. User should be able to login on app with correct credentials using "Continue with Email"
 3. Verify the My communities screen
 4. Verify the Private Communities in communities screen
13. Verify legal and legacy on One pulse App
 1. Launch the app and select the country as per specified Ibu
 2. login to the app with correct credentials using "Continue with Email"
 3. Navigate to account screen
 4. Verify the Legacy and Privacy should be displayed
 5. Verify the Terms and condition screen should be displayed
 6. Verify the Privacy screen should be displayed
 7. Verify the Regulator screen should be displayed
14. Verify My accounts options in Account screen
 1. Launch the app and select the country as per specified Ibu
 2. login to the app with correct credentials using "Continue with Email"
 3. Navigate to account screen and verify all the options
 4. Verify wearable screen in Account tab
 5. navigate back to account screen from my wearable screen
 6. Navigate to account screen
 7. Verify reward screen in Account tab
 8. User access My Rewards FAQ
 9. Verify the FAQ on my rewards screen
 10. Verify the FAQ on my rewards screen
 11. Verify the FAQ on my rewards screen
 12. Verify the FAQ on my rewards screen
 13. Verify the FAQ on my rewards screen
 14. Verify the FAQ on my rewards screen
 15. Verify the FAQ on my rewards screen
 16. Verify the FAQ on my rewards screen
 17. navigate back to account screen from my rewards screen
 18. Verify Notification screen in Account tab
 19. navigate back to account screen from Notification screen
 20. Verify my feedback screen in Account tab
 21. Verify the submit functionality in My feedback screen
 22. Verify the Pulse Personalised tab

23. Save the consent with data privacy check
24. Save the consent without data privacy check
25. navigate back to account screen from pulse personalised screen
15. Verify MySettings functionality in Account screen
 1. Launch the app and select the country as per specified Ibu
 2. login to the app with correct credentials using "Continue with Email"
 3. Navigate to account screen
 4. Verify my setting screen in Account tab
 5. navigate back to account screen from my setting screen
16. Verify My wearable functionality via fitness tab on Pulse Health & Wealth app
 1. Launch the app and select the country as per specified Ibu
 2. login to the app with correct credentials using "Continue with Email"
 3. Verify the user can access My Wearables via Fitness
17. Verify the BabyLon HRA Report - Nutrition, Body, Activity
 1. Launch the app and select the country as per specified Ibu
 2. login to the app with correct credentials using "Continue with Email"
 3. User should be able to access Babylon Health Risk Assessment Report
 4. Verify the HRA Activity Report
 5. Verify the HRA Activity Report
 6. Verify the HRA Nutrition Report
 7. Verify the HRA Report - Keep It Up sub-section
 8. Verify the HRA Report - Make a Change sub-section
 9. User should be able to access Babylon HRA - Healthcheck - Body
 10. navigate back to digital twin screen
 11. User should be able to access Babylon HRA - Healthcheck - Nutrition
 12. Navigate back to nutrition screen and validate the static text
 13. navigate back to digital twin screen
 14. User should be able to access Babylon HRA - Healthcheck - Activity
 15. Navigate back to Activity screen and validate the static text
 16. navigate back to digital twin screen
 17. User should be able to access Babylon HRA - Healthcheck - Mood
 18. navigate back to digital twin screen
18. Verify that user can access calendar under health section
 1. Launch the app and select the country as per specified Ibu
 2. login to the app with correct credentials using "Continue with Email"
 3. User should be able to access Calendar screen
19. Verify that user can access Chinese Medicine feature
 1. User should be able to register on app with correct credentials using "Continue with Email"
 2. User should be able to access Chinese Medicine screen
 3. Verify the carousel on Chinese Medicine journey
 4. Verify the carousel on Chinese Medicine journey
 5. verify the text and button on final assessment carousel
 6. User should be able to complete Chinese Medicine profile
 7. Verify the Q&A on Chinese Medicine journey
 8. Verify the Q&A on Chinese Medicine journey
 9. Verify the Q&A on Chinese Medicine journey
 10. Verify the Q&A on Chinese Medicine journey
 11. Verify the Q&A on Chinese Medicine journey
 12. Verify the Q&A on Chinese Medicine journey
 13. Verify the Q&A on Chinese Medicine journey

- [illegible]

65. Verify the Q&A on Chinese Medicine journey
66. Verify the Q&A on Chinese Medicine journey
67. Verify the Q&A on Chinese Medicine journey
68. Verify the Q&A on Chinese Medicine journey
69. Verify the Q&A on Chinese Medicine journey
70. Verify the Assessment completion screen
71. Verify the user can view the Assessment Record
72. Verify the Assessment Summary
73. Verify the "Constitution" Details of the Assessment
74. Verify the "Change In Tongue" Details of the Assessment
20. Verify Dietician Positive Flow for Doctor functionality on one pulse App
 1. Verify the Home screen validation using "Continue with Email"
 2. Verify User should be able to navigate to Dietician page
 3. Select the expert type as doctor and navigate to next screen
 4. Verify User should be able to navigate to specialisation page
 5. Verify User should be able to navigate to Educational Details page
 6. Verify User should be able to navigate to Add experience page
 7. Verify User should be able to navigate to Services Offered page
 8. Verify User should be able to navigate to achievement and awards screen
 9. Verify User should be able to navigate to Seminar(s) Attended page
 10. Verify User should be able to navigate to linked clinic page
 11. Verify User should be able to navigate to Take a Picture page
 12. Verify User should be able to navigate to schedule Calendar page
21. Verify that user can manage events via the Family Vaccine Calendar feature
 1. User should be able to register on app with correct credentials using "Continue with Email"
 2. User should be able to access my family vaccination calendar
 3. Verify the user can Add Vaccine Information
 4. enter information on add vaccination popup
 5. Verify the added item displayed on the Vaccine Schedule screen
 6. Verify reminder options in vaccine schedule
 7. Verify change reminder functionality in vaccine schedule screen
22. Verify that user can access Dengue Alert feature
 1. Launch the app and select the country as per specified Ibu
 2. login to the app with correct credentials using "Continue with Email"
 3. Verify the map can be expanded
 4. User should be able to view the Dengue Outbreak - Malaysia
 5. User should be able to view the Dengue Cases - Malaysia
23. Verify Pru infectious disease cover functionality on one pulse App
 1. User should be able to register on app with correct credentials using "Continue with Email"
 2. Navigate to PRU Shoppe screen
 3. Verify User should be able to see the infectious disease cover screen options
 4. Verify User should be able to see the infectious disease cover Screen options
 5. Verify User should be able to see the infectious disease cover term and condition
 6. Verify User should be able to see the infectious disease cover term and condition
 7. Verify User should be able to see the infectious disease cover term and condition
 8. Verify User should be able to see the infectious disease cover term and condition
 9. verify that user can see agreement and proceed button
24. Verify Pru Shoppe My Coverage functionality on one pulse App
 1. Launch the app and select the country as per specified Ibu

2. [login to the app with correct credentials using "Continue with Email"](#)
3. [Verify user can access his policies from Pru Shoppe My Policies screen](#)
4. [Click on Link policy and verify screen to add policy number](#)
5. [Verify the error message when the Policy Number is blank](#)
6. [Verify the error message when the Policy Number is invalid or incorrect](#)
7. [Verify the error message when the Cancel Button](#)
25. [Verify wealth channel functionality on one pulse App](#)
 1. [Launch the app and select the country as per specified Ibu](#)
 2. [login to the app with correct credentials using "Continue with Email"](#)
 3. [Verify User should be able to navigate to wealth page](#)
 4. [Verify User should be able to view the story post](#)
 5. [Verify User should be able to Like the post](#)
 6. [Verify User should be able to Share the post](#)
 7. [Verify User should be able to Comment the post](#)
 8. [Verify User should be able to view the full page article post](#)
 9. [Verify User should be able to see the Like, Share, Comment options on full page article post](#)
 10. [Verify User should be able to Like the post in full article view screen](#)
 11. [Verify User should be able to Share the post in full article view screen](#)
 12. [Verify User should be able to Comment the post in full article view screen](#)
 13. [Verify User can navigate to wealth homepage](#)
26. [Verify share with friends functionality in onepulse app](#)
 1. [Launch the app and select the country as per specified Ibu](#)
 2. [login to the app with correct credentials using "Continue with Email"](#)
 3. [Verify User should be able to share the link with Whatsapp](#)
 4. [Verify User should be able to share the link with Contacts app](#)
 5. [Verify User should be able to share the link with Messenger app](#)
 6. [Verify User should be able to share the link with Viber app](#)
 7. [Verify User should be able to share the link with Line app](#)

Detailed Results Report

Feature: Verify login functionality on One pulse App				
Passed: 7		Failed: 0	Undefined: 0	Duration: 631.24s
Scenario: Launch the app and select the country as per specified Ibu				
Passed: 8		Failed: 0	Undefined: 0	Duration: 47.45s
Before		0.38s		
Given User has pulse app				10.82s
And I assign "\${login.email.id}" to variable "PULSE_EMAIL"				0.01s
And user click on "CONTINUE WITH EMAIL" with Email button				16.05s
Then I change the country as required on registration page				11.59s
Then I wait for 2 sec				2.00s
Then I change the language as required on registration page				0.00s
And I click the Sign in link				4.89s
Then I verify below language options on toggle bar as per specified Ibu on login page				1.71s
After		0.00s		

[Back to Table of Contents](#)
Scenario: login to the app with correct credentials using "Continue with Email"

Passed: 6	Failed: 0	Undefined: 0	Duration: 43.01s
Before			0.00s

Given I select the language option on toggle bar as required on login page	2.24s				
When user enters credentials	10.34s				
<table> <tr> <td>UserName</td><td>\${PULSE_EMAIL}</td></tr> <tr> <td>Password</td><td>\${login.password}</td></tr> </table>	UserName	\${PULSE_EMAIL}	Password	\${login.password}	
UserName	\${PULSE_EMAIL}				
Password	\${login.password}				
And User clicks on signin button	0.26s				
And I wait for 5 sec	5.01s				
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	10.47s				
Then user should be landed to "Home" screen	14.70s				

After	0.00s
-------	-------

[Back to Table of Contents](#)
Scenario: Verify the Invalid Email id in login screen using "Continue with Email"

Passed: 15	Failed: 0	Undefined: 0	Duration: 65.72s
Before			0.00s

Given User has pulse app	10.90s				
Then I wait for 2 sec	2.01s				
And user click on "CONTINUE WITH EMAIL" with Email button	13.69s				
Then I change the country as required on registration page	11.96s				
Then I wait for 2 sec	2.01s				
And I click the Sign in link	4.83s				
Then I wait for 2 sec	2.01s				
And I select the language option on toggle bar as required on login page	2.25s				
When user enters credentials	9.88s				
<table> <tr> <td>UserName</td><td>t@gmail</td></tr> <tr> <td>Password</td><td>Pas\$1234</td></tr> </table>	UserName	t@gmail	Password	Pas\$1234	
UserName	t@gmail				
Password	Pas\$1234				
And User clicks on signin button	0.22s				
Then verify invalid email message "Email is required"	0.64s				
Then User clicks on Forgot Password button	0.23s				
Then enter the email to request the new password	3.50s				
<table> <tr> <td>Email</td><td>t@gmail</td></tr> </table>	Email	t@gmail			
Email	t@gmail				
Then User clicks on Send button	0.76s				
Then verify invalid email message "\${email.invalid.text}"	0.85s				

After	0.00s
-------	-------

[Back to Table of Contents](#)
Scenario: Verify the User not registered email in login screen using "Continue with Email"

Passed: 17	Failed: 0	Undefined: 0	Duration: 70.17s
Before			0.00s

Given I generate random number and assign to variable "RANDOM_NUMBER"	0.01s
And I assign value to following variables	0.00s

	USER_NAME	taf-#{RANDOM_NUMBER}@mailinator.com	
	USER_PASSWORD	Pas\$1234	
Given User has pulse app			10.56s
And user click on "CONTINUE WITH EMAIL" with Email button			15.99s
Then I change the country as required on registration page			11.79s
Then I wait for 2 sec			2.01s
And I click the Sign in link			4.86s
Then I wait for 2 sec			2.00s
And I select the language option on toggle bar as required on login page			2.26s
When user enters credentials			9.87s
	UserName	#{USER_NAME}	
	Password	#{USER_PASSWORD}	
And I scroll down			4.56s
And User clicks on signin button			0.28s
Then verify invalid email message "\${invalid.credential.message}"			0.96s
Then User clicks on Forgot Password button			0.21s
Then enter the email to request the new password			3.02s
	Email	#{USER_NAME}	
Then User clicks on Send button			0.73s
Then verify invalid email message "\${invalid.credential.message}"			1.08s
After			0.00s
Back to Table of Contents			
Scenario: User should be able to retrieve the reset password using forgot password link			
Passed: 8	Failed: 0	Undefined: 0	Duration: 42.35s
Before			0.00s
And I assign "\${forgot.password.email.id}" to variable "PULSE_EMAIL"			0.00s
Then enter the email to request the new password			3.58s
	Email	#{PULSE_EMAIL}	
Then User clicks on Send button			0.72s
And I read the otp for emailid "\${PULSE_EMAIL}" using mailsac api and store into a variable "EMAIL_OTP"			26.87s
Then I wait for 5 sec			5.01s
Then I enter "\${EMAIL_OTP}" reset code			0.99s
Then I wait for 5 sec			5.00s
Then Verify message: "\${password.reset.success.text}" for Reset Password			0.17s
After			0.00s
Back to Table of Contents			
Scenario: Verify Account should be locked after entering more than 7 times incorrect passwords			
Passed: 20	Failed: 0	Undefined: 0	Duration: 279.08s
Before			0.00s
Given I generate random number and assign to variable "RANDOM_NUMBER"			0.00s

And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"		0.00s								
And User has pulse app		8.79s								
Then I wait for 2 sec		2.01s								
And user click on "CONTINUE WITH EMAIL" with Email button		14.90s								
Then I change the country as required on registration page		11.95s								
Then I wait for 5 sec		5.02s								
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button		3.73s								
Then I wait for 2 sec		2.00s								
When user enters registration details		7.19s								
	<table><tr><td>FirstName</td><td>testAutomation</td></tr><tr><td>LastName</td><td>testAutomation</td></tr><tr><td>Email</td><td>\${PULSE_EMAIL}</td></tr><tr><td>Password</td><td>Pas\$1234</td></tr></table>	FirstName	testAutomation	LastName	testAutomation	Email	\${PULSE_EMAIL}	Password	Pas\$1234	
FirstName	testAutomation									
LastName	testAutomation									
Email	\${PULSE_EMAIL}									
Password	Pas\$1234									
And taps on continue "Sign_Up" button		0.32s								
Then I wait for otp screen after clicking on signup button		3.83s								
Then I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"		30.32s								
Then I click skip button		116.30s								
Then user should be landed to "Home" screen		13.49s								
Then I wait for 4 sec		4.01s								
And I click the Account icon in Home screen		0.30s								
And I click the sign out from pulse app		19.03s								
Then I wait for 2 sec		2.00s								
Then I enter invalid password on login screen and verify the error message		33.90s								
	<table><tr><td>Pas\$123##\${invalid.credential.message}</td></tr><tr><td>Pas\$123##\${invalid.credential.message}</td></tr><tr><td>Pas\$123##\${invalid.credential.message}</td></tr><tr><td>Pas\$123##\${invalid.credential.message}</td></tr><tr><td>Pas\$123##\${invalid.credential.message}</td></tr><tr><td>Pas\$123##\${invalid.credential.message}</td></tr><tr><td>Pas\$123##\${invalid.credential.message}</td></tr><tr><td>Pas\$123##\${account.locked.message}</td></tr></table>	Pas\$123##\${invalid.credential.message}	Pas\$123##\${invalid.credential.message}	Pas\$123##\${invalid.credential.message}	Pas\$123##\${invalid.credential.message}	Pas\$123##\${invalid.credential.message}	Pas\$123##\${invalid.credential.message}	Pas\$123##\${invalid.credential.message}	Pas\$123##\${account.locked.message}	
Pas\$123##\${invalid.credential.message}										
Pas\$123##\${invalid.credential.message}										
Pas\$123##\${invalid.credential.message}										
Pas\$123##\${invalid.credential.message}										
Pas\$123##\${invalid.credential.message}										
Pas\$123##\${invalid.credential.message}										
Pas\$123##\${invalid.credential.message}										
Pas\$123##\${account.locked.message}										
After		0.00s								
Back to Table of Contents										
Scenario: Verify the Login Functionality using "Continue with Facebook"										
Passed: 13	Failed: 0	Undefined: 0								
Before		0.00s								
	Given User has pulse app	9.53s								
	Then I wait for 2 sec	2.01s								
	And user click on "CONTINUE WITH EMAIL" with Email button	13.99s								
	Then I wait for 2 sec	2.01s								
	Then I change the country as required on registration page	11.29s								
	Then I wait for 2 sec	2.03s								

Then I navigate to pulse registration page and select the lang on toggle bar	3.53s				
Then I click on connect with facebook button	0.22s				
Then I wait for 2 sec	2.01s				
And I click the "Email" in Continue with Facebook	2.68s				
<table border="1"> <tr> <td>Emailid</td><td>\${emailid.text}</td></tr> <tr> <td>Password</td><td>\${password.texts}</td></tr> </table>	Emailid	\${emailid.text}	Password	\${password.texts}	
Emailid	\${emailid.text}				
Password	\${password.texts}				
Then I wait for 10 sec	10.01s				
Then user should be landed to "Home" screen	14.26s				
And I logout from onepulse app	9.91s				
After	0.00s				
Back to Table of Contents					

Feature: [Verify registration functionality on one pulse App](#)

Passed: 9	Failed: 0	Undefined: 0	Duration: 722.38s
-----------	-----------	--------------	-------------------

Scenario: User should be able to register on app with correct credentials using "Continue with Email"											
Passed: 47	Failed: 0	Undefined: 0	Duration: 241.98s								
Before			0.00s								
Given I generate random number and assign to variable "RANDOM_NUMBER"			0.00s								
And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"			0.00s								
And User has pulse app			9.50s								
Then I wait for 2 sec			2.02s								
And user click on "CONTINUE WITH EMAIL" with Email button			13.86s								
Then I wait for 2 sec			2.01s								
Then I change the country as required on registration page			11.67s								
Then I wait for 2 sec			2.01s								
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button			3.76s								
Then I wait for 2 sec			2.02s								
When user enters registration details			7.29s								
<table><tr><td>FirstName</td><td>testAutomation</td></tr><tr><td>LastName</td><td>testAutomation</td></tr><tr><td>Email</td><td>\${PULSE_EMAIL}</td></tr><tr><td>Password</td><td>Pas\$1234</td></tr></table>			FirstName	testAutomation	LastName	testAutomation	Email	\${PULSE_EMAIL}	Password	Pas\$1234	
FirstName	testAutomation										
LastName	testAutomation										
Email	\${PULSE_EMAIL}										
Password	Pas\$1234										
And taps on continue "Sign_Up" button			0.30s								
Then I wait for otp screen after clicking on signup button			3.81s								
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"			30.93s								
Then I wait for 2 sec			2.01s								
And I enter the "mobile number" in welcome to pulse			10.91s								
<table><tr><td>mobileNumber</td><td>\${registration.mobile.number}</td></tr></table>			mobileNumber	\${registration.mobile.number}							
mobileNumber	\${registration.mobile.number}										
And I choose my wellness goals under wellness plan screen			2.59s								
And I click the date in Date of Birth field			6.79s								

And I click the Done icon	0.29s
And I click the continue button	1.38s
And I select the Male icon	5.89s
And I click the continue button	1.10s
And I click on Calculate BMI button	2.36s
And I click the continue button	1.31s
And I select the "How active are you?" in doing exercise	1.77s
And I click the continue button	1.33s
And I select my favorite food dietary	1.89s
And I click the continue button	1.42s
And I answer as "\${option.yes.text}" to "Any Food allergies?"	2.99s
And I click the continue button	1.29s
And I verify that "Tracking your activity is trending" is displayed	2.44s
And I click on connect Later button	0.51s
And I enter the "mobile number" in welcome to pulse	16.61s
mobileNumber \${registration.mobile.number}	
And I see that "Welcome to Pulse" text is displayed	0.95s
And I see that fitness subscription exclusive offers screen is displayed	2.94s
And I click on close icon	4.32s
And I enter NRIC number last 4 digits "122F"	8.67s
Then I click skip buttons	4.22s
Then user should be landed to "Home" screen	14.73s
Then I wait for 4 sec	4.00s
And I click the Account icon in Home screen	0.73s
And I click the sign out from pulse app	19.06s
Then I wait for 4 sec	4.00s
When user enters password credentials in signin screen	1.92s
Password Pas\$1234	
And User clicks on signin button	0.22s
Then I wait for 8 sec	8.01s
Then user should be landed to "Home" screen	14.17s
After	0.00s
Back to Table of Contents	
Scenario: verify the field label on registration screen	
Passed: 9	Failed: 0
Undefined: 0	Duration: 47.63s
Before	0.00s
Given User has pulse app	10.75s
Then I wait for 2 sec	2.02s
And user click on "CONTINUE WITH EMAIL" with Email button	12.74s
Then I wait for 2 sec	2.02s
Then I change the country as required on registration page	11.47s
Then I wait for 2 sec	2.01s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	3.76s

Then I wait for 2 sec			2.01s
Then I verify following field label should be displayed on registration screen			0.86s
	<div><div><div><div></div></div></div><div><div></div></div><div><div></div></div><div><div></div></div></div>		
After			0.00s
Back to Table of Contents			
Scenario: verify the validation message for mandatory fields			
Passed: 2	Failed: 0	Undefined: 0	Duration: 1.81s
Before			0.00s
	Given taps on continue "Sign_Up" button		0.26s
	Then I verify the validation error message is displayed for following field on registration page		1.55s
	FirstName	{firstname.mandatoryField.message}	
	LastName	{lastname.mandatoryField.message}	
	Email	{email.mandatoryField.message}	
	Password	{password.validation.message}	
After			0.00s
Back to Table of Contents			
Scenario Outline: verify validation message when user enters Invalid password: Pulse@1 on registration page			
Passed: 3	Failed: 0	Undefined: 0	Duration: 3.17s
Before			0.00s
	When user enters registration details		2.03s
	Password	Pulse@1	
	And taps on continue "Sign_Up" button		0.27s
	Then I verify the validation error message is displayed for following field on registration page		0.87s
	Password	{password.validation.message}	
After			0.00s
Back to Table of Contents			
Scenario Outline: verify validation message when user enters Invalid password: Pulse123 on registration page			
Passed: 3	Failed: 0	Undefined: 0	Duration: 3.19s
Before			0.00s
	When user enters registration details		2.12s
	Password	Pulse123	
	And taps on continue "Sign_Up" button		0.30s
	Then I verify the validation error message is displayed for following field on registration page		0.78s
	Password	{password.validation.message}	
After			0.00s

[Back to Table of Contents](#)
Scenario: Verify the validation message when user enter already registered email id on registration page

Passed: 11	Failed: 0	Undefined: 0	Duration: 54.71s
Before			0.00s

Given User has pulse app	9.70s								
Then I wait for 2 sec	2.01s								
And user click on "CONTINUE WITH EMAIL" with Email button	12.83s								
Then I wait for 2 sec	2.00s								
Then I change the country as required on registration page	11.27s								
Then I wait for 2 sec	2.01s								
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	3.75s								
Then I wait for 2 sec	2.02s								
When user enters registration details	7.61s								
<table> <tr> <td>FirstName</td><td>testAutomation</td></tr> <tr> <td>LastName</td><td>testAutomation</td></tr> <tr> <td>Email</td><td>\${login.email.id}</td></tr> <tr> <td>Password</td><td>Pas\$1234</td></tr> </table>	FirstName	testAutomation	LastName	testAutomation	Email	\${login.email.id}	Password	Pas\$1234	
FirstName	testAutomation								
LastName	testAutomation								
Email	\${login.email.id}								
Password	Pas\$1234								
And taps on continue "Sign_Up" button	0.26s								
Then I verify the validation error message is displayed for following field on registration page	1.25s								
<table> <tr> <td>Email</td><td>\${user.exist.text}</td></tr> </table>	Email	\${user.exist.text}							
Email	\${user.exist.text}								

After	0.00s
-------	-------

[Back to Table of Contents](#)
Scenario: Verify the mobile number screen validation using "Continue with Email"

Passed: 20	Failed: 0	Undefined: 0	Duration: 113.27s
Before			0.00s

Given I generate random number and assign to variable "RANDOM_NUMBER"	0.00s				
And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"	0.00s				
Given User has pulse app	9.70s				
Then I wait for 2 sec	2.00s				
And user click on "CONTINUE WITH EMAIL" with Email button	13.74s				
Then I wait for 2 sec	2.00s				
Then I change the country as required on registration page	11.27s				
Then I wait for 2 sec	2.00s				
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	3.75s				
Then I wait for 2 sec	2.01s				
When user enters registration details	7.69s				
<table> <tr> <td>FirstName</td><td>NewAutomation</td></tr> <tr> <td></td><td></td></tr> </table>	FirstName	NewAutomation			
FirstName	NewAutomation				

	LastName	NewAutomation		
	Email	\${PULSE_EMAIL}		
	Password	Pas\$1234		
And taps on continue "Sign_Up" button				0.24s
And I wait for otp screen after clicking on signup button				3.83s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"				30.94s
Then I wait for 10 sec				10.01s
Then I verify the country code should be displayed correctly on phone number screen				0.13s
And I enter the "mobile number" in welcome to pulse				10.93s
	mobileNumber	917670		
And I click the continue button				0.83s
Then I wait for 2 sec				2.00s
Then verify Again invalid Mobile message "\${invalid.mobile.text}"				0.21s
After				0.00s
Back to Table of Contents				
Scenario: Verify the Registration screen validation using "Continue with Email"				
Passed: 29		Failed: 0	Undefined: 0	Duration: 62.58s
Before				0.00s
	Given I enter the "mobile number" in welcome to pulse			10.98s
	mobileNumber	\${registration.mobile.number}		
	Then I wait for 1 sec			1.01s
	And I click the continue button			0.69s
	Then verify validation message "\${wellness.goal.alert.text}" on registration workflow screen			3.34s
	And I choose my wellness goals under wellness plan screen			1.42s
	Then I wait for 1 sec			1.01s
	And I click the continue button			0.80s
	Then verify validation message "\${dob.alert.text}" on registration workflow screen			3.81s
	And I click the date in Date of Birth field			5.34s
	And I click the Done icon			0.26s
	And I click the continue button			1.41s
	Then I wait for 1 sec			1.00s
	And I click the continue button			0.82s
	Then verify validation message "\${gender.alert.text}" on registration workflow screen			3.27s
	And I select the Male icon			5.65s
	And I click the continue button			1.09s
	Then I wait for 1 sec			1.01s
	And I click the continue button			1.27s
	Then verify BMI validation message "\${bmi.alert.text}" on registration workflow screen			3.36s
	And I click on Calculate BMI button			0.70s

And I click the continue button	1.24s								
Then I wait for 1 sec	1.00s								
And I click the continue button	1.13s								
Then verify validation message "\${activity.level.alert.text}" on registration workflow screen	3.42s								
And I select the "How active are you?" in doing exercise	0.40s								
And I click the continue button	1.33s								
Then I wait for 1 sec	1.02s								
And I click the continue button	1.34s								
Then verify validation message "\${diet.preference.alert.text}" on registration workflow screen	3.44s								
After	0.00s								
Back to Table of Contents									
Scenario: Verify the resend OTP functionality on Enter OTP Screen using "Continue with Email"									
Passed: 18	Failed: 0								
Undefined: 0	Duration: 194.03s								
Before	0.00s								
Given I generate random number and assign to variable "RANDOM_NUMBER"	0.00s								
And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"	0.00s								
And User has pulse app	9.28s								
Then I wait for 2 sec	2.02s								
And user click on "CONTINUE WITH EMAIL" with Email button	14.44s								
Then I wait for 2 sec	2.01s								
Then I change the country as required on registration page	11.70s								
Then I wait for 2 sec	2.01s								
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	3.78s								
Then I wait for 2 sec	2.01s								
When user enters registration details	8.03s								
<table border="1"> <tr> <td>FirstName</td><td>testAutomation</td></tr> <tr> <td>LastName</td><td>testAutomation</td></tr> <tr> <td>Email</td><td>\${PULSE_EMAIL}</td></tr> <tr> <td>Password</td><td>Pas\$1234</td></tr> </table>	FirstName	testAutomation	LastName	testAutomation	Email	\${PULSE_EMAIL}	Password	Pas\$1234	
FirstName	testAutomation								
LastName	testAutomation								
Email	\${PULSE_EMAIL}								
Password	Pas\$1234								
And taps on continue "Sign_Up" button	0.27s								
Then I wait for otp screen after clicking on signup button	3.86s								
Then I wait for 90 sec	90.00s								
Then I click the Resend button in OTP screen	3.96s								
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	30.70s								
And I wait for 2 sec	2.02s								
And I verify enter otp screen is not displayed	7.98s								
After	0.00s								
Back to Table of Contents									

Feature: Verify Edit Profile functionality on Pulse Health & Wealth app

Passed: 7	Failed: 2	Undefined: 0	Duration: 209.79s
-----------	-----------	--------------	-------------------

Scenario: Launch the app and select the country as per specified Ibu

Passed: 6	Failed: 0	Undefined: 0	Duration: 45.49s
-----------	-----------	--------------	------------------

Before	0.00s
--------	-------

Given User has pulse app	8.98s
And I assign "\${onepulse.login.edit.profile}" to variable "PULSE_EMAIL"	0.00s
And user click on "CONTINUE WITH EMAIL" with Email button	15.52s
Then I change the country as required on registration page	11.09s
Then I wait for 5 sec	5.01s
And I click the Sign in link	4.89s

After	0.00s
-------	-------

[Back to Table of Contents](#)**Scenario: login to the app with correct credentials using "Continue with Email"**

Passed: 7	Failed: 0	Undefined: 0	Duration: 49.59s
-----------	-----------	--------------	------------------

Before	0.00s
--------	-------

Given I select the language option on toggle bar as required on login page	3.49s				
When user enters credentials	10.25s				
<table border="1"> <tr> <td>UserName</td> <td>\${PULSE_EMAIL}</td> </tr> <tr> <td>Password</td> <td>\${pulse.edit}</td> </tr> </table>	UserName	\${PULSE_EMAIL}	Password	\${pulse.edit}	
UserName	\${PULSE_EMAIL}				
Password	\${pulse.edit}				
And User clicks on signin button	0.23s				
And I wait for 5 sec	5.00s				
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	10.62s				
Then user should be landed to "Home" screen	14.97s				
And I wait for 5 sec	5.02s				

After	0.00s
-------	-------

[Back to Table of Contents](#)**Scenario: Verify User should be able to navigate to Edit profile screen**

Passed: 3	Failed: 0	Undefined: 0	Duration: 21.97s
-----------	-----------	--------------	------------------

Before	0.00s
--------	-------

Given user navigate to account page	12.28s
And user click on Edit profile link	4.69s
Then I wait for 5 sec	5.00s

After	0.00s
-------	-------

[Back to Table of Contents](#)**Scenario: Verify User should be able to change the profile picture in edit profile screen**

Passed: 2	Failed: 0	Undefined: 0	Duration: 32.24s
-----------	-----------	--------------	------------------

Before	0.00s
--------	-------

Then I give manage profile camera permission	22.28s
Then I take picture from Camera	9.96s

After	0.00s
-------	-------

[Back to Table of Contents](#)**Scenario: Verify the email, country code and COR fields are non-editable in edit profile screen**

Passed: 3	Failed: 0	Undefined: 0	Duration: 2.9s
Before			0.00s
And verify email field is non-editable			1.65s
And verify country code field is non-editable and country code is "\${country.code}"			0.70s
And verify country of Residence is "\${country.name}" and non-editable			0.55s
After			0.00s
Back to Table of Contents			
Scenario: Verify user can able to change the details in edit profile screen			
Passed: 4	Failed: 0	Undefined: 0	Duration: 15.48s
Before			0.00s
Given I generate random number and assign to variable "RANDOM_NUMBER"			0.00s
And I assign value to following variables			0.00s
First Name	Automation-\${RANDOM_NUMBER}		
Last Name	Testing-\${RANDOM_NUMBER}		
Then I update following profile details in edit profile screen			3.18s
FirstName	\${First Name}		
LastName	\${Last Name}		
And I click on update button in edit profile screen			12.30s
After			0.00s
Back to Table of Contents			
Scenario: Verify Details updated during pulse profile registration should be reflected in edit profile screen			
Passed: 0	Failed: 1	Undefined: 1	Duration: 7.25s
Before			0.00s
Given user click on Edit profile link			7.25s
<p>org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.</p> <p>For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html</p> <p>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'</p> <p>System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'</p> <p>Driver info: io.appium.java_client.android.AndroidDriver</p> <p>Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,</p>			

```

viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 47fdb942-9361-4098-b5ad-3310da783490
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'years')]
/following::android.view.ViewGroup[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor21.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.PulseManageProfileScreen.clickeditProfileLink
(PulseManageProfileScreen.java:180)
at com.onepulse.app.stepdefinitions.mobilesteps.EditProfileSteps.clickEditProfileLink
(EditProfileSteps.java:37)
at .Given user click on Edit profile link(features/editProfile/PulseEditProfileTest.feature:55)

```

Then I verify following values in edit profile screen

0.00s

FirstName	\${First Name}
LastName	\${Last Name}
Email	\${onepulse.login.edit.profile}
Gender	\${pulse.edit.gender}
PhoneNumber	\${pulse.edit.number}

After	0.00s
-------	-------

[Back to Table of Contents](#)

Scenario: **verify the user details should be correctly on babylon screen**

Passed: 3	Failed: 1	Undefined: 2	Duration: 26.63s
-----------	-----------	--------------	------------------

Before	0.00s
--------	-------

Given I navigate to Home page from edit profile screen	3.35s
--	-------

Then I navigate to Babylon health Assessment and Accept TermsAndCondition	20.71s
---	--------

Then I wait for 2 sec	2.01s
-----------------------	-------

Then I verify the default values in babylon registration page is updated as below	0.56s
---	-------

Gender	\${pulse.edit.gender}
FirstName	\${First Name}
LastName	\${Last Name}
Email	\${onepulse.login.edit.profile}

```

java.lang.AssertionError: actual value is Automation-58030068638 expected [Automation-5513072712] but found [Automation-58030068638]
at org.testng.Assert.fail(Assert.java:94)
at org.testng.Assert.failNotEquals(Assert.java:513)
at org.testng.Assert.assertEqualsImpl(Assert.java:135)
at org.testng.Assert.assertEquals(Assert.java:116)
at org.testng.Assert.assertEquals(Assert.java:190)

```


at com.onepulse.app.screens.PulseManageProfileScreen.
 verifyDefaultValuesOnBabylonRegPage(PulseManageProfileScreen.java:515)
 at com.onepulse.app.stepdefinitions.mobilesteps.EditProfileSteps.
 verifyDefaultValuesOnBabylonRegPage(EditProfileSteps.java:156)
 at .Then I verify the default values in babylon registration page is updated as below(features
 /editProfile/PulseEditProfileTest.feature:67)

And verify email field is non-editable 0.00s

And verify country of Residence is "\${country.name}" and non-editable 0.00s

10:12

←

First Name / Given Name
Automation-58030068638

Last Name / Family Name
Testing-58030068638

Gender Date of Birth
MALE 19-05-2003

Email
Testmyuser_04@mailsac.com

Country of Residence
Malaysia

By clicking 'Confirm' you agree that your information above may be included in your Pulse profile and held subject to the Pulse Privacy Notice.

Confirm

After 0.00s

[Back to Table of Contents](#)

Scenario: navigate back to health screen

Passed: 2 Failed: 0 Undefined: 0 Duration: 8.25s

Before 0.00s

Given I navigate to health page from babylon registration screen 3.24s

And I wait for 5 sec 5.01s

After 0.00s

[Back to Table of Contents](#)

Feature: Verify the Babylon Registration via HRA journey

Passed: 2 Failed: 0 Undefined: 0 Duration: 274.13s

Scenario: User should be able to Register for Babylon HRA

Passed: 18 Failed: 0 Undefined: 0 Duration: 225.47s

Before 0.00s

Given I generate random number and assign to variable "RANDOM_NUMBER" 0.00s

And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"		0.00s																				
And User has pulse app		9.33s																				
Then I wait for 2 sec		2.00s																				
And user click on "CONTINUE WITH EMAIL" with Email button		13.93s																				
Then I wait for 2 sec		2.01s																				
Then I change the country as required on registration page		12.38s																				
Then I wait for 2 sec		2.00s																				
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button		4.33s																				
Then I wait for 2 sec		2.00s																				
When user enters registration details		8.42s																				
	<table><tr><td>FirstName</td><td>testAutomation</td></tr><tr><td>LastName</td><td>testAutomation</td></tr><tr><td>Email</td><td>\${PULSE_EMAIL}</td></tr><tr><td>Password</td><td>Pas\$1234</td></tr></table>	FirstName	testAutomation	LastName	testAutomation	Email	\${PULSE_EMAIL}	Password	Pas\$1234													
FirstName	testAutomation																					
LastName	testAutomation																					
Email	\${PULSE_EMAIL}																					
Password	Pas\$1234																					
And taps on continue "Sign_Up" button		0.27s																				
And I wait for otp screen after clicking on signup button		1.66s																				
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"		31.51s																				
Then I wait for 2 sec		2.02s																				
Then I click skip button		116.05s																				
Then user should be landed to "Home" screen		13.56s																				
Then I wait for 4 sec		4.01s																				
After		0.00s																				
Back to Table of Contents																						
Scenario: User should be able to Register for Babylon HRA																						
Passed: 5	Failed: 0	Undefined: 0																				
Duration: 48.66s																						
Before		0.00s																				
	<table><tr><td>When I clicks on Health button</td><td>12.99s</td></tr><tr><td>And I navigate to Babylon health Assessment and Accept TermsAndCondition</td><td>16.71s</td></tr><tr><td>And I confirm the registration</td><td>11.02s</td></tr><tr><td>And I click on Babylon Health Assessment Get Started button</td><td>5.35s</td></tr><tr><td>Then I verify following options are present for assessment</td><td>2.58s</td></tr><tr><td></td><td></td></tr><tr><td>Full Assessment</td><td></td></tr><tr><td>Nutrition</td><td></td></tr><tr><td>Activity</td><td></td></tr><tr><td>Mood</td><td></td></tr></table>	When I clicks on Health button	12.99s	And I navigate to Babylon health Assessment and Accept TermsAndCondition	16.71s	And I confirm the registration	11.02s	And I click on Babylon Health Assessment Get Started button	5.35s	Then I verify following options are present for assessment	2.58s			Full Assessment		Nutrition		Activity		Mood		
When I clicks on Health button	12.99s																					
And I navigate to Babylon health Assessment and Accept TermsAndCondition	16.71s																					
And I confirm the registration	11.02s																					
And I click on Babylon Health Assessment Get Started button	5.35s																					
Then I verify following options are present for assessment	2.58s																					
Full Assessment																						
Nutrition																						
Activity																						
Mood																						
After		0.00s																				
Back to Table of Contents																						
Feature: Verify that user can locate near by Hospitals,clinics using PruShophe Location feature																						
Passed: 14	Failed: 0	Undefined: 0																				
Duration: 253.43s																						
Scenario: Launch the app and select the country as per specified Ibu																						
Passed: 6	Failed: 0	Undefined: 0																				
Duration: 45.48s																						

Before		0.00s
Given User has pulse app		11.35s
And I assign "\${login.email.id}" to variable "PULSE_EMAIL"		0.00s
And user click on "CONTINUE WITH EMAIL" with Email button		15.72s
Then I change the country as required on registration page		11.57s
Then I wait for 2 sec		2.00s
And I click the Sign in link		4.83s
After		0.00s
Back to Table of Contents		
Scenario: login to the app with correct credentials using "Continue with Email"		
Passed: 6	Failed: 0	Undefined: 0
Duration: 44.48s		
Before		0.00s
Given I select the language option on toggle bar as required on login page		3.57s
When user enters credentials		10.49s
UserName \${PULSE_EMAIL}		
Password \${login.password}		
And User clicks on signin button		0.25s
And I wait for 5 sec		5.01s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"		10.97s
Then user should be landed to "Home" screen		14.18s
After		0.00s
Back to Table of Contents		
Scenario: User should be able to locate Hospitals using PruShoppe location		
Passed: 6	Failed: 0	Undefined: 0
Duration: 66.97s		
Before		0.00s
When I clicks on Health button		13.42s
Then I clicks on Location button		31.98s
When I clicks on Search here text field		6.06s
And I clicks on "Hospitals" under Pulse Search		1.21s
Then User can see the list of "Hospitals" near by to user's current location		3.00s
And User can see that Call, Navigate and See Details links are displayed under "Hospitals" search results		11.32s
After		0.00s
Back to Table of Contents		
Scenario: User can see details of listed hospitals in detail		
Passed: 2	Failed: 0	Undefined: 0
Duration: 19.22s		
Before		0.00s
When I clicks on See Details button on First result		17.78s
Then I can see the "Hospital" Information screen with Navigate and Call Now buttons		1.45s
After		0.00s
Back to Table of Contents		
Scenario: User can see the details in speciality tab		

Passed: 2	Failed: 0	Undefined: 0	Duration: 10.39s
Before			0.00s
When I clicks on "Speciality" tab			0.48s
Then I verify the Speciality screen is displayed			9.91s
After			0.00s
Back to Table of Contents			
Scenario: User can see the details in doctor's tab			
Passed: 2	Failed: 0	Undefined: 0	Duration: 9.35s
Before			0.00s
When I clicks on "Doctors" tab			0.54s
Then I verify the Doctors screen is displayed			8.80s
After			0.00s
Back to Table of Contents			
Scenario: User can see the details in rooms tab			
Passed: 2	Failed: 0	Undefined: 0	Duration: 3.94s
Before			0.00s
When I clicks on "Rooms" tab			0.56s
Then I verify the Rooms screen is displayed			3.39s
After			0.00s
Back to Table of Contents			
Scenario: User can navigate out of the hospital details screen			
Passed: 1	Failed: 0	Undefined: 0	Duration: .46s
Before			0.00s
When I clicks on back button in See Details screen			0.46s
After			0.00s
Back to Table of Contents			
Scenario: User should be able to locate cli using PruShoppe location			
Passed: 4	Failed: 0	Undefined: 0	Duration: 18.49s
Before			0.00s
And I clicks on back button in "Hospitals" screen			2.12s
When I clicks on Search here text field			12.53s
And I clicks on "Clinics" under Pulse Search			1.24s
Then User can see the list of "Clinics" near by to user's current location			2.61s
After			0.00s
Back to Table of Contents			
Scenario: User can verify the clinic page			
Passed: 1	Failed: 0	Undefined: 0	Duration: 11.6s
Before			0.00s
And User can see that Call, Navigate and See Details links are displayed under "Clinics" search results			11.60s
After			0.00s
Back to Table of Contents			

Scenario: User can view listed clinic details			
Passed: 1	Failed: 0	Undefined: 0	Duration: 18.38s
Before			0.00s
When I clicks on See Details button on First result			18.38s
After			0.00s
Back to Table of Contents			
Scenario: User can view listed clinic info			
Passed: 1	Failed: 0	Undefined: 0	Duration: 1.51s
Before			0.00s
Then I can see the "Clinic" Information screen with Navigate and Call Now buttons			1.52s
After			0.00s
Back to Table of Contents			
Scenario: User can view listed clinic info details			
Passed: 1	Failed: 0	Undefined: 0	Duration: .39s
Before			0.00s
When I clicks on back button in See Details screen			0.39s
After			0.00s
Back to Table of Contents			
Scenario: User can navigate back to clinics screen			
Passed: 1	Failed: 0	Undefined: 0	Duration: 2.76s
Before			0.00s
And I clicks on back button in "Clinic" screen			2.76s
After			0.00s
Back to Table of Contents			
Feature: Verify Medicine Reminder Positive Flow functionality on one pulse App			
Passed: 0	Failed: 10	Undefined: 0	Duration: 207.31s
Scenario: User should be able to register on app with correct credentials using "Continue with Email"			
Passed: 13	Failed: 1	Undefined: 2	Duration: 194.74s
Before			0.00s
Given I generate random number and assign to variable "RANDOM_NUMBER"			0.00s
And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"			0.00s
And User has pulse app			9.60s
And user click on "CONTINUE WITH EMAIL" with Email button			16.16s
Then I wait for 2 sec			2.01s
Then I change the country as required on registration page			11.49s
Then I wait for 2 sec			2.02s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button			3.76s

When user enters registration details		8.95s
FirstName	medicine	
LastName	reminder	
Email	\${PULSE_EMAIL}	
Password	Pas\$1234	
And taps on continue "Sign_Up" button		0.28s
And I wait for otp screen after clicking on signup button		3.86s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"		30.94s
Then I wait for 2 sec		2.01s
Then I click skip button		103.68s
<p>org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up</p> <p>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'</p> <p>System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'</p> <p>Driver info: io.appium.java_client.android.AndroidDriver</p> <p>Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}</p> <p>Session ID: 168b36cc-8c94-4f03-a338-880a0ec048a7</p> <p>*** Element info: {Using=xpath, value=//android.widget.TextView[@text='SKIP']}</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)</p> <p>at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</p>		


```

at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.PulseRegistrationScreen.clickSkipButton(PulseRegistrationScreen.java:1159)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iClickSkipButton(RegistrationSteps.java:377)
at .Then I click skip button(features/health/MedicineReminder.feature:23)

```

Then user should be landed to "Home" screen	0.00s
Then I wait for 4 sec	0.00s

After	0.00s
-------	-------

[Back to Table of Contents](#)

Scenario: **Verify User should be able to navigate to medical reminder page**

Passed: 0	Failed: 1	Undefined: 3	Duration: 8.06s
-----------	-----------	--------------	-----------------

Before	0.00s
--------	-------

Then I click the Health icon in Home screen	8.06s
---	-------

```

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,

```

```

newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 168b36cc-8c94-4f03-a338-880a0ec048a7
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native
Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance
(NativeConstructorAccessorImpl.java:62)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:46)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.
RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.
java:804)
at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)
at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:206)
at com.onepulse.app.screens.CustomerConnectScreen.HealthIcons(CustomerConnectScreen.
java:1362)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.Healthicons
(CustomerConnectSteps.java:412)
at .Then I click the Health icon in Home screen(features/health/MedicineReminder.feature:29)

```

And I wait for 2 sec	0.00s
And I clicks on click here icon in medical Reminder	0.00s
Then I wait for 2 sec	0.00s

After	0.00s
--------------	--------------

[Back to Table of Contents](#)

Scenario: [verify the static text on medicine reminder screen](#)

Passed: 0	Failed: 1	Undefined: 2	Duration: .11s
-----------	-----------	--------------	----------------

Before	0.00s
---------------	--------------

And I verify following text displayed in Add medicine screen	0.11s
--	-------

<div> <div> <div> <div> <div></div> <div></div> <div></div> <div></div> </div> <div> <div></div> <div></div> <div></div> <div></div> </div> <div> <div></div> <div></div> <div></div> <div></div> </div> <div> <div></div> <div></div> <div></div> <div></div> </div> </div> <div> <div></div> <div></div> <div></div> <div></div> </div> <div> <div></div> <div></div> <div></div> <div></div> </div> <div> <div></div> <div></div> <div></div> <div></div> </div> <div> <div></div> <div></div> <div></div> <div></div> </div> </div> <div> <div></div> <div></div> <div></div> <div></div> </div> <div> <div></div> <div></div> <div></div> <div></div> </div> <div> <div></div> <div></div> <div></div> <div></div> </div> <div> <div></div> <div></div> <div></div> <div></div> </div> </div> <div> <div></div> <div></div> <div></div> <div></div> </div> <div> <div></div> <div></div> <div></div> <div></div> </div> <div> <div></div> <div></div> <div></div> <div></div> </div> <div> <div></div> <div></div> <div></div> <div></div> </div>
--

Passed: 0	Failed: 1	Undefined: 4	Duration: .13s										
Before			0.00s										
And I verify following text displayed in Add medicine screen			0.13s										
<table><tr><td>Frequency</td><td>text</td></tr><tr><td>Dosage Timing</td><td>text</td></tr><tr><td>Start Date</td><td>text</td></tr><tr><td>End Date</td><td>text</td></tr><tr><td>Dose Intake</td><td>text</td></tr></table>			Frequency	text	Dosage Timing	text	Start Date	text	End Date	text	Dose Intake	text	
Frequency	text												
Dosage Timing	text												
Start Date	text												
End Date	text												
Dose Intake	text												
java.lang.AssertionError: The following asserts failed: Frequency text is displayed on page expected [true] but found [false], Dosage Timing text is displayed on page expected [true] but found [false], Start Date text is displayed on page expected [true] but found [false], End Date text is displayed on page expected [true] but found [false], Dose Intake text is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.VerifyAddMedicine(MyDocSteps.java:885) at .And I verify following text displayed in Add medicine screen(features/health/MedicineReminder.feature:58)													
And I enter following details in add medicine screen			0.00s										
<table><tr><td>Frequency</td><td>Once</td></tr></table>			Frequency	Once									
Frequency	Once												
And I clicks on Timing in Add medicine screen			0.00s										
And I clicks on "\${before.meal.text}" in app screens			0.00s										
And I clicks on Next icon in app screens			0.00s										
After			0.00s										
Back to Table of Contents													
Scenario: Verify User should be able to navigate to More Setting page													
Passed: 1	Failed: 1	Undefined: 2	Duration: 2.06s										
Before			0.00s										
Given I wait for 2 sec			2.02s										
And I enter following details in add medicine screen			0.04s										
<table><tr><td>Medication For</td><td>fever</td></tr><tr><td>Medicine Stock</td><td>5</td></tr></table>			Medication For	fever	Medicine Stock	5							
Medication For	fever												
Medicine Stock	5												
org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,													

```

deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 168b36cc-8c94-4f03-a338-880a0ec048a7
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='What are you
taking this medication for?']/following::android.widget.EditText}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:262)
at com.onepulse.app.screens.PulseHealthScreen.enterDetailsInAddMedScreen
(PulseHealthScreen.java:392)

```

at com.onepulse.app.stepdefinitions.mobilesteps.MedicineReminderSteps.
enterInfoInAddMedicineScreen(MedicineReminderSteps.java:30)
at .And I enter following details in add medicine screen(features/health/MedicineReminder.
feature:72)

And I clicks the Done button in Add medicine screen	0.00s
---	-------

And I verify following texts are displayed	0.00s
--	-------

{Medicine_Info} added successfully!	
-------------------------------------	--

After	0.00s
-------	-------

[Back to Table of Contents](#)

Scenario: **verify Add medicine screen is displayed when user click on add new reminder on success popup**

Passed: 0	Failed: 1	Undefined: 9	Duration: .04s
-----------	-----------	--------------	----------------

Before	0.00s
--------	-------

And I clicks on "\${add.another.med}" in app screens	0.04s
--	-------

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server.

Original error: socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 168b36cc-8c94-4f03-a338-880a0ec048a7

at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)

at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)


```

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:46)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.
RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.java:804)
at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)
at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:206)
at com.onepulse.app.screens.DieticianScreen.clickMedicalReminder(DieticianScreen.java:348)
at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps.clickDietician(DieticianSteps.java:159)
at .And I clicks on "${add.another.med}" in app screens(features/health/MedicineReminder.feature:82)

```

And I assign "cold" to variable "Medicine_Info"	0.00s
---	-------

And I enter following details in add medicine screen	0.00s
--	-------

Medicine Info	\${Medicine_Info}
Unit	Tablet (unit)
Quantity	5

And I clicks on Next icon in app screens	0.00s
--	-------

And I enter following details in add medicine screen	0.00s
--	-------

Frequency	Daily
-----------	-------

And I clicks on Timing in Add medicine screen	0.00s
---	-------

And I clicks on "After meal" in app screens	0.00s
---	-------

And I clicks on Next icon in app screens	0.00s
--	-------

And I enter following details in add medicine screen	0.00s
--	-------

Medication For	Cold
Medicine Stock	5

And I clicks the Done button in Add medicine screen	0.00s
---	-------

After	0.00s
-------	-------

[Back to Table of Contents](#)

Scenario: verify medicine reminder home screen is displayed when user click on not now button on success popup

Passed: 0	Failed: 1	Undefined: 1	Duration: .04s
-----------	-----------	--------------	----------------

Before	0.00s
--------	-------

And I clicks on Not now icon in app screen	0.04s
--	-------

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.

uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 168b36cc-8c94-4f03-a338-880a0ec048a7

atjdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)

atjava.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)

atjava.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

atorg.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)

atorg.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)

atorg.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)

atorg.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)

atio.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)

atorg.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

atio.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:46)

atio.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)

atio.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)

atorg.openqa.selenium.remote.

RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSize(RemoteWebDriver.java:804)

atcom.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)

atcom.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:206)

atcom.onepulse.app.screens.DieticianScreen.ClickNotNowbutton(DieticianScreen.java:509)

atcom.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps.clickNotNowButton(DieticianSteps.java:248)

at.And I clicks on Not now icon in app screen(features/health/MedicineReminder.feature:100)

And I verify following text displayed in Add medicine screen	0.00s
--	-------

{Medicalremainder.text}

After	0.00s
-------	-------

[Back to Table of Contents](#)

Scenario: [navigate to health screen](#)

Passed: 0	Failed: 1	Undefined: 0	Duration: .03s
-----------	-----------	--------------	----------------

Before	0.00s
--------	-------

And I click the Back button in medical remainder	0.03s
--	-------

```

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 168b36cc-8c94-4f03-a338-880a0ec048a7
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Medicine
Reminder')]/preceding::android.widget.ImageView[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)

```

```

at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.DieticianScreen.SelectBack_Icon(DieticianScreen.java:420)
at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps.Back_MedicalRemainder
(DieticianSteps.java:197)
at .And I click the Back button in medical remainder(features/health/MedicineReminder.
feature:105)

```

After		0.00s
-------	--	-------

[Back to Table of Contents](#)

Scenario: **Verify User should be able to navigate to calendar page**

Passed: 1	Failed: 1	Undefined: 2	Duration: 2.02s
-----------	-----------	--------------	-----------------

Before		0.00s
--------	--	-------

Given I wait for 2 sec	2.01s
------------------------	-------

When I scroll down	0.02s
--------------------	-------

```

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 168b36cc-8c94-4f03-a338-880a0ec048a7
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode

```

```
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:46)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.
RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.
java:804)
at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)
at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:206)
at com.onepulse.app.stepdefinitions.mobilesteps.BaseSteps.scrollDown(BaseSteps.java:52)
at .When I scroll down(features/health/MedicineReminder.feature:109)
```

Then I click on Calendar tile	0.00s				
And I verify following text displayed in Add medicine screen	0.00s				
<table border="1"> <tr> <td>{Medicalremainder.text}</td> <td></td> </tr> <tr> <td>{Medicine_Info}</td> <td></td> </tr> </table>	{Medicalremainder.text}		{Medicine_Info}		
{Medicalremainder.text}					
{Medicine_Info}					
After	0.00s				

[Back to Table of Contents](#)

Feature: Verify MY Event channel functionality on one pulse App

Passed: 0	Failed: 5	Undefined: 0	Duration: 64.27s
-----------	-----------	--------------	------------------

Scenario: Launch the app and select the country as per specified Ibu

Passed: 5	Failed: 1	Undefined: 0	Duration: 40.08s
-----------	-----------	--------------	------------------

Before		0.00s
--------	--	-------

Given User has pulse app	8.94s
And I assign "\${onpulse.events.user}" to variable "PULSE_EMAIL"	0.00s
And user click on "CONTINUE WITH EMAIL" with Email button	16.07s
Then I change the country as required on registration page	11.76s
Then I wait for 2 sec	2.03s
And I click the Sign in link	1.29s

```
org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: java.lang.IllegalStateException: UiAutomation not connected, UiAutomation@7b7c14b[id=-1, flags=0]
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
```

```

newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 2a08cdc5-7b0d-4ce4-ab19-ac4bf5bac2a9
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at io.appium.java_client.PerformsTouchActions.performTouchAction(PerformsTouchActions.
java:41)
at io.appium.java_client.TouchAction.perform(TouchAction.java:187)
at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:485)
at com.onepulse.app.screens.PulseLoginScreen.clickSignIns_InSignUp(PulseLoginScreen.java:
718)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.clickSignIns_InSignUp
(LoginSteps.java:349)
at .And I click the Sign in link(features/home/MyEvents.feature:10)

```

After	0.00s
-------	-------

[Back to Table of Contents](#)

Scenario: [login to the app with correct credentials using "Continue with Email"](#)

Passed: 0	Failed: 1	Undefined: 5	Duration: .03s
-----------	-----------	--------------	----------------

Before	0.00s
--------	-------

Given I select the language option on toggle bar as required on login page	0.03s
<p>org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'</p>	

Driver info: io.appium.java_client.android.AndroidDriver
 Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 2a08cdc5-7b0d-4ce4-ab19-ac4bf5bac2a9

*** Element info: {Using=xpath, value=//android.widget.TextView[@text="EN"]}
 at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
 at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
 at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
 at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
 at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)
 at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
 at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
 at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
 at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
 at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)
 at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
 at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
 at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)
 at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
 at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)
 at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
 at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)
 at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
 at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141)


```

at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.PulseRegistrationScreen.selectTheLanguageToggle
(PulseRegistrationScreen.java:1065)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.selectTheLangOption
(RegistrationSteps.java:338)
at .Given I select the language option on toggle bar as required on login page(features/home
/MyEvents.feature:13)

```

When user enters credentials	0.00s
------------------------------	-------

UserName	\${PULSE_EMAIL}
Password	\${pulse.password}

And User clicks on signin button	0.00s
----------------------------------	-------

And I wait for 5 sec	0.00s
----------------------	-------

And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	0.00s
---	-------

Then user should be landed to "Home" screen	0.00s
---	-------

After	0.00s
-------	-------

[Back to Table of Contents](#)

Scenario: [Verify MyEvent Functionality in Home screen](#)

Passed: 0	Failed: 1	Undefined: 2	Duration: 8.05s
-----------	-----------	--------------	-----------------

Before	0.00s
--------	-------

And I click the MyEvent icons	8.05s
-------------------------------	-------

```

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 2a08cdc5-7b0d-4ce4-ab19-ac4bf5bac2a9
atjdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)

```

```

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:46)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.
RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.
java:804)
at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)
at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:206)
at com.onepulse.app.screens.CustomerConnectScreen.ClickMyEvents
(CustomerConnectScreen.java:946)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickMyEvents
(CustomerConnectSteps.java:277)
at .And I click the MyEvent icons(features/home/MyEvents.feature:23)

```

And I wait for 5 sec	0.00s
----------------------	-------

And I verify following texts are displayed	0.00s
--	-------

You do not have any events enrolled yet	
---	--

Please choose from the open events and get started	
--	--

After	0.00s
-------	-------

[Back to Table of Contents](#)

Scenario: [Verify Events Archive tab](#)

Passed: 0	Failed: 1	Undefined: 1	Duration: 8.07s
-----------	-----------	--------------	-----------------

Before	0.00s
--------	-------

And I click the Events Archive icon	8.07s
-------------------------------------	-------

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,

```

newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 2a08cdc5-7b0d-4ce4-ab19-ac4bf5bac2a9
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:46)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.
RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.
java:804)
at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)
at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:206)
at com.onepulse.app.screens.CustomerConnectScreen.ClickMyEventsArchive
(CustomerConnectScreen.java:1881)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickMyEventsArchive
(CustomerConnectSteps.java:590)
at .And I click the Events Archive icon(features/home/MyEvents.feature:30)

```

And I verify following texts are displayed	0.00s
--	-------

You do not have any events in your archive.

After	0.00s
-------	-------

[Back to Table of Contents](#)

Scenario: **Verify Open Events tab**

Passed: 0	Failed: 1	Undefined: 1	Duration: 8.05s
-----------	-----------	--------------	-----------------

Before	0.00s
--------	-------

And I click the Open Events icon	8.05s
----------------------------------	-------

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver
 Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 2a08cdc5-7b0d-4ce4-ab19-ac4bf5bac2a9

at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)

at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:46)

at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)

at org.openqa.selenium.remote.

RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSize(RemoteWebDriver.java:804)

at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)

at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:206)

at com.onepulse.app.screens.CustomerConnectScreen.ClickMyOpenEvents(CustomerConnectScreen.java:1865)

at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickMyOpenEvents(CustomerConnectSteps.java:586)

at .And I click the Open Events icon(features/home/MyEvents.feature:35)

And I verify either static text or available open events are displayed on screen	0.00s
--	-------

There are no events available at the moment	
Stay tuned for events on health and fitness	

After	0.00s
-------	-------

[Back to Table of Contents](#)

Feature: **Verify My Health Content functionality on One Pulse App**

Passed: 1	Failed: 7	Undefined: 0	Duration: 109.2s
-----------	-----------	--------------	------------------

Scenario: Launch the app and select the country as per specified lbu

Passed: 5	Failed: 0	Undefined: 0	Duration: 44.99s
Before			0.00s
Given User has pulse app			8.90s
And user click on "CONTINUE WITH EMAIL" with Email button			16.60s
Then I change the country as required on registration page			11.68s
Then I wait for 3 sec			3.00s
And I click the Sign in link			4.80s
After			0.00s

[Back to Table of Contents](#)**Scenario: User should be able to login on app with correct credentials using "Continue with Email"**

Passed: 6		Failed: 1	Undefined: 0	Duration: 36.86s				
Before				0.00s				
And I assign "\${login.email.id}" to variable "PULSE_EMAIL"				0.00s				
Given I select the language option on toggle bar as required on login page				3.61s				
When user enters credentials				10.54s				
<table><tr><td>UserName</td><td>\${PULSE_EMAIL}</td></tr><tr><td>Password</td><td>\${login.password}</td></tr></table>		UserName	\${PULSE_EMAIL}	Password	\${login.password}			
UserName	\${PULSE_EMAIL}							
Password	\${login.password}							
And User clicks on signin button				0.29s				
Then I wait for 10 sec				10.01s				
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"				7.35s				
Then user should be landed to "Home" screen				5.06s				
<pre>java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:94) at org.testng.Assert.failNotEquals(Assert.java:513) at org.testng.Assert.assertTrue(Assert.java:42) at org.testng.Assert.assertTrue(Assert.java:52) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.landingPageValidation(LoginSteps.java:92) at .Then user should be landed to "Home" screen(features/home/MyHealthContent.feature:22)</pre>								
After				0.00s				

[Back to Table of Contents](#)**Scenario: Verify User should be able to navigate to Health page**

Passed: 1	Failed: 1	Undefined: 3	Duration: 10.09s
Before			0.00s
Given I wait for 2 sec			2.01s
Then I navigate to Health Content screen			8.08s
<pre>org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',</pre>			

```

os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 5c9f144a-7e15-4c26-9c8a-0aea6f60bdf
atjdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:46)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.
RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.
java:804)
at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)
at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:206)
at com.onepulse.app.screens.CustomerConnectScreen.ClickHealthContent
(CustomerConnectScreen.java:922)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.
iNavigateToWealthScreenz(CustomerConnectSteps.java:272)
at .Then I navigate to Health Content screen(features/home/MyHealthContent.feature:26)

```

Then I wait for 8 sec	0.00s
And I verify following texts are displayed	0.00s
Health Channels	
And I verify the following texts "My Health Content" in Screen	0.00s
Category	
Like	

Share	
Comment	
After	0.00s
Back to Table of Contents	
Scenario: Verify User should be able to view the full page article post	
Passed: 0	Failed: 1
Undefined: 1	Duration: 5.06s
Before	0.00s
Then I click on "Health Channels" topic for details full view	5.06s
<p>org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up</p> <p>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'</p> <p>System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'</p> <p>Driver info: io.appium.java_client.android.AndroidDriver</p> <p>Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}</p> <p>Session ID: 5c9f144a-7e15-4c26-9c8a-0aea6f60bdf</p> <p>*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"Health Channels")]/../following::android.widget.ScrollView[1]/android.view.ViewGroup/android.view.ViewGroup[2]}</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)</p> <p>at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</p> <p>at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)</p> <p>at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)</p>	


```

at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.WealthScreen.clickWealthChannelTopicDetailView
(WealthScreen.java:135)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.
iClickOnTopicForDetailsFullView(WealthSteps.java:64)
at .Then I click on "Health Channels" topic for details full view(features/home
/MyHealthContent.feature:56)

```

Then I wait for 10 sec

0.00s

After

0.00s

[Back to Table of Contents](#)

Scenario: **Verify User should be able to see the Like, Share, Comment options on full page article post**

Passed: 0

Failed: 1

Undefined: 0

Duration: 4.05s

Before

0.00s

And I verify the following texts "My Health Content" in Screen

4.05s

Like

Share

Comment

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,

desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 5c9f144a-7e15-4c26-9c8a-0aea6f60bdf

at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)

at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:46)

at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)

at org.openqa.selenium.remote.

RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSize(RemoteWebDriver.java:804)

at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)

at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:206)

at com.onepulse.app.screens.CustomerConnectScreen.

isStaticTextDisplayedOncommunitiesScreen(CustomerConnectScreen.java:186)

at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.

isStaticTextDisplayedOncommunitiesScreen(CustomerConnectSteps.java:88)

at .And I verify the following texts "My Health Content" in Screen(features/home/MyHealthContent.feature:60)

After		0.00s
Back to Table of Contents		
Scenario: Verify User should be able to Like the post in full article view screen		
Passed: 0	Failed: 1	Undefined: 1
Duration: .04s		
Before		0.00s
And I Like the post		0.04s
org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server.		

Original error: socket hang up
 Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
 System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
 os.version: '10.0', java.version: '11.0.2'
 Driver info: io.appium.java_client.android.AndroidDriver
 Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
 uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
 desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
 autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
 newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
 deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
 deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
 javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
 newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
 platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
 viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
 false}
 Session ID: 5c9f144a-7e15-4c26-9c8a-0aea6f60bdf
 *** Element info: {Using=xpath, value=//android.widget.TextView[@text='Like']}
 at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
 at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
 (DelegatingConstructorAccessorImpl.java:45)
 at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
 (W3CHttpResponseCodec.java:187)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
 (W3CHttpResponseCodec.java:122)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
 (W3CHttpResponseCodec.java:49)
 at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
 158)
 at io.appium.java_client.remote.AppiumCommandExecutor.execute
 (AppiumCommandExecutor.java:231)
 at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
 at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
 java:42)
 at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
 at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
 at io.appium.java_client.DefaultGenericMobileDriver.findElement
 (DefaultGenericMobileDriver.java:62)
 at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
 at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
 java:419)
 at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
 (DefaultGenericMobileDriver.java:152)
 at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
 at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)
 at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
 at io.appium.java_client.DefaultGenericMobileDriver.findElement

(DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165) at com.onepulse.app.screens.WealthScreen.clickLikeButton(WealthScreen.java:175) at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iLikeThePost(WealthSteps.java:75) at .And I Like the post(features/home/MyHealthContent.feature:66)		
And I Like the post		0.00s
After		0.00s
Back to Table of Contents		
Scenario: Verify User should be able to Share the post in full article view screen		
Passed: 0	Failed: 1	Undefined: 1
Duration: 5.04s		
Before		0.00s
And I share the post		5.04s
org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: 5c9f144a-7e15-4c26-9c8a-0aea6f60bdff *** Element info: {Using=xpath, value=//android.widget.TextView[@text='Share']} at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)		

```

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.WealthScreen.clickShareButton(WealthScreen.java:215)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iShareThePost(WealthSteps.java:
90)
at .And I share the post(features/home/MyHealthContent.feature:71)

```

Then I navigate back to previous page

0.00s

After

0.00s

[Back to Table of Contents](#)
Scenario: **Verify User can navigate to Health homepage**

Passed: 0

Failed: 1

Undefined: 0

Duration: 3.06s

Before

0.00s

Then I navigate to story post page

3.06s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.


```

uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 5c9f144a-7e15-4c26-9c8a-0aea6f60bdf
*** Element info: {Using=xpath, value=//android.view.View[contains(@text,'First Steps')]
/preceding::android.widget.ImageView}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:

```

19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165) at com.onepulse.app.screens.WealthScreen.clickFullViewBackButton(WealthScreen.java:165) at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iNavigateToStoryPostPage(WealthSteps.java:70) at .Then I navigate to story post page(features/home/MyHealthContent.feature:75)			
After			0.00s
Back to Table of Contents			
Feature: Verify Notification Center functionality on one pulse App			
Passed: 0	Failed: 3	Undefined: 0	Duration: 108.05s
Scenario: User should be able to register on app with correct credentials using "Continue with Email"			
Passed: 15	Failed: 1	Undefined: 2	Duration: 108.0s
Before			0.00s
Given I generate random number and assign to variable "RANDOM_NUMBER"			0.00s
And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"			0.00s
And User has pulse app			8.92s
Then I wait for 2 sec			2.01s
And user click on "CONTINUE WITH EMAIL" with Email button			13.68s
Then I wait for 2 sec			2.01s
Then I change the country as required on registration page			11.39s
Then I wait for 2 sec			2.01s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button			3.79s
Then I wait for 2 sec			2.03s
When user enters registration details			7.17s
FirstName	testAutomation		
LastName	testAutomation		
Email	\${PULSE_EMAIL}		
Password	Pas\$1234		
And taps on continue "Sign_Up" button			0.28s
And I wait for otp screen after clicking on signup button			3.90s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"			31.86s
Then I wait for 2 sec			2.00s
Then I click skip button			16.98s
<p>org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up</p> <p>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'</p> <p>System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'</p> <p>Driver info: io.appium.java_client.android.AndroidDriver</p> <p>Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.</p>			


```

uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 273b1b6f-e837-4c89-b1d7-621ae35dd602
*** Element info: {Using=xpath, value=//android.widget.TextView[@text="Continue" or
@text="Connect Later"]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:

```

19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165) at com.onepulse.app.screens.PulseRegistrationScreen.clickSkipButton (PulseRegistrationScreen.java:1113) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iClickSkipButton (RegistrationSteps.java:377) at .Then I click skip button(features/home/NotificationCenter.feature:25)			
Then user should be landed to "Home" screen			0.00s
Then I wait for 4 sec			0.00s
After			0.00s
Back to Table of Contents			
Scenario: Navigate to notification screen via home screen			
Passed: 0	Failed: 1	Undefined: 1	Duration: .02s
Before			0.00s
Given I navigate to notification screen from home page			0.02s
<p>org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: 273b1b6f-e837-4c89-b1d7-621ae35dd602 *** Element info: {Using=xpath, value=(//android.view.ViewGroup[4]/android.widget.ImageView)[1]} at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)</p>			

```

at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.PulseManageProfileScreen.
navigateToNotificationScreenFromHomePage(PulseManageProfileScreen.java:1049)
at com.onepulse.app.stepdefinitions.mobilesteps.ManageProfileSteps.
navigateToNotificationScreenFromHomePage(ManageProfileSteps.java:240)
at .Given I navigate to notification screen from home page(features/home/NotificationCenter.
feature:31)

```

Then I wait for 2 sec

0.00s

After

0.00s

[Back to Table of Contents](#)
Scenario: **Verify User should be able to see the Notification screen texts**

Passed: 0

Failed: 1

Undefined: 0

Duration: .02s

Before

0.00s

And I verify following texts are displayed

0.02s

\${notification.msg}

java.lang.AssertionError: The following asserts failed:

Notification Center text is displayed on page expected [true] but found [false]

at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)

 at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen
 (MyDocSteps.java:717)

at .And I verify following texts are displayed(features/home/NotificationCenter.feature:36)

After		0.00s
Back to Table of Contents		
Feature: Verify My Challenges on One Pulse App		
Passed: 1	Failed: 3	Undefined: 0
Duration: 78.58s		
Scenario: Launch the app and select the country as per specified Ibu		
Passed: 5	Failed: 0	Undefined: 0
Duration: 45.31s		
Before		0.00s
Given User has pulse app		8.66s
And user click on "CONTINUE WITH EMAIL" with Email button		16.23s
Then I change the country as required on registration page		11.88s
Then I wait for 3 sec		3.01s
And I click the Sign in link		5.54s
After		0.00s
Back to Table of Contents		
Scenario: User should be able to login on app with correct credentials using "Continue with Email"		
Passed: 6	Failed: 1	Undefined: 0
Duration: 33.16s		
Before		0.00s
And I assign "\${login.email.id}" to variable "PULSE_EMAIL"		0.00s
Given I select the language option on toggle bar as required on login page		3.54s
When user enters credentials		10.47s
UserName	\${PULSE_EMAIL}	
Password	\${login.password}	
And User clicks on signin button		0.24s
Then I wait for 10 sec		10.00s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"		3.85s
Then user should be landed to "Home" screen		5.06s
java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:94) at org.testng.Assert.failNotEquals(Assert.java:513) at org.testng.Assert.assertTrue(Assert.java:42) at org.testng.Assert.assertTrue(Assert.java:52) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.landingPageValidation(LoginSteps.java:92) at .Then user should be landed to "Home" screen(features/home/mychallenges/PulseMyChallenges.feature:21)		
After		0.00s
Back to Table of Contents		
Scenario: Verify My Challenges texts		
Passed: 1	Failed: 1	Undefined: 1
Duration: .1s		
Before		0.00s
And I click on My Challenges tile on one pulse app		0.02s
And I verify following texts are displayed		0.08s

</				


```

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 1695999a-b068-43d3-9855-12ed4d56ef89
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:46)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.
RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.
java:804)
at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)
at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:206)
at com.onepulse.app.screens.CustomerConnectScreen.
isStaticTextDisplayedOncommunitiesScreen(CustomerConnectScreen.java:186)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.
isStaticTextDisplayedOncommunitiesScreen(CustomerConnectSteps.java:88)
at .And I verify the following texts "All Communities" in Screen(features/home
/mycommunities/PulseMyCommunities.feature:29)

```

After		0.00s
Back to Table of Contents		
Scenario: Leave the community if already joined		
Passed: 0	Failed: 1	Undefined: 2
Duration: .03s		
Before		0.00s
And I clicks on "\${my.communities.text}" in app screen		0.03s
<p>org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up</p> <p>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'</p> <p>System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'</p> <p>Driver info: io.appium.java_client.android.AndroidDriver</p> <p>Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}</p> <p>Session ID: 1695999a-b068-43d3-9855-12ed4d56ef89</p> <p>*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"My Communities")]}</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)</p> <p>at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</p> <p>at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)</p> <p>at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)</p> <p>at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)</p> <p>at io.appium.java_client.DefaultGenericMobileDriver.findElement</p>		

```
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.CustomerConnectScreen.clickButton(CustomerConnectScreen.java:1733)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickUploadIcon
(CustomerConnectSteps.java:534)
at .And I clicks on "${my.communities.text}" in app screen(features/home/mycommunities/PulseMyCommunities.feature:34)
```

Then I wait for 5 sec	0.00s
Then I leave all joined communities by clicking on three dots menu icon on my My communities screen	0.00s

After	0.00s
-------	-------

[Back to Table of Contents](#)

Scenario: **Verify the All Communities Post screen**

Passed: 1	Failed: 1	Undefined: 7	Duration: 5.03s
-----------	-----------	--------------	-----------------

Before	0.00s
--------	-------

Then I wait for 5 sec	5.01s
And I clicks on "\${All.Communities.text}" in app screen	0.02s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
 Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
 System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
 Driver info: io.appium.java_client.android.AndroidDriver
 Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,

```

deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 1695999a-b068-43d3-9855-12ed4d56ef89
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"All
Communities")]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.CustomerConnectScreen.clickButton(CustomerConnectScreen.
java:1733)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickUploadIcon

```

(CustomerConnectSteps.java:534) at .And I clicks on "\${All.Communities.text}" in app screen(features/home/mycommunities/PulseMyCommunities.feature:43)			
And I click the Join button in Communities tab			0.00s
And I click the static Active icon in community screen			0.00s
And I click Edit icon in stay Active icon			0.00s
And Enter the post in community screen			0.00s
POST TEST1			
And Enter the post in community large text screen			0.00s
POST welcome			
And I click the Post icon in create post screen			0.00s
Then I verify the following text "TEST1" in post Screen			0.00s
TEST1 welcome			
After			0.00s
Back to Table of Contents			
Scenario: Verify the Likes and comments counts in All communities tab			
Passed: 0	Failed: 1	Undefined: 7	Duration: 8.04s
Before			0.00s
And I click the Post icon in My communities			8.04s
<p>org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up</p> <p>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'</p> <p>System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'</p> <p>Driver info: io.appium.java_client.android.AndroidDriver</p> <p>Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}</p> <p>Session ID: 1695999a-b068-43d3-9855-12ed4d56ef89</p> <p>*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Hi Pulsemate!')]} at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException</p>			


```

(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.TestBasePage.popupstart(TestBasePage.java:510)
at com.onepulse.app.screens.mydocui.MyCommunitiesScreen.ClickFeeds
(MyCommunitiesScreen.java:311)
at com.onepulse.app.stepdefinitions.mobilesteps.MyCommunitiesSteps.clickIcons
(MyCommunitiesSteps.java:106)
at .And I click the Post icon in My communities(features/home/mycommunities
/PulseMyCommunities.feature:57)

```

And I wait for 5 sec	0.00s
And I click the like button in Post screen	0.00s
And Verify the like count in Post screen " 1 Likes" likes	0.00s
And I click the Comment icon in feed screen	0.00s
And Enter the comments in Feeds screen	0.00s
Comments TEST1	
And I click the submit icon in feeds screen	0.00s
And Verify the comments count in Feeds screen " 0 Comments" comments	0.00s

After		0.00s
Back to Table of Contents		
Scenario: Verify the Share with Friends Functionality in All communities tab		
Passed: 0	Failed: 1	Duration: 4.07s
Before		0.00s
And I click the share icon in Post screen		4.07s
<p>org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up</p> <p>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'</p> <p>System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'</p> <p>Driver info: io.appium.java_client.android.AndroidDriver</p> <p>Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}</p> <p>Session ID: 1695999a-b068-43d3-9855-12ed4d56ef89</p> <p>*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Hi Pulsemate!')]} at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317) at io.appium.java_client.DefaultGenericMobileDriver.findElement</p>		

```

(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.TestBasePage.popupstart(TestBasePage.java:510)
at com.onepulse.app.screens.mydocui.MyCommunitiesScreen.ClickShareIcon
(MyCommunitiesScreen.java:556)
at com.onepulse.app.stepdefinitions.mobilesteps.MyCommunitiesSteps.ClickShareIcon
(MyCommunitiesSteps.java:173)
at .And I click the share icon in Post screen(features/home/mycommunities
/PulseMyCommunities.feature:68)

```

And Verify the pop up in "Share with Friends"	0.00s
And I click the phone icon in share with friends	0.00s
And I give camera permission	0.00s

After	0.00s
-------	-------

[Back to Table of Contents](#)

Scenario: Verify the Post Functionality in All communities

Passed: 0	Failed: 1	Undefined: 11	Duration: .05s
-----------	-----------	---------------	----------------

Before	0.00s
--------	-------

Then I click skip button in feeds screen	0.05s
--	-------

```

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,

```

```

deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 1695999a-b068-43d3-9855-12ed4d56ef89
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Hi
Pulsemate!')]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.TestBasePage.popupstart(TestBasePage.java:510)
at com.onepulse.app.screens.mydocui.MyCommunitiesScreen.ClickSkipfeedbutton
(MyCommunitiesScreen.java:662)

```

at com.onepulse.app.stepdefinitions.mobilesteps.MyCommunitiesSteps.clickSkipbutton (MyCommunitiesSteps.java:208) at .Then I click skip button in feeds screen(features/home/mycommunities/PulseMyCommunities.feature:75)		
Then I wait for 2 sec		0.00s
And I click the Back icon in Stay Active screen		0.00s
Then I wait for 3 sec		0.00s
And I click Edit icon in stay Active icon		0.00s
And I click the Camera icon in create post screen		0.00s
And I click the Upload Image icon		0.00s
And I give camera permission		0.00s
Then I take picture from Camera		0.00s
And Enter the post in community screen		0.00s
POST TEST1		
And Enter the post in community large text screen		0.00s
POST welcome		
And I click the Post icon in create post screen		0.00s
After		0.00s
Back to Table of Contents		
Scenario: Verify the Category list and search feature		
Passed: 1	Failed: 1	Undefined: 4
Duration: 15.07s		
Before		0.00s
Then I wait for 15 sec		15.01s
And I clicks on "\${category.text}" in app screen		0.06s
<p>org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up</p> <p>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'</p> <p>System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'</p> <p>Driver info: io.appium.java_client.android.AndroidDriver</p> <p>Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}</p> <p>Session ID: 1695999a-b068-43d3-9855-12ed4d56ef89</p> <p>*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"Category")]} }</p>		

```

atjdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.CustomerConnectScreen.clickButton(CustomerConnectScreen.
java:1733)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickUploadIcon
(CustomerConnectSteps.java:534)
at .And I clicks on "${category.text}" in app screen(features/home/mycommunities
/PulseMyCommunities.feature:93)

```

And I verify the following texts "Category" in Screen

0.00s

COVID-19

Fitness

Global Awareness Days

Mental Health

And I clicks on "\${no.post.category}" in app screen		0.00s
And I clicks on "\${apply.button}" in app screen		0.00s
And I verify following texts are displayed		0.00s
After		0.00s
Back to Table of Contents		
Scenario: User navigates back to the community screen		
Passed: 0	Failed: 1	Undefined: 0
Before		0.00s
And I click the Back icon in Stay Active screen		0.05s
<p>org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: 1695999a-b068-43d3-9855-12ed4d56ef89 *** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Hi Pulsemate!')]} at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.</p>		


```

java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.TestBasePage.popupstart(TestBasePage.java:510)
at com.onepulse.app.screens.mydocui.MyCommunitiesScreen.Clickstaricon
(MyCommunitiesScreen.java:464)
at com.onepulse.app.stepdefinitions.mobilesteps.MyCommunitiesSteps.Clickstarutton
(MyCommunitiesSteps.java:153)
at .And I click the Back icon in Stay Active screen(features/home/mycommunities
/PulseMyCommunities.feature:105)

```

After		0.00s
-------	--	-------

[Back to Table of Contents](#)

Scenario: **Leave the community if already joined**

Passed: 0	Failed: 1	Undefined: 3	Duration: .03s
-----------	-----------	--------------	----------------

Before		0.00s
--------	--	-------

And I clicks on "\${my.communities.text}" in app screen	0.03s
---	-------

```

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,

```

```

deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 1695999a-b068-43d3-9855-12ed4d56ef89
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"My
Communities")]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.CustomerConnectScreen.clickButton(CustomerConnectScreen.
java:1733)

```

at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickUploadIcon (CustomerConnectSteps.java:534)	
at .And I clicks on "\${my.communities.text}" in app screen(features/home/mycommunities/PulseMyCommunities.feature:108)	
And I scroll down	0.00s
When I click on joined community three dots menu icon	0.00s
And I click on leave button for joined community	0.00s
After	0.00s
Back to Table of Contents	
Feature: Verify Private My Communities on One Pulse App	
Passed: 0	Failed: 4
Undefined: 0	Duration: 15.17s
Scenario: Launch the app and select the country as per specified Ibu	
Passed: 0	Failed: 1
Undefined: 4	Duration: 7.96s
Before	0.00s
Given User has pulse app	7.96s
<p>com.prudential.tap.exception.TapException: Driver not create for [android], [An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: dfb509bc-8fd2-4886-b868-e2e52c458a45] at com.onepulse.app.screens.TestBasePage.launchApp(TestBasePage.java:125) at com.onepulse.app.stepdefinitions.mobilesteps.BaseSteps.userHasPulseAppGeneric (BaseSteps.java:42) at .Given User has pulse app(features/home/mycommunities/PulseMyCommunities_private.feature:5)</p>	
And user click on "CONTINUE WITH EMAIL" with Email button	0.00s
Then I change the country as required on registration page	0.00s
Then I wait for 3 sec	0.00s
And I click the Sign in link	0.00s
After	0.00s
Back to Table of Contents	

Scenario: User should be able to login on app with correct credentials using "Continue with Email"

Passed: 1	Failed: 1	Undefined: 5	Duration: .05s
Before			0.00s

And I assign "\${mychannel.private.user}" to variable "PULSE_EMAIL"

0.00s

Given I select the language option on toggle bar as required on login page

0.05s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
 Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
 System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
 Driver info: io.appium.java_client.android.AndroidDriver
 Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
 Session ID: 1695999a-b068-43d3-9855-12ed4d56ef89
 *** Element info: {Using=xpath, value=//android.widget.TextView[@text="EN"]}
 at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
 at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
 at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
 at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
 at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)
 at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
 at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
 at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
 at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
 at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)

```

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.PulseRegistrationScreen.selectTheLanguageToggle
(PulseRegistrationScreen.java:1065)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.selectTheLangOption
(RegistrationSteps.java:338)
at .Given I select the language option on toggle bar as required on login page(features/home
/mycommunities/PulseMyCommunities_private.feature:14)

```

When user enters credentials	0.00s				
<table> <tr> <td>UserName</td><td>\${PULSE_EMAIL}</td></tr> <tr> <td>Password</td><td>\${login.password}</td></tr> </table>	UserName	\${PULSE_EMAIL}	Password	\${login.password}	
UserName	\${PULSE_EMAIL}				
Password	\${login.password}				
And User clicks on signin button	0.00s				
Then I wait for 10 sec	0.00s				
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	0.00s				
Then user should be landed to "Home" screen	0.00s				

After	0.00s
-------	-------

[Back to Table of Contents](#)

Scenario: **Verify the My communities screen**

Passed: 2	Failed: 1	Undefined: 2	Duration: 3.08s
-----------	-----------	--------------	-----------------

Before	0.00s
--------	-------

And I click the MyCommunities icon	0.04s
Then I wait for 3 sec	3.01s
And I verify following texts are displayed	0.03s

`${icon.communities}`

```

java.lang.AssertionError: The following asserts failed:
Communities text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen
(MyDocSteps.java:717)
at .And I verify following texts are displayed(features/home/mycommunities
/PulseMyCommunities_private.feature:29)

```


And I verify the following texts "All Communities" in Screen		0.00s
	<code>\${my.communities.text}</code>	
	<code>\${All.Communities.text}</code>	
Then I wait for 3 sec		0.00s
After		0.00s
Back to Table of Contents		
Scenario: Verify the Private Communities in communities screen		
Passed: 0	Failed: 1	Duration: 4.08s
Before		0.00s
And I click the Private " <code>\${All.Communities.text}</code> " in Communties screen		4.08s
<p>org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: 1695999a-b068-43d3-9855-12ed4d56ef89 *** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Hi Pulsemate!')]} at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.</p>		


```

java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.TestBasePage.popupstart(TestBasePage.java:510)
at com.onepulse.app.screens.mydocui.MyCommunitiesScreen.ClickPrivateCommunities
(MyCommunitiesScreen.java:994)
at com.onepulse.app.stepdefinitions.mobilesteps.MyCommunitiesSteps.
Click_PrivateCommunties(MyCommunitiesSteps.java:288)
at .And I click the Private "${All.Communities.text}" in Communities screen(features/home
/mycommunities/PulseMyCommunities_private.feature:40)

```

And I Enter the "e.g. Be Healthy content, Challenges etc." in "Test" in home screen	0.00s
And I Enter the "e.g. Healthy content, forum for celebrities etc." in "2020" in home new screen	0.00s
And I clicks on "Take a Picture" in app screen	0.00s
And I click the Upload Image icon	0.00s
And I give camera permission	0.00s
Then I take picture from Camera	0.00s
Then I wait for 3 sec	0.00s
And I scroll down	0.00s
And I click the continue button	0.00s
Then I click skip button in feeds screen	0.00s
And I clicks on "OK" in app screen	0.00s

After	0.00s
-------	-------

[Back to Table of Contents](#)

Feature: [Verify legal and legacy on One pulse App](#)

Passed: 1	Failed: 6	Undefined: 0	Duration: 40.42s
-----------	-----------	--------------	------------------

Scenario: Launch the app and select the country as per specified lbu			
Passed: 3	Failed: 1	Undefined: 2	Duration: 31.11s
Before			0.00s
Given User has pulse app			9.43s
And I assign "\${pulse.legal.privacy.login.id}" to variable "PULSE_EMAIL"			0.00s
And user click on "CONTINUE WITH EMAIL" with Email button			16.91s
Then I change the country as required on registration page			4.77s
<p>org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up</p> <p>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'</p> <p>System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'</p> <p>Driver info: io.appium.java_client.android.AndroidDriver</p> <p>Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}</p> <p>Session ID: 0d77db4e-5ba2-440e-9b1d-8b99e3546709</p> <p>*** Element info: {Using=xpath, value=//android.widget.Spinner[1]}</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)</p> <p>at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</p> <p>at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)</p> <p>at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)</p> <p>at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)</p> <p>at io.appium.java_client.DefaultGenericMobileDriver.findElement</p>			

```

(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryName
(PulseRegistrationScreen.java:1014)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTheCountry
(RegistrationSteps.java:306)
at .Then I change the country as required on registration page(features/my/MyAccount
/LegalAndPrivacy.feature:9)

```

Then I wait for 5 sec	0.00s
-----------------------	-------

And I click the Sign in link	0.00s
------------------------------	-------

After	0.00s
-------	-------

[Back to Table of Contents](#)

Scenario: [login to the app with correct credentials using "Continue with Email"](#)

Passed: 0	Failed: 1	Undefined: 5	Duration: .02s
-----------	-----------	--------------	----------------

Before	0.00s
--------	-------

Given I select the language option on toggle bar as required on login page	0.02s
--	-------

```

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,

```

```

platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 0d77db4e-5ba2-440e-9b1d-8b99e3546709
*** Element info: {Using=xpath, value=//android.widget.TextView[@text="EN"]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.PulseRegistrationScreen.selectTheLanguageToggle
(PulseRegistrationScreen.java:1065)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.selectTheLangOption
(RegistrationSteps.java:338)
at .Given I select the language option on toggle bar as required on login page(features/my
/MyAccount/LegalAndPrivacy.feature:14)

```

When user enters credentials			0.00s
UserName	{PULSE_EMAIL}		
Password	{pulse.edit}		
And User clicks on signin button			0.00s
And I wait for 5 sec			0.00s
And I enter OTP in one pulse app for user email "{PULSE_EMAIL}"			0.00s
Then user should be landed to "Home" screen			0.00s
After			0.00s
Back to Table of Contents			
Scenario: Navigate to account screen			
Passed: 1	Failed: 0	Undefined: 0	Duration: 2.04s
Before			0.00s
	Given user navigate to account page		2.04s
After			0.00s
Back to Table of Contents			
Scenario: Verify the Legacy and Privacy should be displayed			
Passed: 1	Failed: 1	Undefined: 0	Duration: 3.13s
Before			0.00s
	And I click the Legacy and Privacy in Account screen		3.04s
	Then I verify following texts are displayed in terms and condition screen		0.10s
	{Terms.conditions.text}		
	{icon.privacyNotice}		
	{icon.regulatory}		
	{app.version.text}		
	java.lang.AssertionError: The following asserts failed: Terms & Conditions text is displayed on page expected [true] but found [false], Privacy Notice text is displayed on page expected [true] but found [false], Regulatory text is displayed on page expected [true] but found [false], App Version text is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps.VerifyTermsandCondition (DieticianSteps.java:238) at .Then I verify following texts are displayed in terms and condition screen(features/my /MyAccount/LegalAndPrivacy.feature:28)		
After			0.00s
Back to Table of Contents			
Scenario: Verify the Terms and condition screen should be displayed			
Passed: 0	Failed: 1	Undefined: 3	Duration: .03s
Before			0.00s
	And I click on "{Terms.conditions.text}" link in Account screen		0.03s
	org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up		


```

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 0d77db4e-5ba2-440e-9b1d-8b99e3546709
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"Terms &
Conditions")]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement

```



```
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.PulseManageProfileScreen.clickOnAccountOption(PulseManageProfileScreen.java:952)
at com.onepulse.app.stepdefinitions.mobilesteps.ManageProfileSteps.clickOnAccountOption(ManageProfileSteps.java:81)
at .And I click on "${Terms.conditions.text}" link in Account screen(features/my/MyAccount/LegalAndPrivacy.feature:35)
```

And I click the pulse icon in Account screen	0.00s
--	-------

And I click the Back icon in pulse screen	0.00s
---	-------

And I click the Back icon in Terms and conditions screen	0.00s
--	-------

After	0.00s
-------	-------

[Back to Table of Contents](#)

Scenario: **Verify the Privacy screen should be displayed**

Passed: 0	Failed: 1	Undefined: 3	Duration: 2.06s
-----------	-----------	--------------	-----------------

Before	0.00s
--------	-------

And I click the Privacy icon in legal screen	2.06s
--	-------

```
org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 0d77db4e-5ba2-440e-9b1d-8b99e3546709
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Privacy
Notice')]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
```

```

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.CustomerConnectScreen.clickPrivacyicon
(CustomerConnectScreen.java:679)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickprivacyIcon
(CustomerConnectSteps.java:185)
at .And I click the Privacy icon in legal screen(features/my/MyAccount/LegalAndPrivacy.
feature:41)

```

And I click the pulse icon in Account screen	0.00s
And I click the Back icon in pulse screen	0.00s
And I click the Back icon in Privacy Notice	0.00s

After	0.00s
-------	-------

[Back to Table of Contents](#)

Scenario: **Verify the Regulator screen should be displayed**

Passed: 1	Failed: 1	Undefined: 2	Duration: 2.03s
-----------	-----------	--------------	-----------------

Before	0.00s
--------	-------

Given I wait for 2 sec	2.00s
And I click the Regulatory icon in legal screen	0.03s
<p>org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: 0d77db4e-5ba2-440e-9b1d-8b99e3546709 *** Element info: {Using=xpath, value=//android.widget.TextView[contains (@text,'Regulatory')]} at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317) at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)</p>	

```

at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.CustomerConnectScreen.clickRegulatory
(CustomerConnectScreen.java:690)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickRegulatory
(CustomerConnectSteps.java:194)
at .And I click the Regulatory icon in legal screen(features/my/MyAccount/LegalAndPrivacy.
feature:48)

```

And I click the Babylons icon in Account screen	0.00s
---	-------

Then I verify following texts are displayed in terms and condition screen	0.00s
---	-------

<table border="1"> <tr><td>\${clinicalSafety.text}</td></tr> <tr><td>\${ai.healthcare.text}</td></tr> <tr><td>\${localisation.text}</td></tr> <tr><td>\${privacy.date.protection.text}</td></tr> <tr><td>\${concern.reporting.text}</td></tr> </table>	\${clinicalSafety.text}	\${ai.healthcare.text}	\${localisation.text}	\${privacy.date.protection.text}	\${concern.reporting.text}	
\${clinicalSafety.text}						
\${ai.healthcare.text}						
\${localisation.text}						
\${privacy.date.protection.text}						
\${concern.reporting.text}						

After	0.00s
-------	-------

[Back to Table of Contents](#)

Feature: [Verify My accounts options in Account screen](#)

- 1)My wearable
- 2)My Rewards
- 3)My Notifications
- 4)My Feedback
- 5)Pulse Personalised

Passed: 3	Failed: 22	Undefined: 0	Duration: 122.97s
-----------	------------	--------------	-------------------

Scenario: [Launch the app and select the country as per specified lbu](#)

Passed: 6	Failed: 0	Undefined: 0	Duration: 47.19s
-----------	-----------	--------------	------------------

Before	0.00s
--------	-------

Given User has pulse app	9.53s
And I assign "\${onepulse.login.edit.profile}" to variable "PULSE_EMAIL"	0.00s
And user click on "CONTINUE WITH EMAIL" with Email button	15.65s
Then I change the country as required on registration page	12.13s
Then I wait for 5 sec	5.01s
And I click the Sign in link	4.86s

After	0.00s
-------	-------

[Back to Table of Contents](#)
Scenario: login to the app with correct credentials using "Continue with Email"

Passed: 6	Failed: 0	Undefined: 0	Duration: 45.13s
Before			0.00s

Given I select the language option on toggle bar as required on login page	3.58s				
When user enters credentials	9.93s				
<table> <tr> <td>UserName</td><td>\${PULSE_EMAIL}</td></tr> <tr> <td>Password</td><td>\${pulse.edit}</td></tr> </table>	UserName	\${PULSE_EMAIL}	Password	\${pulse.edit}	
UserName	\${PULSE_EMAIL}				
Password	\${pulse.edit}				
And User clicks on signin button	0.32s				
And I wait for 5 sec	5.01s				
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	11.99s				
Then user should be landed to "Home" screen	14.31s				

After	0.00s
-------	-------

[Back to Table of Contents](#)
Scenario: Navigate to account screen and verify all the options

Passed: 2	Failed: 1	Undefined: 0	Duration: 17.93s
Before			0.00s

Given user navigate to account page	12.09s
Then I wait for 2 sec	2.01s
And user should verify following options on account screen	3.83s

\${my.wearable.text}
\${my.rewards.text}
\${my.notification.text}
\${icon.mySettings}
\${my.feedback.text}
\${icon.legal&Privacy}
\${pulsePersonalised.text}
\${sign.out.button.text}
\${logs.text}

```
java.lang.AssertionError: The following asserts failed:
expected [true] but found [false],
expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.ManageProfileSteps.
userShouldVerifyOptionsOnAccountScreen(ManageProfileSteps.java:69)
at .And user should verify following options on account screen(features/my/MyAccount
/PulseMyAccount.feature:31)
```

After	0.00s
-------	-------

[Back to Table of Contents](#)
Scenario: Verify wearable screen in Account tab

Passed: 0	Failed: 1	Undefined: 3	Duration: .04s
Before			0.00s

And I click on "\${my.wearable.text}" link in Account screen	0.04s
--	-------

```

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: f7aac662-c5a2-4749-b8f1-30b7e4b8a9c9
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"My
Wearable")]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)

```


at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)			
at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)			
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)			
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58)			
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)			
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)			
at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141)			
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)			
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)			
at com.onepulse.app.screens.PulseManageProfileScreen.clickOnAccountOption (PulseManageProfileScreen.java:952)			
at com.onepulse.app.stepdefinitions.mobilesteps.ManageProfileSteps.clickOnAccountOption (ManageProfileSteps.java:81)			
at .And I click on "{\$my.wearable.text}" link in Account screen(features/my/MyAccount /PulseMyAccount.feature:43)			
Then I wait for 2 sec			0.00s
Then I verify following text are displayed under My Wearables screen			0.00s
#{wearables.title}			
#{wearables.subTitle}			
#{wearables.description}			
#{wearables.fitbitText}			
	#{wearables.garminText}		
And I verify following wearables are displayed as per the device			0.00s
	#{apple.health.text}####{wearables.googleFit}		
After			0.00s
Back to Table of Contents			
Scenario: navigate back to account screen from my wearable screen			
Passed: 0	Failed: 1	Undefined: 1	Duration: .04s
Before			0.00s
And user navigate back to the Home screen from My Wearables screen			0.04s
org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,			

```

newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: f7aac662-c5a2-4749-b8f1-30b7e4b8a9c9
*** Element info: {Using=xpath, value=(//android.widget.ImageView)[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.PulseManageProfileScreen.backNavigationMyWearablesHome
(PulseManageProfileScreen.java:1043)
at com.onepulse.app.stepdefinitions.mobilesteps.ManageProfileSteps.
backNavigationMyWearablesHome(ManageProfileSteps.java:235)
at .And user navigate back to the Home screen from My Wearables screen(features/my
/MyAccount/PulseMyAccount.feature:55)

```

And I wait for 2 sec		0.00s
After		0.00s
Back to Table of Contents		
Scenario: Navigate to account screen		
Passed: 2	Failed: 0	Undefined: 0
Duration: 4.06s		
Before		0.00s
Given user navigate to account page		2.04s
Then I wait for 2 sec		2.02s
After		0.00s
Back to Table of Contents		
Scenario: Verify reward screen in Account tab		
Passed: 0	Failed: 1	Undefined: 2
Duration: .02s		
Before		0.00s
And I click on "\${my.rewards.text}" link in Account screen		0.02s
<p>org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up</p> <p>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'</p> <p>System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'</p> <p>Driver info: io.appium.java_client.android.AndroidDriver</p> <p>Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}</p> <p>Session ID: f7aac662-c5a2-4749-b8f1-30b7e4b8a9c9</p> <p>*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"My Rewards")]} at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:</p>		

158)

```

at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.PulseManageProfileScreen.clickOnAccountOption
(PulseManageProfileScreen.java:952)
at com.onepulse.app.stepdefinitions.mobilesteps.ManageProfileSteps.clickOnAccountOption
(ManageProfileSteps.java:81)
at .And I click on "${my.rewards.text}" link in Account screen(features/my/MyAccount
/PulseMyAccount.feature:63)

```

Then I wait for 2 sec	0.00s
-----------------------	-------

Then User verify following texts are displayed in My Rewards screen	0.00s
---	-------

<table border="1"> <tr><td>\${myRewards.title}</td></tr> <tr><td>\${myRewards.badges}</td></tr> <tr><td>\${myRewards.vouchers}</td></tr> <tr><td>\${myRewards.discover}</td></tr> <tr><td>\${my.rewards.text}</td></tr> </table>	\${myRewards.title}	\${myRewards.badges}	\${myRewards.vouchers}	\${myRewards.discover}	\${my.rewards.text}	
\${myRewards.title}						
\${myRewards.badges}						
\${myRewards.vouchers}						
\${myRewards.discover}						
\${my.rewards.text}						

After	0.00s
-------	-------

[Back to Table of Contents](#)
Scenario: User access My Rewards FAQ

Passed: 0	Failed: 1	Undefined: 2	Duration: .01s
-----------	-----------	--------------	----------------

Before	0.00s
--------	-------

When I scroll down	0.01s
--------------------	-------

```

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: f7aac662-c5a2-4749-b8f1-30b7e4b8a9c9
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:46)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.
RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.
java:804)
at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)
at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:206)
at com.onepulse.app.stepdefinitions.mobilesteps.BaseSteps.scrollDown(BaseSteps.java:52)
at .When I scroll down(features/my/MyAccount/PulseMyAccount.feature:73)

```

Then I wait for 2 sec	0.00s
Then User verify following texts are displayed in My Rewards screen	0.00s
<div> <div></div> <div>{myRewards.faq.title}</div> </div>	

After	0.00s
-------	-------

[Back to Table of Contents](#)
Scenario Outline: [Verify the FAQ on my rewards screen](#)

Passed: 0	Failed: 1	Undefined: 3	Duration: .03s
Before			0.00s

Then User verify following faqs and answers "\${myRewards.faq.1}" are displayed in My Rewards screen

0.03s

\${myRewards.faq.1}

```
org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: f7aac662-c5a2-4749-b8f1-30b7e4b8a9c9
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"1. What is the My Rewards feature of the app?")]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
```



```

at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$20.executeCommand(Commands.java:185)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.getText(TestBasePage.java:189)
at com.onepulse.app.screens.PulseManageProfileScreen.verifyFAQTextOnRewardsScreen
(PulseManageProfileScreen.java:1031)
at com.onepulse.app.stepdefinitions.mobilesteps.ManageProfileSteps.
verifyFAQOnRewardsScreen(ManageProfileSteps.java:225)
at .Then User verify following faqs and answers "${myRewards.faq.1}" are displayed in My
Rewards screen(features/my/MyAccount/PulseMyAccount.feature:79)

```

And I expand faq "\${myRewards.faq.1}" in My Rewards screen	0.00s
---	-------

Then User verify following faqs and answers "\${myRewards.faq.1.ans}" are displayed in My Rewards screen	0.00s
--	-------

And I expand faq "\${myRewards.faq.1}" in My Rewards screen	0.00s
--	--------------

After	0.00s
--------------	--------------

[Back to Table of Contents](#)

Scenario Outline: Verify the FAQ on my rewards screen

Passed: 0	Failed: 1	Undefined: 3	Duration: .03s
-----------	-----------	--------------	----------------

Before	0.00s
---------------	--------------

Then User verify following faqs and answers "\${myRewards.faq.2}" are displayed in My Rewards screen	0.03s
--	-------

And I expand faq "\${myRewards.faq.2}" in My Rewards screen	0.00s
--	--------------

```

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,

```

desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: f7aac662-c5a2-4749-b8f1-30b7e4b8a9c9

*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"2. How will I be able to use these points?")]}
 at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
 at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
 at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)

at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)
 at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
 at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
 at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
 at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
 at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)

at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)

at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)
 at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)

at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)
 at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
 at com.prudential.tap.selenium.Commands\$20.executeCommand(Commands.java:185)

at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)

at com.onepulse.app.screens.TestBasePage.getText(TestBasePage.java:189)
 at com.onepulse.app.screens.PulseManageProfileScreen.verifyFAQTextOnRewardsScreen
 (PulseManageProfileScreen.java:1031)
 at com.onepulse.app.stepdefinitions.mobilesteps.ManageProfileSteps.
 verifyFAQOnRewardsScreen(ManageProfileSteps.java:225)
 at .Then User verify following faqs and answers "\${myRewards.faq.2}" are displayed in My
 Rewards screen(features/my/MyAccount/PulseMyAccount.feature:79)

And I expand faq "\${myRewards.faq.2}" in My Rewards screen	0.00s
---	-------

Then User verify following faqs and answers "\${myRewards.faq.2.ans}" are displayed in My Rewards screen	0.00s
---	-------

\${myRewards.faq.2.ans}	
And I expand faq "\${myRewards.faq.2}" in My Rewards screen	0.00s

After	0.00s
--------------	--------------

[Back to Table of Contents](#)

Scenario Outline: **Verify the FAQ on my rewards screen**

Passed: 0	Failed: 1	Undefined: 3	Duration: .03s
-----------	-----------	--------------	----------------

Before	0.00s
---------------	--------------

Then User verify following faqs and answers "\${myRewards.faq.3}" are displayed in My Rewards screen	0.03s
---	-------

\${myRewards.faq.3}

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
 processing the command. Original error: Could not proxy command to the remote server.
 Original error: socket hang up
 Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
 System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
 os.version: '10.0', java.version: '11.0.2'
 Driver info: io.appium.java_client.android.AndroidDriver
 Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
 uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
 desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
 autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
 newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
 deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
 deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
 javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
 newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
 platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
 viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
 false}
 Session ID: f7aac662-c5a2-4749-b8f1-30b7e4b8a9c9
 *** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"3. How do
 I earn more points?")]}
 at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
 at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
 (DelegatingConstructorAccessorImpl.java:45)
 at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
 (W3CHttpResponseCodec.java:187)

```

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$20.executeCommand(Commands.java:185)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.getText(TestBasePage.java:189)
at com.onepulse.app.screens.PulseManageProfileScreen.verifyFAQTextOnRewardsScreen
(PulseManageProfileScreen.java:1031)
at com.onepulse.app.stepdefinitions.mobilesteps.ManageProfileSteps.
verifyFAQOnRewardsScreen(ManageProfileSteps.java:225)
at .Then User verify following faqs and answers "${myRewards.faq.3}" are displayed in My
Rewards screen(features/my/MyAccount/PulseMyAccount.feature:79)

```

And I expand faq "\${myRewards.faq.3}" in My Rewards screen	0.00s
Then User verify following faqs and answers "\${myRewards.faq.3.ans. subtext}" are displayed in My Rewards screen	0.00s
\${myRewards.faq.3.ans.1}##\${myRewards.faq.3.ans.2}##\${myRewards.faq.3.ans.3} ##\${myRewards.faq.3.ans.4}##\${myRewards.faq.3.ans.5}##\${myRewards.faq.3.ans.6} ##\${myRewards.faq.3.ans.7}	
And I expand faq "\${myRewards.faq.3}" in My Rewards screen	0.00s

After	0.00s
-------	-------

[Back to Table of Contents](#)

Scenario Outline: [Verify the FAQ on my rewards screen](#)


```

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$20.executeCommand(Commands.java:185)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.getText(TestBasePage.java:189)
at com.onepulse.app.screens.PulseManageProfileScreen.verifyFAQTextOnRewardsScreen(PulseManageProfileScreen.java:1031)
at com.onepulse.app.stepdefinitions.mobilesteps.ManageProfileSteps.verifyFAQOnRewardsScreen(ManageProfileSteps.java:225)
at .Then User verify following faqs and answers "${myRewards.faq.5}" are displayed in My Rewards screen(features/my/MyAccount/PulseMyAccount.feature:79)

```

And I expand faq "\${myRewards.faq.5}" in My Rewards screen	0.00s
Then User verify following faqs and answers "\${myRewards.faq.5.ans.subtext}" are displayed in My Rewards screen	0.00s
<pre> \${myRewards.faq.5.ans.1}##\${myRewards.faq.5.ans.2}##\${myRewards.faq.5.ans.3} ##\${myRewards.faq.5.ans.4} </pre>	
And I expand faq "\${myRewards.faq.5}" in My Rewards screen	0.00s

After	0.00s
--------------	--------------

[Back to Table of Contents](#)

Scenario Outline: **Verify the FAQ on my rewards screen**

Passed: 0	Failed: 1	Undefined: 3	Duration: .03s
-----------	-----------	--------------	----------------

Before	0.00s
---------------	--------------

Then User verify following faqs and answers "\${myRewards.faq.6}" are displayed in My Rewards screen	0.03s
<pre> \${myRewards.faq.6} </pre>	
<pre> org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, </pre>	


```

autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: f7aac662-c5a2-4749-b8f1-30b7e4b8a9c9
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"6. How
long will it take for points to be posted to my account?")]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$20.executeCommand(Commands.java:185)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.getText(TestBasePage.java:189)

```

at com.onepulse.app.screens.PulseManageProfileScreen.verifyFAQTextOnRewardsScreen (PulseManageProfileScreen.java:1031) at com.onepulse.app.stepdefinitions.mobilesteps.ManageProfileSteps. verifyFAQOnRewardsScreen(ManageProfileSteps.java:225) at .Then User verify following faqs and answers "\${myRewards.faq.6}" are displayed in My Rewards screen(features/my/MyAccount/PulseMyAccount.feature:79)		
And I expand faq "\${myRewards.faq.6}" in My Rewards screen		0.00s
Then User verify following faqs and answers "\${myRewards.faq.6.ans}" are displayed in My Rewards screen		0.00s
<div> \${myRewards.faq.6.ans} </div>		
And I expand faq "\${myRewards.faq.6}" in My Rewards screen		0.00s
After		0.00s
Back to Table of Contents		
Scenario Outline: Verify the FAQ on my rewards screen		
Passed: 0	Failed: 1	Undefined: 3
		Duration: .03s
Before		0.00s
Then User verify following faqs and answers "\${myRewards.faq.7}" are displayed in My Rewards screen		0.03s
<div> \${myRewards.faq.7} </div>		
org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: f7aac662-c5a2-4749-b8f1-30b7e4b8a9c9 *** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"7. Will my points expire?")]} at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode		

```

(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$20.executeCommand(Commands.java:185)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.getText(TestBasePage.java:189)
at com.onepulse.app.screens.PulseManageProfileScreen.verifyFAQTextOnRewardsScreen
(PulseManageProfileScreen.java:1031)
at com.onepulse.app.stepdefinitions.mobilesteps.ManageProfileSteps.
verifyFAQOnRewardsScreen(ManageProfileSteps.java:225)
at .Then User verify following faqs and answers "${myRewards.faq.7}" are displayed in My
Rewards screen(features/my/MyAccount/PulseMyAccount.feature:79)

```

And I expand faq "\${myRewards.faq.7}" in My Rewards screen	0.00s
Then User verify following faqs and answers "\${myRewards.faq.7.ans}" are displayed in My Rewards screen	0.00s
<div style="border: 1px solid black; padding: 2px; display: inline-block;"> \${myRewards.faq.7.ans} </div>	
And I expand faq "\${myRewards.faq.7}" in My Rewards screen	0.00s

After		0.00s
-------	--	-------

[Back to Table of Contents](#)

Scenario Outline: Verify the FAQ on my rewards screen

Passed: 0	Failed: 1	Undefined: 3	Duration: .03s
-----------	-----------	--------------	----------------

Before	0.00s
--------	-------


```

java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$20.executeCommand(Commands.java:185)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.getText(TestBasePage.java:189)
at com.onepulse.app.screens.PulseManageProfileScreen.verifyFAQTextOnRewardsScreen
(PulseManageProfileScreen.java:1031)
at com.onepulse.app.stepdefinitions.mobilesteps.ManageProfileSteps.
verifyFAQOnRewardsScreen(ManageProfileSteps.java:225)
at .Then User verify following faqs and answers "${myRewards.faq.8}" are displayed in My
Rewards screen(features/my/MyAccount/PulseMyAccount.feature:79)

```

And I expand faq "\${myRewards.faq.8}" in My Rewards screen	0.00s
---	-------

Then User verify following faqs and answers "\${myRewards.faq.8.ans. subtext}" are displayed in My Rewards screen	0.00s
---	-------

<div> <div></div> <div></div> <div></div> </div>	
--	--

And I expand faq "\${myRewards.faq.8}" in My Rewards screen	0.00s
---	-------

After		0.00s
--------------	--	--------------

[Back to Table of Contents](#)

Scenario Outline: **Verify the FAQ on my rewards screen**

Passed: 0	Failed: 1	Undefined: 3	Duration: .03s
-----------	-----------	--------------	----------------

Before		0.00s
---------------	--	--------------

Then User verify following faqs and answers "\${myRewards.faq.9}" are displayed in My Rewards screen	0.03s
--	-------

<div> <div></div> <div></div> <div></div> </div>
--

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,


```

javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: f7aac662-c5a2-4749-b8f1-30b7e4b8a9c9
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"9. Can I
transfer points to a friend?")]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$20.executeCommand(Commands.java:185)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.getText(TestBasePage.java:189)
at com.onepulse.app.screens.PulseManageProfileScreen.verifyFAQTextOnRewardsScreen
(PulseManageProfileScreen.java:1031)
at com.onepulse.app.stepdefinitions.mobilesteps.ManageProfileSteps.
verifyFAQOnRewardsScreen(ManageProfileSteps.java:225)

```


at .Then User verify following faqs and answers "\${myRewards.faq.9}" are displayed in My Rewards screen(features/my/MyAccount/PulseMyAccount.feature:79)			
And I expand faq "\${myRewards.faq.9}" in My Rewards screen			0.00s
Then User verify following faqs and answers "\${myRewards.faq.9.ans}" are displayed in My Rewards screen			0.00s
<div style="border: 1px solid black; padding: 2px;">\${myRewards.faq.9.ans}</div>			
And I expand faq "\${myRewards.faq.9}" in My Rewards screen			0.00s
After			0.00s
Back to Table of Contents			
Scenario: navigate back to account screen from my rewards screen			
Passed: 0	Failed: 1	Undefined: 1	Duration: .05s
Before			0.00s
Then I click on back button on my reward screen to navigate to account screen			0.05s
<p>org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up</p> <p>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'</p> <p>System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'</p> <p>Driver info: io.appium.java_client.android.AndroidDriver</p> <p>Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}</p> <p>Session ID: f7aac662-c5a2-4749-b8f1-30b7e4b8a9c9</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)</p> <p>at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</p>			

at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:46) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSize(RemoteWebDriver.java:804) at com.onepulse.app.screens.TestBasePage.scrollPageUP(TestBasePage.java:379) at com.onepulse.app.screens.PulseManageProfileScreen.clickOnMyRewardsBkBtn(PulseManageProfileScreen.java:969) at com.onepulse.app.stepdefinitions.mobilesteps.ManageProfileSteps.clickBackButtonInRewardScreen(ManageProfileSteps.java:122) at .Then I click on back button on my reward screen to navigate to account screen(features/my/MyAccount/PulseMyAccount.feature:98)		
And I wait for 2 sec		0.00s
After		0.00s
Back to Table of Contents		
Scenario: Verify Notification screen in Account tab		
Passed: 0	Failed: 1	Undefined: 1
		Duration: .04s
Before		0.00s
And I click on "\${my.notification.text}" link in Account screen		0.04s
org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: f7aac662-c5a2-4749-b8f1-30b7e4b8a9c9 *** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"My Notifications")]} at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)		

```

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.PulseManageProfileScreen.clickOnAccountOption
(PulseManageProfileScreen.java:952)
at com.onepulse.app.stepdefinitions.mobilesteps.ManageProfileSteps.clickOnAccountOption
(ManageProfileSteps.java:81)
at .And I click on "${my.notification.text}" link in Account screen(features/my/MyAccount
/PulseMyAccount.feature:102)

```

Then User verify following texts are displayed in My Notification screen	0.00s
--	-------

{notification.msg}

After	0.00s
-------	-------

[Back to Table of Contents](#)

Scenario: [navigate back to account screen from Notification screen](#)

Passed: 0	Failed: 1	Undefined: 1	Duration: .03s
-----------	-----------	--------------	----------------

Before	0.00s
--------	-------

Then I click on back button on notification screen to navigate to account screen	0.03s
--	-------

```

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: f7aac662-c5a2-4749-b8f1-30b7e4b8a9c9
*** Element info: {Using=xpath, value=(//android.widget.ImageView)[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)

```

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309) at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165) at com.onepulse.app.screens.PulseManageProfileScreen.clickOnNotificationBkBtn (PulseManageProfileScreen.java:977) at com.onepulse.app.stepdefinitions.mobilesteps.ManageProfileSteps. clickBackButtonInNotificationScreen(ManageProfileSteps.java:127) at .Then I click on back button on notification screen to navigate to account screen(features/my /MyAccount/PulseMyAccount.feature:107)		
And I wait for 2 sec		0.00s
After		0.00s
Back to Table of Contents		
Scenario: Verify my feedback screen in Account tab		
Passed: 0	Failed: 1	Undefined: 3
		Duration: .03s
Before		0.00s
And I click on "\${my.feedback.text}" link in Account screen		0.03s
org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: f7aac662-c5a2-4749-b8f1-30b7e4b8a9c9 *** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"My Feedback")]} at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException		

	{health.assessment.text}	
	{babylon.symptom.checker}	
Then I verify following edit box sample text is displayed in account screen		0.00s
	{share.thought.text}	
After		0.00s
Back to Table of Contents		
Scenario: Verify the submit functionality in My feedback screen		
Passed: 0	Failed: 1	Undefined: 3
		Duration: .03s
Before		0.00s
Given I select "5" star in feedback screen		0.03s
<p>org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: f7aac662-c5a2-4749-b8f1-30b7e4b8a9c9 *** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"5")]} at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)</p>		

```

at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.PulseManageProfileScreen.selectStarInFeedbackForm
(PulseManageProfileScreen.java:1007)
at com.onepulse.app.stepdefinitions.mobilesteps.ManageProfileSteps.
selectStarInFeedbackForm(ManageProfileSteps.java:181)
at .Given I select "5" star in feedback screen(features/my/MyAccount/PulseMyAccount.
feature:127)

```

Then I enter feedback	0.00s
-----------------------	-------

Feedback	Test_12345
----------	------------

And I click the Submit icon in Feedback Screen	0.00s
--	-------

And I wait for 2 sec	0.00s
----------------------	-------

After	0.00s
-------	-------

[Back to Table of Contents](#)

Scenario: **Verify the Pulse Personalised tab**

Passed: 0	Failed: 1	Undefined: 3	Duration: .03s
-----------	-----------	--------------	----------------

Before	0.00s
--------	-------

And I click on "\${pulsePersonalised.text}" link in Account screen	0.03s
--	-------

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,

desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: f7aac662-c5a2-4749-b8f1-30b7e4b8a9c9

*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"Pulse Personalised")]}

at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)

at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)

at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)

at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)

at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)

at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)

at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)

at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141)

at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)

at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
 at com.onepulse.app.screens.PulseManageProfileScreen.clickOnAccountOption
 (PulseManageProfileScreen.java:952)
 at com.onepulse.app.stepdefinitions.mobilesteps.ManageProfileSteps.clickOnAccountOption
 (ManageProfileSteps.java:81)
 at .And I click on "\${pulsePersonalised.text}" link in Account screen(features/my/MyAccount
 /PulseMyAccount.feature:134)

And I wait for 2 sec 0.00s

Then User verify following texts are displayed in pulse personalised screen 0.00s

<code>\${pulsePersonalised.text}</code>
<code>\${data.privacy.text}</code>

Then I verify data and privacy consent in pulse personalised screen 0.00s

<code>\${pulse.personalised.consent.text1}</code>
<code>\${pulse.personalised.consent.text2}</code>
<code>\${pulse.personalised.consent.text3}</code>
<code>\${pulse.personalised.consent.text4}</code>
<code>\${pulse.personalised.consent.text5}</code>
<code>\${pulse.personalised.consent.text6}</code>
<code>\${pulse.personalised.consent.text7}</code>

After 0.00s

[Back to Table of Contents](#)

Scenario: **Save the consent with data privacy check**

Passed: 0	Failed: 1	Undefined: 4	Duration: .03s
-----------	-----------	--------------	----------------

Before 0.00s

Given I select the data privacy checkbox 0.03s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server.
 Original error: socket hang up
 Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
 System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
 os.version: '10.0', java.version: '11.0.2'
 Driver info: io.appium.java_client.android.AndroidDriver
 Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
 uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
 desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
 autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
 newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
 deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
 deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
 javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
 newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
 platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
 viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
 false}
 Session ID: f7aac662-c5a2-4749-b8f1-30b7e4b8a9c9
 *** Element info: {Using=xpath, value=//android.widget.TextView[@text='Data Privacy']
 /following::android.widget.ImageView}

```

atjdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.PulseManageProfileScreen.selectDataPrivacyCheckBox
(PulseManageProfileScreen.java:1016)
at com.onepulse.app.stepdefinitions.mobilesteps.ManageProfileSteps.dataPrivacyCheckbox
(ManageProfileSteps.java:197)
at .Given I select the data privacy checkbox(features/my/MyAccount/PulseMyAccount.feature:
149)

```

And I click the save button in pulse personalised icons	0.00s
Then User verify following texts are displayed in pulse personalised screen	0.00s
<div style="border: 1px solid black; padding: 2px; display: inline-block;"> \${consent.success.msg.text} </div>	
And I click the Ok button in pulse personlised screen	0.00s
Then I wait for 2 sec	0.00s

After		0.00s
Back to Table of Contents		
Scenario: Save the consent without data privacy check		
Passed: 0	Failed: 1	Undefined: 3
Duration: .03s		
Before		0.00s
Given I select the data privacy checkbox		0.03s
<p>org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: f7aac662-c5a2-4749-b8f1-30b7e4b8a9c9 *** Element info: {Using=xpath, value=//android.widget.TextView[@text='Data Privacy']/following::android.widget.ImageView} at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317) at io.appium.java_client.DefaultGenericMobileDriver.findElement</p>		


```
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.PulseManageProfileScreen.selectDataPrivacyCheckBox
(PulseManageProfileScreen.java:1016)
at com.onepulse.app.stepdefinitions.mobilesteps.ManageProfileSteps.dataPrivacyCheckbox
(ManageProfileSteps.java:197)
at .Given I select the data privacy checkbox(features/my/MyAccount/PulseMyAccount.feature:157)
```

And I click the save button in pulse personalised icons	0.00s
---	-------

Then User verify following texts are displayed in pulse personalised screen	0.00s
---	-------

{consent.success.msg.text}

And I click the Ok button in pulse personalised screen	0.00s
--	-------

After	0.00s
-------	-------

[Back to Table of Contents](#)

Scenario: [navigate back to account screen from pulse personalised screen](#)

Passed: 0	Failed: 1	Undefined: 1	Duration: 8.06s
-----------	-----------	--------------	-----------------

Before	0.00s
--------	-------

And I click the Back icon in pulse personalised screen	8.06s
--	-------

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,

```

deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: f7aac662-c5a2-4749-b8f1-30b7e4b8a9c9
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:46)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.
RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.
java:804)
at com.onepulse.app.screens.TestBasePage.scrollPageUP(TestBasePage.java:379)
at com.onepulse.app.screens.CustomerConnectScreen.BackbuttonpulsePersonalised
(CustomerConnectScreen.java:866)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.
clickBackpersonalisedScreen(CustomerConnectSteps.java:255)
at .And I click the Back icon in pulse personalised screen(features/my/MyAccount
/PulseMyAccount.feature:165)

```

And I wait for 2 sec	0.00s
----------------------	-------

After	0.00s
-------	-------

[Back to Table of Contents](#)

Feature: [Verify MySettings functionality in Account screen](#)

Passed: 5	Failed: 0	Undefined: 0	Duration: 112.14s
-----------	-----------	--------------	-------------------

Scenario: [Launch the app and select the country as per specified Ibu](#)

Passed: 6	Failed: 0	Undefined: 0	Duration: 48.14s
-----------	-----------	--------------	------------------

Before	0.00s
--------	-------

Given User has pulse app	8.62s
And I assign "\${onpulse.login.edit.profile}" to variable "PULSE_EMAIL"	0.00s
And user click on "CONTINUE WITH EMAIL" with Email button	17.70s
Then I change the country as required on registration page	12.00s
Then I wait for 5 sec	5.00s

And I click the Sign in link		4.82s
After		0.00s
Back to Table of Contents		
Scenario: login to the app with correct credentials using "Continue with Email"		
Passed: 6	Failed: 0	Undefined: 0
Duration: 45.88s		
Before		0.00s
Given I select the language option on toggle bar as required on login page		3.49s
When user enters credentials		9.88s
UserName	\${PULSE_EMAIL}	
Password	\${pulse.edit}	
And User clicks on signin button		0.86s
And I wait for 5 sec		5.00s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"		11.81s
Then user should be landed to "Home" screen		14.85s
After		0.00s
Back to Table of Contents		
Scenario: Navigate to account screen		
Passed: 1	Failed: 0	Undefined: 0
Duration: 11.34s		
Before		0.00s
Given user navigate to account page		11.34s
After		0.00s
Back to Table of Contents		
Scenario: Verify my setting screen in Account tab		
Passed: 3	Failed: 0	Undefined: 0
Duration: 4.41s		
Before		0.00s
Given I wait for 2 sec		2.00s
And I click on "\${icon.mySettings}" link in Account screen		0.39s
Then I wait for 2 sec		2.02s
After		0.00s
Back to Table of Contents		
Scenario: navigate back to account screen from my setting screen		
Passed: 2	Failed: 0	Undefined: 0
Duration: 2.37s		
Before		0.00s
Then I click on back button on my settings screen to navigate to account screen		0.37s
And I wait for 2 sec		2.01s
After		0.00s
Back to Table of Contents		
Feature: Verify My wearable functionality via fitness tab on Pulse Health & Wealth app		
Passed: 3	Failed: 0	Undefined: 0
Duration: 112.29s		
Scenario: Launch the app and select the country as per specified lbu		
Passed: 6	Failed: 0	Undefined: 0
Duration: 46.83s		
Before		0.00s

	Given User has pulse app			9.63s	
	And I assign "\${login.email.id}" to variable "PULSE_EMAIL"			0.00s	
	And user click on "CONTINUE WITH EMAIL" with Email button			15.36s	
	Then I change the country as required on registration page			11.94s	
	Then I wait for 5 sec			5.01s	
	And I click the Sign in link			4.88s	
After				0.00s	
Back to Table of Contents					
Scenario: login to the app with correct credentials using "Continue with Email"					
Passed: 6		Failed: 0		Undefined: 0	Duration: 45.18s
Before				0.00s	
	Given I select the language option on toggle bar as required on login page				3.56s
	When user enters credentials				10.61s
		UserName	{PULSE_EMAIL}		
		Password	{login.password}		
	And User clicks on signin button				0.24s
	And I wait for 5 sec				5.01s
	And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"				10.85s
Then user should be landed to "Home" screen				14.91s	
After				0.00s	
Back to Table of Contents					
Scenario: Verify the user can access My Wearables via Fitness					
Passed: 4		Failed: 0		Undefined: 0	Duration: 20.28s
Before				0.00s	
	When User clicks on Fitness tab				14.41s
	Then I verify My Wearables tile on Fitness screen				0.61s
		{fitness.myWearables}			
		{fitness.myWearables.description}			
	When I click on Connect Now button on Fitness screen				0.34s
	Then I verify following text are displayed under My Wearables screen				4.91s
		{wearables.title}			
		{wearables.subTitle}			
		{wearables.description}			
		{wearables.fitbitText}			
	{wearables.garminText}				
	{wearables.googleFit}				
After				0.00s	
Back to Table of Contents					
Feature: Verify the BabyLon HRA Report - Nutrition, Body, Activity					
Passed: 2		Failed: 16		Undefined: 0	Duration: 158.36s
Scenario: Launch the app and select the country as per specified lbu					
Passed: 6		Failed: 0		Undefined: 0	Duration: 47.55s
Before				0.00s	

Given User has pulse app			9.54s												
And I assign "\${hra.report.email.id}" to variable "PULSE_EMAIL"			0.00s												
And user click on "CONTINUE WITH EMAIL" with Email button			16.32s												
Then I change the country as required on registration page			11.83s												
Then I wait for 5 sec			5.01s												
And I click the Sign in link			4.85s												
After			0.00s												
Back to Table of Contents															
Scenario: login to the app with correct credentials using "Continue with Email"															
Passed: 8		Failed: 0	Undefined: 0												
			Duration: 100.11s												
Before			0.00s												
Given I select the language option on toggle bar as required on login page			3.55s												
When user enters credentials			10.57s												
<table><tr><td>UserName</td><td>\${PULSE_EMAIL}</td></tr><tr><td>Password</td><td>\${hra.password}</td></tr></table>			UserName	\${PULSE_EMAIL}	Password	\${hra.password}									
UserName	\${PULSE_EMAIL}														
Password	\${hra.password}														
And User clicks on signin button			0.28s												
And I wait for 5 sec			5.03s												
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"			11.25s												
Then user should be landed to "Home" screen			15.37s												
When I clicks on Health button			15.79s												
And I navigate to Babylon health Assessment and Accept TermsAndCondition			38.27s												
After			0.00s												
Back to Table of Contents															
Scenario: User should be able to access Babylon Health Risk Assessment Report															
Passed: 2		Failed: 1	Undefined: 0												
			Duration: 10.33s												
Before			0.00s												
When I click on "Report" link on digital twin screen			5.30s												
And I wait for 5 sec			5.00s												
Then I verify the HRA Results are displayed			0.03s												
<table><tr><td colspan="2">\${babylon.hraReport.report.title}</td></tr><tr><td colspan="2">\${babylon.hraReport.report.subTitle}</td></tr><tr><td colspan="2">\${babylon.hraReport.report.percentage}</td></tr><tr><td colspan="2">\${babylon.hraReport.report.statement1}</td></tr><tr><td colspan="2">\${babylon.hraReport.report.statement2}</td></tr><tr><td colspan="2">\${babylon.hraReport.report.statement3}</td></tr></table>			\${babylon.hraReport.report.title}		\${babylon.hraReport.report.subTitle}		\${babylon.hraReport.report.percentage}		\${babylon.hraReport.report.statement1}		\${babylon.hraReport.report.statement2}		\${babylon.hraReport.report.statement3}		
\${babylon.hraReport.report.title}															
\${babylon.hraReport.report.subTitle}															
\${babylon.hraReport.report.percentage}															
\${babylon.hraReport.report.statement1}															
\${babylon.hraReport.report.statement2}															
\${babylon.hraReport.report.statement3}															
<div>org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver</div>															

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: b3246a37-8963-4b74-b496-1fa88654985e

at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)

```
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
```

```
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
```

```
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
```

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

```
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.  
java:46)
```

```
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1
```

```
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
```

at org.openqa.selenium.remote.

```
RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.  
java:804)
```

```
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.verifyHRAResult(BabylonSteps.java:610)
```

at . Then I verify the HRA Results are displayed(features/my/health/BabylonHRA_Report.
feature:28)

After		0.00s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify the HRA Activity Report

Passed: 0	Failed: 1	Undefined: 0	Duration: .01s
-----------	-----------	--------------	----------------

Before	0.00s
--------	-------

Then I verify the HRA Results are displayed	0.01s
---	-------

babylon.hraReport.summary.title	
babylon.hraReport.summary.description	
babylon.hraReport.summary.diseaseRisk	
babylon.hraReport.summary.diseaseRiskDescription	

<code>\${babylon.hraReport.summary.diseaseRisk.statement1}</code>
<code>\${babylon.hraReport.summary.diseaseRisk.statement2}</code>
<code>\${babylon.hraReport.summary.diseaseRisk.statement3}</code>
<code>\${babylon.hraReport.summary.diseaseRisk.statement4}</code>
<code>\${babylon.hraReport.summary.organ.title}</code>
<code>\${babylon.hraReport.summary.organDescription}</code>
<code>\${babylon.hraReport.summary.organ.statement1}</code>
<code>\${babylon.hraReport.summary.organ.statement2}</code>

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server.

Original error: socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: b3246a37-8963-4b74-b496-1fa88654985e

at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)

at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:46)

at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)

at org.openqa.selenium.remote.

RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSize(RemoteWebDriver.

```

java:804)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.verifyHRAResult(BabylonSteps.
java:610)
at .Then I verify the HRA Results are displayed(features/my/health/BabylonHRA_Report.
feature:37)

```

After		0.00s
-------	--	-------

[Back to Table of Contents](#)

Scenario: Verify the HRA Activity Report

Passed: 0	Failed: 1	Undefined: 0	Duration: .01s
-----------	-----------	--------------	----------------

Before		0.00s
--------	--	-------

Then I verify the HRA Results are displayed	0.01s
---	-------

<code>\${babylon.hraReport.activity.title}</code>
<code>\${babylon.hraReport.activity.subTitle}</code>
<code>\${babylon.hraReport.activity.statement1}</code>
<code>\${babylon.hraReport.activity.statement2}</code>

```

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: b3246a37-8963-4b74-b496-1fa88654985e
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute

```

```
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:46)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.
RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.java:804)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.verifyHRAResult(BabylonSteps.java:610)
at .Then I verify the HRA Results are displayed(features/my/health/BabylonHRA_Report.feature:52)
```

After	0.00s
-------	-------

[Back to Table of Contents](#)

Scenario: **Verify the HRA Nutrition Report**

Passed: 0	Failed: 1	Undefined: 0	Duration: .01s
-----------	-----------	--------------	----------------

Before	0.00s
--------	-------

Then I verify the HRA Results are displayed	0.01s
---	-------

\${babylon.hraReport.nutrition.title}
\${babylon.hraReport.nutrition.subTitle}
\${babylon.hraReport.nutrition.statement1}
\${babylon.hraReport.nutrition.statement2}
\${babylon.hraReport.nutrition.statement3}
\${babylon.hraReport.nutrition.statement4}
\${babylon.hraReport.nutrition.statement5}
\${babylon.hraReport.nutrition.statement6}
\${babylon.hraReport.nutrition.statement7}
\${babylon.hraReport.nutrition.statement8}
\${babylon.hraReport.nutrition.statement9}

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
 Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
 System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
 Driver info: io.appium.java_client.android.AndroidDriver
 Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,

```

viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: b3246a37-8963-4b74-b496-1fa88654985e
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:46)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.java:804)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.verifyHRAResult(BabylonSteps.java:610)
at .Then I verify the HRA Results are displayed(features/my/health/BabylonHRA_Report.feature:59)

```

After		0.00s
-------	--	-------

[Back to Table of Contents](#)

Scenario: **Verify the HRA Report - Keep It Up** sub-section

Passed: 0	Failed: 1	Undefined: 0	Duration: .01s
-----------	-----------	--------------	----------------

Before		0.00s
--------	--	-------

Then I verify the HRA Results are displayed	0.01s
---	-------

<pre> \${babylon.hraReport.keepItUp} \${babylon.hraReport.lowFat} \${babylon.hraReport.lowFat.description} \${babylon.hraReport.lowAlcohol} \${babylon.hraReport.lowAlcohol.description} \${babylon.hraReport.redMeat} \${babylon.hraReport.redMeat.description} </pre>

```

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'

```

Driver info: io.appium.java_client.android.AndroidDriver
 Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
 Session ID: b3246a37-8963-4b74-b496-1fa88654985e
 at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
 at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
 at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
 at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
 at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)
 at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
 at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:46)
 at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
 at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSize(RemoteWebDriver.java:804)
 at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.verifyHRAResult(BabylonSteps.java:610)
 at .Then I verify the HRA Results are displayed(features/my/health/BabylonHRA_Report.feature:74)

After		0.00s
Back to Table of Contents		
Scenario: Verify the HRA Report - Make a Change sub-section		
Passed: 0	Failed: 1	Undefined: 0
Duration: .01s		
Before		0.00s
Then I verify the HRA Results are displayed		0.01s
{babylon.hraReport.makeAChange}		
{babylon.hraReport.change1}		
{babylon.hraReport.change2}		

`${babylon.hraReport.change3}``${babylon.hraReport.change4}``${babylon.hraReport.change5}``${babylon.hraReport.change6}`

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server.

Original error: socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: b3246a37-8963-4b74-b496-1fa88654985e

at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)

at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:46)

at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)

at org.openqa.selenium.remote.

RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSize(RemoteWebDriver.java:804)

at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.verifyHRAResult(BabylonSteps.java:610)

at .Then I verify the HRA Results are displayed(features/my/health/BabylonHRA_Report.feature:86)

After		0.00s
Back to Table of Contents		
Scenario: User should be able to access Babylon HRA - Healthcheck - Body		
Passed: 0	Failed: 1	Undefined: 3
Duration: .03s		
Before		0.00s
When I click on "Healthcheck" link on digital twin screen		0.03s
<p>org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up</p> <p>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'</p> <p>System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'</p> <p>Driver info: io.appium.java_client.android.AndroidDriver</p> <p>Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}</p> <p>Session ID: b3246a37-8963-4b74-b496-1fa88654985e</p> <p>*** Element info: {Using=xpath, value=//android.widget.TextView[contains (@text,'Healthcheck')]} at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317) at io.appium.java_client.DefaultGenericMobileDriver.findElement</p>		

```
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.babylon.BabylonHealthAssessmentScreen.clickOnDigitalTwin
(BabylonHealthAssessmentScreen.java:114)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.clickOnDigitalTwin
(BabylonSteps.java:350)
at .When I click on "Healthcheck" link on digital twin screen(features/my/health
/BabylonHRA_Report.feature:96)
```

When I click on "Body" link on digital twin screen	0.00s
Then I verify the HRA Results are displayed	0.00s
{babylon.hraReport.bodyButtton}	
Then I verify following text is displayed on HRA report	0.00s
{babylon.hraReport.body.bones}	
{babylon.hraReport.body.heart}	
{babylon.hraReport.body.brain}	
{babylon.hraReport.body.liver}	

After	0.00s
-------	-------

[Back to Table of Contents](#)

Scenario: [navigate back to digital twin screen](#)

Passed: 0	Failed: 1	Undefined: 0	Duration: .03s
-----------	-----------	--------------	----------------

Before	0.00s
--------	-------

And I click on "Back" link on digital twin screen	0.03s
<p>org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.</p>	

```

uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: b3246a37-8963-4b74-b496-1fa88654985e
*** Element info: {Using=xpath, value=(//android.widget.ImageView)[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)

```

```

at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.babylon.BabylonHealthAssessmentScreen.clickOnDigitalTwin
(BabylonHealthAssessmentScreen.java:134)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.clickOnDigitalTwin
(BabylonSteps.java:350)
at .And I click on "Back" link on digital twin screen(features/my/health/BabylonHRA_Report.
feature:107)

```

After		0.00s
Back to Table of Contents		
Scenario: User should be able to access Babylon HRA - Healthcheck - Nutrition		
Passed: 0	Failed: 1	Undefined: 3
Duration: .02s		
Before		0.00s

When I click on "Nutrition" link on digital twin screen	0.02s
---	-------

```

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: b3246a37-8963-4b74-b496-1fa88654985e
*** Element info: {Using=xpath, value=//android.widget.TextView[contains
(@text,'Nutrition')]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)

```

```

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.babylon.BabylonHealthAssessmentScreen.clickOnDigitalTwin
(BabylonHealthAssessmentScreen.java:122)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.clickOnDigitalTwin
(BabylonSteps.java:350)
at .When I click on "Nutrition" link on digital twin screen(features/my/health
/BabylonHRA_Report.feature:110)

```

Then I verify the HRA Results are displayed		0.00s
	<code>\${babylon.hraReport.nutrition}</code>	
	<code>\${babylon.hraReport.nutrition.description}</code>	
When I click on "Retake Assessment" link on digital twin screen		0.00s
Then I verify the HRA Results are displayed		0.00s
	<code>\${babylon.hraReport.nutrition.retake}</code>	

After	0.00s
-------	-------

[Back to Table of Contents](#)

Scenario: Navigate back to nutrition screen and validate the static text

Passed: 0	Failed: 1	Undefined: 1	Duration: .04s
-----------	-----------	--------------	----------------

Before	0.00s
--------	-------

And I click on "Back" link on digital twin screen	0.04s
---	-------

```
org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
```


System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: b3246a37-8963-4b74-b496-1fa88654985e

*** Element info: {Using=xpath, value=(//android.widget.ImageView)[1]}

at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)

at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)

at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)

at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)

at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)

at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)

at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)

at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165) at com.onepulse.app.screens.babylon.BabylonHealthAssessmentScreen.clickOnDigitalTwin (BabylonHealthAssessmentScreen.java:134) at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.clickOnDigitalTwin (BabylonSteps.java:350) at .And I click on "Back" link on digital twin screen(features/my/health/BabylonHRA_Report. feature:119)			
Then I verify the HRA Results are displayed			0.00s
	{babylon.hraReport.aboutDisease} {babylon.hraReport.about.nutrition.description}		
After			0.00s
Back to Table of Contents			
Scenario: navigate back to digital twin screen			
Passed: 0	Failed: 1	Undefined: 0	Duration: .04s
Before			0.00s
	And I click on "Back" link on digital twin screen		0.04s
<p>org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: b3246a37-8963-4b74-b496-1fa88654985e *** Element info: {Using=xpath, value=(//android.widget.ImageView)[1]} atjdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source) atjava.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) atjava.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) atorg.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) atorg.openqa.selenium.remote.http.W3CHttpResponseCodec.decode</p>			

```

(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.babylon.BabylonHealthAssessmentScreen.clickOnDigitalTwin
(BabylonHealthAssessmentScreen.java:134)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.clickOnDigitalTwin
(BabylonSteps.java:350)
at .And I click on "Back" link on digital twin screen(features/my/health/BabylonHRA_Report.
feature:125)

```

After		0.00s
Back to Table of Contents		
Scenario: User should be able to access Babylon HRA - Healthcheck - Activity		
Passed: 0	Failed: 1	Undefined: 3
Before		0.00s
When I click on "Activity" link on digital twin screen		0.03s
<p>org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up</p> <p>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'</p>		

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: b3246a37-8963-4b74-b496-1fa88654985e

*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Activity')]}
 at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
 at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
 at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
 at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
 at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)
 at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
 at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
 at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
 at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
 at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)
 at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
 at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
 at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)
 at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
 at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)
 at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
 at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)
 at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)

```

at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.babylon.BabylonHealthAssessmentScreen.clickOnDigitalTwin
(BabylonHealthAssessmentScreen.java:126)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.clickOnDigitalTwin
(BabylonSteps.java:350)
at .When I click on "Activity" link on digital twin screen(features/my/health
/BabylonHRA_Report.feature:129)

```

Then I verify the HRA Results are displayed	0.00s
---	-------

<pre> \${babylon.hraReport.activity} \${babylon.hraReport.activity.subTitle} </pre>	
---	--

When I click on "Retake Assessment" link on digital twin screen	0.00s
---	-------

Then I verify the HRA Results are displayed	0.00s
---	-------

<pre> \${babylon.hraReport.activity.retake} \${babylon.hraReport.activity.retake2} </pre>	
---	--

After	0.00s
-------	-------

[Back to Table of Contents](#)

Scenario: **Navigate back to Activity screen and validate the static text**

Passed: 0	Failed: 1	Undefined: 1	Duration: .03s
-----------	-----------	--------------	----------------

Before	0.00s
--------	-------

And I click on "Back" link on digital twin screen	0.03s
---	-------

```

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: b3246a37-8963-4b74-b496-1fa88654985e
*** Element info: {Using=xpath, value=(//android.widget.ImageView)[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance

```

```
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.babylon.BabylonHealthAssessmentScreen.clickOnDigitalTwin
(BabylonHealthAssessmentScreen.java:134)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.clickOnDigitalTwin
(BabylonSteps.java:350)
at .And I click on "Back" link on digital twin screen(features/my/health/BabylonHRA_Report.
feature:139)
```

Then I verify the HRA Results are displayed	0.00s
\${babylon.hraReport.aboutDesease}	
\${babylon.hraReport.about.activity.description}	

After

0.00s

Back to Table of Contents

Scenario: navigate back to digital twin screen

Passed: 0	Failed: 1	Undefined: 0	Duration: .03s
Before			0.00s
And I click on "Back" link on digital twin screen			0.03s
<p>org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up</p> <p>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'</p> <p>System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'</p> <p>Driver info: io.appium.java_client.android.AndroidDriver</p> <p>Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}</p> <p>Session ID: b3246a37-8963-4b74-b496-1fa88654985e</p> <p>*** Element info: {Using=xpath, value=(//android.widget.ImageView)[1]}</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)</p> <p>at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</p> <p>at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)</p> <p>at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)</p> <p>at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)</p> <p>at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)</p> <p>at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)</p> <p>at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)</p>			


```

at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.babylon.BabylonHealthAssessmentScreen.clickOnDigitalTwin
(BabylonHealthAssessmentScreen.java:134)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.clickOnDigitalTwin
(BabylonSteps.java:350)
at .And I click on "Back" link on digital twin screen(features/my/health/BabylonHRA_Report.
feature:145)

```

After		0.00s
-------	--	-------

[Back to Table of Contents](#)

Scenario: User should be able to access Babylon HRA - Healthcheck - Mood

Passed: 0	Failed: 1	Undefined: 3	Duration: .03s
-----------	-----------	--------------	----------------

Before		0.00s
--------	--	-------

When I click on "Mood" link on digital twin screen	0.03s
--	-------

```

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: b3246a37-8963-4b74-b496-1fa88654985e
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'Mood')]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance

```


After		0.00s
Back to Table of Contents		
Scenario: navigate back to digital twin screen		
Passed: 0	Failed: 1	Undefined: 0
Before		0.00s
And I click on "Back" link on digital twin screen		0.03s
<p>org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up</p> <p>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'</p> <p>System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'</p> <p>Driver info: io.appium.java_client.android.AndroidDriver</p> <p>Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}</p> <p>Session ID: b3246a37-8963-4b74-b496-1fa88654985e</p> <p>*** Element info: {Using=xpath, value=(//android.widget.ImageView)[1]}</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)</p> <p>at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</p> <p>at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)</p> <p>at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)</p> <p>at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)</p> <p>at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)</p>		

```

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.babylon.BabylonHealthAssessmentScreen.clickOnDigitalTwin(BabylonHealthAssessmentScreen.java:134)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.clickOnDigitalTwin(BabylonSteps.java:350)
at .And I click on "Back" link on digital twin screen(features/my/health/BabylonHRA_Report.feature:159)

```

After	0.00s
-------	-------

[Back to Table of Contents](#)

Feature: Verify that user can access calendar under health section

Passed: 3	Failed: 0	Undefined: 0	Duration: 160.2s
-----------	-----------	--------------	------------------

Scenario: Launch the app and select the country as per specified Ibu

Passed: 6	Failed: 0	Undefined: 0	Duration: 43.36s
-----------	-----------	--------------	------------------

Before	0.00s
--------	-------

Given User has pulse app	9.53s
And I assign "\${login.email.id}" to variable "PULSE_EMAIL"	0.00s
And user click on "CONTINUE WITH EMAIL" with Email button	14.91s
Then I change the country as required on registration page	12.08s
Then I wait for 2 sec	2.00s
And I click the Sign in link	4.84s

After	0.00s
-------	-------

[Back to Table of Contents](#)

Scenario: login to the app with correct credentials using "Continue with Email"

Passed: 6	Failed: 0	Undefined: 0	Duration: 45.51s
-----------	-----------	--------------	------------------

Before	0.00s
--------	-------

Given I select the language option on toggle bar as required on login page	3.57s				
When user enters credentials	10.38s				
<table border="1"> <tr> <td>UserName</td> <td>\${PULSE_EMAIL}</td> </tr> <tr> <td>Password</td> <td>\${pulse.password}</td> </tr> </table>	UserName	\${PULSE_EMAIL}	Password	\${pulse.password}	
UserName	\${PULSE_EMAIL}				
Password	\${pulse.password}				

Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	3.81s								
Then I wait for 2 sec	2.02s								
When user enters registration details	7.70s								
<table> <tr> <td>FirstName</td><td>testAutomation</td></tr> <tr> <td>LastName</td><td>testAutomation</td></tr> <tr> <td>Email</td><td>\${PULSE_EMAIL}</td></tr> <tr> <td>Password</td><td>Pas\$1234</td></tr> </table>	FirstName	testAutomation	LastName	testAutomation	Email	\${PULSE_EMAIL}	Password	Pas\$1234	
FirstName	testAutomation								
LastName	testAutomation								
Email	\${PULSE_EMAIL}								
Password	Pas\$1234								
And taps on continue "Sign_Up" button	0.29s								
And I wait for otp screen after clicking on signup button	4.77s								
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	30.09s								
<p>org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: 43c6c30a-86a2-4d8b-8e4c-ff028993f5e9 *** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'We sent a verification code to')]/following::android.view.ViewGroup[1]//android.widget.EditText} at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.</p>									


```

java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:262)
at com.onepulse.app.screens.PulseRegistrationScreen.enterOTP(PulseRegistrationScreen.java:
309)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.enterOTPInPulse
(RegistrationSteps.java:294)
at .And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"(features/my/health
/ChineseMedicine.feature:25)

```

Then I wait for 2 sec	0.00s
Then I click skip button	0.00s
Then user should be landed to "Home" screen	0.00s
Then I wait for 4 sec	0.00s

After	0.00s
-------	-------

[Back to Table of Contents](#)

Scenario: **User should be able to access Chinese Medicine screen**

Passed: 1	Failed: 1	Undefined: 2	Duration: 2.06s
-----------	-----------	--------------	-----------------

Before	0.00s
--------	-------

When I clicks on Health button	0.04s
And I click on Chinese Medicine button	2.03s

```

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver

```

```
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
```

Session ID: 43c6c30a-86a2-4d8b-8e4c-ff028993f5e9

at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)

```
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
```

```
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
```

```
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
```

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

```
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.  
java:46)
```

```
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
```

```
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
```

at org.openqa.selenium.remote.

```
RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.  
java:804)
```

at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)

at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:206)

at com.onepulse.app.screens.PulseHealthScreen.clickChineseMedicineButton
(PulseHealthScreen.java:241)

at [com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps](https://com.onepulse.app/stepdefinitions/mobilesteps.ChineseMedicineSteps).

navigateToBabylonSymptomsPage(ChineseMedicineSteps.java:37)

at .And I click on Chinese Medicine button(features/my/health/ChineseMedicine.feature:33)

Then User verify following texts are displayed in Chinese Medicine screen		0.00s
	<code>{chineseMedicine.welcomeMessage}</code>	
	<code>{chineseMedicine.statement}</code>	
	<code>{chineseMedicine.pruLife}</code>	
	<code>{chineseMedicine.pruLife.research}</code>	
When I click on Continue button on Chinese Medicine screen		0.00s
Enter		0.00s

[Back to Table of Contents](#)

Scenario Outline: Verify the carousel on Chinese Medicine journey			
Passed: 0		Failed: 1	Undefined: 2
Duration: .02s			
Before		0.00s	
Then User verify following texts are displayed in Chinese Medicine screen		0.02s	
\${chineseMedicine.page1.text}			
java.lang.AssertionError: The following asserts failed: the expected text is: Chinese Constitution research statistics have found that there is a correlation between certain constitutions and some diseases, so to maintain your body, you must first understand your own constitution condition. expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.verifyFollowingTextsDisplayedInChineseMedScreen(ChineseMedicineSteps.java:49) at .Then User verify following texts are displayed in Chinese Medicine screen(features/my/health/ChineseMedicine.feature:44)			
Then I verify following button are displayed on chinese medicine carousel		0.00s	
carousel1##\${chineseMedicine.skipButton}			
When I swipe to Right for chinese medicine on carousel "\${chineseMedicine.page1.partialText}"		0.00s	
After		0.00s	
Back to Table of Contents			
Scenario Outline: Verify the carousel on Chinese Medicine journey			
Passed: 0		Failed: 1	Undefined: 2
Duration: .02s			
Before		0.00s	
Then User verify following texts are displayed in Chinese Medicine screen		0.02s	
\${chineseMedicine.page2.text}			
java.lang.AssertionError: The following asserts failed: the expected text is: You can easily know your body constitution through AI big data analytics and get appropriate daily health related advice. If the result of the assessment turns out to be serious, it is recommended to improve your daily diets and lifestyle to prevent diseases. expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.verifyFollowingTextsDisplayedInChineseMedScreen(ChineseMedicineSteps.java:49) at .Then User verify following texts are displayed in Chinese Medicine screen(features/my/health/ChineseMedicine.feature:44)			
Then I verify following button are displayed on chinese medicine carousel		0.00s	
carousel2##\${chineseMedicine.skipButton}			
When I swipe to Right for chinese medicine on carousel "\${chineseMedicine.page2.partialText}"		0.00s	
After		0.00s	
Back to Table of Contents			
Scenario: verify the text and button on final assessment carousel			
Passed: 0		Failed: 1	Undefined: 1
Duration: .03s			
Before		0.00s	

Then User verify following texts are displayed in Chinese Medicine screen		0.03s
<code>\${chineseMedicine.page3.text}</code>		
<p>java.lang.AssertionError: The following asserts failed: the expected text is: Your body constitution will change based on your diets, lifestyle, and environment. It is recommended to do the Chinese Constitution Assessment at least every three months to know whether your constitution has improved so as to master your own health! expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps. verifyFollowingTextsDisplayedInChineseMedScreen(ChineseMedicineSteps.java:49) at .Then User verify following texts are displayed in Chinese Medicine screen(features/my/health/ChineseMedicine.feature:56)</p>		
Then I verify following button are displayed on chinese medicine carousal		0.00s
<code>carousel3##\${chineseMedicine.startAssessmentBtn}</code>		
After		0.00s
Back to Table of Contents		
Scenario: User should be able to complete Chinese Medicine profile		
Passed: 0	Failed: 1	Undefined: 6
Duration: 3.04s		
Before		0.00s
When I click on Start Assessment button on Chinese Medicine screen		3.04s
<p>org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: 43c6c30a-86a2-4d8b-8e4c-ff028993f5e9 *** Element info: {Using=xpath, value=//android.widget.TextView[@text="Start Assessment"]} at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException</p>		

```

(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.ChineseMedicineScreen.clickStartAssessmentButton
(ChineseMedicineScreen.java:56)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.
clickOnStartAssessment(ChineseMedicineSteps.java:76)
at .When I click on Start Assessment button on Chinese Medicine screen(features/my/health
/ChineseMedicine.feature:62)

```

And I wait for 5 sec	0.00s
----------------------	-------

Then User verify following texts are displayed in Chinese Medicine screen	0.00s
---	-------

<code>#{chineseMedicine.profile.title}</code>
<code>#{chineseMedicine.profile.description}</code>
<code>#{chineseMedicine.profile.mandatoryFields}</code>

Then change Chinese Medicine user profile details	0.00s
---	-------

City	<code>\${chineseMedicine.profile.cityValue}</code>
Smoking Habits	<code>\${chineseMedicine.profile.smokingHabitsValue}</code>
Drinking Habits	<code>\${chineseMedicine.profile.drinkingHabitsValue}</code>

Exercise Habits		{chineseMedicine.profile.exerciseHabitsValue}		
When I click on Next button on Chinese Medicine Profile screen			0.00s	
When User verify following texts are displayed in Chinese Medicine screen			0.00s	
{chineseMedicine.question.1}				
{chineseMedicine.statement.1}				
Then I verify following answer options are displayed on Chinese Medicine screen			0.00s	
{chineseMedicine.answer.option1}				
{chineseMedicine.answer.option2}				
{chineseMedicine.answer.option3}				
{chineseMedicine.answer.option4}				
{chineseMedicine.answer.option5}				
After		0.00s		
Back to Table of Contents				
Scenario Outline: Verify the Q&A on Chinese Medicine journey				
Passed: 0		Failed: 1	Undefined: 0	Duration: 2.04s
Before				0.00s
And user selects "{chineseMedicine.answer.1}" for the question "{chineseMedicine.question.1}"			2.04s	
java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"Based on your experience in past 3 months")] and Answer //android.widget.TextView [contains(@text,"Occasionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "{chineseMedicine.answer.1}" for the question "{chineseMedicine. question.1}"(features/my/health/ChineseMedicine.feature:88)				
After				0.00s
Back to Table of Contents				
Scenario Outline: Verify the Q&A on Chinese Medicine journey				
Passed: 0		Failed: 1	Undefined: 0	Duration: 2.03s
Before				0.00s
And user selects "{chineseMedicine.answer.2}" for the question "{chineseMedicine.question.2}"			2.03s	
java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I get fatigued or tired easily.") and Answer //android.widget.TextView[contains (@text,"Occasionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)				

at .And user selects "\${chineseMedicine.answer.2}" for the question "\${chineseMedicine.question.2}"(features/my/health/ChineseMedicine.feature:88)			
After			0.00s
Back to Table of Contents			
Scenario Outline: Verify the Q&A on Chinese Medicine journey			
Passed: 0	Failed: 1	Undefined: 0	Duration: 2.05s
Before			0.00s
And user selects "\${chineseMedicine.answer.3}" for the question "\${chineseMedicine.question.3}"			2.05s
<pre> java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I suffer from insomnia")] and Answer //android.widget.TextView[contains(@text," Disagree")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.3}" for the question "\${chineseMedicine. question.3}"(features/my/health/ChineseMedicine.feature:88) </pre>			
After			0.00s
Back to Table of Contents			
Scenario Outline: Verify the Q&A on Chinese Medicine journey			
Passed: 0	Failed: 1	Undefined: 0	Duration: 2.03s
Before			0.00s
And user selects "\${chineseMedicine.answer.4}" for the question "\${chineseMedicine.question.4}"			2.03s
<pre> java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I adapt quickly to changes in the weather or the surrounding environment.") and Answer //android.widget.TextView[contains(@text,"Strongly Disagree")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.4}" for the question "\${chineseMedicine. question.4}"(features/my/health/ChineseMedicine.feature:88) </pre>			
After			0.00s
Back to Table of Contents			
Scenario Outline: Verify the Q&A on Chinese Medicine journey			
Passed: 0	Failed: 1	Undefined: 0	Duration: 2.06s
Before			0.00s
And user selects "\${chineseMedicine.answer.5}" for the question "\${chineseMedicine.question.5}"			2.06s
<pre> java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains </pre>			

```
(@text,"I am prone to catch a cold more often than most people.") and Answer //android.widget.TextView[contains(@text,"Strongly Agree")]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:167)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.5}" for the question "${chineseMedicine.question.5}"(features/my/health/ChineseMedicine.feature:88)
```

After		0.00s
-------	--	-------

[Back to Table of Contents](#)

Scenario Outline: **Verify the Q&A on Chinese Medicine journey**

Passed: 0	Failed: 1	Undefined: 0	Duration: 2.7s
-----------	-----------	--------------	----------------

Before		0.00s
--------	--	-------

And user selects "\${chineseMedicine.answer.6}" for the question "\${chineseMedicine.question.6}"	2.70s
<pre>java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains(@text,"I feel tense in my torso or lower body.") and Answer //android.widget.TextView[contains(@text,"Agree")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.6}" for the question "\${chineseMedicine.question.6}"(features/my/health/ChineseMedicine.feature:88)</pre>	

After		0.00s
-------	--	-------

[Back to Table of Contents](#)

Scenario Outline: **Verify the Q&A on Chinese Medicine journey**

Passed: 0	Failed: 1	Undefined: 0	Duration: 2.03s
-----------	-----------	--------------	-----------------

Before		0.00s
--------	--	-------

And user selects "\${chineseMedicine.answer.7}" for the question "\${chineseMedicine.question.7}"	2.03s
<pre>java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains(@text,"I cough or get asmethic symptoms due to changes in seasons")] and Answer //android.widget.TextView[contains(@text,"Occasionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.7}" for the question "\${chineseMedicine.question.7}"(features/my/health/ChineseMedicine.feature:88)</pre>	

After		0.00s
-------	--	-------

[Back to Table of Contents](#)

Scenario Outline: **Verify the Q&A on Chinese Medicine journey**

Passed: 0	Failed: 1	Undefined: 0	Duration: 2.05s
Before			0.00s
And user selects "\${chineseMedicine.answer.8}" for the question "\${chineseMedicine.question.8}"			2.05s
<div>java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I am allergic to drugs")] and Answer //android.widget.TextView[contains (@text,"Occasionally")]</div> <div>at org.testng.Assert.fail(Assert.java:94)</div> <div>at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:167)</div> <div>at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)</div> <div>at .And user selects "\${chineseMedicine.answer.8}" for the question "\${chineseMedicine.question.8}"(features/my/health/ChineseMedicine.feature:88)</div>			
After			0.00s
Back to Table of Contents			
Scenario Outline: Verify the Q&A on Chinese Medicine journey			
Passed: 0	Failed: 1	Undefined: 0	Duration: 2.07s
Before			0.00s
And user selects "\${chineseMedicine.answer.9}" for the question "\${chineseMedicine.question.9}"			2.07s
<div>java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I frequently catch a chill")] and Answer //android.widget.TextView[contains (@text,"Occasionally")]</div> <div>at org.testng.Assert.fail(Assert.java:94)</div> <div>at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:167)</div> <div>at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)</div> <div>at .And user selects "\${chineseMedicine.answer.9}" for the question "\${chineseMedicine.question.9}"(features/my/health/ChineseMedicine.feature:88)</div>			
After			0.00s
Back to Table of Contents			
Scenario Outline: Verify the Q&A on Chinese Medicine journey			
Passed: 0	Failed: 1	Undefined: 0	Duration: 2.04s
Before			0.00s
And user selects "\${chineseMedicine.answer.10}" for the question "\${chineseMedicine.question.10}"			2.04s
<div>java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I can't stand feeling cold")] and Answer //android.widget.TextView[contains (@text,"Occasionally")]</div> <div>at org.testng.Assert.fail(Assert.java:94)</div> <div>at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:167)</div>			

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.10}" for the question "\${chineseMedicine. question.10}"(features/my/health/ChineseMedicine.feature:88)			
After			0.00s
Back to Table of Contents			
Scenario Outline: Verify the Q&A on Chinese Medicine journey			
Passed: 0	Failed: 1	Undefined: 0	Duration: 2.04s
Before			0.00s
And user selects "\${chineseMedicine.answer.11}" for the question "\${chineseMedicine.question.11}"			2.04s
java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I feel uncomfortable after consuming cold food or beverages.") and Answer //android. widget.TextView[contains(@text,"Occasionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.11}" for the question "\${chineseMedicine. question.11}"(features/my/health/ChineseMedicine.feature:88)			
After			0.00s
Back to Table of Contents			
Scenario Outline: Verify the Q&A on Chinese Medicine journey			
Passed: 0	Failed: 1	Undefined: 0	Duration: 2.04s
Before			0.00s
And user selects "\${chineseMedicine.answer.12}" for the question "\${chineseMedicine.question.12}"			2.04s
java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I feel my face") and Answer //android.widget.TextView[contains(@text," Occasionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.12}" for the question "\${chineseMedicine. question.12}"(features/my/health/ChineseMedicine.feature:88)			
After			0.00s
Back to Table of Contents			
Scenario Outline: Verify the Q&A on Chinese Medicine journey			
Passed: 0	Failed: 1	Undefined: 0	Duration: 2.06s
Before			0.00s
And user selects "\${chineseMedicine.answer.13}" for the question "\${chineseMedicine.question.13}"			2.06s

```
java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains
(@text,"My hands and legs sweat even if the weather is not hot or when I'm not doing intense
exercise.")) and Answer //android.widget.TextView[contains(@text,"Occasionally")]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:
167)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA
(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.13}" for the question "${chineseMedicine.
question.13}"(features/my/health/ChineseMedicine.feature:88)
```

After		0.00s
-------	--	-------

[Back to Table of Contents](#)

Scenario Outline: **Verify the Q&A on Chinese Medicine journey**

Passed: 0	Failed: 1	Undefined: 0	Duration: 2.04s
-----------	-----------	--------------	-----------------

Before		0.00s
--------	--	-------

And user selects "\${chineseMedicine.answer.14}" for the question "\${chineseMedicine.question.14}"	2.04s
---	-------

```
java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains
(@text,"I feel that I have a weak voice.")) and Answer //android.widget.TextView[contains
(@text,"Occasionally")]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:
167)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA
(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.14}" for the question "${chineseMedicine.
question.14}"(features/my/health/ChineseMedicine.feature:88)
```

After		0.00s
-------	--	-------

[Back to Table of Contents](#)

Scenario Outline: **Verify the Q&A on Chinese Medicine journey**

Passed: 0	Failed: 1	Undefined: 0	Duration: 2.04s
-----------	-----------	--------------	-----------------

Before		0.00s
--------	--	-------

And user selects "\${chineseMedicine.answer.15}" for the question "\${chineseMedicine.question.15}"	2.04s
---	-------

```
java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains
(@text,"In general")) and Answer //android.widget.TextView[contains(@text,"
Occasionally")]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:
167)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA
(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.15}" for the question "${chineseMedicine.
question.15}"(features/my/health/ChineseMedicine.feature:88)
```

After		0.00s
-------	--	-------

[Back to Table of Contents](#)
Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 2.04s
Before			0.00s

And user selects "\${chineseMedicine.answer.16}" for the question "\${chineseMedicine.question.16}"	2.04s
<pre> java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I feel that my skin and lips are dry.") and Answer //android.widget.TextView[contains (@text,"Occasionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.16}" for the question "\${chineseMedicine. question.16}"(features/my/health/ChineseMedicine.feature:88) </pre>	

After	0.00s
--------------	--------------

[Back to Table of Contents](#)
Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 2.04s
Before			0.00s

And user selects "\${chineseMedicine.answer.17}" for the question "\${chineseMedicine.question.17}"	2.04s
<pre> java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I get bruises easily for no reason.") and Answer //android.widget.TextView[contains (@text,"Occasionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.17}" for the question "\${chineseMedicine. question.17}"(features/my/health/ChineseMedicine.feature:88) </pre>	

After	0.00s
--------------	--------------

[Back to Table of Contents](#)
Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 2.05s
Before			0.00s

And user selects "\${chineseMedicine.answer.18}" for the question "\${chineseMedicine.question.18}"	2.05s
<pre> java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I have broken out in hives (outbreak of swollen)") and Answer //android.widget. TextView[contains(@text,"Occasionally")] at org.testng.Assert.fail(Assert.java:94) </pre>	

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.18}" for the question "\${chineseMedicine.question.18}"(features/my/health/ChineseMedicine.feature:88)			
After			0.00s
Back to Table of Contents			
Scenario Outline: Verify the Q&A on Chinese Medicine journey			
Passed: 0	Failed: 1	Undefined: 0	Duration: 2.05s
Before			0.00s
And user selects "\${chineseMedicine.answer.19}" for the question "\${chineseMedicine.question.19}"			2.05s
java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains(@text,"I get purple rashes on my skin (purple blood spots)"] and Answer //android.widget.TextView[contains(@text,"Occasionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.19}" for the question "\${chineseMedicine.question.19}"(features/my/health/ChineseMedicine.feature:88)			
After			0.00s
Back to Table of Contents			
Scenario Outline: Verify the Q&A on Chinese Medicine journey			
Passed: 0	Failed: 1	Undefined: 0	Duration: 2.05s
Before			0.00s
And user selects "\${chineseMedicine.answer.20}" for the question "\${chineseMedicine.question.20}"			2.05s
java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains(@text,"I easily get scratch marks on my skin.")] and Answer //android.widget.TextView[contains(@text,"Occasionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.20}" for the question "\${chineseMedicine.question.20}"(features/my/health/ChineseMedicine.feature:88)			
After			0.00s
Back to Table of Contents			
Scenario Outline: Verify the Q&A on Chinese Medicine journey			
Passed: 0	Failed: 1	Undefined: 0	Duration: 2.06s
Before			0.00s

And user selects "\${chineseMedicine.answer.21}" for the question "\${chineseMedicine.question.21}"		2.06s
<pre> java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I tend to feel depressed and moody.") and Answer //android.widget.TextView [contains(@text,"Occasionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.21}" for the question "\${chineseMedicine. question.21}"(features/my/health/ChineseMedicine.feature:88) </pre>		
After		0.00s
Back to Table of Contents		
Scenario Outline: Verify the Q&A on Chinese Medicine journey		
Passed: 0	Failed: 1	Undefined: 0
Before		0.00s
And user selects "\${chineseMedicine.answer.22}" for the question "\${chineseMedicine.question.22}"		2.04s
<pre> java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I easily forget things.") and Answer //android.widget.TextView[contains(@text," Occasionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.22}" for the question "\${chineseMedicine. question.22}"(features/my/health/ChineseMedicine.feature:88) </pre>		
After		0.00s
Back to Table of Contents		
Scenario Outline: Verify the Q&A on Chinese Medicine journey		
Passed: 0	Failed: 1	Undefined: 0
Before		0.00s
And user selects "\${chineseMedicine.answer.23}" for the question "\${chineseMedicine.question.23}"		2.05s
<pre> java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I tend to feel tense and") and Answer //android.widget.TextView[contains(@text," Occasionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) </pre>		

at .And user selects "\${chineseMedicine.answer.23}" for the question "\${chineseMedicine.question.23}"(features/my/health/ChineseMedicine.feature:88)		
After		0.00s
Back to Table of Contents		
Scenario Outline: Verify the Q&A on Chinese Medicine journey		
Passed: 0	Failed: 1	Undefined: 0
Duration: 2.04s		
Before		0.00s
And user selects "\${chineseMedicine.answer.24}" for the question "\${chineseMedicine.question.24}"		2.04s
<pre> java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I am sentimental and my feelings get hurt easily.") and Answer //android.widget. TextView[contains(@text,"Occasionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.24}" for the question "\${chineseMedicine. question.24}"(features/my/health/ChineseMedicine.feature:88) </pre>		
After		0.00s
Back to Table of Contents		
Scenario Outline: Verify the Q&A on Chinese Medicine journey		
Passed: 0	Failed: 1	Undefined: 0
Duration: 2.04s		
Before		0.00s
And user selects "\${chineseMedicine.answer.25}" for the question "\${chineseMedicine.question.25}"		2.04s
<pre> java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I feel fearful")] and Answer //android.widget.TextView[contains(@text," Occasionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.25}" for the question "\${chineseMedicine. question.25}"(features/my/health/ChineseMedicine.feature:88) </pre>		
After		0.00s
Back to Table of Contents		
Scenario Outline: Verify the Q&A on Chinese Medicine journey		
Passed: 0	Failed: 1	Undefined: 0
Duration: 2.06s		
Before		0.00s
And user selects "\${chineseMedicine.answer.26}" for the question "\${chineseMedicine.question.26}"		2.06s
<pre> java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains </pre>		

(@text,"I sigh often for no reason.") and Answer //android.widget.TextView[contains(@text,"Occasionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.26}" for the question "\${chineseMedicine.question.26}"(features/my/health/ChineseMedicine.feature:88)		
After		0.00s
Back to Table of Contents		
Scenario Outline: Verify the Q&A on Chinese Medicine journey		
Passed: 0	Failed: 1	Undefined: 0
Duration: 2.04s		
Before		0.00s
And user selects "\${chineseMedicine.answer.27}" for the question "\${chineseMedicine.question.27}"		2.04s
java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains(@text,"I get dizzy when changing posture.") and Answer //android.widget.TextView[contains(@text,"Occasionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.27}" for the question "\${chineseMedicine.question.27}"(features/my/health/ChineseMedicine.feature:88)		
After		0.00s
Back to Table of Contents		
Scenario Outline: Verify the Q&A on Chinese Medicine journey		
Passed: 0	Failed: 1	Undefined: 0
Duration: 2.03s		
Before		0.00s
And user selects "\${chineseMedicine.answer.28}" for the question "\${chineseMedicine.question.28}"		2.03s
java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains(@text,"I have a pale or anemic complexion.") and Answer //android.widget.TextView[contains(@text,"Occasionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.28}" for the question "\${chineseMedicine.question.28}"(features/my/health/ChineseMedicine.feature:88)		
After		0.00s
Back to Table of Contents		
Scenario Outline: Verify the Q&A on Chinese Medicine journey		

Passed: 0	Failed: 1	Undefined: 0	Duration: 2.03s
Before			0.00s
And user selects "\${chineseMedicine.answer.29}" for the question "\${chineseMedicine.question.29}"			2.03s
<pre>java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I have rosy cheeks.") and Answer //android.widget.TextView[contains(@text,"Occasionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.29}" for the question "\${chineseMedicine.question.29}"(features/my/health/ChineseMedicine.feature:88)</pre>			
After			0.00s
Back to Table of Contents			
Scenario Outline: Verify the Q&A on Chinese Medicine journey			
Passed: 0	Failed: 1	Undefined: 0	Duration: 2.05s
Before			0.00s
And user selects "\${chineseMedicine.answer.30}" for the question "\${chineseMedicine.question.30}"			2.05s
<pre>java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I have visible blood veins on my cheeks")) and Answer //android.widget.TextView[contains(@text,"Occasionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.30}" for the question "\${chineseMedicine.question.30}"(features/my/health/ChineseMedicine.feature:88)</pre>			
After			0.00s
Back to Table of Contents			
Scenario Outline: Verify the Q&A on Chinese Medicine journey			
Passed: 0	Failed: 1	Undefined: 0	Duration: 2.05s
Before			0.00s
And user selects "\${chineseMedicine.answer.31}" for the question "\${chineseMedicine.question.31}"			2.05s
<pre>java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I have a darker complexion and have pigmentation on my cheeks")) and Answer //android.widget.TextView[contains(@text,"Occasionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:167)</pre>			

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.31}" for the question "\${chineseMedicine. question.31}"(features/my/health/ChineseMedicine.feature:88)			
After			0.00s
Back to Table of Contents			
Scenario Outline: Verify the Q&A on Chinese Medicine journey			
Passed: 0	Failed: 1	Undefined: 0	Duration: 2.04s
Before			0.00s
And user selects "\${chineseMedicine.answer.32}" for the question "\${chineseMedicine.question.32}"			2.04s
java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"My nose and forehead frequently get oily")] and Answer //android.widget.TextView [contains(@text,"Occasionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.32}" for the question "\${chineseMedicine. question.32}"(features/my/health/ChineseMedicine.feature:88)			
After			0.00s
Back to Table of Contents			
Scenario Outline: Verify the Q&A on Chinese Medicine journey			
Passed: 0	Failed: 1	Undefined: 0	Duration: 2.03s
Before			0.00s
And user selects "\${chineseMedicine.answer.33}" for the question "\${chineseMedicine.question.33}"			2.03s
java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I get pimples easily")] and Answer //android.widget.TextView[contains(@text," Occasionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.33}" for the question "\${chineseMedicine. question.33}"(features/my/health/ChineseMedicine.feature:88)			
After			0.00s
Back to Table of Contents			
Scenario Outline: Verify the Q&A on Chinese Medicine journey			
Passed: 0	Failed: 1	Undefined: 0	Duration: 2.03s
Before			0.00s
And user selects "\${chineseMedicine.answer.34}" for the question "\${chineseMedicine.question.34}"			2.03s


```
java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains
(@text,"I get panda eyes (dark eye bags) easily")] and Answer //android.widget.TextView
[contains(@text,"Occasionally")]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:
167)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA
(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.34}" for the question "${chineseMedicine.
question.34}"(features/my/health/ChineseMedicine.feature:88)
```

After		0.00s
-------	--	-------

[Back to Table of Contents](#)

Scenario Outline: **Verify the Q&A on Chinese Medicine journey**

Passed: 0	Failed: 1	Undefined: 0	Duration: 2.47s
-----------	-----------	--------------	-----------------

Before		0.00s
--------	--	-------

And user selects "\${chineseMedicine.answer.35}" for the question "\${chineseMedicine.question.35}"	2.47s
---	-------

```
java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains
(@text,"My lip color is generally gloomy / purplish / blueish")] and Answer //android.widget.
TextView[contains(@text,"Occasionally")]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:
167)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA
(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.35}" for the question "${chineseMedicine.
question.35}"(features/my/health/ChineseMedicine.feature:88)
```

After		0.00s
-------	--	-------

[Back to Table of Contents](#)

Scenario Outline: **Verify the Q&A on Chinese Medicine journey**

Passed: 0	Failed: 1	Undefined: 0	Duration: 2.05s
-----------	-----------	--------------	-----------------

Before		0.00s
--------	--	-------

And user selects "\${chineseMedicine.answer.36}" for the question "\${chineseMedicine.question.36}"	2.05s
---	-------

```
java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains
(@text,"My lip color is reddish")] and Answer //android.widget.TextView[contains(@text,"
Occasionally")]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:
167)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA
(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.36}" for the question "${chineseMedicine.
question.36}"(features/my/health/ChineseMedicine.feature:88)
```

After		0.00s
-------	--	-------

[Back to Table of Contents](#)
Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 2.04s
Before			0.00s

And user selects "\${chineseMedicine.answer.37}" for the question "\${chineseMedicine.question.37}"	2.04s
<pre> java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"My lip color is slightly pale or whiteish")] and Answer //android.widget.TextView [contains(@text,"Occasionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.37}" for the question "\${chineseMedicine. question.37}"(features/my/health/ChineseMedicine.feature:88) </pre>	

After	0.00s
--------------	--------------

[Back to Table of Contents](#)
Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 2.05s
Before			0.00s

And user selects "\${chineseMedicine.answer.38}" for the question "\${chineseMedicine.question.38}"	2.05s
<pre> java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I have puffy eyelids")] and Answer //android.widget.TextView[contains(@text," Occasionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.38}" for the question "\${chineseMedicine. question.38}"(features/my/health/ChineseMedicine.feature:88) </pre>	

After	0.00s
--------------	--------------

[Back to Table of Contents](#)
Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 2.03s
Before			0.00s

And user selects "\${chineseMedicine.answer.39}" for the question "\${chineseMedicine.question.39}"	2.03s
<pre> java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I have dry eyes or blurry vision")] and Answer //android.widget.TextView[contains (@text,"Occasionally")] at org.testng.Assert.fail(Assert.java:94) </pre>	

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.39}" for the question "\${chineseMedicine.question.39}"(features/my/health/ChineseMedicine.feature:88)			
After			0.00s
Back to Table of Contents			
Scenario Outline: Verify the Q&A on Chinese Medicine journey			
Passed: 0	Failed: 1	Undefined: 0	Duration: 2.03s
Before			0.00s
And user selects "\${chineseMedicine.answer.40}" for the question "\${chineseMedicine.question.40}"			2.03s
java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains(@text,"I tend to sneeze even if I am not sick")] and Answer //android.widget.TextView[contains(@text,"Occasionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.40}" for the question "\${chineseMedicine.question.40}"(features/my/health/ChineseMedicine.feature:88)			
After			0.00s
Back to Table of Contents			
Scenario Outline: Verify the Q&A on Chinese Medicine journey			
Passed: 0	Failed: 1	Undefined: 0	Duration: 2.04s
Before			0.00s
And user selects "\${chineseMedicine.answer.41}" for the question "\${chineseMedicine.question.41}"			2.04s
java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains(@text,"My nose gets clogged or runny even if I am not sick")] and Answer //android.widget.TextView[contains(@text,"Occasionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.41}" for the question "\${chineseMedicine.question.41}"(features/my/health/ChineseMedicine.feature:88)			
After			0.00s
Back to Table of Contents			
Scenario Outline: Verify the Q&A on Chinese Medicine journey			
Passed: 0	Failed: 1	Undefined: 0	Duration: 2.04s
Before			0.00s

	And user selects "\${chineseMedicine.answer.42}" for the question "\${chineseMedicine.question.42}"	2.04s
	<p>java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I have a dry tongue")] and Answer //android.widget.TextView[contains (@text,"Occasionally")]</p> <p>at org.testng.Assert.fail(Assert.java:94)</p> <p>at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:167)</p> <p>at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)</p> <p>at .And user selects "\${chineseMedicine.answer.42}" for the question "\${chineseMedicine.question.42}"(features/my/health/ChineseMedicine.feature:88)</p>	
After		0.00s
Back to Table of Contents		
Scenario Outline: Verify the Q&A on Chinese Medicine journey		
Passed: 0	Failed: 1	Undefined: 0
Duration: 2.05s		
Before		0.00s
	And user selects "\${chineseMedicine.answer.43}" for the question "\${chineseMedicine.question.43}"	2.05s
	<p>java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I have sticky saliva")] and Answer //android.widget.TextView[contains (@text,"Occasionally")]</p> <p>at org.testng.Assert.fail(Assert.java:94)</p> <p>at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:167)</p> <p>at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)</p> <p>at .And user selects "\${chineseMedicine.answer.43}" for the question "\${chineseMedicine.question.43}"(features/my/health/ChineseMedicine.feature:88)</p>	
After		0.00s
Back to Table of Contents		
Scenario Outline: Verify the Q&A on Chinese Medicine journey		
Passed: 0	Failed: 1	Undefined: 0
Duration: 2.05s		
Before		0.00s
	And user selects "\${chineseMedicine.answer.44}" for the question "\${chineseMedicine.question.44}"	2.05s
	<p>java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I tend to have a bitter taste in my mouth")] and Answer //android.widget.TextView [contains (@text,"Occasionally")]</p> <p>at org.testng.Assert.fail(Assert.java:94)</p> <p>at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:167)</p> <p>at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)</p>	

at .And user selects "\${chineseMedicine.answer.44}" for the question "\${chineseMedicine.question.44}"(features/my/health/ChineseMedicine.feature:88)		
After		0.00s
Back to Table of Contents		
Scenario Outline: Verify the Q&A on Chinese Medicine journey		
Passed: 0	Failed: 1	Undefined: 0
Duration: 2.05s		
Before		0.00s
And user selects "\${chineseMedicine.answer.45}" for the question "\${chineseMedicine.question.45}"		2.05s
<pre> java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"The surface of my tongue feels sticky")] and Answer //android.widget.TextView [contains(@text,"Occasionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.45}" for the question "\${chineseMedicine. question.45}"(features/my/health/ChineseMedicine.feature:88) </pre>		
After		0.00s
Back to Table of Contents		
Scenario Outline: Verify the Q&A on Chinese Medicine journey		
Passed: 0	Failed: 1	Undefined: 0
Duration: 2.04s		
Before		0.00s
And user selects "\${chineseMedicine.answer.46}" for the question "\${chineseMedicine.question.46}"		2.04s
<pre> java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I tend to have phlegm in my throat even if I am not sick")] and Answer //android. widget.TextView[contains(@text,"Occasionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.46}" for the question "\${chineseMedicine. question.46}"(features/my/health/ChineseMedicine.feature:88) </pre>		
After		0.00s
Back to Table of Contents		
Scenario Outline: Verify the Q&A on Chinese Medicine journey		
Passed: 0	Failed: 1	Undefined: 0
Duration: 2.04s		
Before		0.00s
And user selects "\${chineseMedicine.answer.47}" for the question "\${chineseMedicine.question.47}"		2.04s
<pre> java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains </pre>		

```
(@text,"I tend to have throat irritating even if I am not sick"))] and Answer //android.widget.TextView[contains(@text,"Occasionally")]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:167)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.47}" for the question "${chineseMedicine.question.47}"(features/my/health/ChineseMedicine.feature:88)
```

After		0.00s
-------	--	-------

[Back to Table of Contents](#)

Scenario Outline: **Verify the Q&A on Chinese Medicine journey**

Passed: 0	Failed: 1	Undefined: 0	Duration: 2.04s
-----------	-----------	--------------	-----------------

Before		0.00s
--------	--	-------

And user selects "\${chineseMedicine.answer.48}" for the question "\${chineseMedicine.question.48}"	2.04s
<pre>java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains(@text,"I have tightness in my chest")] and Answer //android.widget.TextView[contains(@text,"Occasionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.48}" for the question "\${chineseMedicine.question.48}"(features/my/health/ChineseMedicine.feature:88)</pre>	

After		0.00s
-------	--	-------

[Back to Table of Contents](#)

Scenario Outline: **Verify the Q&A on Chinese Medicine journey**

Passed: 0	Failed: 1	Undefined: 0	Duration: 2.04s
-----------	-----------	--------------	-----------------

Before		0.00s
--------	--	-------

And user selects "\${chineseMedicine.answer.49}" for the question "\${chineseMedicine.question.49}"	2.04s
<pre>java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains(@text,"I have asthma or feel the need to occasionally take deep breaths")] and Answer //android.widget.TextView[contains(@text,"Occasionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.49}" for the question "\${chineseMedicine.question.49}"(features/my/health/ChineseMedicine.feature:88)</pre>	

After		0.00s
-------	--	-------

[Back to Table of Contents](#)

Scenario Outline: **Verify the Q&A on Chinese Medicine journey**

Passed: 0	Failed: 1	Undefined: 0	Duration: 2.04s
Before			0.00s
And user selects "\${chineseMedicine.answer.50}" for the question "\${chineseMedicine.question.50}"			2.04s
java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I feel conscious of sudden heart palpitations or increased heartbeat")] and Answer //android.widget.TextView[contains(@text,"Occasionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.50}" for the question "\${chineseMedicine.question.50}"(features/my/health/ChineseMedicine.feature:88)			
After			0.00s
Back to Table of Contents			
Scenario Outline: Verify the Q&A on Chinese Medicine journey			
Passed: 0	Failed: 1	Undefined: 0	Duration: 2.04s
Before			0.00s
And user selects "\${chineseMedicine.answer.51}" for the question "\${chineseMedicine.question.51}"			2.04s
java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I feel pain at the side of my chest or breasts")] and Answer //android.widget.TextView [contains(@text,"Occasionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.51}" for the question "\${chineseMedicine.question.51}"(features/my/health/ChineseMedicine.feature:88)			
After			0.00s
Back to Table of Contents			
Scenario Outline: Verify the Q&A on Chinese Medicine journey			
Passed: 0	Failed: 1	Undefined: 0	Duration: 2.03s
Before			0.00s
And user selects "\${chineseMedicine.answer.52}" for the question "\${chineseMedicine.question.52}"			2.03s
java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"My stomach fat is tender")] and Answer //android.widget.TextView[contains(@text,"Occasionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:167)			

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.52}" for the question "\${chineseMedicine. question.52}"(features/my/health/ChineseMedicine.feature:88)			
After			0.00s
Back to Table of Contents			
Scenario Outline: Verify the Q&A on Chinese Medicine journey			
Passed: 0	Failed: 1	Undefined: 0	Duration: 2.05s
Before			0.00s
And user selects "\${chineseMedicine.answer.53}" for the question "\${chineseMedicine.question.53}"			2.05s
java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"My abdomen")] and Answer //android.widget.TextView[contains(@text," Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.53}" for the question "\${chineseMedicine. question.53}"(features/my/health/ChineseMedicine.feature:88)			
After			0.00s
Back to Table of Contents			
Scenario Outline: Verify the Q&A on Chinese Medicine journey			
Passed: 0	Failed: 1	Undefined: 0	Duration: 2.04s
Before			0.00s
And user selects "\${chineseMedicine.answer.54}" for the question "\${chineseMedicine.question.54}"			2.04s
java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I frequently get diarrhea or stomach pains after consuming cold food or beverages")] and Answer //android.widget.TextView[contains(@text,"Occassionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.54}" for the question "\${chineseMedicine. question.54}"(features/my/health/ChineseMedicine.feature:88)			
After			0.00s
Back to Table of Contents			
Scenario Outline: Verify the Q&A on Chinese Medicine journey			
Passed: 0	Failed: 1	Undefined: 0	Duration: 2.05s
Before			0.00s
And user selects "\${chineseMedicine.answer.55}" for the question "\${chineseMedicine.question.55}"			2.05s

```
java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains
(@text,"I get constipations")] and Answer //android.widget.TextView[contains(@text,"
Occassionally")]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:
167)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA
(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.55}" for the question "${chineseMedicine.
question.55}"(features/my/health/ChineseMedicine.feature:88)
```

After		0.00s
-------	--	-------

[Back to Table of Contents](#)

Scenario Outline: **Verify the Q&A on Chinese Medicine journey**

Passed: 0	Failed: 1	Undefined: 0	Duration: 2.04s
-----------	-----------	--------------	-----------------

Before		0.00s
--------	--	-------

And user selects "\${chineseMedicine.answer.56}" for the question "\${chineseMedicine.question.56}"	2.04s
---	-------

```
java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains
(@text,"I feel that my feces are sticky and not clean")] and Answer //android.widget.TextView
[contains(@text,"Occassionally")]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:
167)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA
(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.56}" for the question "${chineseMedicine.
question.56}"(features/my/health/ChineseMedicine.feature:88)
```

After		0.00s
-------	--	-------

[Back to Table of Contents](#)

Scenario Outline: **Verify the Q&A on Chinese Medicine journey**

Passed: 0	Failed: 1	Undefined: 0	Duration: 2.03s
-----------	-----------	--------------	-----------------

Before		0.00s
--------	--	-------

And user selects "\${chineseMedicine.answer.57}" for the question "\${chineseMedicine.question.57}"	2.03s
---	-------

```
java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains
(@text,"Apart from the first urination in the morning")] and Answer //android.widget.
TextView[contains(@text,"Occassionally")]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:
167)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA
(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.57}" for the question "${chineseMedicine.
question.57}"(features/my/health/ChineseMedicine.feature:88)
```

After		0.00s
-------	--	-------

[Back to Table of Contents](#)
Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 2.05s
Before			0.00s

And user selects "\${chineseMedicine.answer.58}" for the question "\${chineseMedicine.question.58}"	2.05s
<pre> java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"I feel feverish on my hands")] and Answer //android.widget.TextView[contains (@text,"Occasionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.58}" for the question "\${chineseMedicine. question.58}"(features/my/health/ChineseMedicine.feature:88) </pre>	

After	0.00s
--------------	--------------

[Back to Table of Contents](#)
Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 2.06s
Before			0.00s

And user selects "\${chineseMedicine.answer.59}" for the question "\${chineseMedicine.question.59}"	2.06s
<pre> java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"My feet and hands get cold easily")] and Answer //android.widget.TextView[contains (@text,"Occasionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.59}" for the question "\${chineseMedicine. question.59}"(features/my/health/ChineseMedicine.feature:88) </pre>	

After	0.00s
--------------	--------------

[Back to Table of Contents](#)
Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 2.04s
Before			0.00s

And user selects "\${chineseMedicine.answer.60}" for the question "\${chineseMedicine.question.60}"	2.04s
<pre> java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains (@text,"My body and limbs feel numb")] and Answer //android.widget.TextView[contains (@text,"Occasionally")] at org.testng.Assert.fail(Assert.java:94) </pre>	

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.60}" for the question "\${chineseMedicine.question.60}"(features/my/health/ChineseMedicine.feature:88)			
After			0.00s
Back to Table of Contents			
Scenario Outline: Verify the Q&A on Chinese Medicine journey			
Passed: 0	Failed: 1	Undefined: 0	Duration: 2.04s
Before			0.00s
And user selects "\${chineseMedicine.answer.61}" for the question "\${chineseMedicine.question.61}"			2.04s
java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains(@text,"My face")] and Answer //android.widget.TextView[contains(@text,"Occasionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.61}" for the question "\${chineseMedicine.question.61}"(features/my/health/ChineseMedicine.feature:88)			
After			0.00s
Back to Table of Contents			
Scenario Outline: Verify the Q&A on Chinese Medicine journey			
Passed: 0	Failed: 1	Undefined: 0	Duration: 2.04s
Before			0.00s
And user selects "\${chineseMedicine.answer.62}" for the question "\${chineseMedicine.question.62}"			2.04s
java.lang.AssertionError: Unable to find the Question //android.widget.TextView[contains(@text,"My body feels pain easily")] and Answer //android.widget.TextView[contains(@text,"Occasionally")] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:167) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104) at .And user selects "\${chineseMedicine.answer.62}" for the question "\${chineseMedicine.question.62}"(features/my/health/ChineseMedicine.feature:88)			
After			0.00s
Back to Table of Contents			
Scenario Outline: Verify the Q&A on Chinese Medicine journey			
Passed: 0	Failed: 1	Undefined: 0	Duration: 2.05s
Before			0.00s
And user selects "\${chineseMedicine.answer.63}" for the question			

screen	0.03s
<pre> org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: 43c6c30a-86a2-4d8b-8e4c-ff028993f5e9 *** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"View Results")]} at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158) at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317) at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419) at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath </pre>	

```
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.ChineseMedicineScreen.clickViewResultsButton
(ChineseMedicineScreen.java:70)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.clickOnViewResults
(ChineseMedicineSteps.java:121)
at .When user clicks on View Results button on Chinese Medicine Assessment screen(features
/my/health/ChineseMedicine.feature:166)
```

Then User verify following texts are displayed in Chinese Medicine screen	0.00s
---	-------

<code>\${chineseMedicine.assessment.header}</code>	
<code>\${chineseMedicine.assessment.subHeader}</code>	
<code>\${chineseMedicine.assessment.status}</code>	
<code>\${chineseMedicine.assessment.subStatus}</code>	
<code>\${chineseMedicine.assessment.status1}</code>	
<code>\${chineseMedicine.assessment.status2}</code>	
<code>\${chineseMedicine.assessment.status3}</code>	
<code>\${chineseMedicine.assessment.constitution.advice}</code>	

After	0.00s
-------	-------

[Back to Table of Contents](#)

Scenario: **Verify the Assessment Summary**

Passed: 0	Failed: 1	Undefined: 1	Duration: .05s
-----------	-----------	--------------	----------------

Before	0.00s
--------	-------

Then User verify following texts are displayed in Chinese Medicine screen	0.05s
---	-------

<code>\${chineseMedicine.assessment.summary.title}</code>	
<code>\${chineseMedicine.assessment.summary.description}</code>	

```
java.lang.AssertionError: The following asserts failed:
the expected text is: Assessment Summary expected [true] but found [false],
the expected text is: Your body has moderate deficiency of yang qi. You may easily feel weak
and chills, and have cold limbs. This is a symptom of moderate yang deficiency.It is
recommended that your eating habits be based on the principle of warmth, and you should eat
more glutinous rice, black beans, yams, ginger and other foods, maintain the long-term regular
habit of medium intensity exercise, and have daily care and acupoint care matching with four
seasons, so that you can gradually improve your body constitution. expected [true] but found
[false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.
```

verifyFollowingTextsDisplayedInChineseMedScreen(ChineseMedicineSteps.java:49) at .Then User verify following texts are displayed in Chinese Medicine screen(features/my/health/ChineseMedicine.feature:179)			
When user clicks on View More button on Assessment Record screen			0.00s
After			0.00s
Back to Table of Contents			
Scenario Outline: Verify the "Constitution" Details of the Assessment			
Passed: 0	Failed: 1	Undefined: 0	Duration: .03s
Before			0.00s
	Then User verify Assessment Details for the "\${chineseMedicine.assessment.details.constitution}" and "\${chineseMedicine.assessment.details.constitutionDescription}"		0.03s
java.lang.AssertionError: Unable to find the Condition Meaning of Yang-deficiency constitution. at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.verifyAssessmentDetails(ChineseMedicineScreen.java:196) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.verifyAssessmentDetails(ChineseMedicineSteps.java:132) at .Then User verify Assessment Details for the "\${chineseMedicine.assessment.details.constitution}" and "\${chineseMedicine.assessment.details.constitutionDescription}"(features/my/health/ChineseMedicine.feature:186)			
After			0.00s
Back to Table of Contents			
Scenario Outline: Verify the "Change In Tongue" Details of the Assessment			
Passed: 0	Failed: 1	Undefined: 0	Duration: .03s
Before			0.00s
	Then User verify Assessment Details for the "\${chineseMedicine.assessment.details.changeInTongue}" and "\${chineseMedicine.assessment.details.changeInTongueDescription}"		0.03s
java.lang.AssertionError: Unable to find the Condition Change in the tongue of Yang-deficiency constitution. at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.verifyAssessmentDetails(ChineseMedicineScreen.java:196) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.verifyAssessmentDetails(ChineseMedicineSteps.java:132) at .Then User verify Assessment Details for the "\${chineseMedicine.assessment.details.changeInTongue}" and "\${chineseMedicine.assessment.details.changeInTongueDescription}"(features/my/health/ChineseMedicine.feature:186)			
After			0.00s
Back to Table of Contents			
Feature: Verify Dietician Positive Flow for Doctor functionality on one pulse App			
Passed: 0	Failed: 12	Undefined: 0	Duration: 105.83s
Scenario: Verify the Home screen validation using "Continue with Email"			

Passed: 13		Failed: 1	Undefined: 2	Duration: 92.17s
Before				0.00s
Given I generate random number and assign to variable "RANDOM_NUMBER"				0.00s
And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"				0.00s
And User has pulse app				8.98s
And user click on "CONTINUE WITH EMAIL" with Email button				15.18s
Then I wait for 2 sec				2.01s
Then I change the country as required on registration page				11.67s
Then I wait for 2 sec				2.01s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button				3.86s
When user enters registration details				9.00s
	FirstName	Diet		
	LastName	Test		
	Email	\${PULSE_EMAIL}		
	Password	Pas\$1234		
And taps on continue "Sign_Up" button				0.28s
And I wait for otp screen after clicking on signup button				2.13s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"				30.95s
Then I wait for 2 sec				2.00s
Then I click skip button				4.10s
<div>org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up</div> <div>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'</div> <div>System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'</div> <div>Driver info: io.appium.java_client.android.AndroidDriver</div> <div>Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}</div> <div>Session ID: 815e455b-c083-40af-a650-8a4ce5c67b84</div> <div>*** Element info: {Using=xpath, value=//android.widget.TextView[@text="Continue" or @text="Connect Later"]}</div> <div>at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)</div> <div>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance</div>				

```

(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.PulseRegistrationScreen.clickSkipButton
(PulseRegistrationScreen.java:1113)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iClickSkipButton
(RegistrationSteps.java:377)
at .Then I click skip button(features/my/health/Dietician_Doctor.feature:23)

```

Then user should be landed to "Home" screen	0.00s
Then I wait for 4 sec	0.00s

After	0.00s
-------	-------

[Back to Table of Contents](#)

Scenario: [Verify User should be able to navigate to Dietician page](#)

Passed: 0	Failed: 1	Undefined: 1	Duration: 8.04s
Before			0.00s

Then I click the Health icon in Home screen	8.04s
<pre> org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: 815e455b-c083-40af-a650-8a4ce5c67b84 at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158) at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:46) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1) at org.openqa.selenium.remote. RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSize(RemoteWebDriver. java:804) at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432) at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:206) at com.onepulse.app.screens.CustomerConnectScreen.HealthIcons(CustomerConnectScreen. java:1362) at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.Healthicons (CustomerConnectSteps.java:412) </pre>	

at .Then I click the Health icon in Home screen(features/my/health/Dietician_Doctor.feature:28)		
Then I click the Dietician tab for my in Health Screen		0.00s
After		0.00s
Back to Table of Contents		
Scenario: Select the expert type as doctor and navigate to next screen		
Passed: 0	Failed: 1	Undefined: 9 Duration: .09s
Before		0.00s
Then I verify following text is displayed in dietician screen		0.09s
<div><div>{choose.expertise.text}</div><div>{select.expert.type}</div><div>{what.expert.text}</div></div>		
java.lang.AssertionError: The following asserts failed: Choose Expertise text is displayed on page expected [true] but found [false], Select the expert type text is displayed on page expected [true] but found [false], Please let us know what expert you are for our records text is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps. VerifyStaticTextInDieticianScreen(DieticianSteps.java:265) at .Then I verify following text is displayed in dietician screen(features/my/health/Dietician_Doctor.feature:33)		
And I clicks on "{doc.txt}" in app screen		0.00s
And I click the continue button		0.00s
Then I wait for 2 sec		0.00s
Then I verify following text is displayed in dietician screen		0.00s
<div><div>{what.isyour.service.num.text}</div><div>{complete.details.text}</div></div>		
Then I verify following edit field sample text in dietician screen		0.00s
<div><div>{enterservice.num.text}</div><div>{entername.of.institution.text}</div></div>		
And I assign value to following variables		0.00s
<div>service num</div>	<div>05</div>	
<div>issuing org</div>	<div>test org</div>	
And I enter following details in dietician screen		0.00s
<div>{service.num.text}</div>	<div>{service num}</div>	
<div>{issuing.org.text}</div>	<div>{issuing org}</div>	
<div>{valid.till.text}</div>	<div>01-01-2030</div>	
And I click on field label "{valid.till.text}" to close keyboard on dietician screen		0.00s
And I click the continue button		0.00s
After		0.00s
Back to Table of Contents		
Scenario: Verify User should be able to navigate to specialisation page		

Add your degree, diploma, certificates here text is displayed on page expected [true] but found [false]
 at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
 at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps.
 VerifyStaticTextInDieticianScreen(DieticianSteps.java:265)
 at .And I verify following text is displayed in dietician screen(features/my/health
 /Dietician_Doctor.feature:78)

And I verify following edit field sample text in dietician screen 0.00s

{enter.degree.name.text}
{enter.field.of.study.text}
{institution.name.enter.text}

And I enter following details in dietician screen 0.00s

{degree1.text}	MBBS
{year.text}	2001
{university.text}	test university

Then I enter following details in edit text field in dietician screen 0.00s

{enter.field.of.study.text}	physician
-----------------------------	-----------

And I click on field label "{education.details.text}" to close keyboard on dietician screen 0.00s

And I click the continue button 0.00s

After 0.00s

[Back to Table of Contents](#)

Scenario: **Verify User should be able to navigate to Add experience page**

Passed: 0	Failed: 1	Undefined: 9	Duration: .06s
-----------	-----------	--------------	----------------

Before 0.00s

And I verify following text is displayed in dietician screen 0.06s

{add.experience.txt}
{share.experience.details}

java.lang.AssertionError: The following asserts failed:
 Add Experience text is displayed on page expected [true] but found [false],
 Please share with us your experience details. text is displayed on page expected [true] but found [false]
 at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
 at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps.
 VerifyStaticTextInDieticianScreen(DieticianSteps.java:265)
 at .And I verify following text is displayed in dietician screen(features/my/health
 /Dietician_Doctor.feature:95)

And I verify following edit field sample text in dietician screen 0.00s

{enterHospital.text}

Then I enter following details in edit text field in dietician screen 0.00s

{profile.title.text}	Test
----------------------	------

And I enter following details in dietician screen 0.00s

{experience1.text}	Test University
--------------------	-----------------

Then I enter following details in edit text field in dietician screen 0.00s

--	--

And I Enter the "Start Date" in "10" in dynamic start date Experience screen			0.00s
And I Enter the "Start Date" in "2010" in dynamic start years Experience screen			0.00s
And I click on field label "\${add.experience.txt}" to close keyboard on dietician screen			0.00s
Then I click on checkbox next to text "\${currently.practicing.here}" in dietician screen			0.00s
And I click the continue button			0.00s
After			0.00s
Back to Table of Contents			
Scenario: Verify User should be able to navigate to Services Offered page			
Passed: 0		Failed: 1	Undefined: 4
Duration: .03s			
Before			0.00s
And I verify following text is displayed in dietician screen			0.03s
java.lang.AssertionError: The following asserts failed: text is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps. VerifyStaticTextInDieticianScreen(DieticianSteps.java:265) at .And I verify following text is displayed in dietician screen(features/my/health /Dietician_Doctor.feature:113)			
And I assign value to following variables			0.00s
service offered MBBS DOCTOR			
And I enter following details in dietician screen			0.00s
service offered service offered			
And I click on field label "\${service.offered.text}" to close keyboard on dietician screen			0.00s
And I click the continue button			0.00s
After			0.00s
Back to Table of Contents			
Scenario: Verify User should be able to navigate to achievement and awards screen			
Passed: 0		Failed: 1	Undefined: 4
Duration: .06s			
Before			0.00s
And I verify following text is displayed in dietician screen			0.06s
achievement.award.text			
add.seminar.details.text			
java.lang.AssertionError: The following asserts failed: Achievements & Awards text is displayed on page expected [true] but found [false], Add seminar details whether you attended as a participant or as a speaker. text is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)			

at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps. VerifyStaticTextInDieticianScreen(DieticianSteps.java:265) at .And I verify following text is displayed in dietician screen(features/my/health/ /Dietician_Doctor.feature:123)			
And I enter following details in edit text field in dietician screen			0.00s
{enter.title.award.text}		TEST award	
{enter.org.name.text}		Test	
And I enter following details in dietician screen			0.00s
{year.text}		2020	
And I click on field label "{add.seminar.details.text}" to close keyboard on dietician screen			0.00s
And I click the continue button			0.00s
After			0.00s
Back to Table of Contents			
Scenario: Verify User should be able to navigate to Seminar(s) Attended page			
Passed: 0	Failed: 1	Undefined: 4	Duration: .05s
Before			0.00s
And I verify following text is displayed in dietician screen			0.05s
{seminar.attended.text}			
{add.seminar.details}			
<p>java.lang.AssertionError: The following asserts failed: Seminar(s) Attended text is displayed on page expected [true] but found [false], Add seminar details whether you attended as a participant or as a speaker. text is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps. VerifyStaticTextInDieticianScreen(DieticianSteps.java:265) at .And I verify following text is displayed in dietician screen(features/my/health/ /Dietician_Doctor.feature:135)</p>			
And I enter following details in edit text field in dietician screen			0.00s
{enter.seminar.title}		TEST seminar	
{enterLocation.text}		SINGAPORE	
And I enter following details in dietician screen			0.00s
{year.text}		2020	
And I click on field label "{seminar.attended.text}" to close keyboard on dietician screen			0.00s
And I click the continue button			0.00s
After			0.00s
Back to Table of Contents			
Scenario: Verify User should be able to navigate to linked clinic page			
Passed: 0	Failed: 1	Undefined: 3	Duration: .04s
Before			0.00s
Given I verify following text is displayed in dietician screen			0.04s
{linked.clinic.text}			

	\${add.clinic.info.text}			
<p>java.lang.AssertionError: The following asserts failed: Linked Clinics/Hospitals text is displayed on page expected [true] but found [false], Add Clinics and Hospitals details where you practice text is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps. VerifyStaticTextInDieticianScreen(DieticianSteps.java:265) at .Given I verify following text is displayed in dietician screen(features/my/health /Dietician_Doctor.feature:147)</p>				
And I enter following details in edit text field in dietician screen				0.00s
	<div> <div> \${enter.name.of.clinic} clinic1 </div> <div> \${enterLocation.text} SINGAPORE </div> </div>			
And I click on field label "\${linked.clinic.text}" to close keyboard on dietician screen				0.00s
And I click the continue button				0.00s
After				0.00s
Back to Table of Contents				
Scenario: Verify User should be able to navigate to Take a Picture page				
Passed: 0		Failed: 1		Undefined: 11 Duration: .05s
Before				0.00s
Given I verify following text is displayed in dietician screen				0.05s
	<div> <div> \${about.you.text} </div> <div> \${profile.photo.text} </div> <div> \${takephoto.instruction.text} </div> </div>			
<p>java.lang.AssertionError: The following asserts failed: About You text is displayed on page expected [true] but found [false], Profile Photo text is displayed on page expected [true] but found [false], Please take/upload your profile photo text is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps. VerifyStaticTextInDieticianScreen(DieticianSteps.java:265) at .Given I verify following text is displayed in dietician screen(features/my/health /Dietician_Doctor.feature:157)</p>				
Then I verify following profile photo options are displayed in Dietician Screen				0.00s
	<div> <div> \${uploadfile.text} </div> <div> \${takepicture.text} </div> </div>			
And I clicks on "\${takepicture.text}" in app screen				0.00s
And I give camera permission				0.00s
Then I take picture from Camera				0.00s
And I click the continue button				0.00s
Then I wait for 3 sec				0.00s
Then I ver'y following text is displayed in dietician screen				0.00s

	{confirmdetails.text}			
	{confirmdetails.text2}			
	{service num}			
	{issuing org}			
	{specialisation}			
	{service offered}			
And I scroll down			0.00s	
Then I wait for 2 sec			0.00s	
And I click Agree button "Terms and Conditions" confirm screen			0.00s	
And I clicks on "Terms and Conditions" text in app screen			0.00s	
After			0.00s	
Back to Table of Contents				
Scenario: Verify User should be able to navigate to schedule Calendar page				
Passed: 1		Failed: 1	Undefined: 6	Duration: 5.07s
Before			0.00s	
	Then I wait for 5 sec			5.02s
	And I verify following text is displayed in dietician screen			0.06s
	{conversation.history.text}			
	{no.appointmnt.now.text}			
	java.lang.AssertionError: The following asserts failed: Conversation History text is displayed on page expected [true] but found [false], No Appointments Now text is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps. VerifyStaticTextInDieticianScreen(DieticianSteps.java:265) at .And I verify following text is displayed in dietician screen(features/my/health /Dietician_Doctor.feature:184)			
	Then User verify following dynamic texts are displayed in Dietician screen			0.00s
	{click.manage.your.availibility.text}			
	And I clicks on "{schedule.cal.text}" in app screen			
	And I verify following text is displayed in dietician screen			0.00s
	{calendar.text}			
	And I Select the Date in calendar field			
	And I click the Select Your Availability icon in calendar screen			0.00s
	And I clicks on "10:00 AM" in app screen			0.00s
	After			0.00s
	Back to Table of Contents			
Feature: Verify that user can manage events via the Family Vaccine Calendar feature				
Passed: 5		Failed: 2	Undefined: 0	Duration: 294.87s
Scenario: User should be able to register on app with correct credentials using "Continue with Email"				
Passed: 18		Failed: 0	Undefined: 0	Duration: 224.11s

Before		0.00s									
Given I generate random number and assign to variable "RANDOM_NUMBER"		0.00s									
And I assign "pulse\${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"		0.00s									
And User has pulse app		7.91s									
Then I wait for 2 sec		2.01s									
And user click on "CONTINUE WITH EMAIL" with Email button		14.03s									
Then I wait for 2 sec		2.02s									
Then I change the country as required on registration page		12.11s									
Then I wait for 2 sec		2.01s									
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button		3.95s									
Then I wait for 2 sec		2.00s									
When user enters registration details		7.36s									
	<table><tr><td>FirstName</td><td>testAutomation</td></tr><tr><td>LastName</td><td>testAutomation</td></tr><tr><td>Email</td><td>\${PULSE_EMAIL}</td></tr><tr><td>Password</td><td>Pas\$1234</td></tr></table>	FirstName	testAutomation	LastName	testAutomation	Email	\${PULSE_EMAIL}	Password	Pas\$1234		
FirstName	testAutomation										
LastName	testAutomation										
Email	\${PULSE_EMAIL}										
Password	Pas\$1234										
And taps on continue "Sign_Up" button		0.30s									
And I wait for otp screen after clicking on signup button		4.76s									
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"		30.55s									
Then I wait for 2 sec		2.01s									
Then I click skip button		115.94s									
Then user should be landed to "Home" screen		13.17s									
Then I wait for 4 sec		4.01s									
After		0.00s									
Back to Table of Contents											
Scenario: User should be able to access my family vaccination calendar											
Passed: 5		Failed: 0	Undefined: 0								
		Duration: 18.42s									
Before		0.00s									
Given I clicks on Health button		13.18s									
Then I wait for 2 sec		2.00s									
Then I click on vaccine calendar tile		0.87s									
Then I wait for 2 sec		2.01s									
Then User verifies following texts are displayed in Vaccine Calendar screen		0.36s									
	<table><tr><td>\${vaccineCalendar.title}</td><td></td></tr><tr><td>\${vaccineCalendar.description}</td><td></td></tr></table>	\${vaccineCalendar.title}		\${vaccineCalendar.description}							
\${vaccineCalendar.title}											
\${vaccineCalendar.description}											
After		0.00s									
Back to Table of Contents											
Scenario: Verify the user can Add Vaccine Information											
Passed: 4		Failed: 0	Undefined: 0								
		Duration: 3.14s									
Before		0.00s									

When I click on Add more button in Vaccine Calendar screen			0.20s	
And I wait for 2 sec			2.01s	
Then User verifies following texts are displayed in Vaccine Calendar screen			0.63s	
	<div><div></div><div></div><div></div><div></div></div>			
Then User verifies following buttons are displayed in Vaccine Calendar screen			0.30s	
	<div><div></div><div></div></div>			
After			0.00s	
Back to Table of Contents				
Scenario: enter information on add vaccination popup				
Passed: 4	Failed: 0	Undefined: 0	Duration: 5.67s	
Before			0.00s	
	And I assign value to following variables			0.00s
	relation	Child		
	name	testing_one		
Then I add following information in Vaccine Calendar add information screen			2.72s	
	Name	\${name}		
	Relation	\${relation}		
Then I wait for 2 sec			2.01s	
And I click on "\${vaccineCalendar.addMore.saveButton}" button in Vaccine Calendar screen			0.94s	
After			0.00s	
Back to Table of Contents				
Scenario: Verify the added item displayed on the Vaccine Schedule screen				
Passed: 8	Failed: 0	Undefined: 0	Duration: 13.95s	
Before			0.00s	
	Given I wait for 2 sec			2.00s
	Then User verifies following dynamic texts are displayed in Vaccine Calendar screen			0.37s
	<div><div></div><div></div></div>			
Then I click on "\${name} \${relation}" button in Vaccine Calendar screen			0.21s	
And I click on "\${vaccineCalendar.continue.button}" button in Vaccine Calendar screen			0.22s	
Then I wait for 2 sec			2.01s	
Then User verifies following texts are displayed in Vaccine Calendar screen			3.87s	
	<div><div></div><div></div></div>			
Then User verifies following dynamic texts are displayed in Vaccine Calendar screen			1.88s	

	\${name}	
	And I verify following texts are displayed	3.41s
	\${vaccine.bcg.text}	
	\${vaccine.hep.text}	
After		0.00s
Back to Table of Contents		
Scenario: Verify reminder options in vaccine schedule		
Passed: 1	Failed: 1	Undefined: 1
Duration: 11.55s		
Before		0.00s
	Then I click reminder icon for BCG vaccine	1.56s
	And I verify following texts are displayed	9.99s
	\${reminder.popup.text}	
	<p>java.lang.AssertionError: The following asserts failed: Are you sure to change reminder? text is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:717) at .And I verify following texts are displayed(features/my/health/FamilyVaccineCalendar. feature:83)</p>	
	And I click NO option	0.00s
After		0.00s
Back to Table of Contents		
Scenario: Verify change reminder functionality in vaccine schedule screen		
Passed: 0	Failed: 1	Undefined: 0
Duration: 18.03s		
Before		0.00s

And I click Yes option

18.04s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: bb9c7cb9-39ab-42e0-b3e8-cca9fabea04c

*** Element info: {Using=xpath, value=//android.widget.TextView[@text='YES']}

at jdk.internal.reflect.GeneratedConstructorAccessor21.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)

at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)

at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)

at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)


at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)

at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath

```

(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.PulseHealthScreen.clickVaccineNotificationYesOption
(PulseHealthScreen.java:442)
at com.onepulse.app.stepdefinitions.mobilesteps.VaccineCalendarSteps.iClickYesOption
(VaccineCalendarSteps.java:94)
at .And I click Yes option(features/my/health/FamilyVaccineCalendar.feature:88)

```



After	0.00s
-------	-------

[Back to Table of Contents](#)

Feature: Verify that user can access Dengue Alert feature

Passed: 5	Failed: 0	Undefined: 0	Duration: 236.68s
-----------	-----------	--------------	-------------------

Scenario: Launch the app and select the country as per specified Ibu			
Passed: 6	Failed: 0	Undefined: 0	Duration: 52.02s
Before	0.00s		
Given User has pulse app			9.09s
And I assign "\${login.email.id}" to variable "PULSE_EMAIL"			0.00s

And user click on "CONTINUE WITH EMAIL" with Email button		16.22s
Then I change the country as required on registration page		11.83s
Then I wait for 10 sec		10.00s
And I click the Sign in link		4.88s
After		0.00s
Back to Table of Contents		
Scenario: login to the app with correct credentials using "Continue with Email"		
Passed: 6	Failed: 0	Undefined: 0
Duration: 44.16s		
Before		0.00s
Given I select the language option on toggle bar as required on login page		3.55s
When user enters credentials		9.91s
UserName	{PULSE_EMAIL}	
Password	{pulse.password}	
And User clicks on signin button		0.27s
And I wait for 5 sec		5.01s
And I enter OTP in one pulse app for user email "{PULSE_EMAIL}"		11.58s
Then user should be landed to "Home" screen		13.85s
After		0.00s
Back to Table of Contents		
Scenario: Verify the map can be expanded		
Passed: 4	Failed: 0	Undefined: 0
Duration: 25.27s		
Before		0.00s
Given I clicks on Health button		13.54s
And I clicks on Dengue Alert tile		7.96s
And I click on the mapImage		2.91s
And I click on map back button		0.87s
After		0.00s
Back to Table of Contents		
Scenario: User should be able to vew the Dengue Outbreak - Malaysia		
Passed: 8	Failed: 0	Undefined: 0
Duration: 35.73s		
Before		0.00s
Then I verify the following texts "Dengue Alert" in Screen		10.31s
Malaysia		
Outbreaks		
Then I verify following dynamic static text is displayed in Dengue Alert Screen		3.91s
{dengueAlert.outbreak.new}		
{dengueAlert.outbreak.thisWeek}		
{dengueAlert.outbreak.total}		
{dengueAlert.outbreak.deaths}		
{dengueAlert.outbreak.thisWeek}		
Then I verify following texts are displayed		0.52s
{dengueAlert.outbreak.total.title}		
When I scroll down		4.42s

Then I verify following texts are displayed			0.96s
<div> <div> <div></div> <div></div> </div> <div> <div></div> <div></div> </div> </div>			
Then I verify following texts are displayed			5.02s
<div> <div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> </div> <div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> </div> </div>			
When I scroll down			4.29s
Then I verify following texts are displayed			6.30s
<div> <div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> </div> <div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> </div> </div>			
After			0.00s
Back to Table of Contents			
Scenario: User should be able to vew the Dengue Cases - Malaysia			
Passed: 9	Failed: 0	Undefined: 0	Duration: 79.5s
Before			0.00s
When I scroll up till "\${dengue.alert.map}" element displayed			50.68s
And I select "Cases" from outbreaks dropdown			3.24s
Then I verify following dynamic static text is displayed in Dengue Alert Screen			5.03s
<div> <div> <div></div> <div></div> <div></div> <div></div> <div></div> </div> <div> <div></div> <div></div> <div></div> <div></div> <div></div> </div> </div>			
Then I verify following texts are displayed			0.51s
<div> <div> <div></div> <div></div> </div> </div>			
Then I verify following texts are displayed			1.11s
<div> <div> <div></div> <div></div> </div> </div>			
When I scroll down			4.30s
Then I verify following texts are displayed			3.73s
<div> <div> <div></div> <div></div> </div> </div>			

[illegible]

And I wait for otp screen after clicking on signup button	3.99s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	29.59s
<p>org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: de91c7b5-3d7a-4cd4-bb2e-3c2c087e3d74 *** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,'We sent a verification code to')]/following::android.view.ViewGroup[1]//android.widget.EditText} at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317) at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)</p>	

```

at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:262)
at com.onepulse.app.screens.PulseRegistrationScreen.enterOTP(PulseRegistrationScreen.java:
309)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.enterOTPInPulse
(RegistrationSteps.java:294)
at .And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"(features/my/home
/prushopee/PruInfectiousDiseaseCover.feature:22)

```

Then I wait for 2 sec	0.00s
Then I click skip button	0.00s
Then user should be landed to "Home" screen	0.00s
Then I wait for 4 sec	0.00s

After	0.00s
-------	-------

[Back to Table of Contents](#)

Scenario: Navigate to PRU Shoppe screen

Passed: 1	Failed: 0	Undefined: 0	Duration: .02s
-----------	-----------	--------------	----------------

Before	0.00s
--------	-------

And I click on pru shoppe button on the home page	0.02s
---	-------

After	0.00s
-------	-------

[Back to Table of Contents](#)

Scenario: Verify User should be able to see the infectious disease cover screen options

Passed: 0	Failed: 1	Undefined: 11	Duration: .03s
-----------	-----------	---------------	----------------

Before	0.00s
--------	-------

Then I click on Proceed button on prushoppe screen	0.03s
--	-------

```

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,

```

```

newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: de91c7b5-3d7a-4cd4-bb2e-3c2c087e3d74
*** Element info: {Using=xpath, value=//android.widget.TextView[@text="Proceed" or
@text="PROCEED"]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.PruShoppeScreen.clickProceedBtn(PruShoppeScreen.java:143)

```


at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.clickOnProceedBtn (PruShoppeSteps.java:101)																	
at .Then I click on Proceed button on prushoppe screen(features/my/home/prushoppee /PruInfectiousDiseaseCover.feature:32)																	
Then I wait for 5 sec			0.00s														
Then I click on pru infectious disease cover tile on prushoppe screen			0.00s														
Then I wait for 5 sec			0.00s														
And I verify following texts are displayed			0.00s														
<table><tr><td> </td><td> </td></tr><tr><td> </td><td> </td></tr><tr><td> </td><td> </td></tr><tr><td> </td><td> </td></tr><tr><td> </td><td> </td></tr></table>																	
And user click on following button "\${show.more.text}" on prushoppe screen			0.00s														
And I verify following texts are displayed			0.00s														
<table><tr><td> </td><td> </td></tr><tr><td> </td><td> </td></tr></table>																	
And user click on following button "\${show.less.text}" on prushoppe screen			0.00s														
And I verify following texts are displayed			0.00s														
<table><tr><td> </td><td> </td></tr><tr><td> </td><td> </td></tr><tr><td> </td><td> </td></tr><tr><td> </td><td> </td></tr><tr><td> </td><td> </td></tr><tr><td> </td><td> </td></tr><tr><td> </td><td> </td></tr></table>																	
And I verify following texts are displayed			0.00s														
<table><tr><td> </td><td> </td></tr></table>																	
And I scroll down			0.00s														
And I verify following texts are displayed			0.00s														
<table><tr><td> </td><td> </td></tr><tr><td> </td><td> </td></tr><tr><td> </td><td> </td></tr></table>																	
After			0.00s														
Back to Table of Contents																	
Scenario: Verify User should be able to see the infectious disease cover Screen options																	
Passed: 0		Failed: 1	Undefined: 3														
Duration: .18s																	
Before			0.00s														
And I verify following texts are displayed			0.18s														
<table><tr><td> </td><td> </td></tr><tr><td> </td><td> </td></tr><tr><td> </td><td> </td></tr><tr><td> </td><td> </td></tr><tr><td> </td><td> </td></tr></table>																	

	\${my.mobile.phone.number}		
	\${my.referral.code}		
<p>java.lang.AssertionError: The following asserts failed: Residential address text is displayed on page expected [true] but found [false], Country of Residence text is displayed on page expected [true] but found [false], Residential status and Nationality text is displayed on page expected [true] but found [false], Email text is displayed on page expected [true] but found [false], Country Code text is displayed on page expected [true] but found [false], Mobile Phone Number text is displayed on page expected [true] but found [false], Referral code (optional) text is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:717) at .And I verify following texts are displayed(features/my/home/prushopee /PruInfectiousDiseaseCover.feature:66)</p>			
And I scroll down			0.00s
And I verify following texts are displayed			0.00s
And I scroll down			0.00s
After			0.00s
Back to Table of Contents			
Scenario Outline: Verify User should be able to see the infectious disease cover term and condition			
Passed: 0	Failed: 1	Undefined: 0	Duration: .03s
Before			0.00s
Given User accept the term and conitions "\${infectious.disease.tnc.1}" in infectious disease cover Screen			0.03s
<p>org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:</p>			

```
false}
```

```
Session ID: de91c7b5-3d7a-4cd4-bb2e-3c2c087e3d74
```

```
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"I am
aware that the product provides coverage/pays out RM1,000 upon diagnosis of Dengue Fever,
Malaria, Measles or Typhoid. This benefit is only payable once.")]/parent::android.view.
ViewGroup//preceding-sibling::android.view.ViewGroup[@content-desc="
termsandcondition"]}[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.PruShoppeScreen.acceptInfectiousDiseaseTerms
(PruShoppeScreen.java:152)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.
acceptInfectiousDiseaseTerms(PruShoppeSteps.java:111)
```

at .Given User accept the term and conitions "\${infectious.disease.tnc.1}" in infectious disease cover Screen(features/my/home/prushopee/PruInfectiousDiseaseCover.feature:83)			
After			0.00s
Back to Table of Contents			
Scenario Outline: Verify User should be able to see the infectious disease cover term and condition			
Passed: 0		Failed: 1	Undefined: 0
Duration: .04s			
Before			0.00s
Given User accept the term and conitions "\${infectious.disease.tnc.2}" in infectious disease cover Screen			0.04s
<p>org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up</p> <p>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'</p> <p>System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'</p> <p>Driver info: io.appium.java_client.android.AndroidDriver</p> <p>Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}</p> <p>Session ID: de91c7b5-3d7a-4cd4-bb2e-3c2c087e3d74</p> <p>*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"I am aware that the product does not provide coverage/pay out benefits within the first 15 days from the Commencement Date.")]/parent::android.view.ViewGroup//preceding-sibling::android.view.ViewGroup[@content-desc="termsandcondition"]}[1]}</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)</p> <p>at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</p> <p>at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.</p>			

```

java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.PruShoppeScreen.acceptInfectiousDiseaseTerms
(PruShoppeScreen.java:152)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.
acceptInfectiousDiseaseTerms(PruShoppeSteps.java:111)
at .Given User accept the term and conitions "${infectious.disease.tnc.2}" in infectious disease
cover Screen(features/my/home/prushopee/PruInfectiousDiseaseCover.feature:83)

```

After		0.00s
Back to Table of Contents		
Scenario Outline: Verify User should be able to see the infectious disease cover term and condition		
Passed: 0	Failed: 1	Undefined: 0
Duration: .04s		
Before		0.00s
Given User accept the term and conitions "\${infectious.disease.tnc.3}" in infectious disease cover Screen		0.04s
<p>org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up</p> <p>Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'</p> <p>System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'</p> <p>Driver info: io.appium.java_client.android.AndroidDriver</p> <p>Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,</p>		

deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: de91c7b5-3d7a-4cd4-bb2e-3c2c087e3d74

```
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"I am
aware that if I change my mind, I have 15 days from the policy commencement date to cancel
my coverage and I can obtain a refund.")]/parent::android.view.ViewGroup//preceding-
sibling::android.view.ViewGroup[@content-desc="termsandcondition"]}[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
```


at com.onepulse.app.screens.PruShopeeScreen.acceptInfectiousDiseaseTerms (PruShopeeScreen.java:152) at com.onepulse.app.stepdefinitions.mobilesteps.PruShopeeSteps. acceptInfectiousDiseaseTerms(PruShopeeSteps.java:111) at .Given User accept the term and conitions "\${infectious.disease.tnc.3}" in infectious disease cover Screen(features/my/home/prushopee/PruInfectiousDiseaseCover.feature:83)		
After		0.00s
Back to Table of Contents		
Scenario Outline: Verify User should be able to see the infectious disease cover term and condition		
Passed: 0	Failed: 1	Duration: .02s
Before		0.00s
Given User accept the term and conitions "\${infectious.disease.tnc.4}" in infectious disease cover Screen		0.02s
<p>org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: de91c7b5-3d7a-4cd4-bb2e-3c2c087e3d74 *** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"I give my consent to Prudential Assurance Malaysia Berhad")]/parent::android.view.ViewGroup//preceding-sibling::android.view.ViewGroup[@content-desc="termsandcondition"]}[1]} at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at io.appium.java_client.remote.AppiumCommandExecutor.execute</p>		

```

(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.PruShopeeScreen.acceptInfectiousDiseaseTerms
(PruShopeeScreen.java:152)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShopeeSteps.
acceptInfectiousDiseaseTerms(PruShopeeSteps.java:111)
at .Given User accept the term and conitions "${infectious.disease.tnc.4}" in infectious disease
cover Screen(features/my/home/prushopee/PruInfectiousDiseaseCover.feature:83)

```

After	0.00s
-------	-------

[Back to Table of Contents](#)

Scenario: **verify that user can see agreement and proceed button**

Passed: 0	Failed: 1	Undefined: 1	Duration: .27s
-----------	-----------	--------------	----------------

Before	0.00s
--------	-------

Given I verify following texts are displayed		0.27s
	\${infectious.disease.tnc.3.1}	
	\${infectious.disease.tnc.4.1}	
	\${infectious.disease.tnc.4.2}	
	\${infectious.disease.tnc.4.3}	
	\${infectious.disease.tnc.4.4}	
	\${infectious.disease.agreement.text.1}	
	\${infectious.disease.agreement.text.2}	
	\${infectious.disease.agreement.text.3}	
	\${infectious.disease.agreement.text.4}	

Passed: 7	Failed: 0	Undefined: 0	Duration: 144.17s
-----------	-----------	--------------	-------------------

Page 213 of 239

When user enters credentials			9.90s
UserName	{PULSE_EMAIL}		
Password	{login.password}		
And User clicks on signin button			0.23s
And I wait for 5 sec			5.01s
And I enter OTP in one pulse app for user email "{PULSE_EMAIL}"			10.97s
Then user should be landed to "Home" screen			13.57s
After			0.00s
Back to Table of Contents			
Scenario: Verify user can access his policies from Pru Shoppe My Policies screen			
Passed: 5	Failed: 0	Undefined: 0	Duration: 19.82s
Before			0.00s
And I click on pru shoppe button on the home page			10.37s
And I wait for 5 sec			5.00s
And I click on my policies tile on prushoppe screen			0.48s
And I wait for 2 sec			2.02s
And I verify following texts are displayed			1.96s
{myCoverage.title}			
{myCoverage.information}			
{myCoverage.InformationDescription}			
After			0.00s
Back to Table of Contents			
Scenario: Click on Link policy and verify screen to add policy number			
Passed: 4	Failed: 0	Undefined: 0	Duration: 7.03s
Before			0.00s
And I clicks on "{myCoverage.linkPolicyButton}" in app screen			1.08s
And I wait for 2 sec			2.01s
And I hide one pulse app mobile keyboard			1.83s
And I verify following texts are displayed			2.11s
{myCoverage.policyNumber.title}			
{myCoverage.policyNumber.description}			
{myCoverage.policyNumber.description1}			
After			0.00s
Back to Table of Contents			
Scenario: Verify the error message when the Policy Number is blank			
Passed: 3	Failed: 0	Undefined: 0	Duration: 6.24s
Before			0.00s
Then I click on policy number save button on my policies screen			0.41s
Then I click on policy number save button on my policies screen			0.84s
Then I verify following texts are displayed			4.99s
{myCoverage.policyNumber.errorMessage}			
After			0.00s

Back to Table of Contents			
Scenario: Verify the error message when the Policy Number is invalid or incorrect			
Passed: 5	Failed: 0	Undefined: 0	Duration: 7.6s
Before			0.00s
When I enter "1234" as the Policy number			1.52s
And I hide one pulse app mobile keyboard			0.71s
Then I click on policy number save button on my policies screen			0.28s
And I wait for 2 sec			2.02s
Then I verify following texts are displayed			3.08s
<code>\${myCoverage.policyNumber.errorMessage}</code>			
After			0.00s
Back to Table of Contents			
Scenario: Verify the error message when the Cancel Button			
Passed: 2	Failed: 0	Undefined: 0	Duration: 14.36s
Before			0.00s
Then I click on policy number cancel button on my policies screen			0.32s
Then user should be landed to "Home" screen			14.03s
After			0.00s
Back to Table of Contents			
Feature: Verify wealth channel functionality on one pulse App			
Passed: 2	Failed: 11	Undefined: 0	Duration: 165.7s
Scenario: Launch the app and select the country as per specified Ibu			
Passed: 6	Failed: 0	Undefined: 0	Duration: 51.39s
Before			0.00s
Given User has pulse app			9.83s
And I assign "\${login.email.id}" to variable "PULSE_EMAIL"			0.00s
And user click on "CONTINUE WITH EMAIL" with Email button			15.25s
Then I change the country as required on registration page			11.42s
Then I wait for 10 sec			10.00s
And I click the Sign in link			4.89s
After			0.00s
Back to Table of Contents			
Scenario: login to the app with correct credentials using "Continue with Email"			
Passed: 6	Failed: 0	Undefined: 0	Duration: 43.06s
Before			0.00s
Given I select the language option on toggle bar as required on login page			3.53s
When user enters credentials			10.45s
UserName	<code>\${PULSE_EMAIL}</code>		
Password	<code>\${pulse.password}</code>		
And User clicks on signin button			0.27s
And I wait for 5 sec			5.01s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"			9.96s

Then user should be landed to "Home" screen		13.84s
After		0.00s
Back to Table of Contents		
Scenario: Verify User should be able to navigate to wealth page		
Passed: 0	Failed: 1	Duration: 11.02s
Before		0.00s
And I click the Wealth Channel tile for Malaysia		11.02s
<p>org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: ff8d3487-f2a4-43c3-a84e-015f9e1c8069 at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:46) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSize(RemoteWebDriver.java:804)</p>		

at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)
 at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:206)
 at com.onepulse.app.screens.WealthScreen.clickWealthChannelTileForMalaysia
 (WealthScreen.java:567)
 at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.clickWealthChannelTileMalaysia
 (WealthSteps.java:338)
 at .And I click the Wealth Channel tile for Malaysia(features/my/wealth/WealthChannel.
 feature:23)

Then I verify following texts are displayed 0.00s

Wealth Channels

Then I verify following tile texts are displayed on wealth channel screen 0.00s

Investing 123

Equip yourself with the basic investment tools

First Steps

The importance of investor education

And I scroll down 0.00s

Then I verify following tile texts are displayed on wealth channel screen 0.00s

Remove The Weeds

Dispel investment myths to achieve desired investment outcomes

Mutual Funds

Make mutual funds your first investment stop

After 0.00s

[Back to Table of Contents](#)

Scenario: [Verify User should be able to view the story post](#)

Passed: 0 Failed: 1 Undefined: 4 Duration: 5.05s

Before 0.00s

Then I click on "Mutual Funds" wealth channel topic 5.05s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server.

Original error: socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
 os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
 uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
 desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
 autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
 newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
 deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
 deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
 javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
 newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
 platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
 viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
 false}

Session ID: ff8d3487-f2a4-43c3-a84e-015f9e1c8069
 at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
 at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
 at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
 at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
 at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)
 at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
 at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:46)
 at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
 at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSize(RemoteWebDriver.java:804)
 at com.onepulse.app.screens.TestBasePage.scrollPageUP(TestBasePage.java:379)
 at com.onepulse.app.screens.WealthScreen.clickWealthChannelTopic(WealthScreen.java:127)
 at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iClickOnWealthChannelTopic(WealthSteps.java:59)
 at .Then I click on "Mutual Funds" wealth channel topic(features/my/wealth/WealthChannel.feature:39)

Then I wait for 2 sec	0.00s
-----------------------	-------

Then I verify following texts are displayed	0.00s
---	-------

Mutual Funds

Then I verify following tile texts are displayed on wealth channel screen	0.00s
---	-------

Make mutual funds your first investment stop
--

And I verify following social cite options are displayed	0.00s
--	-------

Like

Share

Comment

After	0.00s
-------	-------

[Back to Table of Contents](#)

Scenario: **Verify User should be able to Like the post**

Passed: 0	Failed: 1	Undefined: 3	Duration: 13.07s
-----------	-----------	--------------	------------------

Before	0.00s
--------	-------

And I read the "Mutual Funds" post like count	13.07s
---	--------

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up

```

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: ff8d3487-f2a4-43c3-a84e-015f9e1c8069
*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"Mutual
Funds")]/following::android.widget.TextView[contains(@text,'Likes')]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement

```

(DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at com.onepulse.app.screens.TestBasePage.getElementText(TestBasePage.java:256) at com.onepulse.app.screens.WealthScreen.readLikeCount(WealthScreen.java:188) at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iReadThePostLikeCount(WealthSteps.java:85) at .And I read the "Mutual Funds" post like count(features/my/wealth/WealthChannel.feature:51)		
And I Like the post		0.00s
Then I verify "Mutual Funds" post like count is increased		0.00s
And I Like the post		0.00s
After		0.00s
Back to Table of Contents		
Scenario: Verify User should be able to Share the post		
Passed: 0	Failed: 1	Undefined: 1
		Duration: 5.03s
Before		0.00s
And I share the post		5.03s
org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: ff8d3487-f2a4-43c3-a84e-015f9e1c8069 *** Element info: {Using=xpath, value=//android.widget.TextView[@text='Share']} at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode		

```

(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.WealthScreen.clickShareButton(WealthScreen.java:215)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iShareThePost(WealthSteps.java:
90)
at .And I share the post(features/my/wealth/WealthChannel.feature:57)

```

Then I Verify the share with friends popup

0.00s

After

0.00s

[Back to Table of Contents](#)Scenario: **Verify User should be able to Comment the post**

Passed: 0

Failed: 1

Undefined: 2

Duration: 5.03s

Before

0.00s

And I read the "Mutual Funds" post comment count

5.04s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: ff8d3487-f2a4-43c3-a84e-015f9e1c8069

*** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"Mutual Funds")]/following::android.widget.TextView[5]}

at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)

at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)

at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)

at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)

at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)

at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)

at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)

at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at com.onepulse.app.screens.TestBasePage.getElementText(TestBasePage.java:256)

at com.onepulse.app.screens.WealthScreen.readCommentCount(WealthScreen.java:242) at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iReadThePostCommentCount (WealthSteps.java:100) at .And I read the "Mutual Funds" post comment count(features/my/wealth/WealthChannel.feature:61)			
And I commented in the post "\${wealth.topic.comment}"			0.00s
Then I verify "Mutual Funds" post comment count is increased			0.00s
After			0.00s
Back to Table of Contents			
Scenario: Verify User should be able to view the full page article post			
Passed: 0		Failed: 1	Undefined: 0
			Duration: 5.77s
Before			0.00s
Then I click on "Mutual Funds" topic for details full view			5.77s
<pre>org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: ff8d3487-f2a4-43c3-a84e-015f9e1c8069 *** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"Mutual Funds")]/../following::android.widget.ScrollView[1]/android.view.ViewGroup/android.view.ViewGroup[2]} at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at io.appium.java_client.remote.AppiumCommandExecutor.execute</pre>			

```

(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.WealthScreen.clickWealthChannelTopicDetailView
(WealthScreen.java:135)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.
iClickOnTopicForDetailsFullView(WealthSteps.java:64)
at .Then I click on "Mutual Funds" topic for details full view(features/my/wealth
/WealthChannel.feature:66)

```

After		0.00s
-------	--	-------

[Back to Table of Contents](#)

Scenario: **Verify User should be able to see the Like, Share, Comment options on full page article post**

Passed: 1	Failed: 1	Undefined: 0	Duration: 13.1s
-----------	-----------	--------------	-----------------

Before		0.00s
--------	--	-------

Then I wait for 3 sec	3.00s
-----------------------	-------

And I verify following social cite options are displayed	10.10s
--	--------

Like
Share
Comment

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: ff8d3487-f2a4-43c3-a84e-015f9e1c8069

at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)

at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:46)

at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSize(RemoteWebDriver.java:804)

at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)

at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:206)

at com.onepulse.app.screens.WealthScreen.isWealthStaticTextDisplayed(WealthScreen.java:527)

at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iVerifyFollowingSocialCiteOptionsAreDisplayed(WealthSteps.java:317)

at .And I verify following social cite options are displayed(features/my/wealth/WealthChannel.feature:70)

After		0.00s
Back to Table of Contents		
Scenario: Verify User should be able to Like the post in full article view screen		
Passed: 0	Failed: 1	Undefined: 1
		Duration: .04s

Before	0.00s
And I Like the post	0.04s
<pre> org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse. uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false} Session ID: ff8d3487-f2a4-43c3-a84e-015f9e1c8069 *** Element info: {Using=xpath, value=//android.widget.TextView[@text='Like']} at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158) at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317) at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419) at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath </pre>	

```
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.WealthScreen.clickLikeButton(WealthScreen.java:175)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iLikeThePost(WealthSteps.java:
75)
at .And I Like the post(features/my/wealth/WealthChannel.feature:76)
```

And I Like the post	0.00s
---------------------	-------

After	0.00s
-------	-------

[Back to Table of Contents](#)

Scenario: **Verify User should be able to Share the post in full article view screen**

Passed: 0	Failed: 1	Undefined: 1	Duration: 5.03s
-----------	-----------	--------------	-----------------

Before	0.00s
--------	-------

And I share the post	5.04s
----------------------	-------

```
org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: ff8d3487-f2a4-43c3-a84e-015f9e1c8069
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Share']}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
```



```

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.WealthScreen.clickShareButton(WealthScreen.java:215)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iShareThePost(WealthSteps.java:
90)
at .And I share the post(features/my/wealth/WealthChannel.feature:80)

```

Then I navigate back to previous page	0.00s
---------------------------------------	-------

After	0.00s
-------	-------

[Back to Table of Contents](#)

Scenario: **Verify User should be able to Comment the post in full article view screen**

Passed: 0	Failed: 1	Undefined: 0	Duration: 5.05s
-----------	-----------	--------------	-----------------

Before	0.00s
--------	-------

And I comment in full view post article "\${wealth.topic.comment}"	5.05s
--	-------

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server.

Original error: socket hang up
 Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
 System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
 os.version: '10.0', java.version: '11.0.2'
 Driver info: io.appium.java_client.android.AndroidDriver
 Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
 uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
 desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
 autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
 newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
 deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
 deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
 javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
 newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
 platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
 viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
 false}
 Session ID: ff8d3487-f2a4-43c3-a84e-015f9e1c8069
 *** Element info: {Using=xpath, value=//android.widget.TextView[@text='Comment']}
 at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
 at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
 (DelegatingConstructorAccessorImpl.java:45)
 at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
 (W3CHttpResponseCodec.java:187)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
 (W3CHttpResponseCodec.java:122)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
 (W3CHttpResponseCodec.java:49)
 at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
 158)
 at io.appium.java_client.remote.AppiumCommandExecutor.execute
 (AppiumCommandExecutor.java:231)
 at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
 at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
 java:42)
 at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
 at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
 at io.appium.java_client.DefaultGenericMobileDriver.findElement
 (DefaultGenericMobileDriver.java:62)
 at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
 at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
 java:419)
 at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
 (DefaultGenericMobileDriver.java:152)
 at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
 at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
 at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)
 at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
 at io.appium.java_client.DefaultGenericMobileDriver.findElement

```
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.WealthScreen.enterCommentOnFullViewPage(WealthScreen.java:280)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iCommentInFullViewPostArticle(WealthSteps.java:115)
at .And I comment in full view post article "${wealth.topic.comment}"(features/my/wealth/WealthChannel.feature:84)
```

After		0.00s
Back to Table of Contents		
Scenario: Verify User can navigate to wealth homepage		
Passed: 0	Failed: 1	Undefined: 2
Duration: 3.06s		
Before		0.00s

Then I navigate to story post page	3.06s
------------------------------------	-------

```
org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: ff8d3487-f2a4-43c3-a84e-015f9e1c8069
*** Element info: {Using=xpath, value=//android.view.View[contains(@text,'First Steps')]/preceding::android.widget.ImageView}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
```

```

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.WealthScreen.clickFullViewBackButton(WealthScreen.java:165)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iNavigateToStoryPostPage
(WealthSteps.java:70)
at .Then I navigate to story post page(features/my/wealth/WealthChannel.feature:87)

```

Then I click on "Mutual Funds" back button	0.00s
Then I click on "Wealth Channels" back button	0.00s

After	0.00s
-------	-------

[Back to Table of Contents](#)

Feature: **Verify share with friends functionality in onepulse app**

Passed: 3	Failed: 4	Undefined: 0	Duration: 157.48s
-----------	-----------	--------------	-------------------

Scenario: **Launch the app and select the country as per specified Ibu**


Passed: 6	Failed: 0	Undefined: 0	Duration: 44.68s
Before	0.00s		
Given User has pulse app	9.83s		
And I assign "\${login.email.id}" to variable "PULSE_EMAIL"	0.00s		
And user click on "CONTINUE WITH EMAIL" with Email button	16.48s		
Then I change the country as required on registration page	11.22s		

Then I wait for 2 sec			2.01s
And I click the Sign in link			5.14s
After			0.00s
Back to Table of Contents			
Scenario: login to the app with correct credentials using "Continue with Email"			
Passed: 6	Failed: 0	Undefined: 0	Duration: 50.4s
Before			0.00s
	And I select the language option on toggle bar as required on login page		3.50s
	When user enters credentials		10.35s
	UserName	{PULSE_EMAIL}	
	Password	{login.password}	
	And User clicks on signin button		0.26s
	And I wait for 10 sec		10.01s
	And I enter OTP in one pulse app for user email "{PULSE_EMAIL}"		10.63s
	Then user should be landed to "Home" screen		15.65s
After			0.00s
Back to Table of Contents			
Scenario: Verify User should be able to share the link with Whatsapp			
Passed: 1	Failed: 0	Undefined: 0	Duration: 13.8s
Before			0.00s
	Then I verify the share with friends links		13.80s
After			0.00s
Back to Table of Contents			
Scenario: Verify User should be able to share the link with Contacts app			
Passed: 0	Failed: 1	Undefined: 0	Duration: 13.29s
Before			0.00s
	Then I verify the contacts share icon		13.29s
	<div>org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters. For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2' Driver info: io.appium.java_client.android.AndroidDriver Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,</div>		

```

platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 80f28d44-9bd3-48a9-be54-e7125ccaa7ec
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Invite Your
Friends Via']/following::android.view.ViewGroup[5]}
at jdk.internal.reflect.GeneratedConstructorAccessor21.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.PulseLoginScreen.clickContactsIcon(PulseLoginScreen.java:623)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iVerifyTheContactsShareIcon
(LoginSteps.java:299)
at .Then I verify the contacts share icon(features/share/ShareWithFriends.feature:30)

```



After	0.00s
-------	-------

[Back to Table of Contents](#)

Scenario: Verify User should be able to share the link with Messenger app

Passed: 0	Failed: 1	Undefined: 0	Duration: 13.23s
-----------	-----------	--------------	------------------

Before	0.00s
--------	-------

Then I verify the fb messenger share icon	13.23s
---	--------

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 80f28d44-9bd3-48a9-be54-e7125ccaa7ec

*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Invite Your Friends Via']/following::android.view.ViewGroup[7]}

at jdk.internal.reflect.GeneratedConstructorAccessor21.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)

at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)

at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)

at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)

at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)

at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)

at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)

at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)

at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)

at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)

at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141)


at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)

at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)

at com.onepulse.app.screens.PulseLoginScreen.clickMessengerIcon(PulseLoginScreen.java:1147)

at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iVerifyTheFbMessengerShareIcon(LoginSteps.java:415)

at .Then I verify the fb messenger share icon(features/share/ShareWithFriends.feature:33)



After	0.00s
-------	-------

[Back to Table of Contents](#)

Scenario: Verify User should be able to share the link with Viber app

Passed: 0	Failed: 1	Undefined: 0	Duration: 22.01s
-----------	-----------	--------------	------------------

Before	0.00s
--------	-------

Then I verify the Viber share icon	22.01s
------------------------------------	--------

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.2'

Driver info: io.appium.java_client.android.AndroidDriver

Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}

Session ID: 80f28d44-9bd3-48a9-be54-e7125ccaa7ec

*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Invite Your

```

Friends Via']/following::android.view.ViewGroup[9]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.PulseLoginScreen.clickViberIcon(PulseLoginScreen.java:646)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iVerifyTheViberShareIcon
(LoginSteps.java:316)
at .Then I verify the Viber share icon(features/share/ShareWithFriends.feature:36)

```

After		0.00s
Back to Table of Contents		
Scenario: Verify User should be able to share the link with Line app		
Passed: 0	Failed: 1	Undefined: 0
Before		0.00s

Then I verify the Line share icon

0.07s

```

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while
processing the command. Original error: Could not proxy command to the remote server.
Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'TM003LSIN', ip: '192.168.1.124', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '11.0.2'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.
uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false,
desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat,
autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test,
newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,
deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0C241FDD40043P,
deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0C241FDD40043P,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,
newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX,
platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true,
viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled:
false}
Session ID: 80f28d44-9bd3-48a9-be54-e7125ccaa7ec
*** Element info: {Using=xpath, value=(//android.widget.TextView)[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor34.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)

```

```
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:165)
at com.onepulse.app.screens.PulseLoginScreen.clickLineIcon(PulseLoginScreen.java:639)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iVerifyTheLineShareIcon
(LoginSteps.java:311)
at .Then I verify the Line share icon(features/share/ShareWithFriends.feature:39)
```

After**0.00s**[Back to Table of Contents](#)