Overview

	Passed	Failed	Known	Undefined	Total	%Passed
Features	15	12	0	0	27	56%
Scenarios	165	122	0	0	287	57%
Steps	935	122	0	146	1,203	78%

Overall Duration: 4h 21m 48s

Table of Contents

3. User should be able to locate Hospitals using PruShoppe location
4. User can see details of listed hospitals in detail
5. User can see the details in speciality tab
6. User can see the details in doctor's tab
7. User can see the details in rooms tab
8. User can navigate out of the hospital details screen
9. User should be able to locate cli using PruShoppe location
10. User can verify the clinic page
11. User can view listed clinic details
12. User can view listed clinic info
13. User can view listed clinic info details
14. User can navigate back to clinics screen

6. Verify Medicine Reminder Positive Flow functionality on one pulse App
   1. User should be able to register on app with correct credentials using "Continue with Email"
   2. Verify User should be able to navigate to medical reminder page
   3. verify the static text on medicine reminder screen
   4. click on add reminder button
   5. verify add medicine screen is launched and user can enter the required info on medical info screen
   6. verify user navigated to schedule screen and user can enter the required info
   7. Verify User should be able to navigate to More Setting page
   8. verify Add medicine screen is displayed when user click on add new reminder on success popup
   9. verify medicine reminder home screen is displayed when user click on not now button on success popup
   10. navigate to health screen
   11. Verify User should be able to navigate to calendar page

7. Verify MY Event channel functionality on one pulse App
   1. Launch the app and select the country as per specified lbu
   2. login to the app with correct credentials using "Continue with Email"
   3. Verify MyEvent Functionality in Home screen
   4. Verify Events Archive tab
   5. Verify Open Events tab

8. Verify My Health Content functionality on One Pulse App
   1. Launch the app and select the country as per specified lbu
   2. User should be able to login on app with correct credentials using "Continue with Email"
   3. Verify User should be able to navigate to Health page
   4. Verify User should be able to view the full page article post
   5. Verify User should be able to see the Like, Share, Comment options on full page article post
   6. Verify User should be able to Like the post in full article view screen
   7. Verify User should be able to Share the post in full article view screen
   8. Verify User can navigate to Health homepage

9. Verify Notification Center functionality on one pulse App
   1. User should be able to register on app with correct credentials using "Continue with Email"
   2. Navigate to notification screen via home screen
   3. Verify User should be able to see the Notification screen texts

10. Verify My Challenges on One Pulse App
   1. Launch the app and select the country as per specified lbu

2. **User should be able to login on app with correct credentials using "Continue with Email"**
3. **Verify My Challenges texts**
4. **Click on All challenges and and verify texts**

11. **Verify My Communities on One Pluse App**
    1. **Launch the app and select the country as per specified lbu**
    2. **User should be able to login on app with correct credentials using "Continue with Gmail"**
    3. **User should be able to login on app with correct credentials using "Continue with Email" and Verify the Mycommunities screen**
    4. **Leave the community if already joined**
    5. **Verify the All Communities Post screen**
    6. **Verify the Likes and comments counts in All communities tab**
    7. **Verify the Share with Friends Functionality in All communities tab**
    8. **Verify the Post Functionality in All communities**
    9. **Verify the Category list and search feature**
    10. **User navigates back to the community screen**
    11. **Leave the community if already joined**

12. **Verify Private My Communities on One Pulse App**
    1. **Launch the app and select the country as per specified lbu**
    2. **User should be able to login on app with correct credentials using "Continue with Email"**
    3. **Verify the My communities screen**
    4. **Verify the Private Communities in communities screen**

13. **Verify legal and legacy on One pulse App**
    1. **Launch the app and select the country as per specified lbu**
    2. **login to the app with correct credentials using "Continue with Email"**
    3. **Navigate to account screen**
    4. **Verify the Legacy and Privacy should be displayed**
    5. **Verify the Terms and condition screen should be displayed**
    6. **Verify the Privacy screen should be displayed**
    7. **Verify the Regulator screen should be displayed**

14. **Verify My accounts options in Account screen**
    1. **Launch the app and select the country as per specified lbu**
    2. **login to the app with correct credentials using "Continue with Email"**
    3. **Navigate to account screen and verify all the options**
    4. **Verify wearable screen in Account tab**
    5. **navigate back to account screen from my wearable screen**
    6. **Navigate to account screen**
    7. **Verify reward screen in Account tab**
    8. **User access My Rewards FAQ**
    9. **Verify the FAQ on my rewards screen**
    10. **Verify the FAQ on my rewards screen**
    11. **Verify the FAQ on my rewards screen**
    12. **Verify the FAQ on my rewards screen**
    13. **Verify the FAQ on my rewards screen**
    14. **Verify the FAQ on my rewards screen**
    15. **Verify the FAQ on my rewards screen**
    16. **Verify the FAQ on my rewards screen**
    17. **navigate back to account screen from my rewards screen**
    18. **Verify Notification screen in Account tab**
    19. **navigate back to account screen from Notification screen**
    20. **Verify my feedback screen in Account tab**
    21. **Verify the submit functionality in My feedback screen**

22. **Verify the Pulse Personalised tab**
23. **Save the consent with data privacy check**
24. **Save the consent without data privacy check**
25. **navigate back to account screen from pulse personalised screen**

15. **Verify MySettings functionality in Account screen**
    1. **Launch the app and select the country as per specified lbu**
    2. **login to the app with correct credentials using "Continue with Email"**
    3. **Navigate to account screen**
    4. **Verify my setting screen in Account tab**
    5. **navigate back to account screen from my setting screen**

16. **Verify My wearable functionality via fitness tab on Pulse Health & Wealth app**
    1. **Launch the app and select the country as per specified lbu**
    2. **login to the app with correct credentials using "Continue with Email"**
    3. **Verify the user can access My Wearables via Fitness**

17. **Verify the BabyLon HRA Report - Nutrition, Body, Activity**
    1. **Launch the app and select the country as per specified lbu**
    2. **login to the app with correct credentials using "Continue with Email"**
    3. **User should be able to access Babylon Health Risk Assessment Report**
    4. **Verify the HRA Activity Report**
    5. **Verify the HRA Activity Report**
    6. **Verify the HRA Nutrition Report**
    7. **Verify the HRA Report - Keep It Up sub-section**
    8. **Verify the HRA Report - Make a Change sub-section**
    9. **User should be able to access Babylon HRA - Healthcheck - Body**
    10. **navigate back to digital twin screen**
    11. **User should be able to access Babylon HRA - Healthcheck - Nutrition**
    12. **Navigate back to nutrition screen and validate the static text**
    13. **navigate back to digital twin screen**
    14. **User should be able to access Babylon HRA - Healthcheck - Activity**
    15. **Navigate back to Activity screen and validate the static text**
    16. **navigate back to digital twin screen**
    17. **User should be able to access Babylon HRA - Healthcheck - Mood**
    18. **navigate back to digital twin screen**

18. **Verify that user can access calendar under health section**
    1. **Launch the app and select the country as per specified lbu**
    2. **login to the app with correct credentials using "Continue with Email"**
    3. **User should be able to access Calendar screen**

19. **Verify that user can access Chinese Medicine feature**
    1. **User should be able to register on app with correct credentials using "Continue with Email"**
    2. **User should be able to access Chinese Medicine screen**
    3. **Verify the carousel on Chinese Medicine journey**
    4. **Verify the carousel on Chinese Medicine journey**
    5. **verify the text and button on final assessment carousel**
    6. **User should be able to complete Chinese Medicine profile**
    7. **Verify the Q&A on Chinese Medicine journey**
    8. **Verify the Q&A on Chinese Medicine journey**
    9. **Verify the Q&A on Chinese Medicine journey**
    10. **Verify the Q&A on Chinese Medicine journey**
    11. **Verify the Q&A on Chinese Medicine journey**
    12. **Verify the Q&A on Chinese Medicine journey**

13. [Verify the Q&A on Chinese Medicine journey](#)
14. [Verify the Q&A on Chinese Medicine journey](#)
15. [Verify the Q&A on Chinese Medicine journey](#)
16. [Verify the Q&A on Chinese Medicine journey](#)
17. [Verify the Q&A on Chinese Medicine journey](#)
18. [Verify the Q&A on Chinese Medicine journey](#)
19. [Verify the Q&A on Chinese Medicine journey](#)
20. [Verify the Q&A on Chinese Medicine journey](#)
21. [Verify the Q&A on Chinese Medicine journey](#)
22. [Verify the Q&A on Chinese Medicine journey](#)
23. [Verify the Q&A on Chinese Medicine journey](#)
24. [Verify the Q&A on Chinese Medicine journey](#)
25. [Verify the Q&A on Chinese Medicine journey](#)
26. [Verify the Q&A on Chinese Medicine journey](#)
27. [Verify the Q&A on Chinese Medicine journey](#)
28. [Verify the Q&A on Chinese Medicine journey](#)
29. [Verify the Q&A on Chinese Medicine journey](#)
30. [Verify the Q&A on Chinese Medicine journey](#)
31. [Verify the Q&A on Chinese Medicine journey](#)
32. [Verify the Q&A on Chinese Medicine journey](#)
33. [Verify the Q&A on Chinese Medicine journey](#)
34. [Verify the Q&A on Chinese Medicine journey](#)
35. [Verify the Q&A on Chinese Medicine journey](#)
36. [Verify the Q&A on Chinese Medicine journey](#)
37. [Verify the Q&A on Chinese Medicine journey](#)
38. [Verify the Q&A on Chinese Medicine journey](#)
39. [Verify the Q&A on Chinese Medicine journey](#)
40. [Verify the Q&A on Chinese Medicine journey](#)
41. [Verify the Q&A on Chinese Medicine journey](#)
42. [Verify the Q&A on Chinese Medicine journey](#)
43. [Verify the Q&A on Chinese Medicine journey](#)
44. [Verify the Q&A on Chinese Medicine journey](#)
45. [Verify the Q&A on Chinese Medicine journey](#)
46. [Verify the Q&A on Chinese Medicine journey](#)
47. [Verify the Q&A on Chinese Medicine journey](#)
48. [Verify the Q&A on Chinese Medicine journey](#)
49. [Verify the Q&A on Chinese Medicine journey](#)
50. [Verify the Q&A on Chinese Medicine journey](#)
51. [Verify the Q&A on Chinese Medicine journey](#)
52. [Verify the Q&A on Chinese Medicine journey](#)
53. [Verify the Q&A on Chinese Medicine journey](#)
54. [Verify the Q&A on Chinese Medicine journey](#)
55. [Verify the Q&A on Chinese Medicine journey](#)
56. [Verify the Q&A on Chinese Medicine journey](#)
57. [Verify the Q&A on Chinese Medicine journey](#)
58. [Verify the Q&A on Chinese Medicine journey](#)
59. [Verify the Q&A on Chinese Medicine journey](#)
60. [Verify the Q&A on Chinese Medicine journey](#)
61. [Verify the Q&A on Chinese Mediicine journey](#)
62. [Verify the Q&A on Chinese Medicine journey](#)
63. [Verify the Q&A on Chinese Medicine journey](#)

64. Verify the Q&A on Chinese Medicine journey
65. Verify the Q&A on Chinese Medicine journey
66. Verify the Q&A on Chinese Medicine journey
67. Verify the Q&A on Chinese Medicine journey
68. Verify the Q&A on Chinese Medicine journey
69. Verify the Q&A on Chinese Medicine journey
70. Verify the Assessment completion screen
71. Verify the user can view the Assessment Record
72. Verify the Assessment Summary
73. Verify the "Constitution" Details of the Assessment
74. Verify the "Change In Tongue" Details of the Assessment

20. Verify Dietician Positive Flow for Doctor functionality on one pulse App
    1. Verify the Home screen validation using "Continue with Email"
    2. Verify User should be able to navigate to Dietician page
    3. Select the expert type as doctor and navigate to next screen
    4. Verify User should be able to navigate to specialisation page
    5. Verify User should be able to navigate to Educational Details page
    6. Verify User should be able to navigate to Add experience page
    7. Verify User should be able to navigate to Services Offered page
    8. Verify User should be able to navigate to achievement and awards screen
    9. Verify User should be able to navigate to Seminar(s) Attended page
    10. Verify User should be able to navigate to linked clinic page
    11. Verify User should be able to navigate to Take a Picture page
    12. Verify User should be able to navigate to schedule Calendar page

21. Verify that user can manage events via the Family Vaccine Calendar feature
    1. User should be able to register on app with correct credentials using "Continue with Email"
    2. User should be able to access my family vaccination calendar
    3. Verify the user can Add Vaccine Information
    4. enter information on add vaccination popup
    5. Verify the added item displayed on the Vaccine Schedule screen
    6. Verify reminder options in vaccine schedule
    7. Verify change reminder functionality in vaccine schedule screen

22. Verify that user can access Dengue Alert feature
    1. Launch the app and select the country as per specified lbu
    2. login to the app with correct credentials using "Continue with Email"
    3. Verify the map can be expanded
    4. User should be able to vew the Dengue Outbreak - Malaysia
    5. User should be able to vew the Dengue Cases - Malaysia

23. Verify Pru infectious disease cover functionality on one pulse App
    1. User should be able to register on app with correct credentials using "Continue with Email"
    2. Navigate to PRU Shoppe screen
    3. Verify User should be able to see the infectious disease cover screen options
    4. Verify User should be able to see the infectious disease cover Screen options
    5. Verify User should be able to see the infectious disease cover term and condition
    6. Verify User should be able to see the infectious disease cover term and condition
    7. Verify User should be able to see the infectious disease cover term and condition
    8. Verify User should be able to see the infectious disease cover term and condition
    9. verify that user can see agreement and proceed button

24. Verify Pru Shoppe My Coverage functionality on one pulse App

Detailed Results Report

Feature: Verify login functionality on One pulse App			
Passed: 7	Failed: 0	Undefined: 0	Duration: 1132.11s
Scenario: Launch the app and select the country as per specified lbu			
Passed: 8	Failed: 0	Undefined: 0	Duration: 72.86s
Before			0.39s
Given User has pulse app			8.30s
And I assign "${login.email.id}" to variable "PULSE_EMAIL"			0.01s
And user click on "CONTINUE WITH EMAIL" with Email button			34.25s
Then I change the country as required on registration page			23.16s

Then I wait for 2 sec		2.01s
Then I change the language as required on registration page		0.00s
And I click the Sign in link		1.37s
Then I verify below language options on toggle bar as per specified lbu on login page		3.39s
After		0.00s

Scenario: login to the app with correct credentials using "Continue with Email"

Passed: 6	Failed: 0	Undefined: 0	Duration: 110.02 s
Before			0.00s

Given I select the language option on toggle bar as required on login page			3.46s
When user enters credentials			68.51s
UserName	${PULSE_EMAIL}		
Password	${login.password}		
And User clicks on signin button			1.66s
And I wait for 5 sec			5.00s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"			13.51s
Then user should be landed to "Home" screen			17.88s
After			0.00s

Scenario: Verify the Invalid Email id in login screen using "Continue with Email"

Passed: 15	Failed: 0	Undefined: 0	Duration: 183.24 s
Before			0.00s

Given User has pulse app			6.52s
Then I wait for 2 sec			2.01s
And user click on "CONTINUE WITH EMAIL" with Email button			48.99s
Then I change the country as required on registration page			19.19s
Then I wait for 2 sec			2.01s
And I click the Sign in link			2.08s
Then I wait for 2 sec			2.01s
And I select the language option on toggle bar as required on login page			3.52s
When user enters credentials			62.76s
UserName	t@gmai		
Password	Pas$1234		
And User clicks on signin button			1.60s
Then verify invalid email message "Email is required"			1.34s
Then User clicks on Forgot Password button			1.41s
Then enter the email to request the new password			27.97s
Email	t@gmai		
Then User clicks on Send button			1.37s
Then verify invalid email message "${email.invalid.text}"			0.49s

After		0.00s

Scenario: Verify the User not registerd email in login screen using "Continue with Email"

Passed: 17	Failed: 0	Undefined: 0	Duration: 156.86 s

Before		0.00s

Given I generate random number and assign to variable "RANDOM_NUMBER"		0.02s
And I assign value to following variables		0.00s

USER_NAME	taf-${RANDOM_NUMBER}@mailinator.com
USER_PASSWORD	Pas$1234

Given User has pulse app	6.66s
And user click on "CONTINUE WITH EMAIL" with Email button	30.92s
Then I change the country as required on registration page	19.50s
Then I wait for 2 sec	2.01s
And I click the Sign in link	1.88s
Then I wait for 2 sec	2.00s
And I select the language option on toggle bar as required on login page	3.41s
When user enters credentials	42.72s

UserName	${USER_NAME}
Password	${USER_PASSWORD}

And I scroll down	6.86s
And User clicks on signin button	1.51s
Then verify invalid email message "${invalid.credential.message}"	1.74s
Then User clicks on Forgot Password button	1.49s
Then enter the email to request the new password	33.59s

Email	${USER_NAME}

Then User clicks on Send button	1.36s
Then verify invalid email message "${invalid.credential.message}"	1.22s

After		0.00s

Scenario: User should be able to retrieve the reset password using forget password link

Passed: 8	Failed: 0	Undefined: 0	Duration: 136.87 s

Before		0.00s

And I assign "${forgot.password.email.id}" to variable "PULSE_EMAIL"		0.00s
Then enter the email to request the new password		82.50s

Email	${PULSE_EMAIL}

Then User clicks on Send button	1.28s
And I read the otp for emailid "${PULSE_EMAIL}" using mailsac api and store into a variable "EMAIL_OTP"	27.02s
Then I wait for 5 sec	5.01s
Then I enter "${EMAIL_OTP}" reset code	2.40s
Then I wait for 5 sec	5.01s

Then Verify message: "${password.reset.success.text}" for Reset Password		13.66s
After		0.00s

Scenario: Verify Account should be locked after entering more than 7 times incorrect passwords

Passed: 20	Failed: 0	Undefined: 0	Duration: 344.21 s
Before			0.00s

Given I generate random number and assign to variable "RANDOM_NUMBER"	0.00s
And I assign "pulse${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"	0.00s
And User has pulse app	6.70s
Then I wait for 2 sec	2.01s
And user click on "CONTINUE WITH EMAIL" with Email button	29.17s
Then I change the country as required on registration page	18.90s
Then I wait for 5 sec	5.00s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	7.09s
Then I wait for 2 sec	2.00s
When user enters registration details	20.91s

FirstName	testAutomation
LastName	testAutomation
Email	${PULSE_EMAIL}
Password	Pas$1234

And taps on continue "Sign_Up" button	1.64s
Then I wait for otp screen after clicking on signup button	8.28s
Then I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	34.20s
Then I click skip button	112.85s
Then user should be landed to "Home" screen	15.90s
Then I wait for 4 sec	4.00s
And I click the Account icon in Home screen	2.11s
And I click the sign out from pulse app	12.27s
Then I wait for 2 sec	2.00s
Then I enter invalid password on login screen and verify the error message	59.17s

Pas$123##${invalid.credential.message}
Pas$123##${invalid.credential.message}
Pas$123##${invalid.credential.message}
Pas$123##${invalid.credential.message}
Pas$123##${invalid.credential.message}
Pas$123##${invalid.credential.message}
Pas$123##${invalid.credential.message}
Pas$123##${account.locked.message}

After	0.01s

Scenario: Verify the Login Functionality using "Continue with Facebook"

Passed: 13	Failed: 0	Undefined: 0	Duration: 128.04 s
Before			0.00s

Given User has pulse app	6.85s
Then I wait for 2 sec	2.01s
And user click on "CONTINUE WITH EMAIL" with Email button	28.65s
Then I wait for 2 sec	2.01s
Then I change the country as required on registration page	20.50s
Then I wait for 2 sec	2.00s
Then I navigate to pulse registration page and select the lang on toggle bar	5.84s
Then I click on connect with facebook button	0.90s
Then I wait for 2 sec	2.00s
And I click the "Email" in Continue with Facebook	18.68s

Emailid	${emailid.text}
Password	${password.texts}

Then I wait for 10 sec	10.00s
Then user should be landed to "Home" screen	16.02s
And I logout from onepulse app	12.58s
After	0.00s

[Back to Table of Contents](#)

Feature: Verify registration functionality on one pulse App

Passed: 6	Failed: 3	Undefined: 0	Duration: 1008.8s

Scenario: User should be able to register on app with correct credentials using "Continue with Email"

Passed: 32	Failed: 1	Undefined: 13	Duration: 287.71 s
Before			0.00s

|	
Given I generate random number and assign to variable "RANDOM_NUMBER"	0.00s
And I assign "pulse${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"	0.00s
And User has pulse app	6.61s
Then I wait for 2 sec	2.01s
And user click on "CONTINUE WITH EMAIL" with Email button	94.77s
Then I wait for 2 sec	2.01s
Then I change the country as required on registration page	25.58s
Then I wait for 2 sec	2.00s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	7.60s
Then I wait for 2 sec	2.00s
When user enters registration details	29.62s

FirstName	testAutomation
LastName	testAutomation

Email	${PULSE_EMAIL}
Password	Pas$1234

And taps on continue "Sign_Up" button	2.41s
Then I wait for otp screen after clicking on signup button	9.15s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	34.42s
Then I wait for 2 sec	2.01s
And I enter the "mobile number" in welcome to pulse	6.58s

mobileNumber	${registration.mobile.number}

And I choose my wellness goals under wellness plan screen	4.59s
And I click the date in Date of Birth field	2.09s
And I click the Done icon	1.53s
And I click the continue button	1.75s
And I select the Male icon	1.44s
And I click the continue button	1.71s
And I click on Calculate BMI button	8.65s
And I click the continue button	2.73s
And I select the "How active are you?" in doing exercise	3.75s
And I click the continue button	2.01s
And I select my favorite food dietary	1.52s
And I click the continue button	2.70s
And I answer as "${option.yes.text}" to "Any Food allergies?"	6.48s
And I click the continue button	3.29s
And I verify that "Tracking your activity is trending" is displayed	3.47s
And I click on connect Later button	2.03s
And I see that "Welcome to Pulse" text is displayed	8.75s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:824:74bb:77c0:84a2%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}
Session ID: 2dc59f12-2a69-425e-a646-28b179d60c6c
*** Element info: {Using=xpath, value=}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException

(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseRegistrationScreen.verifyWelcomeToPulseScreen
(PulseRegistrationScreen.java:967)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSeeThatTextIsDisplayed
(RegistrationSteps.java:236)
at .And I see that "Welcome to Pulse" text is displayed(features/PulseRegistrationTest.feature:
49)

And I see that fitness subscription exclusive offers screen is displayed	0.00s
And I click on close icon	0.00s
And I enter NRIC number last 4 digits "122F"	0.00s
Then I click skip buttons	0.00s
Then user should be landed to "Home" screen	0.00s
Then I wait for 4 sec	0.00s
And I click the Account icon in Home screen	0.00s
And I click the sign out from pulse app	0.00s
Then I wait for 4 sec	0.00s

When user enters password credentials in sigin screen		0.00s
Password Pas$1234		
And User clicks on signin button		0.00s
Then I wait for 8 sec		0.00s
Then user should be landed to "Home" screen		0.00s

After		2.49s

Scenario: **verify the field label on registration screen**		
Passed: 9	Failed: 0	Undefined: 0	Duration: 111.13 s
Before		0.01s
Given User has pulse app		8.13s
Then I wait for 2 sec		2.01s
And user click on "CONTINUE WITH EMAIL" with Email button		60.07s
Then I wait for 2 sec		2.01s
Then I change the country as required on registration page		22.12s
Then I wait for 2 sec		2.00s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button		7.26s
Then I wait for 2 sec		2.01s
Then I verify following field label should be displayed on registration screen		5.53s
${firstname.label.text}		
${lastname.label.text}		
${email.text}		
${password.text}		

After		0.00s

Scenario: verify the validation message for mandatory fields

Passed: 2	Failed: 0	Undefined: 0	Duration: 7.19s

Before		0.00s

Given taps on continue "Sign_Up" button		1.61s
Then I verify the validation error message is displayed for following field on registration page		5.58s

FirstName	${firstname.mandatoryField.message}
LastName	${lastname.mandatoryField.message}
Email	${email.mandatoryField.message}
Password	${password.validation.message}

After		0.00s

Scenario Outline: verify validation message when user enters Invalid password: Pulse@1 on registration page

Passed: 3	Failed: 0	Undefined: 0	Duration: 10.16s

Before		0.00s

When user enters registration details		6.29s

Password	Pulse@1

And taps on continue "Sign_Up" button		2.31s
Then I verify the validation error message is displayed for following field on registration page		1.56s

Password	${password.validation.message}

After		0.00s

Scenario Outline: verify validation message when user enters Invalid password: Pulse123 on registration page

Passed: 3	Failed: 0	Undefined: 0	Duration: 10.49s

Before		0.00s

When user enters registration details		6.66s

Password	Pulse123

And taps on continue "Sign_Up" button		2.32s
Then I verify the validation error message is displayed for following field on registration page		1.52s

Password	${password.validation.message}

After		0.00s

Scenario: Verify the validation message when user enter already registered email id on registration page

Passed: 11	Failed: 0	Undefined: 0	Duration: 109.53s

Before		0.00s

Given User has pulse app	6.73s
Then I wait for 2 sec	2.01s
And user click on "CONTINUE WITH EMAIL" with Email button	30.63s
Then I wait for 2 sec	2.00s
Then I change the country as required on registration page	22.51s
Then I wait for 2 sec	2.01s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	7.31s
Then I wait for 2 sec	2.01s
When user enters registration details	29.34s

FirstName	testAutomation
LastName	testAutomation
Email	${login.email.id}
Password	Pas$1234

And taps on continue "Sign_Up" button	2.25s
Then I verify the validation error message is displayed for following field on registration page	2.76s

Email	${user.exist.text}

After	0.00s

Scenario: **Verify the mobile number screen validation using "Continue with Email"**			
Passed: 20	Failed: 0	Undefined: 0	Duration: 173.67 s
Before			0.00s

Given I generate random number and assign to variable "RANDOM_NUMBER"	0.01s
And I assign "pulse${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"	0.00s
Given User has pulse app	6.65s
Then I wait for 2 sec	2.01s
And user click on "CONTINUE WITH EMAIL" with Email button	31.58s
Then I wait for 2 sec	2.01s
Then I change the country as required on registration page	23.10s
Then I wait for 2 sec	2.01s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	6.66s
Then I wait for 2 sec	2.01s
When user enters registration details	32.12s

FirstName	NewAutomation
LastName	NewAutomation
Email	${PULSE_EMAIL}
Password	Pas$1234

And taps on continue "Sign_Up" button	3.07s
And I wait for otp screen after clicking on signup button	5.79s

And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"		33.82s
Then I wait for 10 sec		10.01s
Then I verify the country code should be displayed correctly on phone number screen		1.17s
And I enter the "mobile number" in welcome to pulse		6.36s
mobileNumber	917670	
And I click the continue button		1.99s
Then I wait for 2 sec		2.01s
Then verify Again invalid Mobile message "${invalid.mobile.text}"		1.33s
After		0.00s

Scenario: **Verify the Registration screen validation using "Continue with Email"**

Passed: 3	Failed: 1	Undefined: 25	Duration: 21.5s
Before			0.00s

Given I enter the "mobile number" in welcome to pulse		6.19s
mobileNumber	${registration.mobile.number}	
Then I wait for 1 sec		1.00s
And I click the continue button		2.01s
Then verify validation message "${wellness.goal.alert.text}" on registration workflow screen		10.96s

java.lang.AssertionError: ${wellness.goal.alert.text} expected [true] but found [false]
at org.testng.Assert.fail(Assert.java:94)
at org.testng.Assert.failNotEquals(Assert.java:513)
at org.testng.Assert.assertTrue(Assert.java:42)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.verifyInvalidMsg (RegistrationSteps.java:384)
at .Then verify validation message "${wellness.goal.alert.text}" on registration workflow screen (features/PulseRegistrationTest.feature:164)

And I choose my wellness goals under wellness plan screen		0.00s
Then I wait for 1 sec		0.00s
And I click the continue button		0.00s
Then verify validation message "${dob.alert.text}" on registration workflow screen		0.00s
And I click the date in Date of Birth field		0.00s
And I click the Done icon		0.00s
And I click the continue button		0.00s
Then I wait for 1 sec		0.00s
And I click the continue button		0.00s
Then verify validation message "${gender.alert.text}" on registration workflow screen		0.00s
And I select the Male icon		0.00s
And I click the continue button		0.00s
Then I wait for 1 sec		0.00s
And I click the continue button		0.00s

Then verify BMI validation message "${bmi.alert.text}" on registration workflow screen	0.00s
And I click on Calculate BMI button	0.00s
And I click the continue button	0.00s
Then I wait for 1 sec	0.00s
And I click the continue button	0.00s
Then verify validation message "${activity.level.alert.text}" on registration workflow screen	0.00s
And I select the "How active are you?" in doing exercise	0.00s
And I click the continue button	0.00s
Then I wait for 1 sec	0.00s
And I click the continue button	0.00s
Then verify validation message "${diet.preference.alert.text}" on registration workflow screen	0.00s

After	1.35s

Back to Table of Contents

Scenario: Verify the resend OTP functionality on Enter OTP Screen using "Continue with Email"

Passed: 17	Failed: 1	Undefined: 0	Duration: 277.41 s
Before			0.00s

Given I generate random number and assign to variable "RANDOM_NUMBER"	0.00s
And I assign "pulse${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"	0.00s
And User has pulse app	7.05s
Then I wait for 2 sec	2.00s

And user click on "CONTINUE WITH EMAIL" with Email button	61.15s
Then I wait for 2 sec	2.01s
Then I change the country as required on registration page	24.80s
Then I wait for 2 sec	2.01s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	7.07s
Then I wait for 2 sec	2.01s
When user enters registration details	30.51s

FirstName	testAutomation
LastName	testAutomation
Email	${PULSE_EMAIL}
Password	Pas$1234

And taps on continue "Sign_Up" button	1.74s
Then I wait for otp screen after clicking on signup button	5.84s
Then I wait for 90 sec	90.01s
Then I click the Resend button in OTP screen	3.50s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	34.23s
And I wait for 2 sec	2.00s
And I verify enter otp screen is not displayed	0.61s

java.lang.AssertionError: expected [false] but found [true]
at org.testng.Assert.fail(Assert.java:94)
at org.testng.Assert.failNotEquals(Assert.java:513)
at org.testng.Assert.assertFalse(Assert.java:63)
at org.testng.Assert.assertFalse(Assert.java:73)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.ValidateEnterOtpScreen
(RegistrationSteps.java:196)
at .And I verify enter otp screen is not displayed(features/PulseRegistrationTest.feature:215)

After		0.89s

Feature: Verify Edit Profile functionality on Pulse Health & Wealth app

Passed: 7	Failed: 2	Undefined: 0	Duration: 453.38s

Scenario: Launch the app and select the country as per specified lbu

Passed: 6	Failed: 0	Undefined: 0	Duration: 83.96s
Before			0.00s

Given User has pulse app	7.19s
And I assign "${onepulse.login.edit.profile}" to variable "PULSE_EMAIL"	0.00s
And user click on "CONTINUE WITH EMAIL" with Email button	48.19s
Then I change the country as required on registration page	21.95s
Then I wait for 5 sec	5.01s
And I click the Sign in link	1.62s
After	0.00s

Scenario: login to the app with correct credentials using "Continue with Email"

Passed: 7	Failed: 0	Undefined: 0	Duration: 108.93s
Before			0.00s

Given I select the language option on toggle bar as required on login page	4.32s
When user enters credentials	64.32s

UserName	${PULSE_EMAIL}
Password	${pulse.edit}

And User clicks on signin button	1.21s

And I wait for 5 sec		5.01s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"		12.63s
Then user should be landed to "Home" screen		16.43s
And I wait for 5 sec		5.02s
After		0.00s

Scenario: Verify User should be able to navigate to Edit profile screen

Passed: 3	Failed: 0	Undefined: 0	Duration: 54.96s
Before			0.00s

Given user navigate to account page	29.74s
And user click on Edit profile link	20.21s
Then I wait for 5 sec	5.01s
After	0.00s

Scenario: Verify User should be able to change the profile picture in edit profile screen

Passed: 2	Failed: 0	Undefined: 0	Duration: 30.9s
Before			0.00s

Then I give manage profile camera permission	26.90s
Then I take picture from Camera	4.00s
After	0.00s

Scenario: Verify the email,country code and COR fields are non-editable in edit profile screen

Passed: 3	Failed: 0	Undefined: 0	Duration: 29.36s
Before			0.00s

And verify email field is non-editable	4.42s
And verify country code field is non-editable and country code is "${country.code}"	12.45s
And verify country of Residence is "${country.name}" and non-editable	12.49s
After	0.00s

Scenario: Verify user can able to change the details in edit profile screen

Passed: 4	Failed: 0	Undefined: 0	Duration: 51.02s
Before			0.00s

Given I generate random number and assign to variable "RANDOM_NUMBER"		0.01s
And I assign value to following variables		0.00s
	First Name	Automation-${RANDOM_NUMBER}
	Last Name	Testing-${RANDOM_NUMBER}
Then I update following profile details in edit profile screen		31.31s
	FirstName	${First Name}
	LastName	${Last Name}
And I click on update button in edit profile screen		19.71s
After		0.00s

Scenario: Verify Details updated during pulse profile registration should be reflected in edit profile screen

Passed: 0	Failed: 1	Undefined: 1	Duration: 10.75s

Before			0.00s

Given user click on Edit profile link	9.69s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:824:74bb:77c0:84a2%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}
Session ID: 271634a0-2831-4aeb-954e-9ad7ec60ae76
*** Element info: {Using=xpath, value=//XCUIElementTypeStaticText[contains(@name,"+60")]//parent::XCUIElementTypeOther//following-sibling::XCUIElementTypeOther/XCUIElementTypeOther}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.

java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseManageProfileScreen.clickeditProfileLink
(PulseManageProfileScreen.java:181)
at com.onepulse.app.stepdefinitions.mobilesteps.EditProfileSteps.clickEditProfileLink
(EditProfileSteps.java:37)
at .Given user click on Edit profile link(features/editProfile/PulseEditProfileTest.feature:55)

Then I verify following values in edit profile screen | 0.00s

FirstName	${First Name}
LastName	${Last Name}
Email	${onepulse.login.edit.profile}
Gender	${pulse.edit.gender}
PhoneNumber	${pulse.edit.number}

After | 1.06s

Scenario: verify the user details should be correctly on babylon screen

Passed: 3	Failed: 1	Undefined: 2	Duration: 74.93s
Before			0.00s

Given I navigate to Home page from edit profile screen	4.73s
Then I navigate to Babylon health Assessment and Accept TermsAndCondition	65.26s
Then I wait for 2 sec	2.02s
Then I verify the default values in babylon registration page is updated as below	1.28s

Gender	${pulse.edit.gender}
FirstName	${First Name}
LastName	${Last Name}
Email	${onepulse.login.edit.profile}

java.lang.AssertionError: actual value is Automation-58030068638 expected [Automation-256190710737] but found [Automation-58030068638]
at org.testng.Assert.fail(Assert.java:94)
at org.testng.Assert.failNotEquals(Assert.java:513)
at org.testng.Assert.assertEqualsImpl(Assert.java:135)
at org.testng.Assert.assertEquals(Assert.java:116)
at org.testng.Assert.assertEquals(Assert.java:190)
at com.onepulse.app.screens.PulseManageProfileScreen.
verifyDefaultValuesOnBabylonRegPage(PulseManageProfileScreen.java:535)
at com.onepulse.app.stepdefinitions.mobilesteps.EditProfileSteps.
verifyDefaultValuesOnBabylonRegPage(EditProfileSteps.java:156)
at .Then I verify the default values in babylon registration page is updated as below(features
/editProfile/PulseEditProfileTest.feature:68)

And verify email field is non-editable	0.00s
And verify country of Residence is "${country.name}" and non-editable	0.00s

After		1.65s

Scenario: navigate back to health screen

Passed: 2	Failed: 0	Undefined: 0	Duration: 8.56s
Before			0.00s

Given I navigate to health page from babylon registration screen	3.55s
And I wait for 5 sec	5.01s
After	0.00s

Feature: Verify the Babylon Registration via HRA journey

Passed: 2	Failed: 0	Undefined: 0	Duration: 463.21s

Scenario: User should be able to Register for Babylon HRA

Passed: 18	Failed: 0	Undefined: 0	Duration: 345.49s
Before			0.00s

Given I generate random number and assign to variable "RANDOM_NUMBER"	0.01s
And I assign "pulse${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"	0.00s
And User has pulse app	7.08s
Then I wait for 2 sec	2.01s
And user click on "CONTINUE WITH EMAIL" with Email button	58.39s
Then I wait for 2 sec	2.01s
Then I change the country as required on registration page	24.26s
Then I wait for 2 sec	2.01s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	7.13s
Then I wait for 2 sec	2.00s
When user enters registration details	32.57s

FirstName	testAutomation
LastName	testAutomation
Email	${PULSE_EMAIL}
Password	Pas$1234

And taps on continue "Sign_Up" button	1.80s
And I wait for otp screen after clicking on signup button	6.44s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	35.53s
Then I wait for 2 sec	2.00s
Then I click skip button	137.45s
Then user should be landed to "Home" screen	20.80s
Then I wait for 4 sec	4.01s
After	0.00s

Scenario: User should be able to Register for Babylon HRA

			Duration: 117.73

Passed: 5	Failed: 0	Undefined: 0	s
Before			0.00s

When I clicks on Health button		24.47s
And I navigate to Babylon health Assessment and Accept TermsAndCondition		49.46s
And I confirm the registration		15.00s
And I click on Babylon Health Assessment Get Started button		19.10s
Then I verify following options are present for assessment		9.70s

Full Assessment
Nutrition
Activity
Mood

After			0.00s

Back to Table of Contents

Feature: Verify that user can locate near by Hospitals,clinics using PruShoppe Location feature

Passed: 4	Failed: 10	Undefined: 0	Duration: 411.87s

Scenario: Launch the app and select the country as per specified lbu

Passed: 6	Failed: 0	Undefined: 0	Duration: 100.4s
Before			0.00s

Given User has pulse app		7.72s
And I assign "${login.email.id}" to variable "PULSE_EMAIL"		0.00s
And user click on "CONTINUE WITH EMAIL" with Email button		63.00s
Then I change the country as required on registration page		25.36s
Then I wait for 2 sec		2.01s
And I click the Sign in link		2.31s

After			0.00s

Back to Table of Contents

Scenario: login to the app with correct credentials using "Continue with Email"

Passed: 6	Failed: 0	Undefined: 0	Duration: 78.29s
Before			0.00s

Given I select the language option on toggle bar as required on login page		4.75s
When user enters credentials		34.04s

UserName	${PULSE_EMAIL}
Password	${login.password}

And User clicks on signin button		2.40s
And I wait for 5 sec		5.01s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"		9.59s
Then user should be landed to "Home" screen		22.52s

After			0.00s

Back to Table of Contents

Scenario: User should be able to locate Hospitals using PruShoppe location

Passed: 5	Failed: 1	Undefined: 0	Duration: 93.55s
Before			0.00s

When I clicks on Health button		40.57s
Then I clicks on Location button		21.13s
When I clicks on Search here text field		14.64s
And I clicks on "Hospitals" under Pulse Search		6.04s
Then User can see the list of "Hospitals" near by to user's current location		8.49s
And User can see that Call, Navigate and See Details links are displayed under "Hospitals" search results		2.23s

java.lang.AssertionError: The following asserts failed:
Near you Hospitals are not displayed
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.screens.LocationScreen.verifySearchResults(LocationScreen.java:102)
at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.
userCanSeeThatCallNavigateAndSeeDetailsLinksAreDisplayedUnderSearchResults
(LocationSteps.java:51)
at .And User can see that Call, Navigate and See Details links are displayed under "Hospitals"
search results(features/health/Hospital_Clinic_Locator.feature:31)

After		0.45s

[Back to Table of Contents](#)

Scenario: **User can see details of listed hospitals in detail**			
Passed: 1	Failed: 1	Undefined: 0	Duration: 26.42s
Before			0.00s

When I clicks on See Details button on First result		2.03s
Then I can see the "Hospital" Information screen with Navigate and Call Now buttons		23.89s

java.lang.AssertionError: The following asserts failed:

Near you Hospitals are not displayed ,
Near you search results are not displayed ,
Call Now button is not displayed for the firstHospital tile See Details screen expected [true] but found [false],
Navigate link is not displayed for the firstHospital tile See Details screen expected [true] but found [false],
hospital address is not displayed for the first Hospital tile See Details screen expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.screens.LocationScreen.verifyHospitalInformationScreen(LocationScreen.java:151)
at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.iCanSeeTheInformationScreenWithNavigateAndCallNowButtons(LocationSteps.java:81)
at .Then I can see the "Hospital" Information screen with Navigate and Call Now buttons (features/health/Hospital_Clinic_Locator.feature:35)

After		**0.50s**

[Back to Table of Contents](#)

Scenario: **User can see the details in speciality tab**			
Passed: 0	Failed: 1	Undefined: 1	Duration: 9.13s
Before			**0.00s**

When I clicks on "Speciality" tab	8.48s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:824:74bb:77c0:

84a2%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: ,
bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false,
newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS,
platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E,
webStorageEnabled: false}
Session ID: 1b3c4773-92e4-47f6-8448-15ed26acecfc
*** Element info: {Using=xpath, value=//XCUIElementTypeOther[@name="Speciality, tab, 2
of 4"]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.LocationScreen.clickOnHospitalTab(LocationScreen.java:140)

at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.iClicksOnTab(LocationSteps.
java:61)
at .When I clicks on "Speciality" tab(features/health/Hospital_Clinic_Locator.feature:38)

Then I verify the Speciality screen is displayed	0.00s

After		0.65s

Scenario: **User can see the details in doctor's tab**			
Passed: 0	Failed: 1	Undefined: 1	Duration: 9.17s
Before			0.00s

When I clicks on "Doctors" tab	8.67s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page
using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions
/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:824:74bb:77c0:
84a2%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: ,
bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test,
javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false,
newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS,
platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E,
webStorageEnabled: false}
Session ID: 1b3c4773-92e4-47f6-8448-15ed26acecfc
*** Element info: {Using=xpath, value=//XCUIElementTypeOther[@name="Doctors, tab, 3 of
4"]}

at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.LocationScreen.clickOnHospitalTab(LocationScreen.java:140)
at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.iClicksOnTab(LocationSteps. java:61)
at .When I clicks on "Doctors" tab(features/health/Hospital_Clinic_Locator.feature:42)

| Then I verify the Doctors screen is displayed	0.00s

After	0.50s

Scenario: User can see the details in rooms tab

Passed: 0	Failed: 1	Undefined: 1	Duration: 9.2s

Before	0.00s

When I clicks on "Rooms" tab	8.67s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:824:74bb:77c0:84a2%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}
Session ID: 1b3c4773-92e4-47f6-8448-15ed26acecfc
*** Element info: {Using=xpath, value=//XCUIElementTypeOther[@name="Rooms, tab, 4 of 4"]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.LocationScreen.clickOnHospitalTab(LocationScreen.java:140)
at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.iClicksOnTab(LocationSteps.
java:61)
at .When I clicks on "Rooms" tab(features/health/Hospital_Clinic_Locator.feature:46)

Then I verify the Rooms screen is displayed	0.00s

After		0.53s

Scenario: **User can navigate out of the hospital details screen**			
Passed: 0	Failed: 1	Undefined: 0	Duration: 9.45s

Before		0.00s

When I clicks on back button in See Details screen	8.89s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:824:74bb:77c0:84a2%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}
Session ID: 1b3c4773-92e4-47f6-8448-15ed26acecfc
*** Element info: {Using=xpath, value=//XCUIElementTypeOther[@name="Navigate"]/../../preceding-sibling:: XCUIElementTypeOther[1]/XCUIElementTypeOther}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.LocationScreen.navigateBackToListScreen(LocationScreen.java:
204)
at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.
iClicksOnBackButtonInSeeDetailsScreen(LocationSteps.java:86)
at .When I clicks on back button in See Details screen(features/health/Hospital_Clinic_Locator.
feature:50)

After		0.56s

Scenario: **User should be able to locate cli using PruShoppe location**			
Passed: 3	Failed: 1	Undefined: 0	Duration: 32.33s
Before			0.00s

And I clicks on back button in "Hospitals" screen	3.61s
When I clicks on Search here text field	14.27s
And I clicks on "Clinics" under Pulse Search	5.82s
Then User can see the list of "Clinics" near by to user's current location	7.87s

java.lang.AssertionError: The following asserts failed:
Near you Hospitals are not displayed ,
Near you search results are not displayed ,
Call Now button is not displayed for the firstHospital tile See Details screen expected [true] but found [false],
Navigate link is not displayed for the firstHospital tile See Details screen expected [true] but found [false],
hospital address is not displayed for the first Hospital tile See Details screen expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.screens.LocationScreen.verifyHospitalScreenLaunch(LocationScreen.java:85)
at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.userCanSeeTheListOfNearByToUserSCurrentLocation(LocationSteps.java:46)
at .Then User can see the list of "Clinics" near by to user's current location(features/health/Hospital_Clinic_Locator.feature:57)

After		0.76s

Scenario: **User can verify the clinic page**			
Passed: 0	Failed: 1	Undefined: 0	Duration: 2.52s
Before			0.00s

And User can see that Call, Navigate and See Details links are displayed under "Clinics" search results	2.09s

java.lang.AssertionError: The following asserts failed:
Near you Hospitals are not displayed ,
Near you search results are not displayed ,
Call Now button is not displayed for the firstHospital tile See Details screen expected [true] but found [false],
Navigate link is not displayed for the firstHospital tile See Details screen expected [true] but found [false],
hospital address is not displayed for the first Hospital tile See Details screen expected [true] but found [false],
Near you Clinics are not displayed
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.screens.LocationScreen.verifySearchResults(LocationScreen.java:102)
at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.
userCanSeeThatCallNavigateAndSeeDetailsLinksAreDisplayedUnderSearchResults
(LocationSteps.java:51)
at .And User can see that Call, Navigate and See Details links are displayed under "Clinics" search results(features/health/Hospital_Clinic_Locator.feature:60)

After		0.42s

Scenario: **User can view listed clinic details**			
Passed: 1	Failed: 0	Undefined: 0	Duration: 2.32s
Before			0.00s
When I clicks on See Details button on First result			2.32s
After			0.00s

Scenario: **User can view listed clinic info**			
Passed: 0	Failed: 1	Undefined: 0	Duration: 26.35s
Before			0.00s

Then I can see the "Clinic" Information screen with Navigate and Call Now buttons	25.84s

java.lang.AssertionError: The following asserts failed:
Near you Hospitals are not displayed ,
Near you search results are not displayed ,
Call Now button is not displayed for the firstHospital tile See Details screen expected [true] but found [false],
Navigate link is not displayed for the firstHospital tile See Details screen expected [true] but found [false],
hospital address is not displayed for the first Hospital tile See Details screen expected [true] but found [false],
Near you Clinics are not displayed ,
Near you search results are not displayed ,
Call Now button is not displayed for the firstClinic tile See Details screen expected [true] but found [false],

Navigate link is not displayed for the firstClinic tile See Details screen expected [true] but found [false],
hospital address is not displayed for the first Clinic tile See Details screen expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.screens.LocationScreen.verifyHospitalInformationScreen(LocationScreen.java:151)
at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.
iCanSeeTheInformationScreenWithNavigateAndCallNowButtons(LocationSteps.java:81)
at .Then I can see the "Clinic" Information screen with Navigate and Call Now buttons
(features/health/Hospital_Clinic_Locator.feature:66)

After		0.50s

[Back to Table of Contents](#)

Scenario: **User can view listed clinic info details**			
Passed: 0	Failed: 1	Undefined: 0	Duration: 9.23s
Before			0.00s

When I clicks on back button in See Details screen	8.72s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:824:74bb:77c0: 84a2%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: ,
bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test,

javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}
Session ID: 1b3c4773-92e4-47f6-8448-15ed26acecfc
*** Element info: {Using=xpath, value=//XCUIElementTypeOther[@name="Navigate"]/../../preceding-sibling:: XCUIElementTypeOther[1]/XCUIElementTypeOther}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.LocationScreen.navigateBackToListScreen(LocationScreen.java: 204)
at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps. iClicksOnBackButtonInSeeDetailsScreen(LocationSteps.java:86)

at .When I clicks on back button in See Details screen(features/health/Hospital_Clinic_Locator.feature:69)

After		0.51s

Scenario: User can navigate back to clinics screen			
Passed: 1	Failed: 0	Undefined: 0	Duration: 3.5s
Before			0.00s

And I clicks on back button in "Clinic" screen	3.50s
After	0.00s

Feature: Verify Medicine Reminder Positive Flow functionality on one pulse App

Passed: 1	Failed: 10	Undefined: 0	Duration: 853.89s

Scenario: User should be able to register on app with correct credentials using "Continue with Email"

Passed: 14	Failed: 1	Undefined: 1	Duration: 345.44s
Before			0.00s

Given I generate random number and assign to variable "RANDOM_NUMBER"	0.01s
And I assign "pulse${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"	0.00s
And User has pulse app	7.26s
And user click on "CONTINUE WITH EMAIL" with Email button	61.01s
Then I wait for 2 sec	2.01s
Then I change the country as required on registration page	23.43s

Then I wait for 2 sec	**2.00s**
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	**8.83s**
When user enters registration details	**32.80s**

FirstName	**medicine**
LastName	**reminder**
Email	**${PULSE_EMAIL}**
Password	**Pas$1234**

And taps on continue "Sign_Up" button	**2.32s**
And I wait for otp screen after clicking on signup button	**5.60s**
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	**35.27s**
Then I wait for 2 sec	**2.01s**
Then I click skip button	**117.95s**
Then user should be landed to "Home" screen	**43.13s**

java.lang.AssertionError: expected [true] but found [false]
at org.testng.Assert.fail(Assert.java:94)
at org.testng.Assert.failNotEquals(Assert.java:513)
at org.testng.Assert.assertTrue(Assert.java:42)
at org.testng.Assert.assertTrue(Assert.java:52)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.landingPageValidation
(LoginSteps.java:92)
at .Then user should be landed to "Home" screen(features/health/MedicineReminder.feature:
24)

Then I wait for 4 sec	**0.00s**

After		**1.85s**

Scenario: Verify User should be able to navigate to medical reminder page			
Passed: 1	Failed: 1	Undefined: 3	Duration: 9.91s
Before			0.00s

Given I relaunch the app on registration failure	0.00s
Then I click the Health icon in Home screen	8.35s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:824:74bb:77c0:84a2%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}
Session ID: fb557abb-52a0-4509-837f-a91eaffac581
*** Element info: {Using=xpath, value=//XCUIElementTypeOther[@label='Health']}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)

at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.CustomerConnectScreen.HealthIcons(CustomerConnectScreen.
java:1379)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.Healthicons
(CustomerConnectSteps.java:412)
at .Then I click the Health icon in Home screen(features/health/MedicineReminder.feature:30)

And I wait for 2 sec	0.00s
And I clicks on click here icon in medical Reminder	0.00s
Then I wait for 2 sec	0.00s

After		1.56s
[Back to Table of Contents](#)		
Scenario: verify the static text on medicine reminder screen		

Passed: 0	Failed: 1	Undefined: 0	Duration: 33.83s

Before		0.00s
And I verify following text displayed in Add medicine screen		32.91s
${no.medicine.text}		

| ${Medicalremainder.text} |
| ${track.medicine.text} |
| ${important.dose.text} |

java.lang.AssertionError: The following asserts failed:
No medicine added! text is displayed on page expected [true] but found [false],
Medicine Reminder text is displayed on page expected [true] but found [false],
Track the medicine and set reminder text is displayed on page expected [true] but found [false],
before for important dose text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.VerifyAddMedicine(MyDocSteps.java:885)
at .And I verify following text displayed in Add medicine screen(features/health/MedicineReminder.feature:36)

| After | | 0.92s |

Scenario: click on add reminder button

Passed: 2	Failed: 0	Undefined: 0	Duration: 122.33s
Before			0.00s

And I clicks on "${add.new.reminder}" in app screens	120.32s
And I wait for 2 sec	2.01s

| After | | 0.00s |

Scenario: verify add medicine screen is launched and user can enter the required info on medical info screen

Passed: 0	Failed: 1	Undefined: 3	Duration: 26.98s

Before		0.00s

And I verify following text displayed in Add medicine screen	25.94s
${medicine.info.field}	
${schedule.field}	
${more.setting.field}	

java.lang.AssertionError: The following asserts failed:
Medicine Info text is displayed on page expected [true] but found [false],
Schedule text is displayed on page expected [true] but found [false],
More Setting text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.VerifyAddMedicine(MyDocSteps.java:885)
at .And I verify following text displayed in Add medicine screen(features/health/MedicineReminder.feature:48)

And I assign "Paracetamol" to variable "Medicine_Info"	0.00s
And I enter following details in add medicine screen	0.00s

Medicine Info	${Medicine_Info}
Unit	Tablet (unit)
Quantity	2

And I clicks on Next icon in app screens	0.00s

After		1.04s

Scenario: verify user navigated to schedule screen and user can enter the required info

Passed: 0	Failed: 1	Undefined: 4	Duration: 45.81s

Before		0.00s

And I verify following text displayed in Add medicine screen		44.69s
${frequency.text}		
${dosage.timing.text}		
${start.date.text}		
${end.date.text}		
${dose.intake.text}		

java.lang.AssertionError: The following asserts failed:
Frequency text is displayed on page expected [true] but found [false],
Dosage Timing text is displayed on page expected [true] but found [false],
Start Date text is displayed on page expected [true] but found [false],
End Date text is displayed on page expected [true] but found [false],
Dose Intake text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.VerifyAddMedicine(MyDocSteps.java:885)
at .And I verify following text displayed in Add medicine screen(features/health/MedicineReminder.feature:61)

And I enter following details in add medicine screen		0.00s
Frequency	Once	
And I clicks on Timing in Add medcine screen		0.00s
And I clicks on "${before.meal.text}" in app screens		0.00s
And I clicks on Next icon in app screens		0.00s

After		1.12s

Scenario: Verify User should be able to navigate to More Setting page

Passed: 1	Failed: 1	Undefined: 2	Duration: 22.8s

Before	0.00s
Given I wait for 2 sec	2.01s
And I enter following details in add medicine screen	18.97s

Medication For	fever
Medicine Stock	5

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:824:74bb:77c0:84a2%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}
Session ID: fb557abb-52a0-4509-837f-a91eaffac581
*** Element info: {Using=xpath, value=(//XCUIElementTypeStaticText[@name="What are you taking this medication for?"]/following::XCUIElementTypeTextField)[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath

**(DefaultGenericMobileDriver.java:152)**
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:260)
at com.onepulse.app.screens.PulseHealthScreen.enterDetailsInAddMedScreen
(PulseHealthScreen.java:395)
at com.onepulse.app.stepdefinitions.mobilesteps.MedicineReminderSteps.
enterInfoInAddMedicineScreen(MedicineReminderSteps.java:30)
at .And I enter following details in add medicine screen(features/health/MedicineReminder.
feature:75)

And I clicks the Done button in Add medicine screen	0.00s
And I verify following texts are displayed	0.00s
${Medicine_Info} added successfully!	

| After | | 1.82s |

Scenario: verify Add medicine screen is displayed when user click on add new reminder on success popup

| Passed: 2 | Failed: 1 | Undefined: 7 | Duration: 145.75 s |

Before	0.00s

And I clicks on "${add.another.med}" in app screens	123.36s
And I assign "cold" to variable "Medicine_Info"	0.00s
And I enter following details in add medicine screen	20.54s

Medicine Info	${Medicine_Info}
Unit	Tablet (unit)
Quantity	5

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:824:74bb:77c0:84a2%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}
Session ID: fb557abb-52a0-4509-837f-a91eaffac581
*** Element info: {Using=xpath, value=(//XCUIElementTypeStaticText[@name="Medicine Info"]/following::XCUIElementTypeTextField)[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.

java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:260)
at com.onepulse.app.screens.PulseHealthScreen.enterDetailsInAddMedScreen
(PulseHealthScreen.java:369)
at com.onepulse.app.stepdefinitions.mobilesteps.MedicineReminderSteps.
enterInfoInAddMedicineScreen(MedicineReminderSteps.java:30)
at .And I enter following details in add medicine screen(features/health/MedicineReminder.
feature:87)

|		
And I clicks on Next icon in app screens		0.00s
And I enter following details in add medicine screen		0.00s
Frequency	Daily	
And I clicks on Timing in Add medcine screen		0.00s
And I clicks on "After meal" in app screens		0.00s
And I clicks on Next icon in app screens		0.00s
And I enter following details in add medicine screen		0.00s
Medication For	Cold	
Medicine Stock	5	
And I clicks the Done button in Add medicine screen		0.00s

After		1.85s

[Back to Table of Contents](#)

Scenario: verify medicine reminder home screen is displayed when user click on not now button on success popup

Passed: 1	Failed: 1	Undefined: 0	Duration: 54.98s
Before			0.00s

And I clicks on Not now icon in app screen	44.30s
And I verify following text displayed in Add medicine screen	9.61s

${Medicalremainder.text}

java.lang.AssertionError: The following asserts failed:
Medicine Reminder text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.VerifyAddMedicine(MyDocSteps.java:885)
at .And I verify following text displayed in Add medicine screen(features/health/MedicineReminder.feature:104)

After		1.08s

Scenario: **navigate to health screen**			
Passed: 0	Failed: 1	Undefined: 0	Duration: 11.11s
Before			0.00s

And I click the Back button in medical remainder	10.26s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:824:74bb:77c0:84a2%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}
Session ID: fb557abb-52a0-4509-837f-a91eaffac581
*** Element info: {Using=xpath, value=(//XCUIElementTypeOther[@name="home"])[2]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException

(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.DieticianScreen.SelectBack_Icon(DieticianScreen.java:422)
at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps.Back_MedicalRemainder
(DieticianSteps.java:197)
at .And I click the Back button in medical remainder(features/health/MedicineReminder.
feature:108)

After		0.85s

Scenario: **Verify User should be able to navigate to calendar page**			
Passed: 2	Failed: 1	Undefined: 1	Duration: 34.95s
Before			0.00s

Given I wait for 2 sec	2.01s
When I scroll down	6.39s
Then I click on Calendar tile	25.52s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:824:74bb:77c0:84a2%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}
Session ID: fb557abb-52a0-4509-837f-a91eaffac581
*** Element info: {Using=xpath, value=(//XCUIElementTypeOther[@name="Medicine Reminder Track and set reminder daily medicine. Click Here"])[1]/preceding::XCUIElementTypeOther[2]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PulseHealthScreen.clickCalendarTile(PulseHealthScreen.java:
295)
at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.iClicksOnCalendarButton
(LocationSteps.java:96)
at .Then I click on Calendar tile(features/health/MedicineReminder.feature:113)

And I verify following text displayed in Add medicine screen	0.00s
${Medicalremainder.text}	
${Medicine_Info}	

After		1.04s

Feature: **Verify MY Event channel functionality on one pulse App**			
Passed: 5	Failed: 0	Undefined: 0	Duration: 287.08s

Scenario: **Launch the app and select the country as per specified lbu**			
Passed: 6	Failed: 0	Undefined: 0	Duration: 100.69s

Before		0.00s
Given User has pulse app		7.29s
And I assign "${onepulse.events.user}" to variable "PULSE_EMAIL"		0.00s
And user click on "CONTINUE WITH EMAIL" with Email button		62.86s
Then I change the country as required on registration page		26.35s
Then I wait for 2 sec		2.01s
And I click the Sign in link		2.19s
After		0.00s

Scenario: **login to the app with correct credentials using "Continue with Email"**			
Passed: 6	Failed: 0	Undefined: 0	Duration: 103.14s

Before		0.00s
Given I select the language option on toggle bar as required on login page		4.96s
When user enters credentials		56.20s
UserName	${PULSE_EMAIL}	
Password	${pulse.password}	
And User clicks on signin button		2.02s

And I wait for 5 sec		5.01s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"		12.02s
Then user should be landed to "Home" screen		22.94s
After		0.00s

Scenario: Verify MyEvent Functionality in Home screen

Passed: 4	Failed: 0	Undefined: 0	Duration: 19.46s
Before			0.00s

Given I wait for 2 sec	2.01s
And I click the MyEvent icons	9.48s
And I wait for 5 sec	5.00s
And I verify following texts are displayed	2.98s
You do not have any events enrolled yet	
Please choose from the open events and get started	

After	0.00s

Scenario: Verify Events Archive tab

Passed: 2	Failed: 0	Undefined: 0	Duration: 32.48s
Before			0.00s

And I click the Events Archive icon	31.66s
And I verify following texts are displayed	0.82s
You do not have any events in your archive.	

After	0.00s

Scenario: Verify Open Events tab

Passed: 2	Failed: 0	Undefined: 0	Duration: 31.31s
Before			0.00s

And I click the Open Events icon	31.31s
And I verify either static text or available open events are displayed on screen	0.00s
There are no events available at the moment	
Stay tuned for events on health and fitness	

After	0.00s

Feature: Verify My Health Content functionality on One Pulse App

Passed: 8	Failed: 0	Undefined: 0	Duration: 331.86s

Scenario: Launch the app and select the country as per specified lbu

Passed: 5	Failed: 0	Undefined: 0	Duration: 80.9s
Before			0.00s

|	
Given User has pulse app	6.79s
And user click on "CONTINUE WITH EMAIL" with Email button	50.28s
Then I change the country as required on registration page	19.13s
Then I wait for 3 sec	3.01s

	And I click the Sign in link			1.70s
After				0.00s

Scenario: User should be able to login on app with correct credentials using "Continue with Email"

Passed: 7	Failed: 0	Undefined: 0	Duration: 120.6s
Before			0.00s

	And I assign "${login.email.id}" to variable "PULSE_EMAIL"	0.00s
	Given I select the language option on toggle bar as required on login page	3.93s
	When user enters credentials	65.34s

	UserName	${PULSE_EMAIL}
	Password	${login.password}

	And User clicks on signin button	5.87s
	Then I wait for 10 sec	10.00s
	And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	13.10s
	Then user should be landed to "Home" screen	22.34s
After		0.00s

Scenario: Verify User should be able to navigate to Health page

Passed: 5	Failed: 0	Undefined: 0	Duration: 46.97s
Before			0.00s

	Given I wait for 2 sec	2.01s
	Then I navigate to Health Content screen	9.47s
	Then I wait for 8 sec	8.01s
	And I verify following texts are displayed	4.38s

	Health Channels

	And I verify the following texts "My Health Content" in Screen	23.12s

	Category
	Like
	Share
	Comment

After		0.00s

Scenario: Verify User should be able to view the full page article post

Passed: 2	Failed: 0	Undefined: 0	Duration: 39.85s
Before			0.00s

	Then I click on "Health Channels" topic for details full view	29.85s
	Then I wait for 10 sec	10.00s
After		0.00s

Scenario: Verify User should be able to see the Like, Share, Comment options on full page article post

Passed: 1	Failed: 0	Undefined: 0	Duration: 15.94s

Before		0.00s

	And I verify the following texts "My Health Content" in Screen	15.94s
	Like	
	Share	
	Comment	

After		0.00s

Scenario: Verify User should be able to Like the post in full article view screen

Passed: 2	Failed: 0	Undefined: 0	Duration: 13.24s
Before			0.00s

	And I Like the post	6.60s
	And I Like the post	6.64s

After		0.00s

Scenario: Verify User should be able to Share the post in full article view screen

Passed: 2	Failed: 0	Undefined: 0	Duration: 10.94s
Before			0.00s

	And I share the post	6.34s
	Then I navigate back to previous page	4.60s

After		0.00s

Scenario: Verify User can navigate to Health homepage

Passed: 1	Failed: 0	Undefined: 0	Duration: 3.42s
Before			0.00s

	Then I navigate to story post page	3.42s

After		0.00s

Feature: Verify Notification Center functionality on one pulse App

Passed: 3	Failed: 0	Undefined: 0	Duration: 368.13s

Scenario: User should be able to register on app with correct credentials using "Continue with Email"

Passed: 18	Failed: 0	Undefined: 0	Duration: 363.49s
Before			0.00s

	Given I generate random number and assign to variable "RANDOM_NUMBER"	0.02s
	And I assign "pulse${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"	0.00s
	And User has pulse app	8.78s
	Then I wait for 2 sec	2.01s
	And user click on "CONTINUE WITH EMAIL" with Email button	67.70s
	Then I wait for 2 sec	2.01s
	Then I change the country as required on registration page	24.22s

Then I wait for 2 sec		2.01s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button		7.65s
Then I wait for 2 sec		2.01s
When user enters registration details		34.72s

FirstName	testAutomation
LastName	testAutomation
Email	${PULSE_EMAIL}
Password	Pas$1234

And taps on continue "Sign_Up" button	1.86s
And I wait for otp screen after clicking on signup button	7.06s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	35.76s
Then I wait for 2 sec	2.00s
Then I click skip button	139.97s
Then user should be landed to "Home" screen	21.73s
Then I wait for 4 sec	4.01s

After		0.00s

Scenario: Navigate to notification screen via home screen

Passed: 3	Failed: 0	Undefined: 0	Duration: 3.96s
Before			0.00s

Given I relaunch the app on registration failure	0.00s
Given I navigate to notification screen from home page	1.95s
Then I wait for 2 sec	2.00s

After		0.00s

Scenario: Verify User should be able to see the Notification screen texts

Passed: 1	Failed: 0	Undefined: 0	Duration: .69s
Before			0.00s

And I verify following texts are displayed	0.69s
${notification.msg}	

After		0.00s

Feature: Verify My Challenges on One Pulse App

Passed: 3	Failed: 1	Undefined: 0	Duration: 321.76s

Scenario: Launch the app and select the country as per specified lbu

Passed: 5	Failed: 0	Undefined: 0	Duration: 95.69s
Before			0.00s

Given User has pulse app	8.87s
And user click on "CONTINUE WITH EMAIL" with Email button	58.43s
Then I change the country as required on registration page	23.72s
Then I wait for 3 sec	3.01s
And I click the Sign in link	1.67s

After		0.00s

Scenario: User should be able to login on app with correct credentials using "Continue with Email"

Passed: 7	Failed: 0	Undefined: 0	Duration: 107.9s

Before		0.00s

And I assign "${login.email.id}" to variable "PULSE_EMAIL"	0.00s
Given I select the language option on toggle bar as required on login page	4.97s
When user enters credentials	55.49s

UserName	${PULSE_EMAIL}
Password	${login.password}

And User clicks on signin button	1.78s
Then I wait for 10 sec	10.00s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	12.57s
Then user should be landed to "Home" screen	23.10s

After		0.00s

Scenario: Verify My Challenges texts

Passed: 1	Failed: 1	Undefined: 1	Duration: 39.28s

Before		0.00s

And I click on My Challenges tile on one pulse app	6.31s
And I verify following texts are displayed	32.26s

${my.challenges.text}
${do.not.have.challenges}
${challenge.getstarted}
${do.not.have.challenges}

java.lang.AssertionError: The following asserts failed:
You do not have any challenges yet. Please click below to select a challenge and get started text is displayed on page expected [true] but found [false],
Get Started text is displayed on page expected [true] but found [false],
You do not have any challenges yet. Please click below to select a challenge and get started text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:717)
at .And I verify following texts are displayed(features/home/mychallenges/PulseMyChallenges. feature:25)

And I verify the following texts "My challenges" in Screen	0.00s
${all.challenges.text}	

After		0.71s

Scenario: **Click on All challenges and and verify texts**			
Passed: 3	Failed: 0	Undefined: 0	Duration: 78.88s
Before			0.00s

And I clicks on "${all.challenges.text}" in app screen	29.62s
And I verify the following texts "My challenges" in Screen	35.29s
${my.challenges.text}	
${all.challenges.text}	
And I verify following texts are displayed	13.98s
${not.connected.wearable}	
After	0.00s

Feature: **Verify My Communities on One Pluse App**			
Passed: 5	Failed: 6	Undefined: 0	Duration: 500.65s

Scenario: **Launch the app and select the country as per specified lbu**			
Passed: 5	Failed: 0	Undefined: 0	Duration: 102.05s
Before			0.00s

Given User has pulse app	7.11s
And user click on "CONTINUE WITH EMAIL" with Email button	63.87s
Then I change the country as required on registration page	26.48s
Then I wait for 3 sec	3.01s
And I click the Sign in link	1.58s

After		0.00s

Scenario: User should be able to login on app with correct credentials using "Continue with Gmail"

Passed: 7	Failed: 0	Undefined: 0	Duration: 94.37s
Before			0.00s

And I assign "${onepulse.login.global.id}" to variable "PULSE_EMAIL"	0.00s
Given I select the language option on toggle bar as required on login page	5.78s
When user enters credentials	34.39s

UserName	${PULSE_EMAIL}
Password	${pulse.password}

And User clicks on signin button	2.00s
Then I wait for 10 sec	10.02s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	17.17s
Then user should be landed to "Home" screen	25.02s

After		0.00s

Scenario: User should be able to login on app with correct credentials using "Continue with Email" and Verify the Mycommunities screen

Passed: 5	Failed: 0	Undefined: 0	Duration: 23.42s
Before			0.00s

Then I wait for 6 sec	6.01s
And I click the MyCommunities icon	1.08s
Then I wait for 6 sec	6.01s
And I verify following texts are displayed	0.69s

${icon.communities}

And I verify the following texts "All Communities" in Screen	9.65s

${my.communities.text}
${All.Communities.text}

After		0.00s

Scenario: Leave the community if already joined

Passed: 3	Failed: 0	Undefined: 0	Duration: 33.14s
Before			0.00s

And I clicks on "${my.communities.text}" in app screen	25.97s
Then I wait for 5 sec	5.01s
Then I leave all joined communities by clicking on three dots menu icon on my My communities screen	2.17s

After		0.00s

Scenario: Verify the All Communities Post screen

Passed: 2	Failed: 1	Undefined: 6	Duration: 50.31s
Before			0.00s

Then I wait for 5 sec	**5.01s**
And I clicks on "${All.Communities.text}" in app screen	**28.09s**
And I click the Join button in Communties tab	**15.81s**

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions /no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:824:74bb:77c0: 84a2%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}
Session ID: c0f9dfc5-9e8d-4efb-a408-a0ddf816393c
*** Element info: {Using=xpath, value=//XCUIElementTypeOther[@name="All Communities"]/following::XCUIElementTypeOther[@name="JOIN"][1]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)

at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.mydocui.MyCommunitiesScreen.Joinbuttons
(MyCommunitiesScreen.java:191)
at com.onepulse.app.stepdefinitions.mobilesteps.MyCommunitiesSteps.Joinbuttons
(MyCommunitiesSteps.java:57)
at .And I click the Join button in Communties tab(features/home/mycommunities
/PulseMyCommunities.feature:44)

And I click the static Active icon in community screen	0.00s
And I click Edit icon in stay Active icon	0.00s
And Enter the post in community screen	0.00s
POST TEST1	
And Enter the post in community large text screen	0.00s
POST welcome	
And I click the Post icon in create post screen	0.00s
Then I verify the following text "TEST1" in post Screen	0.00s
TEST1	
welcome	

After	1.41s

Scenario: Verify the Likes and comments counts in All communities tab

Passed: 0	Failed: 1	Undefined: 7	Duration: 11.17s
Before			**0.00s**

And I click the Post icon in My communities	10.33s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:824:74bb:77c0:84a2%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}
Session ID: c0f9dfc5-9e8d-4efb-a408-a0ddf816393c
*** Element info: {Using=xpath, value=(//XCUIElementTypeOther[@name="TEST1 welcome"])[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath

(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.mydocui.MyCommunitiesScreen.ClickFeeds
(MyCommunitiesScreen.java:320)
at com.onepulse.app.stepdefinitions.mobilesteps.MyCommunitiesSteps.clickIcons
(MyCommunitiesSteps.java:106)
at .And I click the Post icon in My communities(features/home/mycommunities
/PulseMyCommunities.feature:57)

And I wait for 5 sec	0.00s
And I click the like button in Post screen	0.00s
And Verify the like count in Post screen " 1 Likes" likes	0.00s
And I click the Comment icon in feed screen	0.00s
And Enter the comments in Feeds screen	0.00s
Comments TEST1	
And I click the submit icon in feeds screen	0.00s
And Verify the comments count in Feeds screen " 0 Comments" comments	0.00s

After	0.83s

Scenario: Verify the Share with Friends Functionality in All communities tab

Passed: 0	Failed: 1	Undefined: 3	Duration: 13.42s
Before			**0.00s**

And I click the share icon in Post screen	12.49s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:824:74bb:77c0:84a2%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}
Session ID: c0f9dfc5-9e8d-4efb-a408-a0ddf816393c
*** Element info: {Using=xpath, value=//XCUIElementTypeOther[@name="Share"]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)

at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.mydocui.MyCommunitiesScreen.ClickShareIcon
(MyCommunitiesScreen.java:566)
at com.onepulse.app.stepdefinitions.mobilesteps.MyCommunitiesSteps.ClickShareIcon
(MyCommunitiesSteps.java:173)
at .And I click the share icon in Post screen(features/home/mycommunities
/PulseMyCommunities.feature:68)

And Verify the pop up in "Share with Friends"	0.00s
And I click the phone icon in share with friends	0.00s
And I give camera permission	0.00s

After		0.93s

Scenario: **Verify the Post Functionality in All communities**			
Passed: 2	Failed: 1	Undefined: 9	Duration: 41.24s
Before			0.00s

Then I click skip button in feeds screen	17.65s
Then I wait for 2 sec	2.01s

And I click the Back icon in Stay Active screen	20.38s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions /no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:824:74bb:77c0: 84a2%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}
Session ID: c0f9dfc5-9e8d-4efb-a408-a0ddf816393c
*** Element info: {Using=xpath, value=(//XCUIElementTypeOther[@name="Dance for Wellness"])[2]/XCUIElementTypeOther}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)

at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.mydocui.MyCommunitiesScreen.Clickstaricon
(MyCommunitiesScreen.java:479)
at com.onepulse.app.stepdefinitions.mobilesteps.MyCommunitiesSteps.Clickstarutton
(MyCommunitiesSteps.java:153)
at .And I click the Back icon in Stay Active screen(features/home/mycommunities
/PulseMyCommunities.feature:77)

Then I wait for 3 sec	0.00s
And I click Edit icon in stay Active icon	0.00s
And I click the Camera icon in create post screen	0.00s
And I click the Upload Image icon	0.00s
And I give camera permission	0.00s
Then I take picture from Camera	0.00s
And Enter the post in community screen	0.00s
POST TEST1	
And Enter the post in community large text screen	0.00s
POST welcome	
And I click the Post icon in create post screen	0.00s

After		1.20s

Scenario: Verify the Category list and search feature			
Passed: 1	Failed: 1	Undefined: 4	Duration: 53.53s
Before			0.00s
	Then I wait for 15 sec		15.01s
	And I clicks on "${category.text}" in app screen		37.50s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:824:74bb:77c0:84a2%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}
Session ID: c0f9dfc5-9e8d-4efb-a408-a0ddf816393c
*** Element info: {Using=xpath, value=//XCUIElementTypeOther[@name="Category"]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)

at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.CustomerConnectScreen.clickButton(CustomerConnectScreen.
java:1738)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickUploadIcon
(CustomerConnectSteps.java:534)
at .And I clicks on "${category.text}" in app screen(features/home/mycommunities
/PulseMyCommunities.feature:93)

And I verify the following texts "Category" in Screen	0.00s

COVID-19	
Fitness	
Global Awareness Days	
Mental Health	

And I clicks on "${no.post.category}" in app screen	0.00s
And I clicks on "${apply.button}" in app screen	0.00s
And I verify following texts are displayed	0.00s

${no.post.found.text}	

After	1.02s

Scenario: User navigates back to the community screen

Passed: 0	Failed: 1	Undefined: 1	Duration: 23.35s
Before			**0.00s**

And I click the Back icon in Stay Active screen	21.35s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:824:74bb:77c0:84a2%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}
Session ID: c0f9dfc5-9e8d-4efb-a408-a0ddf816393c
*** Element info: {Using=xpath, value=(//XCUIElementTypeOther[@name="Dance for Wellness"])[2]/XCUIElementTypeOther}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath

(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.mydocui.MyCommunitiesScreen.Clickstaricon
(MyCommunitiesScreen.java:479)
at com.onepulse.app.stepdefinitions.mobilesteps.MyCommunitiesSteps.Clickstarutton
(MyCommunitiesSteps.java:153)
at .And I click the Back icon in Stay Active screen(features/home/mycommunities
/PulseMyCommunities.feature:105)

And I wait for 5 sec	0.00s

After	1.99s

Scenario: Leave the community if already joined			
Passed: 4	Failed: 0	Undefined: 0	Duration: 54.66s
Before			0.00s

And I clicks on "${my.communities.text}" in app screen	36.47s
And I scroll down	6.30s
When I click on joined community three dots menu icon	1.74s

And I click on leave button for joined community	10.14s
After	0.00s

Feature: Verify Private My Communities on One Pulse App

Passed: 4	Failed: 0	Undefined: 0	Duration: 388.01s

Scenario: Launch the app and select the country as per specified lbu

Passed: 5	Failed: 0	Undefined: 0	Duration: 106.03s

Before		0.00s
Given User has pulse app		9.52s
And user click on "CONTINUE WITH EMAIL" with Email button		67.91s
Then I change the country as required on registration page		24.02s
Then I wait for 3 sec		3.01s
And I click the Sign in link		1.58s
After		0.00s

Scenario: User should be able to login on app with correct credentials using "Continue with Email"

Passed: 7	Failed: 0	Undefined: 0	Duration: 91.72s

Before		0.00s
And I assign "${mychannel.private.user}" to variable "PULSE_EMAIL"		0.00s
Given I select the language option on toggle bar as required on login page		4.75s
When user enters credentials		36.61s
UserName	${PULSE_EMAIL}	
Password	${login.password}	
And User clicks on signin button		1.87s
Then I wait for 10 sec		10.01s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"		14.17s
Then user should be landed to "Home" screen		24.32s
After		0.00s

Scenario: Verify the My communities screen

Passed: 5	Failed: 0	Undefined: 0	Duration: 19.07s

Before		0.00s
And I click the MyCommunities icon		1.22s
Then I wait for 3 sec		3.01s
And I verify following texts are displayed		2.47s
${icon.communities}		
And I verify the following texts "All Communities" in Screen		9.37s
${my.communities.text}		
${All.Communities.text}		
Then I wait for 3 sec		3.01s
After		0.00s

Scenario: Verify the Private Communities in communities screen

Passed: 12	Failed: 0	Undefined: 0	Duration: 171.19 s

Before		0.00s

And I click the Private "${All.Communities.text}" in Communties screen	0.91s
And I Enter the "e.g. Be Healthy content, Challenges etc." in "Test" in home screen	9.87s
And I Enter the "e.g. Healthy content, forum for celebrities etc." in "2020" in home new screen	7.92s
And I clicks on "Take a Picture" in app screen	14.12s
And I click the Upload Image icon	2.40s
And I give camera permission	11.22s
Then I take picture from Camera	7.30s
Then I wait for 3 sec	3.01s
And I scroll down	6.89s
And I click the continue button	4.72s
Then I click skip button in feeds screen	72.04s
And I clicks on "OK" in app screen	30.79s

After		0.00s

Feature: Verify legal and legacy on One pulse App

Passed: 7	Failed: 0	Undefined: 0	Duration: 330.61s

Scenario: Launch the app and select the country as per specified lbu

Passed: 6	Failed: 0	Undefined: 0	Duration: 123.03 s

Before		0.00s

Given User has pulse app	9.23s
And I assign "${pulse.legal.privacy.login.id}" to variable "PULSE_EMAIL"	0.00s
And user click on "CONTINUE WITH EMAIL" with Email button	78.91s
Then I change the country as required on registration page	28.25s
Then I wait for 5 sec	5.01s
And I click the Sign in link	1.63s

After		0.00s

Scenario: login to the app with correct credentials using "Continue with Email"

Passed: 6	Failed: 0	Undefined: 0	Duration: 106.97 s

Before		0.00s

Given I select the language option on toggle bar as required on login page	6.08s
When user enters credentials	58.27s

UserName	${PULSE_EMAIL}
Password	${pulse.edit}

And User clicks on signin button		2.97s
And I wait for 5 sec		5.01s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"		11.90s
Then user should be landed to "Home" screen		22.73s
After		0.00s

Scenario: Navigate to account screen

Passed: 1	Failed: 0	Undefined: 0	Duration: 19.55s
Before			0.00s

Given user navigate to account page		19.55s
After		0.00s

Scenario: Verify the Legacy and Privacy should be displayed

Passed: 2	Failed: 0	Undefined: 0	Duration: 19.84s
Before			0.00s

And I click the Legacy and Privacy in Account screen		6.66s
Then I verify following texts are displayed in terms and condition screen		13.18s
${Terms.conditions.text}		
${icon.privacyNotice}		
${icon.regulatory}		
${app.version.text}		
After		0.00s

Scenario: Verify the Terms and condition screen should be displayed

Passed: 4	Failed: 0	Undefined: 0	Duration: 19.46s
Before			0.00s

And I click on "${Terms.conditions.text}" link in Account screen		3.35s
And I click the pulse icon in Account screen		3.02s
And I click the Back icon in pulse screen		7.85s
And I click the Back icon in Terms and conditions screen		5.24s
After		0.00s

Scenario: Verify the Privacy screen should be displayed

Passed: 4	Failed: 0	Undefined: 0	Duration: 18.51s
Before			0.00s

And I click the Privacy icon in legal screen		2.81s
And I click the pulse icon in Account screen		2.39s
And I click the Back icon in pulse screen		9.93s
And I click the Back icon in Privacy Notice		3.37s
After		0.00s

Scenario: Verify the Regulator screen should be displayed

Passed: 4	Failed: 0	Undefined: 0	Duration: 23.27s
Before			0.00s

Given I wait for 2 sec	2.00s
And I click the Regulatory icon in legal screen	1.43s
And I click the Babylons icon in Account screen	2.61s
Then I verify following texts are displayed in terms and condition screen	17.22s

${clinicalSafety.text}	
${ai.healthcare.text}	
${localisation.text}	
${privacy.date.protection.text}	
${concern.reporting.text}	

After			0.00s

Feature: Verify My accounts options in Account screen

1)My wearable
2)My Rewards
3)My Notifications
4)My Feedback
5)Pulse Personalised

Passed: 25	Failed: 0	Undefined: 0	Duration: 636.79s

Scenario: Launch the app and select the country as per specified lbu

Passed: 6	Failed: 0	Undefined: 0	Duration: 111.37s
Before			0.00s

Given User has pulse app	10.50s
And I assign "${onepulse.login.edit.profile}" to variable "PULSE_EMAIL"	0.00s
And user click on "CONTINUE WITH EMAIL" with Email button	69.65s
Then I change the country as required on registration page	24.51s
Then I wait for 5 sec	5.01s
And I click the Sign in link	1.71s

After			0.00s

Scenario: login to the app with correct credentials using "Continue with Email"

Passed: 6	Failed: 0	Undefined: 0	Duration: 100.66s
Before			0.00s

Given I select the language option on toggle bar as required on login page	4.25s
When user enters credentials	57.70s

UserName	${PULSE_EMAIL}
Password	${pulse.edit}

And User clicks on signin button	2.16s
And I wait for 5 sec	5.01s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	11.55s

Then user should be landed to "Home" screen			20.00s
After			0.00s

Scenario: Navigate to account screen and verify all the options

Passed: 3	Failed: 0	Undefined: 0	Duration: 47.0s
Before			0.00s

Given user navigate to account page		19.25s
Then I wait for 2 sec		2.01s
And user should verify following options on account screen		25.75s

${my.wearable.text}	
${my.rewards.text}	
${my.notification.text}	
${icon.mySettings}	
${my.feedback.text}	
${icon.legal&Privacy}	
${pulsePersonalised.text}	
${sign.out.button.text}	
${logs.text}	

After			0.00s

Scenario: Verify wearable screen in Account tab

Passed: 4	Failed: 0	Undefined: 0	Duration: 18.39s
Before			0.00s

And I click on "${my.wearable.text}" link in Account screen		2.58s
Then I wait for 2 sec		2.00s
Then I verify following text are displayed under My Wearables screen		12.51s

${wearables.title}	
${wearables.subTitle}	
${wearables.description}	
${wearables.fitbitText}	
${wearables.garminText}	

And I verify following wearables are displayed as per the device		1.29s
${apple.health.text}##${wearables.googleFit}	

After			0.00s

Scenario: navigate back to account screen from my wearable screen

Passed: 2	Failed: 0	Undefined: 0	Duration: 4.58s
Before			0.00s

And user navigate back to the Home screen from My Wearables screen		2.58s
And I wait for 2 sec		2.00s

After			0.00s

Scenario: Navigate to account screen

Passed: 2	Failed: 0	Undefined: 0	Duration: 21.01s
Before			0.00s
Given user navigate to account page			19.00s
Then I wait for 2 sec			2.01s
After			0.00s

Scenario: Verify reward screen in Account tab

Passed: 3	Failed: 0	Undefined: 0	Duration: 23.88s
Before			0.00s
And I click on "${my.rewards.text}" link in Account screen			1.83s
Then I wait for 2 sec			2.00s
Then User verify following texts are displayed in My Rewards screen			20.05s
${myRewards.title}			
${myRewards.badges}			
${myRewards.vouchers}			
${myRewards.discover}			
${my.rewards.text}			
After			0.00s

Scenario: User access My Rewards FAQ

Passed: 3	Failed: 0	Undefined: 0	Duration: 11.44s
Before			0.00s
When I scroll down			7.82s
Then I wait for 2 sec			2.01s
Then User verify following texts are displayed in My Rewards screen			1.61s
${myRewards.faq.title}			
After			0.00s

Scenario Outline: Verify the FAQ on my rewards screen

Passed: 4	Failed: 0	Undefined: 0	Duration: 14.85s
Before			0.00s
Then User verify following faqs and answers "${myRewards.faq.1}" are displayed in My Rewards screen			2.64s
${myRewards.faq.1}			
And I expand faq "${myRewards.faq.1}" in My Rewards screen			4.48s
Then User verify following faqs and answers "${myRewards.faq.1.ans}" are displayed in My Rewards screen			3.36s
${myRewards.faq.1.ans}			
And I expand faq "${myRewards.faq.1}" in My Rewards screen			4.36s
After			0.00s

Scenario Outline: Verify the FAQ on my rewards screen

Passed: 4	Failed: 0	Undefined: 0	Duration: 16.01s
Before			0.00s
Then User verify following faqs and answers "${myRewards.faq.2}" are displayed in My Rewards screen			3.91s
${myRewards.faq.2}			
And I expand faq "${myRewards.faq.2}" in My Rewards screen			3.47s
Then User verify following faqs and answers "${myRewards.faq.2.ans}" are displayed in My Rewards screen			4.26s
${myRewards.faq.2.ans}			
And I expand faq "${myRewards.faq.2}" in My Rewards screen			4.37s
After			0.00s

[Back to Table of Contents](#)

Scenario Outline: Verify the FAQ on my rewards screen

Passed: 4	Failed: 0	Undefined: 0	Duration: 14.63s
Before			0.00s
Then User verify following faqs and answers "${myRewards.faq.3}" are displayed in My Rewards screen			3.08s
${myRewards.faq.3}			
And I expand faq "${myRewards.faq.3}" in My Rewards screen			5.81s
Then User verify following faqs and answers "${myRewards.faq.3.ans. subtext}" are displayed in My Rewards screen			2.51s
${myRewards.faq.3.ans.1}##${myRewards.faq.3.ans.2}##${myRewards.faq.3.ans.3} ##${myRewards.faq.3.ans.4}##${myRewards.faq.3.ans.5}##${myRewards.faq.3.ans.6} ##${myRewards.faq.3.ans.7}			
And I expand faq "${myRewards.faq.3}" in My Rewards screen			3.23s
After			0.00s

[Back to Table of Contents](#)

Scenario Outline: Verify the FAQ on my rewards screen

Passed: 4	Failed: 0	Undefined: 0	Duration: 16.08s
Before			0.00s
Then User verify following faqs and answers "${myRewards.faq.5}" are displayed in My Rewards screen			4.67s
${myRewards.faq.5}			
And I expand faq "${myRewards.faq.5}" in My Rewards screen			3.96s
Then User verify following faqs and answers "${myRewards.faq.5.ans. subtext}" are displayed in My Rewards screen			3.58s
${myRewards.faq.5.ans.1}##${myRewards.faq.5.ans.2}##${myRewards.faq.5.ans.3} ##${myRewards.faq.5.ans.4}			
And I expand faq "${myRewards.faq.5}" in My Rewards screen			3.87s
After			0.00s

[Back to Table of Contents](#)

Scenario Outline: Verify the FAQ on my rewards screen

Passed: 4	Failed: 0	Undefined: 0	Duration: 15.76s
Before			0.00s

Then User verify following faqs and answers "${myRewards.faq.6}" are displayed in My Rewards screen		5.68s
${myRewards.faq.6}		
And I expand faq "${myRewards.faq.6}" in My Rewards screen		2.33s
Then User verify following faqs and answers "${myRewards.faq.6.ans}" are displayed in My Rewards screen		3.10s
${myRewards.faq.6.ans}		
And I expand faq "${myRewards.faq.6}" in My Rewards screen		4.64s
After		0.00s

Scenario Outline: Verify the FAQ on my rewards screen

Passed: 4	Failed: 0	Undefined: 0	Duration: 15.12s
Before			0.00s

Then User verify following faqs and answers "${myRewards.faq.7}" are displayed in My Rewards screen		3.40s
${myRewards.faq.7}		
And I expand faq "${myRewards.faq.7}" in My Rewards screen		3.60s
Then User verify following faqs and answers "${myRewards.faq.7.ans}" are displayed in My Rewards screen		4.13s
${myRewards.faq.7.ans}		
And I expand faq "${myRewards.faq.7}" in My Rewards screen		3.98s
After		0.00s

Scenario Outline: Verify the FAQ on my rewards screen

Passed: 4	Failed: 0	Undefined: 0	Duration: 15.59s
Before			0.00s

Then User verify following faqs and answers "${myRewards.faq.8}" are displayed in My Rewards screen		6.76s
${myRewards.faq.8}		
And I expand faq "${myRewards.faq.8}" in My Rewards screen		1.71s
Then User verify following faqs and answers "${myRewards.faq.8.ans.subtext}" are displayed in My Rewards screen		2.77s
${myRewards.faq.8.ans.1}##${myRewards.faq.8.ans.2}##${myRewards.faq.8.ans.3}		
And I expand faq "${myRewards.faq.8}" in My Rewards screen		4.36s
After		0.00s

Scenario Outline: Verify the FAQ on my rewards screen

Passed: 4	Failed: 0	Undefined: 0	Duration: 16.48s
Before			0.00s

Then User verify following faqs and answers "${myRewards.faq.9}" are displayed in My Rewards screen		4.87s
${myRewards.faq.9}		
And I expand faq "${myRewards.faq.9}" in My Rewards screen		3.59s

Then User verify following faqs and answers "${myRewards.faq.9.ans}" are displayed in My Rewards screen			4.40s
	${myRewards.faq.9.ans}		
And I expand faq "${myRewards.faq.9}" in My Rewards screen			3.62s
After			0.00s

Scenario: navigate back to account screen from my rewards screen

Passed: 2	Failed: 0	Undefined: 0	Duration: 51.14s
Before			0.00s
Then I click on back button on my reward screen to navigate to account screen			49.14s
And I wait for 2 sec			2.01s
After			0.00s

Scenario: Verify Notification screen in Account tab

Passed: 2	Failed: 0	Undefined: 0	Duration: 6.45s
Before			0.00s
And I click on "${my.notification.text}" link in Account screen			3.01s
Then User verify following texts are displayed in My Notification screen			3.45s
	${notification.msg}		
After			0.00s

Scenario: navigate back to account screen from Notification screen

Passed: 2	Failed: 0	Undefined: 0	Duration: 4.47s
Before			0.00s
Then I click on back button on notification screen to navigate to account screen			2.46s
And I wait for 2 sec			2.01s
After			0.00s

Scenario: Verify my feedback screen in Account tab

Passed: 4	Failed: 0	Undefined: 0	Duration: 31.88s
Before			0.00s
And I click on "${my.feedback.text}" link in Account screen			2.40s
Then User verify following texts are displayed in My feedback screen			9.58s
	${feedback.static.text}		
	${feedback.improvement}		
Then User verify following feedback options are displayed in My feedback screen			14.60s
	${aime.text}		
	${health.article.text}		
	${bmi.text.uppercase}		
	${wrinkle.text}		
	${health.assessment.text}		
	${babylon.symptom.checker}		

Then I verify following edit box sample text is displayed in account screen		5.30s
${share.thought.text}		
After		0.00s

Scenario: Verify the submit functionality in My feedback screen

Passed: 4	Failed: 0	Undefined: 0	Duration: 19.07s
Before			0.00s

Given I select "5" star in feedback screen		1.07s
Then I enter feedback		3.01s
Feedback Test_12345		
And I click the Submit icon in Feedback Screen		12.98s
And I wait for 2 sec		2.01s
After		0.00s

Scenario: Verify the Pulse Personalised tab

Passed: 4	Failed: 0	Undefined: 0	Duration: 22.42s
Before			0.00s

And I click on "${pulsePersonalised.text}" link in Account screen		3.53s
And I wait for 2 sec		2.01s
Then User verify following texts are displayed in pulse personalised screen		4.52s
${pulsePersonalised.text}		
${data.privacy.text}		
Then I verify data and privacy consent in pulse personalised screen		12.36s
${pulse.personalised.consent.text1}		
${pulse.personalised.consent.text2}		
${pulse.personalised.consent.text3}		
${pulse.personalised.consent.text4}		
${pulse.personalised.consent.text5}		
${pulse.personalised.consent.text6}		
${pulse.personalised.consent.text7}		
After		0.00s

Scenario: Save the consent with data privacy check

Passed: 5	Failed: 0	Undefined: 0	Duration: 14.86s
Before			0.00s

Given I select the data privacy checkbox		2.00s
And I click the save button in pulse personalised icons		2.34s
Then User verify following texts are displayed in pulse personalised screen		6.50s
${consent.success.msg.text}		
And I click the Ok button in pulse personlised screen		2.03s
Then I wait for 2 sec		2.00s
After		0.00s

Scenario: Save the consent without data privacy check

Passed: 4	Failed: 0	Undefined: 0	Duration: 12.82s
Before			0.00s

Given I select the data privacy checkbox		4.71s
And I click the save button in pulse personalised icons		0.96s
Then User verify following texts are displayed in pulse personalised screen		4.40s
${consent.success.msg.text}		
And I click the Ok button in pulse personlised screen		2.75s

After			0.00s

Scenario: navigate back to account screen from pulse personalised screen

Passed: 2	Failed: 0	Undefined: 0	Duration: 10.83s
Before			0.00s

And I click the Back icon in pulse personalised screen		8.83s
And I wait for 2 sec		2.00s

After			0.00s

Feature: Verify MySettings functionality in Account screen

Passed: 5	Failed: 0	Undefined: 0	Duration: 223.72s

Scenario: Launch the app and select the country as per specified lbu

Passed: 6	Failed: 0	Undefined: 0	Duration: 109.88s
Before			0.00s

|		
Given User has pulse app		8.72s
And I assign "${onepulse.login.edit.profile}" to variable "PULSE_EMAIL"		0.00s
And user click on "CONTINUE WITH EMAIL" with Email button		67.12s
Then I change the country as required on registration page		27.47s
Then I wait for 5 sec		5.01s
And I click the Sign in link		1.57s

After			0.00s

Scenario: login to the app with correct credentials using "Continue with Email"

Passed: 6	Failed: 0	Undefined: 0	Duration: 82.21s
Before			0.00s

Given I select the language option on toggle bar as required on login page		5.19s
When user enters credentials		36.05s
UserName ${PULSE_EMAIL}		
Password ${pulse.edit}		
And User clicks on signin button		2.07s
And I wait for 5 sec		5.01s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"		14.46s
Then user should be landed to "Home" screen		19.44s

After		0.00s

Scenario: Navigate to account screen

Passed: 1	Failed: 0	Undefined: 0	Duration: 20.3s
Before			0.00s

Given user navigate to account page	20.30s

After		0.00s

Scenario: Verify my setting screen in Account tab

Passed: 3	Failed: 0	Undefined: 0	Duration: 5.89s
Before			0.00s

Given I wait for 2 sec	2.01s
And I click on "${icon.mySettings}" link in Account screen	1.88s
Then I wait for 2 sec	2.01s

After		0.00s

Scenario: navigate back to account screen from my setting screen

Passed: 2	Failed: 0	Undefined: 0	Duration: 5.44s
Before			0.00s

Then I click on back button on my settings screen to navigate to account screen	3.44s
And I wait for 2 sec	2.01s

After		0.00s

Feature: Verify My wearable functionality via fitness tab on Pulse Health & Wealth app

Passed: 2	Failed: 1	Undefined: 0	Duration: 237.02s

Scenario: Launch the app and select the country as per specified lbu

Passed: 6	Failed: 0	Undefined: 0	Duration: 110.3s
Before			0.00s

Given User has pulse app	9.52s
And I assign "${login.email.id}" to variable "PULSE_EMAIL"	0.00s
And user click on "CONTINUE WITH EMAIL" with Email button	67.67s
Then I change the country as required on registration page	26.55s
Then I wait for 5 sec	5.01s
And I click the Sign in link	1.57s

After		0.00s

Scenario: login to the app with correct credentials using "Continue with Email"

Passed: 6	Failed: 0	Undefined: 0	Duration: 92.09s
Before			0.00s

Given I select the language option on toggle bar as required on login page	8.18s
When user enters credentials	38.12s

UserName	${PULSE_EMAIL}

	Password	${login.password}		
	And User clicks on signin button			2.02s
	And I wait for 5 sec			5.00s
	And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"			15.96s
	Then user should be landed to "Home" screen			22.81s
After				0.00s

Scenario: Verify the user can access My Wearables via Fitness

Passed: 1	Failed: 1	Undefined: 2	Duration: 34.63s
Before			0.00s

	When User clicks on Fitness tab		9.10s
	Then I verify My Wearables tile on Fitness screen		21.34s
	${fitness.myWearables}		
	${fitness.myWearables.description}		

java.lang.AssertionError: The following asserts failed:
the expected text is: My Wearables expected [true] but found [false],
the expected text is: Track all your activities at the click of a button expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.OptionsInFooterSteps.verifyStaticTextOnFitnessScreen
(OptionsInFooterSteps.java:40)
at .Then I verify My Wearables tile on Fitness screen(features/my/fitness/MyWearable.feature:
25)

When I click on Connect Now button on Fitness screen		0.00s
Then I verify following text are displayed under My Wearables screen		0.00s
${wearables.title}		
${wearables.subTitle}		
${wearables.description}		
${wearables.fitbitText}		
${wearables.garminText}		
${wearables.googleFit}		

After		4.19s

Back to Table of Contents

Feature: Verify the BabyLon HRA Report - Nutrition, Body, Activity

Passed: 14	Failed: 4	Undefined: 0	Duration: 1792.47s

Scenario: Launch the app and select the country as per specified lbu

Passed: 6	Failed: 0	Undefined: 0	Duration: 104.95s

Before		0.00s
Given User has pulse app		7.83s
And I assign "${hra.report.email.id}" to variable "PULSE_EMAIL"		0.01s
And user click on "CONTINUE WITH EMAIL" with Email button		63.81s
Then I change the country as required on registration page		26.61s
Then I wait for 5 sec		5.01s
And I click the Sign in link		1.68s
After		0.00s

Back to Table of Contents

Scenario: login to the app with correct credentials using "Continue with Email"

Passed: 8	Failed: 0	Undefined: 0	Duration: 237.3s

Before		0.00s
Given I select the language option on toggle bar as required on login page		4.56s
When user enters credentials		38.78s

UserName	${PULSE_EMAIL}
Password	${hra.password}

And User clicks on signin button		1.95s

And I wait for 5 sec		5.00s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"		17.43s
Then user should be landed to "Home" screen		23.69s
When I clicks on Health button		52.69s
And I navigate to Babylon health Assessment and Accept TermsAndCondition		93.21s
After		0.00s

Scenario: User should be able to access Babylon Health Risk Assessment Report

Passed: 2	Failed: 1	Undefined: 0	Duration: 152.7s
Before			0.00s

When I click on "Report" link on digital twin screen	14.37s
And I wait for 5 sec	5.01s
Then I verify the HRA Results are displayed	131.37s

${babylon.hraReport.report.title}
${babylon.hraReport.report.subTitle}
${babylon.hraReport.report.percentage}
${babylon.hraReport.report.statement1}
${babylon.hraReport.report.statement2}
${babylon.hraReport.report.statement3}

java.lang.AssertionError: The following asserts failed:
the expected text is: Your Health Check score expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.verifyHRAResult(BabylonSteps.java:616)
at .Then I verify the HRA Results are displayed(features/my/health/BabylonHRA_Report.feature:28)

After		1.94s

Scenario: Verify the HRA Activity Report

Passed: 1	Failed: 0	Undefined: 0	Duration: 263.65 s
Before			0.00s

Then I verify the HRA Results are displayed	263.65s
${babylon.hraReport.summary.title}	
${babylon.hraReport.summary.description}	
${babylon.hraReport.summary.diseaseRisk}	
${babylon.hraReport.summary.diseaseRiskDescription}	
${babylon.hraReport.summary.diseaseRisk.statement1}	
${babylon.hraReport.summary.diseaseRisk.statement2}	
${babylon.hraReport.summary.diseaseRisk.statement3}	
${babylon.hraReport.summary.diseaseRisk.statement4}	
${babylon.hraReport.summary.organ.title}	
${babylon.hraReport.summary.organDescription}	
${babylon.hraReport.summary.organ.statement1}	
${babylon.hraReport.summary.organ.statement2}	

After		0.00s

Scenario: Verify the HRA Activity Report

Passed: 1	Failed: 0	Undefined: 0	Duration: 92.52s
Before			0.00s

Then I verify the HRA Results are displayed	92.52s

${babylon.hraReport.activity.title}		
${babylon.hraReport.activity.subTitle}		
${babylon.hraReport.activity.statement1}		
${babylon.hraReport.activity.statement2}		

After		0.00s

Scenario: Verify the HRA Nutrition Report

Passed: 1	Failed: 0	Undefined: 0	Duration: 225.21 s
Before			0.00s

Then I verify the HRA Results are displayed	225.22s

${babylon.hraReport.nutrition.title}	
${babylon.hraReport.nutrition.subTitle}	
${babylon.hraReport.nutrition.statement1}	
${babylon.hraReport.nutrition.statement2}	
${babylon.hraReport.nutrition.statement3}	
${babylon.hraReport.nutrition.statement4}	
${babylon.hraReport.nutrition.statement5}	
${babylon.hraReport.nutrition.statement6}	
${babylon.hraReport.nutrition.statement7}	
${babylon.hraReport.nutrition.statement8}	
${babylon.hraReport.nutrition.statement9}	

After		0.00s

Scenario: Verify the HRA Report - Keep It Up sub-section

Passed: 1	Failed: 0	Undefined: 0	Duration: 152.06 s
Before			0.00s

Then I verify the HRA Results are displayed	152.06s

${babylon.hraReport.keepItUp}	
${babylon.hraReport.lowFat}	
${babylon.hraReport.lowFat.description}	
${babylon.hraReport.lowAlcohol}	
${babylon.hraReport.lowAlcohol.description}	
${babylon.hraReport.redMeat}	
${babylon.hraReport.redMeat.description}	

After		0.00s

Scenario: Verify the HRA Report - Make a Change sub-section

Passed: 1	Failed: 0	Undefined: 0	Duration: 154.52 s
Before			0.00s

Then I verify the HRA Results are displayed	154.52s

${babylon.hraReport.makeAChange}
${babylon.hraReport.change1}
${babylon.hraReport.change2}
${babylon.hraReport.change3}
${babylon.hraReport.change4}
${babylon.hraReport.change5}
${babylon.hraReport.change6}

After		0.00s

Back to Table of Contents

Scenario: User should be able to access Babylon HRA - Healthcheck - Body

Passed: 4	Failed: 0	Undefined: 0	Duration: 89.45s
Before			0.00s

When I click on "Healthcheck" link on digital twin screen	26.56s
When I click on "Body" link on digital twin screen	8.51s
Then I verify the HRA Results are displayed	11.76s

${babylon.hraReport.bodyButtton}

Then I verify following text is displayed on HRA report	42.62s

${babylon.hraReport.body.bones}
${babylon.hraReport.body.heart}
${babylon.hraReport.body.brain}
${babylon.hraReport.body.liver}

After		0.00s

Back to Table of Contents

Scenario: navigate back to digital twin screen

Passed: 1	Failed: 0	Undefined: 0	Duration: 6.59s
Before			0.00s

And I click on "Back" link on digital twin screen	6.59s
After	0.00s

Back to Table of Contents

Scenario: User should be able to access Babylon HRA - Healthcheck - Nutrition

Passed: 3	Failed: 1	Undefined: 0	Duration: 110.78s
Before			0.00s

When I click on "Nutrition" link on digital twin screen	16.61s
Then I verify the HRA Results are displayed	23.85s

${babylon.hraReport.nutrition}
${babylon.hraReport.nutrition.description}

When I click on "Retake Assessment" link on digital twin screen	54.49s
Then I verify the HRA Results are displayed	14.67s

${babylon.hraReport.nutrition.retake}

java.lang.AssertionError: The following asserts failed:
the expected text is: Nutrition is key to your energy levels and can affect your risk of some

medical conditions expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.verifyHRAResult(BabylonSteps.
java:616)
at .Then I verify the HRA Results are displayed(features/my/health/BabylonHRA_Report.
feature:115)

After		1.16s

Scenario: **Navigate back to nutrition screen and validate the static text**			
Passed: 2	Failed: 0	Undefined: 0	Duration: 22.97s
Before			0.00s
And I click on "Back" link on digital twin screen			5.70s
Then I verify the HRA Results are displayed			17.27s
${babylon.hraReport.aboutDisease}			
${babylon.hraReport.about.nutrition.description}			
After			0.00s

Scenario: **navigate back to digital twin screen**			
Passed: 1	Failed: 0	Undefined: 0	Duration: 14.76s
Before			0.00s
And I click on "Back" link on digital twin screen			14.76s
After			0.00s

Scenario: **User should be able to access Babylon HRA - Healthcheck - Activity**			
Passed: 3	Failed: 1	Undefined: 0	Duration: 76.99s

Before		0.00s
When I click on "Activity" link on digital twin screen		13.01s
Then I verify the HRA Results are displayed		19.60s
${babylon.hraReport.activity}		
${babylon.hraReport.activity.subTitle}		
When I click on "Retake Assessment" link on digital twin screen		15.08s
Then I verify the HRA Results are displayed		28.09s
${babylon.hraReport.activity.retake}		
${babylon.hraReport.activity.retake2}		

java.lang.AssertionError: The following asserts failed:
the expected text is: Exercise-wise, I can expected [true] but found [false],
the expected text is: How much time each week do you do moderate exercise like walking,
casual cycling or cleaning? expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.verifyHRAResult(BabylonSteps.
java:616)
at .Then I verify the HRA Results are displayed(features/my/health/BabylonHRA_Report.
feature:134)

After		1.22s

Scenario: **Navigate back to Activity screen and validate the static text**			
Passed: 2	Failed: 0	Undefined: 0	Duration: 22.08s
Before			0.00s
And I click on "Back" link on digital twin screen			6.24s
Then I verify the HRA Results are displayed			15.84s

${babylon.hraReport.aboutDesease}		
${babylon.hraReport.about.activity.description}		
After		**0.00s**

Scenario: **navigate back to digital twin screen**

Passed: 1	Failed: 0	Undefined: 0	Duration: 7.24s
Before			**0.00s**

And I click on "Back" link on digital twin screen	7.24s
After	**0.00s**

Scenario: **User should be able to access Babylon HRA - Healthcheck - Mood**

Passed: 3	Failed: 1	Undefined: 0	Duration: 52.96s
Before			**0.00s**

When I click on "Mood" link on digital twin screen	17.45s
Then I verify the HRA Results are displayed	15.47s
${babylon.hraReport.mood}	
${babylon.hraReport.mood.duration}	
And I start the assessment	3.84s
Then I verify the HRA Results are displayed	15.16s
${babylon.hraReport.mood.assessment}	

java.lang.AssertionError: The following asserts failed:
the expected text is: start by looking at your current mood, stress levels and things that can affect good mental health expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.verifyHRAResult(BabylonSteps.java:616)
at .Then I verify the HRA Results are displayed(features/my/health/BabylonHRA_Report.feature:155)

After		1.04s

Scenario: **navigate back to digital twin screen**			
Passed: 1	Failed: 0	Undefined: 0	Duration: 5.73s
Before			0.00s
And I click on "Back" link on digital twin screen			5.73s
After			0.00s

Feature: **Verify that user can access calendar under health section**			
Passed: 3	Failed: 0	Undefined: 0	Duration: 374.38s

Scenario: **Launch the app and select the country as per specified lbu**			
Passed: 6	Failed: 0	Undefined: 0	Duration: 121.56s
Before			0.00s
Given User has pulse app			16.02s
And I assign "${login.email.id}" to variable "PULSE_EMAIL"			0.00s
And user click on "CONTINUE WITH EMAIL" with Email button			72.61s
Then I change the country as required on registration page			28.43s
Then I wait for 2 sec			2.01s
And I click the Sign in link			2.49s
After			0.00s

Scenario: **login to the app with correct credentials using "Continue with Email"**			
Passed: 6	Failed: 0	Undefined: 0	Duration: 88.34s

Before		0.00s
Given I select the language option on toggle bar as required on login page		6.20s
When user enters credentials		37.50s
UserName ${PULSE_EMAIL}		
Password ${pulse.password}		
And User clicks on signin button		3.82s
And I wait for 5 sec		5.01s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"		11.58s
Then user should be landed to "Home" screen		24.24s
After		0.00s

Scenario: **User should be able to access Calendar screen**

Passed: 8	Failed: 0	Undefined: 0	Duration: 164.48s
Before			0.00s

And I wait for 3 sec		3.01s
When I clicks on Health button		51.68s
And I scroll down		6.36s
And I click on Calendar tile		21.35s
And I wait for 3 sec		3.01s
Then I verify following texts are displayed		17.88s
${calendar.text}		
${no.events.text}		
And I click on events dropdown button in calendar screen		8.86s
Then I verify the following texts "Calendar events" in Screen		52.33s
${medicine.reminders.text}		
${appointments.text}		
${vaccination.text}		
${workout.text}		
${pulse.tv.text}		
${policy.remainder.text}		
After		0.00s

Feature: **Verify that user can access Chinese Medicine feature**

Passed: 5	Failed: 69	Undefined: 0	Duration: 1346.66s

Scenario: **User should be able to register on app with correct credentials using "Continue with Email"**

Passed: 18	Failed: 0	Undefined: 0	Duration: 401.01s
Before			0.00s

Given I generate random number and assign to variable "RANDOM_NUMBER"		0.01s
And I assign "pulse${RANDOM_NUMBER}@mailsac.com" to variable		

"PULSE_EMAIL"	0.00s
And User has pulse app	12.16s
Then I wait for 2 sec	2.01s
And user click on "CONTINUE WITH EMAIL" with Email button	67.60s
Then I wait for 2 sec	2.01s
Then I change the country as required on registration page	32.70s
Then I wait for 2 sec	2.01s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	10.34s
Then I wait for 2 sec	2.01s
When user enters registration details	38.08s

FirstName	testAutomation
LastName	testAutomation
Email	${PULSE_EMAIL}
Password	Pas$1234

And taps on continue "Sign_Up" button	1.85s
And I wait for otp screen after clicking on signup button	8.11s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	35.90s
Then I wait for 2 sec	2.00s
Then I click skip button	156.70s
Then user should be landed to "Home" screen	23.53s
Then I wait for 4 sec	4.00s
After	0.00s

Scenario: User should be able to access Chinese Medicine screen

Passed: 4	Failed: 0	Undefined: 0	Duration: 79.84s
Before			0.00s

When I clicks on Health button	47.56s
And I click on Chinese Medicine button	10.39s
Then User verify following texts are displayed in Chinese Medicine screen	17.97s

${chineseMedicine.welcomeMessage}
${chineseMedicine.statement}
${chineseMedicine.pruLife}
${chineseMedicine.pruLife.research}

When I click on Continue button on Chinese Medicine screen	3.91s
After	0.00s

Scenario Outline: Verify the carousel on Chinese Medicine journey

Passed: 3	Failed: 0	Undefined: 0	Duration: 16.45s
Before			0.00s

Then User verify following texts are displayed in Chinese Medicine screen	2.82s

${chineseMedicine.page1.text}

Then I verify following button are displayed on chinese medicine carousal	2.29s

carousel1##${chineseMedicine.skipButton}		
When I swipe to Right for chinese medicine on carousal "${chineseMedicine.page1.partialText}"		11.34s
After		0.00s

Scenario Outline: Verify the carousel on Chinese Medicine journey

Passed: 3	Failed: 0	Undefined: 0	Duration: 19.3s
Before			0.00s

Then User verify following texts are displayed in Chinese Medicine screen	1.55s
${chineseMedicine.page2.text}	
Then I verify following button are displayed on chinese medicine carousal	4.16s
carousel2##${chineseMedicine.skipButton}	
When I swipe to Right for chinese medicine on carousal "${chineseMedicine.page2.partialText}"	13.59s
After	0.00s

Scenario: verify the text and button on final assessment carousel

Passed: 2	Failed: 0	Undefined: 0	Duration: 3.65s
Before			0.00s

Then User verify following texts are displayed in Chinese Medicine screen	1.43s
${chineseMedicine.page3.text}	
Then I verify following button are displayed on chinese medicine carousal	2.22s
carousel3##${chineseMedicine.startAssessmentBtn}	
After	0.00s

Scenario: User should be able to complete Chinese Medicine profile

Passed: 5	Failed: 1	Undefined: 1	Duration: 103.56s
Before			0.00s

When I click on Start Assessment button on Chinese Medicine screen	4.63s
And I wait for 5 sec	5.01s
Then User verify following texts are displayed in Chinese Medicine screen	8.60s
${chineseMedicine.profile.title}	
${chineseMedicine.profile.description}	
${chineseMedicine.profile.mandatoryFields}	
Then change Chinese Medicine user profile details	33.50s

City	${chineseMedicine.profile.cityValue}	
Smoking Habits	${chineseMedicine.profile.smokingHabitsValue}	
Drinking Habits	${chineseMedicine.profile.drinkingHabitsValue}	
Exercise Habits	${chineseMedicine.profile.exerciseHabitsValue}	

When I click on Next button on Chinese Medicine Profile screen	36.41s
When User verify following texts are displayed in Chinese Medicine screen	14.35s
${chineseMedicine.question.1}	

${chineseMedicine.statement.1}

java.lang.AssertionError: The following asserts failed:
the expected text is: Based on your experience in past 3 months expected [true] but found [false],
the expected text is: I feel energetic most of the time. expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.
verifyFollowingTextsDisplayedInChineseMedScreen(ChineseMedicineSteps.java:49)
at .When User verify following texts are displayed in Chinese Medicine screen(features/my
/health/ChineseMedicine.feature:74)

Then I verify following answer options are displayed on Chinese Medicine screen	0.00s
${chineseMedicine.answer.option1}	
${chineseMedicine.answer.option2}	
${chineseMedicine.answer.option3}	
${chineseMedicine.answer.option4}	
${chineseMedicine.answer.option5}	

After	1.07s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94)
at jdk.internal.reflect.GeneratedMethodAccessor42.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)

at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.25s
Before			**0.00s**

	And user selects "${chineseMedicine.answer.1}" for the question "${chineseMedicine.question.1}"	9.23s
	java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"Based on your experience in past 3 months")] and Answer //XCUIElementTypeOther[@name="Occassionally"] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "${chineseMedicine.answer.1}" for the question "${chineseMedicine.question.1}"(features/my/health/ChineseMedicine.feature:88)	

After		1.02s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)

at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94)
at jdk.internal.reflect.GeneratedMethodAccessor42.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.15s
Before			**0.00s**

	And user selects "${chineseMedicine.answer.2}" for the question "${chineseMedicine.question.2}"	9.12s

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I get fatigued or tired easily.")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.2}" for the question "${chineseMedicine.question.2}"(features/my/health/ChineseMedicine.feature:88)

After			1.03s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94)
at jdk.internal.reflect.GeneratedMethodAccessor42.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Back to Table of Contents

Scenario Outline: Verify the Q&A on Chinese Medicine journey			
Passed: 0	Failed: 1	Undefined: 0	Duration: 10.92s
Before			0.00s
And user selects "${chineseMedicine.answer.3}" for the question "${chineseMedicine.question.3}"			9.88s
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I suffer from insomnia")] and Answer //XCUIElementTypeOther[@name="Disagree"] at org.testng.Assert.fail(Assert.java:94)			

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.3}" for the question "${chineseMedicine. question.3}"(features/my/health/ChineseMedicine.feature:88)

After		1.04s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java: 63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94)
at jdk.internal.reflect.GeneratedMethodAccessor42.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)

at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.2s
Before			**0.00s**

And user selects "${chineseMedicine.answer.4}" for the question "${chineseMedicine.question.4}"	**9.18s**
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I adapt quickly to changes in the weather or the surrounding environment.")] and Answer //XCUIElementTypeOther[@name="Strongly Disagree"] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104) at .And user selects "${chineseMedicine.answer.4}" for the question "${chineseMedicine.question.4}"(features/my/health/ChineseMedicine.feature:88)	

| **After** | | | **1.03s** |

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94)
at jdk.internal.reflect.GeneratedMethodAccessor42.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)

at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.14s
Before			**0.00s**

And user selects "${chineseMedicine.answer.5}" for the question "${chineseMedicine.question.5}"	**9.12s**

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I am prone to catch a cold more often than most people.")] and Answer //XCUIElementTypeOther[@name="Strongly Agree"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.5}" for the question "${chineseMedicine.question.5}"(features/my/health/ChineseMedicine.feature:88)

After			**1.02s**

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)

at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94)
at jdk.internal.reflect.GeneratedMethodAccessor42.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.16s
Before			**0.00s**

And user selects "${chineseMedicine.answer.6}" for the question "${chineseMedicine.question.6}"	9.14s
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I feel tense in my torso or lower body.")] and Answer //XCUIElementTypeOther[@name="Agree"] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104) at .And user selects "${chineseMedicine.answer.6}" for the question "${chineseMedicine.question.6}"(features/my/health/ChineseMedicine.feature:88)	
After	1.02s
com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases(CucumberHook.java:95)	

at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94)
at jdk.internal.reflect.GeneratedMethodAccessor42.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.52s
Before			**0.00s**
And user selects "${chineseMedicine.answer.7}" for the question "${chineseMedicine.question.7}"			9.50s

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I cough or get asmethic symptoms due to changes in seasons")] and Answer

//XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.7}" for the question "${chineseMedicine.question.7}"(features/my/health/ChineseMedicine.feature:88)

After		1.02s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94)
at jdk.internal.reflect.GeneratedMethodAccessor42.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)

at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.15s
Before			**0.00s**

	And user selects "${chineseMedicine.answer.8}" for the question "${chineseMedicine.question.8}"	**9.13s**

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I am allergic to drugs")] and Answer //XCUIElementTypeOther[@name=" Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.8}" for the question "${chineseMedicine. question.8}"(features/my/health/ChineseMedicine.feature:88)

After		**1.01s**

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java: 63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94)
at jdk.internal.reflect.GeneratedMethodAccessor42.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)

at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.83s
Before			**0.00s**

And user selects "${chineseMedicine.answer.9}" for the question "${chineseMedicine.question.9}"	9.79s

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I frequently catch a chill")] and Answer //XCUIElementTypeOther[@name=" Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.9}" for the question "${chineseMedicine. question.9}"(features/my/health/ChineseMedicine.feature:88)

After			**1.03s**

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)

at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java: 63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94)
at jdk.internal.reflect.GeneratedMethodAccessor42.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Back to Table of Contents

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.16s
Before			**0.00s**

	And user selects "${chineseMedicine.answer.10}" for the question "${chineseMedicine.question.10}"	**9.14s**
	java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"I can't stand feeling cold")] and Answer //XCUIElementTypeOther[@name=" Occassionally"] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "${chineseMedicine.answer.10}" for the question "${chineseMedicine. question.10}"(features/my/health/ChineseMedicine.feature:88)	

After		**1.02s**
com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases		

(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94)
at jdk.internal.reflect.GeneratedMethodAccessor42.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

[Back to Table of Contents](#)

Scenario Outline: **Verify the Q&A on Chinese Medicine journey**			
Passed: 0	Failed: 1	Undefined: 0	Duration: 10.11s
Before			**0.00s**
And user selects "${chineseMedicine.answer.11}" for the question "${chineseMedicine.question.11}"			9.09s
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains			

(@name,"I feel uncomfortable after consuming cold food or beverages.")] and Answer
//XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:
168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA
(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.11}" for the question "${chineseMedicine.
question.11}"(features/my/health/ChineseMedicine.feature:88)

After		1.02s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94)
at jdk.internal.reflect.GeneratedMethodAccessor42.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)

at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.13s
Before			**0.00s**

And user selects "${chineseMedicine.answer.12}" for the question "${chineseMedicine.question.12}"	9.11s
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"I feel my face")] and Answer //XCUIElementTypeOther[@name="Occassionally"] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "${chineseMedicine.answer.12}" for the question "${chineseMedicine. question.12}"(features/my/health/ChineseMedicine.feature:88)	
After	1.03s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java: 63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94)
at jdk.internal.reflect.GeneratedMethodAccessor42.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)

at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.14s

Before		0.00s

And user selects "${chineseMedicine.answer.13}" for the question "${chineseMedicine.question.13}"	9.12s

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"My hands and legs sweat even if the weather is not hot or when I'm not doing intense exercise.")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.13}" for the question "${chineseMedicine.question.13}"(features/my/health/ChineseMedicine.feature:88)

After		1.02s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)

at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java: 63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94)
at jdk.internal.reflect.GeneratedMethodAccessor42.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.18s
Before			**0.00s**

And user selects "${chineseMedicine.answer.14}" for the question "${chineseMedicine.question.14}"	**9.16s**

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"I feel that I have a weak voice.")] and Answer //XCUIElementTypeOther[@name=" Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.14}" for the question "${chineseMedicine. question.14}"(features/my/health/ChineseMedicine.feature:88)

| **After** | | | **1.02s** |

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases

(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94)
at jdk.internal.reflect.GeneratedMethodAccessor42.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Back to Table of Contents

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 11.12s
Before			**0.00s**

And user selects "${chineseMedicine.answer.15}" for the question "${chineseMedicine.question.15}"	10.08s

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains

(@name,"In general")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.15}" for the question "${chineseMedicine.question.15}"(features/my/health/ChineseMedicine.feature:88)

After		1.04s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94)
at jdk.internal.reflect.GeneratedMethodAccessor42.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)

at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.23s

Before		0.00s

And user selects "${chineseMedicine.answer.16}" for the question "${chineseMedicine.question.16}"	9.20s

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"I feel that my skin and lips are dry.")] and Answer //XCUIElementTypeOther [@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.16}" for the question "${chineseMedicine. question.16}"(features/my/health/ChineseMedicine.feature:88)

After		1.03s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java: 63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94)
at jdk.internal.reflect.GeneratedMethodAccessor42.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)

at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

[Back to Table of Contents](#)

Scenario Outline: **Verify the Q&A on Chinese Medicine journey**			
Passed: 0	Failed: 1	Undefined: 0	Duration: 10.17s
Before			0.00s

And user selects "${chineseMedicine.answer.17}" for the question "${chineseMedicine.question.17}"	9.15s
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I get bruises easily for no reason.")] and Answer //XCUIElementTypeOther[@name="Occassionally"] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104) at .And user selects "${chineseMedicine.answer.17}" for the question "${chineseMedicine.question.17}"(features/my/health/ChineseMedicine.feature:88)	

After		1.03s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)

at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94)
at jdk.internal.reflect.GeneratedMethodAccessor42.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.17s
Before			**0.00s**

And user selects "${chineseMedicine.answer.18}" for the question "${chineseMedicine.question.18}"	**9.16s**

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I have broken out in hives (outbreak of swollen")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.18}" for the question "${chineseMedicine.question.18}"(features/my/health/ChineseMedicine.feature:88)

| **After** | | | **1.01s** |

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases

(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94)
at jdk.internal.reflect.GeneratedMethodAccessor42.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey			
Passed: 0	Failed: 1	Undefined: 0	Duration: 10.17s
Before			0.00s
And user selects "${chineseMedicine.answer.19}" for the question "${chineseMedicine.question.19}"			9.15s
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains			

(@name,"I get purple rashes on my skin (purple blood spots")] and Answer //XCUIElementTypeOther[@name="Occassionally"]

at org.testng.Assert.fail(Assert.java:94)

at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)

at .And user selects "${chineseMedicine.answer.19}" for the question "${chineseMedicine.question.19}"(features/my/health/ChineseMedicine.feature:88)

After		1.03s

com.prudential.tap.exception.TapException: Failed to take screenshot of

at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases(CucumberHook.java:95)

at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)

at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)

at java.base/java.lang.reflect.Method.invoke(Method.java:566)

at cucumber.runtime.Utils$1.call(Utils.java:40)

at cucumber.runtime.Timeout.timeout(Timeout.java:16)

at cucumber.runtime.Utils.invoke(Utils.java:34)

at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)

at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)

at cucumber.runtime.Runtime.runHooks(Runtime.java:212)

at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)

at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)

at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)

at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)

at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)

at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94)

at jdk.internal.reflect.GeneratedMethodAccessor42.invoke(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)

at java.base/java.lang.reflect.Method.invoke(Method.java:566)

at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)

at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)

at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)

at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)

at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)

at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)

at org.testng.TestRunner.privateRun(TestRunner.java:782)

at org.testng.TestRunner.run(TestRunner.java:632)

at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)

at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)

at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)

at org.testng.SuiteRunner.run(SuiteRunner.java:268)

at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)

at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)

at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)

at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.16s
Before			**0.00s**

And user selects "${chineseMedicine.answer.20}" for the question "${chineseMedicine.question.20}"	**9.14s**
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"I easily get scratch marks on my skin.")] and Answer //XCUIElementTypeOther [@name="Occassionally"] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "${chineseMedicine.answer.20}" for the question "${chineseMedicine. question.20}"(features/my/health/ChineseMedicine.feature:88)	

After			**1.02s**

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java: 63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94)
at jdk.internal.reflect.GeneratedMethodAccessor42.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)

at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.45s

Before		0.00s

And user selects "${chineseMedicine.answer.21}" for the question "${chineseMedicine.question.21}"	9.40s

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I tend to feel depressed and moody.")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.21}" for the question "${chineseMedicine.question.21}"(features/my/health/ChineseMedicine.feature:88)

After		1.06s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)

at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94)
at jdk.internal.reflect.GeneratedMethodAccessor42.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Scenario Outline: **Verify the Q&A on Chinese Medicine journey**

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.17s

Before		0.00s

And user selects "${chineseMedicine.answer.22}" for the question "${chineseMedicine.question.22}"	9.15s

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I easily forget things.")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.22}" for the question "${chineseMedicine.question.22}"(features/my/health/ChineseMedicine.feature:88)

After		1.02s

com.prudential.tap.exception.TapException: Failed to take screenshot of

at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94)
at jdk.internal.reflect.GeneratedMethodAccessor42.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.18s
Before			**0.00s**
And user selects "${chineseMedicine.answer.23}" for the question "${chineseMedicine.question.23}"			**9.15s**

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"I tend to feel tense and")] and Answer //XCUIElementTypeOther[@name=" Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.23}" for the question "${chineseMedicine. question.23}"(features/my/health/ChineseMedicine.feature:88)

After		1.02s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java: 63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94)
at jdk.internal.reflect.GeneratedMethodAccessor42.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)

at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.18s

Before		0.00s

And user selects "${chineseMedicine.answer.24}" for the question "${chineseMedicine.question.24}"	9.16s

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I am sentimental and my feelings get hurt easily.")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.24}" for the question "${chineseMedicine.question.24}"(features/my/health/ChineseMedicine.feature:88)

After		1.02s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94)
at jdk.internal.reflect.GeneratedMethodAccessor42.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)

at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Back to Table of Contents

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.25s
Before			**0.00s**

And user selects "${chineseMedicine.answer.25}" for the question "${chineseMedicine.question.25}"	**9.21s**
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"I feel fearful")] and Answer //XCUIElementTypeOther[@name="Occassionally"] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "${chineseMedicine.answer.25}" for the question "${chineseMedicine.question.25}"(features/my/health/ChineseMedicine.feature:88)	
After	**1.04s**

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)

at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94)
at jdk.internal.reflect.GeneratedMethodAccessor42.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.23s
Before			**0.00s**

And user selects "${chineseMedicine.answer.26}" for the question "${chineseMedicine.question.26}"	**9.21s**
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I sigh often for no reason.")] and Answer //XCUIElementTypeOther[@name="Occassionally"] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104) at .And user selects "${chineseMedicine.answer.26}" for the question "${chineseMedicine.question.26}"(features/my/health/ChineseMedicine.feature:88)	
After	**1.03s**

com.prudential.tap.exception.TapException: Failed to take screenshot of

at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94)
at jdk.internal.reflect.GeneratedMethodAccessor42.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.85s
Before			**0.00s**
And user selects "${chineseMedicine.answer.27}" for the question "${chineseMedicine.question.27}"			9.83s

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I get dizzy when changing posture.")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.27}" for the question "${chineseMedicine.question.27}"(features/my/health/ChineseMedicine.feature:88)

After	1.02s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94)
at jdk.internal.reflect.GeneratedMethodAccessor42.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)

at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.19s
Before			**0.00s**

And user selects "${chineseMedicine.answer.28}" for the question "${chineseMedicine.question.28}"	**9.16s**
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I have a pale or anemic complexion.")] and Answer //XCUIElementTypeOther[@name="Occassionally"] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104) at .And user selects "${chineseMedicine.answer.28}" for the question "${chineseMedicine.question.28}"(features/my/health/ChineseMedicine.feature:88)	

| **After** | | | **1.03s** |

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94)
at jdk.internal.reflect.GeneratedMethodAccessor42.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)

at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.13s
Before			0.00s

And user selects "${chineseMedicine.answer.29}" for the question "${chineseMedicine.question.29}"	9.12s
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I have rosy cheeks.")] and Answer //XCUIElementTypeOther[@name="Occassionally"] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104) at .And user selects "${chineseMedicine.answer.29}" for the question "${chineseMedicine.question.29}"(features/my/health/ChineseMedicine.feature:88)	

After		1.01s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)

at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94)
at jdk.internal.reflect.GeneratedMethodAccessor42.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.2s
Before			0.00s

And user selects "${chineseMedicine.answer.30}" for the question "${chineseMedicine.question.30}"	9.17s

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I have visible blood veins on my cheeks")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.30}" for the question "${chineseMedicine.question.30}"(features/my/health/ChineseMedicine.feature:88)

| After | | | 1.03s |

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94)
at jdk.internal.reflect.GeneratedMethodAccessor42.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

[Back to Table of Contents](#)

Scenario Outline: **Verify the Q&A on Chinese Medicine journey**

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.18s
Before			**0.00s**
And user selects "${chineseMedicine.answer.31}" for the question "${chineseMedicine.question.31}"			9.15s

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I have a darker complexion and have pigmentation on my cheeks")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.31}" for the question "${chineseMedicine.question.31}"(features/my/health/ChineseMedicine.feature:88)

After	1.02s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94)
at jdk.internal.reflect.GeneratedMethodAccessor42.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)

at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 11.07s
Before			**0.00s**

And user selects "${chineseMedicine.answer.32}" for the question "${chineseMedicine.question.32}"	9.14s

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"My nose and forehead frequently get oily")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.32}" for the question "${chineseMedicine.question.32}"(features/my/health/ChineseMedicine.feature:88)

After			**1.92s**

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94)
at jdk.internal.reflect.GeneratedMethodAccessor42.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)

at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.22s
Before			**0.00s**

And user selects "${chineseMedicine.answer.33}" for the question "${chineseMedicine.question.33}"	9.20s

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I get pimples easily")] and Answer //XCUIElementTypeOther[@name=" Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.33}" for the question "${chineseMedicine.question.33}"(features/my/health/ChineseMedicine.feature:88)

After		1.02s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)

at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94)
at jdk.internal.reflect.GeneratedMethodAccessor42.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.18s
Before			**0.00s**

And user selects "${chineseMedicine.answer.34}" for the question "${chineseMedicine.question.34}"	9.16s
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I get panda eyes (dark eye bags) easily")] and Answer //XCUIElementTypeOther[@name="Occassionally"] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104) at .And user selects "${chineseMedicine.answer.34}" for the question "${chineseMedicine.question.34}"(features/my/health/ChineseMedicine.feature:88)	

| After | | 1.02s |

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94)
at jdk.internal.reflect.GeneratedMethodAccessor42.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.18s
Before			**0.00s**
And user selects "${chineseMedicine.answer.35}" for the question			

"${chineseMedicine.question.35}"	9.14s

| java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"My lip color is generally gloomy / purplish / blueish")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.35}" for the question "${chineseMedicine.question.35}"(features/my/health/ChineseMedicine.feature:88) | |

After	1.04s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94)
at jdk.internal.reflect.GeneratedMethodAccessor42.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)

at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

[Back to Table of Contents](#)

Scenario Outline: **Verify the Q&A on Chinese Medicine journey**			
Passed: 0	Failed: 1	Undefined: 0	Duration: 10.17s

Before		0.00s

And user selects "${chineseMedicine.answer.36}" for the question "${chineseMedicine.question.36}"	9.14s
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"My lip color is reddish")] and Answer //XCUIElementTypeOther[@name=" Occassionally"] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "${chineseMedicine.answer.36}" for the question "${chineseMedicine. question.36}"(features/my/health/ChineseMedicine.feature:88)	

After		1.04s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java: 63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94)
at jdk.internal.reflect.GeneratedMethodAccessor42.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)

at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.22s

Before		0.00s

And user selects "${chineseMedicine.answer.37}" for the question "${chineseMedicine.question.37}"	9.19s

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains
(@name,"My lip color is slightly pale or whiteish")] and Answer //XCUIElementTypeOther
[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:
168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA
(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.37}" for the question "${chineseMedicine.
question.37}"(features/my/health/ChineseMedicine.feature:88)

After		1.03s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)

at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94)
at jdk.internal.reflect.GeneratedMethodAccessor42.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Back to Table of Contents

Scenario Outline: **Verify the Q&A on Chinese Medicine journey**

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.64s

Before		0.00s

And user selects "${chineseMedicine.answer.38}" for the question "${chineseMedicine.question.38}"	9.60s

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I have puffy eyelids")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.38}" for the question "${chineseMedicine.question.38}"(features/my/health/ChineseMedicine.feature:88)

After		1.04s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94)
at jdk.internal.reflect.GeneratedMethodAccessor42.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.2s
Before			0.00s

And user selects "${chineseMedicine.answer.39}" for the question "${chineseMedicine.question.39}"	9.18s

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I have dry eyes or blurry vision")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.39}" for the question "${chineseMedicine.question.39}"(features/my/health/ChineseMedicine.feature:88)

After	1.03s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94)
at jdk.internal.reflect.GeneratedMethodAccessor42.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)

at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Back to Table of Contents

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.16s

Before			0.00s

And user selects "${chineseMedicine.answer.40}" for the question "${chineseMedicine.question.40}"	9.14s

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I tend to sneeze even if I am not sick")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.40}" for the question "${chineseMedicine.question.40}"(features/my/health/ChineseMedicine.feature:88)

After			1.02s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94)
at jdk.internal.reflect.GeneratedMethodAccessor42.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke

(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.16s
Before			**0.00s**

And user selects "${chineseMedicine.answer.41}" for the question "${chineseMedicine.question.41}"	9.14s
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"My nose gets clooged or runny even if I am not sick")] and Answer //XCUIElementTypeOther[@name="Occassionally"] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104) at .And user selects "${chineseMedicine.answer.41}" for the question "${chineseMedicine.question.41}"(features/my/health/ChineseMedicine.feature:88)	

After	1.02s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)

at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94)
at jdk.internal.reflect.GeneratedMethodAccessor42.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.14s
Before			**0.00s**

And user selects "${chineseMedicine.answer.42}" for the question "${chineseMedicine.question.42}"	9.13s

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I have a dry tongue")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)

at .And user selects "${chineseMedicine.answer.42}" for the question "${chineseMedicine.question.42}"(features/my/health/ChineseMedicine.feature:88)	
After	1.01s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94)
at jdk.internal.reflect.GeneratedMethodAccessor42.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey			
Passed: 0	Failed: 1	Undefined: 0	Duration: 10.14s

Before		0.00s
	And user selects "${chineseMedicine.answer.43}" for the question "${chineseMedicine.question.43}"	9.13s
	java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"I have sticky saliva")] and Answer //XCUIElementTypeOther[@name=" Occassionally"] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "${chineseMedicine.answer.43}" for the question "${chineseMedicine. question.43}"(features/my/health/ChineseMedicine.feature:88)	
After		1.02s
	com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utils$1.call(Utils.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utils.invoke(Utils.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java: 63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94) at jdk.internal.reflect.GeneratedMethodAccessor42.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)	

at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Back to Table of Contents

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.65s

Before			**0.00s**

And user selects "${chineseMedicine.answer.44}" for the question "${chineseMedicine.question.44}"	**9.62s**

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I tend to have a bitter taste in my mouth")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.44}" for the question "${chineseMedicine.question.44}"(features/my/health/ChineseMedicine.feature:88)

After			**1.03s**

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94)
at jdk.internal.reflect.GeneratedMethodAccessor42.invoke(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.15s

Before		0.00s

And user selects "${chineseMedicine.answer.45}" for the question "${chineseMedicine.question.45}"	9.13s

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains
(@name,"The surface of my tongue feels sticky")] and Answer //XCUIElementTypeOther
[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:
168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA
(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.45}" for the question "${chineseMedicine.
question.45}"(features/my/health/ChineseMedicine.feature:88)

After		1.02s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)

at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java: 63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94)
at jdk.internal.reflect.GeneratedMethodAccessor42.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.16s
Before			**0.00s**

And user selects "${chineseMedicine.answer.46}" for the question "${chineseMedicine.question.46}"	9.13s

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"I tend to have phlegm in my throat even if I am not sick")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)

at .And user selects "${chineseMedicine.answer.46}" for the question "${chineseMedicine.question.46}"(features/my/health/ChineseMedicine.feature:88)		
After		1.03s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94)
at jdk.internal.reflect.GeneratedMethodAccessor42.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey			
Passed: 0	Failed: 1	Undefined: 0	Duration: 10.17s

Before		0.00s
	And user selects "${chineseMedicine.answer.47}" for the question "${chineseMedicine.question.47}"	9.14s

	java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"I tend to have throat irritating even if I am not sick")] and Answer //XCUIElementTypeOther[@name="Occassionally"] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "${chineseMedicine.answer.47}" for the question "${chineseMedicine. question.47}"(features/my/health/ChineseMedicine.feature:88)	

After		1.03s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java: 63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94)
at jdk.internal.reflect.GeneratedMethodAccessor42.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)

at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Back to Table of Contents

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.23s
Before			**0.00s**

And user selects "${chineseMedicine.answer.48}" for the question "${chineseMedicine.question.48}"	**9.21s**
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I have tightness in my chest")] and Answer //XCUIElementTypeOther[@name="Occassionally"] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104) at .And user selects "${chineseMedicine.answer.48}" for the question "${chineseMedicine.question.48}"(features/my/health/ChineseMedicine.feature:88)	

After		**1.02s**

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94)
at jdk.internal.reflect.GeneratedMethodAccessor42.invoke(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.18s

Before		0.00s

And user selects "${chineseMedicine.answer.49}" for the question "${chineseMedicine.question.49}"	9.15s

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains
(@name,"I have asthma or feel the need to occassionally take deep breaths")] and Answer
//XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA
(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.49}" for the question "${chineseMedicine.question.49}"(features/my/health/ChineseMedicine.feature:88)

After		1.02s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)

at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94)
at jdk.internal.reflect.GeneratedMethodAccessor42.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 11.18s

Before		0.00s

And user selects "${chineseMedicine.answer.50}" for the question "${chineseMedicine.question.50}"	10.15s

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"l feel conscious of sudden heart palpitations or increased heartbeat")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)

at .And user selects "${chineseMedicine.answer.50}" for the question "${chineseMedicine.question.50}"(features/my/health/ChineseMedicine.feature:88)		
After		1.03s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94)
at jdk.internal.reflect.GeneratedMethodAccessor42.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

[Back to Table of Contents](#)

Scenario Outline: **Verify the Q&A on Chinese Medicine journey**			
Passed: 0	Failed: 1	Undefined: 0	Duration: 10.15s

Before		0.00s
	And user selects "${chineseMedicine.answer.51}" for the question "${chineseMedicine.question.51}"	9.13s
	java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"I feel pain at the side of my chest or breasts")] and Answer //XCUIElementTypeOther[@name="Occassionally"] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "${chineseMedicine.answer.51}" for the question "${chineseMedicine.question.51}"(features/my/health/ChineseMedicine.feature:88)	
After		1.02s
com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utils$1.call(Utils.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utils.invoke(Utils.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63) at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94) at jdk.internal.reflect.GeneratedMethodAccessor42.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86) at org.testng.internal.Invoker.invokeMethod(Invoker.java:643) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:782) at org.testng.TestRunner.run(TestRunner.java:632) at org.testng.SuiteRunner.runTest(SuiteRunner.java:366) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)		

at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.15s
Before			**0.00s**

And user selects "${chineseMedicine.answer.52}" for the question "${chineseMedicine.question.52}"	9.13s

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"My stomach fat is tender")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)
at .And user selects "${chineseMedicine.answer.52}" for the question "${chineseMedicine.question.52}"(features/my/health/ChineseMedicine.feature:88)

After		**1.02s**

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94)
at jdk.internal.reflect.GeneratedMethodAccessor42.invoke(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.18s
Before			**0.00s**

	And user selects "${chineseMedicine.answer.53}" for the question "${chineseMedicine.question.53}"	9.15s
	java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"My abdomen")] and Answer //XCUIElementTypeOther[@name="Occassionally"] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104) at .And user selects "${chineseMedicine.answer.53}" for the question "${chineseMedicine.question.53}"(features/my/health/ChineseMedicine.feature:88)	

After		**1.03s**

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)

at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94)
at jdk.internal.reflect.GeneratedMethodAccessor42.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.12s
Before			0.00s

And user selects "${chineseMedicine.answer.54}" for the question "${chineseMedicine.question.54}"	9.11s

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I frequently get diarhea or stomach pains after consuming cold food or beverages")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)

at .And user selects "${chineseMedicine.answer.54}" for the question "${chineseMedicine. question.54}"(features/my/health/ChineseMedicine.feature:88)		
After		1.01s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94)
at jdk.internal.reflect.GeneratedMethodAccessor42.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Back to Table of Contents

Scenario Outline: Verify the Q&A on Chinese Medicine journey

| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 10.15s |

Before		**0.00s**
And user selects "${chineseMedicine.answer.55}" for the question "${chineseMedicine.question.55}"		**9.13s**
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"I get constipations")] and Answer //XCUIElementTypeOther[@name=" Occassionally"] **at org.testng.Assert.fail(Assert.java:94)** **at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 168)** **at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)** **at .And user selects "${chineseMedicine.answer.55}" for the question "${chineseMedicine. question.55}"(features/my/health/ChineseMedicine.feature:88)**		
After		**1.02s**

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java: 63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94)
at jdk.internal.reflect.GeneratedMethodAccessor42.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)

at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Back to Table of Contents

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.25s
Before			**0.00s**

And user selects "${chineseMedicine.answer.56}" for the question "${chineseMedicine.question.56}"	9.22s
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"I feel that my feces are sticky and not clean")] and Answer //XCUIElementTypeOther[@name="Occassionally"] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104) at .And user selects "${chineseMedicine.answer.56}" for the question "${chineseMedicine.question.56}"(features/my/health/ChineseMedicine.feature:88)	

After		**1.03s**

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94)
at jdk.internal.reflect.GeneratedMethodAccessor42.invoke(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey			
Passed: 0	Failed: 1	Undefined: 0	Duration: 10.17s
Before			0.00s
	And user selects "${chineseMedicine.answer.57}" for the question "${chineseMedicine.question.57}"		9.16s
	java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"Apart from the first urination in the morning")] and Answer //XCUIElementTypeOther[@name="Occassionally"] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104) at .And user selects "${chineseMedicine.answer.57}" for the question "${chineseMedicine.question.57}"(features/my/health/ChineseMedicine.feature:88)		
After			1.02s
com.prudential.tap.exception.TapException: Failed to take screenshot of at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases(CucumberHook.java:95) at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72) at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at cucumber.runtime.Utils$1.call(Utils.java:40)			

at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java: 63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94)
at jdk.internal.reflect.GeneratedMethodAccessor42.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.14s

Before		0.00s

And user selects "${chineseMedicine.answer.58}" for the question "${chineseMedicine.question.58}"	9.12s

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"I feel feverish on my hands")] and Answer //XCUIElementTypeOther[@name=" Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)

at .And user selects "${chineseMedicine.answer.58}" for the question "${chineseMedicine.question.58}"(features/my/health/ChineseMedicine.feature:88)		
After		1.02s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94)
at jdk.internal.reflect.GeneratedMethodAccessor42.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 10.12s |

Before		**0.00s**
	And user selects "${chineseMedicine.answer.59}" for the question "${chineseMedicine.question.59}"	**9.10s**
	java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"My feet and hands get cold easily")] and Answer //XCUIElementTypeOther [@name="Occassionally"] **at org.testng.Assert.fail(Assert.java:94)** **at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 168)** **at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104)** **at .And user selects "${chineseMedicine.answer.59}" for the question "${chineseMedicine. question.59}"(features/my/health/ChineseMedicine.feature:88)**	
After		**1.02s**

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java: 63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94)
at jdk.internal.reflect.GeneratedMethodAccessor42.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)

at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.14s
Before			**0.00s**

And user selects "${chineseMedicine.answer.60}" for the question "${chineseMedicine.question.60}"	9.12s
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"My body and limbs feel numb")] and Answer //XCUIElementTypeOther[@name="Occassionally"] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104) at .And user selects "${chineseMedicine.answer.60}" for the question "${chineseMedicine.question.60}"(features/my/health/ChineseMedicine.feature:88)	

| **After** | | | **1.02s** |

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94)
at jdk.internal.reflect.GeneratedMethodAccessor42.invoke(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.2s

Before		0.00s

And user selects "${chineseMedicine.answer.61}" for the question "${chineseMedicine.question.61}"	9.18s
java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"My face")] and Answer //XCUIElementTypeOther[@name="Occassionally"] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104) at .And user selects "${chineseMedicine.answer.61}" for the question "${chineseMedicine.question.61}"(features/my/health/ChineseMedicine.feature:88)	

After		1.02s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)

at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94)
at jdk.internal.reflect.GeneratedMethodAccessor42.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Back to Table of Contents

Scenario Outline: Verify the Q&A on Chinese Medicine journey

Passed: 0	Failed: 1	Undefined: 0	Duration: 11.24s

| Before | | | 0.00s |

And user selects "${chineseMedicine.answer.62}" for the question "${chineseMedicine.question.62}"	10.22s

java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains(@name,"My body feels pain easily")] and Answer //XCUIElementTypeOther[@name="Occassionally"]
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java:168)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA(ChineseMedicineSteps.java:104)

at .And user selects "${chineseMedicine.answer.62}" for the question "${chineseMedicine.question.62}"(features/my/health/ChineseMedicine.feature:88)		
After		1.02s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94)
at jdk.internal.reflect.GeneratedMethodAccessor42.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

[Back to Table of Contents](#)

Scenario Outline: Verify the Q&A on Chinese Medicine journey			
Passed: 0	Failed: 1	Undefined: 0	Duration: 10.12s

Before		0.00s
	And user selects "${chineseMedicine.answer.63}" for the question "${chineseMedicine.question.63}"	9.11s
	java.lang.AssertionError: Unable to find the Question //XCUIElementTypeStaticText[contains (@name,"My scrotum feels hot (Limited to men answer)")] and Answer //XCUIElementTypeOther[@name="Occassionally"] at org.testng.Assert.fail(Assert.java:94) at com.onepulse.app.screens.ChineseMedicineScreen.handleQnA(ChineseMedicineScreen.java: 168) at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.handleQnA (ChineseMedicineSteps.java:104) at .And user selects "${chineseMedicine.answer.63}" for the question "${chineseMedicine. question.63}"(features/my/health/ChineseMedicine.feature:88)	
After		1.01s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java: 63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94)
at jdk.internal.reflect.GeneratedMethodAccessor42.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)

at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Back to Table of Contents

Scenario: Verify the Assessment completion screen

Passed: 1	Failed: 1	Undefined: 0	Duration: 34.58s
Before			**0.00s**

Given I wait for 5 sec	**5.01s**
Then User verify following texts are displayed in Chinese Medicine screen	**28.55s**

${chineseMedicine.viewAssessment.header}
${chineseMedicine.viewAssessment.subTitle}
${chineseMedicine.viewAssessment.description1}
${chineseMedicine.viewAssessment.description2}

java.lang.AssertionError: The following asserts failed:
the expected text is: Great!! expected [true] but found [false],
the expected text is: You've completed the assessment expected [true] but found [false],
the expected text is: This assessment and health related advice are provided by 'Research Center of Big Data, College of Management, Taipei Medical University' in cooperation with medical doctors. It is only for personal health management reference and does not represent a medical diagnosis. If you feel unwell, please seek the medical doctor's advice for any health conditions! expected [true] but found [false],
the expected text is: Your body constitution will change based on your diets, lifestyle, and environment. It is recommended to do the Chinese Constitution Assessment at least every three months to know whether your constitution has improved so as to master your own health! expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.verifyFollowingTextsDisplayedInChineseMedScreen(ChineseMedicineSteps.java:49)
at .Then User verify following texts are displayed in Chinese Medicine screen(features/my/health/ChineseMedicine.feature:158)

After			**1.02s**

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)

at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94)
at jdk.internal.reflect.GeneratedMethodAccessor42.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Back to Table of Contents

Scenario: **Verify the user can view the Assessment Record**

Passed: 0	Failed: 1	Undefined: 1	Duration: 8.17s
Before			**0.00s**

	When user clicks on View Results button on Chinese Medicine Assessment screen	7.13s
	org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters. For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:824:74bb:77c0:84a2%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10' Driver info: io.appium.java_client.ios.IOSDriver Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test,	

javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}
Session ID: 66d21f86-ce01-421d-8b7a-7f6b66f24f51
*** Element info: {Using=xpath, value=//XCUIElementTypeOther[@name="View Results"]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.ChineseMedicineScreen.clickViewResultsButton (ChineseMedicineScreen.java:71)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.clickOnViewResults (ChineseMedicineSteps.java:122)
at .When user clicks on View Results button on Chinese Medicine Assessment screen(features /my/health/ChineseMedicine.feature:166)

Then User verify following texts are displayed in Chinese Medicine screen	0.00s
${chineseMedicine.assessment.header}	
${chineseMedicine.assessment.subHeader}	
${chineseMedicine.assessment.status}	
${chineseMedicine.assessment.subStatus}	
${chineseMedicine.assessment.status1}	
${chineseMedicine.assessment.status2}	
${chineseMedicine.assessment.status3}	
${chineseMedicine.assessment.constitution.advice}	

After	1.04s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94)
at jdk.internal.reflect.GeneratedMethodAccessor42.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)

at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

[Back to Table of Contents](#)

Scenario: Verify the Assessment Summary

Passed: 0	Failed: 1	Undefined: 1	Duration: 15.31s
Before			**0.00s**

Then User verify following texts are displayed in Chinese Medicine screen	14.29s
${chineseMedicine.assessment.summary.title}	
${chineseMedicine.assessment.summary.description}	

java.lang.AssertionError: The following asserts failed:
the expected text is: Assessment Summary expected [true] but found [false],
the expected text is: Your body has moderate deficiency of yang qi. You may easily feel weak and chills, and have cold limbs. This is a symptom of moderate yang deficiency.It is recommended that your eating habits be based on the principle of warmth, and you should eat more glutinous rice, black beans, yams, ginger and other foods, maintain the long-term regular habit of medium intensity exercise, and have daily care and acupoint care matching with four seasons, so that you can gradually improve your body constitution. expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.
verifyFollowingTextsDisplayedInChineseMedScreen(ChineseMedicineSteps.java:49)
at .Then User verify following texts are displayed in Chinese Medicine screen(features/my/health/ChineseMedicine.feature:179)

When user clicks on View More button on Assessment Record screen	0.00s
After	**1.02s**

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94)

at jdk.internal.reflect.GeneratedMethodAccessor42.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

[Back to Table of Contents](#)

Scenario Outline: Verify the "Constitution" Details of the Assessment

Passed: 0	Failed: 1	Undefined: 0	Duration: 8.23s
Before			**0.00s**

Then User verify Assessment Details for the "${chineseMedicine.assessment. details.constitution}" and "${chineseMedicine.assessment.details. constitutionDescription}"		**7.19s**

java.lang.AssertionError: Unable to find the Condition Meaning of Yang-deficiency constitution.
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.verifyAssessmentDetails
(ChineseMedicineScreen.java:197)
at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps.
verifyAssessmentDetails(ChineseMedicineSteps.java:133)
at .Then User verify Assessment Details for the "${chineseMedicine.assessment.details.
constitution}" and "${chineseMedicine.assessment.details.constitutionDescription}"(features
/my/health/ChineseMedicine.feature:186)

After		**1.04s**

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)

at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94)
at jdk.internal.reflect.GeneratedMethodAccessor42.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

[Back to Table of Contents](#)

Scenario Outline: Verify the "Change In Tongue" Details of the Assessment

Passed: 0	Failed: 1	Undefined: 0	Duration: 8.18s
Before			**0.00s**

Then User verify Assessment Details for the "${chineseMedicine.assessment.details.changeInTongue}" and "${chineseMedicine.assessment.details.changeInTongueDescription}"	7.14s

java.lang.AssertionError: Unable to find the Condition Change in the tongue of Yang-deficiency constitution.
at org.testng.Assert.fail(Assert.java:94)
at com.onepulse.app.screens.ChineseMedicineScreen.verifyAssessmentDetails(ChineseMedicineScreen.java:197)

at com.onepulse.app.stepdefinitions.mobilesteps.ChineseMedicineSteps. verifyAssessmentDetails(ChineseMedicineSteps.java:133) at .Then User verify Assessment Details for the "${chineseMedicine.assessment.details. changeInTongue}" and "${chineseMedicine.assessment.details.changeInTongueDescription}" (features/my/health/ChineseMedicine.feature:186)	
After	1.04s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:94)
at jdk.internal.reflect.GeneratedMethodAccessor42.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Feature: Verify Dietician Positive Flow for Doctor functionality on one pulse App

Passed: 5	Failed: 7	Undefined: 0	Duration: 728.98s

Scenario: Verify the Home screen validation using "Continue with Email"

Passed: 16	Failed: 0	Undefined: 0	Duration: 315.33s

Before		0.00s
Given I generate random number and assign to variable "RANDOM_NUMBER"		0.00s
And I assign "pulse${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"		0.00s
And User has pulse app		7.83s
And user click on "CONTINUE WITH EMAIL" with Email button		53.83s
Then I wait for 2 sec		2.01s
Then I change the country as required on registration page		21.54s
Then I wait for 2 sec		2.00s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button		8.06s
When user enters registration details		26.93s

FirstName	Diet
LastName	Test
Email	${PULSE_EMAIL}
Password	Pas$1234

And taps on continue "Sign_Up" button	0.99s
And I wait for otp screen after clicking on signup button	3.39s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	34.89s
Then I wait for 2 sec	2.01s
Then I click skip button	130.03s
Then user should be landed to "Home" screen	17.81s
Then I wait for 4 sec	4.01s

After		0.00s

Scenario: Verify User should be able to navigate to Dietician page

Passed: 2	Failed: 0	Undefined: 0	Duration: 21.05s

Before		0.00s
Then I click the Health icon in Home screen		1.80s
Then I click the Dietician tab for my in Health Screen		19.26s
After		0.00s

Scenario: Select the expert type as doctor and navigate to next screen

Passed: 10	Failed: 0	Undefined: 0	Duration: 65.5s

Before		0.00s
Then I verify following text is displayed in dietician screen		8.26s

${choose.expertise.text}	
${select.expert.type}	
${what.expert.text}	

And I clicks on "${doc.txt}" in app screen	28.54s
And I click the continue button	2.09s
Then I wait for 2 sec	2.01s
Then I verify following text is displayed in dietician screen	3.49s

| ${what.isyour.service.num.text} | |
| ${complete.details.text} | |

| Then I verify following edit field sample text in dietician screen | 1.91s |

| ${enterservice.num.text} | |
| ${entername.of.institution.text} | |

| And I assign value to following variables | 0.00s |

| service num | 05 |
| issuing org | test org |

| And I enter following details in dietician screen | 13.32s |

${service.num.text}	${service num}
${issuing.org.text}	${issuing org}
${valid.till.text}	01-01-2030

And I click on field label "${valid.till.text}" to close keyboard on dietician screen	4.07s
And I click the continue button	1.82s
After	0.00s

Scenario: Verify User should be able to navigate to specialisation page

| Passed: 9 | Failed: 0 | Undefined: 0 | Duration: 69.95s |
| Before | | | 0.00s |

| Then I verify following text is displayed in dietician screen | 5.99s |

${what.isyour.specialisation}	
${specility.to.provide}	
${choose.list.text}	

| Then I verify following specialisation options are displayed in dietician screen | 6.89s |

${mental.health.text}	
${psychologist.text}	
${general.physician.text}	

Then I enter "${physician.text}" speciality on specilisation screen And select "${general.physician.text}"	11.81s
And I click the continue button	7.31s
And I verify following text is displayed in dietician screen	8.94s

| ${enter.super.specialisation.text} | |
| ${other.specialisation.text} | |

| And I assign value to following variables | 0.00s |

| specialisation | Hypertension |

And I enter following details in dietician screen		9.85s
${enter.super.specialisation.text}	${specialisation}	
And I click on field label "${enter.super.specialisation.text}" to close keyboard on dietician screen		8.51s
And I click the continue button		10.65s
After		**0.00s**

Scenario: Verify User should be able to navigate to Educational Details page

Passed: 6	Failed: 0	Undefined: 0	Duration: 60.83s
Before			**0.00s**

And I verify following text is displayed in dietician screen		10.68s
${education.details.text}		
${add.degree.text}		
And I verify following edit field sample text in dietician screen		14.47s
${enter.degree.name.text}		
${enter.field.of.study.text}		
${institution.name.enter.text}		
And I enter following details in dietician screen		21.25s
${degree1.text}	MBBS	
${year.text}	2001	
${university.text}	test university	
Then I enter following details in edit text field in dietician screen		4.85s
${enter.field.of.study.text}	physician	
And I click on field label "${education.details.text}" to close keyboard on dietician screen		3.65s
And I click the continue button		5.93s
After		**0.00s**

Scenario: Verify User should be able to navigate to Add experience page

Passed: 5	Failed: 1	Undefined: 4	Duration: 44.87s
Before			**0.00s**

And I verify following text is displayed in dietician screen		5.63s
${add.experience.txt}		
${share.experience.details}		
And I verify following edit field sample text in dietician screen		3.55s
${enterHospital.text}		
Then I enter following details in edit text field in dietician screen		4.48s
${profile.title.text}	Test	
And I enter following details in dietician screen		7.63s
${experience1.text}	Test University	
Then I enter following details in edit text field in dietician screen		5.63s
${enterLocation.text}	${country.name}	

And I Enter the "Start Date" in "10" in dynamic start date Experience screen	16.51s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:824:74bb:77c0:84a2%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}
Session ID: 59deb386-38b5-49f8-9a16-0ce3ad85e473
*** Element info: {Using=xpath, value=}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement

(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.CustomerConnectScreen.FollowingStartDate (CustomerConnectScreen.java:1914)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.EnterstartDate (CustomerConnectSteps.java:602)
at .And I Enter the "Start Date" in "10" in dynamic start date Experience screen(features/my /health/Dietician_Doctor.feature:106)

And I Enter the "Start Date" in "2010" in dynamic start years Experience screen	0.00s
And I click on field label "${add.experience.txt}" to close keyboard on dietician screen	0.00s
Then I click on checkbox next to text "${currently.praticing.here}" in dietician screen	0.00s
And I click the continue button	0.00s

After		**1.43s**
[Back to Table of Contents](#)		
Scenario: Verify User should be able to navigate to Services Offered page		
Passed: 2	Failed: 1	Undefined: 2	Duration: 26.27s
Before		**0.00s**
And I verify following text is displayed in dietician screen		3.25s
${public.profile.tex}		

And I assign value to following variables	0.00s

service offered	MBBS DOCTOR

And I enter following details in dietician screen	21.84s

${service.offered.text}	${service offered}

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions /no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:824:74bb:77c0: 84a2%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}
Session ID: 59deb386-38b5-49f8-9a16-0ce3ad85e473
*** Element info: {Using=xpath, value=(//XCUIElementTypeStaticText[@name="Services Offered"]/following::XCUIElementTypeTextField)[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)

at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:260)
at com.onepulse.app.screens.DieticianScreen.enterDetailsDieticianScreen(DieticianScreen.java:
544)
at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps.enterInfoInDieticianScreen
(DieticianSteps.java:285)
at .And I enter following details in dietician screen(features/my/health/Dietician_Doctor.
feature:117)

And I click on field label "${service.offered.text}" to close keyboard on dietician screen	0.00s
And I click the continue button	0.00s

After		**1.18s**

[Back to Table of Contents](#)

Scenario: Verify User should be able to navigate to achievement and awards screen			
Passed: 0	Failed: 1	Undefined: 4	Duration: 21.73s
Before			**0.00s**
And I verify following text is displayed in dietician screen			**19.35s**
${achievement.award.text}			

${add.seminar.details.text}		
java.lang.AssertionError: The following asserts failed: Achievements & Awards text is displayed on page expected [true] but found [false], Add seminar details whether you attended as a participant or as a speaker. text is displayed on page expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps. VerifyStaticTextInDieticianScreen(DieticianSteps.java:265) at .And I verify following text is displayed in dietician screen(features/my/health /Dietician_Doctor.feature:123)		
And I enter following details in edit text field in dietician screen		0.00s
${enter.title.award.text}	TEST award	
${enter.org.name.text}	Test	
And I enter following details in dietician screen		0.00s
${year.text}	2020	
And I click on field label "${add.seminar.details.text}" to close keyboard on dietician screen		0.00s
And I click the continue button		0.00s

After		2.38s
Back to Table of Contents		
Scenario: Verify User should be able to navigate to Seminar(s) Attended page		
Passed: 0	Failed: 1	Undefined: 4	Duration: 22.35s
Before		0.00s
And I verify following text is displayed in dietician screen		20.48s
${seminar.attended.text}		

${add.seminar.details}	

java.lang.AssertionError: The following asserts failed:
Seminar(s) Attended text is displayed on page expected [true] but found [false],
Add seminar details whether you attended as a participant or as a speaker. text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps.
VerifyStaticTextInDieticianScreen(DieticianSteps.java:265)
at .And I verify following text is displayed in dietician screen(features/my/health
/Dietician_Doctor.feature:135)

And I enter following details in edit text field in dietician screen	0.00s

${enter.seminar.title}	TEST seminar
${enterLocation.text}	SINGAPORE

And I enter following details in dietician screen	0.00s

${year.text}	2020

And I click on field label "${seminar.attended.text}" to close keyboard on dietician screen	0.00s
And I click the continue button	0.00s

After		1.87s

[Back to Table of Contents](#)

Scenario: **Verify User should be able to navigate to linked clinic page**			
Passed: 0	Failed: 1	Undefined: 3	Duration: 21.89s
Before			0.00s

Given I verify following text is displayed in dietician screen	20.10s

${linked.clinic.text}	

${add.clinic.info.text}

java.lang.AssertionError: The following asserts failed:
Linked Clinics/Hospitals text is displayed on page expected [true] but found [false],
Add Clinics and Hospitals details where you practice text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps.
VerifyStaticTextInDieticianScreen(DieticianSteps.java:265)
at .Given I verify following text is displayed in dietician screen(features/my/health/Dietician_Doctor.feature:147)

And I enter following details in edit text field in dietician screen		0.00s
${enter.name.of.clinic}	clinic1	
${enterLocation.text}	SINGAPORE	

And I click on field label "${linked.clinic.text}" to close keyboard on dietician screen	0.00s
And I click the continue button	0.00s

After		1.79s

[Back to Table of Contents](#)

Scenario: **Verify User should be able to navigate to Take a Picture page**			
Passed: 0	Failed: 1	Undefined: 11	Duration: 32.75s
Before			0.00s

Given I verify following text is displayed in dietician screen	30.93s
${about.you.text}	
${profile.photo.text}	
${takephoto.instruction.text}	

java.lang.AssertionError: The following asserts failed:
About You text is displayed on page expected [true] but found [false],
Profile Photo text is displayed on page expected [true] but found [false],
Please take/upload your profile photo text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps.
VerifyStaticTextInDieticianScreen(DieticianSteps.java:265)
at .Given I verify following text is displayed in dietician screen(features/my/health
/Dietician_Doctor.feature:157)

Then I verify following profile photo options are displayed in Dietician Screen	0.00s
${uploadfile.text}	
${takepicture.text}	
And I clicks on "${takepicture.text}" in app screen	0.00s
And I give camera permission	0.00s
Then I take picture from Camera	0.00s
And I click the continue button	0.00s
Then I wait for 3 sec	0.00s
Then I verify following text is displayed in dietician screen	0.00s
${confirmdetails.text}	
${confirmdetails.text2}	
${service num}	
${issuing org}	
${specialisation}	
${service offered}	
And I scroll down	0.00s
Then I wait for 2 sec	0.00s
And I click Agree button "Terms and Conditions" confirm screen	0.00s
And I clicks on "Terms and Conditions" text in app screen	0.00s

After		**1.82s**

Scenario: Verify User should be able to navigate to schedule Calendar page			
Passed: 1	**Failed: 1**	**Undefined: 6**	**Duration: 26.45s**
Before			**0.00s**

Then I wait for 5 sec	**5.01s**
And I verify following text is displayed in dietician screen	**20.19s**

${conversation.history.text}
${no.appointmnt.now.text}

java.lang.AssertionError: The following asserts failed:
Conversation History text is displayed on page expected [true] but found [false],
No Appointments Now text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps.
VerifyStaticTextInDieticianScreen(DieticianSteps.java:265)
at .And I verify following text is displayed in dietician screen(features/my/health
/Dietician_Doctor.feature:184)

Then User verify following dynamic texts are displayed in Dietician screen	0.00s
${click.manage.your.availibility.text}	
And I clicks on "${schedule.cal.text}" in app screen	0.00s
And I verify following text is displayed in dietician screen	0.00s
${calendar.text}	
And I Select the Date in calendar field	0.00s
And I click the Select Your Availability icon in calendar screen	0.00s
And I clicks on "10:00 AM" in app screen	0.00s

After		1.25s
[Back to Table of Contents](#)		

Feature: Verify that user can manage events via the Family Vaccine Calendar feature			
Passed: 7	Failed: 0	Undefined: 0	Duration: 595.28s

Scenario: User should be able to register on app with correct credentials using "Continue with Email"			
Passed: 18	Failed: 0	Undefined: 0	Duration: 375.01s
Before			0.00s
Given I generate random number and assign to variable "RANDOM_NUMBER"			0.02s
And I assign "pulse${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"			0.00s
And User has pulse app			8.00s
Then I wait for 2 sec			2.00s
And user click on "CONTINUE WITH EMAIL" with Email button			65.05s
Then I wait for 2 sec			2.00s
Then I change the country as required on registration page			25.56s
Then I wait for 2 sec			2.01s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button			10.06s
Then I wait for 2 sec			2.01s
When user enters registration details			36.10s

FirstName	testAutomation
LastName	testAutomation
Email	${PULSE_EMAIL}

Password Pas$1234		
And taps on continue "Sign_Up" button	2.51s	
And I wait for otp screen after clicking on signup button	5.94s	
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	35.34s	
Then I wait for 2 sec	2.01s	
Then I click skip button	150.56s	
Then user should be landed to "Home" screen	21.85s	
Then I wait for 4 sec	4.01s	
After		0.00s

Scenario: User should be able to access my family vaccination calendar

Passed: 5	Failed: 0	Undefined: 0	Duration: 50.53s
Before			0.00s

Given I clicks on Health button	44.41s
Then I wait for 2 sec	2.01s
Then I click on vaccine calendar tile	0.41s
Then I wait for 2 sec	2.01s
Then User verifies following texts are displayed in Vaccine Calendar screen	1.70s
${vaccineCalendar.title}	
${vaccineCalendar.description}	
After	0.00s

Scenario: Verify the user can Add Vaccine Information

Passed: 4	Failed: 0	Undefined: 0	Duration: 17.04s
Before			0.00s

When I click on Add more button in Vaccine Calendar screen	1.26s
And I wait for 2 sec	2.01s
Then User verifies following texts are displayed in Vaccine Calendar screen	11.60s
${vaccineCalendar.addMore.Title}	
${vaccineCalendar.addMore.relation}	
${vaccineCalendar.addMore.name}	
${vaccineCalendar.addMore.dob}	
Then User verifies following buttons are displayed in Vaccine Calendar screen	2.18s
${vaccineCalendar.addMore.cancelButton}	
${vaccineCalendar.addMore.saveButton}	
After	0.00s

Scenario: enter information on add vaccination popup

Passed: 4	Failed: 0	Undefined: 0	Duration: 14.63s
Before			0.00s

And I assign value to following variables	0.00s
relation Child	

	name	testing_one	
Then I add following information in Vaccine Calendar add information screen			10.74s
	Name	${name}	
	Relation	${relation}	
Then I wait for 2 sec			2.01s
And I click on "${vaccineCalendar.addMore.saveButton}" button in Vaccine Calendar screen			1.89s
After			0.00s

Scenario: Verify the added item displayed on the Vaccine Schedule screen

Passed: 8	Failed: 0	Undefined: 0	Duration: 70.99s
Before			0.00s
Given I wait for 2 sec			2.01s
Then User verifies following dynamic texts are displayed in Vaccine Calendar screen			5.71s
	${relation}		
	${name}		
Then I click on "${name} ${relation}" button in Vaccine Calendar screen			1.50s
And I click on "${vaccineCalendar.continue.button}" button in Vaccine Calendar screen			1.72s
Then I wait for 2 sec			2.01s
Then User verifies following texts are displayed in Vaccine Calendar screen			25.45s
	${vaccineCalendar.select.child.text}		
	${vaccine.text}		
Then User verifies following dynamic texts are displayed in Vaccine Calendar screen			9.77s
	${name}		
And I verify following texts are displayed			22.83s
	${vaccine.bcg.text}		
	${vaccine.hep.text}		
After			0.00s

Scenario: Verify reminder options in vaccine schedule

Passed: 3	Failed: 0	Undefined: 0	Duration: 38.74s
Before			0.00s
Then I click reminder icon for BCG vaccine			13.46s
And I verify following texts are displayed			11.75s
	${reminder.popup.text}		
And I click NO option			13.53s
After			0.00s

Scenario: Verify change reminder functionality in vaccine schedule screen

Passed: 1	Failed: 0	Undefined: 0	Duration: 28.34s

Before		0.00s
And I click Yes option		28.34s
After		0.00s

Feature: Verify that user can access Dengue Alert feature

Passed: 5	Failed: 0	Undefined: 0	Duration: 607.77s

Scenario: Launch the app and select the country as per specified lbu

Passed: 6	Failed: 0	Undefined: 0	Duration: 106.53s

Before		0.00s
Given User has pulse app		8.18s
And I assign "${login.email.id}" to variable "PULSE_EMAIL"		0.00s
And user click on "CONTINUE WITH EMAIL" with Email button		60.88s
Then I change the country as required on registration page		25.83s
Then I wait for 10 sec		10.01s
And I click the Sign in link		1.64s
After		0.00s

Scenario: login to the app with correct credentials using "Continue with Email"

Passed: 6	Failed: 0	Undefined: 0	Duration: 82.84s

Before		0.00s
Given I select the language option on toggle bar as required on login page		3.60s
When user enters credentials		37.90s

UserName	${PULSE_EMAIL}
Password	${pulse.password}

And User clicks on signin button		1.54s
And I wait for 5 sec		5.01s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"		12.58s
Then user should be landed to "Home" screen		22.21s
After		0.00s

Scenario: Verify the map can be expanded

Passed: 5	Failed: 0	Undefined: 0	Duration: 76.63s

Before		0.00s
Given I wait for 2 sec		2.01s
And I clicks on Health button		43.83s
And I clicks on Dengue Alert tile		21.53s
And I click on the mapImage		9.27s
And I click on map back button		0.00s
After		0.00s

Scenario: User should be able to vew the Dengue Outbreak - Malaysia

Passed: 8	Failed: 0	Undefined: 0	Duration: 156.27s
Before			**0.00s**
Then I verify the following texts "Dengue Alert" in Screen			**12.61s**
Malaysia			
Outbreaks			
Then I verify following dynamic static text is displayed in Dengue Alert Screen			**27.62s**
${dengueAlert.outbreak.new}			
${dengueAlert.outbreak.thisWeek}			
${dengueAlert.outbreak.total}			
${dengueAlert.outbreak.deaths}			
${dengueAlert.outbreak.thisWeek}			
Then I verify following texts are displayed			**5.36s**
${dengueAlert.outbreak.total.title}			
When I scroll down			**6.59s**
Then I verify following texts are displayed			**9.69s**
${dengueAlert.zonal.title}			
${dengueAlert.zonal.country}			
Then I verify following texts are displayed			**33.39s**
${dengueAlert.zone1}			
${dengueAlert.zone2}			
${dengueAlert.zone3}			
${dengueAlert.zone4}			
${dengueAlert.zone5}			
${dengueAlert.zone6}			
When I scroll down			**7.07s**
Then I verify following texts are displayed			**53.93s**
${dengueAlert.zone7}			
${dengueAlert.zone8}			
${dengueAlert.zone9}			
${dengueAlert.zone10}			
${dengueAlert.zone11}			
${dengueAlert.zone12}			
${dengueAlert.zone13}			
${dengueAlert.zone14}			
${dengueAlert.zone15}			
${dengueAlert.zone16}			
After			**0.00s**
[Back to Table of Contents](#)			
Scenario: User should be able to vew the Dengue Cases - Malaysia			
Passed: 9	Failed: 0	Undefined: 0	Duration: 185.5s
Before			**0.00s**
When I scroll up till "${dengue.alert.map}" element displayed			**35.86s**

And I select "Cases" from outbreaks dropdown		11.75s
Then I verify following dynamic static text is displayed in Dengue Alert Screen		28.94s
${dengueAlert.cases.new}		
${dengueAlert.outbreak.thisWeek}		
${dengueAlert.cases.total}		
${dengueAlert.outbreak.deaths}		
${dengueAlert.outbreak.thisWeek}		
Then I verify following texts are displayed		7.36s
${dengueAlert.cases.total.title}		
Then I verify following texts are displayed		8.72s
${dengueAlert.zonal.title}		
${dengueAlert.zonal.country}		
When I scroll down		6.73s
Then I verify following texts are displayed		29.98s
${dengueAlert.zone1}		
${dengueAlert.zone2}		
${dengueAlert.zone3}		
${dengueAlert.zone4}		
${dengueAlert.zone5}		
${dengueAlert.zone6}		
When I scroll down		7.10s
Then I verify following texts are displayed		49.07s
${dengueAlert.zone7}		
${dengueAlert.zone8}		
${dengueAlert.zone9}		
${dengueAlert.zone10}		
${dengueAlert.zone11}		
${dengueAlert.zone12}		
${dengueAlert.zone13}		
${dengueAlert.zone14}		
${dengueAlert.zone15}		
${dengueAlert.zone16}		
After		0.00s

[Back to Table of Contents](#)

Feature: Verify Pru infectious disease cover functionality on one pulse App

Passed: 2	Failed: 7	Undefined: 0	Duration: 643.07s

Scenario: User should be able to register on app with correct credentials using "Continue with Email"

Passed: 18	Failed: 0	Undefined: 0	Duration: 362.67s
Before			0.00s
Given I generate random number and assign to variable "RANDOM_NUMBER"			0.01s

And I assign "pulse${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"		0.00s
And User has pulse app		9.59s
Then I wait for 2 sec		2.01s
And user click on "CONTINUE WITH EMAIL" with Email button		62.24s
Then I wait for 2 sec		2.01s
Then I change the country as required on registration page		21.82s
Then I wait for 2 sec		2.00s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button		9.19s
Then I wait for 2 sec		2.01s
When user enters registration details		36.19s

FirstName	testAutomation
LastName	testAutomation
Email	${PULSE_EMAIL}
Password	Pas$1234

And taps on continue "Sign_Up" button	2.33s
And I wait for otp screen after clicking on signup button	5.32s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	34.63s
Then I wait for 2 sec	2.01s
Then I click skip button	146.39s
Then user should be landed to "Home" screen	20.93s
Then I wait for 4 sec	4.00s
After	0.00s

Back to Table of Contents

Scenario: Navigate to PRU Shoppe screen

Passed: 1	Failed: 0	Undefined: 0	Duration: 2.51s
Before			0.00s

And I click on pru shoppe button on the home page	2.51s
After	0.00s

Back to Table of Contents

Scenario: Verify User should be able to see the infectious disease cover screen options

Passed: 4	Failed: 1	Undefined: 7	Duration: 60.93s
Before			0.00s

Then I click on Proceed button on prushoppe screen	4.48s
Then I wait for 5 sec	5.01s
Then I click on pru infectious disease cover tile on prushoppe screen	4.11s
Then I wait for 5 sec	5.00s
And I verify following texts are displayed	41.34s

${infectious.disease.cover.text}
${infectious.disease.cover.info.1}
${infectious.disease.cover.info.2}
${infectious.disease.cover.info.3}
${infectious.disease.cover.info.4}

java.lang.AssertionError: The following asserts failed:
Infectious Disease Cover text is displayed on page expected [true] but found [false],
Get RM 1,000 cash relief upon diagnosis text is displayed on page expected [true] but found [false],
Only at RM 12.50/year text is displayed on page expected [true] but found [false],
Malaysians residing in Malaysia text is displayed on page expected [true] but found [false],
Age Next Birthday 19 to 55 years old text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:717)
at .And I verify following texts are displayed(features/my/home/prushopee /PruInfectiousDiseaseCover.feature:36)

And user click on following button "${show.more.text}" on prushoppe screen	0.00s
And I verify following texts are displayed	0.00s
${infectious.disease.cover.info.5}	
${infectious.disease.cover.info.6}	
And user click on following button "${show.less.text}" on prushoppe screen	0.00s
And I verify following texts are displayed	0.00s
${infectious.disease.disclosure.text.1}	
${infectious.disease.disclosure.text.2}	
${infectious.disease.disclosure.text.3}	
${infectious.disease.disclosure.text.4}	
${infectious.disease.disclosure.text.5}	
${infectious.disease.disclosure.text.6}	
${infectious.disease.disclosure.text.7}	
And I verify following texts are displayed	0.00s
${your.details.text}	
And I scroll down	0.00s
And I verify following texts are displayed	0.00s
${my.name.as.nric.text}	
${infectious.disease.gender.text}	
${infectious.disease.dob}	

After		1.01s

Scenario: Verify User should be able to see the infectious disease cover Screen options

Passed: 0	Failed: 1	Undefined: 3	Duration: 71.81s

Before		0.00s

And I verify following texts are displayed		67.54s

${my.residential.text}
${my.country.of.residence}
${my.resedential.status}
${email.text}
${my.country.code}
${my.mobile.phone.number}
${my.referral.code}

java.lang.AssertionError: The following asserts failed:
Residential address text is displayed on page expected [true] but found [false],
Country of Residence text is displayed on page expected [true] but found [false],
Residential status and Nationality text is displayed on page expected [true] but found [false],
Email text is displayed on page expected [true] but found [false],
Country Code text is displayed on page expected [true] but found [false],
Mobile Phone Number text is displayed on page expected [true] but found [false],
Referral code (optional) text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen
(MyDocSteps.java:717)
at .And I verify following texts are displayed(features/my/home/prushopee
/PruInfectiousDiseaseCover.feature:66)

|	
And I scroll down	0.00s
And I verify following texts are displayed	0.00s
${payment.summary.text}	
${insurance.premium.text}	
${total.premium.text}	
And I scroll down	0.00s

After	4.27s

[Back to Table of Contents](#)

Scenario Outline: Verify User should be able to see the infectious disease cover term and condition

Passed: 0	Failed: 1	Undefined: 0	Duration: 10.85s
Before			0.00s

Given User accept the term and conitions "${infectious.disease.tnc.1}" in infectious disease cover Screen	9.84s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:824:74bb:77c0:84a2%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E,

webStorageEnabled: false}
Session ID: d0b6a90b-0066-49fe-86b4-e8c666721958
*** Element info: {Using=xpath, value=//XCUIElementTypeStaticText[contains(@name,"I am
aware that the product provides coverage/pays out RM1,000 upon diagnosis of Dengue Fever,
Malaria, Measles or Typhoid. This benefit is only payable once.")]/../parent::
XCUIElementTypeOther/preceding-sibling::XCUIElementTypeOther[@name="
termsandcondition"][1]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PruShoppeScreen.acceptInfectiousDiseaseTerms
(PruShoppeScreen.java:153)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.
acceptInfectiousDiseaseTerms(PruShoppeSteps.java:111)

at .Given User accept the term and conitions "${infectious.disease.tnc.1}" in infectious disease cover Screen(features/my/home/prushopee/PruInfectiousDiseaseCover.feature:83)

After		1.00s

Scenario Outline: **Verify User should be able to see the infectious disease cover term and condition**			
Passed: 0	Failed: 1	Undefined: 0	Duration: 10.88s
Before			0.00s

Given User accept the term and conitions "${infectious.disease.tnc.2}" in infectious disease cover Screen	10.24s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions /no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:824:74bb:77c0: 84a2%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}
Session ID: d0b6a90b-0066-49fe-86b4-e8c666721958
*** Element info: {Using=xpath, value=//XCUIElementTypeStaticText[contains(@name,"I am aware that the product does not provide coverage/pay out benefits within the first 15 days from the Commencement Date.")]/../parent::XCUIElementTypeOther/preceding-sibling::

XCUIElementTypeOther[@name="termsandcondition"][1]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PruShoppeScreen.acceptInfectiousDiseaseTerms
(PruShoppeScreen.java:153)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.
acceptInfectiousDiseaseTerms(PruShoppeSteps.java:111)
at .Given User accept the term and conitions "${infectious.disease.tnc.2}" in infectious disease
cover Screen(features/my/home/prushopee/PruInfectiousDiseaseCover.feature:83)

After		0.64s

Scenario Outline: **Verify User should be able to see the infectious disease cover term and condition**			
Passed: 0	Failed: 1	Undefined: 0	Duration: 8.71s

Before		0.00s

Given User accept the term and conitions ''${infectious.disease.tnc.3}'' in infectious disease cover Screen	**7.86s**

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions /no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:824:74bb:77c0: 84a2%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}
Session ID: d0b6a90b-0066-49fe-86b4-e8c666721958
*** Element info: {Using=xpath, value=//XCUIElementTypeStaticText[contains(@name,''I am aware that if I change my mind, I have 15 days from the policy commencement date to cancel my coverage and I can obtain a refund.'')]/../parent::XCUIElementTypeOther/preceding-sibling::XCUIElementTypeOther[@name=''termsandcondition''][1]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PruShoppeScreen.acceptInfectiousDiseaseTerms
(PruShoppeScreen.java:153)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.
acceptInfectiousDiseaseTerms(PruShoppeSteps.java:111)
at .Given User accept the term and conitions "${infectious.disease.tnc.3}" in infectious disease
cover Screen(features/my/home/prushopee/PruInfectiousDiseaseCover.feature:83)

After		0.84s

Scenario Outline: **Verify User should be able to see the infectious disease cover term and condition**			
Passed: 0	Failed: 1	Undefined: 0	Duration: 9.95s

Before		0.00s

Given User accept the term and conitions "${infectious.disease.tnc.4}" in infectious disease cover Screen	9.26s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions /no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:5759:824:74bb:77c0: 84a2%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {autoDismissAlerts: false, automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout: 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.4.1, takesScreenshot: true, udid: 00008101-001145000212001E, webStorageEnabled: false}
Session ID: d0b6a90b-0066-49fe-86b4-e8c666721958
*** Element info: {Using=xpath, value=//XCUIElementTypeStaticText[contains(@name,"I give my consent to Prudential Assurance Malaysia Berhad")]/../parent:: XCUIElementTypeOther/preceding-sibling::XCUIElementTypeOther[@name=" termsandcondition"][1]}
at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:163)
at com.onepulse.app.screens.PruShoppeScreen.acceptInfectiousDiseaseTerms
(PruShoppeScreen.java:153)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.
acceptInfectiousDiseaseTerms(PruShoppeSteps.java:111)
at .Given User accept the term and conitions "${infectious.disease.tnc.4}" in infectious disease
cover Screen(features/my/home/prushopee/PruInfectiousDiseaseCover.feature:83)

After | 0.69s

Scenario: **verify that user can see agreement and proceed button**

Passed: 0	Failed: 1	Undefined: 1	Duration: 104.76 s
Before			0.00s

Given I verify following texts are displayed	103.66s

${infectious.disease.tnc.3.1}
${infectious.disease.tnc.4.1}
${infectious.disease.tnc.4.2}
${infectious.disease.tnc.4.3}
${infectious.disease.tnc.4.4}
${infectious.disease.agreement.text.1}
${infectious.disease.agreement.text.2}
${infectious.disease.agreement.text.3}
${infectious.disease.agreement.text.4}
${infectious.disease.agreement.text.5}
${infectious.disease.agreement.text.6}

java.lang.AssertionError: The following asserts failed:
I am aware that if I am unsure, and for more details on exclusions, terms and conditions as well as claims guide, I can refer to the Product Materials below. I may also reach customer service at customer.mys@prudential.com.my for any other enquiries. text is displayed on page expected [true] but found [false],
PAMB text is displayed on page expected [true] but found [false],
the insurer text is displayed on page expected [true] but found [false],

to release my personal data to third parties for direct marketing purposes. text is displayed on page expected [true] but found [false],
I can withdraw my consent at any time by letting PAMB know in writing. text is displayed on page expected [true] but found [false],
By clicking Proceed, I acknowledge the information provided is accurate and that I have read and fully understood the text is displayed on page expected [true] but found [false],
Declarations and text is displayed on page expected [true] but found [false],
Product Materials text is displayed on page expected [true] but found [false],
PAMB text is displayed on page expected [true] but found [false],
Privacy Policy and text is displayed on page expected [true] but found [false],
I agree that they are binding on me. text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen
(MyDocSteps.java:717)
at .Given I verify following texts are displayed(features/my/home/prushopee
/PruInfectiousDiseaseCover.feature:92)

And I verify proceed button is displayed on pru shoppe screen	0.00s

After		1.10s

Feature: Verify Pru Shoppe My Coverage functionality on one pulse App

Passed: 5	Failed: 2	Undefined: 0	Duration: 351.38s

Scenario: Launch the app and select the country as per specified lbu

Passed: 6	Failed: 0	Undefined: 0	Duration: 102.59s

Before		0.01s

Given User has pulse app	9.70s
And I assign "${login.email.id}" to variable "PULSE_EMAIL"	0.00s

And user click on "CONTINUE WITH EMAIL" with Email button		60.97s
Then I change the country as required on registration page		25.30s
Then I wait for 5 sec		5.00s
And I click the Sign in link		1.62s
After		0.00s

Scenario: login to the app with correct credentials using "Continue with Email"

Passed: 6	Failed: 0	Undefined: 0	Duration: 84.49s
Before			0.00s

Given I select the language option on toggle bar as required on login page		4.01s
When user enters credentials		36.04s
UserName	${PULSE_EMAIL}	
Password	${login.password}	
And User clicks on signin button		1.49s
And I wait for 5 sec		5.01s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"		14.29s
Then user should be landed to "Home" screen		23.65s
After		0.00s

Scenario: Verify user can access his policies from Pru Shoppe My Policies screen

Passed: 5	Failed: 0	Undefined: 0	Duration: 46.63s
Before			0.00s

And I click on pru shoppe button on the home page		4.32s
And I wait for 5 sec		5.00s
And I click on my policies tile on prushoppe screen		31.62s
And I wait for 2 sec		2.01s
And I verify following texts are displayed		3.67s
${myCoverage.title}		
${myCoverage.information}		
${myCoverage.InformationDescription}		
After		0.00s

Scenario: Click on Link policy and verify screen to add policy number

Passed: 4	Failed: 0	Undefined: 0	Duration: 32.96s
Before			0.00s

And I clicks on "${myCoverage.linkPolicyButton}" in app screen		27.05s
And I wait for 2 sec		2.01s
And I hide one pulse app mobile keyboard		1.33s
And I verify following texts are displayed		2.58s
${myCoverage.policyNumber.title}		
${myCoverage.policyNumber.description}		
${myCoverage.policyNumber.description1}		
After		0.00s

Scenario: Verify the error message when the Policy Number is blank

Passed: 3	Failed: 0	Undefined: 0	Duration: 8.73s
Before			0.00s

Then I click on policy number save button on my policies screen	0.89s
Then I click on policy number save button on my policies screen	1.00s
Then I verify following texts are displayed	6.84s
${myCoverage.policyNumber.errorMessage}	

After			0.00s

Scenario: Verify the error message when the Policy Number is invalid or incorrect

Passed: 4	Failed: 1	Undefined: 0	Duration: 23.19s
Before			0.00s

When I enter "1234" as the Policy number	3.78s
And I hide one pulse app mobile keyboard	4.47s
Then I click on policy number save button on my policies screen	3.47s
And I wait for 2 sec	2.00s
Then I verify following texts are displayed	8.18s
${myCoverage.policyNumber.errorMessage}	

java.lang.AssertionError: The following asserts failed:
Policy number not found text is displayed on page expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen
(MyDocSteps.java:717)
at .Then I verify following texts are displayed(features/my/home/prushopee
/PruShoppeCoverage.feature:54)

After		1.29s

[Back to Table of Contents](#)

Scenario: **Verify the error message when the Cancel Button**			
Passed: 1	Failed: 1	Undefined: 0	Duration: 52.79s
Before			0.00s

Then I click on policy number cancel button on my policies screen	**1.41s**
Then user should be landed to "Home" screen	**48.49s**

java.lang.AssertionError: expected [true] but found [false]
at org.testng.Assert.fail(Assert.java:94)
at org.testng.Assert.failNotEquals(Assert.java:513)
at org.testng.Assert.assertTrue(Assert.java:42)
at org.testng.Assert.assertTrue(Assert.java:52)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.landingPageValidation
(LoginSteps.java:92)
at .Then user should be landed to "Home" screen(features/my/home/prushopee
/PruShoppeCoverage.feature:59)

After		2.89s

Feature: Verify wealth channel functionality on one pulse App

Passed: 13	Failed: 0	Undefined: 0	Duration: 543.34s

Scenario: Launch the app and select the country as per specified lbu

Passed: 6	Failed: 0	Undefined: 0	Duration: 110.02s

Before		0.00s

Given User has pulse app	7.68s
And I assign "${login.email.id}" to variable "PULSE_EMAIL"	0.00s
And user click on "CONTINUE WITH EMAIL" with Email button	65.55s
Then I change the country as required on registration page	24.33s
Then I wait for 10 sec	10.01s
And I click the Sign in link	2.45s

After		0.00s

Scenario: login to the app with correct credentials using "Continue with Email"

Passed: 6	Failed: 0	Undefined: 0	Duration: 105.59s

Before		0.00s

Given I select the language option on toggle bar as required on login page	3.85s
When user enters credentials	58.58s

UserName	${PULSE_EMAIL}
Password	${pulse.password}

And User clicks on signin button	2.17s

And I wait for 5 sec		5.01s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"		11.27s
Then user should be landed to "Home" screen		24.71s
After		0.00s

Scenario: Verify User should be able to navigate to wealth page

Passed: 5	Failed: 0	Undefined: 0	Duration: 61.43s
Before			0.00s

And I click the Wealth Channel tile for Malaysia		41.32s
Then I verify following texts are displayed		2.46s
Wealth Channels		
Then I verify following tile texts are displayed on wealth channel screen		6.45s
Investing 123		
Equip yourself with the basic investment tools		
First Steps		
The importance of investor education		
And I scroll down		6.35s
Then I verify following tile texts are displayed on wealth channel screen		4.86s
Remove The Weeds		
Dispel investment myths to achieve desired investment outcomes		
Mutual Funds		
Make mutual funds your first investment stop		
After		0.00s

Scenario: Verify User should be able to view the story post

Passed: 5	Failed: 0	Undefined: 0	Duration: 36.08s
Before			0.00s

Then I click on "Mutual Funds" wealth channel topic		8.52s
Then I wait for 2 sec		2.01s
Then I verify following texts are displayed		4.89s
Mutual Funds		
Then I verify following tile texts are displayed on wealth channel screen		2.97s
Make mutual funds your first investment stop		
And I verify following social cite options are displayed		17.69s
Like		
Share		
Comment		
After		0.00s

Scenario: Verify User should be able to Like the post

Passed: 4	Failed: 0	Undefined: 0	Duration: 41.28s
Before			0.00s

And I read the "Mutual Funds" post like count		14.99s
And I Like the post		9.52s
Then I verify "Mutual Funds" post like count is increased		7.22s
And I Like the post		9.56s
After		0.00s

Scenario: Verify User should be able to Share the post

Passed: 2	Failed: 0	Undefined: 0	Duration: 24.04s
Before			0.00s

And I share the post	6.58s
Then I Verify the share with friends popup	17.45s
After	0.00s

Scenario: Verify User should be able to Comment the post

Passed: 3	Failed: 0	Undefined: 0	Duration: 34.04s
Before			0.00s

And I read the "Mutual Funds" post comment count	6.36s
And I commented in the post "${wealth.topic.comment}"	21.31s
Then I verify "Mutual Funds" post comment count is increased	6.37s
After	0.00s

Scenario: Verify User should be able to view the full page article post

Passed: 1	Failed: 0	Undefined: 0	Duration: 27.62s
Before			0.00s

Then I click on "Mutual Funds" topic for details full view	27.62s
After	0.00s

Scenario: Verify User should be able to see the Like, Share, Comment options on full page article post

Passed: 2	Failed: 0	Undefined: 0	Duration: 15.79s
Before			0.00s

Then I wait for 3 sec	3.01s
And I verify following social cite options are displayed	12.79s
Like	
Share	
Comment	
After	0.00s

Scenario: Verify User should be able to Like the post in full article view screen

Passed: 2	Failed: 0	Undefined: 0	Duration: 14.41s
Before			0.00s

And I Like the post	6.80s

And I Like the post		7.62s
After		0.00s

Scenario: Verify User should be able to Share the post in full article view screen

Passed: 2	Failed: 0	Undefined: 0	Duration: 11.45s
Before			0.00s

And I share the post		6.19s
Then I navigate back to previous page		5.27s
After		0.00s

Scenario: Verify User should be able to Comment the post in full article view screen

Passed: 1	Failed: 0	Undefined: 0	Duration: 45.49s
Before			0.00s

And I comment in full view post article "${wealth.topic.comment}"		45.49s
After		0.00s

Scenario: Verify User can navigate to wealth homepage

Passed: 3	Failed: 0	Undefined: 0	Duration: 16.09s
Before			0.00s

Then I navigate to story post page		3.38s
Then I click on "Mutual Funds" back button		6.44s
Then I click on "Wealth Channels" back button		6.27s
After		0.00s

Feature: Verify MY Event channel functionality on one pulse App

Passed: 5	Failed: 0	Undefined: 0	Duration: 383.32s

Scenario: Launch the app and select the country as per specified lbu

Passed: 6	Failed: 0	Undefined: 0	Duration: 107.49s
Before			0.00s

Given User has pulse app		9.96s
And I assign "${onepulse.events.user}" to variable "PULSE_EMAIL"		0.00s
And user click on "CONTINUE WITH EMAIL" with Email button		67.40s
Then I change the country as required on registration page		25.97s
Then I wait for 2 sec		2.00s
And I click the Sign in link		2.15s
After		0.00s

Scenario: login to the app with correct credentials using "Continue with Email"

Passed: 6	Failed: 0	Undefined: 0	Duration: 78.87s
Before			0.00s

Given I select the language option on toggle bar as required on login page		5.10s

When user enters credentials			35.95s
	UserName	${PULSE_EMAIL}	
	Password	${pulse.password}	
And User clicks on signin button			1.91s
And I wait for 5 sec			5.01s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"			9.75s
Then user should be landed to "Home" screen			21.14s
After			0.00s

Scenario: Verify MyEvent Functionality in Home screen

Passed: 3	Failed: 0	Undefined: 0	Duration: 52.22s
Before			0.00s
And I click the MyEvent icons			9.46s
And I wait for 40 sec			40.01s
And I verify following texts are displayed			2.75s
You do not have any events enrolled yet			
Please choose from the open events and get started			
After			0.00s

Scenario: Verify Events Archive tab

Passed: 3	Failed: 0	Undefined: 0	Duration: 72.39s
Before			0.00s
And I click the Events Archive icon			31.51s
And I wait for 40 sec			40.01s
And I verify following texts are displayed			0.87s
You do not have any events in your archive.			
After			0.00s

Scenario: Verify Open Events tab

Passed: 3	Failed: 0	Undefined: 0	Duration: 72.36s
Before			0.00s
And I click the Open Events icon			32.35s
And I wait for 40 sec			40.01s
And I verify either static text or available open events are displayed on screen			0.00s
There are no events available at the moment			
Stay tuned for events on health and fitness			
After			0.00s

Feature: Verify share with friends functionality in OnePulse app

Passed: 7	Failed: 0	Undefined: 0	Duration: 332.56s

Scenario: Launch the app and select the country as per specified lbu

Passed: 8	Failed: 0	Undefined: 0	Duration: 95.41s

Before		0.00s
Given User has pulse app		7.18s
And I assign "${login.email.id}" to variable "PULSE_EMAIL"		0.00s
And user click on "CONTINUE WITH EMAIL" with Email button		55.33s
Then I change the country as required on registration page		26.25s
Then I wait for 2 sec		2.01s
Then I change the language as required on registration page		0.00s
And I click the Sign in link		0.78s
Then I verify below language options on toggle bar as per specified lbu on login page		3.85s
After		0.00s

Scenario: login to the app with correct credentials using "Continue with Email"

Passed: 6	Failed: 0	Undefined: 0	Duration: 105.32 s
Before			0.00s
Given I select the language option on toggle bar as required on login page			3.16s
When user enters credentials			66.88s

UserName	${PULSE_EMAIL}
Password	${login.password}

And User clicks on signin button		1.69s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"		8.94s
And I wait for 5 sec		5.01s
Then user should be landed to "Home" screen		19.65s
After		0.00s

Scenario: Verify User should be able to share the link with Whatsapp

Passed: 1	Failed: 0	Undefined: 0	Duration: 18.79s
Before			0.00s
Then I verify the share with friends links			18.79s
After			0.00s

Scenario: Verify User should be able to share the link with Contacts app

Passed: 1	Failed: 0	Undefined: 0	Duration: 43.54s
Before			0.00s
Then I verify the contacts share icon			43.54s
After			0.00s

Scenario: Verify User should be able to share the link with Messenger app

Passed: 1	Failed: 0	Undefined: 0	Duration: 15.04s
Before			0.00s
Then I verify the fb messenger share icon			15.04s
After			0.00s

Scenario: Verify User should be able to share the link with Viber app

Passed: 1	Failed: 0	Undefined: 0	Duration: 27.2s
Before			0.00s
Then I verify the Viber share icon			27.20s
After			0.00s

Scenario: Verify User should be able to share the link with Line app

Passed: 1	Failed: 0	Undefined: 0	Duration: 27.26s
Before			0.00s
Then I verify the Line share icon			27.26s
After			0.00s