Overview

	Passed	Failed	Known	Undefined	Total	%Passed
Features	18	7	0	0	25	72%
Scenarios	105	22	0	0	127	83%
Steps	770	22	0	89	881	87%

Overall Duration: 1h 54m 07s

Table of Contents

1. Verify login functionality on One pulse App
    1. Launch the app and select the country as per specified lbu
    2. login to the app with correct credentials using "Continue with Email"
    3. Verify the Invalid Email id in login screen using "Continue with Email"
    4. Verify the User not registerd email in login screen using "Continue with Email"
    5. User should be able to retrieve the reset password using forget password link
    6. Verify the Login Functionality using "Continue with Google"
2. Verify registration functionality on one pulse App
    1. User should be able to register on app with correct credentials using "Continue with Email"
    2. verify the field label on registration screen
    3. verify the validation message for mandatory fields
    4. verify validation message when user enters Invalid password: Pulse@1 on registration page
    5. verify validation message when user enters Invalid password: Pulse123 on registration page
    6. Verify the validation message when user enter already registered email id on registration page
    7. Verify the mobile number screen validation using "Continue with Email"
    8. Verify the Gender screen validation using "Continue with Email"
    9. Verify the resend OTP functionality on Enter OTP Screen using "Continue with Email"
3. Verify Edit Profile functionality on Pulse Health & Wealth app
    1. Launch the app and select the country as per specified lbu
    2. login to the app with correct credentials using "Continue with Email"
    3. Verify User should be able to navigate to Edit profile screen
    4. Verify User should be able to change the profile picture in edit profile screen
    5. Verify the email,country code and COR fields are non-editable in edit profile screen
    6. Verify user can able to change the details in edit profile screen
    7. Verify Details updated during pulse profile registration should be reflected in edit profile screen
    8. verify the user details should be correctly on babylon screen
    9. navigate back to health screen
    10. Verify User should not be able to edit email and country of residence fields on myDoc registration page once the user submitted their gender and DOB in edit profile
4. Verify the BabyLon Emergency call flow on Pulse Health & Wealth app
    1. User should be able to login on app with correct credentials and the BabyLon call 995 flow must be verified
5. Verify the BabyLon Perianal lump workflow is working as expected

1. User should be able to access Babylon from Pulse app and perform Perianal lump workflow

6. Verify the BabyLon Maligant Neoplasm Breast lump workflow is working as expected
    1. User should be able to access Babylon from Pulse app and perform Breast lump workflow
7. Verify the BabyLon Human Immune Virus workflow is working as expected
    1. User should be able to access Babylon from Pulse app and perform Human Immune Virus Rash workflow
8. Verify the BabyLon Groin Mass workflow is working as expected
    1. User should be able to access Babylon from Pulse app and perform Groin mass workflow
9. Verify the BabyLon Maligant Neoplasm postmenopause bleed workflow is working as expected
    1. User should be able to access Babylon from Pulse app and perform Postmenopausal Bleed workflow
10. Verify the BabyLon Prostatic HyperPlasia workflow is working as expected
    1. User should be able to access Babylon from Pulse app and perform Prostatic Hyperplasia workflow
11. Verify the BabyLon Rib Fracture workflow is working as expected and user can the chat history after consultation
    1. Launch the app and select the country as per specified lbu
    2. User should be able to access Babylon from Pulse app and perform Rib Fracture workflow
12. Verify that user can locate near by Hospitals,clinics using PruShoppe Location feature
    1. Launch the app and select the country as per specified lbu
    2. login to the app with correct credentials using "Continue with Email"
    3. User should be able to locate Hospitals using PruShoppe location
    4. User should be able to locate cli using PruShoppe location
13. Verify MY Event channel functionality on one pulse App
    1. Launch the app and select the country as per specified lbu
    2. login to the app with correct credentials using "Continue with Email"
    3. Verify MyEvent Functionality in Home screen
    4. Verify Open Events tab
    5. Verify Events Archive tab
14. Verify My Health Content functionality on one pulse App
    1. Launch the app and select the country as per specified lbu
    2. User should be able to login on app with correct credentials using "Continue with Email"
    3. Verify User should be able to navigate to Health page
    4. Verify User should be able to view the full page article post
    5. Verify User should be able to see the Like, Share, Comment options on full page article post
    6. Verify User should be able to Like the post in full article view screen
    7. Verify User should be able to Share the post in full article view screen
    8. Verify User can navigate to Health homepage
15. Verify My Challenges on One Pulse App
    1. Launch the app and select the country as per specified lbu
    2. User should be able to login on app with correct credentials using "Continue with Email"
    3. Verify My Challenges texts
    4. Click on All challenges and and verify texts
16. Verify My Communities on One Pluse App
    1. Launch the app and select the country as per specified lbu
    2. User should be able to login on app with correct credentials using "Continue with Gmail"
    3. User should be able to login on app with correct credentials using "Continue with Email" and Verify the Mycommunities screen
    4. Leave the community if already joined

5. Verify the All Communities Post screen
6. Verify the Likes and comments counts in All communities tab
7. Verify the Share with Friends Functionality in All communities tab
8. Verify the Post Functionality in All communities
9. Verify the Category list and search feature
10. Leave the community if already joined

17. Verify Private My Communities on One Pluse App
    1. Launch the app and select the country as per specified lbu
    2. User should be able to login on app with correct credentials using "Continue with Gmail"
    3. User should be able to login on app with correct credentials using "Continue with Gmail" and Verify the Mycommunities screen
    4. Verify the Private Communities in communities screen
18. Verify legal and legacy on One pulse App
    1. Launch the app and select the country as per specified lbu
    2. login to the app with correct credentials using "Continue with Email"
    3. Navigate to account screen
    4. Verify the Legacy and Privacy should be displayed
    5. Verify the Terms and condition screen should be displayed
    6. Verify the Privacy screen should be displayed
    7. Verify the Regulator screen should be displayed
19. Verify My accounts options in Account screen
    1. Launch the app and select the country as per specified lbu
    2. login to the app with correct credentials using "Continue with Email"
    3. Navigate to account screen and verify all the options
    4. Verify wearable screen in Account tab
    5. navigate back to account screen from my wearable screen
    6. Navigate to account screen
    7. Verify reward screen in Account tab
    8. User access My Rewards FAQ
    9. Verify the FAQ on my rewards screen
    10. Verify the FAQ on my rewards screen
    11. Verify the FAQ on my rewards screen
    12. Verify the FAQ on my rewards screen
    13. Verify the FAQ on my rewards screen
    14. Verify the FAQ on my rewards screen
    15. Verify the FAQ on my rewards screen
    16. Verify the FAQ on my rewards screen
    17. Verify the FAQ on my rewards screen
    18. navigate back to account screen from my rewards screen
    19. Verify Notification screen in Account tab
    20. navigate back to account screen from Notification screen
    21. Verify my feedback screen in Account tab
    22. Verify the submit functionality in My feedback screen
    23. Verify the Pulse Personalised tab
    24. Save the consent with data privacy check
    25. Save the consent without data privacy check
    26. navigate back to account screen from pulse personalised screen
20. Verify My wearable functionality via fitness tab on Pulse Health & Wealth app
    1. Launch the app and select the country as per specified lbu
    2. login to the app with correct credentials using "Continue with Email"
    3. Verify the user can access My Wearables via Fitness

21. Verify account locked functionality on One pulse App
    1. Verify Account should be locked after entering more than 5 times incorrect passwords
22. Verify that user can access calendar under health section
    1. Launch the app and select the country as per specified lbu
    2. login to the app with correct credentials using "Continue with Email"
    3. User should be able to access Calendar screen
23. Verify Pru Safe Covid-19 Cover functionality on one pulse App
    1. User should be able to register on app with correct credentials using "Continue with Email"
    2. Verify User should be able to see the PRU Shoppe screen
    3. Verify User should be able to see the PRUSafe COVIDCover screen options
    4. Verify User should be able to see the PRUSafe COVIDCover screen options
24. Verify Pru Shoppe My Coverage functionality on one pulse App
    1. Launch the app and select the country as per specified lbu
    2. login to the app with correct credentials using "Continue with Email"
    3. Verify user can access his policies from Pru Shoppe My Policies screen
    4. Click on Link policy and verify screen to add policy number
    5. Verify the error message when the Policy Number is blank
    6. Verify the error message when the Policy Number is invalid or incorrect
    7. Verify the error message when the Cancel Button
25. Verify share with friends functionality in onepulse app
    1. Launch the app and select the country as per specified lbu
    2. login to the app with correct credentials using "Continue with Email"
    3. Verify User should be able to share the link with Whatsapp
    4. Verify User should be able to share the link with Contacts app
    5. Verify User should be able to share the link with Messenger app
    6. Verify User should be able to share the link with Viber app
    7. Verify User should be able to share the link with Line app

Detailed Results Report

Feature: Verify login functionality on One pulse App			
Passed: 6	Failed: 0	Undefined: 0	Duration: 354.0s

Scenario: Launch the app and select the country as per specified lbu			
Passed: 8	Failed: 0	Undefined: 0	Duration: 56.83s
Before			0.40s
Given User has pulse app			10.65s
And I assign "${login.email.id}" to variable "PULSE_EMAIL"			0.01s
And user click on "CONTINUE WITH EMAIL" with Email button			12.86s
Then I change the country as required on registration page			10.39s
Then I wait for 5 sec			5.01s
Then I change the language as required on registration page			10.89s
And I click the Sign in link			4.94s
Then I verify below language options on toggle bar as per specified lbu on login page			1.69s
After			0.00s
Back to Table of Contents			

Scenario: login to the app with correct credentials using "Continue with Email"			
Passed: 6	Failed: 0	Undefined: 0	Duration: 39.46s
Before			0.00s
Given I select the language option on toggle bar as required on login page			2.32s
When user enters credentials			17.97s
UserName ${PULSE_EMAIL}			
Password ${login.password}			
And User clicks on signin button			0.28s
And I wait for 5 sec			5.01s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"			8.41s
Then user should be landed to "Home" screen			5.48s
After			0.00s

Back to Table of Contents

Scenario: Verify the Invalid Email id in login screen using "Continue with Email"			
Passed: 16	Failed: 0	Undefined: 0	Duration: 86.65s
Before			0.00s
Given User has pulse app			7.94s
Then I wait for 2 sec			2.01s
And user click on "CONTINUE WITH EMAIL" with Email button			12.74s
Then I change the country as required on registration page			9.72s
Then I wait for 5 sec			5.01s
Then I change the language as required on registration page			11.72s
And I click the Sign in link			5.04s
And I select the language option on toggle bar as required on login page			3.51s
When user enters credentials			18.14s
UserName t@gmai			
Password Pas$1234			
And I scroll down			4.57s
And User clicks on signin button			0.29s
Then verify invalid email message "Email is required"			0.66s
Then User clicks on Forgot Password button			0.24s
Then enter the email to request the new password			3.48s
Email t@gmai			
Then User clicks on Send button			0.75s
Then verify invalid email message "${email.invalid.text}"			0.85s
After			0.00s

Back to Table of Contents

Scenario: Verify the User not registerd email in login screen using "Continue with Email"			
Passed: 17	Failed: 0	Undefined: 0	Duration: 85.56s
Before			0.00s
Given I generate random number and assign to variable "RANDOM_NUMBER"			0.01s
And I assign value to following variables			0.00s

USER_NAME	taf-${RANDOM_NUMBER}@mailinator.com
USER_PASSWORD	Pas$1234

Given User has pulse app	8.25s
And user click on "CONTINUE WITH EMAIL" with Email button	12.80s
Then I change the country as required on registration page	10.36s
Then I wait for 5 sec	5.01s
Then I change the language as required on registration page	10.46s
And I click the Sign in link	4.93s
And I select the language option on toggle bar as required on login page	3.54s
When user enters credentials	18.59s

UserName	${USER_NAME}
Password	${USER_PASSWORD}

And I scroll down	4.58s
And User clicks on signin button	0.38s
Then verify invalid email message "${invalid.credential.message}"	0.97s
Then User clicks on Forgot Password button	0.21s
Then enter the email to request the new password	3.57s

Email	${USER_NAME}

Then User clicks on Send button	0.76s
Then verify invalid email message "${invalid.credential.message}"	1.14s
After	0.00s

Back to Table of Contents

Scenario: User should be able to retrieve the reset password using forget password link

Passed: 8	Failed: 0	Undefined: 0	Duration: 49.2s
Before			0.00s

And I assign "${forgot.password.email.id}" to variable "PULSE_EMAIL"	0.00s
Then enter the email to request the new password	3.28s

Email	${PULSE_EMAIL}

Then User clicks on Send button	0.79s
Then I wait for 10 sec	10.01s
And I read the otp for emailid "${PULSE_EMAIL}" using mailsac api and store into a variable "EMAIL_OTP"	26.92s
Then I enter "${EMAIL_OTP}" reset code	0.64s
Then I wait for 7 sec	7.01s
Then Verify message: "${password.reset.success.text}" for Reset Password	0.56s
After	0.00s

Back to Table of Contents

Scenario: Verify the Login Functionality using "Continue with Google"

Passed: 4	Failed: 0	Undefined: 0	Duration: 36.31s
Before			0.00s

Given User has pulse app	8.13s
And user click on "CONTINUE WITH GOOGLE" with Google button	6.82s
And I click the "Email" in Continue with Gmail	15.81s

Emailid	${facebook.text}
Password	Pulse@123

Then user should be landed to "Home" screen	5.55s
After	0.00s

Back to Table of Contents

Feature: Verify registration functionality on one pulse App

Passed: 8	Failed: 1	Undefined: 0	Duration: 628.78s

Scenario: User should be able to register on app with correct credentials using "Continue with Email"

Passed: 48	Failed: 0	Undefined: 0	Duration: 185.45 s

Before	0.00s
Given I generate random number and assign to variable "RANDOM_NUMBER"	0.00s
And I assign "pulse${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"	0.00s
And User has pulse app	8.15s
Then I wait for 2 sec	2.01s
And user click on "CONTINUE WITH EMAIL" with Email button	12.76s
Then I wait for 2 sec	2.01s
Then I change the country as required on registration page	11.24s
Then I wait for 2 sec	2.01s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	7.11s
Then I wait for 2 sec	2.01s
When user enters registration details	7.37s

FirstName	testAutomation
LastName	testAutomation
Email	${PULSE_EMAIL}
Password	Pas$1234

And taps on continue "Sign_Up" button	0.33s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	29.53s
Then I wait for 2 sec	2.00s
And I enter the "mobile number" in welcome to pulse	10.08s

mobileNumber	${registration.mobile.number}

And I click the continue button	0.22s
And I choose my wellness goals under wellness plan screen	1.48s
And I click the continue button	0.92s
And I click the date in Date of Birth field	6.56s
And I click the Done icon	3.23s
And I click the continue button	1.21s
And I select the Male icon	5.97s
And I click the continue button	1.17s
And I enter my height and weight details	2.52s

And I click on Calculate BMI button	0.72s
And I click the continue button	0.93s
And I select the "How active are you?" in doing exercise	1.79s
And I click the continue button	1.03s
And I select my favorite food dietary	1.95s
And I click the continue button	1.05s
And I answer as "Yes" to "Any Food allergies?"	4.03s
And I click the continue button	1.08s
And I verify that "Tracking your activity is trending" is displayed	2.08s
And I click on connect Later button	0.58s
And I see that "Welcome to Pulse" text is displayed	2.44s
And I click the continue button	0.51s
And I see that fitness subscription exclusive offers screen is displayed	2.67s
And I click on close icon	0.59s
Then I click skip buttons	4.41s
Then user should be landed to "Home" screen	6.39s
Then I wait for 4 sec	4.01s
And I click the Account icon in Home screen	0.82s
And I click the sign out from pulse app	9.06s
Then I wait for 4 sec	4.01s
When user enters password credentials in sigin screen	1.88s
Password | Pas$1234	
And User clicks on signin button	0.21s
Then I wait for 8 sec	8.01s
Then user should be landed to "Home" screen	5.34s
After	0.00s

Back to Table of Contents

Scenario: verify the field label on registration screen

Passed: 9	Failed: 0	Undefined: 0	Duration: 48.04s
Before			0.00s

Given User has pulse app	8.12s
Then I wait for 2 sec	2.01s
And user click on "CONTINUE WITH EMAIL" with Email button	12.73s
Then I wait for 2 sec	2.01s
Then I change the country as required on registration page	11.15s
Then I wait for 2 sec	2.00s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	7.09s
Then I wait for 2 sec	2.01s
Then I verify following field label should be displayed on registration screen	0.91s
${firstname.label.text}	
${lastname.label.text}	
${email.text}	
${password.text}	

After			0.00s

Back to Table of Contents

Scenario: verify the validation message for mandatory fields

Passed: 2	Failed: 0	Undefined: 0	Duration: 1.67s
Before			0.00s
Given taps on continue "Sign_Up" button			0.23s
Then I verify the validation error message is displayed for following field on registration page			1.44s

FirstName	${firstname.mandatoryField.message}
LastName	${lastname.mandatoryField.message}
Email	${email.mandatoryField.message}
Password	${password.validation.message}

After			0.00s

Back to Table of Contents

Scenario Outline: verify validation message when user enters Invalid password: Pulse@1 on registration page

Passed: 3	Failed: 0	Undefined: 0	Duration: 3.3s
Before			0.00s
When user enters registration details			2.04s

Password	Pulse@1

And taps on continue "Sign_Up" button			0.30s
Then I verify the validation error message is displayed for following field on registration page			0.95s

Password	${password.validation.message}

After			0.00s

Back to Table of Contents

Scenario Outline: verify validation message when user enters Invalid password: Pulse123 on registration page

Passed: 3	Failed: 0	Undefined: 0	Duration: 3.27s
Before			0.00s
When user enters registration details			2.04s

Password	Pulse123

And taps on continue "Sign_Up" button			0.31s
Then I verify the validation error message is displayed for following field on registration page			0.92s

Password	${password.validation.message}

After			0.00s

Back to Table of Contents

Scenario: Verify the validation message when user enter already registered email id on registration page

Passed: 11	Failed: 0	Undefined: 0	Duration: 55.47s
Before			0.00s
Given User has pulse app			8.25s

Then I wait for 2 sec	2.01s
And user click on "CONTINUE WITH EMAIL" with Email button	12.67s
Then I wait for 2 sec	2.01s
Then I change the country as required on registration page	10.49s
Then I wait for 2 sec	2.01s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	7.23s
Then I wait for 2 sec	2.01s
When user enters registration details	7.34s

FirstName	testAutomation
LastName	testAutomation
Email	${login.email.id}
Password	Pas$1234

And taps on continue "Sign_Up" button	0.28s
Then I verify the validation error message is displayed for following field on registration page	1.19s

Email	${user.exist.text}

After			0.00s

Back to Table of Contents

Scenario: Verify the mobile number screen validation using "Continue with Email"

Passed: 19	Failed: 0	Undefined: 0	Duration: 114.53 s
Before			0.00s

Given I generate random number and assign to variable "RANDOM_NUMBER"	0.00s
And I assign "pulse${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"	0.00s
Given User has pulse app	8.17s
Then I wait for 2 sec	2.01s
And user click on "CONTINUE WITH EMAIL" with Email button	12.97s
Then I wait for 2 sec	2.00s
Then I change the country as required on registration page	9.26s
Then I wait for 2 sec	2.01s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	7.27s
Then I wait for 2 sec	2.01s
When user enters registration details	7.92s

FirstName	NewAutomation
LastName	NewAutomation
Email	${PULSE_EMAIL}
Password	Pas$1234

And taps on continue "Sign_Up" button	0.37s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	30.02s
Then I wait for 10 sec	10.01s

Then I verify the country code should be displayed correctly on phone number screen	0.20s
And I enter the "mobile number" in welcome to pulse	9.84s
mobileNumber | 917670	
And I click the continue button	0.23s
Then I wait for 10 sec	10.01s
Then verify Again invalid Mobile message "${invalid.mobile.text}"	0.24s

After			0.00s

Back to Table of Contents

Scenario: Verify the Gender screen validation using "Continue with Email"

Passed: 4	Failed: 1	Undefined: 26	Duration: 23.0s
Before			0.00s

Given I enter the "mobile number" in welcome to pulse	11.20s
mobileNumber | ${registration.mobile.number}	
And I click the continue button	0.25s
Then I wait for 1 sec	1.01s
And I click the continue button	0.35s
Then verify validation message "${wellness.goal.alert.text}" on registration workflow screen	7.77s

java.lang.AssertionError: ${wellness.goal.alert.text} expected [true] but found [false]
at org.testng.Assert.fail(Assert.java:94)
at org.testng.Assert.failNotEquals(Assert.java:513)
at org.testng.Assert.assertTrue(Assert.java:42)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.verifyInvalidMsg (RegistrationSteps.java:379)
at .Then verify validation message "${wellness.goal.alert.text}" on registration workflow screen (features/PulseRegistrationTest.feature:158)

And I choose my wellness goals under wellness plan screen	0.00s
And I click the continue button	0.00s
Then I wait for 1 sec	0.00s
And I click the continue button	0.00s
Then verify validation message "${dob.alert.text}" on registration workflow screen	0.00s
And I click the date in Date of Birth field	0.00s
And I click the Done icon	0.00s
And I click the continue button	0.00s
Then I wait for 1 sec	0.00s
And I click the continue button	0.00s
Then verify validation message "${gender.alert.text}" on registration workflow screen	0.00s
And I select the Male icon	0.00s
And I click the continue button	0.00s
Then I wait for 1 sec	0.00s
And I click the continue button	0.00s

Then verify validation message "${bmi.alert.text}" on registration workflow screen	0.00s
And I click on Calculate BMI button	0.00s
And I click the continue button	0.00s
Then I wait for 1 sec	0.00s
And I click the continue button	0.00s
Then verify validation message "${activity.level.alert.text}" on registration workflow screen	0.00s
And I select the "How active are you?" in doing exercise	0.00s
And I click the continue button	0.00s
Then I wait for 1 sec	0.00s
And I click the continue button	0.00s
Then verify validation message "${diet.preference.alert.text}" on registration workflow screen	0.00s



After		**2.43s**

Back to Table of Contents

Scenario: Verify the resend OTP functionality on Enter OTP Screen using "Continue with Email"

Passed: 17	**Failed: 0**	**Undefined: 0**	**Duration: 194.06 s**

Before	**0.00s**
Given I generate random number and assign to variable "RANDOM_NUMBER"	**0.00s**
And I assign "pulse${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"	**0.00s**
And User has pulse app	**8.48s**
Then I wait for 2 sec	**2.01s**

And user click on "CONTINUE WITH EMAIL" with Email button	12.66s
Then I wait for 2 sec	2.01s
Then I change the country as required on registration page	10.42s
Then I wait for 2 sec	2.01s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	7.32s
Then I wait for 2 sec	2.01s
When user enters registration details	7.71s

FirstName	testAutomation
LastName	testAutomation
Email	${PULSE_EMAIL}
Password	Pas$1234

And taps on continue "Sign_Up" button	0.30s
Then I wait for 90 sec	90.00s
Then I click the Resend button in OTP screen	3.91s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	28.71s
And I wait for 8 sec	8.01s
And I verify enter otp screen is not displayed	8.52s
After	0.00s

Back to Table of Contents

Feature: Verify Edit Profile functionality on Pulse Health & Wealth app

Passed: 10	Failed: 0	Undefined: 0	Duration: 215.79s

Scenario: Launch the app and select the country as per specified lbu

Passed: 6	Failed: 0	Undefined: 0	Duration: 42.95s
Before			0.00s

Given User has pulse app	8.32s
And I assign "${onepulse.login.edit.profile}" to variable "PULSE_EMAIL"	0.00s
And user click on "CONTINUE WITH EMAIL" with Email button	12.73s
Then I change the country as required on registration page	11.92s
Then I wait for 5 sec	5.01s
And I click the Sign in link	4.97s
After	0.00s

Back to Table of Contents

Scenario: login to the app with correct credentials using "Continue with Email"

Passed: 6	Failed: 0	Undefined: 0	Duration: 41.76s
Before			0.00s

Given I select the language option on toggle bar as required on login page	3.59s
When user enters credentials	17.86s

UserName	${PULSE_EMAIL}
Password	${pulse.edit}

And User clicks on signin button	0.30s
And I wait for 5 sec	5.01s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	9.46s

Then user should be landed to "Home" screen			5.53s
After			0.00s

Back to Table of Contents

Scenario: Verify User should be able to navigate to Edit profile screen

Passed: 3	Failed: 0	Undefined: 0	Duration: 14.74s
Before			0.00s
Given user navigate to account page			4.56s
And user click on Edit profile link			5.17s
Then I wait for 5 sec			5.01s
After			0.00s

Back to Table of Contents

Scenario: Verify User should be able to change the profile picture in edit profile screen

Passed: 2	Failed: 0	Undefined: 0	Duration: 33.57s
Before			0.00s
Then I give manage profile camera permission			23.51s
Then I take picture from Camera			10.06s
After			0.00s

Back to Table of Contents

Scenario: Verify the email,country code and COR fields are non-editable in edit profile screen

Passed: 3	Failed: 0	Undefined: 0	Duration: 3.5s
Before			0.00s
And verify email field is non-editable			1.99s
And verify country code field is non-editable and country code is "${country.code}"			0.79s
And verify country of Residence is "${country.name}" and non-editable			0.72s
After			0.00s

Back to Table of Contents

Scenario: Verify user can able to change the details in edit profile screen

Passed: 4	Failed: 0	Undefined: 0	Duration: 17.35s
Before			0.00s
Given I generate random number and assign to variable "RANDOM_NUMBER"			0.00s
And I assign value to following variables			0.00s

First Name	Automation-${RANDOM_NUMBER}
Last Name	Testing-${RANDOM_NUMBER}

Then I update following profile details in edit profile screen			4.25s

FirstName	${First Name}
LastName	${Last Name}

And I click on update button in edit profile screen			13.10s
After			0.00s

Back to Table of Contents

Scenario: Verify Details updated during pulse profile registration should be reflected in edit profile screen

Passed: 2	Failed: 0	Undefined: 0	Duration: 17.38s
Before			0.00s
Given user click on Edit profile link			15.06s
Then I verify following values in edit profile screen			2.32s

FirstName	${First Name}
LastName	${Last Name}
Email	${onepulse.login.edit.profile}
Gender	${pulse.edit.gender}
PhoneNumber	${pulse.edit.number}

After			0.00s

Back to Table of Contents

Scenario: **verify the user details should be correctly on babylon screen**

Passed: 6	Failed: 0	Undefined: 0	Duration: 22.22s
Before			0.00s
Given I navigate to Home page from edit profile screen			3.00s
Then I navigate to Babylon health Assessment and Accept TermsAndCondition			15.17s
Then I wait for 2 sec			2.01s
Then I verify the default values in babylon registration page is updated as below			1.15s

Gender	${pulse.edit.gender}
FirstName	${First Name}
LastName	${Last Name}
Email	${onepulse.login.edit.profile}

And verify email field is non-editable			0.31s
And verify country of Residence is "${country.name}" and non-editable			0.59s
After			0.00s

Back to Table of Contents

Scenario: **navigate back to health screen**

Passed: 2	Failed: 0	Undefined: 0	Duration: 6.9s
Before			0.00s
Given I navigate to health page from babylon registration screen			1.89s
And I wait for 5 sec			5.01s
After			0.00s

Back to Table of Contents

Scenario: **Verify User should not be able to edit email and country of residence fields on myDoc registration page once the user submitted their gender and DOB in edit profile**

Passed: 4	Failed: 0	Undefined: 0	Duration: 15.42s
Before			0.00s
Given I navigate to MyDoc registration screen			12.36s
Then I verify the default values in myDoc registration page is updated as below			2.11s

FirstName	${First Name}
LastName	${Last Name}
Email	${onepulse.login.edit.profile}

And verify email field is non-editable			0.32s

And verify country of Residence is "${country.name}" and non-editable	0.63s
After	0.00s

Back to Table of Contents

Feature: Verify the BabyLon Emergency call flow on Pulse Health & Wealth app

Passed: 1	Failed: 0	Undefined: 0	Duration: 130.22s

Scenario: User should be able to login on app with correct credentials and the BabyLon call 995 flow must be verified

Passed: 19	Failed: 0	Undefined: 0	Duration: 130.22 s

Before	0.00s
Given User has pulse app	8.66s
And I assign "${Babylon.call}" to variable "PULSE_EMAIL"	0.00s
And user click on "CONTINUE WITH EMAIL" with Email button	12.65s
Then I change the country as required on registration page	10.57s
Then I wait for 10 sec	10.01s
Then I change the language as required on registration page	0.34s
And I click the Sign in link	5.02s
And I select the language option on toggle bar as required on login page	3.64s
When user enters credentials	18.54s

UserName	${PULSE_EMAIL}
Password	${Password.text}

And User clicks on signin button	0.30s
And I wait for 5 sec	5.00s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	9.14s
Then user should be landed to "Home" screen	6.27s
And I navigate to Babylon Symptoms Page	7.55s
Then I enter "${babylon.suicidal.thoughts.text}" symptoms on Babylon screen And select "${babylon.suicidalThoughts.description}"	27.31s
Then I wait for 2 sec	2.01s
Then I verify following conditions are displayed	0.39s

${babylon.call.immediately}
${babylon.call.number}

Then I close the babylon symptoms checker screen	0.47s
Then user views chat history	2.38s
After	0.00s

Back to Table of Contents

Feature: Verify the BabyLon Perianal lump workflow is working as expected

Following condition should meet to run this script:
Age:48
Sex:Male
Country:Singapore/Malaysia

Passed: 1	Failed: 0	Undefined: 0	Duration: 424.16s

Scenario: User should be able to access Babylon from Pulse app and perform Perianal lump

workflow			
Passed: 24	Failed: 0	Undefined: 0	Duration: 424.16 s
Before			0.00s

Given User has pulse app	8.32s
And I assign "${Babylon.AnalLump}" to variable "PULSE_EMAIL"	0.00s
Then I wait for 5 sec	5.01s
And user click on "CONTINUE WITH EMAIL" with Email button	12.68s
Then I change the country as required on registration page	10.49s
Then I wait for 5 sec	5.01s
And I click the Sign in link	5.73s
And I select the language option on toggle bar as required on login page	3.65s
When user enters credentials	18.57s

UserName	${PULSE_EMAIL}
Password	${Password.text}

And User clicks on signin button	0.31s
Then I wait for 10 sec	10.01s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	8.09s
And I navigate to Babylon Symptoms Page	8.94s
Then I enter "${babylon.symptom.anallump}" symptoms on Babylon screen And select "${babylon.symptom.anallump.choose}"	26.16s
Then I click on Ok button after noting the caseid:	8.89s

text	${babylon.symptom.caseid.txt}

Then I handle Babylon "AnalLump" questions and answers	266.41s
Then I verify the closure summary and click on continue button	5.13s

text	${babylon.symptom.closureSummary}

Then I click on view results to see the possible causes	9.72s
And Verify following possible causes are displayed	1.52s

${babylon.symptom.anallump.possiblecause.piles}
${babylon.symptom.differential.potentiallyserious}

When I select on "${babylon.symptom.anallump.possiblecause.piles}" cause with offset 100 in report	0.63s
Then I verify following conditions are displayed	2.72s

${babylon.symptom.anallump.possiblecause.piles}
${babylon.symptom.differential.why.title}
${babylon.symptom.differential.why.subtitle}
${babylon.symptom.differential.why.strainwithpoo}
${babylon.symptom.differential.why.bloodystool}
${babylon.symptom.differential.why.lumpyanus}
${babylon.symptom.differential.why.itchyanus}

And I click on back button to move back to possible causes screen	0.42s
When I select on "${babylon.symptom.differential.potentiallyserious}" cause with offset 500 in report	2.24s
Then I verify following conditions are displayed	3.56s

${babylon.symptom.differential.potentiallyserious}	
${babylon.symptom.differential.gp}	
${babylon.symptom.differential.why.title}	
${babylon.symptom.differential.why.changedbowelhabits}	
${babylon.symptom.differential.why.strainwithpoo}	
${babylon.symptom.differential.why.bloodystool}	
${babylon.symptom.differential.why.lumpyanus}	
${babylon.symptom.differential.why.itchyanus}	

After		0.00s

Back to Table of Contents

Feature: Verify the BabyLon Maligant Neoplasm Breast lump workflow is working as expected

Following condition should meet to run this script:
Age:54
Sex:Female
Country:Singapore/Malaysia

Passed: 1	Failed: 0	Undefined: 0	Duration: 404.29s

Scenario: User should be able to access Babylon from Pulse app and perform Breast lump workflow

Passed: 25	Failed: 0	Undefined: 0	Duration: 404.29 s

Before	0.00s
Given I assign "${pulse.babylon.breastlump.username}" to variable "PULSE_EMAIL"	0.00s
And User has pulse app	8.35s
Then I wait for 5 sec	5.01s
And user click on "CONTINUE WITH EMAIL" with Email button	12.74s
Then I change the country as required on registration page	11.94s
Then I wait for 5 sec	5.01s
Then I change the language as required on registration page	10.69s
And I click the Sign in link	4.92s
And I select the language option on toggle bar as required on login page	3.59s
When user enters credentials	18.26s

UserName	${PULSE_EMAIL}
Password	${Password.text}

And User clicks on signin button	0.26s
Then I wait for 10 sec	10.00s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	9.03s
And I navigate to Babylon Symptoms Page	7.42s
Then I enter "${babylon.symptom.breastlump}" symptoms on Babylon screen And select "${babylon.symptom.breastlump.choose}"	24.72s
Then I click on Ok button after noting the caseid:	7.74s

text	${babylon.symptom.caseid.txt}

Then I handle Babylon "BreastLump" questions and answers	231.90s
Then I verify the closure summary and click on continue button	4.86s

text	${babylon.symptom.closureSummary}

Then I click on view results to see the possible causes	9.03s
And Verify following possible causes are displayed	11.25s

${babylon.symptom.differential.potentiallyserious}
${babylon.symptom.possiblecauses.breasrabcess}

When I select on "${babylon.symptom.differential.potentiallyserious}" cause with offset 100 in report	0.67s
Then I verify following conditions are displayed	2.59s

${babylon.symptom.differential.potentiallyserious}
${babylon.symptom.differential.gp}
${babylon.symptom.differential.why.title}
${babylon.symptom.differential.why.subtitle}
${babylon.symptom.possiblecause.lumpormass.armpit}
${babylon.symptom.possiblecause.invrtdnipple}
${babylon.symptom.possiblecause.bloodynippledischarge}
${babylon.symptom.possiblecause.breastcancer.famhistory}
${babylon.symptom.possiblecause.breastlump}

And I click on back button to move back to possible causes screen	0.35s
When I select on "${babylon.symptom.possiblecauses.breasrabcess}" cause with offset 500 in report	1.63s
Then I verify following conditions are displayed	2.35s

${babylon.symptom.possiblecauses.breasrabcess}
${babylon.symptom.differential.gp.urgent}
${babylon.symptom.differential.why.title}
${babylon.symptom.possiblecause.lumpormass.armpit}
${babylon.symptom.possiblecause.invrtdnipple}
${babylon.symptom.possiblecause.bloodynippledischarge}
${babylon.symptom.possiblecause.breastlump}

After		0.00s

Back to Table of Contents

Feature: Verify the BabyLon Human Immune Virus workflow is working as expected

Following condition should meet to run this script:
Age:48
Sex:Male
Country:Singapore/Malaysia

Passed: 1	Failed: 0	Undefined: 0	Duration: 581.29s

Scenario: User should be able to access Babylon from Pulse app and perform Human Immune Virus Rash workflow

Passed: 25	Failed: 0	Undefined: 0	Duration: 581.29 s
Before			0.00s
Given User has pulse app			8.30s
And I assign "${Babylon.virusrash}" to variable "PULSE_EMAIL"			0.00s

Then I wait for 5 sec	5.01s
And user click on "CONTINUE WITH EMAIL" with Email button	12.73s
Then I change the country as required on registration page	10.44s
Then I wait for 5 sec	5.01s
Then I change the language as required on registration page	0.29s
And I click the Sign in link	4.92s
And I select the language option on toggle bar as required on login page	3.51s
When user enters credentials	17.90s

UserName	${PULSE_EMAIL}
Password	${Password.text}

And User clicks on signin button	0.30s
Then I wait for 10 sec	10.00s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	8.63s
And I navigate to Babylon Symptoms Page	7.02s
Then I enter "${babylon.symptom.rash}" symptoms on Babylon screen And select "${babylon.symptom.rash.choose}"	26.10s
Then I click on Ok button after noting the caseid:	7.73s

text	${babylon.symptom.caseid.txt}

Then I handle Babylon "HumanImmVirusRash" questions and answers	413.21s
Then I verify the closure summary and click on continue button	6.40s

text	${babylon.symptom.closureSummary}

Then I click on view results to see the possible causes	10.03s
And Verify following possible causes are displayed	13.44s

${babylon.symptom.rash.possiblecauses1}
{babylon.symptom.rash.possiblecauses2}

When I select on "${babylon.symptom.rash.possiblecauses1}" cause with offset 100 in report	0.77s
Then I verify following conditions are displayed	3.37s

${babylon.symptom.rash.possiblecauses1}
${babylon.symptom.differential.gp}
${babylon.symptom.differential.why.title}
${babylon.symptom.differential.why.subtitle}
${babylon.symptom.rash.differential.why.reason1}
${babylon.symptom.rash.differential.why.reason2}
${babylon.symptom.rash.differential.why.reason3}
${babylon.symptom.rash.differential.why.reason4}
${babylon.symptom.rash.differential.why.reason5}
${babylon.symptom.rash.differential.why.reason6}

And I click on back button to move back to possible causes screen	0.34s
When I select on "${babylon.symptom.rash.possiblecauses2}" cause with offset 500 in report	1.58s
Then I verify following conditions are displayed	4.26s

${babylon.symptom.rash.possiblecauses2}
${babylon.symptom.differential.er}

${babylon.symptom.differential.why.title}	
${babylon.symptom.rash.differential.why.reason1}	
${babylon.symptom.rash.differential.why.reason2}	
${babylon.symptom.rash.differential.why.reason3}	
${babylon.symptom.rash.differential.why.reason4}	
${babylon.symptom.rash.differential.why.reason5}	
${babylon.symptom.rash.differential.why.fever}	
${babylon.symptom.rash.differential.why.reason6}	

After		0.00s

Back to Table of Contents

Feature: Verify the BabyLon Groin Mass workflow is working as expected

Following condition should meet to run this script:
Age:55
Sex:Male
Country:Singapore/Malaysia

Passed: 1	Failed: 0	Undefined: 0	Duration: 447.39s

Scenario: User should be able to access Babylon from Pulse app and perform Groin mass workflow

Passed: 27	Failed: 0	Undefined: 0	Duration: 447.39 s

Before	0.00s
Given User has pulse app	8.11s
And I assign "${Babylon.hernia}" to variable "PULSE_EMAIL"	0.00s
Then I wait for 5 sec	5.01s
And user click on "CONTINUE WITH EMAIL" with Email button	12.70s
Then I change the country as required on registration page	10.17s
Then I wait for 5 sec	5.01s
Then I change the language as required on registration page	10.52s
And I click the Sign in link	4.96s
And I select the language option on toggle bar as required on login page	3.58s
When user enters credentials	17.68s

UserName	${PULSE_EMAIL}
Password	${Password.text}

And User clicks on signin button	0.26s
Then I wait for 10 sec	10.01s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	8.25s
And I navigate to Babylon Symptoms Page	7.58s
Then I wait for 6 sec	6.01s
Then I enter "${babylon.symptom.inguinalhernia}" symptoms on Babylon screen And select "${babylon.symptom.inguinalhernia.choose}"	25.50s
Then I click on Ok button after noting the caseid:	8.03s

text	${babylon.symptom.caseid.txt}

Then verify user is landed to inguinal hernia consultation screen	3.93s

When I handle Babylon "InguinalHernia" questions and answers	277.25s
Then I verify the closure summary and click on continue button	5.07s
text ${babylon.symptom.closureSummary}	
And I wait for 5 sec	5.01s
Then I click on view results to see the possible causes	5.23s
When I click on "inguinal hernia" cause	0.43s
Then I verify following conditions are displayed	1.99s
${babylon.symptom.possiblecauses.inguinalhernia}	
${babylon.symptom.differential.gp}	
${babylon.symptom.possiblecauses.reduced.groinmass}	
${babylon.symptom.possiblecauses.groinmass.lump}	
And I click on back button to move back to possible causes screen	0.37s
When I click on "femoral hernia" cause	1.72s
Then I verify following conditions are displayed	3.05s
${babylon.symptom.possiblecauses.femoralhernia}	
${babylon.symptom.differential.gp}	
${babylon.symptom.possiblecauses.reduced.groinmass}	
${babylon.symptom.possiblecauses.groinmass.lump}	
After	0.00s

Back to Table of Contents

Feature: Verify the BabyLon Maligant Neoplasm postmenopause bleed workflow is working as expected

Following condition should meet to run this script:
Age:74
Sex:Female
Country:Singapore/Malaysia

Passed: 1	Failed: 0	Undefined: 0	Duration: 433.34s

Scenario: User should be able to access Babylon from Pulse app and perform Postmenopausal Bleed workflow

Passed: 25	Failed: 0	Undefined: 0	Duration: 433.34 s
Before			0.00s

Given I assign "${pulse.babylon.postmenopause.username}" to variable "PULSE_EMAIL"	0.00s
And I assign "${parity.password}" to variable "USER_PASSWORD"	0.00s
Given User has pulse app	8.20s
Then I wait for 5 sec	5.01s
And user click on "CONTINUE WITH EMAIL" with Email button	12.73s
Then I change the country as required on registration page	11.42s
Then I wait for 5 sec	5.00s
Then I change the language as required on registration page	0.26s
And I click the Sign in link	4.86s
And I select the language option on toggle bar as required on login page	3.58s

When I login into pulse app with below details	18.09s
UserName ${PULSE_EMAIL}	
Password ${USER_PASSWORD}	
Then I wait for 10 sec	10.01s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	8.41s
And I navigate to Babylon Symptoms Page	6.87s
Then I enter "${babylon.symptom.postmenopausalbleeding}" symptoms on Babylon screen And select "${babylon.symptom.postmenopausalbleeding.choose}"	24.63s
Then I click on Ok button after noting the caseid:	7.66s
text ${babylon.symptom.caseid.txt}	
Then I handle Babylon "PostmenopausalBleed" questions and answers	233.90s
Then I verify the closure summary and click on continue button	4.97s
text ${babylon.symptom.closureSummary}	
Then I click on view results to see the possible causes	9.63s
And Verify following possible causes are displayed	39.92s
${babylon.symptom.possiblecause.endopolyp}	
${babylon.symptom.differential.potentiallyserious}	
${babylon.symptom.possiblecause.thinning.vaginalwall}	
When I select on "${babylon.symptom.possiblecause.endopolyp}" cause with offset 500 in report	12.32s
Then I verify following conditions are displayed	1.94s
${babylon.symptom.possiblecause.endopolyp}	
${babylon.symptom.differential.gp}	
${babylon.symptom.differential.why.title}	
${babylon.symptom.differential.why.subtitle}	
${babylon.symptom.possiblecause.vaginalbleeding}	
And I click on back button to move back to possible causes screen	0.33s
When I select on "${babylon.symptom.differential.potentiallyserious}" cause with offset 500 in report	1.77s
Then I verify following conditions are displayed	1.87s
${babylon.symptom.differential.potentiallyserious}	
${babylon.symptom.differential.gp}	
${babylon.symptom.differential.why.title}	
${babylon.symptom.possiblecause.vaginalbleeding}	
After	0.00s

Back to Table of Contents

Feature: Verify the BabyLon Prostatic HyperPlasia workflow is working as expected

Following condition should meet to run this script:
Age:58
Sex:Male
Country:Singapore/Malaysia

Passed: 1	Failed: 0	Undefined: 0	Duration: 559.04s

Scenario: User should be able to access Babylon from Pulse app and perform Prostatic Hyperplasia workflow			
Passed: 26	Failed: 0	Undefined: 0	Duration: 559.04 s
Before			0.00s

Given I assign "${pulse.babylon.prostatic.username}" to variable "PULSE_EMAIL"	0.00s
And I assign "${parity.password}" to variable "USER_PASSWORD"	0.00s
Given User has pulse app	8.22s
Then I wait for 5 sec	5.01s
And user click on "CONTINUE WITH EMAIL" with Email button	12.66s
Then I change the country as required on registration page	11.74s
Then I wait for 5 sec	5.01s
Then I change the language as required on registration page	10.55s
And I click the Sign in link	4.90s
And I select the language option on toggle bar as required on login page	3.47s
When user enters credentials	18.30s
UserName ${PULSE_EMAIL}	
Password ${Password.text}	
And User clicks on signin button	0.24s
Then I wait for 10 sec	10.01s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	8.64s
And I navigate to Babylon Symptoms Page	6.87s
Then I enter "${babylon.ph.symptom}" symptoms on Babylon screen And select "${babylon.ph.symptomDescription}"	25.55s
Then I click on Ok button after noting the caseid:	7.88s
text ${babylon.symptom.caseid.txt}	
Then I handle Babylon "ProstaticHyperplasia" questions and answers	384.66s
Then I verify the closure summary and click on continue button	5.32s
text ${babylon.symptom.closureSummary}	
Then I click on view results to see the possible causes	9.34s
And Verify following possible causes are displayed	11.66s
${babylon.symptom.differential.potentiallyserious}	
${babylon.ph.possiblecause.benign.hyperplasia}	
When I select on "${babylon.ph.cause1}" cause with offset 100 in report	0.63s
Then I verify following conditions are displayed	2.76s
${babylon.ph.possiblecause.benign.hyperplasia}	
${babylon.symptom.differential.gp}	
${babylon.symptom.differential.why.title}	
${babylon.symptom.differential.why.subtitle}	
${babylon.ph.possiblecause.urination.dfclty}	
${babylon.ph.possiblecause.increased.urination}	
${babylon.ph.possiblecause.urgentneed.urination}	
${babylon.ph.possiblecause.lowflow.urination}	

${babylon.ph.possiblecause.dribbling.urine}	
And I click on back button to move back to possible causes screen	0.36s
When I select on "${babylon.symptom.differential.potentiallyserious}" cause with offset 500 in report	2.61s
Then I verify following conditions are displayed	2.68s
${babylon.symptom.differential.potentiallyserious}	
${babylon.symptom.differential.why.title}	
${babylon.ph.possiblecause.weightloss}	
${babylon.ph.possiblecause.urination.dfclty}	
${babylon.ph.possiblecause.increased.urination}	
${babylon.ph.possiblecause.urgentneed.urination}	
${babylon.ph.possiblecause.lowflow.urination}	
${babylon.ph.possiblecause.dribbling.urine}	
After	0.00s

Back to Table of Contents

Feature: Verify the BabyLon Rib Fracture workflow is working as expected and user can the chat history after consultation

Following condition should meet to run this script:
Age:39
Sex:Male
Country:Singapore

Passed: 2	Failed: 0	Undefined: 0	Duration: 409.78s

Scenario: Launch the app and select the country as per specified lbu

Passed: 13	Failed: 0	Undefined: 0	Duration: 93.31s
Before			0.00s

Given User has pulse app	8.64s
And I assign "${Babylon.rib}" to variable "PULSE_EMAIL"	0.00s
And user click on "CONTINUE WITH EMAIL" with Email button	12.72s
Then I change the country as required on registration page	10.62s
Then I wait for 5 sec	5.01s
Then I change the language as required on registration page	10.66s
And I click the Sign in link	4.96s
And I select the language option on toggle bar as required on login page	3.50s
Then I verify below language options on toggle bar as per specified lbu on login page	0.42s
When user enters credentials	18.11s
UserName ${PULSE_EMAIL}	
Password ${Password.text}	
And User clicks on signin button	0.26s
And I wait for 10 sec	10.01s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	8.40s
After	0.00s

Back to Table of Contents

Scenario: User should be able to access Babylon from Pulse app and perform Rib Fracture workflow			
Passed: 11	Failed: 0	Undefined: 0	Duration: 316.47 s
Before			0.00s
And I navigate to Babylon Symptoms Page			9.22s
Then I enter "${babylon.rib.symptom}" symptoms on Babylon screen And select "${babylon.rib.symptomDescription}"			25.21s
Then I click on Ok button after noting the caseid:			8.78s
text ${babylon.symptom.caseid.txt}			
Then I handle Babylon "RibFracture" questions and answers			250.66s
Then I verify the closure summary and click on continue button			4.90s
text ${babylon.symptom.closureSummary}			
Then I click on view results to see the possible causes			9.07s
When I select on "${babylon.rib.cause.chestStrain}" cause with offset 0 in report			0.81s
Then I verify following conditions are displayed			2.67s
${babylon.symptom.differential.why.title}			
${babylon.symptom.differential.why.subtitle}			
${babylon.rib.possiblecause.injuredchestwall}			
${babylon.rib.possiblecause.painonribmovement}			
${babylon.rib.possiblecause.rightside.chestpain}			
${babylon.rib.possiblecause.dull.chestpain}			
${babylon.rib.possiblecause.painonchestpress}			
And I click on back button to move back to possible causes screen			0.33s
When I select on "${babylon.rib.cause.costochondritis}" cause with offset 0 in report			2.46s
Then I verify following conditions are displayed			2.36s
${babylon.rib.costochondritis.conditionTitle}			
${babylon.symptom.differential.why.title}			
${babylon.rib.possiblecause.injuredchestwall}			
${babylon.rib.possiblecause.rightside.chestpain}			
${babylon.rib.possiblecause.painonribmovement}			
${babylon.rib.possiblecause.dull.chestpain}			
${babylon.rib.possiblecause.painonchestpress}			
After			0.00s

Back to Table of Contents

Feature: Verify that user can locate near by Hospitals,clinics using PruShoppe Location feature			
Passed: 4	Failed: 0	Undefined: 0	Duration: 392.63s

Scenario: Launch the app and select the country as per specified lbu			
Passed: 6	Failed: 0	Undefined: 0	Duration: 39.37s
Before			0.00s
Given User has pulse app			8.52s
And I assign "${login.email.id}" to variable "PULSE_EMAIL"			0.00s

And user click on "CONTINUE WITH EMAIL" with Email button	12.78s
Then I change the country as required on registration page	11.03s
Then I wait for 2 sec	2.01s
And I click the Sign in link	5.04s

After			0.00s

Back to Table of Contents

Scenario: login to the app with correct credentials using "Continue with Email"

Passed: 6	Failed: 0	Undefined: 0	Duration: 40.98s
Before			0.00s

Given I select the language option on toggle bar as required on login page	3.45s
When user enters credentials	17.88s
UserName ${PULSE_EMAIL} Password ${login.password}	
And User clicks on signin button	0.25s
And I wait for 5 sec	5.01s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	8.46s
Then user should be landed to "Home" screen	5.94s

After			0.00s

Back to Table of Contents

Scenario: User should be able to locate Hospitals using PruShoppe location

Passed: 15	Failed: 0	Undefined: 0	Duration: 183.84 s
Before			0.00s

When I clicks on Health button	4.29s
Then I clicks on Location button	32.00s
When I clicks on Search here text field	5.95s
And I clicks on "Hospitals" under Pulse Search	1.17s
Then User can see the list of "Hospitals" near by to user's current location	2.92s
And User can see that Call, Navigate and See Details links are displayed under "Hospitals" search results	79.75s
When I clicks on See Details button on First result	18.65s
Then I can see the "Hospital" Information screen with Navigate and Call Now buttons	11.35s
When I clicks on "Speciality" tab	0.51s
Then I verify the Speciality screen is displayed	8.31s
When I clicks on "Doctors" tab	1.05s
Then I verify the Doctors screen is displayed	9.02s
When I clicks on "Rooms" tab	1.05s
Then I verify the Rooms screen is displayed	7.20s
When I clicks on back button in See Details screen	0.62s

After			0.00s

Back to Table of Contents

Scenario: User should be able to locate cli using PruShoppe location

			Duration: 128.43

Passed: 9	Failed: 0	Undefined: 0	s
Before			0.00s

And I clicks on back button in "Hospitals" screen	3.23s
When I clicks on Search here text field	12.17s
And I clicks on "Clinics" under Pulse Search	1.22s
Then User can see the list of "Clinics" near by to user's current location	3.72s
And User can see that Call, Navigate and See Details links are displayed under "Clinics" search results	78.11s
When I clicks on See Details button on First result	17.83s
Then I can see the "Clinic" Information screen with Navigate and Call Now buttons	8.91s
When I clicks on back button in See Details screen	0.39s
And I clicks on back button in "Clinic" screen	2.87s

After		0.00s

Back to Table of Contents

Feature: Verify MY Event channel functionality on one pulse App

Passed: 5	Failed: 0	Undefined: 0	Duration: 135.12s

Scenario: Launch the app and select the country as per specified lbu

Passed: 7	Failed: 0	Undefined: 0	Duration: 43.38s
Before			0.00s

Given User has pulse app	8.49s
And I assign "${onepulse.login.global.id}" to variable "PULSE_EMAIL"	0.00s
And user click on "CONTINUE WITH EMAIL" with Email button	12.78s
Then I change the country as required on registration page	11.89s
Then I wait for 5 sec	5.01s
Then I change the language as required on registration page	0.31s
And I click the Sign in link	4.90s

After		0.00s

Back to Table of Contents

Scenario: login to the app with correct credentials using "Continue with Email"

Passed: 6	Failed: 0	Undefined: 0	Duration: 41.3s
Before			0.00s

Given I select the language option on toggle bar as required on login page	3.50s
When user enters credentials	18.14s

UserName	${PULSE_EMAIL}
Password	${pulse.password}

And User clicks on signin button	0.24s
And I wait for 5 sec	5.01s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	8.32s
Then user should be landed to "Home" screen	6.10s

After		0.00s

Back to Table of Contents

Scenario: Verify MyEvent Functionality in Home screen

Passed: 3	Failed: 0	Undefined: 0	Duration: 27.1s
Before			0.00s
And I click the MyEvent icons			21.57s
And I wait for 5 sec			5.00s
And I verify following texts are displayed			0.52s
You do not have any events enrolled yet Please choose from the open events and get started			
After			0.00s

Back to Table of Contents

Scenario: Verify Open Events tab

Passed: 2	Failed: 0	Undefined: 0	Duration: 12.76s
Before			0.00s
And I click the Open Events icon			9.22s
And I verify following texts are displayed			3.54s
There are no events available at the moment Stay tuned for events on health and fitness			
After			0.00s

Back to Table of Contents

Scenario: Verify Events Archive tab

Passed: 2	Failed: 0	Undefined: 0	Duration: 10.58s
Before			0.00s
And I click the Events Archive icon			8.59s
And I verify following texts are displayed			2.00s
You do not have any events in your archive.			
After			0.00s

Back to Table of Contents

Feature: Verify My Health Content functionality on one pulse App

Passed: 8	Failed: 0	Undefined: 0	Duration: 210.31s

Scenario: Launch the app and select the country as per specified lbu

Passed: 8	Failed: 0	Undefined: 0	Duration: 53.28s
Before			0.00s
Given User has pulse app			8.74s
And Logout of pulse app if user is logged in			0.00s
And user click on "CONTINUE WITH EMAIL" with Email button			12.86s
Then I change the country as required on registration page			11.20s
Then I wait for 3 sec			3.00s
Then I change the language as required on registration page			10.86s
And I click the Sign in link			4.93s
Then I verify below language options on toggle bar as per specified lbu on login page			1.68s
After			0.00s

Back to Table of Contents

Scenario: User should be able to login on app with correct credentials using "Continue with Email"			
Passed: 7	Failed: 0	Undefined: 0	Duration: 44.17s
Before			0.00s
And I assign "${login.email.id}" to variable "PULSE_EMAIL"			0.00s
Given I select the language option on toggle bar as required on login page			2.27s
When user enters credentials			17.94s
UserName	${PULSE_EMAIL}		
Password	${pulse.password}		
And User clicks on signin button			0.27s
Then I wait for 10 sec			10.01s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"			8.26s
Then user should be landed to "Home" screen			5.43s
After			0.00s

Back to Table of Contents

Scenario: Verify User should be able to navigate to Health page			
Passed: 4	Failed: 0	Undefined: 0	Duration: 45.77s
Before			0.00s
Then I navigate to Health Content screen			21.78s
Then I wait for 5 sec			5.01s
And I verify following texts are displayed			0.47s
Health Channels			
And I verify the following texts "My Health Content" in Screen			18.51s
Category			
Like			
Share			
Comment			
After			0.00s

Back to Table of Contents

Scenario: Verify User should be able to view the full page article post			
Passed: 2	Failed: 0	Undefined: 0	Duration: 21.38s
Before			0.00s
Then I click on "Health Channels" topic for details full view			11.37s
Then I wait for 10 sec			10.02s
After			0.00s

Back to Table of Contents

Scenario: Verify User should be able to see the Like, Share, Comment options on full page article post			
Passed: 1	Failed: 0	Undefined: 0	Duration: 13.67s
Before			0.00s
And I verify the following texts "My Health Content" in Screen			13.67s
Like			
Share			

Comment			
After			0.00s

Back to Table of Contents

Scenario: Verify User should be able to Like the post in full article view screen

Passed: 2	Failed: 0	Undefined: 0	Duration: 11.07s
Before			0.00s
And I Like the post			5.40s
And I Like the post			5.66s
After			0.00s

Back to Table of Contents

Scenario: Verify User should be able to Share the post in full article view screen

Passed: 2	Failed: 0	Undefined: 0	Duration: 16.39s
Before			0.00s
And I share the post			5.45s
Then I navigate back to previous page			10.94s
After			0.00s

Back to Table of Contents

Scenario: Verify User can navigate to Health homepage

Passed: 1	Failed: 0	Undefined: 0	Duration: 4.59s
Before			0.00s
Then I navigate to story post page			4.59s
After			0.00s

Back to Table of Contents

Feature: Verify My Challenges on One Pulse App

Passed: 4	Failed: 0	Undefined: 0	Duration: 112.38s

Scenario: Launch the app and select the country as per specified lbu

Passed: 6	Failed: 0	Undefined: 0	Duration: 39.69s
Before			0.00s
Given User has pulse app			8.67s
And Logout of pulse app if user is logged in			0.00s
And user click on "CONTINUE WITH EMAIL" with Email button			12.66s
Then I change the country as required on registration page			10.29s
Then I wait for 3 sec			3.00s
And I click the Sign in link			5.06s
After			0.00s

Back to Table of Contents

Scenario: User should be able to login on app with correct credentials using "Continue with Email"

Passed: 7	Failed: 0	Undefined: 0	Duration: 46.13s
Before			0.00s
And I assign "${login.email.id}" to variable "PULSE_EMAIL"			0.00s
Given I select the language option on toggle bar as required on login page			3.56s

When user enters credentials		17.75s
UserName	${PULSE_EMAIL}	
Password	${pulse.password}	
And User clicks on signin button		0.28s
Then I wait for 10 sec		10.01s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"		8.19s
Then user should be landed to "Home" screen		6.34s
After		0.00s

Back to Table of Contents

Scenario: Verify My Challenges texts

Passed: 3	Failed: 0	Undefined: 0	Duration: 16.6s

Before		0.00s
And I click on My Challenges tile on one pulse app		12.02s
And I verify following texts are displayed		0.29s
${do.not.have.challenges}		
And I verify the following texts "My challenges" in Screen		4.29s
${all.challenges.text}		
After		0.00s

Back to Table of Contents

Scenario: Click on All challenges and and verify texts

Passed: 4	Failed: 0	Undefined: 0	Duration: 9.97s

Before		0.00s
And I clicks on "${all.challenges.text}" in app screen		0.23s
And I verify the following texts "My challenges" in Screen		8.85s
${my.challenges.text}		
${all.challenges.text}		
And I verify following texts are displayed		0.63s
${not.connected.wearable}		
${no.challenges.available}		
${notify.challenge}		
And I clicks on "${back.home}" in app screen		0.25s
After		0.00s

Back to Table of Contents

Feature: Verify My Communities on One Pluse App

Passed: 10	Failed: 0	Undefined: 0	Duration: 336.04s

Scenario: Launch the app and select the country as per specified lbu

Passed: 6	Failed: 0	Undefined: 0	Duration: 39.4s

Before		0.00s
Given User has pulse app		8.68s
And Logout of pulse app if user is logged in		0.00s
And user click on "CONTINUE WITH EMAIL" with Email button		12.62s
Then I change the country as required on registration page		9.89s

Then I wait for 3 sec		3.01s
And I click the Sign in link		5.20s
After		0.00s

Back to Table of Contents

Scenario: User should be able to login on app with correct credentials using "Continue with Gmail"

Passed: 7	Failed: 0	Undefined: 0	Duration: 45.75s
Before			0.00s

And I assign "${onepulse.login.global.id}" to variable "PULSE_EMAIL"		0.00s
Given I select the language option on toggle bar as required on login page		3.56s
When user enters credentials		18.52s
UserName	${PULSE_EMAIL}	
Password	${pulse.password}	
And User clicks on signin button		0.29s
Then I wait for 10 sec		10.01s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"		7.88s
Then user should be landed to "Home" screen		5.50s
After		0.00s

Back to Table of Contents

Scenario: User should be able to login on app with correct credentials using "Continue with Email" and Verify the Mycommunities screen

Passed: 5	Failed: 0	Undefined: 0	Duration: 27.22s
Before			0.00s

Then I wait for 6 sec		6.01s
And User should be verify "${my.communities.text}" tab in Home screen		6.14s
Then I wait for 6 sec		6.00s
And I verify following texts are displayed		0.42s
${icon.communities}		
And I verify the following texts "All Communities" in Screen		8.64s
${my.communities.text}		
${All.Communities.text}		
After		0.00s

Back to Table of Contents

Scenario: Leave the community if already joined

Passed: 4	Failed: 0	Undefined: 0	Duration: 14.6s
Before			0.00s

And I clicks on "${my.communities.text}" in app screen		0.32s
And I scroll down		4.52s
When I click on joined community three dots menu icon		0.99s
And I click on leave button for joined community		8.78s
After		0.00s

Back to Table of Contents

Scenario: Verify the All Communities Post screen

Passed: 9	Failed: 0	Undefined: 0	Duration: 43.28s
Before			0.00s
Then I wait for 5 sec			5.00s
And I clicks on "${All.Communities.text}" in app screen			0.36s
And I click the Join button in Communties tab			3.90s
And I click the static Active icon in community screen			5.42s
And I click Edit icon in stay Active icon			15.94s
And Enter the post in community screen			3.78s
POST TEST1			
And Enter the post in community large text screen			2.12s
POST welcome			
And I click the Post icon in create post screen			1.07s
Then I verify the following text "TEST1" in Screen			5.70s
TEST1			
welcome			
After			0.00s

Back to Table of Contents

Scenario: **Verify the Likes and comments counts in All communities tab**

Passed: 7	Failed: 0	Undefined: 0	Duration: 37.71s
Before			0.00s
And I click the Post icon in My communities			8.98s
And I click the like button in Post screen			8.93s
And Verify the like count in Post screen " 1 Likes" likes			3.05s
And I click the Comment icon in feed screen			4.68s
And Enter the comments in Feeds screen			2.35s
Comments TEST1			
And I click the submit icon in feeds screen			1.07s
And Verify the comments count in Feeds screen " 0 Comments" comments			8.66s
After			0.00s

Back to Table of Contents

Scenario: **Verify the Share with Friends Functionality in All communities tab**

Passed: 4	Failed: 0	Undefined: 0	Duration: 20.76s
Before			0.00s
And I click the share icon in Post screen			4.92s
And Verify the pop up in "Share with Friends"			2.11s
And I click the phone icon in share with friends			4.37s
And I give camera permission			9.36s
After			0.00s

Back to Table of Contents

Scenario: **Verify the Post Functionality in All communities**

Passed: 12	Failed: 0	Undefined: 0	Duration: 62.72s
Before			0.00s

Then I click skip button in feeds screen	0.72s
Then I wait for 2 sec	2.01s
And I click the Back icon in Stay Active screen	1.82s
Then I wait for 3 sec	3.01s
And I click Edit icon in stay Active icon	15.89s
And I click the Camera icon in create post screen	4.44s
And I click the Upload Image icon	4.20s
And I give camera permission	12.61s
Then I take picture from Camera	11.91s
And Enter the post in community screen	2.03s
POST TEST1	
And Enter the post in community large text screen	2.43s
POST welcome	
And I click the Post icon in create post screen	1.66s
After	0.00s

Back to Table of Contents

Scenario: Verify the Category list and search feature

Passed: 7	Failed: 0	Undefined: 0	Duration: 36.64s
Before			0.00s

Then I wait for 15 sec	15.00s
And I clicks on "${category.text}" in app screen	0.52s
And I verify the following texts "Category" in Screen	17.42s
COVID-19 Fitness Global Awareness Days Mental Health	
And I clicks on "Mental Health" in app screen	0.22s
And I clicks on "${apply.button}" in app screen	0.76s
And I verify following texts are displayed	2.18s
${no.post.found.text}	
And I click the Back icon in Stay Active screen	0.55s
After	0.00s

Back to Table of Contents

Scenario: Leave the community if already joined

Passed: 4	Failed: 0	Undefined: 0	Duration: 7.95s
Before			0.00s

And I clicks on "${my.communities.text}" in app screen	1.85s
And I scroll down	4.55s
When I click on joined community three dots menu icon	0.20s
And I click on leave button for joined community	1.35s
After	0.00s

Back to Table of Contents

Feature: Verify Private My Communities on One Pluse App

Passed: 4	Failed: 0	Undefined: 0	Duration: 152.16s

Scenario: Launch the app and select the country as per specified lbu

Passed: 6	Failed: 0	Undefined: 0	Duration: 41.28s
Before			0.00s
Given User has pulse app			9.60s
And Logout of pulse app if user is logged in			0.00s
And user click on "CONTINUE WITH EMAIL" with Email button			12.94s
Then I change the country as required on registration page			10.78s
Then I wait for 3 sec			3.01s
And I click the Sign in link			4.96s
After			0.00s

Back to Table of Contents

Scenario: User should be able to login on app with correct credentials using "Continue with Gmail"

Passed: 7	Failed: 0	Undefined: 0	Duration: 46.3s
Before			0.00s
And I assign "pulse123456@mailsac.com" to variable "PULSE_EMAIL"			0.00s
Given I select the language option on toggle bar as required on login page			3.54s
When user enters credentials			18.24s

UserName	${PULSE_EMAIL}
Password	${pulse.password}

And User clicks on signin button			0.27s
Then I wait for 10 sec			10.01s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"			8.77s
Then user should be landed to "Home" screen			5.48s
After			0.00s

Back to Table of Contents

Scenario: User should be able to login on app with correct credentials using "Continue with Gmail" and Verify the Mycommunities screen

Passed: 3	Failed: 0	Undefined: 0	Duration: 17.89s
Before			0.00s
And I click the MyCommunities icon			6.10s
Then I wait for 3 sec			3.01s
And I verify the following texts "Communities" in Screen			8.78s

${my.communities.text}
${All.Communities.text}

After			0.00s

Back to Table of Contents

Scenario: Verify the Private Communities in communities screen

Passed: 12	Failed: 0	Undefined: 0	Duration: 46.69s
Before			0.00s
And I click the Private "${All.Communities.text}" in Communties screen			4.67s
And I Enter the "e.g. Be Healthy content, Challenges etc." in "Test" in home			

screen	2.85s
And I Enter the "e.g. Healthy content, forum for celebrities etc." in "2020" in home screen	3.20s
And I clicks on "Take a Picture" in app screen	0.85s
And I click the Upload Image icon	4.22s
And I give camera permission	9.86s
Then I take picture from Camera	9.97s
Then I wait for 3 sec	3.01s
And I scroll down	4.63s
And I click the continue button	0.34s
Then I click skip button in feeds screen	1.22s
And I clicks on "OK" in app screen	1.87s
After	0.00s

Back to Table of Contents

Feature: Verify legal and legacy on One pulse App

Passed: 7	Failed: 0	Undefined: 0	Duration: 168.92s

Scenario: Launch the app and select the country as per specified lbu

Passed: 6	Failed: 0	Undefined: 0	Duration: 41.21s

Before	0.00s
Given User has pulse app	8.61s
And I assign "${pulse.legal.privacy.login.id}" to variable "PULSE_EMAIL"	0.00s
And user click on "CONTINUE WITH EMAIL" with Email button	12.72s
Then I change the country as required on registration page	9.80s
Then I wait for 5 sec	5.01s
And I click the Sign in link	5.08s
After	0.00s

Back to Table of Contents

Scenario: login to the app with correct credentials using "Continue with Email"

Passed: 6	Failed: 0	Undefined: 0	Duration: 41.84s

Before	0.00s
Given I select the language option on toggle bar as required on login page	3.57s
When user enters credentials	18.19s

UserName	${PULSE_EMAIL}
Password	${pulse.edit}

And User clicks on signin button	0.31s
And I wait for 5 sec	5.01s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	9.26s
Then user should be landed to "Home" screen	5.50s
After	0.00s

Back to Table of Contents

Scenario: Navigate to account screen

Passed: 1	Failed: 0	Undefined: 0	Duration: 4.55s
Before			0.00s

Given user navigate to account page			4.55s
After			0.00s

Back to Table of Contents

Scenario: Verify the Legacy and Privacy should be displayed

Passed: 2	Failed: 0	Undefined: 0	Duration: 7.01s
Before			0.00s

And I click the Legacy and Privacy in Account screen	3.87s
Then I verify following texts are displayed in terms and condition screen	3.14s

${Terms.conditions.text}
${icon.privacyNotice}
${icon.regulatory}
${app.version.text}

After		0.00s

Back to Table of Contents

Scenario: Verify the Terms and condition screen should be displayed

Passed: 4	Failed: 0	Undefined: 0	Duration: 17.61s
Before			0.00s

And I click on "${Terms.conditions.text}" link in Account screen	0.28s
And I click the pulse icon in Account screen	13.65s
And I click the Back icon in pulse screen	2.41s
And I click the Back icon in Terms and conditions screen	1.27s

After		0.00s

Back to Table of Contents

Scenario: Verify the Privacy screen should be displayed

Passed: 4	Failed: 0	Undefined: 0	Duration: 20.95s
Before			0.00s

And I click the Privacy icon in legal screen	2.32s
And I click the pulse icon in Account screen	13.92s
And I click the Back icon in pulse screen	2.38s
And I click the Back icon in Privacy Notice	2.33s

After		0.00s

Back to Table of Contents

Scenario: Verify the Regulator screen should be displayed

Passed: 3	Failed: 0	Undefined: 0	Duration: 35.75s
Before			0.00s

And I click the Regulatory icon in legal screen	13.57s
And I click the Babylons icon in Account screen	20.66s
Then I verify following texts are displayed in terms and condition screen	1.52s

${clinicalSafety.text}
${ai.healthcare.text}
${localisation.text}
${privacy.date.protection.text}
${concern.reporting.text}

After		0.00s

Back to Table of Contents

Feature: Verify My accounts options in Account screen

1)My wearable
2)My Rewards
3)My Notifications
4)My Feedback
5)Pulse Personalised

Passed: 25	Failed: 1	Undefined: 0	Duration: 260.35s

Scenario: Launch the app and select the country as per specified lbu

Passed: 6	Failed: 0	Undefined: 0	Duration: 42.27s
Before			0.00s
Given User has pulse app			8.38s
And I assign "${onepulse.login.edit.profile}" to variable "PULSE_EMAIL"			0.00s
And user click on "CONTINUE WITH EMAIL" with Email button			12.69s
Then I change the country as required on registration page			11.12s
Then I wait for 5 sec			5.01s
And I click the Sign in link			5.08s
After			0.00s

Back to Table of Contents

Scenario: login to the app with correct credentials using "Continue with Email"

Passed: 6	Failed: 0	Undefined: 0	Duration: 40.78s
Before			0.00s
Given I select the language option on toggle bar as required on login page			3.56s
When user enters credentials			18.19s

UserName	${PULSE_EMAIL}
Password	${pulse.edit}

And User clicks on signin button			0.23s
And I wait for 5 sec			5.01s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"			8.20s
Then user should be landed to "Home" screen			5.60s
After			0.00s

Back to Table of Contents

Scenario: Navigate to account screen and verify all the options

Passed: 3	Failed: 0	Undefined: 0	Duration: 9.52s
Before			0.00s
Given user navigate to account page			4.57s
Then I wait for 2 sec			2.00s
And user should verify following options on account screen			2.95s

${my.wearable.text}
${my.rewards.text}
${my.notification.text}

${icon.mySettings}
${my.feedback.text}
${icon.legal&Privacy}
${pulsePersonalised.text}
${sign.out.button.text}
${logs.text}

After		0.00s

Back to Table of Contents

Scenario: Verify wearable screen in Account tab

Passed: 3	Failed: 0	Undefined: 0	Duration: 4.76s
Before			0.00s

And I click on "${my.wearable.text}" link in Account screen	0.33s
Then I wait for 2 sec	2.01s
Then I verify following text are displayed under My Wearables screen	2.42s

${wearables.title}
${wearables.subTitle}
${wearables.description}
${wearables.fitbit}
${wearables.garmin}
${wearables.googleFit}

After		0.00s

Back to Table of Contents

Scenario: navigate back to account screen from my wearable screen

Passed: 2	Failed: 0	Undefined: 0	Duration: 2.32s
Before			0.00s

And user navigate back to the Home screen from My Wearables screen	0.32s
And I wait for 2 sec	2.00s

After		0.00s

Back to Table of Contents

Scenario: Navigate to account screen

Passed: 2	Failed: 0	Undefined: 0	Duration: 6.78s
Before			0.00s

Given user navigate to account page	4.77s
Then I wait for 2 sec	2.01s

After		0.00s

Back to Table of Contents

Scenario: Verify reward screen in Account tab

Passed: 3	Failed: 0	Undefined: 0	Duration: 5.9s
Before			0.00s

And I click on "${my.rewards.text}" link in Account screen	1.46s
Then I wait for 2 sec	2.01s
Then User verify following texts are displayed in My Rewards screen	2.43s

${myRewards.title}		
${myRewards.badges}		
${myRewards.vouchers}		
${myRewards.discover}		
${my.rewards.text}		
After		0.00s

Back to Table of Contents

Scenario: User access My Rewards FAQ

Passed: 3	Failed: 0	Undefined: 0	Duration: 7.53s
Before			0.00s
When I scroll down			4.53s
Then I wait for 2 sec			2.01s
Then User verify following texts are displayed in My Rewards screen			1.00s
${myRewards.faq.title}			
After			0.00s

Back to Table of Contents

Scenario Outline: Verify the FAQ on my rewards screen

Passed: 4	Failed: 0	Undefined: 0	Duration: 2.89s
Before			0.00s
Then User verify following faqs and answers "${myRewards.faq.1}" are displayed in My Rewards screen			0.89s
${myRewards.faq.1}			
And I expand faq "${myRewards.faq.1}" in My Rewards screen			0.39s
Then User verify following faqs and answers "${myRewards.faq.1.ans}" are displayed in My Rewards screen			1.24s
${myRewards.faq.1.ans}			
And I expand faq "${myRewards.faq.1}" in My Rewards screen			0.37s
After			0.00s

Back to Table of Contents

Scenario Outline: Verify the FAQ on my rewards screen

Passed: 4	Failed: 0	Undefined: 0	Duration: 3.62s
Before			0.00s
Then User verify following faqs and answers "${myRewards.faq.2}" are displayed in My Rewards screen			1.24s
${myRewards.faq.2}			
And I expand faq "${myRewards.faq.2}" in My Rewards screen			0.34s
Then User verify following faqs and answers "${myRewards.faq.2.ans}" are displayed in My Rewards screen			1.73s
${myRewards.faq.2.ans}			
And I expand faq "${myRewards.faq.2}" in My Rewards screen			0.32s
After			0.00s

Back to Table of Contents

Scenario Outline: Verify the FAQ on my rewards screen

Passed: 4	Failed: 0	Undefined: 0	Duration: 3.01s
Before			0.00s
Then User verify following faqs and answers "${myRewards.faq.3}" are displayed in My Rewards screen			1.03s
${myRewards.faq.3}			
And I expand faq "${myRewards.faq.3}" in My Rewards screen			0.35s
Then User verify following faqs and answers "${myRewards.faq.3.ans.subtext}" are displayed in My Rewards screen			1.25s
${myRewards.faq.3.ans.1}##${myRewards.faq.3.ans.2}##${myRewards.faq.3.ans.3}##${myRewards.faq.3.ans.4}##${myRewards.faq.3.ans.5}##${myRewards.faq.3.ans.6}##${myRewards.faq.3.ans.7}			
And I expand faq "${myRewards.faq.3}" in My Rewards screen			0.37s
After			0.00s

Back to Table of Contents

Scenario Outline: Verify the FAQ on my rewards screen

Passed: 0	Failed: 1	Undefined: 3	Duration: 2.57s
Before			0.00s
Then User verify following faqs and answers "${myRewards.faq.4.subtext}" are displayed in My Rewards screen			1.23s
${myRewards.faq.4.1}##${myRewards.faq.4.2}##${myRewards.faq.4.3}			

java.lang.AssertionError: The following asserts failed:
Actual text is: 4. I have completed Healthcheck and used Symptom Checker previously, will I earn points for those activities?expected text is:I have completed Healthcheck expected [true] but found [false]
at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)
at com.onepulse.app.stepdefinitions.mobilesteps.ManageProfileSteps.verifyFAQOnRewardsScreen(ManageProfileSteps.java:291)
at .Then User verify following faqs and answers "${myRewards.faq.4.subtext}" are displayed in My Rewards screen(features/my/MyAccount/PulseMyAccount.feature:79)

And I expand faq "${myRewards.faq.4.subtext}" in My Rewards screen	0.00s
Then User verify following faqs and answers "${myRewards.faq.4.ans}" are displayed in My Rewards screen	0.00s
${myRewards.faq.4.ans}	
And I expand faq "${myRewards.faq.4.subtext}" in My Rewards screen	0.00s



After		**1.34s**

Back to Table of Contents

Scenario Outline: Verify the FAQ on my rewards screen

Passed: 4	**Failed: 0**	**Undefined: 0**	**Duration: 2.11s**
Before			**0.00s**
Then User verify following faqs and answers "${myRewards.faq.5}" are displayed in My Rewards screen			**0.33s**
${myRewards.faq.5}			
And I expand faq "${myRewards.faq.5}" in My Rewards screen			**0.36s**
Then User verify following faqs and answers "${myRewards.faq.5.ans.subtext}" are displayed in My Rewards screen			**1.05s**
${myRewards.faq.5.ans.1}##${myRewards.faq.5.ans.2}##${myRewards.faq.5.ans.3}##${myRewards.faq.5.ans.4}			
And I expand faq "${myRewards.faq.5}" in My Rewards screen			**0.37s**
After			**0.00s**

Back to Table of Contents

Scenario Outline: Verify the FAQ on my rewards screen

Passed: 4	**Failed: 0**	**Undefined: 0**	**Duration: 2.94s**
Before			**0.00s**
Then User verify following faqs and answers "${myRewards.faq.6}" are displayed in My Rewards screen			**1.03s**
${myRewards.faq.6}			
And I expand faq "${myRewards.faq.6}" in My Rewards screen			**0.37s**
Then User verify following faqs and answers "${myRewards.faq.6.ans}" are displayed in My Rewards screen			**1.21s**

	${myRewards.faq.6.ans}		
	And I expand faq "${myRewards.faq.6}" in My Rewards screen		0.34s
After			0.00s

Back to Table of Contents

Scenario Outline: Verify the FAQ on my rewards screen			
Passed: 4	Failed: 0	Undefined: 0	Duration: 3.08s
Before			0.00s
	Then User verify following faqs and answers "${myRewards.faq.7}" are displayed in My Rewards screen		1.15s
	${myRewards.faq.7}		
	And I expand faq "${myRewards.faq.7}" in My Rewards screen		0.33s
	Then User verify following faqs and answers "${myRewards.faq.7.ans}" are displayed in My Rewards screen		1.24s
	${myRewards.faq.7.ans}		
	And I expand faq "${myRewards.faq.7}" in My Rewards screen		0.36s
After			0.00s

Back to Table of Contents

Scenario Outline: Verify the FAQ on my rewards screen			
Passed: 4	Failed: 0	Undefined: 0	Duration: 3.84s
Before			0.00s
	Then User verify following faqs and answers "${myRewards.faq.8}" are displayed in My Rewards screen		1.08s
	${myRewards.faq.8}		
	And I expand faq "${myRewards.faq.8}" in My Rewards screen		0.37s
	Then User verify following faqs and answers "${myRewards.faq.8.ans. subtext}" are displayed in My Rewards screen		1.22s
	${myRewards.faq.8.ans.1}##${myRewards.faq.8.ans.2}##${myRewards.faq.8.ans.3}		
	And I expand faq "${myRewards.faq.8}" in My Rewards screen		1.17s
After			0.00s

Back to Table of Contents

Scenario Outline: Verify the FAQ on my rewards screen			
Passed: 4	Failed: 0	Undefined: 0	Duration: 3.01s
Before			0.00s
	Then User verify following faqs and answers "${myRewards.faq.9}" are displayed in My Rewards screen		1.22s
	${myRewards.faq.9}		
	And I expand faq "${myRewards.faq.9}" in My Rewards screen		0.36s
	Then User verify following faqs and answers "${myRewards.faq.9.ans}" are displayed in My Rewards screen		1.08s
	${myRewards.faq.9.ans}		
	And I expand faq "${myRewards.faq.9}" in My Rewards screen		0.35s
After			0.00s

Back to Table of Contents

Scenario: navigate back to account screen from my rewards screen			
Passed: 2	Failed: 0	Undefined: 0	Duration: 44.7s
Before			0.00s
Then I click on back button on my reward screen to navigate to account screen			42.70s
And I wait for 2 sec			2.01s
After			0.00s

Back to Table of Contents

Scenario: Verify Notification screen in Account tab			
Passed: 2	Failed: 0	Undefined: 0	Duration: 2.38s
Before			0.00s
And I click on "${my.notification.text}" link in Account screen			0.57s
Then User verify following texts are displayed in My Notification screen			1.81s
${notification.msg}			
After			0.00s

Back to Table of Contents

Scenario: navigate back to account screen from Notification screen			
Passed: 2	Failed: 0	Undefined: 0	Duration: 2.3s
Before			0.00s
Then I click on back button on notification screen to navigate to account screen			0.30s
And I wait for 2 sec			2.01s
After			0.00s

Back to Table of Contents

Scenario: Verify my feedback screen in Account tab			
Passed: 3	Failed: 0	Undefined: 0	Duration: 4.59s
Before			0.00s
And I click on "${my.feedback.text}" link in Account screen			0.37s
Then User verify following texts are displayed in My feedback screen			3.92s
${feedback.static.text}			
${feedback.improvement}			
${aime.text}			
${health.article.text}			
${bmi.text.uppercase}			
${wrinkle.text}			
${health.assessment.text}			
${babylon.symptom.checker}			
Then I verify following edit box sample text is displayed in account screen			0.31s
${share.thought.text}			
After			0.00s

Back to Table of Contents

Scenario: Verify the submit functionality in My feedback screen			
Passed: 4	Failed: 0	Undefined: 0	Duration: 9.23s
Before			0.00s

Given I select "5" star in feedback screen	0.35s
Then I enter feedback	2.26s
Feedback Test_12345	
And I click the Submit icon in Feedback Screen	4.62s
And I wait for 2 sec	2.01s

After			0.00s

Back to Table of Contents

Scenario: Verify the Pulse Personalised tab

Passed: 4	Failed: 0	Undefined: 0	Duration: 8.74s
Before			0.00s

And I click the Pulse by Personalised icons	4.29s
And I wait for 2 sec	2.00s
Then User verify following texts are displayed in pulse personalised screen	0.45s
${pulsePersonalised.text} ${data.privacy.text}	
Then I verify data and privacy consent in pulse personalised screen	2.00s
${pulse.personalised.consent.text1} ${pulse.personalised.consent.text2} ${pulse.personalised.consent.text3} ${pulse.personalised.consent.text4} ${pulse.personalised.consent.text5} ${pulse.personalised.consent.text6} ${pulse.personalised.consent.text7}	

After			0.00s

Back to Table of Contents

Scenario: Save the consent with data privacy check

Passed: 4	Failed: 0	Undefined: 0	Duration: 14.6s
Before			0.00s

Given I select the data privacy checkbox	0.85s
And I click the save button in pulse personalised icons	3.64s
Then User verify following texts are displayed in pulse personalised screen	1.73s
${consent.success.msg.text}	
And I click the Ok button in pulse personlised screen	8.39s

After			0.00s

Back to Table of Contents

Scenario: Save the consent without data privacy check

Passed: 4	Failed: 0	Undefined: 0	Duration: 15.42s
Before			0.00s

Given I select the data privacy checkbox	1.21s
And I click the save button in pulse personalised icons	3.56s
Then User verify following texts are displayed in pulse personalised screen	2.29s
${consent.success.msg.text}	

And I click the Ok button in pulse personlised screen		8.37s
After		0.00s

Back to Table of Contents

Scenario: navigate back to account screen from pulse personalised screen

Passed: 2	Failed: 0	Undefined: 0	Duration: 11.41s

Before		0.00s
And I click the Back icon in pulse personalised screen		9.40s
And I wait for 2 sec		2.01s
After		0.00s

Back to Table of Contents

Feature: Verify My wearable functionality via fitness tab on Pulse Health & Wealth app

Passed: 3	Failed: 0	Undefined: 0	Duration: 92.86s

Scenario: Launch the app and select the country as per specified lbu

Passed: 6	Failed: 0	Undefined: 0	Duration: 41.84s

Before		0.00s
Given User has pulse app		8.74s
And I assign "${login.email.id}" to variable "PULSE_EMAIL"		0.00s
And user click on "CONTINUE WITH EMAIL" with Email button		12.90s
Then I change the country as required on registration page		10.30s
Then I wait for 5 sec		5.01s
And I click the Sign in link		4.89s
After		0.00s

Back to Table of Contents

Scenario: login to the app with correct credentials using "Continue with Email"

Passed: 6	Failed: 0	Undefined: 0	Duration: 40.89s

Before		0.00s
Given I select the language option on toggle bar as required on login page		3.54s
When user enters credentials		18.18s

UserName	${PULSE_EMAIL}
Password	${login.password}

And User clicks on signin button		0.30s
And I wait for 5 sec		5.01s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"		8.26s
Then user should be landed to "Home" screen		5.61s
After		0.00s

Back to Table of Contents

Scenario: Verify the user can access My Wearables via Fitness

Passed: 4	Failed: 0	Undefined: 0	Duration: 10.13s

Before		0.00s
When User clicks on Fitness tab		4.35s
Then I verify My Wearables tile on Fitness screen		1.41s

${fitness.myWearables}

${fitness.myWearables.description}	
When I click on Connect Now button on Fitness screen	1.05s
Then I verify following text are displayed under My Wearables screen	3.32s

${wearables.title}
${wearables.subTitle}
${wearables.description}
${wearables.fitbit}
${wearables.garmin}
${wearables.googleFit}

After		0.00s

Back to Table of Contents

Feature: Verify account locked functionality on One pulse App

Passed: 0	Failed: 1	Undefined: 0	Duration: 210.81s

Scenario: Verify Account should be locked after entering more than 5 times incorrect passwords

Passed: 17	Failed: 1	Undefined: 0	Duration: 210.81 s

Before		0.00s
Given I generate random number and assign to variable "RANDOM_NUMBER"		0.01s
And I assign "pulse${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"		0.00s
And User has pulse app		9.44s
Then I wait for 2 sec		2.00s
And user click on "CONTINUE WITH EMAIL" with Email button		12.59s
Then I change the country as required on registration page		12.27s
Then I wait for 5 sec		5.01s
Then I change the language as required on registration page		0.31s
When user enters registration details		7.02s

FirstName	testAutomation
LastName	testAutomation
Email	${PULSE_EMAIL}
Password	Pas$1234

And taps on continue "Sign_Up" button	0.36s
Then I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	30.05s
Then I wait for 10 sec	10.01s
Then I click skip button	69.47s
Then user should be landed to "Home" screen	6.59s
And I click the Account icon in Home screen	0.36s
And I click the sign out from pulse app	8.97s
Then I wait for 2 sec	2.01s
Then I enter invalid password on login screen and verify the error message	33.36s

Pas$123##${invalid.credential.message}
Pas$123##${invalid.credential.message}
Pas$123##${invalid.credential.message}

Pas$123##${invalid.credential.message}
Pas$123##${invalid.credential.message}
Pas$123##${account.locked.message}

java.lang.AssertionError: //android.widget.TextView[contains(@text,"%s")] expected [true] but found [false]
at org.testng.Assert.fail(Assert.java:94)
at org.testng.Assert.failNotEquals(Assert.java:513)
at org.testng.Assert.assertTrue(Assert.java:42)
at com.onepulse.app.screens.PulseLoginScreen.verifyInvalidPasswordMessage (PulseLoginScreen.java:584)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.verifyInvalidPasswordErrorMsg (LoginSteps.java:264)
at .Then I enter invalid password on login screen and verify the error message(features/my /PulseAccountLocked.feature:28)



After		0.98s

Back to Table of Contents

Feature: Verify that user can access calendar under health section

Passed: 2	Failed: 1	Undefined: 0	Duration: 136.27s

Scenario: Launch the app and select the country as per specified lbu

Passed: 6	Failed: 0	Undefined: 0	Duration: 37.89s

Before	0.00s
Given User has pulse app	8.85s
And I assign "${login.email.id}" to variable "PULSE_EMAIL"	0.00s
And user click on "CONTINUE WITH EMAIL" with Email button	12.73s
Then I change the country as required on registration page	9.40s

Then I wait for 2 sec	2.01s
And I click the Sign in link	4.90s

After		0.00s

Back to Table of Contents

Scenario: login to the app with correct credentials using "Continue with Email"

Passed: 6	Failed: 0	Undefined: 0	Duration: 41.66s

Before	0.00s

Given I select the language option on toggle bar as required on login page	3.54s
When user enters credentials	18.12s

UserName	${PULSE_EMAIL}
Password	${pulse.password}

And User clicks on signin button	0.29s
And I wait for 5 sec	5.01s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	8.26s
Then user should be landed to "Home" screen	6.44s

After		0.00s

Back to Table of Contents

Scenario: User should be able to access Calendar screen

Passed: 6	Failed: 1	Undefined: 0	Duration: 56.72s

Before	0.00s

When I clicks on Health button	3.84s
And I scroll down	4.60s
And I click on Calendar tile	15.47s
And I wait for 3 sec	3.01s
Then I verify following texts are displayed	1.11s

${calendar.text}
${no.events.text}

And I click on events dropdown button in calendar screen	0.51s
Then I verify the following texts "Calendar events" in Screen	28.15s

${medicine.reminders.text}
${appointments.text}
${vaccination.text}
${workout.text}
${pulse.tv.text}
${policy.remainder.text}

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:b45:a5eb:510a:bd1f:43a5%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.

uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0B101FDD4004BD, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0B101FDD4004BD, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: f193c04d-b6c6-435f-8950-10967da877ee
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance (NativeConstructorAccessorImpl.java:62)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:46)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote. RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver. java:804)
at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)
at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:209)
at com.onepulse.app.screens.CustomerConnectScreen. isStaticTextDisplayedOncommunitiesScreen(CustomerConnectScreen.java:177)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps. isStaticTextDisplayedOncommunitiesScreen(CustomerConnectSteps.java:87)
at .Then I verify the following texts "Calendar events" in Screen(features/my/health/Calendar. feature:34)

After		0.03s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor27.invoke(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:89)
at jdk.internal.reflect.GeneratedMethodAccessor40.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Back to Table of Contents

Feature: Verify Pru Safe Covid-19 Cover functionality on one pulse App

Passed: 0	Failed: 4	Undefined: 0	Duration: 6.17s

Scenario: User should be able to register on app with correct credentials using "Continue with Email"

Passed: 2	Failed: 1	Undefined: 14	Duration: 6.11s
Before			0.00s
Given I generate random number and assign to variable "RANDOM_NUMBER"			0.00s
And I assign "pulse${RANDOM_NUMBER}@mailsac.com" to variable "PULSE_EMAIL"			0.00s

And User has pulse app	**6.06s**

com.prudential.tap.exception.TapException: Driver not create for [Android], [It is impossible to create a new session because 'createSession' which takes HttpClient, InputStream and long was not found or it is not accessible
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:b45:a5eb:510a:bd1f:43a5%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: driver.version: TapDriver]
at com.onepulse.app.screens.TestBasePage.launchApp(TestBasePage.java:131)
at com.onepulse.app.stepdefinitions.mobilesteps.BaseSteps.userHasPulseAppGeneric (BaseSteps.java:43)
at .And User has pulse app(features/my/home/prushopee/PruCovid19Protection.feature:7)

Then I wait for 2 sec	0.00s
And user click on "CONTINUE WITH EMAIL" with Email button	0.00s
Then I wait for 2 sec	0.00s
Then I change the country as required on registration page	0.00s
Then I wait for 2 sec	0.00s
Then I navigate to pulse registration page and select the lang on toggle bar then click on continue with email button	0.00s
Then I wait for 2 sec	0.00s
When user enters registration details	0.00s

FirstName	testAutomation
LastName	testAutomation
Email	${PULSE_EMAIL}
Password	Pas$1234

And taps on continue "Sign_Up" button	0.00s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	0.00s
Then I wait for 2 sec	0.00s
Then I click skip button	0.00s
Then user should be landed to "Home" screen	0.00s
Then I wait for 4 sec	0.00s

After		**0.05s**

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor27.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)

at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:89)
at jdk.internal.reflect.GeneratedMethodAccessor40.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Back to Table of Contents

Scenario: **Verify User should be able to see the PRU Shoppe screen**

Passed: 0	Failed: 1	Undefined: 2	Duration: .03s
Before			0.00s

And I click on pru shoppe button on the home page	0.03s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: 'POST /element' cannot be proxied to UiAutomator2 server because the instrumentation process is not running (probably crashed). Check the server log and/or the logcat output for more details
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:b45:a5eb:510a:bd1f:43a5%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0B101FDD4004BD, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0B101FDD4004BD,

javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: f193c04d-b6c6-435f-8950-10967da877ee
***** Element info: {Using=xpath, value=//android.widget.TextView[@text='Shoppe']/parent::android.view.ViewGroup}**
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance (NativeConstructorAccessorImpl.java:62)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:168)
at com.onepulse.app.screens.PruShoppeScreen.clickOnPruShoppeIConOnHomePage (PruShoppeScreen.java:54)

at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.
navigateToPruShoppeHomePage(PruShoppeSteps.java:40)
at .And I click on pru shoppe button on the home page(features/my/home/prushopee
/PruCovid19Protection.feature:36)

And I verify following texts are displayed	0.00s

${pru.shoppe.my.receiving.service.text}
${pru.shopee.privicy.policy.text}
${pru.shopee.term.conditions.text}

And I verify the following texts "Pru Shopee Screen" in Screen	0.00s

${myCoverage.policyNumber.cancelButton}
${prushoppe.proceed.txt}

After		0.00s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor27.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:89)
at jdk.internal.reflect.GeneratedMethodAccessor40.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)

at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Back to Table of Contents

Scenario: Verify User should be able to see the PRUSafe COVIDCover screen options

Passed: 0	Failed: 1	Undefined: 8	Duration: .01s
Before			0.00s

Then I click on Proceed button on prushoppe screen	0.01s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: 'POST /element' cannot be proxied to UiAutomator2 server because the instrumentation process is not running (probably crashed). Check the server log and/or the logcat output for more details
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:b45:a5eb:510a:bd1f:43a5%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0B101FDD4004BD, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0B101FDD4004BD, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: f193c04d-b6c6-435f-8950-10967da877ee
*** Element info: {Using=xpath, value=//android.widget.TextView[@text="Proceed"]}
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance (NativeConstructorAccessorImpl.java:62)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:168)
at com.onepulse.app.screens.PruShoppeScreen.clickProceedBtn(PruShoppeScreen.java:103)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.clickOnProceedBtn(PruShoppeSteps.java:100)
at .Then I click on Proceed button on prushoppe screen(features/my/home/prushopee/PruCovid19Protection.feature:46)

Then I wait for 5 sec	0.00s
Then I click on pru covid19 campaign tile on prushoppe screen for malaysia	0.00s
Then I wait for 5 sec	0.00s
And I verify following texts are displayed	0.00s

${my.covid19.hospitalization.text}
${my.covid19.for.pru.malaysia.customer}
${my.covid.19.benefit.offered}
${my.covid19.hospital.assistence}

And I verify the following texts "Covid 19" in Screen	0.00s

${my.self.text}
${family.text}

And I verify following texts are displayed	0.00s

${my.covid19.disclosure.text.1}
${my.covid19.disclosure.text.2}
${my.covid19.disclosure.text.3}
${my.covid19.disclosure.text.4}
${my.covid19.disclosure.text.5}

${my.covid19.disclosure.text.6}	
${my.covid19.disclosure.text.7}	
And I scroll down	0.00s
And I verify following texts are displayed	0.00s
${my.name.as.nric.text}	
${gender.text}	
${my.covid19.dob}	
After	**0.00s**

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor27.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:89)
at jdk.internal.reflect.GeneratedMethodAccessor40.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)

at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Back to Table of Contents

Scenario: Verify User should be able to see the PRUSafe COVIDCover screen options

Passed: 0	Failed: 1	Undefined: 4	Duration: .02s
Before			0.00s

And I scroll down	0.02s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: 'GET /window/current/size' cannot be proxied to UiAutomator2 server because the instrumentation process is not running (probably crashed). Check the server log and/or the logcat output for more details
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:b45:a5eb:510a:bd1f:43a5%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0B101FDD4004BD, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0B101FDD4004BD, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: f193c04d-b6c6-435f-8950-10967da877ee
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:46)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)

at org.openqa.selenium.remote.
RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.
java:804)
at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)
at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:209)
at com.onepulse.app.stepdefinitions.mobilesteps.BaseSteps.scrollDown(BaseSteps.java:53)
at .And I scroll down(features/my/home/prushopee/PruCovid19Protection.feature:74)

And I verify following texts are displayed	0.00s

${my.residential.text}
${my.country.of.residence}
${my.resedential.status}
${email.text}

And I scroll down	0.00s
And I verify following texts are displayed	0.00s

${my.country.code}
${my.mobile.phone.number}
${my.referral.code}
${my.covid19.agreement.text}

And I verify the following texts "Covid 19" in Screen	0.00s

${prushoppe.proceed.capital.txt}

After		0.00s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor27.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:89)
at jdk.internal.reflect.GeneratedMethodAccessor40.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)

at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Back to Table of Contents

Feature: Verify Pru Shoppe My Coverage functionality on one pulse App

Passed: 0	Failed: 7	Undefined: 0	Duration: 20.46s

Scenario: Launch the app and select the country as per specified lbu

Passed: 0	Failed: 1	Undefined: 5	Duration: 20.38s

Before		0.00s

Given User has pulse app	20.37s

com.prudential.tap.exception.TapException: Driver not create for [Android], [It is impossible to create a new session because 'createSession' which takes HttpClient, InputStream and long was not found or it is not accessible
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:b45:a5eb:510a:bd1f:43a5%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: driver.version: TapDriver]
at com.onepulse.app.screens.TestBasePage.launchApp(TestBasePage.java:131)
at com.onepulse.app.stepdefinitions.mobilesteps.BaseSteps.userHasPulseAppGeneric(BaseSteps.java:43)
at .Given User has pulse app(features/my/home/prushopee/PruShoppeCoverage.feature:13)

And I assign "${login.email.id}" to variable "PULSE_EMAIL"	0.00s
And user click on "CONTINUE WITH EMAIL" with Email button	0.00s
Then I change the country as required on registration page	0.00s
Then I wait for 5 sec	0.00s
And I click the Sign in link	0.00s

After		0.01s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor27.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke

(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:89)
at jdk.internal.reflect.GeneratedMethodAccessor40.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Back to Table of Contents

Scenario: login to the app with correct credentials using "Continue with Email"

Passed: 0	Failed: 1	Undefined: 5	Duration: .01s
Before			**0.00s**

Given I select the language option on toggle bar as required on login page	0.01s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: 'POST /element' cannot be proxied to UiAutomator2 server because the instrumentation process is not running (probably crashed). Check the server log and/or the logcat output for more details
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:b45:a5eb:510a:bd1f:43a5%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0B101FDD4004BD, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0B101FDD4004BD, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: f193c04d-b6c6-435f-8950-10967da877ee
***** Element info: {Using=xpath, value=//android.widget.TextView[@text="EN"]}**
at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)

at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:168)
at com.onepulse.app.screens.PulseRegistrationScreen.selectTheLanguageToggle(PulseRegistrationScreen.java:990)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.selectTheLangOption(RegistrationSteps.java:335)
at .Given I select the language option on toggle bar as required on login page(features/my/home/prushopee/PruShoppeCoverage.feature:21)

When user enters credentials	0.00s
UserName ${PULSE_EMAIL} Password ${login.password}	
And User clicks on signin button	0.00s
And I wait for 5 sec	0.00s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	0.00s
Then user should be landed to "Home" screen	0.00s

After		0.00s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor27.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:89)
at jdk.internal.reflect.GeneratedMethodAccessor40.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)

at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Back to Table of Contents

Scenario: **Verify user can access his policies from Pru Shoppe My Policies screen**

Passed: 0	Failed: 1	Undefined: 3	Duration: .01s
Before			0.00s

And I click on pru shoppe button on the home page	0.00s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: 'POST /element' cannot be proxied to UiAutomator2 server because the instrumentation process is not running (probably crashed). Check the server log and/or the logcat output for more details
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:b45:a5eb:510a:bd1f:43a5%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0B101FDD4004BD, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0B101FDD4004BD, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: f193c04d-b6c6-435f-8950-10967da877ee
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Shoppe']/parent::android.view.ViewGroup}
at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)

at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:168)
at com.onepulse.app.screens.PruShoppeScreen.clickOnPruShoppeIConOnHomePage(PruShoppeScreen.java:54)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.navigateToPruShoppeHomePage(PruShoppeSteps.java:40)
at .And I click on pru shoppe button on the home page(features/my/home/prushopee/PruShoppeCoverage.feature:31)

And I wait for 5 sec	0.00s
And I click on my policies tile on prushoppe screen	0.00s
And I verify following texts are displayed	0.00s

${myCoverage.title}
${myCoverage.linkPolicyButton}
${myCoverage.information}
${myCoverage.InformationDescription}

After		0.00s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor27.invoke(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:89)
at jdk.internal.reflect.GeneratedMethodAccessor40.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Back to Table of Contents

Scenario: Click on Link policy and verify screen to add policy number

Passed: 0	Failed: 1	Undefined: 3	Duration: .02s
Before			**0.00s**

And I clicks on "${myCoverage.linkPolicyButton}" in app screen	0.01s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: 'POST /element' cannot be proxied to UiAutomator2 server because the instrumentation process is not running (probably crashed). Check the server log and/or the logcat output for more details
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:b45:a5eb:510a:bd1f:

43a5%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0B101FDD4004BD, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0B101FDD4004BD, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: f193c04d-b6c6-435f-8950-10967da877ee
***** Element info: {Using=xpath, value=//android.widget.TextView[contains(@text,"Link Policy")]}**
at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)

at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:168)
at com.onepulse.app.screens.CustomerConnectScreen.clickButton(CustomerConnectScreen.java:1692)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickUploadIcon(CustomerConnectSteps.java:533)
at .And I clicks on "${myCoverage.linkPolicyButton}" in app screen(features/my/home/prushopee/PruShoppeCoverage.feature:41)

And I wait for 2 sec	0.00s
And I hide one pulse app mobile keyboard	0.00s
And I verify following texts are displayed	0.00s

${myCoverage.policyNumber.title}
${myCoverage.policyNumber.description}
${myCoverage.policyNumber.description1}

After		0.00s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor27.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:89)
at jdk.internal.reflect.GeneratedMethodAccessor40.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)

at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Back to Table of Contents

Scenario: **Verify the error message when the Policy Number is blank**

Passed: 0	Failed: 1	Undefined: 2	Duration: .02s
Before			0.00s

When I click on "${myCoverage.policyNumber.saveButton}" button on app	0.02s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: 'GET /window/current/size' cannot be proxied to UiAutomator2 server because the instrumentation process is not running (probably crashed). Check the server log and/or the logcat output for more details
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:b45:a5eb:510a:bd1f:43a5%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0B101FDD4004BD, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0B101FDD4004BD, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: f193c04d-b6c6-435f-8950-10967da877ee
at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:

158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:46)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.
RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.
java:804)
at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)
at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:209)
at com.onepulse.app.screens.PulseLoginScreen.clickButton(PulseLoginScreen.java:1058)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.clickOnButton(LoginSteps.java:
396)
at .When I click on "${myCoverage.policyNumber.saveButton}" button on app(features/my
/home/prushopee/PruShoppeCoverage.feature:50)

When I click on "${myCoverage.policyNumber.saveButton}" button on app	0.00s
Then I verify following texts are displayed	0.00s
${myCoverage.policyNumber.errorMessage}	

After		0.00s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor27.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:89)
at jdk.internal.reflect.GeneratedMethodAccessor40.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)

at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Back to Table of Contents

Scenario: Verify the error message when the Policy Number is invalid or incorrect

Passed: 0	Failed: 1	Undefined: 2	Duration: .01s
Before			0.00s

When I enter "1234" as the Policy number	0.01s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: 'POST /element' cannot be proxied to UiAutomator2 server because the instrumentation process is not running (probably crashed). Check the server log and/or the logcat output for more details
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:b45:a5eb:510a:bd1f:43a5%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0B101FDD4004BD, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0B101FDD4004BD, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: f193c04d-b6c6-435f-8950-10967da877ee
*** Element info: {Using=xpath, value=//android.widget.TextView[@text='Policy Number']/following::android.widget.EditText}
at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException

(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:265)
at com.onepulse.app.screens.PruShoppeScreen.enterPolicyNumber(PruShoppeScreen.java:98)
at com.onepulse.app.stepdefinitions.mobilesteps.PruShoppeSteps.enterPolicyNumber
(PruShoppeSteps.java:95)
at .When I enter "1234" as the Policy number(features/my/home/prushopee
/PruShoppeCoverage.feature:56)

When I click on "${myCoverage.policyNumber.saveButton}" button on app	0.00s
Then I verify following texts are displayed	0.00s
${myCoverage.policyNumber.errorMessage}	

After		0.00s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor27.invoke(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:89)
at jdk.internal.reflect.GeneratedMethodAccessor40.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Back to Table of Contents

Scenario: Verify the error message when the Cancel Button

Passed: 0	Failed: 1	Undefined: 1	Duration: .01s
Before			**0.00s**

When I click on "${myCoverage.policyNumber.cancelButton}" button on app	0.01s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: 'GET /window/current/size' cannot be proxied to UiAutomator2 server because the instrumentation process is not running (probably crashed). Check the server log and/or the logcat output for more details
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:b45:a5eb:510a:bd1f:

43a5%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0B101FDD4004BD, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0B101FDD4004BD, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: f193c04d-b6c6-435f-8950-10967da877ee
at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:46)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote. RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.getSize(RemoteWebDriver.java:804)
at com.prudential.tap.appium.AppiumCommands.swipe(AppiumCommands.java:432)
at com.onepulse.app.screens.TestBasePage.scrollPageDown(TestBasePage.java:209)
at com.onepulse.app.screens.PulseLoginScreen.clickButton(PulseLoginScreen.java:1058)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.clickOnButton(LoginSteps.java:396)
at .When I click on "${myCoverage.policyNumber.cancelButton}" button on app(features/my /home/prushopee/PruShoppeCoverage.feature:62)

Then user should be landed to "Home" screen	0.00s

After		0.00s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)

at jdk.internal.reflect.GeneratedMethodAccessor27.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:89)
at jdk.internal.reflect.GeneratedMethodAccessor40.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Back to Table of Contents

Feature: Verify share with friends functionality in onepulse app

Passed: 0	Failed: 7	Undefined: 0	Duration: 25.26s

Scenario: Launch the app and select the country as per specified lbu

Passed: 0	Failed: 1	Undefined: 6	Duration: 20.12s
Before			0.00s

Given User has pulse app	20.11s

com.prudential.tap.exception.TapException: Driver not create for [Android], [It is impossible to create a new session because 'createSession' which takes HttpClient, InputStream and long was not found or it is not accessible

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:b45:a5eb:510a:bd1f:43a5%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: driver.version: TapDriver]
at com.onepulse.app.screens.TestBasePage.launchApp(TestBasePage.java:131)
at com.onepulse.app.stepdefinitions.mobilesteps.BaseSteps.userHasPulseAppGeneric (BaseSteps.java:43)
at .Given User has pulse app(features/share/ShareWithFriends.feature:6)

And Logout of pulse app if user is logged in	0.00s
And I assign "${login.email.id}" to variable "PULSE_EMAIL"	0.00s
And user click on "CONTINUE WITH EMAIL" with Email button	0.00s
Then I change the country as required on registration page	0.00s
Then I wait for 2 sec	0.00s
And I click the Sign in link	0.00s

After		0.01s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases (CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor27.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:89)
at jdk.internal.reflect.GeneratedMethodAccessor40.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)

at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Back to Table of Contents

Scenario: login to the app with correct credentials using "Continue with Email"

Passed: 0	Failed: 1	Undefined: 5	Duration: .02s
Before			0.00s

And I select the language option on toggle bar as required on login page	0.01s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: 'POST /element' cannot be proxied to UiAutomator2 server because the instrumentation process is not running (probably crashed). Check the server log and/or the logcat output for more details
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:b45:a5eb:510a:bd1f:43a5%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0B101FDD4004BD, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0B101FDD4004BD, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: f193c04d-b6c6-435f-8950-10967da877ee
*** Element info: {Using=xpath, value=//android.widget.TextView[@text="EN"]}
at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute

(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:168)
at com.onepulse.app.screens.PulseRegistrationScreen.selectTheLanguageToggle(PulseRegistrationScreen.java:990)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.selectTheLangOption(RegistrationSteps.java:335)
at .And I select the language option on toggle bar as required on login page(features/share/ShareWithFriends.feature:16)

When user enters credentials	0.00s
UserName ${PULSE_EMAIL} Password ${login.password}	
And User clicks on signin button	0.00s
And I wait for 10 sec	0.00s
And I enter OTP in one pulse app for user email "${PULSE_EMAIL}"	0.00s
Then user should be landed to "Home" screen	0.00s

After		0.01s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor27.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)

at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:89)
at jdk.internal.reflect.GeneratedMethodAccessor40.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Back to Table of Contents

Scenario: **Verify User should be able to share the link with Whatsapp**

Passed: 0	Failed: 1	Undefined: 0	Duration: .02s
Before			0.00s

Then I verify the share with friends links	0.01s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: 'POST /element' cannot be proxied to UiAutomator2 server because the instrumentation process is not running (probably crashed). Check the server log and/or the logcat output for more details
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:b45:a5eb:510a:bd1f:43a5%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.

uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0B101FDD4004BD, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0B101FDD4004BD, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: f193c04d-b6c6-435f-8950-10967da877ee
***** Element info: {Using=xpath, value=(//android.widget.TextView)[1]}**
at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19)

at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:168)
at com.onepulse.app.screens.PulseLoginScreen.clickWhatsappIcon(PulseLoginScreen.java:636)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iVerifyTheShareWithFriendsLinks(LoginSteps.java:296)
at .Then I verify the share with friends links(features/share/ShareWithFriends.feature:27)

After		0.01s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor27.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:89)
at jdk.internal.reflect.GeneratedMethodAccessor40.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Back to Table of Contents

Scenario: Verify User should be able to share the link with Contacts app			
Passed: 0	Failed: 1	Undefined: 0	Duration: .01s
Before			0.00s

Then I verify the contacts share icon	0.01s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: 'POST /element' cannot be proxied to UiAutomator2 server because the instrumentation process is not running (probably crashed). Check the server log and/or the logcat output for more details
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:b45:a5eb:510a:bd1f:43a5%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0B101FDD4004BD, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0B101FDD4004BD, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: f193c04d-b6c6-435f-8950-10967da877ee
*** Element info: {Using=xpath, value=(//android.widget.TextView)[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)

at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:168)
at com.onepulse.app.screens.PulseLoginScreen.clickContactsIcon(PulseLoginScreen.java:655)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iVerifyTheContactsShareIcon(LoginSteps.java:301)
at .Then I verify the contacts share icon(features/share/ShareWithFriends.feature:30)

After		0.00s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor27.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:89)
at jdk.internal.reflect.GeneratedMethodAccessor40.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)

at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Back to Table of Contents

Scenario: **Verify User should be able to share the link with Messenger app**

Passed: 0	Failed: 1	Undefined: 0	Duration: 5.04s
Before			0.00s

Then I verify the fb messenger share icon	5.03s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: 'POST /element' cannot be proxied to UiAutomator2 server because the instrumentation process is not running (probably crashed). Check the server log and/or the logcat output for more details
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:b45:a5eb:510a:bd1f:43a5%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0B101FDD4004BD, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0B101FDD4004BD, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: f193c04d-b6c6-435f-8950-10967da877ee
*** Element info: {Using=xpath, value=(//android.widget.TextView)[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:168)
at com.onepulse.app.screens.PulseLoginScreen.clickMessengerIcon(PulseLoginScreen.java:1088)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iVerifyTheFbMessengerShareIcon
(LoginSteps.java:412)
at .Then I verify the fb messenger share icon(features/share/ShareWithFriends.feature:33)

After		0.01s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor27.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)

at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:89)
at jdk.internal.reflect.GeneratedMethodAccessor40.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Back to Table of Contents

Scenario: **Verify User should be able to share the link with Viber app**

Passed: 0	Failed: 1	Undefined: 0	Duration: .03s
Before			0.00s

Then I verify the Viber share icon	0.02s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: 'POST /element' cannot be proxied to UiAutomator2 server because the instrumentation process is not running (probably crashed). Check the server log and/or the logcat output for more details
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:b45:a5eb:510a:bd1f:43a5%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30,

deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0B101FDD4004BD, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0B101FDD4004BD, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: f193c04d-b6c6-435f-8950-10967da877ee
*** Element info: {Using=xpath, value=(//android.widget.TextView)[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver. java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:168)
at com.onepulse.app.screens.PulseLoginScreen.clickViberIcon(PulseLoginScreen.java:679)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iVerifyTheViberShareIcon

(LoginSteps.java:318)
at .Then I verify the Viber share icon(features/share/ShareWithFriends.feature:36)

After		0.01s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor27.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:89)
at jdk.internal.reflect.GeneratedMethodAccessor40.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)
at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Back to Table of Contents

Scenario: **Verify User should be able to share the link with Line app**

Passed: 0	Failed: 1	Undefined: 0	Duration: .02s

Before		0.00s

Then I verify the Line share icon	0.02s

org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: 'POST /element' cannot be proxied to UiAutomator2 server because the instrumentation process is not running (probably crashed). Check the server log and/or the logcat output for more details
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Prudentials-MacBook-Pro.local', ip: '2401:7400:c802:b45:a5eb:510a:bd1f:43a5%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.android.AndroidDriver
Capabilities {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, databaseEnabled: false, desired: {appActivity: com.prudential.pulse.MainAc..., appPackage: com.prudential.pulse.uat, autoDismissAlerts: true, automationName: UiAutomator2, deviceName: Android-Test, newCommandTimeout: 10000, noReset: true, platformName: android}, deviceApiLevel: 30, deviceManufacturer: Google, deviceModel: Pixel 5, deviceName: 0B101FDD4004BD, deviceScreenDensity: 440, deviceScreenSize: 1080x2340, deviceUDID: 0B101FDD4004BD, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 10000, noReset: true, pixelRatio: 2.75, platform: LINUX, platformName: Android, platformVersion: 11, statBarHeight: 145, takesScreenshot: true, viewportRect: {height: 2015, left: 0, top: 145, width: 1080}, warnings: {}, webStorageEnabled: false}
Session ID: f193c04d-b6c6-435f-8950-10967da877ee
*** Element info: {Using=xpath, value=(//android.widget.TextView)[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:419)

at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElementByXPath(AndroidDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.android.AndroidDriver.findElement(AndroidDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:168)
at com.onepulse.app.screens.PulseLoginScreen.clickLineIcon(PulseLoginScreen.java:673)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iVerifyTheLineShareIcon
(LoginSteps.java:313)
at .Then I verify the Line share icon(features/share/ShareWithFriends.feature:39)

After		0.01s

com.prudential.tap.exception.TapException: Failed to take screenshot of
at com.onepulse.app.cucumberhooks.CucumberHook.takeScreenshotOfFailedTestCases
(CucumberHook.java:95)
at com.onepulse.app.cucumberhooks.CucumberHook.afterTest(CucumberHook.java:72)
at jdk.internal.reflect.GeneratedMethodAccessor27.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at com.onepulse.app.runner.CucumberRunner.feature(CucumberRunner.java:89)
at jdk.internal.reflect.GeneratedMethodAccessor40.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:643)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:820)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1128)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:782)

at org.testng.TestRunner.run(TestRunner.java:632)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
at org.testng.SuiteRunner.run(SuiteRunner.java:268)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1244)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)
at org.testng.TestNG.run(TestNG.java:1064)
at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)
at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)

Back to Table of Contents