Overview

	Passed	Failed	Known	Undefined	Total	%Passed
Features	4	18	0	0	22	18%
Scenarios	11	86	0	0	97	11%
Steps	262	86	0	618	966	27%

Overall Duration: 2h 41m 31s

Table of Contents

- 1. Verify registration functionality on one pulse App
 - 1. User should be able to register on app with correct credentials using "Continue with Email"
 - 2. verify the field label on registration screen
 - 3. verify the validation message for mandatory fields
 - 4. verify validation message when user enters Invalid password: Pulse@1 on registration page
 - 5. verify validation message when user enters Invalid password: Pulse123 on registration page
 - 6. Verify the validation message when user enter already registered email id on registration page
 - 7. Verify the mobile number screen validation using "Continue with Email"
 - 8. Verify the Gender screen validation using "Continue with Email"
 - 9. Verify the resend OTP functionality on Enter OTP Screen using "Continue with Email"
- 2. Verify My Communities on One Pluse App
 - 1. Launch the app and select the country as per specified lbu
 - 2. User should be able to login on app with correct credentials using "Continue with Gmail"
 - 3. User should be able to login on app with correct credentials using "Continue with Gmail" and Verify the Mycommunities screen
 - 4. Leave the community if already joined
 - 5. Verify the All Communities Post screen
 - 6. Verify the Likes and comments counts in All communities tab
 - 7. Verify the Share with Friends Functionality in All communities tab
 - 8. Verify the Post Functionality in All communities
 - 9. Verify the Category list and search feature
 - 10. Leave the community if already joined
- 3. Verify login functionality on One pulse App
 - 1. Launch the app and select the country as per specified lbu
 - 2. login to the app with correct credentials using "Continue with Email"
 - 3. Verify the Invalid Email id in login screen using "Continue with Email"
 - 4. Verify the User not registerd email in login screen using "Continue with Email"
 - 5. User should be able to retrieve the reset password using forget password link
 - 6. Verify Account should be locked after entering more than 5 times incorrect passwords
 - 7. Verify the Login Functionality using "Continue with Google"
- 4. Verify that user can view air quality details under My Environment screen
 - 1. Verify that user can view previous air quality details under My Environment Home page
 - 2. Verify that user can view Current air quality details under My Environment Home page
 - 3. Verify that user can view air quality details for next few days under My Environment Home page

- 4. Verify that user can access and view Neighbourhood air quality details under My Environment Home page
- 5. Verify that user can access and view Fires nearby under My Environment Home page
- 6. Verify that user can view effects of the poor environment and upcoming activities under My Environment Home page
- 7. Verify that User can view coming soon activities under My Environment Home
- 5. Verify the BabyLon call 995 flow on Pulse Health & Wealth app
 - 1. User should be able to login on app with correct credentials and the BabyLon call 995 flow must be verified
- 6. Verify the BabyLon Perianal lump workflow is working as expected
 - 1. <u>User should be able to access Babylon from Pulse app and perform Perianal lump</u> workflow
- 7. Verify the BabyLon Maligant Neoplasm Breast lump workflow is working as expected
 - 1. User should be able to access Babylon from Pulse app and perform Breast lump workflow
- 8. Verify the BabyLon Human Immune Virus workflow is working as expected
 - 1. <u>User should be able to access Babylon from Pulse app and perform Human Immune Virus</u>
 Rash workflow
- 9. Verify the BabyLon Groin Mass workflow is working as expected
 - 1. User should be able to access Babylon from Pulse app and perform Groin mass workflow
- 10. Verify the BabyLon Prostatic HyperPlasia workflow is working as expected
 - 1. <u>User should be able to access Babylon from Pulse app and perform Prostatic Hyperplasia</u> workflow
 - 2. <u>User should be able to view the chat history in Babylon system checker screen after</u> consultation
- 11. Verify the BabyLon Rib Fracture workflow is working as expected and user can the chat history after consultation
 - 1. User should be able to access Babylon from Pulse app and perform Rib Fracture workflow
- 12. Verify Dietician Negative Flow functionality on one pulse App
 - 1. Verify the Home screen validation using "Continue with Email"
 - 2. Verify User should be able to navigate to Dietician page
 - 3. Verify User should be able to navigate to specialisation page
 - 4. Verify User should be able to navigate to Educational Details page
- 13. Verify Dietician Positive Flow functionality on one pulse App
 - 1. Verify the Home screen validation using "Continue with Email"
 - 2. Verify User should be able to navigate to Dietician page
 - 3. Verify User should be able to navigate to specialisation page
 - 4. Verify User should be able to navigate to Educational Details page
 - 5. Verify User should be able to navigate to Services Offered page
 - 6. Verify User should be able to navigate to Seminar(s) Attended page
 - 7. Verify User should be able to navigate to Take a Picture page
 - 8. Verify User should be able to navigate to schedule Calendar page
- 14. Verify Medicine Remainder Positive Flow functionality on one pulse App
 - 1. Verify the Home screen validation using "Continue with Email"
 - 2. Verify User should be able to navigate to Dietician page
 - 3. Verify User should be able to navigate to Dietician page
 - 4. Verify User should be able to navigate to Dietician page
 - 5. Verify User should be able to navigate to Dietician page
- 15. Verify that user can locate near by Hospitals, clinics using PruShoppe Location feature
 - 1. User should be able to locate Hospitals using PruShoppe location
 - 2. User should be able to locate cli using PruShoppe location
- 16. Verify Notification Center functionality on one pulse App

- 1. Verify User should be able to register on app using email account
- 2. Verify User should be able navigate to Notification Center
- 3. Verify User should be able to see the Notification screen texts
- 4. Verify User should be able to login using already registered credentials
- 5. Verify User should be able navigate to Notification Center
- 17. Verify MyContent functionality on one pulse App
 - 1. Verify the Home screen validation using "Continue with Email"
 - 2. Verify User should be able to navigate to Health channel page
 - 3. Verify User should be able to Like the post
 - 4. Verify User should be able to Share the post
 - 5. Verify User should be able to Comment the post
 - 6. Verify User should be able to see the Like, Share, Comment options on full page article post
 - 7. Verify User should be able to Like the post-Full page article post
- 18. Verify that user can view his registered policies under My Policies
 - 1. Login to the one pulse app
 - 2. Verify that user can access his policies from Home screen
- 19. Verify legal and legacy on One Pluse App
 - 1. User should be able to login on app with correct credentials using "Continue with Gmail"
 - 2. Verify the Terms and condition should be displayed
 - 3. Verify the Privacy screen should be displayed
 - 4. Verify the Regulator screen should be displayed
- 20. Verify Edit Profile functionality on Pulse Health & Wealth app
 - 1. Verify User should be able to navigate to Edit profile screen and should be able to change the profile on app
 - 2. Verify User should be able to change the profile picture in edit profile screen
 - 3. Verify user can able to change the details in edit profile screen
 - 4. Verify the email and COR fields are non-editable in edit profile screen
 - 5. <u>Verify User should be able to see the registration required pop up if user not completed</u>

 <u>MyDoc Registration</u>
 - 6. Verify User should not be able to edit Gender and DOB fields on myDoc registration page once the user submitted their gender and DOB in edit profile
 - 7. Verify User should be able to update NRIC number & upload NRIC Image in Online Consultation screen
- 21. Verify MySettings functionality in Account screen
 - 1. User should be able to login on app with correct credentials using "Continue with Gmail"
 - 2. Verify the My Feedback screen in Account tab
 - 3. Verify the submit functionality in My feedback screen
 - 4. Verify the Pulse Personalised tab
 - 5. Verify the Marketing Consent in Account tab
- 22. Verify share with friends functionality in onepulse app
 - 1. Launch the app and select the country as per specified lbu
 - 2. login to the app with correct credentials using "Continue with Email"
 - 3. Verify User should be able to share the link with Whatsapp
 - 4. Verify User should be able to share the link with Contacts app
 - 5. Verify User should be able to share the link with Messenger app
 - 6. Verify User should be able to share the link with Viber app
 - 7. Verify User should be able to share the link with Line app


Detailed Results Report

	Failed: 6	Undefined:	0	Duration: 1462.39s	
	ser should be a	ble to register on a	pp with corre	ct credentials using	"Continue with
Email" Passed: 6	Fa	iled: 1	Undefined: 39)	Duration: 303
Before					0.41s
	ganarata randa	m number and assi	an to veriable		00125
	OM NUMBER		gii to variable		0.60s
And I as	sign "pulse\${R	ANDOM_NUMBE	R}@mailsac.o	com'' to variable	0.00s
"PULSE	E_EMAIL''				0.008
And Use	r has pulse app)			19.54s
Then I w	vait for 2 sec				2.01s
And use	r click on "CO	NTINUE WITH EN	MAIL" with E	mail button	68.45s
Then I w	vait for 2 sec				2.01s
Then I c	hange the coun	try as required on	registration p	age	210.65s
Build inf System i os.name Driver in Capabili uat, data location 10000, n	nfo: host: 'Bav : 'Mac OS X', o nfo: io.appium, ities {automatio abaseEnabled: f ContextEnable oReset: false, p	risettis-MacBook-l s.arch: 'x86_64', os java_client.ios.IOS nName: XCUITest false, deviceName: d: false, networkCo latform: MAC, pla	Pro.local', ip: s.version: '10.1 Driver t, browserNan iOS-Test, java onnectionEnal tformName: i	018-05-08T14:04:26 'fe80:0:0:0:1431:619 16', java.version: '11 ne: , bundleId: com.pascriptEnabled: true bled: false, newComi OS, platformVersion d6c webStorageE	Od:cf34:9788%en(l.0.10' prudential.pulse. c, mandTimeout: n: 14.3,
Build inf System i os.name Driver in Capabili uat, data location 10000, n takesScr Session I *** Elen at java.b (NativeC at java.b (Delegat at java.b at java.b (W3CHt	fo: version: '3.1 nfo: host: 'Bava': 'Mac OS X', of a fo: io.appium, a fies {automatical baseEnabled: for a false, peenshot: true, to a se/jdk.internationstructorAcconse/jdk.internatingConstructorAcconse/jdk.internatingConstructorAcconse/jdk.internatingConstructorAcconse/jdk.internatingConstructorAcconse/jdk.internatingConstructorAcconse/jdk.internatingConstructorAcconse/jdk.internatingConstructorAcconse/jdk.internatingConstructorAcconse/jdk.internatingConstructorAcconse/jdk.internatingConstructorAcconse/java.lang.r	irisettis-MacBook-las.arch: 'x86_64', os java_client.ios.IOSJonName: XCUITest false, deviceName: id: false, networkColatform: MAC, plandid: 9f8564dc07bc64e-4230-8c96-1d08dg=xpath, value=//Xdl.reflect.NativeCondl.reflect.NativeCondl.reflect.Delegating AccessorImpl.java:62)dl.reflect.Delegating AccessorImpl.java	Pro.local', ip: s.version: '10.1 Driver t, browserNan iOS-Test, java onnectionEnal tformName: i a132956423af s63f6f1d0 CCUIElement' astructorAcces scructorAcces (ConstructorA :45) newInstance(G IttpResponse	fe80:0:0:0:1431:619 16', java.version: '11 ne: , bundleId: com., ascriptEnabled: true oled: false, newCommOS, platformVersion of d6c, webStorageE TypeButton[@name osorImpl.newInstancesorImpl.newInstan	Od:cf34:9788%en(l.0.10') prudential.pulse. e, mandTimeout: n: 14.3, nabled: false} =''Singapore'']} ce0(Native Methoce stance 0)

at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGener	ricMobileDriver.
java:42)	
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)	
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWel	Driver ieve 317)
at org.openqa.seiemum.remote.Kemote webDriver.fmdElement(Kemote web at io.appium.java_client.DefaultGenericMobileDriver.findElement	DDTiver.java.517)
(DefaultGenericMobileDriver.java:62)	
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)	
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)	
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(Re	emoteWebDriver.
java:419)	
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath	
(DefaultGenericMobileDriver.java:152)	
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDrive	
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.jav	ra:1)
at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)	D: 200)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWeb	oDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58)	
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)	
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)	
at com.prudential.tap.selenium.Commands\$15.executeCommand(Command	dc iava·141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execu	
$at\ com. prudential. tap. selenium. Execute Command. execute Command (Execute Command) and the command of the$	l 64)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execu 19)	
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execu 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1	
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execu 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1 at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryNa (PulseRegistrationScreen.java:951) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTh	nme
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execute19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryNa(PulseRegistrationScreen.java:951) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTh(RegistrationSteps.java:306)	neCountry
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecutePy) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryNa(PulseRegistrationScreen.java:951) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTh(RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/Pulse)	neCountry
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execute19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryNa(PulseRegistrationScreen.java:951) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTh(RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/Pulsfeature:12)	nme neCountry seRegistrationTest.
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execute19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryNa(PulseRegistrationScreen.java:951) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTh(RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/Pulsfeature:12) Then I wait for 5 sec	eRegistrationTest.
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execute19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryNa(PulseRegistrationScreen.java:951) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTh(RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/Pulsfeature:12) Then I wait for 5 sec Then I change the language as required on registration page	eRegistrationTest. 0.00s 0.00s
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execute19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryNa(PulseRegistrationScreen.java:951) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTh(RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/Pulsfeature:12) Then I wait for 5 sec	eRegistrationTest.
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execute19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryNa(PulseRegistrationScreen.java:951) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTh(RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/Pulsfeature:12) Then I wait for 5 sec Then I change the language as required on registration page	eRegistrationTest. 0.00s 0.00s
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execute19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryNa(PulseRegistrationScreen.java:951) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTh((RegistrationSteps.java:306)) at .Then I change the country as required on registration page(features/Pulsfeature:12) Then I wait for 5 sec Then I change the language as required on registration page When user enters registration details	eRegistrationTest. 0.00s 0.00s
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execute19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryNat(PulseRegistrationScreen.java:951) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectThe(RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/Pulsfeature:12) Then I wait for 5 sec Then I change the language as required on registration page When user enters registration details FirstName testAutomation LastName testAutomation	eRegistrationTest. 0.00s 0.00s
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecutePy) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryNa(PulseRegistrationScreen.java:951) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTh(RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/Pulsfeature:12) Then I wait for 5 sec Then I change the language as required on registration page When user enters registration details FirstName testAutomation LastName testAutomation Email \${PULSE_EMAIL}	eRegistrationTest. 0.00s 0.00s
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execu 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1 at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryNa (PulseRegistrationScreen.java:951) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTh (RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/Pulsfeature:12) Then I wait for 5 sec Then I change the language as required on registration page When user enters registration details FirstName testAutomation LastName testAutomation Email \${PULSE_EMAIL} Password Pas\$1234	eCountry seRegistrationTest. 0.00s 0.00s 0.00s
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execu 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1 at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryNa (PulseRegistrationScreen.java:951) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTh (RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/Pulsfeature:12) Then I wait for 5 sec Then I change the language as required on registration page When user enters registration details FirstName testAutomation LastName testAutomation Email \${PULSE_EMAIL} Password Pas\$1234 And taps on continue "Sign_Up" button	eCountry eRegistrationTest. 0.00s 0.00s 0.00s 0.00s
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execu 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1 at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryNa (PulseRegistrationScreen.java:951) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTh (RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/Pulsfeature:12) Then I wait for 5 sec Then I change the language as required on registration page When user enters registration details FirstName testAutomation LastName testAutomation Email \${PULSE_EMAIL} Password Pas\$1234 And taps on continue "Sign_Up" button And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	eCountry seRegistrationTest. 0.00s 0.00s 0.00s 0.00s 0.00s
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execute) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1 at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryNa (PulseRegistrationScreen.java:951) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTh (RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/Pulsfeature:12) Then I wait for 5 sec Then I change the language as required on registration page When user enters registration details FirstName testAutomation LastName testAutomation LastName testAutomation Email \${PULSE_EMAIL} Password Pas\$1234 And taps on continue "Sign_Up" button And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" Then I wait for 2 sec	eRegistrationTest. 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execu 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1 at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryNa (PulseRegistrationScreen.java:951) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTh (RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/Pulsfeature:12) Then I wait for 5 sec Then I change the language as required on registration page When user enters registration details FirstName testAutomation LastName testAutomation Email \${PULSE_EMAIL}{} Password Pas\$1234 And taps on continue "Sign_Up" button And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" Then I wait for 2 sec And I enter the "mobile number" in welcome to pulse	eCountry seRegistrationTest. 0.00s 0.00s 0.00s 0.00s 0.00s
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execu 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1 at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryNa (PulseRegistrationScreen.java:951) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTh (RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/Pulsfeature:12) Then I wait for 5 sec Then I change the language as required on registration page When user enters registration details FirstName testAutomation LastName testAutomation LastName testAutomation Email \${PULSE_EMAIL}\$ Password Pas\$1234 And taps on continue "Sign_Up" button And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" Then I wait for 2 sec And I enter the "mobile number" in welcome to pulse mobileNumber \${registration.mobile.number}}	0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execu 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1 at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryNa (PulseRegistrationScreen.java:951) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTh (RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/Pulsfeature:12) Then I wait for 5 sec Then I change the language as required on registration page When user enters registration details FirstName lestAutomation LastName lestAutomation Email \${PULSE_EMAIL}{Password Pas\$1234} And taps on continue "Sign_Up" button And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" Then I wait for 2 sec And I enter the "mobile number" in welcome to pulse mobileNumber \${registration.mobile.number}} And I click the continue button	0.00s
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execute) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryNa(PulseRegistrationScreen.java:951) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTh(RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/Pulsfeature:12) Then I wait for 5 sec Then I change the language as required on registration page When user enters registration details FirstName testAutomation LastName testAutomation LastName testAutomation Email \${PULSE_EMAIL}{} Password Pas\$1234 And taps on continue "Sign_Up" button And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" Then I wait for 2 sec And I enter the "mobile number" in welcome to pulse mobileNumber \${registration.mobile.number}} And I click the continue button And I cloose my wellness goals under wellness plan screen	0.00s
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execu 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1 at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryNa (PulseRegistrationScreen.java:951) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTh (RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/Pulsfeature:12) Then I wait for 5 sec Then I change the language as required on registration page When user enters registration details FirstName testAutomation LastName testAutomation Email \${PULSE_EMAIL}{} Password Pas\$1234 And taps on continue "Sign_Up" button And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" Then I wait for 2 sec And I enter the "mobile number" in welcome to pulse mobileNumber \${registration.mobile.number}} And I click the continue button And I cloose my wellness goals under wellness plan screen And I click the continue button	0.00s
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execute) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryNa(PulseRegistrationScreen.java:951) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTh(RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/Pulsfeature:12) Then I wait for 5 sec Then I change the language as required on registration page When user enters registration details FirstName testAutomation LastName testAutomation LastName testAutomation Email \${PULSE_EMAIL}{} Password Pas\$1234 And taps on continue "Sign_Up" button And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" Then I wait for 2 sec And I enter the "mobile number" in welcome to pulse mobileNumber \${registration.mobile.number}} And I click the continue button And I cloose my wellness goals under wellness plan screen	0.00s
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execu 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1 at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryNa (PulseRegistrationScreen.java:951) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTh (RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/Pulsfeature:12) Then I wait for 5 sec Then I change the language as required on registration page When user enters registration details FirstName testAutomation LastName testAutomation Email \${PULSE_EMAIL}{} Password Pas\$1234 And taps on continue "Sign_Up" button And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" Then I wait for 2 sec And I enter the "mobile number" in welcome to pulse mobileNumber \${registration.mobile.number}} And I click the continue button And I cloose my wellness goals under wellness plan screen And I click the continue button	0.00s


Detailed Results Report

And I click the continue button	0.00s
And I select the Male icon	0.00s
And I click the continue button	0.00s
And I enter my height and weight details	0.00s
And I click on Calculate BMI button	0.00s
And I click the continue button	0.00s
And I select the ''How active are you?'' in doing exercise	0.00s
And I click the continue button	0.00s
And I select my favorite food dietary	0.00s
And I click the continue button	0.00s
And I answer as "Yes" to "Any Food allergies?"	0.00s
And I click the continue button	0.00s
And I verify that "Tracking your activity is trending" is displayed	0.00s
And I click on connect Later button	0.00s
And I see that "Welcome to Pulse" text is displayed	0.00s
And I click the continue button	0.00s
And I see that fitness subscription exclusive offers screen is displayed	0.00s
And I click on close icon	0.00s
Then I click skip buttons	0.00s
Then user should be landed to "Home" screen	0.00s
And I click the Account icon in Home screen	0.00s
And I click the sign out from pulse app	0.00s
Then I wait for 4 sec	0.00s
When user enters password credentials in sigin screen	0.00s
Password Pas\$1234	
And User clicks on signin button	0.00s
Then I wait for 8 sec	0.00s
Then user should be landed to "Home" screen	0.00s




*** Element info: {Using=xpath, value=//XCUIElementTypeButton[@name="Singapore"]} at jdk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source)

```
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.jos.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164)
at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryName
(PulseRegistrationScreen.java:951)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTheCountry
(RegistrationSteps.java:306)
at .Then I change the country as required on registration page(features/PulseRegistrationTest.
feature:66)
```



After			0.00
			0.00s
Back to Table of Contents			
registration page		hen user enters Invalid password: P	
Passed: 3	Failed: 0	Undefined: 0	Duration: 10.1s
Before			0.00s
When user enters reg			6.49s
Password Pulse123	3		
And taps on continue	e "Sign_Up" button		2.23s
Then I verify the vali registration page	dation error message	is displayed for following field on	1.38s
Password \${passw	ord.validation.messag	ge}	
After			0.00s
Back to Table of Contents			
Scenario: Verify the vali	idation message when	user enter already registered email	id on
registration page			
Passed: 4	Failed: 1	Undefined: 5	Duration: 267.7
			S
Before			0.00s
Given User has pulse	app		17.21s
Then I wait for 2 sec			2.01s
	ONTINUE WITH EN	MAIL" with Email button	34.28s
Then I wait for 2 sec			2.01s
	untry as required on 1		

```
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164)
at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryName
(PulseRegistrationScreen.java:951)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTheCountry
(RegistrationSteps.java:306)
at .Then I change the country as required on registration page(features/PulseRegistrationTest.
feature:105)
And taps on continue "Sign_Up" button
```




```
locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout:
10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.3,
takesScreenshot: true, udid: 9f8564dc07bca132956423afd6c..., webStorageEnabled: false}
Session ID: e81aac8c-8c2e-41dd-aa73-6b0ca2d8e10f
*** Element info: {Using=xpath, value=//XCUIElementTypeButton[@name="Singapore"]}
at jdk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164)
at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryName
(PulseRegistrationScreen.java:951)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTheCountry
(RegistrationSteps.java:306)
at .Then I change the country as required on registration page(features/PulseRegistrationTest.
feature:125)
```

ack to Table of Contents cenario: Verify the Gender screen validation using "Continue with Email" assed: 1 Failed: 1 Undefined: 29 Duration: 16.26	Then I wait for 2 sec		0.00s
PirstName NewAutomation EastName NewAutomation Email S(PULSE EMAIL) Password Pas\$1234 And taps on continue "Sign_Up" button 0.00s 1.00s	Then I change the lan	nguage as required on registration page	0.00s
And taps on continue "Sign Up" button And I enter OTP in one pulse app for user email "S[PULSE_EMAIL]" 0.00s Then I wait for 3 sec Then I verify the country code should be displayed correctly on phone number screen And I enter the "mobile number" in welcome to pulse 0.00s	When user enters reg	gistration details	0.00s
Password Pass 1234 And taps on continue "Sign_Up" button 1.00s	FirstName NewAu	utomation	
Password Pass 1234 And taps on continue "Sign_Up" button 1.00s			
And taps on continue "Sign Up" button And Lenter OTP in one pulse app for user email "\${PULSE_EMAIL}" D.00s Then I wait for 3 sec Then I wait for 3 sec Then I wait for 3 sec And Lenter the "mobile number" in welcome to pulse D.00s Then I wait for 5 sec Then verify Again invalid Mobile message "\${invalid.mobile.text}" D.00s Then I wait for 5 sec Then verify Again invalid Mobile message "\${invalid.mobile.text}" D.00s Then I wait for 5 sec Then verify Again invalid Mobile message "\${invalid.mobile.text}" D.00s Then I wait for 5 sec Then verify Again invalid Mobile message "\${invalid.mobile.text}" D.00s Then I wait for 5 sec Then verify Again invalid Mobile message "\${invalid.mobile.text}" D.00s Then I wait for 5 sec Then verify Again invalid Mobile message "\${invalid.mobile.text}" D.00s Then Verify have an account pulse ask to Table of Contents County Legours Broggoov to Englan v Sign Up Already have an account Sign in the Continue with Email" asked: 1 Failed: 1 Undefined: 29 Duration: 16.26 to 10.00s Given I enter the "mobile number" in welcome to pulse public view in welcome to pulse view in welcome to pulse public view in welcome to p			
And I enter OTP in one pulse app for user email "S{PULSE_EMAIL}" 1.00s Then I wait for 3 see Then I verify the country code should be displayed correctly on phone number screen And I enter the "mobile number" in welcome to pulse 1.00s And I enter the "mobile number" in welcome to pulse 1.00s Then I wait for 5 see Then I wai			
And I enter OTP in one pulse app for user email "\$(PULSE_EMAIL)" 0.008 Then I vari for 3 sec			0.00s
Then I wait for 3 see Then I verify the country code should be displayed correctly on phone number screen And I enter the "mobile number" in welcome to pulse			
Then I verify the country code should be displayed correctly on phone number screen And I enter the "mobile number" in welcome to pulse mobileNumber 17670			
And I enter the "mobile number" in welcome to pulse mobileNumber 917670	Then I verify the cou		ımher
mobileNumber 917670 And I click the continue button Then I wait for 5 sec Then verify Again invalid Mobile message "S{invalid.mobile.text}" 50.008 Then verify Again invalid Mobile message "S{invalid.mobile.text}" 50.008 The verify Again invalid Mobile message "S{invalid.mobile.text}" 50.008 50.008 The verify Again invalid Mobile message "S{invalid.mobile.text}" 50.008 50.		hile number" in welcome to nulse	0.00s
And I click the continue button Then I wait for 5 sec Then verify Again invalid Mobile message "\${invalid.mobile.text}" 1.00s 1.00s			0.003
Then I wait for 5 see Then verify Again invalid Mobile message "\${invalid.mobile.text}" 1.00s 1015 Create an Account Place Hame I disea Name Institute I family Name Last Name I family Name Singapore English Singapore Eng			0.000
Then verify Again invalid Mobile message "\${invalid.mobile.text}" 0.008			
County Sign Up Already have an account? Sint b Already have an account? Sint b Country Lunguage Singapore Inglie Country Lunguage Singapore Inglie Already have an account? Sint b Country Lunguage Singapore Inglie Lunguage Singapore Inglie Lunguage Lunguage Singapore Inglie Lunguage Singapore Inglie Lunguage Inglie Ing			
Country Lorgadge Sign Up Already have an account? Sign.lo Failed: 1 Undefined: 29 Duration: 16.26 Lefter Civer I enter the "mobile number" in welcome to pulse Given I enter the "mobile number]	Then verify Again in	vanu vioone message \(\phi\) mivanu moone text	0.005
cenario: Verify the Gender screen validation using "Continue with Email" assed: 1 Failed: 1 Undefined: 29 Duration: 16.268 Gefore 0.00s Given I enter the "mobile number" in welcome to pulse 7.53s mobileNumber \${registration.mobile.number}	Email Email Email Password Password Country Language Singapore V English		
Given I enter the ''mobile number'' in welcome to pulse mobileNumber \${registration.mobile.number} Tailed: 1 Undefined: 29 0.00s 7.53s	Amendy move an account? 26		
Given I enter the ''mobile number'' in welcome to pulse mobileNumber \${registration.mobile.number} Tailed: 1 Undefined: 29 0.00s 7.53s	After ack to Table of Contents		0.00s
Given I enter the ''mobile number'' in welcome to pulse 7.53s mobileNumber \${registration.mobile.number}	After Sack to Table of Contents	nder screen validation using "Continue with Email"	
mobileNumber \${registration.mobile.number}	After Sack to Table of Contents		
mobileNumber \${registration.mobile.number}	After Sack to Table of Contents Scenario: Verify the Ge		Duration: 16.26s
	After Cack to Table of Contents Coenario: Verify the General Section 1 Coenario: Coenario 1 Coenario 2 Coenario 2 Coenario 3 Coenario 3 Coenario 4 Coenario 4 Coenario 5 Coenario 5 Coenario 6 Coenario 6 Coenario 7 Coenario 7 Coenario 8 Coenario 8 Coenario 9 Coenar	Failed: 1 Undefined: 29	Duration: 16.26s 0.00s
100700	After Cack to Table of Contents Coenario: Verify the General Sefore Given I enter the "m	Failed: 1 Undefined: 29 obile number'' in welcome to pulse	Duration: 16.26s 0.00s

```
org.openga.selenium.NoSuchElementException: An element could not be located on the page
using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions
/no_such_element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:1431:619d:cf34:9788%en0',
os.name: 'Mac OS X', os.arch: 'x86 64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.
uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true,
locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout:
10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.3,
takesScreenshot: true, udid: 9f8564dc07bca132956423afd6c..., webStorageEnabled: false}
Session ID: e81aac8c-8c2e-41dd-aa73-6b0ca2d8e10f
*** Element info: {Using=xpath, value=//XCUIElementTypeOther[@label="Continue"]}
at jdk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.findElement(IOSDriver.java:1)
```

at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya: **19**) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164) at com.onepulse.app.screens.PulseRegistrationScreen.continueButton(PulseRegistrationScreen. iava:542) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.continueButton (RegistrationSteps.java:100) at .And I click the continue button(features/PulseRegistrationTest.feature:146) And I choose my wellness goals under wellness plan screen



```
10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.3,
takesScreenshot: true, udid: 9f8564dc07bca132956423afd6c..., webStorageEnabled: false}
Session ID: 9c8f9777-6f81-449d-a605-2ba867153339
*** Element info: {Using=xpath, value=//XCUIElementTypeButton[@name="Singapore"]}
at jdk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164)
at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryName
(PulseRegistrationScreen.java:951)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTheCountry
(RegistrationSteps.java:306)
at .Then I change the country as required on registration page(features/PulseRegistrationTest.
feature:185)
```

Then I change the l		u on registration pa	ge	0.00s
When user enters r	egistration details			0.00s
FirstName testA	utomation			
LastName testA				
Email \${PU	LSE_EMAIL}			
Password Pas\$1	1234			
And taps on continu	ie ''Sign_Up'' but	n		0.00s
Then I wait for 90 s	ec			0.00s
Then I click the Res	send button in OT	screen		0.00s
And I enter OTP in	one pulse app for	iser email ''\${PULS	E_EMAIL}"	0.00s
And I wait for 2 sec				0.00s
Create an Account PUSE by Prodection Improve your Health Fitness Today First Name / Given Name First Name / Given Name Last Name / Family Name	and			
Last Name / Family Name Email Email Password Password Country Language Singapore V English Sign Up Already have an account?	≥ Sign_lo			
Email Email Email Password Password Country Language Singapore V English Sign Up Already have an account?	<u> </u>			
Last Name / Family Name Email Password Password Country Language Singapore V English Sign Up Already have an account?	<u> </u>			0.00s
Email Email Email Password Password Country Language Singapore V English Sign Up Already have an account?	<u> </u>			0.00s
Last Name / Family Name Email Password Password Country Language Singapore V English Sign Up Already have an account?	nunities on One P			0.00s
Email Email Password Password Country Language Singapore V English Sign Up Already have an account?	nunities on One P	ise App ned: 0	Duration: 895.76s	0.00s
Last Name / Family Name Email Password Password Country Language Singapore V English Sign Up Already have an account?	nunities on One P	ned: 0		
Last Name / Family Name Email Password Country Language Singapore V English Sign Up Already have an account?	nunities on One P	ned: 0		0.00s Duration: 307.1
Last Name / Family Name Email Password Country Language Singapore English Sign Up Already have an account? Cack to Table of Contents Cure: Verify My Commedia of Contents Country Language Failed: Country Language Sign Up Already have an account?	munities on One P 10 Unde	ned: 0 ountry as per specif		
Last Name / Family Name Email Password Raseword Country Language Singapore V English Sign Up Already have an account? Ack to Table of Contents ture: Verify My Commed: 0 Failed: Cocenario: Launch the account to the season of the	munities on One P 10 Under 10 Under 10 Failed: 1	ned: 0 ountry as per specif		Duration: 307.1
Last Name / Family Name Email Password Password Country Language Singapore English Sign Up Already have an account? ack to Table of Contents ture: Verify My Commedie ed: 0 Failed: cenario: Launch the account assed: 3 Sefore	nunities on One P 10 Unde app and select the Failed: 1	ned: 0 ountry as per specif Undefined: 4		Duration: 307.1 s
Last Name / Family Name Email Password Password Country Sign Up Already have an account? After Cack to Table of Contents Cure: Verify My Companies Contents Contents	munities on One P 10 Under 10 Under 10 Failed: 1 See app e app if user is log	ned: 0 ountry as per specif Undefined: 4	ied Ibu	Duration: 307.1 s 0.00s 17.34s

```
org.openqa.selenium.NoSuchElementException: An element could not be located on the page
using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions
/no such element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:1431:619d:cf34:9788%en0',
os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java client.ios.IOSDriver
Capabilities {automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.
uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true,
locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout:
10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.3,
takesScreenshot: true, udid: 9f8564dc07bca132956423afd6c..., webStorageEnabled: false}
Session ID: 87342885-04ea-41e3-be7d-44a20408361f
*** Element info: {Using=xpath, value=//XCUIElementTypeButton[@name="Singapore"]}
at jdk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
```

at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19)


at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164)

at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryName (PulseRegistrationScreen.java:951)

at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTheCountry (RegistrationSteps.java:306)

at .Then I change the country as required on registration page(features/home/mycommunities/PulseMyCommunities.feature:8)

Then I wait for 3 sec	0.00s
Then I change the language as required on registration page	0.00s
And I click the Sign in link	0.00s
Then I verify below language options on toggle bar as per specified lbu on login page	0.00s



After 0.00s

Back to Table of Contents

Scenario: User should be able to login on app with correct credentials using "Continue with Gmail"

Passed: 1	Failed: 1	Undefined: 5	Duration: 11.22s
Before			0.00s

And I assign "\${Communities.text}" to variable "PULSE_EMAIL" 0.02s

Given I select the language option on toggle bar as required on login page 11.20s


org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html


```
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:1431:619d:cf34:9788%en0',
os.name: 'Mac OS X', os.arch: 'x86 64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.
uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true,
locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout:
10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.3,
takesScreenshot: true, udid: 9f8564dc07bca132956423afd6c..., webStorageEnabled: false}
Session ID: 87342885-04ea-41e3-be7d-44a20408361f
*** Element info: {Using=xpath, value=(//XCUIElementTypeOther[@name="EN"])[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.jos.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164)
at com.onepulse.app.screens.PulseRegistrationScreen.selectTheLanguageToggle
```

(PulseRegistrationScreen.java:984) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.selectTheLangOption (RegistrationSteps.java:335) at .Given I select the language option on toggle bar as required on login page(features/home /mycommunities/PulseMyCommunities.feature:16) ← Create an Account Improve your Health and Fitness Today First Name / Given Name Last Name / Family Name Last Name / Family Name Œ English Already have an account? Sign in After 0.00s**Back to Table of Contents** Scenario: User should be able to login on app with correct credentials using "Continue with Gmail" and Verify the Mycommunities screen Duration: 375.47 Passed: 0 Failed: 1 **Undefined: 2** 0.00sBefore And User should be verify "\${my.communities.text}" tab in Home screen 375.47s org.openga.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters. For documentation on this error, please visit: http://seleniumhq.org/exceptions /no_such_element.html Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:1431:619d:cf34:9788%en0'


```
os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java client.ios.IOSDriver
Capabilities {automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.
uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true,
locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout:
10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.3,
takesScreenshot: true, udid: 9f8564dc07bca132956423afd6c..., webStorageEnabled: false}
Session ID: 87342885-04ea-41e3-be7d-44a20408361f
*** Element info: {Using=xpath, value=//XCUIElementTypeOther[@name=''My
Communities'']
at jdk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164)
at com.onepulse.app.screens.mydocui.MyCommunitiesScreen.isMycommunitiesJoin
(MyCommunitiesScreen.java:101)
```




```
10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.3,
takesScreenshot: true, udid: 9f8564dc07bca132956423afd6c..., webStorageEnabled: false}
Session ID: 87342885-04ea-41e3-be7d-44a20408361f
*** Element info: {Using=xpath, value=//XCUIElementTypeOther[@name=''My
Communities'']}
at jdk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164)
at com.onepulse.app.screens.CustomerConnectScreen.clickButton(CustomerConnectScreen.
java:1714)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickUploadIcon
(CustomerConnectSteps.java:533)
at .And I clicks on "${my.communities.text}" in app screen(features/home/mycommunities
/PulseMyCommunities.feature:34)
```




```
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.jos.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164)
at com.onepulse.app.screens.CustomerConnectScreen.clickButton(CustomerConnectScreen.
iava:1714)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickUploadIcon
(CustomerConnectSteps.java:533)
at .And I clicks on "${All.Communities.text}" in app screen(features/home/mycommunities
/PulseMyCommunities.feature:42)
   POST TEST1
```




```
*** Element info: {Using=xpath, value=(//XCUIElementTypeOther[@name=''TEST1
welcome''])[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164)
at com.onepulse.app.screens.mydocui.MyCommunitiesScreen.ClickFeeds
(MyCommunitiesScreen.java:303)
at com.onepulse.app.stepdefinitions.mobilesteps.MyCommunitiesSteps.clickIcons
(MyCommunitiesSteps.java:101)
at .And I click the Post icon in My communities(features/home/mycommunities
/PulseMyCommunities.feature:57)
```




```
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.jos.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164)
at com.onepulse.app.screens.mydocui.MyCommunitiesScreen.ClickShareIcon
(MyCommunitiesScreen.java:534)
at com.onepulse.app.stepdefinitions.mobilesteps.MyCommunitiesSteps.ClickShareIcon
(MyCommunitiesSteps.java:164)
at .And I click the share icon in Post screen(features/home/mycommunities
/PulseMyCommunities.feature:67)
```




```
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164)
at com.onepulse.app.screens.mydocui.MyCommunitiesScreen.ClickSkipfeedbutton
(MyCommunitiesScreen.java:639)
at com.onepulse.app.stepdefinitions.mobilesteps.MyCommunitiesSteps.clickSkipbutton
(MyCommunitiesSteps.java:197)
at .Then I click skip button in feeds screen(features/home/mycommunities
/PulseMyCommunities.feature:74)
```



t java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance DelegatingConstructorAccessorImpl.java:45) t java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) t org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException W3CHttpResponseCodec.java:187) t org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode W3CHttpResponseCodec.java:122) t org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode W3CHttpResponseCodec.java:49)	
t java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) t org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException W3CHttpResponseCodec.java:187) t org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode W3CHttpResponseCodec.java:122) t org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode W3CHttpResponseCodec.java:49)	
t org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException W3CHttpResponseCodec.java:187) t org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode W3CHttpResponseCodec.java:122) t org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode W3CHttpResponseCodec.java:49)	
W3CHttpResponseCodec.java:187) t org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode W3CHttpResponseCodec.java:122) t org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode W3CHttpResponseCodec.java:49)	
W3CHttpResponseCodec.java:122) t org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode W3CHttpResponseCodec.java:49)	
t org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode W3CHttpResponseCodec.java:49)	
W3CHttpResponseCodec.java:49)	
${f t}$ org.openqa.selenium.remote. ${f H}$ ttp ${f C}$ ommand ${f E}$ xecutor.execute(${f H}$ ttp ${f C}$ ommand ${f E}$ xecutor.	utor.java:
58)	
t io.appium.java_client.remote.AppiumCommandExecutor.execute	
AppiumCommandExecutor.java:231)	
$t\ or {\bf g.open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver. java: 500)}$	543)
$t\ io. appium. java_client. Default Generic Mobile Driver. execute (Default Generic Mobile Control of the Con$	eDriver.
ava:42)	
t io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)	
t io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)	
${f t}$ org. open qa. selenium. remote. Remote Web Driver. find Element (Remote Web Driver. januar) selenium. remote. Remote Web Driver. januar selenium. remote. Remote Web Driver. januar selenium. remote. Remote Web Driver. januar selenium. remote. Remote Web Driver. find Element (Remote Web Driver. januar selenium. remote. Remote Web Driver. find Element (Remote Web Driver. januar selenium. remote. Remote Web Driver. januar selenium. remote between the properties web Driver. Remote between the properties web Driver. Januar selenium. J	ava:317)
t io.appium.java_client.DefaultGenericMobileDriver.findElement	
DefaultGenericMobileDriver.java:62)	
t io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)	
t io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)	
${f t}$ org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDrive	bDriver.
ava:419)	
t io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath	
DefaultGenericMobileDriver.java:152)	
t io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1))
t io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)	
t org.openqa.selenium.By\$ByXPath.findElement(By.java:353)	200
t org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.ja	ava:309)
t io.appium.java_client.DefaultGenericMobileDriver.findElement	
DefaultGenericMobileDriver.java:58)	
t io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) t io.appium.java client.ios.IOSDriver.findElement(IOSDriver.java:1)	
t io.applum.java_chent.ios.105D11ver.fmdElement(105D11ver.java:1) t com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:14	/11)
t com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteComma t com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteComma	
9)	anu.java.
t com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164)	
t com.onepulse.app.screens.CustomerConnectScreen.clickButton(CustomerConnect	tScreen
ava:1714)	
t com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickUpload	Icon
CustomerConnectSteps.java:533)	2001
t .And I clicks on "\\${category.text}" in app screen(features/home/mycommunities	
PulseMyCommunities.feature:91)	
nd I verify the following texts "Category" in Screen 0.00)s
COVID 10	
COVID-19	
Fitness	



```
Communities'']}
at idk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164)
at com.onepulse.app.screens.CustomerConnectScreen.clickButton(CustomerConnectScreen.
iava:1714)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickUploadIcon
(CustomerConnectSteps.java:533)
at .And I clicks on "${my.communities.text}" in app screen(features/home/mycommunities
/PulseMyCommunities.feature:104)
```



Capabilities {automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.

locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout:

takesScreenshot: true, udid: 9f8564dc07bca132956423afd6c..., webStorageEnabled: false}


uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true,

10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.3,


Driver info: io.appium.java_client.ios.IOSDriver

Session ID: 32f8593d-96f4-4301-8d8b-e7c210a64e57


```
*** Element info: {Using=xpath, value=//XCUIElementTypeButton[@name="Singapore"]}
at idk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164)
at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryName
(PulseRegistrationScreen.java:951)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTheCountry
(RegistrationSteps.java:306)
at .Then I change the country as required on registration page(features/login/PulseLoginTest.
feature:9)
```



(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode	
(W3CHttpResponseCodec.java:122)	
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode	
(W3CHttpResponseCodec.java:49)	
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.ex	andExecutor.java:
158)	
at io.appium.java_client.remote.AppiumCommandExecutor.execute	
(AppiumCommandExecutor.java:231)	
$at\ org. open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver. execute) at org. open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver. execute) at org. open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver. execute) at org. open qa. selenium. The selenium at org. open qa. selenium at org. open q$	
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGeneriava:42)	icMobileDriver.
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)	
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)	
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWeb	Driver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement	
(DefaultGenericMobileDriver.java:62)	
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)	
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)	
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(Rejava:419)	moteWebDriver.
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath	
(DefaultGenericMobileDriver.java:152)	
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDrive	
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java	a:1)
at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)	200)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWeb	Driver.java.sus
TAT IX PINET IN EXPERIENCE OF THE PROPERTY OF THE PROPE	
at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58)	
(DefaultGenericMobileDriver.java:58)	
(DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)	
(DefaultGenericMobileDriver.java:58)	
(DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)	ls.java:141)
(DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Command	ls.java:141)
(DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Command at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execut 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1	ls.java:141) teCommand.java: 64)
(DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Command at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execut 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1 at com.onepulse.app.screens.PulseRegistrationScreen.selectTheLanguageTog	ls.java:141) teCommand.java: 64)
(DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Command at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execut 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1 at com.onepulse.app.screens.PulseRegistrationScreen.selectTheLanguageTog(PulseRegistrationScreen.java:984)	ls.java:141) teCommand.java: .64) ggle
(DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Command at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execut 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1 at com.onepulse.app.screens.PulseRegistrationScreen.selectTheLanguageTog(PulseRegistrationScreen.java:984) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.selectThe	ls.java:141) teCommand.java: .64) ggle
(DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Command at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execut 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1 at com.onepulse.app.screens.PulseRegistrationScreen.selectTheLanguageTog(PulseRegistrationScreen.java:984) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.selectTheI(RegistrationSteps.java:335)	ls.java:141) teCommand.java: 64) ggle LangOption
(DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Command at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execut 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1 at com.onepulse.app.screens.PulseRegistrationScreen.selectTheLanguageTog(PulseRegistrationScreen.java:984) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.selectThe(RegistrationSteps.java:335) at .Given I select the language option on toggle bar as required on login page	ls.java:141) teCommand.java: 64) ggle LangOption
(DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Command at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execut 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1 at com.onepulse.app.screens.PulseRegistrationScreen.selectTheLanguageTog (PulseRegistrationScreen.java:984) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.selectThe (RegistrationSteps.java:335) at .Given I select the language option on toggle bar as required on login page /PulseLoginTest.feature:16)	ls.java:141) teCommand.java: .64) ggle LangOption e(features/login
(DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Command at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execut 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1 at com.onepulse.app.screens.PulseRegistrationScreen.selectTheLanguageTog (PulseRegistrationScreen.java:984) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.selectThe (RegistrationSteps.java:335) at .Given I select the language option on toggle bar as required on login page /PulseLoginTest.feature:16) When user enters credentials	ls.java:141) teCommand.java: 64) ggle LangOption
(DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Command at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execut 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1 at com.onepulse.app.screens.PulseRegistrationScreen.selectTheLanguageTog(PulseRegistrationScreen.java:984) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.selectThe(RegistrationSteps.java:335) at .Given I select the language option on toggle bar as required on login page/PulseLoginTest.feature:16) When user enters credentials UserName \${PULSE_EMAIL}}	ls.java:141) teCommand.java: .64) ggle LangOption e(features/login
(DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Command at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execut 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1 at com.onepulse.app.screens.PulseRegistrationScreen.selectTheLanguageTog (PulseRegistrationScreen.java:984) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.selectThe (RegistrationSteps.java:335) at .Given I select the language option on toggle bar as required on login page /PulseLoginTest.feature:16) When user enters credentials	ls.java:141) teCommand.java: .64) ggle LangOption e(features/login
(DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Command at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execut 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1 at com.onepulse.app.screens.PulseRegistrationScreen.selectTheLanguageTog(PulseRegistrationScreen.java:984) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.selectThe(RegistrationSteps.java:335) at .Given I select the language option on toggle bar as required on login page/PulseLoginTest.feature:16) When user enters credentials UserName \${PULSE_EMAIL}}	ls.java:141) teCommand.java: .64) ggle LangOption e(features/login
(DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Command at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execut 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1 at com.onepulse.app.screens.PulseRegistrationScreen.selectTheLanguageTog (PulseRegistrationScreen.java:984) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.selectThe (RegistrationSteps.java:335) at .Given I select the language option on toggle bar as required on login page /PulseLoginTest.feature:16) When user enters credentials UserName \${PULSE_EMAIL} Password \${login.password}	ds.java:141) teCommand.java: 64) ggle LangOption e(features/login
(DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Command at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execut 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1 at com.onepulse.app.screens.PulseRegistrationScreen.selectTheLanguageTog (PulseRegistrationScreen.java:984) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.selectThe (RegistrationSteps.java:335) at .Given I select the language option on toggle bar as required on login page /PulseLoginTest.feature:16) When user enters credentials UserName \${PULSE_EMAIL} Password \${login.password} And User clicks on signin button And I wait for 5 sec	ls.java:141) teCommand.java: .64) ggle LangOption e(features/login 0.00s
(DefaultGenericMobileDriver,java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Command at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execut 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1 at com.onepulse.app.screens.PulseRegistrationScreen.selectTheLanguageTog (PulseRegistrationScreen.java:984) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.selectThe (RegistrationSteps.java:335) at .Given I select the language option on toggle bar as required on login page /PulseLoginTest.feature:16) When user enters credentials UserName \${PULSE_EMAIL} Password \${login.password}} And User clicks on signin button And I wait for 5 sec And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	ls.java:141) teCommand.java: .64) ggle LangOption e(features/login 0.00s 0.00s 0.00s 0.00s
(DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Command at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execut 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1 at com.onepulse.app.screens.PulseRegistrationScreen.selectTheLanguageTog (PulseRegistrationScreen.java:984) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.selectThe (RegistrationSteps.java:335) at .Given I select the language option on toggle bar as required on login page /PulseLoginTest.feature:16) When user enters credentials UserName \${PULSE_EMAIL} Password \${login.password} And User clicks on signin button And I wait for 5 sec	ds.java:141) teCommand.java: .64) ggle LangOption e(features/login 0.00s 0.00s



```
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164)
at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryName
(PulseRegistrationScreen.java:951)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTheCountry
(RegistrationSteps.java:306)
at .Then I change the country as required on registration page(features/login/PulseLoginTest.
feature:29)
    serName t@gmai
```




```
using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions
/no such element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:1431:619d:cf34:9788%en0',
os.name: 'Mac OS X', os.arch: 'x86 64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.
uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true,
locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout:
10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.3,
takesScreenshot: true, udid: 9f8564dc07bca132956423afd6c..., webStorageEnabled: false}
Session ID: deb6761b-f55f-450c-8bd6-5e4b89516678
*** Element info: {Using=xpath, value=//XCUIElementTypeButton[@name="Singapore"]}
at idk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
```


at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164) at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryName (PulseRegistrationScreen.java:951) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTheCountry (RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/login/PulseLoginTest. feature:55) Create an Account Improve your Health and Fitness Today First Name / Given Name First Name / Given Name Last Name / Family Name Ø Language English Already have an account? Sign in After 0.00s**Back to Table of Contents** Scenario: User should be able to retrieve the reset password using forget password link

at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1) at io.appium.java client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309) at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: **19**) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164) at com.onepulse.app.screens.PulseLoginScreen.clickSendButton(PulseLoginScreen.java:228) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.clickSendButton(LoginSteps.java: 142) at .Then User clicks on Send button(features/login/PulseLoginTest.feature:76) ← Create an Account Improve your Health and Fitness Today First Name / Given Name pulse596211071055@mailsac.com Last Name / Family Name Last Name / Family Name Email Ø English Sign Up Already have an account? Sign In After 0.00s**Back to Table of Contents** Scenario: Verify Account should be locked after entering more than 5 times incorrect passwords **Duration: 445.32** Passed: 5 Failed: 1 Undefined: 12 0.00sBefore Given I generate random number and assign to variable

"RANDOM_NUMBER"	0.01s
And I assign ''pulse\${RANDOM_NUMBER}@mailsac.com'' to variable ''PULSE_EMAIL''	0.00s
And User has pulse app	17.46s
Then I wait for 2 sec	2.01s
And user click on "CONTINUE WITH EMAIL" with Email button	60.48s
	365.36s
And user click on "CONTINUE WITH EMAIL" with Email button Then I change the country as required on registration page org.openqa.selenium.NoSuchElementException: An element could not be locausing the given search parameters. For documentation on this error, please visit: http://seleniumhq.org/exceptior/no_such_element.html Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.J System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:1431:6196 os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0 Driver info: io.appium.java_client.ios.IOSDriver Capabilities (automationName: XCUITest, browserName: , bundleId: com.pi uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newComm 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: takesScreenshot: true, udid: 9t8564dc07bca132956423afd6c, webStorageEn Session ID: 42227bc1-7a8e-473c-a16d-0b2eddaf3ed9 *** Element info: {Using=xpath, value=//XCUIElementTypeButton[@name= at jdk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknov at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInst (DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:192) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpComma 158) at io.appium.java_client.remote.RemoteWebDriver.execute(RemoteWebDriver java:42) at io.appium.java_client.los.IOSDriver.execute(AppiumDriver.java:1) at io.appium.java_client.los.IOSDriver.execute(IOSDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElement at io.appium.java_client.los.IOSDriver.execute(IOSDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElement	do.48s 365.36s ated on the page as 12Z' d:cf34:9788%en0', 0.10' rudential.pulse. andTimeout: 14.3, abled: false} e''Singapore'']} wn Source) ance) on
(DefaultGenericMobileDriver.java:62)	
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)	
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)	
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(Rem	noteWebDriver.
java:419)	
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)	


at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDat io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execute 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:16 at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryNam(PulseRegistrationScreen.java:951) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectThe(RegistrationSteps.java:306) at .Then I change the country as required on registration page(features/login/feature:94)	.i1) Driver.java:309) .java:141) Command.java: 4) ne Country
Then I wait for 5 sec	0.00s
Then I change the language as required on registration page	0.00s
When user enters registration details	0.00s
FirstName testAutomation	0.003
LastName testAutomation	
Email \${PULSE_EMAIL}	
Password Pas\$1234	
And taps on continue "Sign_Up" button	0.00s
Then I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	0.00s
Then I wait for 10 sec	0.00s
Then I click skip button	0.00s
Then user should be landed to "Home" screen	0.00s
And I click the Account icon in Home screen	0.00s
And I click the sign out from pulse app	0.00s
Then I wait for 2 sec	0.00s
Then I enter invalid password on login screen and verify the error message	0.00s
Pas\$123##\${invalid.credential.message}	
r as \$125##\${invand.credential.message}	





```
10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.3,
takesScreenshot: true, udid: 9f8564dc07bca132956423afd6c..., webStorageEnabled: false}
Session ID: f54e5ab2-e62f-4873-bee8-c347aa1468fd
*** Element info: {Using=xpath, value=//XCUIElementTypeOther[@label="Health"]}
at jdk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164)
at com.onepulse.app.screens.PulseHealthScreen.clickHealthButton(PulseHealthScreen.java:51)
at com.onepulse.app.stepdefinitions.mydocuisteps.MyDocUiSteps.iClicksOnHealthButton
(MyDocUiSteps.java:98)
at .When I clicks on Health button(features/sg/health/MyEnvironments.feature:13)
```

Then User can view ¹	'Previous'' Air quality search screen	0.00s
	"Swipe Up for Details" button to view the Previous day air	
quality details		0.00s
Then User can see the	e "Previous" Air Quality Details	0.00s
When User clicks on	"Swipes Down To Close" button to close the details	0.00s
11:00	♦ (8)	
Cancel & accounts.google.com	AA C.	
G Sign in with Google		
Pulse SG pulsesgqa@gmail.com		
Enter your password —		
☐ Show password		
Forgot password?	Next	
English (United Kingdom) Help Privacy	Terms	
< >	<u>Ф</u>	
After		0.01s
After	<u>Ф</u>	0.01s
After Back to Table of Contents		
After Back to Table of Contents Scenario: Verify that use	er can view Current air quality details under My Environm	ent Home page
After Back to Table of Contents		
After Back to Table of Contents Scenario: Verify that use Passed: 1 Before And User clicks on "I	er can view Current air quality details under My Environm Failed: 1 Undefined: 5 Back'' icon from "Previous Air Quality" screen to move to	ent Home page Duration: 46.38s
After Back to Table of Contents Scenario: Verify that use Passed: 1 Before And User clicks on "I My Environments Ho	er can view Current air quality details under My Environm Failed: 1 Undefined: 5 Back'' icon from "Previous Air Quality" screen to move to	ent Home page Duration: 46.38s 0.01s
After Back to Table of Contents Scenario: Verify that use Passed: 1 Before And User clicks on "I My Environments Ho Then User must be la java.lang.AssertionEn Back button image is Environment screen I and try again expecte at org.testng.asserts.S at com.onepulse.app.s (MyEnvironmentsScr at com.onepulse.app.s userMustBeLandedIn	er can view Current air quality details under My Environm Failed: 1 Undefined: 5 Back" icon from "Previous Air Quality" screen to move to omePage anded in My Environment Home Page rror: The following asserts failed: a not displayed in thePrevious Air Quality Air Quality Screen Home Page title is not matching with the UI, Please re-correct [true] but found [false] SoftAssert.assertAll(SoftAssert.java:43) ascreens.MyEnvironmentsScreen.validateMyEnvironmentsEreen.java:63) stepdefinitions.mobilesteps.MyEnvironmentSteps. nMyEnvironmentHomePage(MyEnvironmentSteps.java:32) be landed in My Environment Home Page(features/sg/health	ent Home page Duration: 46.38s 0.01s 10.65s 35.71s n, ect the Xpath HomeScreen
After Back to Table of Contents Scenario: Verify that use Passed: 1 Before And User clicks on "I My Environments Ho Then User must be la java.lang.AssertionEn Back button image is Environment screen land try again expecte at org.testng.asserts.Sat com.onepulse.app.s (MyEnvironmentsScrat com.onepulse.app.suserMustBeLandedIn at .Then User must be /MyEnvironments.fea	er can view Current air quality details under My Environm Failed: 1 Undefined: 5 Back" icon from "Previous Air Quality" screen to move to omePage anded in My Environment Home Page rror: The following asserts failed: a not displayed in thePrevious Air Quality Air Quality Screen Home Page title is not matching with the UI, Please re-correct [true] but found [false] SoftAssert.assertAll(SoftAssert.java:43) ascreens.MyEnvironmentsScreen.validateMyEnvironmentsEreen.java:63) stepdefinitions.mobilesteps.MyEnvironmentSteps. nMyEnvironmentHomePage(MyEnvironmentSteps.java:32) be landed in My Environment Home Page(features/sg/health	ent Home page Duration: 46.38s 0.01s 10.65s 35.71s n, ect the Xpath HomeScreen
After Back to Table of Contents Scenario: Verify that use Passed: 1 Before And User clicks on "I My Environments Ho Then User must be la java.lang.AssertionEn Back button image is Environment screen I and try again expecte at org.testng.asserts.S at com.onepulse.app.s (MyEnvironmentsScr at com.onepulse.app.s userMustBeLandedIn at .Then User must be /MyEnvironments.fea When User clicks on	er can view Current air quality details under My Environm Failed: 1 Undefined: 5 Back" icon from "Previous Air Quality" screen to move to omePage anded in My Environment Home Page rror: The following asserts failed: a not displayed in thePrevious Air Quality Air Quality Screen Home Page title is not matching with the UI, Please re-correct [true] but found [false] SoftAssert.assertAll(SoftAssert.java:43) screens.MyEnvironmentsScreen.validateMyEnvironmentsFreen.java:63) stepdefinitions.mobilesteps.MyEnvironmentSteps. nMyEnvironmentHomePage(MyEnvironmentSteps.java:32) the landed in My Environment Home Page(features/sg/health ature:26)	ent Home page Duration: 46.38s 0.01s 10.65s 35.71s n, ect the Xpath HomeScreen



Environments Home			0.00s
Then User can view		uality search screen	0.00s
When User clicks on quality details	ı ''Swipe Up for D	etails" button to view current day air	0.00s
Then User can see th	he ''ForeCast'' Aiı	r Quality Details	0.00s
When User clicks on	ı ''Swipes Down T	o Close" button to close the details	0.00s
Cancel accounts.google.com Sign in with Google Pulse SG pulsesgqa@gmail.com Enter your password Show password Forgot password? English (United Kingdom) * Help Privace	Next		
	A		
< >	Ф		
	Ф		0.00s
After Back to Table of Contents	Ф		0.00s
After Back to Table of Contents Scenario: Verify that us	ser can access and	l view Neighbourhood air quality details	
After Back to Table of Contents Scenario: Verify that use Environment Home page	ser can access and		under My
After Back to Table of Contents Scenario: Verify that use Environment Home page Passed: 1	ser can access and	l view Neighbourhood air quality details Undefined: 2	under My Duration: 44.55s
After Back to Table of Contents Scenario: Verify that use Environment Home page Passed: 1 Before And User clicks on 'move to My Environment Environment Home page Passed: 1	ser can access and ge Failed: 1 'Back'' icon from nments HomePage	Undefined: 2 "Next Few Days Air Quality" screen to	under My

at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.screens.MyEnvironmentsScreen.validateMyEnvironmentsHomeScreen (MyEnvironmentsScreen.java:63) at com.onepulse.app.stepdefinitions.mobilesteps.MyEnvironmentSteps. userMustBeLandedInMyEnvironmentHomePage(MyEnvironmentSteps.java:32) at .Then User must be landed in My Environment Home Page(features/sg/health **MyEnvironments.feature:46**) 11:03 Cancel & accounts.google.com AA 💍 Sign in with Google Pulse SG pulsespga@gmail.com Show password Forgot password? English (United Kingdom) * Help Ф 0.00sAfter **Back to Table of Contents** Scenario: Verify that user can access and view Fires nearby under My Environment Home page Passed: 1 Failed: 1 Undefined: 4 Duration: 40.58s Before 0.00sAnd User clicks on "Back" icon from "Neighbourhood Air Quality" screen to 9.49s move to My Environments HomePage Then User must be landed in My Environment Home Page 31.10s java.lang.AssertionError: The following asserts failed: Back button image is not displayed in the Previous Air Quality Air Quality Screen, Environment screen Home Page title is not matching with the UI, Please re-correct the Xpath and try again expected [true] but found [false], Back button image is not displayed in the Current Air Quality Air Quality Screen, Environment screen Home Page title is not matching with the UI, Please re-correct the Xpath and try again expected [true] but found [false], Back button image is not displayed in the Next Few Days Air Quality Air Quality Screen, Environment screen Home Page title is not matching with the UI, Please re-correct the Xpath and try again expected [true] but found [false],

Back button image is not displayed in the Neighbourhood Air Quality Air Quality Screen, Environment screen Home Page title is not matching with the UI, Please re-correct the Xpath and try again expected [true] but found [false] at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.screens.MyEnvironmentsScreen.validateMyEnvironmentsHomeScreen (MyEnvironmentsScreen.java:63) at com.onepulse.app.stepdefinitions.mobilesteps.MyEnvironmentSteps. userMustBeLandedInMyEnvironmentHomePage(MyEnvironmentSteps.java:32) at .Then User must be landed in My Environment Home Page(features/sg/health /MyEnvironments.feature:56) 11:03 Cancel & accounts.google.com AA C Sign in with Google Pulse SG pulsesgqa@gmail.com Show password Forgot password? Φ 0.00sAfter **Back to Table of Contents** Scenario: Verify that user can view effects of the poor environment and upcoming activities under My Environment Home page Passed: 1 Failed: 1 Undefined: 2 Duration: 44.18s Before 0.00sAnd User clicks on "Back" icon from "Fires Nearby" screen to move to My 10.36s **Environments HomePage** Then User must be landed in My Environment Home Page 33.81s java.lang.AssertionError: The following asserts failed: Back button image is not displayed in the Previous Air Quality Air Quality Screen,

Environment screen Home Page title is not matching with the UI, Please re-correct the Xpath and try again expected [true] but found [false],

Back button image is not displayed in the Current Air Quality Air Quality Screen,

Environment screen Home Page title is not matching with the UI, Please re-correct the Xpath and try again expected [true] but found [false],

Back button image is not displayed in the Next Few Days Air Quality Air Quality Screen,

Environment screen Home Page title is not matching with the UI, Please re-correct the Xpath and try again expected [true] but found [false],

Back button image is not displayed in the Neighbourhood Air Quality Air Quality Screen,

Environment screen Home Page title is not matching with the UI, Please re-correct the Xpath and try again expected [true] but found [false],

Back button image is not displayed in the Fires Nearby Air Quality Screen,

Environment screen Home Page title is not matching with the UI, Please re-correct the Xpath and try again expected [true] but found [false]

at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)


at com.onepulse.app.screens.MyEnvironmentsScreen.validateMyEnvironmentsHomeScreen (MyEnvironmentsScreen.java:63)

at com.onepulse.app.stepdefinitions.mobilesteps.MyEnvironmentSteps.

userMustBeLandedInMyEnvironmentHomePage(MyEnvironmentSteps.java:32)

at .Then User must be landed in My Environment Home Page(features/sg/health


/MyEnvironments.feature:66)



			0.00
< >	Ф		
English (United Kingdom) 🔻 Help	Privacy Terms		
	-		
Forgot password?	Next		
Show password			
Enter your password			
pulsesgqa@gma	1.com		

After			0.00s
Back to Table of Contents			
Scenario: Verify that Use	r can view coming soon	activities under My Environment I	Home
Passed: 1	Failed: 1	Undefined: 1	Duration: 39.28s

ore		0.01s
And User clicks on ' move to My Environ	'Back'' icon from ''Effects of Poor Air Quality'' screen to ments HomePage	8.40s
	anded in My Environment Home Page	30.88s
and try again expect Back button image i Environment screen and try again expect Back button image i Environment screen and try again expect Back button image i Environment screen and try again expect	Home Page title is not matching with the UI, Please rected [true] but found [false], s not displayed in theNext Few Days Air Quality Air Quality Home Page title is not matching with the UI, Please rected [true] but found [false], s not displayed in theNeighbourhood Air Quality Air Quality Home Page title is not matching with the UI, Please rected [true] but found [false], s not displayed in theFires Nearby Air Quality Screen, a Home Page title is not matching with the UI, Please rected [true] but found [false],	ality Screen, orrect the Xpa ality Screen, orrect the Xpa
Environment screen and try again expect at org.testng.asserts at com.onepulse.app	s not displayed in the Effects of Poor Air Quality Air Quality Home Page title is not matching with the UI, Please rected [true] but found [false] .Soft Assert.assert All (Soft Assert.java: 43) o.screens. My Environments Screen. validate My Environments	orrect the Xpa
Environment screen and try again expect at org.testng.asserts at com.onepulse.app (MyEnvironmentsSoat com.onepulse.app userMustBeLanded)	Home Page title is not matching with the UI, Please rected [true] but found [false] .SoftAssert.assertAll(SoftAssert.java:43) o.screens.MyEnvironmentsScreen.validateMyEnvironmentscreen.java:63) o.stepdefinitions.mobilesteps.MyEnvironmentSteps. InMyEnvironmentHomePage(MyEnvironmentSteps.javable landed in My Environment Home Page(features/sg/he	orrect the Xpa ntsHomeScreen n:32)
Environment screen and try again expect at org.testng.asserts at com.onepulse.app (MyEnvironmentsSoat com.onepulse.app userMustBeLanded) at .Then User must l	Home Page title is not matching with the UI, Please rected [true] but found [false] .SoftAssert.assertAll(SoftAssert.java:43) o.screens.MyEnvironmentsScreen.validateMyEnvironmentscreen.java:63) o.stepdefinitions.mobilesteps.MyEnvironmentSteps. InMyEnvironmentHomePage(MyEnvironmentSteps.javable landed in My Environment Home Page(features/sg/he	orrect the Xpa ntsHomeScree n:32) alth
Environment screen and try again expect at org.testng.asserts. at com.onepulse.app (MyEnvironmentsSoat com.onepulse.app userMustBeLanded) at .Then User must lead of the MyEnvironments.fo	Home Page title is not matching with the UI, Please rected [true] but found [false] .SoftAssert.assertAll(SoftAssert.java:43) o.screens.MyEnvironmentsScreen.validateMyEnvironmentscreen.java:63) o.stepdefinitions.mobilesteps.MyEnvironmentSteps. InMyEnvironmentHomePage(MyEnvironmentSteps.javable landed in My Environment Home Page(features/sg/he	ntsHo



(SOS) at 1800 not alone.	0-221 4444. If this	s is an emergency, call 9	95 immediately. Ple	ease know you're
	babylon sympton	ns checker screen		5.34s
Then user views	` 			15.66s
Then I sign out				42.14s
After				0.00s
Back to Table of Conte	ents			
		ump workflow is worki		
ountry:Singapore				
		Undefined: 0 ess Babylon from Pulse	Duration: 124.74s app and perform P	erianal lump
ssed: 0 Fail Scenario: User sho			app and perform P	Perianal lump Duration: 124.7
Scenario: User showorkflow	uld be able to acco	ess Babylon from Pulse	app and perform P	
Scenario: User showorkflow Passed: 8	uld be able to acco	ess Babylon from Pulse	app and perform P	Duration: 124.7
Scenario: User showorkflow Passed: 8 Before Given User has	Failed: 1 pulse app	ess Babylon from Pulse	app and perform P	Duration: 124.7 s
Scenario: User showorkflow Passed: 8 Before Given User has	Failed: 1 pulse app {Babylon.AnalLu	Undefined: 10	app and perform P	Duration: 124.7 s 0.00s 20.10s
Scenario: User showorkflow Passed: 8 Before Given User has And I assign ''\$	Failed: 1 pulse app {Babylon.AnalLureto login page	Undefined: 10	app and perform P	Duration: 124.7 s 0.00s 20.10s 0.05s
Scenario: User showorkflow Passed: 8 Before Given User has And I assign "\$ When I navigate When user enter UserName \${	Failed: 1 pulse app {Babylon.AnalLure to login page rs credentials PULSE_EMAIL}	Undefined: 10	app and perform P	Duration: 124.7 s 0.00s 20.10s 0.05s 6.52s
Scenario: User showorkflow Passed: 8 Before Given User has and I assign "\$ When I navigate When user enter UserName \$ Password \$	Failed: 1 pulse app {Babylon.AnalLure to login page rs credentials PULSE_EMAIL} Password.text}	Undefined: 10	app and perform P	Duration: 124.7 s 0.00s 20.10s 0.05s 6.52s 35.71s
Scenario: User showorkflow Passed: 8 Before Given User has: And I assign "\$ When I navigate When user enter UserName \${ Password \${ And User clicks	Failed: 1 pulse app {Babylon.AnalLure to login page rs credentials PULSE_EMAIL} Password.text} on signin button	Undefined: 10	app and perform P	Duration: 124.7 s 0.00s 20.10s 0.05s 6.52s 35.71s
Scenario: User showorkflow Passed: 8 Before Given User has And I assign "\$ When I navigate When user enter UserName \${ Password \${ And User clicks Then I wait for	Failed: 1 pulse app {Babylon.AnalLure to login page rs credentials PULSE_EMAIL} Password.text} on signin button 10 sec	Undefined: 10	app and perform P SE_EMAIL''	Duration: 124.7 s 0.00s 20.10s 0.05s 6.52s 35.71s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no such element.html

Then I enter "Anal Lump" symptoms on Babylon screen And select "Feeling a

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:1431:619d:cf34:9788%en0',

os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.ios.IOSDriver

lump around the opening of the back passage"

Capabilities {automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.

uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true,

locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout:

10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.3,

takesScreenshot: true, udid: 9f8564dc07bca132956423afd6c..., webStorageEnabled: false}

Session ID: ac785b25-e80a-41f0-9855-cdb1bd485c7c

*** Element info: {Using=xpath, value=(//XCUIElementTypeOther[@name=''e.g. Headache''])

11.76s

```
[3]/XCUIElementTypeTextField}
at idk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
at com.onepulse.app.screens.TestBasePage.setText(TestBasePage.java:157)
at com.onepulse.app.screens.babylon.BabylonSymptomsScreen.
enterAndSelectBabylonSymptoms(BabylonSymptomsScreen.java:90)
at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.
enterAndSelectBabylonSymptoms(BabylonSteps.java:124)
at .Then I enter "Anal Lump" symptoms on Babylon screen And select "Feeling a lump
around the opening of the back passage" (features/sg/health/babylon/BabylonAnalLump.
feature:32)
```


Other people with your symptoms sometimes experience pain around the buttocks or anus. Have you experienced this?	No
This is a bit personal, but have you noticed any of these problems around your anus?	Skin irritation##Submit
One symptom that can be concerning is bleeding from the anus. Have you experienced this?	Yes
Where have you seen the blood?	Mixed in with my stools
Have you noticed any of these issues when you pass stool?	I have to strain to pass a stool##Submit
Do any of these describe your poos (stools)?	None of the above##Submit
Have you gained or lost weight recently without trying to?	No
Have you ever had sex (vaginal or anal)?	Yes
Have you had sex (vaginal or anal) in the past 6 months?	No
Please select any of the following sexual activities that apply to you, I ask this question because some sexual activities can increase your risk of infection.	None of the above##Submit
How long have you had all of your symptoms for?	For months
Do you have any pain in your abdomen?	No
Do you have or have you recently had a fever?	No
Have you experienced any difficulty breathing?	None of the above##Submit
Is your heart beating faster than usual?	No
Have you felt dizzy or light-headed recently?	No
Has there been a significant change in your bowel habits, lasting for a few days or more?	Yes
Then I verify the closure summary and click on continue button	0.00s
Great, we're all done. Please remember, this service is only for generatext purposes and isn't a personal or medical diagnosis. If your symptom worsen, or you are concerned seek further advice.	
hen I click on view results to see the possible causes	0.00s
and Verify following possible causes are displayed	0.00s
Piles or haemorrhoids Something potentially serious	
When I select on "Piles or haemorrhoids" cause with offset 100 in report	0.00s
hen I verify following conditions are displayed	0.00s
Piles or haemorrhoids	
This can usually be treated by a pharmacist.	
Why this condition could be the potential cause?	
Some of your answers indicate that this condition could be the cause:	
Straining when passing stool	
Fresh blood in stool	
Lump around anus	

And I click on back button to move back to possible causes so	ereen 0.00s
When I select on "Something potentially serious" cause with	offset 500 in report 0.00s
Then I verify following conditions are displayed	0.00s
Something potentially serious	·
This usually requires seeing a GP.	
Why this condition could be the potential cause?	
Change in bowel habit	
Straining when passing stool	
Fresh blood in stool	
Lump around anus	
Anus irritation	
11:11 ♦ 🖭	
←	
小	
After	0.00s
After Rack to Table of Contents	0.00s
Back to Table of Contents	
Back to Table of Contents	
Back to Table of Contents	
Back to Table of Contents ature: Verify the BabyLon Maligant Neoplasm Breast lump wor	
Back to Table of Contents cature: Verify the BabyLon Maligant Neoplasm Breast lump wor collowing condition should meet to run this script: ge:54	
Back to Table of Contents eature: Verify the BabyLon Maligant Neoplasm Breast lump wor ollowing condition should meet to run this script: ge:54 ex:Female	
Back to Table of Contents cature: Verify the BabyLon Maligant Neoplasm Breast lump wor collowing condition should meet to run this script: ge:54 ex:Female country:Singapore	kflow is working as expected
Back to Table of Contents cature: Verify the BabyLon Maligant Neoplasm Breast lump wor collowing condition should meet to run this script: ge:54 ex:Female country:Singapore	
Back to Table of Contents Pature: Verify the BabyLon Maligant Neoplasm Breast lump wor Pollowing condition should meet to run this script: 198:54 200:20:20:20:20:20:20:20:20:20:20:20:20:	kflow is working as expected arration: 94.26s
Back to Table of Contents eature: Verify the BabyLon Maligant Neoplasm Breast lump wor ollowing condition should meet to run this script: ge:54 ex:Female ountry:Singapore assed: 0 Failed: 1 Undefined: 0 Dr Scenario: User should be able to access Babylon from Pulse app workflow	kflow is working as expected aration: 94.26s and perform Breast lump
Back to Table of Contents eature: Verify the BabyLon Maligant Neoplasm Breast lump wor ollowing condition should meet to run this script: ge:54 ex:Female ountry:Singapore assed: 0	kflow is working as expected ration: 94.26s and perform Breast lump Duration: 94.26
Back to Table of Contents eature: Verify the BabyLon Maligant Neoplasm Breast lump wor ollowing condition should meet to run this script: ge:54 ex:Female ountry:Singapore assed: 0 Failed: 1 Undefined: 0 Dr Scenario: User should be able to access Babylon from Pulse app workflow Passed: 3 Failed: 1 Undefined: 17 Before	kflow is working as expected uration: 94.26s and perform Breast lump Duration: 94.26 0.00s
Back to Table of Contents eature: Verify the BabyLon Maligant Neoplasm Breast lump wor ollowing condition should meet to run this script: ge:54 ex:Female ountry:Singapore assed: 0	kflow is working as expected uration: 94.26s and perform Breast lump Duration: 94.26 0.00s

And User has pulse app		17.66s	
When I navigate to login page		49.65s	
When user enters credentials		26.95s	
UserName \${PULSE_EMAIL}			
Password \${Password.text}			
com.prudential.tap.exception.TapException: Not able to find element on a //XCUIElementTypeKeyboard//XCUIElementTypeButton[@name='Return com.prudential.tap.appium.AppiumCommands.findElementNoWait(Ajava:176) at com.prudential.tap.appium.AppiumCommands.pressIOSKeyBoardKejava:595) at com.prudential.tap.appium.AppiumCommands.isKeyBoardKeyPresentiava:719)	ırn']] Appium(Ey(Appi	Commands.	
at com.onepulse.app.screens.PulseLoginScreen.enterLoginCredentials(Pul84) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.userEntersCava:52)	redenti	als(LoginStep	
at .When user enters credentials(features/sg/health/babylon/BabylonBrea And User clicks on signin button	stLum	0.00s	
Then I wait for 10 sec		0.00s	
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"		0.00s	
And I navigate to Babylon Symptoms Page	1	0.00s	
Then I enter ''Breast Lump'' symptoms on Babylon screen And select ''A or mass under the skin of the breast''		0.00s	
Then I click on Ok button after noting the caseid:		0.00s	
text Thanks for taking part in user testing. Please record the following	casa id	1	
Then I handle questions and answer	case iu	0.00s	
^	NIO	0.005	
Have you had any pain in your breasts?	Nimalo	ro oiro tiro o	
Have you noticed any of the following changes in your breast(s)?	inward	pointing ls##Submit	
Does your breast feel hot to touch?	No		
Have you had any discharge from your nipple recently?	Yes		
How would you describe your nipple discharge?	Bloody	y or blood- l	
Have either of your parents, or any siblings, ever been diagnosed with breast cancer?	Have either of your parents, or any siblings, ever been diagnosed with Yes		
Has your mother, or any sisters, ever been diagnosed with ovarian cancer?			
Can you feel a lump in your armpit?	Yes	7 es	
Have you gained or lost weight recently without trying to?	No		
Have you recently injured your breast?	No		
How long have you had all of your symptoms for?	For we	eeks	
Do you have or have you recently had a fever?	No		
Does the slightest knock or bump cause you to bruise?	No		
Do you have pain in your bones?	No		
Do you have a significantly weakened immune system due to an			

Detailed Results Report

text If your symptoms persist, change or worsen, or you are concerned seek fur Then I click on view results to see the possible causes and Verify following possible causes are displayed Something potentially serious Breast abscess When I select on "Something potentially serious" cause with offset 100 in report (then I verify following conditions are displayed Something potentially serious This usually requires seeing a GP. Why this condition could be the potential cause? Some of your answers indicate that this condition could be the cause: Lump or mass in armpit Inverted nipple Blood-stained nipple discharge Family history of breast cancer Breast lump and I click on back button to move back to possible causes screen	0.00s ther advice 0.00s 0.00s 0.00s
Chen I click on view results to see the possible causes and Verify following possible causes are displayed Something potentially serious Breast abscess When I select on "Something potentially serious" cause with offset 100 in report (Then I verify following conditions are displayed Something potentially serious This usually requires seeing a GP. Why this condition could be the potential cause? Some of your answers indicate that this condition could be the cause: Lump or mass in armpit Inverted nipple Blood-stained nipple discharge Family history of breast cancer Breast lump And I click on back button to move back to possible causes screen).00s).00s
Something potentially serious Breast abscess When I select on "Something potentially serious" cause with offset 100 in report (Then I verify following conditions are displayed Something potentially serious This usually requires seeing a GP. Why this condition could be the potential cause? Some of your answers indicate that this condition could be the cause: Lump or mass in armpit Inverted nipple Blood-stained nipple discharge Family history of breast cancer Breast lump and I click on back button to move back to possible causes screen).00s).00s
Something potentially serious Breast abscess When I select on "Something potentially serious" cause with offset 100 in report (Then I verify following conditions are displayed Something potentially serious This usually requires seeing a GP. Why this condition could be the potential cause? Some of your answers indicate that this condition could be the cause: Lump or mass in armpit Inverted nipple Blood-stained nipple discharge Family history of breast cancer Breast lump and I click on back button to move back to possible causes screen).00s
Breast abscess When I select on "Something potentially serious" cause with offset 100 in report (Then I verify following conditions are displayed Something potentially serious This usually requires seeing a GP. Why this condition could be the potential cause? Some of your answers indicate that this condition could be the cause: Lump or mass in armpit Inverted nipple Blood-stained nipple discharge Family history of breast cancer Breast lump and I click on back button to move back to possible causes screen	
When I select on "Something potentially serious" cause with offset 100 in report (Then I verify following conditions are displayed Something potentially serious This usually requires seeing a GP. Why this condition could be the potential cause? Some of your answers indicate that this condition could be the cause: Lump or mass in armpit Inverted nipple Blood-stained nipple discharge Family history of breast cancer Breast lump and I click on back button to move back to possible causes screen	
Something potentially serious This usually requires seeing a GP. Why this condition could be the potential cause? Some of your answers indicate that this condition could be the cause: Lump or mass in armpit Inverted nipple Blood-stained nipple discharge Family history of breast cancer Breast lump and I click on back button to move back to possible causes screen	
Something potentially serious This usually requires seeing a GP. Why this condition could be the potential cause? Some of your answers indicate that this condition could be the cause: Lump or mass in armpit Inverted nipple Blood-stained nipple discharge Family history of breast cancer Breast lump and I click on back button to move back to possible causes screen).00s
This usually requires seeing a GP. Why this condition could be the potential cause? Some of your answers indicate that this condition could be the cause: Lump or mass in armpit Inverted nipple Blood-stained nipple discharge Family history of breast cancer Breast lump and I click on back button to move back to possible causes screen	
Why this condition could be the potential cause? Some of your answers indicate that this condition could be the cause: Lump or mass in armpit Inverted nipple Blood-stained nipple discharge Family history of breast cancer Breast lump and I click on back button to move back to possible causes screen	
Why this condition could be the potential cause? Some of your answers indicate that this condition could be the cause: Lump or mass in armpit Inverted nipple Blood-stained nipple discharge Family history of breast cancer Breast lump and I click on back button to move back to possible causes screen	
Lump or mass in armpit Inverted nipple Blood-stained nipple discharge Family history of breast cancer Breast lump And I click on back button to move back to possible causes screen	
Inverted nipple Blood-stained nipple discharge Family history of breast cancer Breast lump And I click on back button to move back to possible causes screen	
Blood-stained nipple discharge Family history of breast cancer Breast lump And I click on back button to move back to possible causes screen	
Family history of breast cancer Breast lump And I click on back button to move back to possible causes screen	
Breast lump And I click on back button to move back to possible causes screen	
and I click on back button to move back to possible causes screen	
A	
Vhen I select on "Breast abscess" cause with offset 500 in report).00s
Then I below on Diction abovess chapt with offset 500 in report).00s
Then I verify following conditions are displayed).00s
Breast abscess	
This usually requires seeing a GP urgently.	
Why this condition could be the potential cause?	
Lump or mass in armpit	
Inverted nipple	
Blood-stained nipple discharge	
Breast lump	
and I click on back button to move back to home).00s
Then I sign out from pulse app	0.00s



Following condition should meet to run this script:

Age:25 Sex:Male

Country:Singapore

Passed: 1	Failed: 0	Undefined	d: 0	Duration: 604.71s		
	Scenario: User should be able to access Babylon from Pulse app and perform Human Immune Virus Rash workflow					
Passed: 21		Failed: 0	Undefin	ed: 0	Duration: 604.71	
Before					0.00s	
Given U	Given User has pulse app 14.36s					
And I as	And I assign ''\${Babylon.virusrash}'' to variable ''PULSE_EMAIL'' 0.00s					
When I	When I navigate to login page 6.69s					
When u	When user enters credentials 35.71s					
 	UserName \${PULSE_EMAIL} Password Pulse@123					
And Use	And User clicks on signin button 1.93s					
Then I v	Then I wait for 10 sec 10.01s					
And I er	And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" 47.03s					
And I n	And I navigate to Babylon Symptoms Page 26.34s					
	Then I enter "Rash" symptoms on Babylon screen And select "Change in appearance of skin colour or texture"					

Then I click on Ok button after noting the caseid:	1	10.04s			
text Thanks for taking part in user testing. Please re	cord the following case id				
Then I handle questions and answer	2	258.52s			
Does your rash become lighter in colour when you press on it?	Yes				
Have you experienced any difficulty breathing?	I don't know##Submit				
Do you have any problems with your tongue?	None of the above##Subm	it			
Does any part of your face look swollen?	I don't know				
Do you have any of these problems with your eyelid (s)?	I don't know##Submit				
Do you have or have you recently had a fever?	Yes				
Do you have a cough?	Yes				
Is it a dry cough or are you bringing something up?	Dry				
Have you been coughing a lot more at night?	No				
Do you have a sore throat or any of these problems?	Swollen tonsils##Submit				
How long have you had all of your symptoms for?	For months				
Have you gained or lost weight recently without trying to?	Lost weight unexpectedly				
Does the slightest knock or bump cause you to bruise?	No				
Do you have pain in your bones?	No				
Do you have a significantly weakened immune system due to an existing condition or from taking medication?	No				
Is there an unusual lump or swelling in the front middle part of your neck?	Yes				
Have either of your parents or any siblings been diagnosed with an overactive thyroid?	Yes				
Have either of your parents, or any siblings, ever been diagnosed with thyroid cancer?	Yes				
Do you have any pain in your abdomen?	No				
Do any of these describe your poos (stools)?	They are loose or watery (diarrhoea), and I'm going more often than usual##Submit				
Have you had diarrhoea more than 6 times in one day?	Yes				
Do you regularly have diarrhoea at night?	No				
Have you noticed your skin or the whites of your eyes going yellow?	No				
Then I verify the closure summary and click on continu	ie button 1	10.06s			
Great, we're all done. Please remember, this service is only for general information text purposes and isn't a personal or medical diagnosis. If your symptoms persist, change or worsen, or you are concerned seek further advice.					
Then I click on view results to see the possible causes		24.31s			
And Verify following possible causes are displayed		7.17s			
Overactive thyroid		V210			
Overactive thyroid					

		Thyrotox	cic crisis					
	1	When I selec	ct on "Over	active th	yroid" cause w	ith offset 10	00 in report	16.07s
	r	Then I verif	y following	condition	ns are displayed	l		15.88s
		Overacti	ve thyroid					
	This usually requires seeing a GP.							
					he potential ca	use?		
	Some of your answers indicate that this condition could be the cause:							
	Family history of hyperthyroidism							
	Unintentional weight loss							
	Diarrhoea							
		Severe di	arrhoea					
		Rash tha	t becomes li	ghter wh	en pressed			
		Swelling	in neck					
	E	And I click	on back butt	ton to mo	ove back to pos	sible causes	screen	6.48s
	_				isis'' cause with			12.56s
					ns are displayed			13.83s
	ľ	Thyrotox						
		This is us	sually treate	d at the o	emergency dep	artment.		
					he potential car			
			istory of hyp					
		Unintent	ional weight	loss				
		Diarrhoe	a					
		Severe di	arrhoea					
	Rash that becomes lighter when pressed							
		Fever						
		Swelling	in neck					
	E	And I click	on back butt	ton to mo	ove back to hon	ne		29.14s
	7	Then I sign	out from pu	lse app				32.39s
A	fte	er						0.00s
Ba	ıcl	k to Table of (Contents					<u>'</u>
Zooti	ır	ro. Vorify th	o Robyl on	Croin M	ass workflow is	e working o	s ovnoctod	
call	uI'	ie. verny th	C DauyLoil	Grom M	ass workflow is	s working a	s expected	
		ving conditio	n should me	et to run	this script:			
Age:								
Sex:1		aie ry:Singapore	2					
Passe		·	Failed: 0		Undefined: 0		Duration: 555.95s	
	_			hle to acc		om Pulso o	pp and perform Groin	n mase
		rkflow	should be a	bie to act	CSS Dabylon Ir	om i uise a	pp and perform Gron	1 111455
Pa	ISS	sed: 23		Failed: 0		Undefined: 0		Duration: 555.95
B	Before Before						0.02s	
	Given User has pulse app					35.53s		
	And I assign "\${Babylon.hernia}" to variable "PULSE_EMAIL"				0.07s			
	F		(-1.0)201		,			


When I navigate to login page		13.35s			
When user enters credentials		36.38s			
UserName \${PULSE_EMAIL}					
Password \${Password.text}					
And User clicks on signin button	1.99s				
Then I wait for 10 sec	10.01s				
And I enter OTP in one pulse app for user email "\${PULS	57.70s				
Then I wait for 14 sec		14.01s			
And I navigate to Babylon Symptoms Page	27.38s				
Then I wait for 6 sec	6.02s				
Then I enter "Groin mass" symptoms on Babylon screen under the skin at the hip crease."	27.51s				
Then I click on Ok button after noting the caseid:		11.98s			
text Thanks for taking part in user testing. Please reco	d the following case id	1			
Then verify user is landed to inguinal hernia consultation		3.22s			
When I handle questions and answer		188.96s			
What best describes the swelling in your groin?	pending on my				
Have you injured your groin recently?					
Do you have pain in your groin?					
Do you have any pain in your abdomen?					
Do you have any pain in your testicles?					
Have you noticed any of these changes in your testicles?	Submit				
Does it hurt or sting when you urinate?	sting when you urinate? No				
When urinating, have you noticed any of the following?	None of the above##Submit				
Do you have or have you recently had a fever?					
Do you feel sick or have you vomited?					
How long have you had all of your symptoms for?	For months				
Have you gained or lost weight recently without trying to?	Lost weight unexpectedly				
Have you ever had sex (vaginal or anal)?	No				
Do you have a cough?	No				
Do any of these describe your poos (stools)?	None of the above##S	Submit			
One symptom that can be concerning is bleeding from the anus. Have you experienced this?	No				
Have you been diagnosed with either of these thyroid conditions?	Have you been diagnosed with either of these thyroid No.				
Then I verify the closure summary and click on continue l	outton	9.25s			
Great, we're all done. Please remember, this service is only for general information text purposes and isn't a personal or medical diagnosis. If your symptoms persist, change or worsen, or you are concerned seek further advice.					
Then I click on view results to see the possible causes	23.23s				
When I click on "inguinal hernia" cause	6.47s				

	Then I vo	erify following c	onditions are disp	olayed		7.44s			
	Uncor	nplicated inguin	nal hernia						
	This u	sually requires	seeing a GP.						
	Reduc								
		mass or lump							
			on to move back t	o possible ca	auses screen	2.94s			
	When I c	lick on "femora	l hernia'' cause			1.66s			
	Then I ve	erify following c	onditions are disp	olayed		6.26s			
	Uncor	nplicated femor	al hernia						
	This u	sually requires	seeing a GP.						
	Reduc	ible groin mass							
	Groin	mass or lump							
	And I cli	ck on back butte	on to move back t	o home		30.07s			
	Then I si	gn out from pul	se app			34.50s			
A	fter					0.00s			
B	ack to Table	of Contents							
Feat	ure: Verify	the RahyLon F	Prostatic HynerPl	asia workflo	w is working as expe	cted			
<u> </u>		the Daby Lon 1	Toblatic Hyperia	uoid Wolling	Wild Working as expe	ctcu			
Folle	owing cond	ition should mee	et to run this scrip	t:					
Age:	.58		ollowing condition should meet to run this script:						
	ex:Male								
Sex:									
Sex:	Male ntry:Singap								
Sex: Cour	ntry:Singap ed: 0	Failed: 2	Undefined		Duration: 288.74s				
Sex: Cour Passe	ntry:Singap ed: 0 cenario: U	Failed: 2 ser should be ab			Duration: 288.74s	Prostatic			
Sex: Cour Passe S	ntry:Singap ed: 0 cenario: U Typerplasia	Failed: 2 ser should be ab workflow	ole to access Baby	lon from Pu	lse app and perform				
Sex: Cour Passe	ntry:Singaped: 0 cenario: Userplasia assed: 4	Failed: 2 ser should be ab workflow			lse app and perform	Duration: 64.87s			
Sex: Cour Passe	ntry:Singaped: 0 cenario: U lyperplasia assed: 4 Gefore	Failed: 2 ser should be ab workflow F	ole to access Baby	Undefined	lse app and perform				
Sex: Cour Passe	ed: 0 cenario: U lyperplasia assed: 4 Gefore Given I a	Failed: 2 ser should be abworkflow F ssign ''\${pulse.b	ole to access Baby	Undefined	lse app and perform	Duration: 64.87s			
Sex: Cour Passe	ntry:Singaped: 0 cenario: Use syperplasia assed: 4 Gefore Given I a "PULSE"	Failed: 2 ser should be ab workflow F ssign ''\${pulse.b} _EMAIL''	ailed: 1 Dabylon.prostatic	Undefined	lse app and perform d: 16 to variable	Duration: 64.87s 0.00s 0.01s			
Sex: Cour Passe	cenario: Use section of the section	Failed: 2 ser should be about workflow Failed: 2 Failed	le to access Baby lailed: 1 pabylon.prostatica	Undefined	lse app and perform d: 16 to variable	Duration: 64.87s 0.00s 0.01s 0.00s			
Sex: Cour Passe	cenario: Ulyperplasia assed: 4 Gefore Given I a "PULSE And I ass Given Us	Failed: 2 ser should be above workflow ssign ''\${pulse.b_EMAIL''} sign ''\${parity.p_er has pulse app	called: 1 cabylon.prostatical assword}'' to vari	Undefined	lse app and perform d: 16 to variable	Duration: 64.87s 0.00s 0.01s 0.00s 31.03s			
Sex: Cour Passe	cenario: Use typerplasia assed: 4 Given I assed: And I assed: Given Use When I reserved.	Failed: 2 ser should be abworkflow ssign ''\${pulse.betailed: 2 EMAIL'' sign ''\${parity.petailed: 2 er has pulse applicavigate to login	pale to access Baby Cailed: 1 Cabylon.prostatical Cassword}'' to various page	Undefined Username username username	lse app and perform d: 16 to variable	Duration: 64.87s 0.00s 0.01s 0.00s			
Sex: Cour Passe	cenario: Use specific distribution of the control of the cenario: Use specific distribution of the cenario: Use sp	Failed: 2 ser should be abworkflow ssign '\\${pulse.b} EMAIL'' sign '\\${parity.p} er has pulse appayigate to login ogin into pulse a	called: 1 cabylon.prostatical cassword}'' to vari p capage capp with below de	Undefined Username username username	lse app and perform d: 16 to variable	Duration: 64.87s 0.00s 0.01s 0.00s 31.03s 7.94s			
Sex: Cour Passe	cenario: UserN	Failed: 2 ser should be abworkflow ssign ''\${pulse.b_EMAIL''} sign ''\${parity.p_er has pulse appaying to login opin into pulse a fame \${PULSE_EMAILSE	page app with below de	Undefined Username username username	lse app and perform d: 16 to variable	Duration: 64.87s 0.00s 0.01s 0.00s 31.03s 7.94s			
Sex: Cour Passe	cenario: UserN	Failed: 2 ser should be abworkflow ssign '\\${pulse.b} EMAIL'' sign '\\${parity.p} er has pulse appayigate to login ogin into pulse a	page app with below de	Undefined Username username username	lse app and perform d: 16 to variable	Duration: 64.87s 0.00s 0.01s 0.00s 31.03s 7.94s			
Sex: Cour Passe	cenario: UserNed: UserNed: 0 cenario: UserNed:	Failed: 2 ser should be abworkflow ssign ''\${pulse.b_EMAIL'' sign ''\${parity.p.er has pulse appaying to login opin into pulse a fame \${PULSE_ord \${USER_P}}	called: 1 cabylon.prostatical cassword}'' to variable page app with below de EMAIL} PASSWORD}	Undefined username username table "USER	lse app and perform d: 16 to variable	Duration: 64.87s 0.00s 0.01s 0.00s 31.03s 7.94s 25.89s			
Sex: Cour Passe	cenario: Usperplasia assed: 4 Gefore Given I assed: 4 Given UserN Passw org.open ""Return	Failed: 2 ser should be abworkflow ssign "\${pulse.k} EMAIL" sign "\${parity.p} er has pulse appavigate to login ogin into pulse a fame \${PULSE} ord \${USER_P} qa.selenium.Sta	page app with below de EMAIL} PASSWORD	Undefined "username}" table "USER tails ceException urrent view	to variable 1: The previously four anymore. Make sure	Duration: 64.87s 0.00s 0.01s 0.00s 31.03s 7.94s 25.89s and element the application UI			
Sex: Cour Passe	cenario: Ulyperplasia assed: 4 Gefore Given I a "PULSE And I ass Given Us When I r When I I UserN Passw org.open ""Return has the eigen	Failed: 2 ser should be aboverkflow ssign ''\${pulse.b} EMAIL'' sign ''\${parity.p} er has pulse appavigate to login ogin into pulse a fame \${PULSE_ ord \${USER_P} qa.selenium.Sta h'' Button'' is no expected state. O	called: 1 cabylon.prostatical cassword}'' to variable page app with below desemble EMAIL} PASSWORD}	Undefined "username}" able "USER stails aceException urrent view matches fou	to variable 2. PASSWORD'' 1: The previously fou anymore. Make sure and for Elements mat	Duration: 64.87s 0.00s 0.01s 0.00s 31.03s 7.94s 25.89s and element the application UI			
Sex: Cour Passe	cenario: UserN Passw org.open '''Return has the estimate of the control of the co	Failed: 2 ser should be aboverkflow ssign ''\${pulse.b} EMAIL'' sign ''\${parity.p} er has pulse appavigate to login ogin into pulse a fame \${PULSE_ ord \${USER_P} qa.selenium.Sta h'' Button'' is no expected state. O	called: 1 cabylon.prostatical cassword}'' to variable page app with below desemble EMAIL} PASSWORD}	Undefined "username}" able "USER stails aceException urrent view matches fou	to variable 1: The previously four anymore. Make sure	Duration: 64.87s 0.00s 0.01s 0.00s 31.03s 7.94s 25.89s and element the application UI			
Sex: Cour Passe	cenario: UserNeurichas the establishments with the establishments with the control of the contro	Failed: 2 ser should be aboverkflow ssign ''\${pulse.b} EMAIL'' sign ''\${parity.p} er has pulse appavigate to login ogin into pulse a fame \${PULSE_ ord \${USER_P} qa.selenium.Sta h'' Button'' is no expected state. O	called: 1 cabylon.prostatical cassword}'' to variable page app with below desemble EMAIL} PASSWORD}	Undefined "username}" able "USER stails aceException urrent view matches fou	to variable 2. PASSWORD'' 1: The previously fou anymore. Make sure and for Elements mat	Duration: 64.87s 0.00s 0.01s 0.00s 31.03s 7.94s 25.89s and element the application UI			
Sex: Cour Passe	cenario: Ulyperplasia assed: 4 Gefore Given I a "PULSE And I ass Given Us When I I UserN Passw org.open ""Return has the e "wdUID I Button, Button,	Failed: 2 ser should be aboverkflow ssign ''\${pulse.b} EMAIL'' sign ''\${parity.p} er has pulse appavigate to login ogin into pulse a fame \${PULSE_ ord \${USER_P} qa.selenium.Sta h'' Button'' is no expected state. O	called: 1 cabylon.prostatical cassword}'' to variable page app with below desemble EMAIL} PASSWORD}	Undefined "username}" able "USER stails aceException urrent view matches fou	to variable 2. PASSWORD'' 1: The previously fou anymore. Make sure and for Elements mat	Duration: 64.87s 0.00s 0.01s 0.00s 31.03s 7.94s 25.89s and element the application UI			
Sex: Cour Passe	cenario: UserNeurichas the establishments with the establishments with the control of the contro	Failed: 2 ser should be aboverkflow ssign ''\${pulse.b} EMAIL'' sign ''\${parity.p} er has pulse appavigate to login ogin into pulse a fame \${PULSE_ ord \${USER_P} qa.selenium.Sta h'' Button'' is no expected state. O	called: 1 cabylon.prostatical cassword}'' to variable page app with below desemble EMAIL} PASSWORD}	Undefined "username}" able "USER stails aceException urrent view matches fou	to variable 2. PASSWORD'' 1: The previously fou anymore. Make sure and for Elements mat	Duration: 64.87s 0.00s 0.01s 0.00s 31.03s 7.94s 25.89s and element the application UI			
Sex: Cour Passe	cenario: UserNessworg.open '''Return has the estimate without, Button, Button, Button,	Failed: 2 ser should be aboverkflow ssign ''\${pulse.b} EMAIL'' sign ''\${parity.p} er has pulse appavigate to login ogin into pulse a fame \${PULSE_ ord \${USER_P} qa.selenium.Sta h'' Button'' is no expected state. O	called: 1 cabylon.prostatical cassword}'' to variable page app with below desemble EMAIL} PASSWORD}	Undefined "Username}" Table "USER Stails Table tails	to variable 2. PASSWORD'' 1: The previously fou anymore. Make sure and for Elements mat	Duration: 64.87s 0.00s 0.01s 0.00s 31.03s 7.94s 25.89s and element the application UI			

```
For documentation on this error, please visit: http://seleniumhq.org/exceptions
/stale element reference.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:1431:619d:cf34:9788%en0',
os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java client.ios.IOSDriver
Capabilities {automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.
uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true,
locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout:
10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.3,
takesScreenshot: true, udid: 9f8564dc07bca132956423afd6c..., webStorageEnabled: false}
Session ID: 5af8ec15-9072-4ae4-80ff-d294ccf3311e
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance
(NativeConstructorAccessorImpl.java:62)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:276)
at io.appium.jaya client.DefaultGenericMobileElement.execute(DefaultGenericMobileElement.
java:45)
at io.appium.java client.MobileElement.execute(MobileElement.java:1)
at io.appium.java_client.ios.IOSElement.execute(IOSElement.java:1)
at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:83)
at com.prudential.tap.appium.AppiumCommands.pressIOSKeyBoardKey(AppiumCommands.
iava:595)
at com.prudential.tap.appium.AppiumCommands.isKeyBoardKeyPresent(AppiumCommands.
at com.onepulse.app.screens.PulseLoginScreen.enterLoginCredentials(PulseLoginScreen.java:
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.loginToPulseApp(LoginSteps.java:
149)
at .When I login into pulse app with below details(features/sg/health/babylon
/BabylonProstaticHyperplasia.feature:25)
```

nd I navigate to Babylon Page and Accept T		0.00s
nen I enter ''Difficulty passing urine'' symp		0.00s
Problems passing urine."		0.00
nen I click on Ok button after noting the cas		0.00s
text Thanks for taking part in user testing.	Please record the following case id	1
nen I handle questions and answer		0.00s
Which problems are you having when urinating?	Flow isn't as strong as usual##Dri urinating##Submit	
Does it hurt or sting when you urinate?	No	
When urinating, have you noticed any of the following?	Urinating more often than usual# needing to urinate##Difficulty sta urinate##Submit	
Does your urine look different to usual?	Yes	
In what way does your urine look different?	None of the above##Submit	
Have you ever been diagnosed with 3 or more urinary tract infections in a single year?	No	
Do any of these describe your poos (stools)?	I don't know##Submit	
Do you have any pain in your abdomen?	No	
Do you feel sick or have you vomited?	None of the above##Submit	
Do you have or have you recently had a fever?	No	
How long have you had all of your symptoms for?	For days	
Have you noticed any of these issues when you pass stool?	None of the above##Submit	
One symptom that can be concerning is bleeding from the anus. Have you experienced this?	No	
Have you gained or lost weight recently without trying to?	Lost weight unexpectedly	
Do you have pain in your back?	No	
Have you noticed any abnormal muscle weakness lately?	None of the above##Submit	
This might sound a bit strange but does your anus feel numb when wiping?	No	
Do you have bowel incontinence?	No	
Have you been involved in a traffic accident recently?	No	
Do you currently have any of these prostate conditions?	No##Submit	
Have you been shivering intensely or uncontrollably?	No	
Have you had any of these problems with your penis?	None of the above##Submit	

	verify the closure summary and click on continue	button	0.00s
	If your symptoms persist, change or worsen, or yo		rther advic
_	click on view results to see the possible causes		0.00s
	erify following possible causes are displayed		0.00s
_	nething potentially serious		
_	ign Prostatic Hyperplasia		
_	I select on ''Benign Prostatic Hyperplasia'' cause w	ith offset 100 in report	0.00s
	verify following conditions are displayed	*	0.00s
Ben	ign Prostatic Hyperplasia		
	s usually requires seeing a GP.		
	y this condition could be the potential cause?		
	ne of your answers indicate that this condition coul	d be the cause:	
Diff	iculty starting urination		
	reased frequency of urination		
Urg	ent need to urinate		
Dec	reased flow of urine		
Dri	bbling of urine		
and I	click on back button to move back to possible cause	es screen	0.00s
Vhen	I select on "Something potentially serious" cause w	ith offset 500 in report	0.00s
hen I	verify following conditions are displayed		0.00s
Son	nething potentially serious		
Thi	s usually requires seeing a GP.		
Wh	y this condition could be the potential cause?		
Uni	ntentional weight loss		
Diff	iculty starting urination		
Inc	reased frequency of urination		
Urg	ent need to urinate		
Dec	reased flow of urine		
Dri	bbling of urine		
and I	click on back button to move back to home		0.00s
	sign out from pulse app		0.00s




at java.base/jdk.internal.util.Preconditions.outOfBoundsCheckInd at java.base/jdk.internal.util.Preconditions.checkIndex(Precondition at java.base/java.util.Objects.checkIndex(Objects.java:372) at java.base/java.util.ArrayList.get(ArrayList.java:459) at com.onepulse.app.screens.babylon.BabylonSymptomsScreen.clickOnBabylonLatestChatHistoryLog(BabylonSymptomsScreen.at com.onepulse.app.stepdefinitions.mobilesteps.BabylonSteps.openLatestBabylonChatHistoryLog(BabylonSteps.java:415) at .Then I open latest babylon chat history logs(features/sg/health/BabylonProstaticHyperplasia.feature:149) Then I wait for 2 sec	java:675) babylon 0.00s
Then I verify the chat history should show full chat	0.00s
Then I close the babylon latest Chat History screen Then I verify a new chat history is not created	0.00s 0.00s
And I move back to home screen from view chat history screen	0.00s
And I sign out from pulse app	0.00s
Chat History	
Chat History	
Chat History After	0.01s
	0.01s

Passed:	Failed: 0	Undefined: 0		Duration: 611.99s		
	nario: User should be a kflow	ble to access Babylon from	m Pulse a	pp and perform R	ib Fr	racture
Pass	sed: 23	Failed: 0	ndefined: (0		Duration: 611.99 s
Bef	ore					0.00s
	Given User has pulse ap	р				51.54s
	And I assign "\${Babylor	n.rib}'' to variable ''PUL	SE_EMA	.IL''		0.07s
	When I navigate to logii	n page				55.49s
	When user enters crede	ntials				35.48s
	UserName \${PULSE} Password \${Password}					
	And User clicks on signin button					2.09s
r	Then I wait for 10 sec					10.02s
1	And I enter OTP in one	pulse app for user email	"\${PULS	SE_EMAIL}''		50.18s
	And I navigate to Babyl	on Symptoms Page				28.61s
	Then I enter ''Chest Pai chest.''	n'' symptoms on Babylor	screen A	And select "Pain in	the	26.14s
r	Then I click on Ok butte	on after noting the caseid	•			15.26s
	text Thanks for takin	g part in user testing. Ple	ase recoi	rd the following cas	se id	
<u></u>	Then verify user is land	ed to Rib Fracture consu	ltation sc	reen		7.64s
	When I handle questions and answer					77.04 s
	Where in your chest is the pain? Right##Submit					
	How would you descr	ribe your chest pain?	pain? Dull or aching			
	Is your chest pain cloimagine?	se to the worst pain you	can	No		
	Did your chest pain s	tart very suddenly or gra	dually?	Gradually	<u> </u>	
	Does the pain in your	chest go anywhere else?		No##Submit		
	Do any of these make	e your chest pain better o		Moving around ma worse##Submit	akes	it
r	Then I handle questions	and answer				120.01s
	How long have you h	ad all of your symptoms	for?		For o	days
	Have you been diagn			No		
	Are you diagnosed w					
	Do you currently have problems?	e a diagnosis of the following blood pressure			No	
	Do you smoke cigare	ttes?			I've ı	never smoked
	Do you have a body r professional told you	mass index (BMI) over 30 that you're obese?	or has a	medical	No	
	Do any of the following	ng apply to you?				e of the e##Submit
	Have you experience	d any difficulty breathing	g?			e of the e##Submit
	Do you have a cough	?			No	
	Is your ribcage or ch	est painful when you pres	ss or touc	h it?	Yes	

		Have yo	u injured yo	ur chest i	recently?			Yes	
		Then I veri	fy the closu	e summa	ry and click o	n con	tinue button		9.43s
	Great, we're all done. Please remember, this service is only for general information text purposes and isn't a personal or medical diagnosis. If your symptoms persist, change or worsen, or you are concerned seek further advice.								
		Then I clicl	k on view re	sults to se	e the possible	cause	S		17.47s
		And Verify	following 3	possible o	causes are dis	played	l		2.34s
		When I clic	ck on "Chest	strain'' o	cause				6.72s
		Then I veri	fy following	condition	ns are display	e d			12.53s
		Chest wa	all muscle st	rain					
		This can	usually be	treated at	home.				
	Why this condition could be the potential cause?								
		Some of	your answe	rs indicat	e that this cor	nditior	could be the	e cause:	
		Injury o	f chest wall						
		Pain in o	chest made v	vorse witl	h movement o	f ribs			
			ded chest pa	in					
		Dull che							
		Painful 1	to press on c	hest					
					ove back to po	ssible	causes scree	n	2.84s
		When I clic	ek on "Costo	chondriti	is'' cause				9.79s
		Then I veri	fy following	condition	ns are display	ed			9.45s
		Costoch	ondritis						
		This can	usually be	treated at	home.				
				could be t	he potential c	ause?			
			f chest wall						
		Pain in o	chest made v	vorse witl	n movement o	f ribs			
		Right sig	ded chest pa	in					
		Dull che	st pain						
		Painful 1	to press on c	hest					
		And I click	on back but	tton to mo	ove back to ho	me			29.61s
		Then I sign	out from p	ılse app					32.21s
	Aft	ter							0.00s
	Bac	k to Table of	Contents						
Fea	atu	re: Verify I	Dietician Neg	ative Flo	w functionalit	ty on c	ne pulse Ap)	
Pas	sed:	: 0	Failed: 4		Undefined: 0		Durati	on: 268.07s	
	Sce	enario Outli	ine: Verify t	he Home	screen valida	tion us	sing "Contin	ue with Email''	
	Pas	sed: 11		Failed: 1		Undefi	ned: 23		Duration: 176.27
	Bef	fore							0.00s
		_	nerate rando 1_NUMBER		er and assign t	to vari	able		0.02s
		And I assig "PULSE_E		ANDOM	_NUMBER}(@mail	sac.com" to	variable	0.00s
			as pulse app)					17.27s

When user enters registration details FirstName Diet LastName Test Email \${PULSE_EMAIL}} Password Pas\$1234 And taps on continue "Sign_Up" button Then I wait for 10 sec And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" Then I wait for 5 sec And I enter the "mobile number" in welcome to pulse mobileNumber 98678419 And I click the continue button And I click the continue button And I choose my wellness goals under wellness plan screen org.openqa.selenium.NoSuchElementException: An element could not be locusing the given search parameters. For documentation on this error, please visit: http://seleniumhq.org/exception/no_such_element.html Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26. System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:1431:6190 os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11. Driver info: io.appium_java_client.ios.IOSDriver Capabilities automationName: XCUITest, browserName: , bundleId: com.put, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newComn 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion takes Screenshot: true, udid: 9f8564dc07bca132956423afd6c, webStorageEn Session ID: 25d2cb20-f1d9-45ec-a28b-673d628a602c **** Element info: {Using=xpath, value=(//XCUIElementTypeScrollView//foll-contextElement 10000 And I click the continue 10000 And I	ons .12Z' .d:cf34:9788%en0', .0.10' .prudential.pulse, mandTimeout: n: 14.3,
LastName Test Email \${PULSE_EMAIL}} Password Pas\$1234 And taps on continue "Sign_Up" button Then I wait for 10 sec And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" Then I wait for 5 sec And I enter the "mobile number" in welcome to pulse mobileNumber 98678419 And I click the continue button And I choose my wellness goals under wellness plan screen org.openqa.selenium.NoSuchElementException: An element could not be locusing the given search parameters. For documentation on this error, please visit: http://seleniumhq.org/exception/no_such_element.html Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26. System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:1431:6190. s.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11. Driver info: io.appium.java_client.ios.IOSDriver Capabilities {automationName: XCUITest, browserName: , bundleId: com.put, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newComn 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion takesScreenshot: true, udid: 9f8564dc07bca132956423afd6c, webStorageEr Session ID: 25d2cb20-f1d9-45ec-a28b-673d628a602c *** Element info: {Using=xpath, value=(//XCUIElementTypeScrollView//foll	10.01s 51.26s 5.01s 5.01s 9.36s 9.57s cated on the page ons .12Z' od:cf34:9788%en0', .0.10' prudential.pulse. c, mandTimeout: n: 14.3,
Email \${PULSE_EMAIL} Password Pas\$1234 And taps on continue "Sign_Up" button Then I wait for 10 sec And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" Then I wait for 5 sec And I enter the "mobile number" in welcome to pulse mobileNumber 98678419 And I click the continue button And I choose my wellness goals under wellness plan screen org.openqa.selenium.NoSuchElementException: An element could not be locusing the given search parameters. For documentation on this error, please visit: http://seleniumhq.org/exception/no_such_element.html Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26. System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:1431:6190 os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11. Driver info: io.appium.java_client.ios.IOSDriver Capabilities {automationName: XCUITest, browserName: , bundleId: com.put, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newComm 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion takesScreenshot: true, udid: 9f8564dc07bca132956423afd6c, webStorageEr Session ID: 25d2cb20-f1d9-45ec-a28b-673d628a602c *** Element info: {Using=xpath, value=(//XCUIElementTypeScrollView//foll	10.01s 51.26s 5.01s 5.01s 9.36s 9.57s cated on the page ons .12Z' od:cf34:9788%en0', .0.10' prudential.pulse. c, mandTimeout: n: 14.3,
Password Pas\$1234 And taps on continue "Sign_Up" button Then I wait for 10 sec And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" Then I wait for 5 sec And I enter the "mobile number" in welcome to pulse mobileNumber 98678419 And I click the continue button And I choose my wellness goals under wellness plan screen org.openqa.selenium.NoSuchElementException: An element could not be locusing the given search parameters. For documentation on this error, please visit: http://seleniumhq.org/exception/no_such_element.html Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26. System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:1431:6190 os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11. Driver info: io.appium.java_client.ios.IOSDriver Capabilities {automationName: XCUITest, browserName: , bundleId: com.puat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newComn 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion takesScreenshot: true, udid: 9f8564dc07bca132956423afd6c, webStorageEnsession ID: 25d2cb20-f1d9-45ec-a28b-673d628a602c *** Element info: {Using=xpath, value=(//XCUIElementTypeScrollView//foll	10.01s 51.26s 5.01s 5.01s 9.36s 9.57s cated on the page ons .12Z' od:cf34:9788%en0', .0.10' prudential.pulse. c, mandTimeout: n: 14.3,
And taps on continue "Sign_Up" button Then I wait for 10 sec And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" Then I wait for 5 sec And I enter the "mobile number" in welcome to pulse mobileNumber 98678419 And I click the continue button And I choose my wellness goals under wellness plan screen org.openqa.selenium.NoSuchElementException: An element could not be locusing the given search parameters. For documentation on this error, please visit: http://seleniumhq.org/exception/no_such_element.html Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26. System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:1431:6190 os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11. Driver info: io.appium.java_client.ios.IOSDriver Capabilities {automationName: XCUITest, browserName: , bundleId: com.puat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newComm 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion takesScreenshot: true, udid: 9f8564dc07bca132956423afd6c, webStorageEn Session ID: 25d2cb20-f1d9-45ec-a28b-673d628a602c *** Element info: {Using=xpath, value=(//XCUIElementTypeScrollView//foll	10.01s 51.26s 5.01s 5.01s 9.36s 9.57s cated on the page ons .12Z' od:cf34:9788%en0', .0.10' prudential.pulse. c, mandTimeout: n: 14.3,
Then I wait for 10 sec And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" Then I wait for 5 sec And I enter the "mobile number" in welcome to pulse mobileNumber 98678419 And I click the continue button And I choose my wellness goals under wellness plan screen org.openqa.selenium.NoSuchElementException: An element could not be locusing the given search parameters. For documentation on this error, please visit: http://seleniumhq.org/exception/no_such_element.html Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.59stem info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:1431:61900s.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11. Driver info: io.appium.java_client.ios.IOSDriver Capabilities {automationName: XCUITest, browserName: , bundleId: com.puat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newComn 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion takesScreenshot: true, udid: 9f8564dc07bca132956423afd6c, webStorageEnsession ID: 25d2cb20-f1d9-45ec-a28b-673d628a602c *** Element info: {Using=xpath, value=(//XCUIElementTypeScrollView//foll	10.01s 51.26s 5.01s 5.01s 9.36s 9.57s cated on the page ons .12Z' od:cf34:9788%en0', .0.10' prudential.pulse. c, mandTimeout: n: 14.3,
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}" Then I wait for 5 sec And I enter the "mobile number" in welcome to pulse mobileNumber 98678419 And I click the continue button And I choose my wellness goals under wellness plan screen org.openqa.selenium.NoSuchElementException: An element could not be locusing the given search parameters. For documentation on this error, please visit: http://seleniumhq.org/exception/no_such_element.html Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.5 System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:1431:6190 os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11. Driver info: io.appium.java_client.ios.IOSDriver Capabilities {automationName: XCUITest, browserName: , bundleId: com.puat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newComn 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion takesScreenshot: true, udid: 9f8564dc07bca132956423afd6c, webStorageEn Session ID: 25d2cb20-f1d9-45ec-a28b-673d628a602c *** Element info: {Using=xpath, value=(//XCUIElementTypeScrollView//foll	51.26s 5.01s 5.01s 9.36s 9.57s cated on the page ons .12Z' od:cf34:9788%en0', .0.10' prudential.pulse. c, mandTimeout: n: 14.3,
Then I wait for 5 sec And I enter the "mobile number" in welcome to pulse mobileNumber 98678419 And I click the continue button And I choose my wellness goals under wellness plan screen org.openqa.selenium.NoSuchElementException: An element could not be locusing the given search parameters. For documentation on this error, please visit: http://seleniumhq.org/exception/no_such_element.html Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26 System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:1431:6190 os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11. Driver info: io.appium.java_client.ios.IOSDriver Capabilities {automationName: XCUITest, browserName: , bundleId: com.puat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newComm 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion takesScreenshot: true, udid: 9f8564dc07bca132956423afd6c, webStorageEn Session ID: 25d2cb20-f1d9-45ec-a28b-673d628a602c *** Element info: {Using=xpath, value=(//XCUIElementTypeScrollView//foll	5.01s 5.01s 9.36s 9.57s cated on the page ons 12Z' d:cf34:9788%en0', .0.10' prudential.pulse. c, mandTimeout: n: 14.3,
And I enter the "mobile number" in welcome to pulse mobileNumber 98678419 And I click the continue button And I choose my wellness goals under wellness plan screen org.openqa.selenium.NoSuchElementException: An element could not be locusing the given search parameters. For documentation on this error, please visit: http://seleniumhq.org/exception/no_such_element.html Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26 System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:1431:6190 os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11. Driver info: io.appium.java_client.ios.IOSDriver Capabilities {automationName: XCUITest, browserName: , bundleId: com.puat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newComm 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion takesScreenshot: true, udid: 9f8564dc07bca132956423afd6c, webStorageEn Session ID: 25d2cb20-f1d9-45ec-a28b-673d628a602c *** Element info: {Using=xpath, value=(//XCUIElementTypeScrollView//foll	9.36s 9.57s cated on the page ons 12Z' od:cf34:9788%en0', .0.10' prudential.pulse. c, mandTimeout: n: 14.3,
mobileNumber 98678419 And I click the continue button And I choose my wellness goals under wellness plan screen org.openqa.selenium.NoSuchElementException: An element could not be locusing the given search parameters. For documentation on this error, please visit: http://seleniumhq.org/exception/no_such_element.html Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.0.0000000000000000000000000000000000	9.36s 9.57s cated on the page ons .12Z' od:cf34:9788%en0', .0.10' prudential.pulse. c, mandTimeout: n: 14.3,
And I click the continue button And I choose my wellness goals under wellness plan screen org.openqa.selenium.NoSuchElementException: An element could not be locusing the given search parameters. For documentation on this error, please visit: http://seleniumhq.org/exception/no_such_element.html Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.5 System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:1431:61900 os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11. Driver info: io.appium.java_client.ios.IOSDriver Capabilities {automationName: XCUITest, browserName: , bundleId: com.puat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newComm10000, noReset: false, platform: MAC, platformName: iOS, platformVersion takesScreenshot: true, udid: 9f8564dc07bca132956423afd6c, webStorageEnsession ID: 25d2cb20-f1d9-45ec-a28b-673d628a602c *** Element info: {Using=xpath, value=(//XCUIElementTypeScrollView//follementTypeScrollVi	9.57s cated on the page ons .12Z' od:cf34:9788%en0', .0.10' prudential.pulse. c, mandTimeout: n: 14.3,
And I choose my wellness goals under wellness plan screen org.openqa.selenium.NoSuchElementException: An element could not be locusing the given search parameters. For documentation on this error, please visit: http://seleniumhq.org/exception/no_such_element.html Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.5 System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:1431:6190 os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11. Driver info: io.appium.java_client.ios.IOSDriver Capabilities {automationName: XCUITest, browserName: , bundleId: com.puat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newComm 10000, noReset: false, platform: MAC, platformName: iOS, platformVersion takesScreenshot: true, udid: 9f8564dc07bca132956423afd6c, webStorageEnsession ID: 25d2cb20-f1d9-45ec-a28b-673d628a602c *** Element info: {Using=xpath, value=(//XCUIElementTypeScrollView//foll	9.57s cated on the page ons .12Z' od:cf34:9788%en0', .0.10' prudential.pulse. c, mandTimeout: n: 14.3,
org.openqa.selenium.NoSuchElementException: An element could not be locusing the given search parameters. For documentation on this error, please visit: http://seleniumhq.org/exception/no_such_element.html Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.5 System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:1431:61900 os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11. Driver info: io.appium.java_client.ios.IOSDriver Capabilities {automationName: XCUITest, browserName: , bundleId: com.puat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newComm10000, noReset: false, platform: MAC, platformName: iOS, platformVersion takesScreenshot: true, udid: 9f8564dc07bca132956423afd6c, webStorageEnsession ID: 25d2cb20-f1d9-45ec-a28b-673d628a602c *** Element info: {Using=xpath, value=(//XCUIElementTypeScrollView//follementTypeScrollementTypeScrollemen	cated on the page ons .12Z' od:cf34:9788%en0', .0.10' prudential.pulse. c, mandTimeout: n: 14.3,
using the given search parameters. For documentation on this error, please visit: http://seleniumhq.org/exception/no_such_element.html Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.2 System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:1431:6190 os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11. Driver info: io.appium.java_client.ios.IOSDriver Capabilities {automationName: XCUITest, browserName: , bundleId: com.puat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: false, newComm10000, noReset: false, platform: MAC, platformName: iOS, platformVersion takesScreenshot: true, udid: 9f8564dc07bca132956423afd6c, webStorageEnsession ID: 25d2cb20-f1d9-45ec-a28b-673d628a602c *** Element info: {Using=xpath, value=(//XCUIElementTypeScrollView//follementTypeScrollementTypeScrollView//follementTypeScrollementTypeScrollementTypeScrol	ons .12Z' .d:cf34:9788%en0', .0.10' .prudential.pulse, mandTimeout: n: 14.3,
XCUIElementTypeOther[contains(@name,'Move More')])[3]} at jdk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unkno at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInst(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490	llowing:: own Source) stance 0)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandS) at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:231) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericmandexecutor.)	andExecutor.java: ver.java:543)

at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317) at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:62) at io.appium.java_client.AppiumDriver.findElement(IOSDriver.java:1) at io.appium.java_client.os.IOSDriver.findElement(IOSDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver. java:419) at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152) at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1) at org.openqa.selenium.java_client.AppiumDriver.findElementByXPath(IOSDriver.java:1) at org.openqa.selenium.By\$ByXPath.findElement(By,java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309) at io.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.java:141) at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164) at com.onepulse.app.screens.PulseRegistrationScreen.selectWellnessPackage (PulseRegistrationScreen.java:863) at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps. iChooseMyWellnessGoalsUnderWellnessPlanScreen(RegistrationSteps.java:201) at .And I choose my wellness goals under wellness plan screen(features/sg/health/dietician				
/Dietician_NegativeFlow.feature:22) And I click the continue button	0.00s			
And I click the date in Date of Birth field	0.00s			
And I click the Done icon	0.00s			
And I click the continue button	0.00s			
And I click the continue button And I select the Male icon	0.00s 0.00s			
And I select the Male icon	0.00s 0.00s 0.00s			
And I select the Male icon And I click the continue button And I enter my height and weight details And I click on Calculate BMI button	0.00s 0.00s 0.00s 0.00s			
And I select the Male icon And I click the continue button And I enter my height and weight details	0.00s 0.00s 0.00s 0.00s 0.00s			
And I select the Male icon And I click the continue button And I enter my height and weight details And I click on Calculate BMI button	0.00s 0.00s 0.00s 0.00s 0.00s 0.00s			
And I select the Male icon And I click the continue button And I enter my height and weight details And I click on Calculate BMI button And I click the continue button	0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s			
And I select the Male icon And I click the continue button And I enter my height and weight details And I click on Calculate BMI button And I click the continue button And I select the ''How active are you?'' in doing exercise And I click the continue button And I select my favorite food dietary	0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s			
And I click the continue button And I click the continue button And I enter my height and weight details And I click on Calculate BMI button And I click the continue button And I select the "How active are you?" in doing exercise And I click the continue button And I select my favorite food dietary And I click the continue button	0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s			
And I select the Male icon And I click the continue button And I enter my height and weight details And I click on Calculate BMI button And I click the continue button And I select the ''How active are you?'' in doing exercise And I click the continue button And I select my favorite food dietary	0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s 0.00s			
And I click the continue button And I click the continue button And I click on Calculate BMI button And I click the continue button And I select the "How active are you?" in doing exercise And I click the continue button And I select my favorite food dietary And I click the continue button And I answer as "Yes" to "Food Allergies are common?" And I click the continue button	0.00s			
And I click the continue button And I enter my height and weight details And I click on Calculate BMI button And I click the continue button And I select the "How active are you?" in doing exercise And I click the continue button And I select my favorite food dietary And I click the continue button And I answer as "Yes" to "Food Allergies are common?"	0.00s			
And I click the continue button And I enter my height and weight details And I click on Calculate BMI button And I click the continue button And I select the "How active are you?" in doing exercise And I click the continue button And I select my favorite food dietary And I click the continue button And I answer as "Yes" to "Food Allergies are common?" And I click the continue button And I verify that "Tracking your activity is trending" is displayed And I click the continue button	0.00s			
And I click the continue button And I enter my height and weight details And I click on Calculate BMI button And I click the continue button And I select the "How active are you?" in doing exercise And I click the continue button And I select my favorite food dietary And I click the continue button And I answer as "Yes" to "Food Allergies are common?" And I click the continue button And I click the continue button And I verify that "Tracking your activity is trending" is displayed	0.00s			
And I click the continue button And I enter my height and weight details And I click on Calculate BMI button And I click the continue button And I select the "How active are you?" in doing exercise And I click the continue button And I select my favorite food dietary And I click the continue button And I answer as "Yes" to "Food Allergies are common?" And I click the continue button And I verify that "Tracking your activity is trending" is displayed And I click the continue button	0.00s			



```
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
iava:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164)
at com.onepulse.app.screens.CustomerConnectScreen.HealthIcons(CustomerConnectScreen.
java:1349)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.Healthicons
(CustomerConnectSteps.java:411)
at .Then I click the Health icon in Home screen(features/sg/health/dietician
/Dietician NegativeFlow.feature:55)
```

0.00s 0.00s 0.00s	ServiceNumber 124-12-2025 Ind I clicks on "What is your service number?" in app scree and I click the continue button Those Number
0.00s	ServiceNumber 124-12-2025 nd I clicks on "What is your service number?" in app screen nd I click the continue button
	nd I clicks on "What is your service number?" in app screend I click the continue button
	nd I click the continue button
	11:50
	What's your mobile number? Please start by entering your mobile phone number
	+65 986784193
	Done
	1 2 3 DEF
	4 5 6 MNO
	7 8 9 Poss Tuy Wxyz
	+*# O ≪
0.00s	to Table of Contents
Duration: 46.5	d: 1 Failed: 1 Undefined: 12
0.00s	re
3.01s	hen I wait for 3 sec
Duration 0.00s 3.01s 43.54s of be located on the p	to Table of Contents ario: Verify User should be able to navigate to specialisation d: 1

```
*** Element info: {Using=xpath, value=//XCUIElementTypeOther[@name="General"
Physician'']}
at jdk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164)
at com.onepulse.app.screens.CustomerConnectScreen.clickButton(CustomerConnectScreen.
java:1714)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickUploadIcon
(CustomerConnectSteps.java:533)
at .And I clicks on "General Physician" in app screen(features/sg/health/dietician
/Dietician NegativeFlow.feature:71)
```

Educa	tional Deta	ails			
And Ente	r the Degr	ree Name in E	ductaion Details Screen	n	0.00s
Servic	eNumber <mark>I</mark>	MBBS			
And Ente	r the study	y Name in Edu	uctaion Details Screen		0.00s
Servic	eNumber <mark>I</mark>	Denist			
And I cliq	ks on ''Ed	ucational Det	ails" in app screen		0.00s
And Ente	r the year	Name in Edu	ctaion Details Screen		0.00s
Servic	eNumber 2	2020			
And Ente	r the year	Name in Edu	ctaion Details Screen		0.00s
Servic	eNumber 2	202020			
And I clic	ks on ''Ed	ucational Det	ails'' in app screen		0.00s
			Eductaion Details Scr	reen	0.00s
Servic	eNumber 2	202020			
			ails'' in app screen		0.00s
And I clic	k the cont	inue button			0.00s
	2	Done			
1	2	3			
4 онг	5	6 MNO			
7	8	9 wxyz			
+ * #	0	⊗			
fter					
	of Contents				0.00s
ck to Table					0.00s
ck to Table c	erify User		to navigate to Educati		
cenario: Ve essed: 0	erify User	should be able Failed: 1	to navigate to Educati Undefined:		Duration: 35.8
cenario: Ve ssed: 0		Failed: 1	Undefined:	8	
cenario: Venssed: 0		Failed: 1		8	Duration: 35.9


```
For documentation on this error, please visit: http://seleniumhq.org/exceptions
/no such element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:1431:619d:cf34:9788%en0',
os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java client.ios.IOSDriver
Capabilities {automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.
uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true,
locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout:
10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.3,
takesScreenshot: true, udid: 9f8564dc07bca132956423afd6c..., webStorageEnabled: false}
Session ID: 25d2cb20-f1d9-45ec-a28b-673d628a602c
*** Element info: {Using=xpath, value=//XCUIElementTypeOther[@name="Enter Hospital
/Clinic Name'']/XCUIElementTypeTextField}
at jdk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
```

at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:261) at com.onepulse.app.screens.CustomerConnectScreen.Enternames(CustomerConnectScreen. iava:1816) at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps. i Enter the in in home screen(CustomerConnectSteps.java:566) at .And I Enter the "Enter Hospital/Clinic Name" in "Test University" in home screen(features /sg/health/dietician/Dietician NegativeFlow.feature:95) Phone Numb What's your mobile number? Please start by entering your mobile phone number 986784193 Done 2 3 1 5 6 MNO 7 8 9 0 + * # \otimes 0.00sAfter **Back to Table of Contents** Feature: Verify Dietician Positive Flow functionality on one pulse App Passed: 0 Failed: 8 Undefined: 0 Duration: 419.41s Scenario Outline: Verify the Home screen validation using "Continue with Email" Duration: 112.76 Failed: 1 Passed: 4 **Undefined: 30** 0.00sBefore Given I generate random number and assign to variable

"RANDOM_	NUMBER''		0.01s
And I assign ' ''PULSE_EM	_	NUMBER}@mailsac.com'' to variable	0.00s
And User has	pulse app		17.68s
		VITH EMAIL" with Email button	61.08s
	iters registration deta		33.99s
FirstName		(SEAL)	00,775
LastName			
Email	\${PULSE_EMAIL}		
Password	Pas\$1234		
using the give For documen /no_such_eler Build info: ve System info: lo os.name: 'Ma Driver info: io Capabilities { uat, database locationConto 10000, noReso takesScreensl Session ID: 70 *** Element io Given Name' at jdk.interna at java.base/jo (DelegatingCo	en search parameters tation on this error, penent.html ersion: '3.12.0', revisionst: 'Bavirisettis-Mate OS X', os.arch: 'x8 o.appium.java_client automationName: X Enabled: false, devicextEnabled: false, netet: false, platform: Mate: true, udid: 9f856d05e3b4-8ad4-4bf9-9info: {Using=xpath, volt; following::XCUIEInd.reflect.GeneratedConstructorAccessorIndent.pdf	on: '7c6e0b3', time: '2018-05-08T14:04:26. acBook-Pro.local', ip: 'fe80:0:0:0:1431:61966_64', os.version: '10.16', java.version: '11.c.ios.IOSDriver CUITest, browserName: , bundleId: com.peName: iOS-Test, javascriptEnabled: true, tworkConnectionEnabled: false, newComnIAC, platformName: iOS, platformVersionIAC, platformVersionIAC, platformVersionIAC, platformName: iOS, platformVersionIAC,	ns 12Z' d:cf34:9788%en0', .0.10' rudential.pulse. nandTimeout: a: 14.3, nabled: false} me='First Name / own Source) tance
at org.openqa	0	tp.W3CHttpResponseCodec.createException	
at org.openqa	•	tp.W3CHttpResponseCodec.decode	
(W3CHttpRe	sponseCodec.java:49	tp.W3CHttpResponseCodec.decode 9) tpCommandExecutor.execute(HttpComma	andExecutor.java:
158) at io.appium.		ppiumCommandExecutor.execute	
at org.openqa	selenium.remote.Re	emoteWebDriver.execute(RemoteWebDriver enericMobileDriver.execute(DefaultGener	
at io.appium, at io.appium, at org.openqa	java_client.ios.IOSD n.selenium.remote.Re	Driver.execute(AppiumDriver.java:1) river.execute(IOSDriver.java:1) emoteWebDriver.findElement(RemoteWeb enericMobileDriver.findElement	Driver.java:317)
(DefaultGene	ricMobileDriver.java		

at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)	
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(Re	emoteWebDriver.
java:419)	
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)	
at io.appium.java_client.AppiumDriver.findElementByXPath(Appiu	er iava·1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.jav	
at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)	
at org.openqa.selenium.remote.RemoteWebDriver.findElement(bDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement	
(DefaultGenericMobileDriver.java:58)	
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)	
at com.prudential.tap.selenium.Commands\$16.executeCommand(Command	ds iava·148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execu	
19)	
$at\ com. one pulse. app. screens. Test Base Page. set Text With Tab (Test Base Page. july 1) to the pulse app. screens are the pulse app. screen app. screen are the pulse app. screen app. screen are the pulse app. screen app. screen are the pulse app. screen a$	ava:261)
at com.onepulse.app.screens.PulseRegistrationScreen.enterRegistrationDeta	ails
(PulseRegistrationScreen.java:201)	
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.enterReg	istrationDetails
(RegistrationSteps.java:37) at .When user enters registration details(features/sg/health/dietician/Dietici	n PositiveFlow
feature:10)	m_1 ositiver low.
And taps on continue "Sign_Up" button	0.00s
Then I wait for 10 sec	0.00s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	0.00s
Then I wait for 5 sec	0.00s
And I enter the ''mobile number'' in welcome to pulse	0.00s
mobileNumber 98678419	
And I click the continue button	0.00s
And I choose my wellness goals under wellness plan screen	0.00s
And I click the continue button	0.00s
And I click the date in Date of Birth field	0.00s
And I click the Done icon	0.00s
And I click the continue button	0.00s
And I select the Male icon	0.00s
And I click the continue button	0.00s
And I enter my height and weight details	0.00s
And I click on Calculate BMI button	0.00s
And I click the continue button	0.00s
And I select the "How active are you?" in doing exercise	0.00s
And I click the continue button	0.00s
And I select my favorite food dietary	0.00s
And I click the continue button	0.00s
And I answer as "Yes" to "Food Allergies are common?"	0.00s
And I click the continue button	0.00s
And I verify that "Tracking your activity is trending" is displayed	0.00s

And I click the continue button	0.00s
And I see that "Welcome to Pulse" text is displayed	0.00s
And I click the continue button	0.00s
Then I wait for 3 sec	0.00s
And I click on close icon	0.00s
Then I click skip buttons	0.00s
Then user should be landed home screen	0.00s



After			0.00s
Back to Table of Contents			
Scenario: Verify User should be able to navigate to Dietician page			
Passed: 0	Failed: 1	Undefined: 8	Duration: 9.63s
Before			0.00s

Then I click the Health icon in Home screen 9.63s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no-such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:1431:619d:cf34:9788%en0',

os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.ios.IOSDriver

Capabilities {automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.

uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true,


locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout:

10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.3,

takesScreenshot: true, udid: 9f8564dc07bca132956423afd6c..., webStorageEnabled: false}

```
Session ID: 7d05e3b4-8ad4-4bf9-956d-a1d97fb46e09
*** Element info: {Using=xpath, value=//XCUIElementTypeOther[@label='Health']}
at jdk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164)
at com.onepulse.app.screens.CustomerConnectScreen.HealthIcons(CustomerConnectScreen.
iava:1349)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.Healthicons
(CustomerConnectSteps.java:411)
at .Then I click the Health icon in Home screen(features/sg/health/dietician
/Dietician PositiveFlow.feature:60)
```

And Enter the Service Number in Service Number Screen	0.00s
ServiceNumber 05	
And Enter the Issue Organization in Service Number Screen	0.00s
ServiceNumber 07	
And Enter the Valid Till im Service Number Screen	0.00s
ServiceNumber 12	
And I clicks on "What is your service number?" in app screen	0.00s
And I click the continue button	0.00s
11:54 ♥ 👀	



Before

After			0.00s		
Back to Table of Contents					
Scenario: Verify User sh	Scenario: Verify User should be able to navigate to specialisation page				
Passed: 0	Failed: 1	Undefined: 5	Duration: 35.99s		

And I clicks on "General Physician" in app screen 35.99s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no-such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:1431:619d:cf34:9788%en0',

os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.ios.IOSDriver

Capabilities {automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.

uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true,

locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout:

0.00s

```
10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.3,
takesScreenshot: true, udid: 9f8564dc07bca132956423afd6c..., webStorageEnabled: false}
Session ID: 7d05e3b4-8ad4-4bf9-956d-a1d97fb46e09
*** Element info: {Using=xpath, value=//XCUIElementTypeOther[@name="General
Physician'']}
at jdk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164)
at com.onepulse.app.screens.CustomerConnectScreen.clickButton(CustomerConnectScreen.
java:1714)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickUploadIcon
(CustomerConnectSteps.java:533)
at .And I clicks on "General Physician" in app screen(features/sg/health/dietician
/Dietician_PositiveFlow.feature:89)
```

And I click the continue button	0.00s
And I verify following text displayed in Add medicine screen	0.00s
Add Super Specialisation	
And Enter the Add Super Specialization Till im pulse for Experts	Screen 0.00s
ServiceNumber MBBS	
And I clicks on "Add Super Specialisation" in app screen	0.00s
And I click the continue button	0.00s
Pulse Wallet Open your Palse Wallet with a few clicks and stay safe and secure 2	
My Challenges Join activity challenges, track progress, tog the leaderboard! Learn. Share, Inspire, Inspire, Inspire, Inspire, Inspire, Inspire your communities to be healthier Modified to the challenge of t	
Join activity challenges, track progress, top the Inspire year communities to be healthier Home Mealth Wealth	0 00s
join activity challenges, track progress, top the leaderboard! Learn, Share, inspire, inspire, inspire, inspire, inspire, on the leaderboard! Learn, Share, inspire, inspire	0.00s
Jein activity challenges, track progress, top the leaderboard! Lewm, Share, implie, inspire,	
join activity challenges, track progress, top the leaderboard! Learn, Share, inspire, inspire, inspire, inspire, inspire, on the leaderboard! Learn, Share, inspire, inspire	
Jein activity challenges, track progress, togethe leaderboard! Learn, Share, Inspire, implies, implies your communities to be headerier Home	ails page
Jein activity challenges, track progress, sop the leaderboard to be healthier visible your communities to be healthier wealth. After Back to Table of Contents Scenario: Verify User should be able to navigate to Educational Deta Passed: 0 Failed: 1 Undefined: 18	Duration: 47.31s
Jein activity challenges, track progress, top the leadertourist to be healther respire, track progress, top the leadertourist to be healther wealth. After Back to Table of Contents Scenario: Verify User should be able to navigate to Educational Deta Passed: 0 Failed: 1 Undefined: 18 Before	Duration: 47.31s 0.01s
After Back to Table of Contents Scenario: Verify User should be able to navigate to Educational Details Passed: 0 Failed: 1 Undefined: 18 Before And I verify following text displayed in Add medicine screen Educational Details java.lang.AssertionError: The following asserts failed: Educational Details text is displayed on page expected [true] but at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.Verigava:885) at .And I verify following text displayed in Add medicine screen [failed: 1] Learn State Representation of the property of the pr	Duration: 47.31s 0.01s 47.30s found [false] rifyAddMedicine(MyDocSteps.
After Back to Table of Contents Scenario: Verify User should be able to navigate to Educational Details Passed: 0 Failed: 1 Undefined: 18 Before And I verify following text displayed in Add medicine screen Educational Details java.lang.AssertionError: The following asserts failed: Educational Details java.lang.asserts.SoftAssert.assertAll(SoftAssert.java:43) at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.Verijava:885) at .And I verify following text displayed in Add medicine screen(f/Dietician_PositiveFlow.feature:100)	Duration: 47.31s 0.01s 47.30s found [false] rifyAddMedicine(MyDocSteps. Geatures/sg/health/dietician
After Back to Table of Contents Scenario: Verify User should be able to navigate to Educational Details Passed: 0 Failed: 1 Undefined: 18 Before And I verify following text displayed in Add medicine screen Educational Details java.lang.AssertionError: The following asserts failed: Educational Details text is displayed on page expected [true] but at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.Verijava:885) at .And I verify following text displayed in Add medicine screen(f/Dietician_PositiveFlow.feature:100) And Enter the Degree Name in Eductaion Details Screen	Duration: 47.31s 0.01s 47.30s found [false] rifyAddMedicine(MyDocSteps.
After Back to Table of Contents Scenario: Verify User should be able to navigate to Educational Details Passed: 0 Failed: 1 Undefined: 18 Before And I verify following text displayed in Add medicine screen Educational Details java.lang.AssertionError: The following asserts failed: Educational Details java.lang.asserts.SoftAssert.assertAll(SoftAssert.java:43) at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43) at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.Verijava:885) at .And I verify following text displayed in Add medicine screen(f/Dietician_PositiveFlow.feature:100)	Duration: 47.31s 0.01s 47.30s found [false] cityAddMedicine(MyDocSteps. Ceatures/sg/health/dietician

And I clicks on ''Educational Details'' in app screen	0.00s
And Enter the year Name in Eductaion Details Screen	0.00s
ServiceNumber 2012	
And I clicks on ''Educational Details'' in app screen	0.00s
And Enter the university Name in Eductaion Details Screen	0.00s
ServiceNumber 2020	
And I clicks on ''Educational Details'' in app screen	0.00s
And I click the continue button	0.00s
And I Enter the ''Enter Hospital/Clinic Name'' in ''Test University'' screen	in home 0.00s
And I Enter the "Enter Location" in "Singapore" in home screen	0.00s
And I Enter the "Start Date" in "10" in dynamic start date Experien	
And I Enter the "End Date" in "10" in dynamic End date Experience	
And I Enter the "Start Date" in "2010" in dynamic start years Expescreen	erience 0.00s
And I Enter the "End Date" in "2030" in dynamic End years Exper	ience screen 0.00s
And I clicks on "Add Experience" in app screen	0.00s
And I Enter the "Enter profile title if any" in "MBBSDOCTOR" in profile screen	Doctor 0.00s
And I clicks on ''Add Experience'' in app screen	0.00s
And I click the continue button	0.00s
My My My My Ally And	
My Challenges Join activity challenges, track progress, top-the leaderboard Learn. Share, inspire, inspire, inspire your communities to be healthier	
Join activity challenges, track progress, top the leaderboard to be healthier to be healthier	0.01s
Join activity challenges. track progress, top the leaderboard to be healther to b	0.01s
Join activity challenges. track progress, top the leaderboard to be healthier Learn. Share, Inspire, Inspire, Inspire, Inspire your communities to be healthier After	<u> </u>

fore		0.01s
Then I wait for 3		3.04s
And I verify foll	owing text displayed in Add medicine screen	40.67 s
Services Offe	red	
Services Offered at org.testng.ass	ionError: The following asserts failed: I text is displayed on page expected [true] but found [false] erts.SoftAssert.assertAll(SoftAssert.java:43) .app.stepdefinitions.mobilesteps.MyDocSteps.VerifyAddMedici	ne(MyDocS
•	following text displayed in Add medicine screen(features/sg/heativeFlow.feature:127)	lth/dietician
	"Services Offered" in "MBBSDOCTOR" in service offered	0.00s
And I click the o	continue button	0.00s
And I verify foll	owing texts are displayed	0.00s
Achievement	s & Awards	
And I Enter the	"Enter title of the award" in "TEST TITLE" in home screen	0.00s
And I Enter the in home screen	"Enter organisation name (Awarded by)" in "TEST TITLE"	0.00s
And I Enter the	"Year" in "2020" in Achievement Award screen	0.00s
	'Add seminar details whether you attended as a participant or a close keyboard screen	0.00s
And I click the o	continue button	0.00s
ter		0.01s
k to Table of Conte	<u>nts</u>	
enario: Verify Us	ser should be able to navigate to Seminar(s) Attended page	
sed: 1	Failed: 1 Undefined: 7	Duration: 78
fore		0.00s
Then I wait for 3	3 sec	3.01s
And I verify foll	owing texts are displayed	75.56s
Seminar(s) A	ttended	
Seminar(s) Attentation at org.testng.ass at com.onepulse (MyDocSteps.ja at .And I verify	ionError: The following asserts failed: nded text is displayed on page expected [true] but found [false] erts.SoftAssert.assertAll(SoftAssert.java:43) .app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScr va:717) following texts are displayed(features/sg/health/dietician iveFlow.feature:141)	een
	"Enter seminar title" in "TEST TITLE" in home screen	0.00s
	"Enter Location" in "SINGAPORE" in home screen	0.00s
	"Year" in "2020" in seminars Attended	0.00s
		0.00
And I click the o		0.00s
And I click the o	"Enter name of the Clinic/ Hospital" in "TEST TITLE" in	0.00s 0.00s

And I clied the		in "SINGAPORE" in home scre	
	continue button		0.00s
fter			0.02s
ack to Table of Cont	<u>ents</u>		
cenario: Verify U	Jser should be able	to navigate to Take a Picture page	ge
ssed: 0	Failed: 1	Undefined: 8	Duration: 48.6
efore			0.01s
And I clicks on	''Take a Picture'' i	n ann screen	48.62s
using the given For documenta /no_such_eleme Build info: vers System info: ho os.name: 'Mac Driver info: io. Capabilities {auat, database ElocationContex 10000, noReset takesScreenshor Session ID: 7d(**** Element in at jdk.internal. at java.base/jdl(DelegatingConat java.base/	search parameters tion on this error, pent.html sion: '3.12.0', revisionst: 'Bavirisettis-Marcos X', os.arch: 'x80 appium.java_client atomationName: X00 appium.java_client.Generated Comparts at the consect of the consect at the consect atomatic at	on: '7c6e0b3', time: '2018-05-087 acBook-Pro.local', ip: 'fe80:0:0:0 6_64', os.version: '10.16', java.ve .ios.IOSDriver CUITest, browserName: , bundle eName: iOS-Test, javascriptEnal tworkConnectionEnabled: false, IAC, platformName: iOS, platfor 64dc07bca132956423afd6c, web 956d-a1d97fb46e09 value=//XCUIElementTypeOther ConstructorAccessor17.newInstan elegatingConstructorAccessorIm mpl.java:45) structor.newInstance(Constructo tp.W3CHttpResponseCodec.crea 87) tp.W3CHttpResponseCodec.deco (22) tp.W3CHttpResponseCodec.deco (23) ttpCommandExecutor.execute(He ppiumCommandExecutor.execute	g/exceptions F14:04:26.12Z' 0:1431:619d:cf34:9788%endersion: '11.0.10' eId: com.prudential.pulse. bled: true, newCommandTimeout: rmVersion: 14.3, StorageEnabled: false} r[@name="Take a Picture" nee(Unknown Source) ipl.newInstance or.java:490) nteException ode ode ottpCommandExecutor.java te eWebDriver.java:543) aultGenericMobileDriver. va:1) emoteWebDriver.java:317)

at io.appium.java_client.DefaultGenericMobileD	river findFlementRvVP9th		
(DefaultGenericMobileDriver.java:152)	iver indifichent by XI ath		
at io.appium.java_client.AppiumDriver.findElem	antRvVPath(AnniumDrivar java•1)		
	at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)		
	at org.openqa.selenium.by\$ByXPatn.indElement(By.Java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)		
at io.appium.java_client.DefaultGenericMobileD			
(DefaultGenericMobileDriver.java:58)			
at io.appium.java_client.AppiumDriver.findElem	ent(AppiumDriver.iava:1)		
at io.appium.java_client.ios.IOSDriver.findElemo	· • • • • • • • • • • • • • • • • • • •		
at com.prudential.tap.selenium.Commands\$15.ex			
at com.prudential.tap.selenium.ExecuteComman			
19)	· ·		
at com.onepulse.app.screens.TestBasePage.clickB	utton(TestBasePage.java:164)		
at com.onepulse.app.screens.CustomerConnectSo			
java:1714)	·		
at com.onepulse.app.stepdefinitions.mobilesteps.	CustomerConnectSteps.clickUploadIcon		
(CustomerConnectSteps.java:533)			
at .And I clicks on "Take a Picture" in app screen	n(features/sg/health/dietician		
/Dietician_PositiveFlow.feature:157)			
And I give camera permission	$0.00\mathrm{s}$		
Then I take picture from Camera	0.00s		
And I click the continue button	0.00s		
Then I wait for 3 sec	0.00s		
And I scroll down	0.00s		
Then I wait for 2 sec	0.00s		
And I click Agree button "Terms and Conditions	'' confirm screen 0.00s		
And I clicks on "Terms and Conditions" text in a	pp screen 0.00s		
After	0.00s		
Back to Table of Contents			
	1.11.61.1		
Scenario: Verify User should be able to navigate to s			
Passed: 1 Failed: 1 Unde	fined: 2 Duration: 42.79s		
Before	0.01s		
Then I wait for 5 sec	5.05s		
And I clicks on "Schedule Calendar" in app scree			
Time I cheks on Benedule Calendar in app sere	57.755		
I I NIC LEI (E)			
org.openqa.selenium.NoSuchElementException:	An element could not be located on the page		
using the given search parameters.			
For documentation on this error, please visit: http	p://seieniumnq.org/exceptions		
/no_such_element.html	12010 05 00T14.04.27 1271		
Build info: version: '3.12.0', revision: '7c6e0b3', t			
System info: host: 'Bavirisettis-MacBook-Pro.loc			
os.name: 'Mac OS X', os.arch: 'x86_64', os.versio	n: '10.16', java.version: '11.0.10'		
Driver info: io.appium.java_client.ios.IOSDriver			
Capabilities {automationName: XCUITest, brown			
uat, databaseEnabled: false, deviceName: iOS-Te			
	onEnabled: false, newCommandTimeout:		
locationContextEnabled: false, networkConnection 10000, noReset: false, platform: MAC, platformN	onEnabled: false, newCommandTimeout:		

```
takesScreenshot: true, udid: 9f8564dc07bca132956423afd6c..., webStorageEnabled: false}
Session ID: 7d05e3b4-8ad4-4bf9-956d-a1d97fb46e09
*** Element info: {Using=xpath, value=//XCUIElementTypeOther[@name="Schedule
Calendar'']}
at jdk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164)
at com.onepulse.app.screens.CustomerConnectScreen.clickButton(CustomerConnectScreen.
java:1714)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickUploadIcon
(CustomerConnectSteps.java:533)
at .And I clicks on "Schedule Calendar" in app screen(features/sg/health/dietician
/Dietician PositiveFlow.feature:178)
```

After ack to Table of Cont	e Date in calend			
ack to Table of Cont		dar field		0.00s
				0.00s
ture: Verify Medi	<u>ents</u>			
			ow functionality on one pulse App)
	iled: 5	Undefined:		
cenario Outline:	Verify the Hon	ne screen vali	idation using "Continue with Em	
assed: 11	Failed:	1	Undefined: 23	Duration: 499. s
Sefore				0.00s
Given I general "RANDOM_N		iber and assig	gn to variable	0.05s
And I assign "p" "PULSE_EMA		M_NUMBEI	R}@mailsac.com'' to variable	0.00s
And User has p				301.00s
			IAIL" with Email button	69.89s
	ers registration	details		31.25s
FirstName I				
LastName T				
	S{PULSE_EMA	AIL}		
Password P				
	ntinue ''Sign_U	p'' button		3.93s
Then I wait for				10.03s
		app for user	email "\${PULSE_EMAIL}"	53.07s
Then I wait for				5.01s
	'mobile numb	er'' in welcoi	me to pulse	5.23s
	ber 98678419			
	continue butto			9.71s
And I choose m	iy wellness goal	ls under welli	ness plan screen	9.83s

```
at jdk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164)
at com.onepulse.app.screens.PulseRegistrationScreen.selectWellnessPackage
(PulseRegistrationScreen.java:863)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.
iChooseMyWellnessGoalsUnderWellnessPlanScreen(RegistrationSteps.java:201)
at .And I choose my wellness goals under wellness plan screen(features/sg/health/dietician
/Medicine Remainder.feature:22)
```

11110 1 011011	the continue l	Dutton	0.00s
And I enter	my height an	nd weight details	0.00s
And I click of	on Calculate	BMI button	0.00s
And I click t	the continue	button	0.00s
And I select	the "How ac	tive are you?" in doing exercise	0.00s
And I click t	the continue	button	0.00s
And I select	my favorite	food dietary	0.00s
And I click t	the continue	button	0.00s
And I answe	er as ''Yes'' to	o ''Any Food allergies?''	0.00s
And I click t	the continue	button	0.00s
And I verify	that "Track	ing your activity is trending" is displayed	0.00s
And I click t	the continue	button	0.00s
And I see th	at ''Welcome	e to Pulse'' text is displayed	0.00s
	the continue		0.00s
And I see th	at fitness sub	scription exclusive offers screen is displayed	0.00s
And I click o	on close icon		0.00s
Then I click	skip buttons		0.00s
Then user sl	hould be land	led to "Home" screen	0.00s
,	nobile number? tering your mobile		
Phone Number What's your m Please start by ent phone number	tering your mobile	ne	
Phone Number What's your m Please start by ent phone number	tering your mobile	ne	
What's your m Please start by ent phone number +65 98678	Doi 2 3 ABC DEF	ne	
Phone Number What's your m Please start by ent phone number +65 98678	Doi 2 3 DEF 5 6 MNO 8 9		
Phone Number What's your m Please start by ent phone number +65 98678	Doll 2 3 ABC DEF 5 6 JKL MNO 8 9 TUV	ne	
Phone Number What's your m Please start by ent phone number +65 98678	Doi 2 3 DEF 5 6 MNO 8 9		
Phone Number What's your m Please start by ent phone number +65 98678	Doll 2 3 ABC DEF 5 6 JKL MNO 8 9 TUV		
Phone Number What's your m Please start by ent phone number +65 98678	Doll 2 3 ABC DEF 5 6 JKL MNO 8 9 TUV		0.00s
Phone Number What's your m Please start by ent phone number +65 98678	Dollars Service Servic		0.00s
Phone Number What's your m Please start by ent phone number +65 98678 1 4 9H1 7 PORS + * #	Dol 2 3 DEF 5 6 MNO 8 9 WXYZ O S		0.00s
Phone Number What's your m Please start by ent phone number +65 98678. 1 4 6H1 7 PQ#S + * #	Doi 2 3 ABC DEF 5 6 MNO 8 9 WXYZ 0 Contents Ty User shoul	d be able to navigate to Dietician page	
Phone Number What's your m Please start by ent phone number +65 98678 1 4 9H1 7 PORS +*# ter ek to Table of Cenario: Verification of Cenario	Doi 2 3 ABC DEF 5 6 MNO 8 9 WXYZ 0 Contents Ty User shoul		Duration: 12.67
Phone Number What's your m Please start by ent phone number +65 98678 1 4 9H1 7 Pass + * #	Dollars String your mobile 2 3 5 6 MNO 8 9 WXYZ 0 X Contents Ty User should	d be able to navigate to Dietician page	

```
org.openqa.selenium.NoSuchElementException: An element could not be located on the page
using the given search parameters.
For documentation on this error, please visit: http://seleniumhq.org/exceptions
/no such element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:1431:619d:cf34:9788%en0',
os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java client.ios.IOSDriver
Capabilities {automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.
uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true,
locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout:
10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.3,
takesScreenshot: true, udid: 9f8564dc07bca132956423afd6c..., webStorageEnabled: false}
Session ID: 609e269c-0abc-46e3-bc34-8cc960e3517e
*** Element info: {Using=xpath, value=//XCUIElementTypeOther[@label='Health']}
at jdk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.jaya client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
```

at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java: 19)

at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164)

at com.onepulse.app.screens.CustomerConnectScreen.HealthIcons(CustomerConnectScreen.java:1349)

at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.Healthicons (CustomerConnectSteps.java:411)

at .Then I click the Health icon in Home screen(features/sg/health/dietician/Medicine_Remainder.feature:53)

And I clicks on click here icon in medical Remainder	0.00s
Then I wait for 3 sec	0.00s
And I clicks on "Add New Reminder" in app screens	0.00s
And I Enter the "Enter Medicine Name" in "GAS" in home screen	0.00s
And I click the Medicine Info field	0.00s
And I clicks on Schdule Field in Add medicine screen	0.00s
And I clicks on "Select Strength/Unit" in app screens	0.00s
And I clicks on "Tablet (unit)" in app screens	0.00s
And I clicks on Next icon in app screens	0.00s
And I verify following text displayed in Add medicine screen	0.00s

Frequency
Dosage Timing
Start Date

And I clicks on Timing in Add medcine screen	0.00s
And I clicks on "Before meal" in app screens	0.00s
And I clicks on Next icon in app screens	0.00s



Diago start by entering your mobile


Please start by entering your mobile phone number

+65 986784193

		Done
1	2	3
4	5	6 MNO
7 PORS	8	9 wxyz
+ * #	0	(*)

After 0.00s

sed: 0	Failed: 1	Undefined: 23	Duration: 9.
fore			0.00s
And I verify follo	owing text displayed	in Add medicine screen	9.05s
More Setting			71000
112020 00000			
iava.lang.Asserti	ionError: The follow	ing asserts failed:	
More Setting tex	t is displayed on page	e expected [true] but found [false]	
		All(SoftAssert.java:43)	
	app.stepdefinitions.n	${\bf nobile steps. My Doc Steps. Verify Add Med}$	licine(MyDocSt
java:885)	fallowing toxt display	alim Add modicing covern(features/cg/l	- colth/dictioion
	ionowing text display ainder.feature:74)	red in Add medicine screen(features/sg/h	1earm/dieucian
		RMAL" in home screen	0.00s
		you have in your stock?" in "10" in	
dynamic Experie			0.00s
Then I wait for 3			0.00s
	Done button in Add r	medicine screen	0.00s
	owing texts are displa		0.00s
GAS added su			
	'Add another Med'' i	n ann screens	0.00s
		me" in "GAS" in home screen	0.00s
	Aedicine Info field		0.00s
	Schdule Field in Add	medicine screen	0.00s
	'Select Strength/Unit		0.00s
And I clicks on '	'Tablet (unit)'' in app	screens	0.00s
And I clicks on N	Next icon in app scree	ens	0.00s
And I verify follo	owing text displayed	in Add medicine screen	0.00s
Frequency			
Dosage Timin	ıg		
Start Date			
And I clicks on T	Timing in Add medcii	ne screen	0.00s
And I clicks on "	'Before meal'' in app	screens	0.00s
And I clicks on N	Next icon in app scree	ens	0.00s
		in Add medicine screen	0.00s
More Setting			
And I Enter the	"Condition" in "NO	RMAL" in home screen	0.00s
		you have in your stock?" in "10" in	
dynamic Experie			0.00s
	3 sec		0.00s
Then I wait for 3			
	Done button in Add n	medicine screen	0.00s



After			0.00s			
Back to Table of Contents						
Scenario: Verify User should be able to navigate to Dietician page						
Passed: 0	Failed: 1	Undefined: 18	Duration: 36.29s			
Before			0.00s			
And I Enter the "Enter Medicine Name" in "GAS" in home screen 36.29s						

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:1431:619d:cf34:9788%en0',

os.name: 'Mac OS X', os.arch: 'x86 64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.ios.IOSDriver

Capabilities {automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.

uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true,

locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout:

10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.3,

takesScreenshot: true, udid: 9f8564dc07bca132956423afd6c..., webStorageEnabled: false}

Session ID: 609e269c-0abc-46e3-bc34-8cc960e3517e

*** Element info: {Using=xpath, value=//XCUIElementTypeOther[@name=''Enter Medicine Name'']/XCUIElementTypeTextField}

at jdk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance

(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException

```
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
iava:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.jos.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java;261)
at com.onepulse.app.screens.CustomerConnectScreen.Enternames(CustomerConnectScreen.
iava:1816)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.
i Enter the in in home screen(CustomerConnectSteps.java:566)
at .And I Enter the "Enter Medicine Name" in "GAS" in home screen(features/sg/health
/dietician/Medicine Remainder.feature:108)
```

And I clicks on Timing	in Add medcine s	screen	0.00s
And I clicks the start D	ate in Calendar f	ield	0.00s
And I clicks on "Okay"	' in app screens		0.00s
And I clicks on "Before		reens	0.00s
And I clicks on Next ico			0.00s
And I Enter the "Cond	lition'' in ''NORM	IAL'' in home screen	0.00s
		ı have in your stock?" in "10" in	0.00
dynamic Experience scr	reen		0.00s
Then I wait for 3 sec			0.00s
And I clicks the Done b	outton in Add med	dicine screen	0.00s
And I verify following t	texts are displaye	d	0.00s
GAS added successf	fully!		
And I clicks on Not nov	w icon in app scre	een	0.00s
And I click the Back bu			0.00s
1 2 3 3 DEI	o o o		
fter			0.00s
ack to Table of Contents			
cenario: Verify User shot			
ssed: 1	Failed: 1	Undefined: 0	Duration: 17.47s
efore			0.00s
When I scroll down			6.57s
And I click the calendar	r in Health tab		10.90s
org.openqa.selenium.Nousing the given search p		cception: An element could not be	located on the page

```
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:1431:619d:cf34:9788%en0',
os.name: 'Mac OS X', os.arch: 'x86 64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.
uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true,
locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout:
10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.3,
takesScreenshot: true, udid: 9f8564dc07bca132956423afd6c..., webStorageEnabled: false}
Session ID: 609e269c-0abc-46e3-bc34-8cc960e3517e
*** Element info: {Using=xpath, value=(//XCUIElementTypeOther[@name=''Medicine
Reminder Track and set reminder daily medicine. Click Here That's all for now!"])[3]
/XCUIElementTypeOther[13]/XCUIElementTypeOther/XCUIElementTypeOther}
at jdk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
```


at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164) at com.onepulse.app.screens.DieticianScreen.Calendar icon(DieticianScreen.java:407) at com.onepulse.app.stepdefinitions.mobilesteps.DieticianSteps.Calendar_Health (DieticianSteps.java:205) at .And I click the calendar in Health tab(features/sg/health/dietician/Medicine_Remainder. feature:139) Phone Numb What's your mobile number? Please start by entering your mobile phone number 986784193 Done 2 5 4 6 MNO 7 8 9 wxyz 0 $\langle x \rangle$ 0.00sAfter **Back to Table of Contents** Feature: Verify that user can locate near by Hospitals, clinics using PruShoppe Location feature Failed: 2 Undefined: 0 Duration: 241.38s Passed: 0 Scenario: User should be able to locate Hospitals using PruShoppe location Duration: 129.51 Failed: 1 Passed: 5 **Undefined: 14** Before 0.00s18.24s Given User has pulse app And user click on "CONTINUE WITH GOOGLE" with Google button 52.65s And I click the "Email" in Continue with Gmail 12.42s Emailid **\$**{facebook.text} Password pulsesgqa@123 Then user should be landed home screen 12.23s When I clicks on Health button 6.48s Then I clicks on Location button 27.50s org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters. For documentation on this error, please visit: http://seleniumhq.org/exceptions

```
/no such element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:1431:619d:cf34:9788%en0',
os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.
uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true,
locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout:
10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.3,
takesScreenshot: true, udid: 9f8564dc07bca132956423afd6c..., webStorageEnabled: false}
Session ID: e6194517-4835-47e2-821b-8cb106b1d986
*** Element info: {Using=xpath, value=}
at jdk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164)
```

at com.onepulse.app.screens.PulseHealthScreen.clickLocationButton(PulseHealthScreen.java: 99) at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.iClicksOnLocationButton (LocationSteps.java:29) at .Then I clicks on Location button(features/sg/health/locator/PruShoppeLocation.feature:32) pulse 90 Locator W After 0.00s**Back to Table of Contents** Scenario: User should be able to locate cli using PruShoppe location Duration: 111.87 Failed: 1 Passed: 5 **Undefined: 8**

fore	0.00s
Given User has pulse app	18.15s
And user click on "CONTINUE WITH GOOGLE" with Google button	45.06s
And I click the "Email" in Continue with Gmail	13.56s
Emailid \${facebook.text}	
Password pulsesgqa@123	
Then user should be landed home screen	1.460
	4.46s
Then I clicks on Health button	5.01s
Then I clicks on Location button	25.63s
org.openqa.selenium.NoSuchElementException: An element could not be loc	ated on the pag
using the given search parameters.	
For documentation on this error, please visit: http://seleniumhq.org/exceptio	ns
/no_such_element.html	1071
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26. System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:1431:619	
os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11	
Driver info: io.appium.java_client.ios.IOSDriver	.0.10
Capabilities {automationName: XCUITest, browserName: , bundleId: com.p	rudential.pulse
uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true	
locationContextEnabled: false, networkConnectionEnabled: false, newComm	
10000, noReset: false, platform: MAC, platformName: iOS, platformVersion	
takesScreenshot: true, udid: 9f8564dc07bca132956423afd6c, webStorageEn	
Session ID: d08b7c10-2e42-4c55-be88-20a28ae47105	
*** Element info: {Using=xpath, value=}	
at jdk. internal.reflect. Generated Constructor Accessor 17. new Instance (Unknown) at jdk. internal.reflect. Generated Constructor Accessor 17. new Instance (Unknown) at jdk. (Unknown) (Unkn	
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newIns	tance
(DelegatingConstructorAccessorImpl.java:45)	
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490	
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException	0 n
(W3CHttpResponseCodec.java:187)	
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)	
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode	
(W3CHttpResponseCodec.java:49)	
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpComm	andExecutor.ia
158)	
at io.appium.java_client.remote.AppiumCommandExecutor.execute	
(AppiumCommandExecutor.java:231)	
$at\ org. open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver. execute) and the property of the property$	
$\textbf{at io.} \textbf{appium.} \textbf{java_} \textbf{client.} \textbf{DefaultGenericMobileDriver.} \textbf{execute} \textbf{(DefaultGenericMobileDriver.} (Defaul$	icMobileDriver
java:42)	
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)	
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)	D
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWeb	Driver.java:31'
at io.appium.java_client.DefaultGenericMobileDriver.findElement	
(DefaultGenericMobileDriver.java:62)	
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)	
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(Re	

java:419) at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152) at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.jat io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:1o.appium.java_client.DefaultGenericMobileDriver.findElement (DefaultGenericMobileDriver.java:58) at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1) at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Commands.jat com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCompand)	iver.java:309) java:141)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164 at com.onepulse.app.screens.PulseHealthScreen.clickLocationButton(PulseHeage) at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.iClicksOnLocationSteps.java:29)	althScreen.java:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164 at com.onepulse.app.screens.PulseHealthScreen.clickLocationButton(PulseHeage) 99) at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.iClicksOnLocationSteps.iClicksO	althScreen.java:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164 at com.onepulse.app.screens.PulseHealthScreen.clickLocationButton(PulseHealthScreen.clickLocationButton(PulseHealthScreen.clickLocationButton(PulseHealthScreen.clickLocationButton(PulseHealthScreen.clickLocationSteps.iClicksOnLocationSteps.java:29) at .Then I clicks on Location button(features/sg/health/locator/PruShoppeLocationButton(Pr	althScreen.java: tionButton ation.feature:56)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164 at com.onepulse.app.screens.PulseHealthScreen.clickLocationButton(PulseHeage)) at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.iClicksOnLocat(LocationSteps.java:29) at .Then I clicks on Location button(features/sg/health/locator/PruShoppeLocationIclicks on Search here text field	tionButton ation.feature:56)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164 at com.onepulse.app.screens.PulseHealthScreen.clickLocationButton(PulseHealthScreen.clickLocationButton(PulseHealthScreen.clickLocationButton(PulseHealthScreen.clickLocationSteps.iClicksOnLocationSteps.java:29) at .Then I clicks on Location button(features/sg/health/locator/PruShoppeLocationIclicks on Search here text field And I clicks on "Clinics" under Pulse Search	tionButton tion.feature:56) 0.00s 0.00s 0.00s
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164 at com.onepulse.app.screens.PulseHealthScreen.clickLocationButton(PulseHeage) at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.iClicksOnLocat (LocationSteps.java:29) at .Then I clicks on Location button(features/sg/health/locator/PruShoppeLocat When I clicks on Search here text field And I clicks on "Clinics" under Pulse Search Then User can see the list of "Clinics" near by to user's current location And User can see that Call, Navigate and See Details links are displayed under	tionButton tion.feature:56) 0.00s 0.00s
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164 at com.onepulse.app.screens.PulseHealthScreen.clickLocationButton(PulseHea 99) at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.iClicksOnLocat (LocationSteps.java:29) at .Then I clicks on Location button(features/sg/health/locator/PruShoppeLocat When I clicks on Search here text field And I clicks on "Clinics" under Pulse Search Then User can see the list of "Clinics" near by to user's current location And User can see that Call, Navigate and See Details links are displayed under "Clinics" search results	tionButton tion.feature:56) 0.00s 0.00s 0.00s
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164 at com.onepulse.app.screens.PulseHealthScreen.clickLocationButton(PulseHea 99) at com.onepulse.app.stepdefinitions.mobilesteps.LocationSteps.iClicksOnLocat (LocationSteps.java:29) at .Then I clicks on Location button(features/sg/health/locator/PruShoppeLocat When I clicks on Search here text field And I clicks on "Clinics" under Pulse Search Then User can see the list of "Clinics" near by to user's current location And User can see that Call, Navigate and See Details links are displayed under "Clinics" search results When I clicks on See Details button on First result Then I can see the "Clinic" Information screen with Navigate and Call Now	tionButton tion.feature:56) 0.00s 0.00s 0.00s 0.00s



	Notification Cent				
sed: 1	Failed: 4	Undefined		Duration: 475.62s	
Scenario: Ver	ify User should 1	oe able to regis	ter on app usin	g email account	D 4 22
Passed: 9	Failed	l: 1	Undefined:	0	Duration: 334
Before					0.00s
	nerate random n M_NUMBER''	umber and ass	sign to variable		0.01s
And I assig		DOM_NUMBI	E R }@mailsac.c	om'' to variable	0.00s
Given User	has pulse app				19.56s
And user c	lick on "CONTI	NUE WITH E	MAIL" with E	mail button	70.09s
When user	enters registrati	ion details			26.15s
FirstNa	me Notification				
LastNaı	ne CenterTest				
Email	\${PULSE_E	MAIL}			
Passwoi	d Pas\$1234				
And taps o	n continue ''Sigr	_Up" button			4.61s
And I enter	r OTP in one pu	lse app for use	r email ''\${PUI	LSE_EMAIL}"	55.87s
Then I clic	k skip button				127.88s
Then I wai	t for 15 sec				15.02s
(D)	should be landed	l to !'Home!' go	эмоом		15.45s


java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:94) at org.testng.Assert.failNotEquals(Assert.java:513) at org.testng.Assert.assertTrue(Assert.java:42) at org.testng.Assert.assertTrue(Assert.java:52) at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.landingPageValidation (LoginSteps.java:92) at .Then user should be landed to "Home" screen(features/sg/home/NotificationCenter.feature: **18**) What's your mobile number? Done 5 6 MNO 7 8 9 wxyz + * # 0 \otimes After 0.00s**Back to Table of Contents** Scenario: Verify User should be able navigate to Notification Center Undefined: 0 Passed: 1 Failed: 0 Duration: 27.75s 0.00sBefore Then I navigate to notification center page 27.75s After 0.00s**Back to Table of Contents** Scenario: Verify User should be able to see the Notification screen texts Passed: 0 Failed: 1 Undefined: 0 Duration: 19.74s Before 0.00s19.74s And I verify following texts are displayed No Notifications Yet You do not have any notifications yet, check this section regularly for any updates. java.lang.AssertionError: The following asserts failed: No Notifications Yet text is displayed on page expected [true] but found [false],

You do not have any notifications yet, check this section regularly for any updates. text is displayed on page expected [true] but found [false]

at org.testng.asserts.SoftAssert.assertAll(SoftAssert.java:43)

at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.verifyTextsOnScreen (MyDocSteps.java:717)

at .And I verify following texts are displayed(features/sg/home/NotificationCenter.feature:25)



After			0.00s
Back to Table of Contents			
Scenario: Verify User sho	ould be able to lo	ogin using already registered c	redentials
Passed: 1	Failed: 1	Undefined: 5	Duration: 71.08s
Before			0.00s
C' III III III			10.71

Given User has pulse app 18.51s When I navigate to login page 52.58s

org.openga.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions /no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:1431:619d:cf34:9788%en0',

os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.ios.IOSDriver

Capabilities {automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.

uat, databaseEnabled: false, deviceName: iOS-Test, jayascriptEnabled: true,

locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout:


10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.3,

takesScreenshot: true, udid: 9f8564dc07bca132956423afd6c..., webStorageEnabled: false}

Session ID: 04905d2a-7bff-487a-8185-1c2c971b018b

```
*** Element info: {Using=xpath, value=//XCUIElementTypeOther[@label='Home']}
at idk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164)
at com.onepulse.app.screens.PulseLoginScreen.clickSignOut(PulseLoginScreen.java:347)
at com.onepulse.app.screens.PulseRegistrationScreen.navigateToLoginPage
(PulseRegistrationScreen.java:809)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iNavigateToLoginPage
(LoginSteps.java:269)
at .When I navigate to login page(features/sg/home/NotificationCenter.feature:32)
   JserName ${PULSE_EMAIL
```

Then I wait for 10 sec	0.00s
And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	0.00s
Then user should be landed to "Home" screen	0.00s



Aft	ter			0.00s
Bac	ck to Table of Contents			
Sce	enario: Verify User sho	ould be able navi	igate to Notification Center	
Pas	sed: 2	Failed: 1	Undefined: 2	Duration: 22.39s
Bet	fore			0.00s
	Then I navigate to not	ification center j	page	17.59s
	Then I handle the puls	se mate popup		0.87s
	Then I navigate to not	ification center	page	3.93s

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no such element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:1431:619d:cf34:9788%en0',

os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.ios.IOSDriver

Capabilities {automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.

uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true,

locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout:


10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.3,

takesScreenshot: true, udid: 9f8564dc07bca132956423afd6c..., webStorageEnabled: false}

Session ID: 04905d2a-7bff-487a-8185-1c2c971b018b

*** Element info: {Using=xpath, value=//XCUIElementTypeImage/preceding::

```
XCUIElementTypeOther[1]
at idk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164)
at com.onepulse.app.screens.PulseManageProfileScreen.navigateToMyNotifications
(PulseManageProfileScreen.java:1283)
at com.onepulse.app.stepdefinitions.mobilesteps.EditProfileSteps.
iNavigateToNotificationCenterPage(EditProfileSteps.java:343)
at .Then I navigate to notification center page(features/sg/home/NotificationCenter.feature:44)
```



eatu	re:	Verify My	Content	t functionalit	ty on one pu	ulse App		
ssed	: 0]	Failed: 7	1	Undefined: 0		Duration: 194.42s	
Sc	ena	rio Outline	e: Verify	the Home s	creen valid	ation using "C	Continue with Email'	1
Pas	ssed:	: 4		Failed: 1		Undefined: 30		Duration: 103.5s
Be	fore	e						0.00s
		ven I genei ANDOM_		dom number ER''	and assign	to variable		0.01s
		d I assign ULSE_EM	-	{RANDOM_	NUMBER	}@mailsac.con	n" to variable	0.00s
	An	d User has	s pulse a	pp				16.60s
	An	d user clic	k on "C	ONTINUE V	WITH EMA	AIL" with Em	ail button	52.81s
	Wh	nen user er	nters reg	istration det	tails			34.07s
		FirstName	Diet					
		LastName	Test					
		Email	\${PUL	SE_EMAIL	}			
		Password	Pas\$12	34				

For documentation on this error, please visit: http://seleniumhq.org/exceptions

/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:1431:619d:cf34:9788%en0',

os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

```
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.
uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true,
locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout:
10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.3,
takesScreenshot: true, udid: 9f8564dc07bca132956423afd6c..., webStorageEnabled: false}
Session ID: 40eec28e-0589-4aa8-a5f5-2f6118eb5a7a
*** Element info: {Using=xpath, value=//XCUIElementTypeStaticText[@name='First Name /
Given Name']//following::XCUIElementTypeTextField[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:261)
at com.onepulse.app.screens.PulseRegistrationScreen.enterRegistrationDetails
(PulseRegistrationScreen.java:201)
at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.enterRegistrationDetails
```

nd taps on continue ''Sign_Up'' button	yContent.feature:9)
then I wait for 10 sec	0.00s
nd I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	0.00s
hen I wait for 5 sec	0.00s
nd I enter the ''mobile number'' in welcome to pulse	0.00s
mobileNumber 98678419	0.005
and I click the continue button	0.00s
nd I choose my wellness goals under wellness plan screen	0.00s
nd I click the continue button	0.00s
nd I click the date in Date of Birth field	0.00s
nd I click the Done icon	0.00s
nd I click the continue button	0.00s
nd I select the Male icon	0.00s
nd I click the continue button	0.00s
nd I enter my height and weight details	0.00s
nd I click on Calculate BMI button	0.00s
nd I click the continue button	0.00s
nd I select the "How active are you?" in doing exercise	0.00s
nd I click the continue button	0.00s
nd I select my favorite food dietary	0.00s
nd I click the continue button	0.00s
nd I answer as "Yes" to "Food Allergies are common?"	0.00s
nd I click the continue button	0.00s
nd I verify that "Tracking your activity is trending" is displayed	0.00s
nd I click the continue button	0.00s
nd I see that "Welcome to Pulse" text is displayed	0.00s
nd I click the continue button	0.00s
nd I see that fitness subscription exclusive offers screen is displayed	0.00s
nd I click on close icon	0.00s
hen I click skip buttons	0.00s
hen user should be landed home screen	0.00s



sexies			
After			0.00s
Back to Table of Contents	1		
Scenario: Verify User	should be able to	navigate to Health channel page	
Passed: 0	Failed: 1	Undefined: 2	Duration: 39.84s
Before			0.00s
And I clicks on "C	content" in app sc	reen	39.84s

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:1431:619d:cf34:9788%en0',

os.name: 'Mac OS X', os.arch: 'x86 64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.ios.IOSDriver

Capabilities {automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.

uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true,

locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout:

10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.3,

takesScreenshot: true, udid: 9f8564dc07bca132956423afd6c..., webStorageEnabled: false}

Session ID: 40eec28e-0589-4aa8-a5f5-2f6118eb5a7a

*** Element info: {Using=xpath, value=//XCUIElementTypeOther[@name=''Content'']}

at jdk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance

(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException

```
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164)
at com.onepulse.app.screens.CustomerConnectScreen.clickButton(CustomerConnectScreen.
java:1714)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickUploadIcon
(CustomerConnectSteps.java:533)
at .And I clicks on "Content" in app screen(features/sg/home/mycontent/MyContent.feature:
```



strides!			
After			0.00s
Back to Table of Con	<u>tents</u>		
Scenario: Verify I	U <mark>ser should be able to</mark>	Like the post	
Passed: 0	Failed: 1	Undefined: 3	Duration: 7.92s
Before			0.00s
And I read the	Post count data in Co	vid-19 screen	7.92s

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no-such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:1431:619d:cf34:9788%en0',

os.name: 'Mac OS X', os.arch: 'x86 64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.ios.IOSDriver

Capabilities {automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.

uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true,

locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout:

10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.3,

takesScreenshot: true, udid: 9f8564dc07bca132956423afd6c..., webStorageEnabled: false}

Session ID: 40eec28e-0589-4aa8-a5f5-2f6118eb5a7a

*** Element info: {Using=xpath, value=}

at jdk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source)


at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance

(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException

	a. selenium. remote. http. W3 CHttpResponse Codec. decoder consistency of the constant of th	7440
	esponseCodec.java:122)	
	a. selenium. remote. http. W3CHttpResponseCodec. decoder and the contraction of the con	ode
	esponseCodec.java:49)	
~	${\bf a. selenium. remote. Http Command Executor. execute (Heisenberg)} \\$	ttpCommandExecutor.java:
158)	.java_client.remote.AppiumCommandExecutor.execu	40
	.java_chent.remote.ApplumCommandExecutor.execu nmandExecutor.java:231)	te
· •	a.selenium.remote.RemoteWebDriver.execute(Remote	WehDriver.iava:543)
	.java_client.DefaultGenericMobileDriver.execute(Defa	
java:42)	• • • • • • • • • • • • • • • • • • •	
•	.java_client.AppiumDriver.execute(AppiumDriver.jav	va:1)
	.java_client.ios.IOSDriver.execute(IOSDriver.java:1)	
	a.selenium.remote.RemoteWebDriver.findElement(Re	
· · · · · · · · · · · · · · · · ·	$. java_client. Default Generic Mobile Driver. find Element$	t
	ericMobileDriver.java:62)	
	.java_client.AppiumDriver.findElement(AppiumDriver.findElement)	
·	.java_client.ios.IOSDriver.findElement(IOSDriver.jav	
	a.selenium.remote.RemoteWebDriver.findElementBy	XPath(RemoteWebDriver.
java:419)		(D VD 4)
	.java_client.DefaultGenericMobileDriver.findElement	tByXPath
No.	ericMobileDriver.java:152)	sium Duivan iawa 1)
	.java_client.AppiumDriver.findElementByXPath(App .java_client.ios.IOSDriver.findElementByXPath(IOSI	and the contract of the contra
au io.auviuiii.	.java chem.ios.iosbiivei.imubiemembyAi am(1051	
		Jiivei.java.i)
at org.openqa	a.selenium.By\$ByXPath.findElement(By.java:353)	
at org.openqa at org.openqa	a.selenium.By\$ByXPath.findElement(By.java:353) a.selenium.remote.RemoteWebDriver.findElement(Re	emoteWebDriver.java:309)
at org.openqa at org.openqa at io.appium.	a.selenium.By\$ByXPath.findElement(By.java:353) a.selenium.remote.RemoteWebDriver.findElement(Re .java_client.DefaultGenericMobileDriver.findElement	emoteWebDriver.java:309)
at org.openqa at org.openqa at io.appium, (DefaultGene	a.selenium.By\$ByXPath.findElement(By.java:353) a.selenium.remote.RemoteWebDriver.findElement(Ro.java_client.DefaultGenericMobileDriver.findElementericMobileDriver.findElementericMobileDriver.java:58)	emoteWebDriver.java:309)
at org.openqa at org.openqa at io.appium. (DefaultGene at io.appium,	a.selenium.By\$ByXPath.findElement(By.java:353) a.selenium.remote.RemoteWebDriver.findElement(Ro.java_client.DefaultGenericMobileDriver.findElementericMobileDriver.java:58) .java_client.AppiumDriver.findElement(AppiumDriver.	emoteWebDriver.java:309) t er.java:1)
at org.openqa at org.openqa at io.appium. (DefaultGene at io.appium, at io.appium,	a.selenium.By\$ByXPath.findElement(By.java:353) a.selenium.remote.RemoteWebDriver.findElement(Ro.java_client.DefaultGenericMobileDriver.findElementericMobileDriver.findElementericMobileDriver.java:58)	emoteWebDriver.java:309) t er.java:1)
at org.openqa at org.openqa at io.appium, (DefaultGene at io.appium, at io.appium, at com.onepu	a.selenium.By\$ByXPath.findElement(By.java:353) a.selenium.remote.RemoteWebDriver.findElement(Re.java_client.DefaultGenericMobileDriver.findElement ericMobileDriver.java:58) .java_client.AppiumDriver.findElement(AppiumDriver.java_client.ios.IOSDriver.java	emoteWebDriver.java:309) t er.java:1) va:1) asePage.java:255)
at org.openqa at org.openqa at io.appium, (DefaultGene at io.appium, at com.onepu at com.onepu (CustomerCo	a.selenium.By\$ByXPath.findElement(By.java:353) a.selenium.remote.RemoteWebDriver.findElement(Ro.java_client.DefaultGenericMobileDriver.findElement ericMobileDriver.java:58) .java_client.AppiumDriver.findElement(AppiumDriver.java_client.ios.IOSDriver.findElement(IOSDriver.javalse.app.screens.TestBasePage.getElementText(TestBatlse.app.screens.CustomerConnectScreen.readLikeCoonnectScreen.java:1204)	emoteWebDriver.java:309) t er.java:1) va:1) asePage.java:255) unt
at org.openqa at org.openqa at io.appium, (DefaultGene at io.appium, at com.onepu at com.onepu (CustomerCo at com.onepu	a.selenium.By\$ByXPath.findElement(By.java:353) a.selenium.remote.RemoteWebDriver.findElement(Ro.java_client.DefaultGenericMobileDriver.findElementericMobileDriver.java:58) .java_client.AppiumDriver.findElement(AppiumDrive.java_client.ios.IOSDriver.findElement(IOSDriver.javalse.app.screens.TestBasePage.getElementText(TestBalse.app.screens.CustomerConnectScreen.readLikeConnectScreen.java:1204) ulse.app.stepdefinitions.mobilesteps.CustomerConnect	emoteWebDriver.java:309) t er.java:1) va:1) asePage.java:255) unt
at org.openqa at org.openqa at io.appium, (DefaultGene at io.appium, at com.onepu at com.onepu (CustomerCo at com.onepu iReadThePos	a.selenium.By\$ByXPath.findElement(By.java:353) a.selenium.remote.RemoteWebDriver.findElement(Ro.java_client.DefaultGenericMobileDriver.findElement ericMobileDriver.java:58) .java_client.AppiumDriver.findElement(AppiumDrive.java_client.ios.IOSDriver.findElement(IOSDriver.javalse.app.screens.TestBasePage.getElementText(TestBalse.app.screens.CustomerConnectScreen.readLikeConnectScreen.java:1204) alse.app.stepdefinitions.mobilesteps.CustomerConnectstLikeCount(CustomerConnectSteps.java:363)	emoteWebDriver.java:309) t er.java:1) va:1) asePage.java:255) unt tSteps.
at org.openqaat org.openqaat org.openqaat io.appium, at io.appium, at com.onepuat .And I read	a.selenium.By\$ByXPath.findElement(By.java:353) a.selenium.remote.RemoteWebDriver.findElement(Ro.java_client.DefaultGenericMobileDriver.findElementericMobileDriver.java:58) .java_client.AppiumDriver.findElement(AppiumDrive.java_client.ios.IOSDriver.findElement(IOSDriver.javalse.app.screens.TestBasePage.getElementText(TestBalse.app.screens.CustomerConnectScreen.readLikeConnectScreen.java:1204) ulse.app.stepdefinitions.mobilesteps.CustomerConnect	emoteWebDriver.java:309) t er.java:1) va:1) asePage.java:255) unt tSteps.
at org.openqa at org.openqa at io.appium, (DefaultGene at io.appium, at com.onepu at com.onepu (CustomerCo at com.onepu iReadThePos at .And I read feature:62)	a.selenium.By\$ByXPath.findElement(By.java:353) a.selenium.remote.RemoteWebDriver.findElement(Ro.java_client.DefaultGenericMobileDriver.findElement ericMobileDriver.java:58) .java_client.AppiumDriver.findElement(AppiumDrive.java_client.ios.IOSDriver.findElement(IOSDriver.javalse.app.screens.TestBasePage.getElementText(TestBalse.app.screens.CustomerConnectScreen.readLikeConnectScreen.java:1204) alse.app.stepdefinitions.mobilesteps.CustomerConnectstLikeCount(CustomerConnectSteps.java:363) d the Post count data in Covid-19 screen(features/sg/h	emoteWebDriver.java:309) t er.java:1) va:1) asePage.java:255) unt tSteps. come/mycontent/MyContent.
at org.openqaat org.openqaat org.openqaat io.appium, at io.appium, at io.appium, at com.onepu (CustomerCoat com.onepu iReadThePosat .And I readfeature:62) And I Like the	a.selenium.By\$ByXPath.findElement(By.java:353) a.selenium.remote.RemoteWebDriver.findElement(Ro.java_client.DefaultGenericMobileDriver.findElement(ericMobileDriver.java:58) .java_client.AppiumDriver.findElement(AppiumDrive.java_client.ios.IOSDriver.findElement(IOSDriver.javalse.app.screens.TestBasePage.getElementText(TestBalse.app.screens.CustomerConnectScreen.readLikeConnectScreen.java:1204) alse.app.stepdefinitions.mobilesteps.CustomerConnectstLikeCount(CustomerConnectSteps.java:363) d the Post count data in Covid-19 screen(features/sg/heppst	emoteWebDriver.java:309) t er.java:1) va:1) asePage.java:255) unt tSteps. come/mycontent/MyContent.
at org.openqaat org.openqaat org.openqaat io.appium, at io.appium, at io.appium, at com.onepu (CustomerCoat com.onepu iReadThePosat .And I readfeature:62) And I Like the	a.selenium.By\$ByXPath.findElement(By.java:353) a.selenium.remote.RemoteWebDriver.findElement(Ro.java_client.DefaultGenericMobileDriver.findElement ericMobileDriver.java:58) .java_client.AppiumDriver.findElement(AppiumDrive.java_client.ios.IOSDriver.findElement(IOSDriver.javalse.app.screens.TestBasePage.getElementText(TestBallse.app.screens.CustomerConnectScreen.readLikeConnectScreen.java:1204) alse.app.stepdefinitions.mobilesteps.CustomerConnectstLikeCount(CustomerConnectSteps.java:363) d the Post count data in Covid-19 screen(features/sg/hepost he Post cound after click the Like button	emoteWebDriver.java:309) t er.java:1) va:1) asePage.java:255) unt tSteps. come/mycontent/MyContent.



and a						
After			0.00s			
Back to Table of Contents						
Scenario: Verify User s	should be able to	Share the post				
Passed: 0	Failed: 1	Undefined: 1	Duration: 15.7s			
Before			0.00s			
And I share the pos	t		15.70s			

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no-such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:1431:619d:cf34:9788%en0',

os.name: 'Mac OS X', os.arch: 'x86 64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.ios.IOSDriver

Capabilities {automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.

uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true,

locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout:

10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.3,

takesScreenshot: true, udid: 9f8564dc07bca132956423afd6c..., webStorageEnabled: false}

Session ID: 40eec28e-0589-4aa8-a5f5-2f6118eb5a7a

*** Element info: {Using=xpath, value=(//XCUIElementTypeOther[@name=''Share''])[1]}

at jdk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source)


at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance

(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException

```
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164)
at com.onepulse.app.screens.WealthScreen.clickShareButton(WealthScreen.java:185)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iShareThePost(WealthSteps.java:
at .And I share the post(features/sg/home/mycontent/MyContent.feature:68)
```



3810001			
After			0.00s
Back to Table of Conter	<u>nts</u>		
Scenario: Verify Us	er should be able to	Comment the post	
Passed: 0	Failed: 1	Undefined: 3	Duration: 8.75s
Before			0.00s
And I read the C	Comment count in Co	ovid-19 screen	8.75s

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no-such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:1431:619d:cf34:9788%en0',

os.name: 'Mac OS X', os.arch: 'x86 64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.ios.IOSDriver

Capabilities {automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.

uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true,

locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout:

10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.3,

takesScreenshot: true, udid: 9f8564dc07bca132956423afd6c..., webStorageEnabled: false}

Session ID: 40eec28e-0589-4aa8-a5f5-2f6118eb5a7a

*** Element info: {Using=xpath, value=}

at jdk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance

(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException

(W3CHttpResponseCodec.java:	nttp.W3CHttpResponseCodec.decode				
	<u> 122)</u>				
	nttp.W3CHttpResponseCodec.decode				
(W3CHttpResponseCodec.java:	49)				
~	HttpCommandExecutor.execute(HttpC	CommandExecutor.java:			
158)					
	AppiumCommandExecutor.execute				
(AppiumCommandExecutor.jay					
	RemoteWebDriver.execute(RemoteWe				
	GenericMobileDriver.execute(Default	GenericMobileDriver.			
java:42)	D :	<u> </u>			
	nDriver.execute(AppiumDriver.java:1))			
	Driver.execute(IOSDriver.java:1)	(W.LD.:			
	RemoteWebDriver.findElement(Remote Constitution of the Constitutio	teWebDriver.java:517)			
at 10.appium.java_chent.Default (DefaultGenericMobileDriver.ja	GenericMobileDriver.findElement				
·	iva:02) nDriver.findElement(AppiumDriver.ja	pro-1)			
	Driver.findElement(IOSDriver.java:1)				
	RemoteWebDriver.findElementByXPa				
at org.openqa.selemum.remote.r java:419)	Xemote webbriver amuricinent by XI u	un(KemutevvenDriver.			
	ConcricMobileDriver findElementRy	VP 9th			
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath					
(DefaultGenericMobileDriver.ja					
`		Driver.iava:1)			
at io.appium.java_client.Appiun	nDriver.findElementByXPath(Appium	and the second of the second o			
at io.appium.java_client.ios.IOS	nDriver.findElementByXPath(Appium Driver.findElementByXPath(IOSDriv	and the second of the second o			
at io.appium.java_client.Appiun at io.appium.java_client.ios.IOS at org.openqa.selenium.By\$ByX	nDriver.findElementByXPath(Appium Driver.findElementByXPath(IOSDriv	er.java:1)			
at io.appium.java_client.Appium at io.appium.java_client.ios.IOS at org.openqa.selenium.By\$ByX at org.openqa.selenium.remote.I	nDriver.findElementByXPath(Appium Driver.findElementByXPath(IOSDriv Path.findElement(By.java:353)	er.java:1)			
at io.appium.java_client.Appium at io.appium.java_client.ios.IOS at org.openqa.selenium.By\$ByX at org.openqa.selenium.remote.I at io.appium.java_client.Default	nDriver.findElementByXPath(Appium Driver.findElementByXPath(IOSDriv Path.findElement(By.java:353) RemoteWebDriver.findElement(Remotement)	er.java:1)			
at io.appium.java_client.Appium at io.appium.java_client.ios.IOS at org.openqa.selenium.By\$ByX at org.openqa.selenium.remote.I at io.appium.java_client.Default (DefaultGenericMobileDriver.ja	nDriver.findElementByXPath(Appium Driver.findElementByXPath(IOSDriv Path.findElement(By.java:353) RemoteWebDriver.findElement(Remotement)	er.java:1) teWebDriver.java:309)			
at io.appium.java_client.Appium at io.appium.java_client.ios.IOS at org.openqa.selenium.By\$ByX at org.openqa.selenium.remote.H at io.appium.java_client.Default (DefaultGenericMobileDriver.ja at io.appium.java_client.Appiun	nDriver.findElementByXPath(Appium Driver.findElementByXPath(IOSDriv Path.findElement(By.java:353) RemoteWebDriver.findElement(Remot GenericMobileDriver.findElement (va:58)	er.java:1) teWebDriver.java:309) ava:1)			
at io.appium.java_client.Appium at io.appium.java_client.ios.IOS at org.openqa.selenium.By\$ByX at org.openqa.selenium.remote.F at io.appium.java_client.Default (DefaultGenericMobileDriver.ja at io.appium.java_client.Appium at io.appium.java_client.ios.IOS at com.onepulse.app.screens.Tes	nDriver.findElementByXPath(Appium Driver.findElementByXPath(IOSDriv Path.findElement(By.java:353) RemoteWebDriver.findElement(Remote GenericMobileDriver.findElement ava:58) nDriver.findElement(AppiumDriver.java:1) tBasePage.getElementText(TestBaseP	teWebDriver.java:309) ava:1) dage.java:255)			
at io.appium.java_client.Appium at io.appium.java_client.ios.IOS at org.openqa.selenium.By\$ByX at org.openqa.selenium.remote.Hat io.appium.java_client.Default (DefaultGenericMobileDriver.ja at io.appium.java_client.Appium at io.appium.java_client.ios.IOS at com.onepulse.app.screens.Tes at com.onepulse.app.screens.Cus	nDriver.findElementByXPath(Appium Driver.findElementByXPath(IOSDriv Path.findElement(By.java:353) RemoteWebDriver.findElement(Remote SenericMobileDriver.findElement ava:58) nDriver.findElement(AppiumDriver.java:1) stBasePage.getElementText(TestBasePatestomerConnectScreen.readCommentC	teWebDriver.java:309) ava:1) dage.java:255)			
at io.appium.java_client.Appium at io.appium.java_client.ios.IOS at org.openqa.selenium.By\$ByX at org.openqa.selenium.remote.Fat io.appium.java_client.Default (DefaultGenericMobileDriver.ja at io.appium.java_client.Appium at io.appium.java_client.ios.IOS at com.onepulse.app.screens.Tes at com.onepulse.app.screens.Cus (CustomerConnectScreen.java:1	nDriver.findElementByXPath(Appium Driver.findElementByXPath(IOSDriver) Path.findElement(By.java:353) RemoteWebDriver.findElement(Remote GenericMobileDriver.findElement ava:58) nDriver.findElement(AppiumDriver.java:1) stBasePage.getElementText(TestBasePatestomerConnectScreen.readCommentCl227)	er.java:1) teWebDriver.java:309) ava:1) lage.java:255) Count			
at io.appium.java_client.Appium at io.appium.java_client.ios.IOS at org.openqa.selenium.By\$ByX at org.openqa.selenium.remote.Fat io.appium.java_client.Default (DefaultGenericMobileDriver.ja at io.appium.java_client.Appium at io.appium.java_client.ios.IOS at com.onepulse.app.screens.Tes at com.onepulse.app.screens.Cus (CustomerConnectScreen.java:1 at com.onepulse.app.stepdefiniti	nDriver.findElementByXPath(Appium Driver.findElementByXPath(IOSDriv Path.findElement(By.java:353) RemoteWebDriver.findElement(Remote GenericMobileDriver.findElement ava:58) nDriver.findElement(AppiumDriver.java:1) stBasePage.getElementText(TestBasePastomerConnectScreen.readCommentCat227) ons.mobilesteps.CustomerConnectStep	er.java:1) teWebDriver.java:309) ava:1) cage.java:255) Count			
at io.appium.java_client.Appium at io.appium.java_client.ios.IOS at org.openqa.selenium.By\$ByX at org.openqa.selenium.remote.I at io.appium.java_client.Default (DefaultGenericMobileDriver.ja at io.appium.java_client.Appium at io.appium.java_client.ios.IOS at com.onepulse.app.screens.Tes at com.onepulse.app.screens.Cus (CustomerConnectScreen.java:1 at com.onepulse.app.stepdefiniti VerifyCommentPostClick(CustomerCostClick(CustomerCostClick(CustomestScreen.java:1)	nDriver.findElementByXPath(Appium Driver.findElementByXPath(IOSDriv Path.findElement(By.java:353) RemoteWebDriver.findElement(Remot GenericMobileDriver.findElement ava:58) nDriver.findElement(AppiumDriver.java:1) atBasePage.getElementText(TestBasePathetstomerConnectScreen.readCommentCl227) ons.mobilesteps.CustomerConnectSteptomerCon	er.java:1) teWebDriver.java:309) ava:1) cage.java:255) count ps.			
at io.appium.java_client.Appium at io.appium.java_client.ios.IOS at org.openqa.selenium.By\$ByX at org.openqa.selenium.remote.Fat io.appium.java_client.Default (DefaultGenericMobileDriver.ja at io.appium.java_client.Appium at io.appium.java_client.Appium at io.appium.java_client.ios.IOS at com.onepulse.app.screens.Tes at com.onepulse.app.screens.Cus (CustomerConnectScreen.java:1 at com.onepulse.app.stepdefiniti VerifyCommentPostClick(Customat.And I read the Comment cou	nDriver.findElementByXPath(Appium Driver.findElementByXPath(IOSDriv Path.findElement(By.java:353) RemoteWebDriver.findElement(Remote GenericMobileDriver.findElement ava:58) nDriver.findElement(AppiumDriver.java:1) stBasePage.getElementText(TestBasePastomerConnectScreen.readCommentCat227) ons.mobilesteps.CustomerConnectStep	er.java:1) teWebDriver.java:309) ava:1) cage.java:255) count ps.			
at io.appium.java_client.Appium at io.appium.java_client.ios.IOS at org.openqa.selenium.By\$ByX at org.openqa.selenium.remote.I at io.appium.java_client.Default(DefaultGenericMobileDriver.ja at io.appium.java_client.Appium at io.appium.java_client.Appium at io.appium.java_client.ios.IOS at com.onepulse.app.screens.Test at com.onepulse.app.screens.Cust(CustomerConnectScreen.java:1 at com.onepulse.app.stepdefinitit VerifyCommentPostClick(Customat.And I read the Comment coufeature:72)	nDriver.findElementByXPath(Appium Driver.findElementByXPath(IOSDriv Path.findElement(By.java:353) RemoteWebDriver.findElement(Remote GenericMobileDriver.findElement ava:58) nDriver.findElement(AppiumDriver.java:1) stBasePage.getElementText(TestBasePatheterstomerConnectScreen.readCommentCl227) ons.mobilesteps.CustomerConnectSteptomer	er.java:1) teWebDriver.java:309) ava:1) cage.java:255) count ps. e/mycontent/MyContent			
at io.appium.java_client.Appium at io.appium.java_client.ios.IOS at org.openqa.selenium.By\$ByX at org.openqa.selenium.remote.Fat io.appium.java_client.Default (DefaultGenericMobileDriver.ja at io.appium.java_client.Appium at io.appium.java_client.Appium at io.appium.java_client.ios.IOS at com.onepulse.app.screens.Tes at com.onepulse.app.screens.Cus (CustomerConnectScreen.java:1 at com.onepulse.app.stepdefiniti VerifyCommentPostClick(Customat .And I read the Comment coufeature:72) And I click the comment icon in	nDriver.findElementByXPath(Appium Driver.findElementByXPath(IOSDriv Path.findElement(By.java:353) RemoteWebDriver.findElement(Remote GenericMobileDriver.findElement ava:58) nDriver.findElement(AppiumDriver.java:1) stBasePage.getElement(IOSDriver.java:1) stBasePage.getElementText(TestBaseP stomerConnectScreen.readCommentC (1227) ons.mobilesteps.CustomerConnectStep omerConnectSteps.java:373) unt in Covid-19 screen(features/sg/hom	er.java:1) teWebDriver.java:309) ava:1) lage.java:255) count ps. e/mycontent/MyContent			
at io.appium.java_client.Appium at io.appium.java_client.ios.IOS at org.openqa.selenium.By\$ByX at org.openqa.selenium.remote.I at io.appium.java_client.Default (DefaultGenericMobileDriver.ja at io.appium.java_client.Appium at io.appium.java_client.Appium at io.appium.java_client.ios.IOS at com.onepulse.app.screens.Tes at com.onepulse.app.screens.Cus (CustomerConnectScreen.java:1 at com.onepulse.app.stepdefiniti VerifyCommentPostClick(Customat .And I read the Comment coufeature:72)	nDriver.findElementByXPath(Appium Driver.findElementByXPath(IOSDriv Path.findElement(By.java:353) RemoteWebDriver.findElement(Remotes:58) nDriver.findElement(AppiumDriver.java:1) stBasePage.getElement(IOSDriver.java:1) stBasePage.getElementText(TestBasePastomerConnectScreen.readCommentCl227) ons.mobilesteps.CustomerConnectStepomerConnectSteps.java:373) ant in Covid-19 screen(features/sg/hom Covid-19 screen \${Health.topic.comment}''	er.java:1) teWebDriver.java:309) ava:1) cage.java:255) count ps. e/mycontent/MyContent			



After			0.00s
Back to Table of Con	<u>tents</u>		
Scenario: Verify	User should be able to	see the Like, Share, Commer	nt options on full page article
post			
Passed: 0	Failed: 1	Undefined: 1	Duration: 8.77s
Before			0.00s

Then I click on Covid-19 topic for details full view 8.77s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no-such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:1431:619d:cf34:9788%en0',

os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.ios.IOSDriver

Capabilities {automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.

uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true,

locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout:

10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.3,

takesScreenshot: true, udid: 9f8564dc07bca132956423afd6c..., webStorageEnabled: false}

Session ID: 40eec28e-0589-4aa8-a5f5-2f6118eb5a7a

*** Element info: {Using=xpath, value=}

at jdk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source)


at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance

(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException

```
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
iava:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.jos.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164)
at com.onepulse.app.screens.CustomerConnectScreen.clickfirstImageIcon
(CustomerConnectScreen.java:1296)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.ClickFirstImagesIcons
(CustomerConnectSteps.java:395)
at .Then I click on Covid-19 topic for details full view(features/sg/home/mycontent/MyContent.
feature:79)
```



strides!	1/4		
After			0.00s
Back to Table of Contents			
Scenario: Verify User sh	ould be able to l	Like the post- Full page article	post
Passed: 0	Failed: 1	Undefined: 2	Duration: 9.94s
Before			0.00s
And I Like the post			9.93s

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:1431:619d:cf34:9788%en0',

os.name: 'Mac OS X', os.arch: 'x86 64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.ios.IOSDriver

Capabilities {automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.

uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true,

locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout:

10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.3,

takesScreenshot: true, udid: 9f8564dc07bca132956423afd6c..., webStorageEnabled: false}

Session ID: 40eec28e-0589-4aa8-a5f5-2f6118eb5a7a

*** Element info: {Using=xpath, value=(//XCUIElementTypeOther[@name=''Like''])[1]}

at jdk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source)


at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance

(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException

```
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164)
at com.onepulse.app.screens.WealthScreen.clickLikeButton(WealthScreen.java:157)
at com.onepulse.app.stepdefinitions.mobilesteps.WealthSteps.iLikeThePost(WealthSteps.java:
at .And I Like the post(features/sg/home/mycontent/MyContent.feature:86)
```



After		0.00s
-------	--	-------

Feature: Verify that user can view his registered policies under My Policies

Back to Table of Contents

Before

assed: 1	Failed: 1	Undefined: 0	Duration: 83.7	1s		
Scenario: Login to the one pulse app						
Passed: 4	Fa	niled: 0	Undefined: 0	Duration: 74.43s		
Before		арр		0.00s		
Given User	has pulse ap			17.26s		
And user cl	ick on "COI	NTINUE WITH GOO	OGLE" with Google buttor	35.85s		
And I click	the "Email"	il" in Continue with Gmail		12.58s		
Emailid	Emailid \${login.id.continue.with.google}					
Passwor	d pulsesgqa@	@123	123			
Then user s	hould be lar	nded home screen		8.73s		
After	After					
Back to Table of	Contents					
Scenario: Veri	fy that user	can access his policie	s from Home screen			
Passed: 0	Fa	niled: 1	Undefined: 18	Duration: 9.29s		

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

When I clicks on "My Policies" icon in Home screen


Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

0.00s

9.28s

```
System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:1431:619d:cf34:9788%en0',
os.name: 'Mac OS X', os.arch: 'x86 64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java client.ios.IOSDriver
Capabilities {automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.
uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true,
locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout:
10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.3,
takesScreenshot: true, udid: 9f8564dc07bca132956423afd6c..., webStorageEnabled: false}
Session ID: b2a73f0d-b250-4364-969c-77c595ce5582
*** Element info: {Using=xpath, value=}
at jdk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164)
at com.onepulse.app.screens.MyPoliciesScreen.clickMyPolicies(MyPoliciesScreen.java:68)
at com.onepulse.app.stepdefinitions.mobilesteps.MyPolicySteps.iClicksOnIconInHomeScreen
```

(MyPolicySteps.java:26)	
at .When I clicks on ''My Policies'' icon in Home screen(features/sg/home/myp/MyPolicies.feature:15)	policies
And I clicks on Proceed button to accept the terms and conditions	0.00s
Then User can see the list of linked policies	0.00s
Then Verify the policy details on my policies home screen	0.00s
When User clicks on "IN FORCE" button to access the PruSafe COVID Vaccine	0.00s
Then User will be landed in Policy Info screen	0.00s
And Verify the Policy Info screen UI	0.00s
When User clicks on "Benefits & Investment" tab	0.00s
Then User can verify the benefits screen UI	0.00s
When User click on "Policy Contract" tab	0.00s
Then User can verify the Policy Contract screen UI	0.00s
When User clicks on Submit a Claim button	0.00s
Then User can see an authentication pop-up to authenticate the transaction	0.00s
When User clicks on Mobile number checkbox	0.00s
And User clicks on Send button	0.00s
Then User can see OTP verification screen	0.00s
When User enters Invalid OTP and clicks on Continue button	0.00s
OTP 123456	
Then User can see that Invalid OTP error message	0.00s
And User clicks on Cancel button	0.00s



After 0.00s

Back to Table of Contents

	Failed: 3		Pluse App Undefined: 0		Duration: 159.09s	
ed: 1 Scenario: User				ith correct cre	dentials using "(Continue with
Smail"		010 00 1081	n on app "			9011011100 W1011
assed: 4	F	ailed: 0		Undefined: 0		Duration: 73.7
Before						0.00s
Given User	has pulse ap	p				19.17s
				OGLE" with G	oogle button	32.87s
And I click	the "Email"	in Contin	ue with Gr	nail		12.28s
Emailid \${facebook.text}						
	d pulsesgqa@					
	hould be lan	ded home	screen			9.47s
fter						0.00s
ack to Table of						
			lition shoul	d be displayed		
efore	F	ailed: 1		Undefined: 0		Duration: 56.6
	41 4					0.00s
	the Account					2.52s
	the Legacy a				ondition screen	14.11s 39.98s
	<u> </u>		iisppiayeu i	in ternis and co	multion screen	39.908
1	.conditions.t	ext}				
Privacy						
Regulato	ory					
iovo long A	ssertion Frro	r: The fol	lowing asse	uta fallada		



	Profite	1100101					
A	fter			0.00s			
Ba	Back to Table of Contents						
S	cenario: Verify t	he Privacy screen shoul	d be displayed				
Pa	ssed: 0	Failed: 1	Undefined: 3	Duration: 14.3s			
В	Before 0.00s						
	And I click the Privacy icon in legal screen 14.30s						

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:1431:619d:cf34:9788%en0',

os.name: 'Mac OS X', os.arch: 'x86 64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.ios.IOSDriver

Capabilities {automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.

uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true,

locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout:

10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.3,

takesScreenshot: true, udid: 9f8564dc07bca132956423afd6c..., webStorageEnabled: false}

Session ID: d1ef21d1-4cd4-4dec-8a54-c583f6c81dd8

*** Element info: {Using=xpath, value=//XCUIElementTypeOther[@name='' Privacy Notice '']}

at jdk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance

(Delegating Constructor Accessor Impl. java: 45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException

```
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
iava:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.jos.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164)
at com.onepulse.app.screens.CustomerConnectScreen.clickPrivacyicon
(CustomerConnectScreen.java:678)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickprivacyIcon
(CustomerConnectSteps.java:184)
at .And I click the Privacy icon in legal screen(features/sg/profile/LegalAndLegacy.feature:27)
```



After			0.00s
Back to Table of Cor	<u>ntents</u>		
Scenario: Verify	the Regulator screen sh	ould be displayed	
Passed: 0	Failed: 1	Undefined: 4	Duration: 14.39s
Before			0.00s
And I click the	e Regulatory icon in lega	al screen	14.39s

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:1431:619d:cf34:9788%en0',

os.name: 'Mac OS X', os.arch: 'x86 64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.ios.IOSDriver

Capabilities {automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.

uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true,

locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout:

10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.3,

takesScreenshot: true, udid: 9f8564dc07bca132956423afd6c..., webStorageEnabled: false}

Session ID: d1ef21d1-4cd4-4dec-8a54-c583f6c81dd8

*** Element info: {Using=xpath, value=//XCUIElementTypeOther[@name='' Regulatory '']}

at jdk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source)


at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance

(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException

(W3CHttpResponseCodec.java:122)	
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)	
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpComma	andExecutor.iav
158)	iiidaa aa
at io.appium.java_client.remote.AppiumCommandExecutor.execute	
(AppiumCommandExecutor.java:231)	
at org.openqa.selenium.remote.RemoteWebDriver.execute(,
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver	icMobileDriver.
ava:42)	
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)	
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWeb	Driver.iava:317
at io.appium.java_client.DefaultGenericMobileDriver.findElement	Direction
DefaultGenericMobileDriver.java:62)	
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)	
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)	
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(Ren	moteWebDriver
ava:419)	
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath (DefaultGenericMobileDriver.java:152)	
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDrive	r.iava:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java	
at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)	
$at\ org. open qa. selenium. remote. Remote Web Driver. find Element (Remote Web Driver. find Element)$	Driver.java:309
at io.appium.java_client.DefaultGenericMobileDriver.findElement	
DefaultGenericMobileDriver.java:58)	
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)	
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)	c iovo·141)
nt io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Command	
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)	
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Command com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand)	eCommand.java
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Command at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execut 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:10 at com.onepulse.app.screens.CustomerConnectScreen.clickRegulatory	eCommand.java
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Command at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteP) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:10 at com.onepulse.app.screens.CustomerConnectScreen.clickRegulatory(CustomerConnectScreen.java:705)	eCommand.java
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Command at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execut 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:10 at com.onepulse.app.screens.CustomerConnectScreen.clickRegulatory at com.onepulse.app.streen.java:705) at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.click	eCommand.java
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Command at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execute19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:10 at com.onepulse.app.screens.CustomerConnectScreen.clickRegulatory(CustomerConnectScreen.java:705) at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.click(CustomerConnectSteps.java:193)	eCommand.java 64) kRegulatory
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Command at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execut 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:1) at com.onepulse.app.screens.CustomerConnectScreen.clickRegulatory (CustomerConnectScreen.java:705) at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clicl (CustomerConnectSteps.java:193) at .And I click the Regulatory icon in legal screen(features/sg/profile/LegalAnd)	eCommand.java 64) kRegulatory
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Command at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execut 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:10 at com.onepulse.app.screens.CustomerConnectScreen.clickRegulatory (CustomerConnectScreen.java:705) at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.click (CustomerConnectSteps.java:193) at .And I click the Regulatory icon in legal screen(features/sg/profile/LegalAn 34)	eCommand.java 64) kRegulatory ndLegacy.featur
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Command at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execut 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:10 at com.onepulse.app.screens.CustomerConnectScreen.clickRegulatory CustomerConnectScreen.java:705) at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.click CustomerConnectSteps.java:193) at .And I click the Regulatory icon in legal screen(features/sg/profile/LegalAn 34) And I click the clinical safety icon in Account screen	eCommand.java 64) kRegulatory ndLegacy.featur 0.00s
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Command at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execut 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:10 at com.onepulse.app.screens.CustomerConnectScreen.clickRegulatory (CustomerConnectScreen.java:705) at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clicl (CustomerConnectSteps.java:193) at .And I click the Regulatory icon in legal screen(features/sg/profile/LegalAn 34) And I click the clinical safety icon in Account screen Then I verify following texts are dispplayed in terms and condition screen	eCommand.java 64) kRegulatory ndLegacy.featur
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Command at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execut 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:10 at com.onepulse.app.screens.CustomerConnectScreen.clickRegulatory (CustomerConnectScreen.java:705) at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clicl (CustomerConnectSteps.java:193) at .And I click the Regulatory icon in legal screen(features/sg/profile/LegalAn 34) And I click the clinical safety icon in Account screen Then I verify following texts are dispplayed in terms and condition screen Clinical Safety	eCommand.java 64) kRegulatory ndLegacy.featur 0.00s
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Command at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execut 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:10 at com.onepulse.app.screens.CustomerConnectScreen.clickRegulatory (CustomerConnectScreen.java:705) at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.click (CustomerConnectSteps.java:193) at .And I click the Regulatory icon in legal screen(features/sg/profile/LegalAn 34) And I click the clinical safety icon in Account screen Then I verify following texts are dispplayed in terms and condition screen Clinical Safety AI in Healthcare	eCommand.java 64) kRegulatory ndLegacy.featur 0.00s
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Command at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execut 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:10 at com.onepulse.app.screens.CustomerConnectScreen.clickRegulatory (CustomerConnectScreen.java:705) at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clicl (CustomerConnectSteps.java:193) at .And I click the Regulatory icon in legal screen(features/sg/profile/LegalAn 34) And I click the clinical safety icon in Account screen Then I verify following texts are dispplayed in terms and condition screen Clinical Safety AI in Healthcare Localisation	eCommand.java 64) kRegulatory ndLegacy.featur 0.00s
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver,java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Command at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execut 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:10 at com.onepulse.app.screens.CustomerConnectScreen.clickRegulatory (CustomerConnectScreen.java:705) at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clicl (CustomerConnectSteps.java:193) at .And I click the Regulatory icon in legal screen(features/sg/profile/LegalAn 34) And I click the clinical safety icon in Account screen Then I verify following texts are dispplayed in terms and condition screen Clinical Safety AI in Healthcare Localisation Privacy & Data Protection	eCommand.java 64) kRegulatory ndLegacy.featur 0.00s
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Command at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execut 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:10 at com.onepulse.app.screens.CustomerConnectScreen.clickRegulatory (CustomerConnectScreen.java:705) at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.click (CustomerConnectSteps.java:193) at .And I click the Regulatory icon in legal screen(features/sg/profile/LegalAn 34) And I click the clinical safety icon in Account screen Clinical Safety AI in Healthcare Localisation Privacy & Data Protection Raising Concerns & Reporting issues	eCommand.java 64) kRegulatory ndLegacy.featur 0.00s 0.00s
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver,java:1) at com.prudential.tap.selenium.Commands\$15.executeCommand(Command at com.prudential.tap.selenium.ExecuteCommand.executeCommand(Execut 19) at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:10 at com.onepulse.app.screens.CustomerConnectScreen.clickRegulatory (CustomerConnectScreen.java:705) at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clicl (CustomerConnectSteps.java:193) at .And I click the Regulatory icon in legal screen(features/sg/profile/LegalAn 34) And I click the clinical safety icon in Account screen Then I verify following texts are dispplayed in terms and condition screen Clinical Safety AI in Healthcare Localisation Privacy & Data Protection	eCommand.java 64) kRegulatory ndLegacy.featur 0.00s



Fe	Feature: Verify Edit Profile functionality on Pulse Health & Wealth app					
Pas	ssed: 0	Failed: 7	Undefined: 0	Duration:	259.27s	
	Scenario: Verify change the prof		be able to navigate t	to Edit profile screen a	and should be able to	
	Passed: 2	Faile	d: 1	Undefined: 8	Duration: 85.14s	
	Before				0.00s	
	Given User l	has pulse app			32.54s	
	And I assign	"\${onepulse.le	ogin.edit.profile}'' to	o variable ''PULSE_E	EMAIL'' 0.04s	
	When I navi	igate to login pa	age		52.56s	

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no-such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:1431:619d:cf34:9788%en0',

os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.ios.IOSDriver

Capabilities {automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.

uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true,

locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout:

10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.3,


takesScreenshot: true, udid: 9f8564dc07bca132956423afd6c..., webStorageEnabled: false}

Session ID: 7a90d85a-6afb-4a5e-ad3c-1b16d46feb2e

*** Element info: {Using=xpath, value=//XCUIElementTypeOther[@label='Home']}

```
at jdk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164)
at com.onepulse.app.screens.PulseLoginScreen.clickSignOut(PulseLoginScreen.java:347)
at com.onepulse.app.screens.PulseRegistrationScreen.navigateToLoginPage
(PulseRegistrationScreen.java:809)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iNavigateToLoginPage
(LoginSteps.java:269)
at .When I navigate to login page(features/sg/profile/PulseEditProfileTest.feature:9)
   UserName ${PULSE EMAIL
   Password ${pulse.edit}
```

And I enter OTP in one pulse app for user email "\${PULSE_EMAIL}"	0.00s
Then user should be landed to "Home" screen	0.00s
Then user navigate to account page	0.00s
And user click on Edit profile link	0.00s
Then I wait for 5 sec	0.00s



After			0.00s	
Back to Table of Contents				
Scenario: Verify User should be able to change the profile picture in edit profile screen				
Passed: 0 Failed: 1 Undefined: 1 Duration: 30.73s				
Before			0.00s	

Then I give manage profile camera permission 30.73s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no-such-element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:1431:619d:cf34:9788%en0',

os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.ios.IOSDriver

Capabilities {automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.

uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true,

locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout:


10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.3,

takesScreenshot: true, udid: 9f8564dc07bca132956423afd6c..., webStorageEnabled: false}

Session ID: 7a90d85a-6afb-4a5e-ad3c-1b16d46feb2e

*** Element info: {Using=xpath, value=//XCUIElementTypeButton[@name=''Allow Once'']}

```
at jdk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164)
at com.onepulse.app.screens.PulseManageProfileScreen.allowCameraPermission
(PulseManageProfileScreen.java:1237)
at com.onepulse.app.stepdefinitions.mobilesteps.EditProfileSteps.iGiveCameraPermission
(EditProfileSteps.java:315)
at .Then I give manage profile camera permission(features/sg/profile/PulseEditProfileTest.
feature:34)
```



	1101112	Westch		
Afte	er			0.00s
Back	to Table of Conte	<u>nts</u>		
Scer	nario: Verify us	er can able to change	the details in edit profile screen	
Passo	ed: 0	Failed: 1	Undefined: 1	Duration: 34.34s
Befo	ore			0.00s
1	Then change per	sonal details		34.34s
	FirstName	Automation		
	LastName	Testing		
	PhoneNumbe	r 81069586		
	Address	Singapore		
	PostalCode	576612		
	DOB	13-January-2003		

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no such element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:1431:619d:cf34:9788%en0',

os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.ios.IOSDriver

Capabilities {automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.

uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true,


locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout:

10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.3,

takesScreenshot: true, udid: 9f8564dc07bca132956423afd6c..., webStorageEnabled: false}

Session ID: 7a90d85a-6afb-4a5e-ad3c-1b16d46feb2e

```
*** Element info: {Using=xpath, value=(//XCUIElementTypeOther[@name=''First Name /
Given Name''])[3]/XCUIElementTypeOther[2]/XCUIElementTypeOther
/XCUIElementTypeTextField}
at jdk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.jos.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:261)
at com.onepulse.app.screens.PulseManageProfileScreen.editUserProfileDetails
(PulseManageProfileScreen.java:204)
at com.onepulse.app.stepdefinitions.mobilesteps.EditProfileSteps.changeProfileDetails
(EditProfileSteps.java:54)
at .Then change personal details(features/sg/profile/PulseEditProfileTest.feature:39)
```



Af	ter			0.00s	
Ba	Back to Table of Contents				
Sc	enario: Verify the ema	il and COR fields are no	n-editable in edit profile screen		
Pas	Passed: 2 Failed: 1 Undefined: 2		Duration: 22.49s		
Before			0.00s		
	And verify email field is non-editable		5.70s		
	And verify country of Residence is Singapore		7.12s		
	And click on save butt	on		9.67s	

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no-such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:1431:619d:cf34:9788%en0',

os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.ios.IOSDriver

Capabilities {automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.

uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true,

locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout:

10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.3,

takesScreenshot: true, udid: 9f8564dc07bca132956423afd6c..., webStorageEnabled: false}

Session ID: 7a90d85a-6afb-4a5e-ad3c-1b16d46feb2e

*** Element info: {Using=xpath, value=(//XCUIElementTypeOther[@name=''SAVE''])[2]}


at jdk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance

(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

```
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164)
at com.onepulse.app.screens.PulseManageProfileScreen.clickSaveButton
(PulseManageProfileScreen.java:177)
at com.onepulse.app.stepdefinitions.mobilesteps.EditProfileSteps.clickSaveButton
(EditProfileSteps.java:59)
at .And click on save button(features/sg/profile/PulseEditProfileTest.feature:53)
```



After	0.00s
Back to Table of Contents	

Scenario: Verify User should be able to see the registration required pop up if user not completed MyDoc Registration

Passed: 0	Failed: 1	Undefined: 3	Duration: 20.54s
Before			0.00s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no such element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:1431:619d:cf34:9788%en0',

os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.ios.IOSDriver

When I navigate to medical records screen

Capabilities {automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.

uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true,

locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout:

10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.3,

takesScreenshot: true, udid: 9f8564dc07bca132956423afd6c..., webStorageEnabled: false}

Session ID: 7a90d85a-6afb-4a5e-ad3c-1b16d46feb2e

*** Element info: {Using=xpath, value=//XCUIElementTypeOther[@label="Health"]}

at jdk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance


(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)


at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException

20.54s

```
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
iava:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.jos.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164)
at com.onepulse.app.screens.mydoc.MyDocConsultationSummary.
naviGateToMyDocMedicalRecordsScreen(MyDocConsultationSummary.java:821)
at com.onepulse.app.stepdefinitions.mobilesteps.MyDocSteps.
iNavigateToMedicalRecordsScreen(MyDocSteps.java:824)
at .When I navigate to medical records screen(features/sg/profile/PulseEditProfileTest.feature:
59)
```



O.			
After			0.00s
ack to Table of Content	<u>ts</u>		
		o edit Gender and DOB fields on myDoc and DOB in edit profile	registration
assed: 1	Failed: 1	Undefined: 2	Duration: 15.5s
Before			0.00s
Then I wait for 5	sec		5.03s
Then user verify tregistration page	the following texts are	e displayed on "Online Consultation"	10.47s
Online Consul	tation		
	onError: The followin	ng asserts failed: n page Online Consultation expected [tru	
[false] at org.testng.asser at com.onepulse.a userVerifyTheFol at .Then user veri	rts.SoftAssert.assertA app.stepdefinitions.my llowingTextsAreDispl ify the following texts	All(SoftAssert.java:43) ydocuisteps.MyDocUiSteps. layedOnRegistrationPage(MyDocUiSteps are displayed on "Online Consultation"	s.java:116)
[false] at org.testng.asser at com.onepulse.a userVerifyTheFol at .Then user veri page(features/sg/)	rts.SoftAssert.assertAnpp.stepdefinitions.myllowingTextsAreDisplify the following textsprofile/PulseEditProfi	All(SoftAssert.java:43) ydocuisteps.MyDocUiSteps. layedOnRegistrationPage(MyDocUiSteps are displayed on "Online Consultation"	s.java:116)



After		0.00s
Back to Table of Contents		
C	III II / I / NIDIO I O I INDICI	

Scenario: Verify User should be able to update NRIC number & upload NRIC Image in Online Consultation screen

Passed: 0	Failed: 1	Undefined: 2	Duration: 50.53s
Before			0.00s

Then I enter the mandatory fields "\${NRIC}" 50.52s

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no such element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:1431:619d:cf34:9788%en0',

os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.ios.IOSDriver

Capabilities {automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.

uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true,

locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout:

10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.3,

takesScreenshot: true, udid: 9f8564dc07bca132956423afd6c..., webStorageEnabled: false}

Session ID: 7a90d85a-6afb-4a5e-ad3c-1b16d46feb2e

*** Element info: {Using=xpath, value=//XCUIElementTypeStaticText[@name='Address (e.g.

street, apartment name, etc)']//following::XCUIElementTypeTextField[3]}


at jdk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance

(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

```
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:261)
at com.onepulse.app.screens.mydoc.MyDocRegistrationScreen.enterNric
(MyDocRegistrationScreen.java:651)
at com.onepulse.app.stepdefinitions.mydocuisteps.MyDocUiSteps.iEnterTheMandatoryFields
(MyDocUiSteps.java:128)
at .Then I enter the mandatory fields "${NRIC}"(features/sg/profile/PulseEditProfileTest.
feature:79)
```



After 0.00	fter	0.0	00s
--------------	------	-----	-----


Back to Table of Contents

ssed: 1	Failed: 4	Undefined: 0	Duration: 134.91s	
Scenario: User s Gmail''	hould be able t	o login on app with co	rrect credentials using "Co	ontinue with
Passed: 4	Failed	Und	efined: 0	Duration: 82.3
Before				0.00s
Given User h	as pulse app			25.68s
And user clic	k on "CONTIN	NUE WITH GOOGLE	" with Google button	32.57s
And I click th	14.46s			
	\${facebook.tex pulsesgqa@123			
Then user sho	ould be landed	home screen		9.66s
After				0.00s
Back to Table of Co	<u>ntents</u>			
Scenario: Verify	the My Feedb	ack screen in Account	tab	
Passed: 1	Failed	Und	efined: 2	Duration: 14.5
Before				0.00s
And I click th	e Account icor	n in Home screen		2.51s
And I click th	e My Feedbac	k icon in Account scre	en	12.07s
U .	elenium.NoSuc en search parai		an element could not be loc	ated on the page

```
/no such element.html
Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'
System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:1431:619d:cf34:9788%en0',
os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.
uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true,
locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout:
10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.3,
takesScreenshot: true, udid: 9f8564dc07bca132956423afd6c..., webStorageEnabled: false}
Session ID: b4b718c2-3fcb-4034-adb2-9a51bd92ceb1
*** Element info: {Using=xpath, value=//XCUIElementTypeOther[@name="accounts.
PulseFeedbackScreen'']}
at jdk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
```

at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164) at com.onepulse.app.screens.CustomerConnectScreen.clickMyFeedback (CustomerConnectScreen.java:765) at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickMyFeedback (CustomerConnectSteps.java:213) at .And I click the My Feedback icon in Account screen(features/sg/profile/PulseMySettings. feature:46) pulse 0 0 After 0.00s**Back to Table of Contents** Scenario: Verify the submit functionality in My feedback screen Passed: 0 Failed: 1 **Undefined: 2 Duration: 12.55s** 0.00sBefore And I click the Health Articles icon in Account screen 12.54s org.openga.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters. For documentation on this error, please visit: http://seleniumhq.org/exceptions /no such element.html Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z' System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:1431:619d:cf34:9788%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

```
Driver info: io.appium.java_client.ios.IOSDriver
Capabilities {automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.
uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true,
locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout:
10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.3,
takesScreenshot: true, udid: 9f8564dc07bca132956423afd6c..., webStorageEnabled: false}
Session ID: b4b718c2-3fcb-4034-adb2-9a51bd92ceb1
*** Element info: {Using=xpath, value=//XCUIElementTypeOther[@name="Health
Articles"]}
at jdk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.jaya:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164)
at com.onepulse.app.screens.CustomerConnectScreen.clickHealthArticles
(CustomerConnectScreen.java:789)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.ClickHealthArticles
```



```
*** Element info: {Using=xpath, value=(//XCUIElementTypeOther[@name='accounts.
rewards'])[1]}
at jdk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164)
at com.onepulse.app.screens.CustomerConnectScreen.clickpulsepersonalised
(CustomerConnectScreen.java:841)
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.clickpulsePersonalized
(CustomerConnectSteps.java:239)
at .And I click the Pulse by Personalised icons(features/sg/profile/PulseMySettings.feature:61)
```



After			0.00s		
Back to Table of Con	<u>tents</u>				
Scenario: Verify t	he Marketing Consent	in Account tab			
Passed: 0	Failed: 1	Undefined: 4	Duration: 14.29s		
Before			0.00s		
And I click the	Marketing content		14.29s		

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:1431:619d:cf34:9788%en0',

os.name: 'Mac OS X', os.arch: 'x86 64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.ios.IOSDriver

Capabilities {automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.

uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true,

locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout:

10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.3,

takesScreenshot: true, udid: 9f8564dc07bca132956423afd6c..., webStorageEnabled: false}

Session ID: b4b718c2-3fcb-4034-adb2-9a51bd92ceb1


*** Element info: {Using=xpath, value=(//XCUIElementTypeOther[@name='accounts.rewards'])[2]}

at jdk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance

(Delegating Constructor Accessor Impl. java: 45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException

(W3CHttpResponseCodec.java:187)	
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode	
(W3CHttpResponseCodec.java:122)	
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode	
(W3CHttpResponseCodec.java:49)	
$at\ org. open qa. selenium. remote. Http Command Executor. execute (Http Command Executor) and the command executor of the c$	mmandExecutor.java:
158)	
at io.appium.java_client.remote.AppiumCommandExecutor.execute	
(AppiumCommandExecutor.java:231)	
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebI	
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGe	nericMobileDriver.
java:42)	
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)	
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)	Wah Duiwan iawa (217)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(Remote\ at io.appium.java_client.DefaultGenericMobileDriver.findElement	webDriver.java:517)
(DefaultGenericMobileDriver.java:62)	
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java	•1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)	I•1 <i>)</i>
at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath	(RemoteWehDriver.
java:419)	(Remote Webbilver:
at io.appium.java_client.DefaultGenericMobileDriver.findElementByXP	ath
(DefaultGenericMobileDriver.java:152)	
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumD	river.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver	
at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)	
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteV	WebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement	
(DefaultGenericMobileDriver.java:58)	
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java	i:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)	
at com.prudential.tap.selenium.Commands\$15.executeCommand(Comm	
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand)	ecuteCommand.java:
19)	164)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.javat com.onepulse.app.screens.CustomerConnectScreen.clickMarketConte	
at com.onepuise.app.screens.CustomerConnectscreen.cnckwarketConte (CustomerConnectScreen.java:906)	41t
at com.onepulse.app.stepdefinitions.mobilesteps.CustomerConnectSteps.	clickMarkatContant
(CustomerConnectSteps.java:260)	chekiviai keteontent
at .And I click the Marketing content(features/sg/profile/PulseMySetting	s.feature:67)
Then I verify the following text "Marketing Consent" Screens	0.00s
	0.005
Marketing Consent	
Marketing Consent And I click the save button in pulse personalised icons	0.00s
	0.00s 0.00s
And I click the save button in pulse personalised icons And I click the Ok button in pulse personlised screen	
And I click the save button in pulse personalised icons	0.00s
And I click the save button in pulse personalised icons And I click the Ok button in pulse personlised screen	0.00s
And I click the save button in pulse personalised icons And I click the Ok button in pulse personlised screen	0.00s
And I click the save button in pulse personalised icons And I click the Ok button in pulse personlised screen	0.00s



Passed: 0	Failed: 7	Undefined: 0	Duration: 207.32s	
Scenario:	Launch the app a	nd select the country as	per specified lbu	
Passed: 4	Fai	iled: 1	ndefined: 4	Duration: 93.67s
Before				0.00s
Given User has pulse app			18.50s	
And Logout of pulse app if user is logged in			17.59s	
And I assign ''\${login.email.id}'' to variable ''PULSE_EMAIL''			0.02s	
And user click on "CONTINUE WITH EMAIL" with Email button			52.21s	
Then I change the country as required on registration page			5.35s	

com.prudential.tap.exception.TapException: Not able to find element on screen [By.xpath: //XCUIElementTypeStaticText[@name="Country"]]

at com.prudential.tap.appium.AppiumCommands.findElementNoWait(AppiumCommands.java:176)

at com.prudential.tap.appium.AppiumCommands.clickElementByCoordinateforBothXY (AppiumCommands.java:512)


at com.onepulse.app.screens.TestBasePage.clickElementByCoordinateforBothXY (TestBasePage.java:580)

at com.onepulse.app.screens.PulseRegistrationScreen.changeTheCountryName (PulseRegistrationScreen.java:948)

at com.onepulse.app.stepdefinitions.mobilesteps.RegistrationSteps.iSelectTheCountry (RegistrationSteps.java:306)

at .Then I change the country as required on registration page(features/share/ShareWithFriends.feature:10)

Then I change the language as required on registration page 0.00s And I click the Sign in link 0.00s	Then I wait for 10 sec	0.00s
And I click the Sign in link 0.00s	Then I change the language as required on registration page	0.00s
	And I click the Sign in link	0.00s
Then I verify below language options on toggle bar as per specified lbu on login page $0.00\mathrm{s}$	Then I verify below language options on toggle bar as per specified lbu on login page	0.00s



After			0.00s	
Back to Table of Contents				
Scenario: login to the app with correct credentials using "Continue with Email"				
Passed: 0	Failed: 1	Undefined: 4	Duration: 61.12s	
Before			0.00s	
When user enters cred	lentials		61.12s	

UserName \${PULSE_EMAIL}
Password \${pulse.password}

org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no-such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:1431:619d:cf34:9788%en0',

os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.ios.IOSDriver

Capabilities {automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.


uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true,

locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout:


10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.3,

takesScreenshot: true, udid: 9f8564dc07bca132956423afd6c..., webStorageEnabled: false}

```
Session ID: 1aeca61a-f1d9-4e70-a7d1-b25cb3706018
*** Element info: {Using=xpath, value=//XCUIElementTypeStaticText[@name='Email']
//following::XCUIElementTypeOther[1]/XCUIElementTypeOther
/XCUIElementTypeTextField}
at jdk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
java:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$16.executeCommand(Commands.java:148)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
at com.onepulse.app.screens.TestBasePage.setTextWithTab(TestBasePage.java:261)
at com.onepulse.app.screens.PulseLoginScreen.enterLoginCredentials(PulseLoginScreen.java:
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.userEntersCredentials(LoginSteps.
java:52)
at .When user enters credentials(features/share/ShareWithFriends.feature:17)
```



```
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
java:42)
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java_client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java_client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164)
at com.onepulse.app.screens.PulseLoginScreen.clickWhatsappIcon(PulseLoginScreen.java:636)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iVerifyTheShareWithFriendsLinks
(LoginSteps.java:296)
at .Then I verify the share with friends links(features/share/ShareWithFriends.feature:27)
```



Training Street, and the stree					
After			0.00s		
Back to Table of Contents					
Scenario: Verify User should be able to share the link with Contacts app					
Passed: 0	Failed: 1	Undefined: 0	Duration: 9.18s		
Before			0.00s		
Then I verify the conta	acts share icon		9.18s		

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:1431:619d:cf34:9788%en0',

os.name: 'Mac OS X', os.arch: 'x86 64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.ios.IOSDriver

Capabilities {automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.

uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true,

locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout:

10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.3,

takesScreenshot: true, udid: 9f8564dc07bca132956423afd6c..., webStorageEnabled: false}

Session ID: 1aeca61a-f1d9-4e70-a7d1-b25cb3706018

*** Element info: {Using=xpath, value=(//XCUIElementTypeOther)[57]}

at jdk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source)


at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance

(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException

```
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164)
at com.onepulse.app.screens.PulseLoginScreen.clickContactsIcon(PulseLoginScreen.jaya:655)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iVerifyTheContactsShareIcon
(LoginSteps.java:301)
at .Then I verify the contacts share icon(features/share/ShareWithFriends.feature:29)
```



	110201		
After			0.00s
Back to Table of Contents			
Scenario: Verify User s	hould be able to	share the link with Messenger ap	p
Passed: 0	Failed: 1	Undefined: 0	Duration: 13.74s
Before			0.00s
Then I verify the fb	messenger share	icon	13.74s

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:1431:619d:cf34:9788%en0',

os.name: 'Mac OS X', os.arch: 'x86 64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.ios.IOSDriver

Capabilities {automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.

uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true,

locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout:

10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.3,

takesScreenshot: true, udid: 9f8564dc07bca132956423afd6c..., webStorageEnabled: false}

Session ID: 1aeca61a-f1d9-4e70-a7d1-b25cb3706018

*** Element info: {Using=xpath, value=(//XCUIElementTypeOther)[57]}

at jdk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source)


at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance

(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException

```
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164)
at com.onepulse.app.screens.PulseLoginScreen.clickMessengerIcon(PulseLoginScreen.java:
1085)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iVerifyTheFbMessengerShareIcon
(LoginSteps.java:412)
at .Then I verify the fb messenger share icon(features/share/ShareWithFriends.feature:31)
```



After			0.00s		
Back to Table of Conte	<u>nts</u>				
Scenario: Verify Us	ser should be able to s	hare the link with Viber app			
Passed: 0	Failed: 1	Undefined: 0	Duration: 9.04s		
Before			0.00s		
Then I verify the	e Viber share icon		9.04s		

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:1431:619d:cf34:9788%en0',

os.name: 'Mac OS X', os.arch: 'x86 64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.ios.IOSDriver

Capabilities {automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.

uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true,

locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout:

10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.3,

takesScreenshot: true, udid: 9f8564dc07bca132956423afd6c..., webStorageEnabled: false}

Session ID: 1aeca61a-f1d9-4e70-a7d1-b25cb3706018

*** Element info: {Using=xpath, value=(//XCUIElementTypeOther)[57]}

at jdk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source)


at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance

(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException

```
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164)
at com.onepulse.app.screens.PulseLoginScreen.clickViberIcon(PulseLoginScreen.jaya:676)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iVerifyTheViberShareIcon
(LoginSteps.java:318)
at .Then I verify the Viber share icon(features/share/ShareWithFriends.feature:33)
```



110110	TO SOLI				
After			0.00s		
Back to Table of Contents					
Scenario: Verify User should be able to share the link with Line app					
Passed: 0	Failed: 1	Undefined: 0	Duration: 11.0s		
Before			0.00s		
Then I verify the Lin	e share icon		11.00s		

For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'Bavirisettis-MacBook-Pro.local', ip: 'fe80:0:0:0:1431:619d:cf34:9788%en0',

os.name: 'Mac OS X', os.arch: 'x86 64', os.version: '10.16', java.version: '11.0.10'

Driver info: io.appium.java_client.ios.IOSDriver

Capabilities {automationName: XCUITest, browserName: , bundleId: com.prudential.pulse.

uat, databaseEnabled: false, deviceName: iOS-Test, javascriptEnabled: true,

locationContextEnabled: false, networkConnectionEnabled: false, newCommandTimeout:

10000, noReset: false, platform: MAC, platformName: iOS, platformVersion: 14.3,

takesScreenshot: true, udid: 9f8564dc07bca132956423afd6c..., webStorageEnabled: false}

Session ID: 1aeca61a-f1d9-4e70-a7d1-b25cb3706018

*** Element info: {Using=xpath, value=(//XCUIElementTypeOther)[57]}

at jdk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source)

at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance

(DelegatingConstructorAccessorImpl.java:45)

at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException

```
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
158)
at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:231)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
at io.appium.java client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.
at io.appium.java client.AppiumDriver.execute(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.execute(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:317)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:62)
at io.appium.java client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.
iava:419)
at io.appium.java client.DefaultGenericMobileDriver.findElementByXPath
(DefaultGenericMobileDriver.java:152)
at io.appium.java client.AppiumDriver.findElementByXPath(AppiumDriver.java:1)
at io.appium.java client.ios.IOSDriver.findElementByXPath(IOSDriver.java:1)
at org.openga.selenium.By$ByXPath.findElement(By.java:353)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:309)
at io.appium.java client.DefaultGenericMobileDriver.findElement
(DefaultGenericMobileDriver.java:58)
at io.appium.java_client.AppiumDriver.findElement(AppiumDriver.java:1)
at io.appium.java_client.ios.IOSDriver.findElement(IOSDriver.java:1)
at com.prudential.tap.selenium.Commands$15.executeCommand(Commands.java:141)
at com.prudential.tap.selenium.ExecuteCommand.executeCommand(ExecuteCommand.java:
19)
at com.onepulse.app.screens.TestBasePage.clickButton(TestBasePage.java:164)
at com.onepulse.app.screens.PulseLoginScreen.clickLineIcon(PulseLoginScreen.jaya:671)
at com.onepulse.app.stepdefinitions.mobilesteps.LoginSteps.iVerifyTheLineShareIcon
(LoginSteps.java:313)
at .Then I verify the Line share icon(features/share/ShareWithFriends.feature:35)
```

