

pgAdmin 4

File Object Tools Help

Object Explorer

- Servers
  - PostgreSQL 16
    - Databases (10)
      - Pizzadb
        - Casts
        - Catalogs
        - Event Triggers
        - Extensions
        - Foreign Data Wrapper
        - Languages
        - Publications
        - Schemas (1)
          - public
            - Aggregates
            - Collations
            - Domains
            - FTS Configuratio
            - FTS Dictionaries
            - FTS Parsers
            - FTS Templates
            - Foreign Tables
            - Functions
            - Materialized Vie
            - Operators

Dashboard x Pizzadb/postgres@PostgreSQL 16\* x Pizzadb/postgres... x Pizzadb/postgres... x Pizzadb/postgres... x

Pizzadb/postgres@PostgreSQL 16

Query Query History Scratch Pad x

```
1 Create table pizza_sales1(  
2 pizza_id int8 primary key,  
3 order_id int8,  
4 pizza_name_id varchar(1000),  
5 quantity int8,  
6 order_date date,  
7 order_time time,  
8 unit_price float,  
9 total_price float,  
10 pizza_size varchar(1000),  
11 pizza_category varchar(1000),  
12 pizza_ingredients varchar(1000),  
13 pizza_names varchar(1000)  
14 )  
15
```

Data Output Messages Notifications

CREATE TABLE

Query returned successfully in 85 msec.

Total rows: 0 of 0 Query complete 00:00:00.085 Ln 1, Col 26

93°

16:30 10-04-2025

pgAdmin 4

File Object Tools Help

Object Explorer

- Servers
  - PostgreSQL 16
    - Databases (10)
      - Pizzadb
        - Casts
        - Catalogs
        - Event Triggers
        - Extensions
        - Foreign Data Wrapper
        - Languages
        - Publications
        - Schemas (1)
          - public
            - Aggregates
            - Collations
            - Domains
            - FTS Configuratio
            - FTS Dictionaries
            - FTS Parsers
            - FTS Templates
            - Foreign Tables
            - Functions
            - Materialized Vie
            - Operators

Dashboard X Pizzadb/postgres... X Pizzadb/postgres@PostgreSQL 16\* X Pizzadb/postgres... X Pizzadb/postgres... X

Pizzadb/postgres@PostgreSQL 16

Query Query History Scratch Pad X

```
1 copy pizza_sales1(pizza_id, order_id, pizza_name_id, quantity, order_date, order_t
2 from 'C:\Users\rituk\Downloads\pizza_sales.csv'
3 delimiter ','
4 csv header;
5
```

Data Output Messages Notifications

COPY 48620

Query returned successfully in 456 msec.

Total rows: 0 of 0 Query complete 00:00:00.456 Ln 1, Col 18

93°

16:30 10-04-2025

pgAdmin 4

FileObjectToolsHelp

Object Explorer

Servers

PostgreSQL 16

Databases (10)

Pizzadb

Casts

Catalogs

Event Triggers

Extensions

Foreign Data Wrapper

Languages

Publications

Schemas (1)

public

Aggregates

Collations

Domains

FTS Configuratic

FTS Dictionaries

FTS Parsers

FTS Templates

Foreign Tables

Functions

Materialized Vie

Operators

Dashboard

Pizzadb/postgres...

Pizzadb/postgres...

Pizzadb/postgres@PostgreSQL 16\*

Pizzadb/postgres...

Pizzadb/postgres@PostgreSQL 16

Query

Query History

1 SELECT \* FROM pizza\_sales1

2

Data Output

Messages

Notifications

	pizza_id [PK] bigint	order_id bigint	pizza_name_id character varying (1000)	quantity bigint	order_date date	order_time time without time zone	unit_price double precision	total_price double precision	pizza_si charact
1	1	1	hawaiian_m	1	2015-01-01	11:38:36	13.25	13.25	M
2	2	2	classic_dlx_m	1	2015-01-01	11:57:40	16	16	M
3	3	2	five_cheese_l	1	2015-01-01	11:57:40	18.5	18.5	L
4	4	2	ital_supr_l	1	2015-01-01	11:57:40	20.75	20.75	L
5	5	2	mexicana_m	1	2015-01-01	11:57:40	16	16	M
6	6	2	thai_ckn_l	1	2015-01-01	11:57:40	20.75	20.75	L
7	7	3	ital_supr_m	1	2015-01-01	12:12:28	16.5	16.5	M
8	8	3	prsc_argla_l	1	2015-01-01	12:12:28	20.75	20.75	L
9	9	4	ital_supr_m	1	2015-01-01	12:16:31	16.5	16.5	M
10	10	5	ital_supr_m	1	2015-01-01	12:21:30	16.5	16.5	M
11	11	6	bbq_ckn_s	1	2015-01-01	12:29:36	12.75	12.75	S
12	12	6	the_greek_s	1	2015-01-01	12:29:36	12	12	S

Total rows: 1000 of 48620

Query complete 00:00:00.146

Ln 1, Col 27

pgAdmin 4

FileObjectToolsHelp

Object Explorer

Servers

PostgreSQL 16

Databases (10)

Pizzadb

Casts

Catalogs

Event Triggers

Extensions

Foreign Data Wrapper

Languages

Publications

Schemas (1)

public

Aggregates

Collations

Domains

FTS Configuratic

FTS Dictionaries

FTS Parsers

FTS Templates

Foreign Tables

Functions

Materialized Vie

Operators

zadb/postgres... x Pizzadb/postgres... x Pizzadb/postgres... x Pizzadb/postgres@PostgreSQL 16\* x Pizzadb/postgres... x

Pizzadb/postgres@PostgreSQL 16

QueryQuery HistoryScratch Pad x

8

9select pizza\_size, sum(total\_price)\*100 / (select sum(total\_price)from pizza\_sales,

10from pizza\_sales

11group by pizza\_size

12

Data OutputMessagesNotifications

	pizza_size character varying (1000)	pct_total_sales double precision
1	S	21.773468455880682
2	XXL	0.12307729176892906
3	XL	1.7210768517181052
4	M	30.492044451859723
5	L	45.8903329487743

Successfully run. Total query runtime: 77 msec. 5 rows affected. X

Total rows: 5 of 5Query complete 00:00:00.077Ln 9, Col 1



pgAdmin 4

File Object Tools Help

Object Explorer

- Servers
  - PostgreSQL 16
    - Databases (10)
      - Pizzadb
        - Casts
        - Catalogs
        - Event Triggers
        - Extensions
        - Foreign Data Wrapper
        - Languages
        - Publications
        - Schemas (1)
          - public
            - Aggregates
            - Collations
            - Domains
            - FTS Configuratic
            - FTS Dictionaries
            - FTS Parsers
            - FTS Templates
            - Foreign Tables
            - Functions
            - Materialized Vie
            - Operators

zadb/postgres... x Pizzadb/postgres... x Pizzadb/postgres... x Pizzadb/postgres@PostgreSQL 16\* x Pizzadb/postgres... x

Pizzadb/postgres@PostgreSQL 16

Query Query History Scratch Pad x

```
4
5 select pizza_category, sum(total_price)*100 / (select sum(total_price) from pizza_sales
6 from pizza_sales
7 group by pizza_category
8
```

Data Output Messages Notifications

	pizza_category character varying (1000)	pct_total_sales double precision
1	Supreme	25.45631126009884
2	Chicken	23.955137556847493
3	Veggie	23.682590927384783
4	Classic	26.9059602556699

Total rows: 4 of 4 Query complete 00:00:00.047

Ln 5, Col 1

✓ Successfully run. Total query runtime: 47 msec. 4 rows affected. ✕

pgAdmin 4

FileObjectToolsHelp

Object Explorer

Servers

PostgreSQL 16

Databases (10)

Pizzadb

Casts

Catalogs

Event Triggers

Extensions

Foreign Data Wrapper

Languages

Publications

Schemas (1)

public

Aggregates

Collations

Domains

FTS Configuratic

FTS Dictionaries

FTS Parsers

FTS Templates

Foreign Tables

Functions

Materialized Vie

Operators

Dashboard

Pizzadb/postgres...

Pizzadb/postgres...

Pizzadb/postgres@PostgreSQL 16\*

Pizzadb/postgres...

Pizzadb/postgres@PostgreSQL 16

Query

Query History

1

2

3

4

5

select count(distinct order\_id) as total\_order\_placed from pizza\_sales

Data Output

Messages

Notifications

total\_order\_placed

bigint

1


21350

✓ Successfully run. Total query runtime: 63 msec. 1 rows affected. ✕

Total rows: 1 of 1

Query complete 00:00:00.063

Ln 2, Col 1





pgAdmin 4

FileObjectToolsHelp

Object Explorer

Servers

PostgreSQL 16

Databases (10)

Pizzadb

Casts

Catalogs

Event Triggers

Extensions

Foreign Data Wrapper

Languages

Publications

Schemas (1)

public

Aggregates

Collations

Domains

FTS Configuratic

FTS Dictionaries

FTS Parsers

FTS Templates

Foreign Tables

Functions

Materialized Vie

Operators

Dashboard

Pizzadb/postgres...

Pizzadb/postgres...

Pizzadb/postgres@PostgreSQL 16\*

Pizzadb/postgres...

Pizzadb/postgres@PostgreSQL 16

Query

Query History

1

2

3

4

select

sum

(

total\_price

)

/

count

(

distinct

order\_id

)

as

avg\_order\_value

from

pizza\_sales

Data Output

Messages

Notifications

avg\_order\_value

double precision

1

38.307262295081635

Total rows: 1 of 1

Query complete 00:00:00.038

Ln 3, Col 1

pgAdmin 4

File Object Tools Help

Object Explorer

- Servers
  - PostgreSQL 16
    - Databases (10)
      - Pizzadb
        - Casts
        - Catalogs
        - Event Triggers
        - Extensions
        - Foreign Data Wrapper
        - Languages
        - Publications
        - Schemas (1)
          - public
            - Aggregates
            - Collations
            - Domains
            - FTS Configuratic
            - FTS Dictionaries
            - FTS Parsers
            - FTS Templates
            - Foreign Tables
            - Functions
            - Materialized Vie
            - Operators

zadb/postgres... x Pizzadb/postgres... x Pizzadb/postgres... x Pizzadb/postgres@PostgreSQL 16\* x Pizzadb/postgres... x

Pizzadb/postgres@PostgreSQL 16

Query Query History Scratch Pad x

```
1 select to_char(order_date,'month') as order_month, count(distinct order_id) as tota
2 from pizza_sales
3 group by to_char(order_date,'month')
4
5
```

Data Output Messages Notifications

	order_month text	total_order bigint
1	april	1799
2	august	1841
3	december	1680
4	february	1685
5	january	1845
6	july	1935
7	june	1773
8	march	1840
9	may	1853
10	november	1792

Total rows: 12 of 12 Query complete 00:00:00.100 Ln 1, Col 1

pgAdmin 4

FileObjectToolsHelp

Object Explorer

Servers

PostgreSQL 16

Databases (10)

Pizzadb

Casts

Catalogs

Event Triggers

Extensions

Foreign Data Wrapper

Languages

Publications

Schemas (1)

public

Aggregates

Collations

Domains

FTS Configuratic

FTS Dictionaries

FTS Parsers

FTS Templates

Foreign Tables

Functions

Materialized Vie

Operators

Dashboard

Pizzadb/postgres...

Pizzadb/postgres...

Pizzadb/postgres@PostgreSQL 16\*

Pizzadb/postgres...

Pizzadb/postgres@PostgreSQL 16

No limit

QueryQuery History

1select sum(total\_price) as total\_revenue from pizza\_sales

2

Data OutputMessagesNotifications

	total_revenue	
	double precision	
1	817860.049999993	

Total rows: 1 of 1Query complete 00:00:00.049Ln 1, Col 1

pgAdmin 4

FileObjectToolsHelp

Object Explorer

Servers

PostgreSQL 16

Databases (10)

Pizzadb

Casts

Catalogs

Event Triggers

Extensions

Foreign Data Wrapper

Languages

Publications

Schemas (1)

public

Aggregates

Collations

Domains

FTS Configuratic

FTS Dictionaries

FTS Parsers

FTS Templates

Foreign Tables

Functions

Materialized Vie

Operators

zadb/postgres... x Pizzadb/postgres... x Pizzadb/postgres... x Pizzadb/postgres@PostgreSQL 16\* x Pizzadb/postgres... x

Pizzadb/postgres@PostgreSQL 16

Query Query History Scratch Pad x

```
1 select to_char(order_date, 'day') as order_day, count(distinct order_id) as total_or
2 from pizza_sales
3 group by to_char(order_date, 'day')
4
5
```

Data Output Messages Notifications

	order_day	total_orders
	text	bigint
1	friday	3538
2	monday	2794
3	saturday	3158
4	sunday	2624
5	thursday	3239
6	tuesday	2973
7	wednesday	3024

Total rows: 7 of 7 Query complete 00:00:00.108 Ln 1, Col 1