apigee API Security

Basic Authentication

- Basic Authentication
 - Base64 encode username password
 - Base64 decode Authorization header
 - Policy can be used at any point in the proxy



XML, JSON Regex, Threat Protection

- XML Threat Protection
- JSON Threat Protection
- Regular Expression Protection
 - Validate XML request payload
 - Content-type: application/xml
 - Validate JSON request payload
 - Content-type: application/json
 - Regex validates URI, Headers, payload against regular expressions



Verify API Key Policy

To Verify API Key

- Verify API key at runtime
- Restricts access to your API to valid API keys
- Returns 401 Unauthorized if API key is invalid



OAuth v1.0a

- CAuth v1.0a
- Get OAuth v1.0a Info
- 🕜 Delete OAuth v1.0 Info
 - OAuth v1a
 - Generate request token, access token, validate access token
 - Get OAuth v1a retrieves token attributes
 - Delete OAuth v1a deletes request token, verifier or access token
 - Replaced by OAuth v2.0



OAuth v2

- OAuth v2.0
- Get OAuth v2.0 Info
- Set OAuth v2.0 Info
- n Delete OAuth v2.0 Info
 - Generate Access Token, Verify Access Token, Generate Authorization Code, Refresh Access Token
 - Get and set token attributes
 - Delete auth code or access token
 - Policy can be used at any point in the proxy



SAML

- Generate SAML Assertion
- Talidate SAML Assertion
 - Generate SAML assertions
 - Validate SAML assertions
 - Policy can be used at any point in the proxy



Access Control

- Access Control
- IP whitelisting
- Policy can be used at any point in the proxy



apigee Thank You