

## TodoCamisetas API 1.0.0 OAS 3.0

API RESTful completa para la gestión de camisetas deportivas.

Servers

http://localhost/todocamisetas-api - Servidor de desarrollo local (XAMPP) ▾

### Camisetas Operaciones relacionadas con camisetas deportivas

**GET** /api/camisetas Lista todas las camisetas

Obtiene todas las camisetas con sus tallas asociadas

#### Parameters

No parameters

Execute

Clear

Cancel

#### Responses

Curl

```
curl -X "GET" \
  "http://localhost/todocamisetas-api/api/camisetas" \
  -H "Accept: application/json"
```

Request URL

http://localhost/todocamisetas-api/api/camisetas

Server response

Code Details

200

Response body

```
[{"tallas": [{"id": 1, "color": "Negro", "stock": 22}, {"id": 2, "color": "Blanco", "stock": 18}, {"id": 3, "color": "Rojo y Azul", "stock": 18}, {"id": 4, "color": "Verde", "stock": 18}, {"id": 5, "color": "Amarillo", "stock": 18}, {"id": 6, "color": "Azul", "stock": 5}], "title": "Camiseta Local 2025 - Selección Chilena", "pais": "Chile", "tipo": "local", "color": "Rojo y Azul", "precio": 45000, "stock": 100, "detalles": "Edición aniversario 2025", "tagline": "Camiseta oficial de la selección chilena", "created_at": "2025-06-13T05:15:28.947Z", "updated_at": "2025-06-13T05:15:28.947Z", "talla": "S"}, {"tallas": [{"id": 1, "color": "Negro", "stock": 22}, {"id": 2, "color": "Blanco", "stock": 18}, {"id": 3, "color": "Rojo y Azul", "stock": 18}, {"id": 4, "color": "Verde", "stock": 18}, {"id": 5, "color": "Amarillo", "stock": 18}, {"id": 6, "color": "Azul", "stock": 5}], "title": "Camiseta Local 2025 - Selección Chilena", "pais": "Chile", "tipo": "local", "color": "Rojo y Azul", "precio": 45000, "stock": 100, "detalles": "Edición aniversario 2025", "tagline": "Camiseta oficial de la selección chilena", "created_at": "2025-06-13T05:15:28.947Z", "updated_at": "2025-06-13T05:15:28.947Z", "talla": "M"}]
```

Response headers

```
access-control-allow-headers: Content-Type,Authorization,X-Requested-With,Content-Type,Authorization
access-control-allow-methods: GET,POST,PUT,DELETE,OPTIONS,DELETE,PUT,DELETE,OPTIONS
access-control-allow-origin: *
access-control-max-age: 60000
connection: Keep-Alive
content-length: 1000
content-type: application/json; charset=utf-8
date: Fri, 13 Jun 2025 05:30:11 GMT
location: http://localhost/todocamisetas-api/api/camisetas
server: Apache/2.4.58 (Ubuntu) OpenSSL/3.1.3 PHP/8.2.12
x-aspixx-csrf-token: 1234567890
x-rate-limit-limit: 100
x-rate-limit-reset: 99
x-rate-limit-retry-after: 60
x-xss-protection: 1; mode=block
```

Responses

Code Description

200 Lista de camisetas obtenida exitosamente

Media type

application/json ▾

Controls Accept header.

Example Value | Schema

```
[{"id": 1, "title": "Camiseta Local 2025 - Selección Chilena", "pais": "Chile", "tipo": "local", "color": "Rojo y Azul", "precio": 45000, "stock": 100, "detalles": "Edición aniversario 2025", "tagline": "Camiseta oficial de la selección chilena", "created_at": "2025-06-13T05:15:28.947Z", "updated_at": "2025-06-13T05:15:28.947Z", "talla": "S"}, {"id": 2, "title": "Camiseta Local 2025 - Selección Chilena", "pais": "Chile", "tipo": "local", "color": "Rojo y Azul", "precio": 45000, "stock": 100, "detalles": "Edición aniversario 2025", "tagline": "Camiseta oficial de la selección chilena", "created_at": "2025-06-13T05:15:28.947Z", "updated_at": "2025-06-13T05:15:28.947Z", "talla": "M"}]
```

Download

Links

No links

200 Lista de camisetas obtenida exitosamente

Media type

application/json ▾

Controls Accept header.

Example Value | Schema

```
[{"error": "Error interno del servidor"}]
```

No links

500 Error interno del servidor

Media type

application/json ▾

Controls Accept header.

Example Value | Schema

```
{"error": "Error interno del servidor"}
```

**POST** /api/camisetas Crea una nueva camiseta

Crea una nueva camiseta con validaciones completas

#### Parameters

No parameters

Request body required

application/json ▾

```
{"title": "Camiseta Local 2025 - Selección Chilena", "pais": "Selcción Chilena", "color": "Negro", "tipo": "local", "color": "Rojo y Azul", "precio": 45000, "stock": 100, "detalles": "Edición aniversario 2025", "tagline": "Selcción Chilena"}
```

**Execute** **Clear**

**Responses**

**Curl**

```
curl -X "POST" \
  "http://localhost/todocamisetas-api/api/camisetas" \
  -H "Content-Type: application/json" \
  -H "Accept: application/json" \
  -d "{
    \"id\": 13,
    \"titulo\": \"Camiseta Local 2025 - Selección Chilena\",
    \"pais\": \"Peru\",
    \"talla\": \"M\",
    \"color\": \"Rojo y Azul\",
    \"precio\": 45000,
    \"precio_oferta\": 38000,
    \"detalles\": \"Edición aniversario 2025\",
    \"stock\": 5,
    \"created_at\": \"2025-06-13 01:10:38\",
    \"updated_at\": \"2025-06-13 01:10:38\",
    \"tallas\": []
  }"
```

**Request URL**

<http://localhost/todocamisetas-api/api/camisetas>

**Server response**

Code	Details
201	<b>Response body</b> <pre>{   "id": 13,   "titulo": "Camiseta Local 2025 - Selección Chilena",   "pais": "Peru",   "talla": "M",   "color": "Rojo y Azul",   "precio": 45000,   "precio_oferta": 38000,   "detalles": "Edición aniversario 2025",   "stock": 5,   "created_at": "2025-06-13 01:10:38",   "updated_at": "2025-06-13 01:10:38",   "tallas": [] }</pre> <div style="display: flex; justify-content: space-between;"> <span></span> <span></span> </div> <b>Response headers</b> <pre>access-control-allow-headers: Content-Type,Authorization,X-Requested-With,Content-Type,Authorization access-control-allow-methods: GET,POST,PUT,DELETE,OPTIONS,GET,POST,PUT,DELETE,OPTIONS access-control-max-age: 3600 content-type: application/json; charset=UTF-8 date: Fri, 13 Jun 2025 05:11:11 GMT server: Apache/2.4.58 (Ubuntu) OpenSSL/3.1.3 PHP/8.2.12 x-content-type-options: nosniff x-frame-options: SAMEORIGIN x-powered-by: PHP/8.2.12 x-request-id: 1 x-retain-txid: 1 x-xss-protection: 1; mode=block</pre>

**Responses**

Code	Description	Links
201	Camiseta creada exitosamente	No links
400	Datos de entrada inválidos	No links
409	Conflictivo de integridad o duplicados	No links
500	Error interno del servidor	No links

**GET /api/camisetas/{id}** Obtiene una camiseta específica

Obtiene los detalles de una camiseta por su ID, incluyendo tallas

**Parameters**

**Name** **Description**

<b>id</b> <b>* required</b>	ID del recurso
integer (path)	19

**Execute** **Cancel** **Clear**

**Responses**

**Curl**

```
curl -X "GET" \
  "http://localhost/todocamisetas-api/api/camisetas/19" \
  -H "Accept: application/json"
```

**Request URL**

<http://localhost/todocamisetas-api/api/camisetas/19>

**Server response**

Code	Details
200	<b>Response body</b> <pre>{   "id": 13,   "titulo": "Camiseta Local 2025 - Selección Chilena",   "pais": "Peru",   "talla": "M",   "color": "Rojo y Azul",   "precio": 45000,   "precio_oferta": 38000,   "detalles": "Edición aniversario 2025",   "stock": 5,   "created_at": "2025-06-13 01:10:38",   "updated_at": "2025-06-13 01:10:38",   "tallas": [] }</pre> <div style="display: flex; justify-content: space-between;"> <span></span> <span></span> </div> <b>Response headers</b> <pre>access-control-allow-headers: Content-Type,Authorization,X-Requested-With,Content-Type,Authorization access-control-allow-methods: GET,POST,PUT,DELETE,OPTIONS,GET,POST,PUT,DELETE,OPTIONS access-control-max-age: 3600 content-type: application/json; charset=UTF-8 date: Fri, 13 Jun 2025 05:11:11 GMT server: Apache/2.4.58 (Ubuntu) OpenSSL/3.1.3 PHP/8.2.12 x-content-type-options: nosniff x-powered-by: PHP/8.2.12 x-request-id: 1 x-xss-protection: 1; mode=block</pre>

`x-frame-options: DENY`  
`x-xss-protection: 1; mode=block`  
`x-content-type-options: nosniff`  
`x-retain-limit: 100`  
`x-retain-limit-reset: 60`  
`x-xss-protection: 1; mode=block`

Responses	Code	Description	Links
200	Camiseta obtenida exitosamente	Media type application/json	No links
404	Recurso no encontrado	Media type application/json	No links
500	Error interno del servidor	Media type application/json	No links

**PUT /api/camisetas/{id}** Actualiza una camiseta

Actualiza los datos de una camiseta existente

Parameters

Name	Description
<b>Id</b> <small>required</small>	ID del recurso
Integer <small>(path)</small>	19

Request body required

```
{
  "id": 19,
  "titulo": "Camiseta local 2025 - Selección Chilena",
  "pais": "Perú",
  "tipo": "Local",
  "color": "Rojo y Azul",
  "precio": 30000,
  "precio_oferta": 30000,
  "detalles": "Edición aniversario 2025",
  "codigo_producto": "SLC2025L",
  "created_at": "2025-06-13T08:15:28.955Z",
  "updated_at": "2025-06-13T08:15:28.955Z",
  "tallas": [
    {
      "id": 1,
      "nombre": "S",
      "stock": 10
    }
  ]
}
```

Execute Clear

Responses

Curl

```
curl -X 'PUT' \
  'http://localhost/todocamisetas-api/api/camisetas/19' \
  -H 'Content-Type: application/json' \
  -d @-
```

Request URL

http://localhost/todocamisetas-api/api/camisetas/19

Server response

Code	Details
200	Response body

```
{
  "id": 19,
  "titulo": "Camiseta local 2025 - Selección Chilena",
  "pais": "Perú",
  "tipo": "Local",
  "color": "Rojo y Azul",
  "precio": 30000,
  "precio_oferta": 30000,
  "detalles": "Edición aniversario 2025",
  "codigo_producto": "SLC2025L",
  "created_at": "2025-06-13T08:15:28.955Z",
  "updated_at": "2025-06-13T08:15:28.955Z",
  "tallas": []
}
```

Download

Response headers

```
access-control-allow-headers: Content-Type,Authorization,X-Requested-With,Content-Type,Authorization
access-control-allow-methods: GET,POST,PUT,DELETE,OPTIONS,GET,POST,PUT,DELETE,OPTIONS
access-control-max-age: 3600
content-length: 404
content-type: application/json; charset=utf-8
date: Fri, 13 Jun 2025 05:11:47 GMT
server: Apache/2.4.58 (Ubuntu) OpenSSL/3.1.3 PHP/8.2.12
x-content-type-options: nosniff
x-frame-options: DENY
x-powered-by: PHP/8.2.12
x-retain-limit: 100
x-retain-limit-reset: 60
x-xss-protection: 1; mode=block
```

Responses	Code	Description	Links
200	Camiseta actualizada exitosamente	Media type application/json	No links

Example Value | Schema

```
{
  "id": 19,
  "titulo": "Camiseta local 2025 - Selección Chilena",
  "pais": "Perú",
  "tipo": "Local",
  "color": "Rojo y Azul",
  "precio": 30000,
  "precio_oferta": 30000,
  "detalles": "Edición aniversario 2025",
  "codigo_producto": "SLC2025L",
  "created_at": "2025-06-13T08:15:28.955Z",
  "updated_at": "2025-06-13T08:15:28.955Z",
  "tallas": [
    {
      "id": 1,
      "nombre": "S",
      "stock": 10
    }
  ]
}
```

**400 Datos de entrada inválidos**

Media type: application/json

Example Value | Schema

```
{
  "error": "Datos de validación incorrectos",
  "details": [
    {
      "title": "El campo título es requerido"
    }
  ]
}
```

**404 Recurso no encontrado**

Media type: application/json

Example Value | Schema

```
{
  "error": "Recurso no encontrado"
}
```

**409 Conflicto de integridad o duplicados**

Media type: application/json

Example Value | Schema

```
{
  "error": "El código de producto ya existe"
}
```

**500 Error interno del servidor**

Media type: application/json

Example Value | Schema

```
{
  "error": "Error interno del servidor"
}
```

**DELETE /api/camisetas/{id}** Elimina una camiseta

Elimina una camiseta del sistema

Parameters

Name	Description
<b>id</b> * required	ID del recurso
integer (path)	19

Cancel

Execute Clear

Responses

Curl

```
curl -X DELETE \
  'http://localhost/todacamisetas-api/api/camisetas/19' \
  -H 'Accept: application/json'
```

Request URL

http://localhost/todacamisetas-api/api/camisetas/19

Server response

Code	Details
200	Response body <pre>{   "message": "Camiseta eliminada correctamente" }</pre> <p>Download</p> Response headers <pre>access-control-allow-headers: Content-Type,Authorization,X-Requested-With,Content-Type,Authorization access-control-allow-methods: GET,POST,PUT,DELETE,OPTIONS,GET,POST,PUT,DELETE,OPTIONS access-control-max-age: 64000,64000 keep-alive: timeout=5, max=100 content-length: 53 content-type: application/json; charset=UTF-8 date: Mon, 19 Dec 2022 12:38:49 GMT keep-alive: timeout=5,max=100 server: Apache/2.4.41 PHP/8.0.12 x-content-type-options: nosniff x-frame-options: SAMEORIGIN x-xss-filter: off x-telnet-limit: 100 x-telnet-timeout: 90 x-telnet-restart: 60 x-dns-prefetch-control: off-block</pre>

Responses

Code	Description	Links
200	Camiseta eliminada exitosamente	No links
404	Recurso no encontrado	No links
500	Error interno del servidor	No links

GET /api/camisetas/{id}/precio/{cliente\_id} Calcula precio final para cliente

ENDPOINT CRÍTICO: Calcula el precio final de una camiseta para un cliente específico.

Aplica la lógica de negocio:

- Si cliente Preferencial & precio\_oferta existe -- usar precio\_oferta
- Sino -- usar precio normal
- Ajustar descuento del cliente

Parameters

Name	Description
<b>id</b> * required	ID de la camiseta
integer (path)	3
<b>cliente_id</b> * required	ID del cliente
integer (path)	1

Cancel

Execute Clear

Responses

Curl

```
curl -X 'GET' \
'http://localhost/todocamisetas-api/api/camisetas/3/precio/1' \
-d accept=application/json
```

Request URL

<http://localhost/todocamisetas-api/api/camisetas/3/precio/1>

Server response

Code	Details
200	Response body <pre>{   "precio_final": 33300 }</pre> <a href="#">Download</a>
Response headers	
<pre>access-control-allow-headers: Content-Type,Authorization,X-Requested-With,Content-Type,Authorization access-control-allow-methods: GET,POST,PUT,DELETE,OPTIONS,GET,POST,PUT,DELETE,OPTIONS access-control-allow-origin: * access-control-max-age: 604800 connection: Keep-Alive content-type: application/json; charset=utf-8 date: Sun, 10 Jun 2018 14:46:07 GMT keep-alive: timeout=5,max=99 server: Apache/2.4.18 (Ubuntu) OpenSSL/1.1.0 PHP/7.2.12 x-frame-options: DENY x-content-type-options: nosniff x-retain-limit: 100 x-retain-limit-reset: 99 x-xss-protection: 1; mode=block</pre>	

Responses

Code	Description	Links
200	Precio final calculado exitosamente	No links
404	Recurso no encontrado	No links
500	Error interno del servidor	No links

GET /api/camisetas/{id}/tallas Obtiene tallas de una camiseta

Lista todas las tallas asignadas a una camiseta con su stock.

Parameters

Name	Description
<b>id</b> * required	ID del recurso
Integer (path)	3

[Execute](#) [Cancel](#) [Clear](#)

Responses

Code	Details
200	Response body <pre>[   {     "id": 1,     "nudre": "L",     "stock": 22   },   {     "id": 2,     "nudre": "M",     "stock": 16   },   {     "id": 3,     "nudre": "S",     "stock": 12   },   {     "id": 4,     "nudre": "XL",     "stock": 10   },   {     "id": 5,     "nudre": "XXL",     "stock": 5   } ]</pre> <a href="#">Download</a>
Response headers	
<pre>access-control-allow-headers: Content-Type,Authorization,X-Requested-With,Content-Type,Authorization access-control-allow-methods: GET,POST,PUT,DELETE,OPTIONS,GET,POST,PUT,DELETE,OPTIONS access-control-allow-origin: * access-control-max-age: 604800 connection: Keep-Alive content-type: application/json; charset=utf-8 date: Sun, 10 Jun 2018 14:46:07 GMT keep-alive: timeout=5,max=99 server: Apache/2.4.18 (Ubuntu) OpenSSL/1.1.0 PHP/7.2.12 x-frame-options: DENY x-content-type-options: nosniff x-retain-limit: 100 x-retain-limit-reset: 99 x-xss-protection: 1; mode=block</pre>	

Responses

Code	Description	Links
200	Tallas obtenidas exitosamente	No links
404	Recurso no encontrado	No links
500	Error interno del servidor	No links

Media type: application/json

Example Value / Schema

```
{ "error": "Error interno del servidor" }
```

POST /api/camisetas/{id}/tallas Asigna talla a camiseta

Asigna una talla a una camiseta con stock inicial

Parameters

Name Description

id \* required ID del recurso  
Integer (path) 2

Request body (required)

application/json

```
{ "talla_id": 3, "stock": 20 }
```

Execute Clear

Responses

Curl

```
curl -X POST 'http://localhost:8000/api/camisetas/1/tallas' \
-H 'accept: application/json' \
-H 'Content-Type: application/json' \
-d '{ "talla_id": 3, "stock": 20 }'
```

Request URL

http://localhost:8000/api/camisetas/1/tallas

Server response

Code Details

409 Error: Conflict

Response body

```
{ "error": "La talla ya está asignada a esta camiseta" }
```

Download

Response headers

```
access-control-allow-headers: Content-Type, Authorization, X-Requested-With, Content-Type, Authorization
access-control-allow-methods: GET, POST, PUT, DELETE, OPTIONS, GET, POST, PUT, DELETE, OPTIONS
access-control-max-age: 604800
connection: keep-alive
content-length: 61
content-type: application/json; charset=utf-8
date: Mon, 27 Mar 2017 14:40:19 GMT
keep-alive: timeout=5, max=100
server: Apache/2.4.10 (Ubuntu) OpenSSL/1.0.2j PHP/7.0.12
x-content-type-options: nosniff
x-powered-by: PHP/7.0.12
x-request-id: 4f3e0
x-retainlat: 99
x-retainlat-reset: 60
x-xss-protection: 1; mode=block
```

Responses

Code Description

201 Talla asignada exitosamente

No links

Media type: application/json

Controls Accept header.

Example Value / Schema

```
{ "id": 3, "nombre": "S", "stock": 10 }
```

400 Datos de entrada invalidos

No links

Media type: application/json

Example Value / Schema

```
{ "error": "Datos de validación incorrectos", "details": [ { "campo": "titulo", "mensaje": "El campo titulo es requerido" } ] }
```

404 Recurso no encontrado

No links

Media type: application/json

Example Value / Schema

```
{ "error": "recurso no encontrado" }
```

409 Conflicto de integridad o duplicados

No links

Media type: application/json

Example Value / Schema

```
{ "error": "El código de producto ya existe" }
```

500 Error interno del servidor

No links

Media type: application/json

Example Value / Schema

```
{ "error": "Error interno del servidor" }
```

PUT /api/camisetas/{camiseta\_id}/tallas/{talla\_id} Actualiza stock de talla

Actualiza el stock de una talla específica en una camiseta

Parameters

Name Description

camiseta\_id \* required ID de la camiseta  
Integer (path) 3

talla\_id \* required ID de la talla  
Integer (path) 2

Request body (required)

application/json

```
{
  "stock": 70
}
```

**Execute**

**Clear**

**Responses**

Curl

```
curl -X 'PUT' \
  'http://localhost/todocamisetas-api/api/camisetas/3/tallas/2' \
  -H 'Content-Type: application/json' \
  -H 'Content-Type: application/json' \
  -d '{
    "stock": 70
}'
```

Request URL

<http://localhost/todocamisetas-api/api/camisetas/3/tallas/2>

Server response

Code	Details
200	Response body <pre>{   "id": 2,   "nombre": "S",   "stock": 70 }</pre> <p>Download</p> Response headers <pre>access-control-allow-headers: Content-Type, Authorization, X-Requested-With, Content-Type, Authorization access-control-allow-methods: GET, POST, PUT, DELETE, OPTIONS, GET, POST, PUT, DELETE, OPTIONS access-control-max-age: 64480, 64480 connection: Keep-Alive content-type: application/json; charset=UTF-8 date: Mon, 12 Dec 2022 14:47:28 GMT keep-alive: timeout=5, max=100 server: Apache/2.4.48 (Ubuntu) OpenSSL/3.1.1 PHP/8.2.12 x-frame-options: DENY x-frame-options: SAMEORIGIN x-runtime: 0.000212 x-total-limit: 100 x-total-offset: 0 x-total-count: 99 x-total-reset: 60 x-xss-protection: 1; mode=block</pre>

Responses

Code	Description	Links
200	Stock actualizado exitosamente Media type: <b>application/json</b> Contains Accept header. Example Value : Schema <pre>{   "id": 2,   "nombre": "S",   "stock": 70 }</pre>	No links
400	Datos de entrada invalidos Media type: <b>application/json</b> Example Value : Schema <pre>{   "error": "Datos de validación incorrectos",   "details": [     {       "title": "El campo titulo es requerido"     }   ] }</pre>	No links
404	Recurso no encontrado Media type: <b>application/json</b> Example Value : Schema <pre>{   "error": "Recurso no encontrado" }</pre>	No links
500	Error interno del servidor Media type: <b>application/json</b> Example Value : Schema <pre>{   "error": "Error interno del servidor" }</pre>	No links

**DELETE /api/camisetas/{camiseta\_id}/tallas/{talla\_id}** Remueve talla de camiseta

**Execute**

**Clear**

Remueve la asignación de una talla a una camiseta

**Parameters**

Name	Description
camiseta_id * required	ID de la camiseta integer (path)
talla_id * required	ID de la talla integer (path)

**Cancel**

**Responses**

Curl

```
curl -X 'DELETE' \
  'http://localhost/todocamisetas-api/api/camisetas/2/tallas/3' \
  -H 'Content-Type: application/json'
```

Request URL

<http://localhost/todocamisetas-api/api/camisetas/2/tallas/3>

Server response

Code	Details
200	Response body <pre>{   "message": "Talla removida de la camiseta correctamente" }</pre> <p>Download</p> Response headers <pre>access-control-allow-headers: Content-Type, Authorization, X-Requested-With, Content-Type, Authorization access-control-allow-methods: GET, POST, PUT, DELETE, OPTIONS, GET, POST, PUT, DELETE, OPTIONS access-control-max-age: 64480, 64480 connection: Keep-Alive content-type: application/json; charset=UTF-8 date: Mon, 12 Dec 2022 14:47:28 GMT keep-alive: timeout=5, max=100 server: Apache/2.4.48 (Ubuntu) OpenSSL/3.1.1 PHP/8.2.12 x-frame-options: DENY x-frame-options: SAMEORIGIN x-runtime: 0.000212 x-total-limit: 100 x-total-offset: 0 x-total-count: 99 x-total-reset: 60 x-xss-protection: 1; mode=block</pre>

Responses

Code	Description	Links
------	-------------	-------

200 Talla removida exitosamente

No links

Media type: application/json

Example Value | Schema

```
{ "message": "Talla removida de la camiseta correctamente" }
```

404 Recurso no encontrado

No links

Media type: application/json

Example Value | Schema

```
{ "error": "Recurso no encontrado" }
```

500 Error interno del servidor

No links

Media type: application/json

Example Value | Schema

```
{ "error": "Error interno del servidor" }
```

**Cuentas** Operaciones relacionadas con cuentas

^

<b>GET</b> /api/cuentas	Lista todos los cuentas
<b>POST</b> /api/cuentas	Crea un nuevo cuenta
<b>GET</b> /api/cuentas/{id}	Obtiene un cuenta específico
<b>PUT</b> /api/cuentas/{id}	Actualiza un cuenta
<b>DELETE</b> /api/cuentas/{id}	Elimina un cuenta
<b>GET</b> /api/cuentas/{id}/camisetas	Camisetas disponibles para cuenta

**Tallas** Operaciones relacionadas con tallas

^

<b>GET</b> /api/tallas	Lista todas las tallas
<b>POST</b> /api/tallas	Crea una nueva talla
<b>GET</b> /api/tallas/{id}	Obtiene una talla específica
<b>PUT</b> /api/tallas/{id}	Actualiza una talla
<b>DELETE</b> /api/tallas/{id}	Elimina una talla

**Schemas**

^

- Camiseta >
- CamisetaCompleta >
- CamisetaInput >
- CamisetaUpdate >
- Cliente >
- ClienteInput >
- ClienteUpdate >
- Talla >
- TallaInput >
- TallaStock >
- Error >