Summary of Using Ant Colony Optimizations to Learn Fuzzy Cognitive Maps

Chris Aga
University of Minnesota, Morris
600 East 4th St.
Morris, Minnesota 56267
agaxx010@morris.umn.edu

ABSTRACT

Abstract

Keywords

Intrusion Detection Systems, Artificial Immune Systems, Negative Selection, Computer Security, Denial of Service, Danger Theory, Dendritic Cell Algorithm, Real-Time Analysis, Segmentation

1. INTRODUCTION

2. CONCLUSION

Conclusion.

3. REFERENCES

- J. Carvalho and J. Tome. Rule based fuzzy cognitive maps and fuzzy cognitive maps-a comparative study. In Fuzzy Information Processing Society, 1999. NAFIPS. 18th International Conference of the North American, pages 115–119, 1999.
- [2] Y. Chen, L. Mazlack, and L. Lu. Learning fuzzy cognitive maps from data by ant colony optimization. In Proceedings of the fourteenth international conference on Genetic and evolutionary computation conference, GECCO '12, pages 9–16, New York, NY, USA, 2012. ACM.
- [3] A. Liljencrantz. Memory consolidation in artificial neural networks. Department of Numerical Analysis and Computer Science, Royal Institute of Technology, Stockholm, 2003.
- [4] W. Stach, L. Kurgan, and W. Pedrycz. Data-driven nonlinear hebbian learning method for fuzzy cognitive maps. In Fuzzy Systems, 2008. FUZZ-IEEE 2008. (IEEE World Congress on Computational Intelligence). IEEE International Conference on, pages 1975–1981, 2008.

This work is licensed under the Creative Commons Attribution-Noncommercial-Share Alike 3.0 United States License. To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-sa/3.0/us/ or send a letter to Creative Commons, 171 Second Street, Suite 300, San Francisco, California, 94105, USA.