Kasparro AI visibility classifier: model versus keyword baseline

Evaluation comparison report - label set visibility-evaluation-v1

Single frozen model run (openai/gpt-oss-120b via Groq) - owner-written labels - model quality unverified

At a glance

5/8
valid model results
62.5% coverage, held-out

4 vs 4
exact-match cases
model vs baseline, of 8

0.625 vs 1.000
brand_mentioned agreement
model vs baseline, held-out

0.000 vs 0.000
recommended recall
model vs baseline, held-out

On the 8 held-out cases the model returned a valid result for 5 (62.5%); the other 3 calls failed and count as disagreement, not as brand absence.
All four labels were correct on 4 of 8 cases for the model and 4 of 8 for the keyword baseline.
brand_mentioned agreement is 0.625 for the model and 1.000 for the baseline. Recommended cases in the held-out set: 1. The baseline found 0 of 1; the model found 0 of the 1 it returned a valid result for.
These numbers come from one run on a small, owner-labelled set. They show how each system lined up with those labels; they do not show how well either would do on other data.

Metrics used

Both systems label each archived AI answer for four fields, and every score compares them with the project owner's labels.

Metric	Definition	Formula
Agreement	Share of all cases in the set where the system's yes/no matches the owner's label. A failed result counts as not agreeing.	(TP + TN) / all cases in the set
Precision	Of the cases the system called yes, how many the owner also called yes. n/a when the system never said yes.	TP / (TP + FP)
Recall	Of the cases the owner called yes, how many the system also called yes. n/a when the owner has no yes case.	TP / (TP + FN)
TP, FP, FN, TN	Owner label (Actual) against system answer (Predicted): TP both yes; FP system yes, owner no; FN system no, owner yes; TN both no.	counted on validated results only
Coverage	Share of cases where the model output passed the output-contract check.	validated / total cases
Exact match	A case where all four fields are correct.	all four fields equal the owner's labels
observable_position	Graded by exact equality with the owner's label, not by precision and recall.	matches / total cases
Failed result	No valid model output. It is never counted as brand absence and is left out of TP, FP, FN and TN.	-

Held-out results




Figure 1. Held-out agreement, precision and recall per label. Agreement, model vs keyword baseline: brand_mentioned 0.625 vs 1.000; recommended 0.500 vs 0.875; negative_characterization 0.625 vs 0.500. Model agreement counts the 3 failed calls as disagreement, so coverage alone caps it at 5/8 = 0.625. n/a means the formula has a zero denominator.




Figure 2. Confusion matrices for the held-out set: rows are the owner's label, columns what the system said. The model matrices cover only the 5 validated cases; the 3 failed cases are in no cell and are listed under Failed cases. Summed over the three labels, false positives / false negatives are: model 0 / 1 on those cases, keyword baseline 1 / 4 on all 8.



Figure 3. Outcome per case, shown as all four labels correct / valid result with at least one label wrong / no valid result: Held-out model 4/1/3; Held-out keyword baseline 4/4/0; Development model 4/0/0; Development keyword baseline 1/3/0. A failed result is its own category and is never counted as brand absence.

Held-out final check: metric tables

Model (one recorded run; repeatability not tested)

Coverage 5/8 (62.5%); all four labels correct on 4/8 cases.

Label	Agreement	Precision	Recall	TP	FP	FN	TN
brand_mentioned	0.625	1.000	1.000	3	0	0	2
recommended	0.500	n/a	0.000	0	0	1	4
negative_characterization	0.625	1.000	1.000	2	0	0	3
observable_position	0.625	n/a	n/a	-	-	-	-

observable_position is graded by exact equality: 5 of 8 cases matched.

Keyword baseline

Coverage 8/8 (100.0%); all four labels correct on 4/8 cases.

Label	Agreement	Precision	Recall	TP	FP	FN	TN
brand_mentioned	1.000	1.000	1.000	5	0	0	3
recommended	0.875	n/a	0.000	0	0	1	7
negative_characterization	0.500	0.000	0.000	0	1	3	4
observable_position	1.000	n/a	n/a	-	-	-	-

observable_position is graded by exact equality: 8 of 8 cases matched.

Development cases: metric tables

Model (one recorded run; repeatability not tested)

Coverage 4/4 (100.0%); all four labels correct on 4/4 cases.

Label	Agreement	Precision	Recall	TP	FP	FN	TN
brand_mentioned	1.000	1.000	1.000	3	0	0	1
recommended	1.000	1.000	1.000	1	0	0	3
negative_characterization	1.000	1.000	1.000	3	0	0	1
observable_position	1.000	n/a	n/a	-	-	-	-

observable_position is graded by exact equality: 4 of 4 cases matched.

Keyword baseline

Coverage 4/4 (100.0%); all four labels correct on 1/4 cases.

Label	Agreement	Precision	Recall	TP	FP	FN	TN
brand_mentioned	1.000	1.000	1.000	3	0	0	1
recommended	0.750	n/a	0.000	0	0	1	3
negative_characterization	0.250	n/a	0.000	0	0	3	1
observable_position	1.000	n/a	n/a	-	-	-	-

observable_position is graded by exact equality: 4 of 4 cases matched.

Synthetic edge cases: metric tables

Keyword baseline only (the model was not run on these cases)

Coverage 2/2 (100.0%); all four labels correct on 0/2 cases.

Label	Agreement	Precision	Recall	TP	FP	FN	TN
brand_mentioned	1.000	1.000	1.000	2	0	0	0
recommended	0.500	1.000	0.500	1	0	1	0
negative_characterization	0.500	n/a	0.000	0	0	1	1
observable_position	0.500	n/a	n/a	-	-	-	-

observable_position is graded by exact equality: 1 of 2 cases matched.

Failed cases

Set	Case	Reason
Held-out	Google AI Mode, prompt 004	Groq rejected the model JSON: it did not match the required schema
Held-out	ChatGPT, prompt 005	Groq rejected the model JSON: it did not match the required schema
Held-out	Gemini, prompt 014	Model output broke the contract: negative characterization without a brand mention

Integrity checks

Cross-checks

Check	Result
Held-out artifact summary equals recomputed summary	yes
Stored passed flags equal recomputation from labels (held-out)	yes
Stored passed flags equal recomputation from labels (development)	yes

The development artifact stores no summary, so only per-case passed flags are compared.

Score arithmetic

An independent function (absent 0, mentioned 25, recommended 100) was compared with the project's visibility_score: 28 checks (5 contract-allowed boolean combinations, 14 from expected labels, 9 from validated model results), 0 mismatches.

Report evidence check (stub analysis - mechanics only, not model quality)

The report checker read 150 results from a stub analysis and found 0 problems in the clean report. Each seeded defect below was inserted on purpose to see whether the checker flags it.

Seeded defect	Flagged
evidence id not in analysis	yes
failed result in non failure section	yes
excerpt not in answer	yes
remedy without shared evidence	yes
empty quote	yes

Limits and how to reproduce

- The labels are the project owner's own, not an independent annotation.
- Only four fields are compared: brand_mentioned, recommended, negative_characterization and observable_position. Competitors and excerpt choice are not graded.
- The held-out set is 8 cases and contains one positive recommendation case, so recommended precision and recall rest on very little.
- The model results come from a single frozen run. Repeatability is unverified, so every model-quality statement here is single-run and unverified.
- The baseline cue lists were fixed before the first evaluation run and were not changed afterwards.
- No LLM judges anything here; every comparison is a deterministic rule against the owner's labels.
- Quote traceability (an excerpt occurs verbatim in the answer) is not semantic correctness.

How to reproduce

Command	What it does
`py -3 tools\run_evaluation.py`	Rebuilds comparison-report.md and comparison-report.json from the saved results. No network, no key.
`py -3 tools\make_comparison_pdf.py`	Builds this PDF from the JSON. Needs matplotlib and reportlab: py -3 -m pip install -e ".[report]"
`see README: hosted_groq`	Real-model runs. The model numbers here were produced earlier and are only read from evaluation/, never rerun.