

Reapit / Agentbox endpoints for Stone Real Estate

Compiled from the Stone website integration code, verified against the Reapit Sales API v2 reference, and checked against the current live stonerealestate.com.au — all on 2 September 2026.

Sixteen endpoints: fifteen read, one write.

Connection

Base URL	https://api.agentboxcrm.com.au
API version	2, sent as version=2 on every request
Auth	X-Client-ID and X-API-Key headers
Instance to date	Sandbox (sandbox1) only — production credentials not yet issued

The client decodes X-Client-ID and refuses any value that does not resolve to a sandbox admin URL unless production is deliberately enabled per run. Reaching a live instance is a decision, not a configuration change.

Group A — Listings and directory IN USE TODAY

GET /listings

Collection key listings . Full and incremental listing sync.

limit	100 (documented default is 20)
page	incrementing, 1-based
include	relatedStaffMembers,mainDescription
orderBy	firstCreated (full) / lastModified (incremental)
filter[modifiedAfter]	ISO 8601 (incremental only)
filter[marketingStatus]	Available,Sold,Leased,Under Contract

Roughly 70% of the sandbox carries Not Listed — appraisals and the pre-listing pipeline, which is internal CRM state that does not belong on a public website. Filtering server-side keeps it out.

We also expect to use filter[offMarketListing] , filter[officeId] , filter[projectId] and the four filter[inspection*Date*] parameters. See the appendix for why.

GET /listings/{listingId}

`include=images,relatedStaffMembers,mainDescription`

The reference confirms what testing showed: `images` is an `include` on this endpoint only — on `GET /listings` it is accepted and silently ignored. A complete sync is therefore a list walk followed by one detail fetch per listing. This is also the only source of a numeric price, and what a single-listing refresh calls.

GET /offices • GET /offices/{officeId}

The offices index — which doubles as the site's Contact page — and the individual office pages. Stone has 76 active offices. `include=mainImage` on the collection, `include=images` on the detail route, for office photography.

GET /staff • GET /staff/{memberId}

The agent directory and individual profiles. We read `role`, `status` and `webDisplay` to decide who may be published: in the sandbox, 98 of 108 staff records carry an `Admin` role and are not public-facing, so the current rule passes 12. `include=mainImage` and `include=images` for agent photography.

Group B — Lookup vocabularies

Small, cached, refreshed infrequently. Each one replaces a value list we would otherwise hard-code and let drift from the CRM.

ENDPOINT	WHY
GET /property-types	Property type and category vocabulary. Currently hard-coded in the site's search form
GET /staff-role-types	Valid <code>filter[role]</code> values. Our publication rule is written against the four roles in the sandbox; 76 offices will use roles it never shows
GET /staff-web-display-types	Valid <code>filter[webDisplay]</code> values, same reason
GET /suburbs	Suburb vocabulary for the search form
GET /regions	Region vocabulary, for <code>filter[region]</code>

POST /enquiries

Three live forms on the current site post into the CRM, and one endpoint serves all three:

1. **Ask a question** on every property page — roughly 5,200 pages — with quick-pick options *Price information*, *Rates and fees* and *Schedule an inspection*. Sent as a listing enquiry with `attachedListing`.
2. **Request Appraisal** under Sell.
3. **Request Appraisal** under Rent.

`POST /enquiries` matches an existing contact on email or mobile and creates one only when no match is found, which is the behaviour a public form wants.

LOOKUP IT NEEDS

FEEDS

GET /enquiry-types	The enquiry <code>type</code> — the quick-pick options above
GET /enquiry-sources	The enquiry <code>source</code>
GET /contact-sources	The appraisal form's "How did you find us?" dropdown
GET /subscription	The appraisal form's newsletter and property-alert checkboxes

Not requested

No contact records (`GET / POST / PUT /contacts`), no search requirements, no subscription *management* (`PUT /subscribe`), no `internalInformation` or `appraisalDetails` includes, no appraisal classifications, no enquiry interest levels, no commission or financial data, and no property-management or tenancy data.

We do not request access to the appraisal pipeline: `marketingStatus` excluding `Not Listed` is sufficient.

Questions

1. Is there a projects endpoint?

`GET /listings` offers `filter[projectId]` and `POST /enquiries` accepts an `attachedProject`, so projects are clearly first-class. We can find no endpoint in the reference that lists or reads them.

The live site has a New Projects section, and `Development` appears as a property category. **Is there an endpoint outside this reference, or is the `Development` category the intended way to model this?** We can filter listings by a project ID we already hold, but cannot enumerate projects.

2. Please confirm `mainDescription` as an include

We depend on it on both listing endpoints and it works against the sandbox, but it is not among the reference's visible `include` options for either. We would rather have it confirmed than discover it was incidental.

3. Inspection and auction times in the response body

The filters exist — `filter[inspectionStartDateFrom]` and its three siblings, plus `orderBy=nextInspectionDate`. The reference publishes response schemas as empty objects, so we cannot confirm the times come back as fields.

This matters more than it might appear. The live site shows inspection times on listing cards, on every property page, and in a homepage "What's on This Week" calendar, with auction dates alongside them. **Do inspection and auction times come back on `/listings` , on `/listings/{listingId}` , or only under a particular `include` ?**

4. Rate limit and page size

Documented default `limit` is 20 with no maximum stated. We use 100 and it works. A full sync is roughly 54 list pages plus ~5,400 detail calls, at 6 concurrent, retrying `429` and `5xx` with exponential backoff.

If you have a documented rate limit or a preferred concurrency for a walk that size, we will match it — we would rather tune to your number than find it.

Request volume

SYNC	REQUESTS
Full listing sync	~54 list pages + ~5,400 detail calls
Incremental sync	1+ list pages + one detail call per changed listing
Directory sync	~1 office page, ~9 staff pages, ~12 staff detail calls
Lookups	Nine small calls, cached, refreshed infrequently
Enquiries	One <code>POST</code> per form submission

Appendix — verified on the live site

- Checked against stonerealestate.com.au on 2 September 2026, so that this request matches what the site actually does rather than what we assumed.
- **Off-market listings are already public.** `/buy/off-market-sales/` displays 12 properties with addresses, bed/bath/car counts and some prices, filtered by the same search form as the main listings. This is why `filter[offMarketListing]` is in scope.
 - **Enquiry forms are load-bearing.** The property-page "Ask a question" form is the site's primary lead capture, and it sits on every listing page.
 - **The appraisal form is CRM-shaped,** carrying a source dropdown and two subscription opt-ins that map onto the Agentbox contact model.
 - **Inspection and auction times appear in three places** — homepage calendar, listing cards, and property detail pages.
 - **Legacy URL formats,** needed for our 301 map rather than for this request: properties are `/property/{id}-{street}-{suburb}-{state}/` and agents are `/stone-{office}/meet-team/{name}/` .

One limit worth stating: the live-site check read rendered pages. We confirmed the forms' fields, not their POST targets, so "these forms write to Agentbox" is inferred from field shapes that match the contact model exactly — strong evidence, not proof.