

Experiment 2

Student Name: Riya Mehta UID: 23BCS14042

Branch: B.E.CSE Section/Group: 23BCS-KRG-2B Date of Performance:28-07-25

Subject Name: ADBMS Subject Code:23CSP-333

1.Aim:

a) You are a Database Engineer at TalentTree Inc., an enterprise HR analytics platform that stores employee data, including their reporting relationships. The company maintains a centralized Employee relation that holds:

Each employee's ID, name, department, and manager ID (who is also an employee in the same table).

Your task is to generate a report that maps employees to their respective managers, showing:

The employee's name and department

Their manager's name and department (if applicable)

This will help the HR department visualize the internal reporting hierarchy.

b)You are a Data Engineer at FinSight Corp, a company that models Net Present Value (NPV) projections for investment decisions. Your system maintains two key datasets:

Year_tbl: Actual recorded NPV's of various financial instruments over different years:

ID: Unique Financial instrument identifier.

YEAR: Year of record

NPV: Net Present Value in that year

Queries_tbl: A list of instrument-year pairs for which stakeholders are requesting NPV values:

ID: Financial instrument identifier

YEAR: Year of interest.

Find the NPV of each query from the Queries table. Return the output order by ID and Year in the sorted form.

DEPARTMENT OF COMPUTER SCIENCE & ENGINEERING

Discover. Learn. Empower.

However, not all ID-YEAR combinations in the Queries table are present in the Year_tbl. If an NPV is missing for a requested combination, assume it to be 0 to maintain a consistent financial report.

2. Objective:

- To understand how to use JOINS in SQL.
- To understand the basic SQL Queries.
- To generate hierarchical reports from self-referencing tables.

3.DBMS script and output:

```
--Experiment 2
--Medium level Question
CREATE TABLE EMPLOYEE_TBL(
       EmpID INT PRIMARY KEY,
       Ename VARCHAR(10),
       Department VARCHAR(10),
       ManagerID INT
)
INSERT INTO EMPLOYEE_TBL(EmpID, Ename, Department, ManagerID) VALUES
(1, 'Alice', 'HR', NULL),
(2, 'Bob', 'Finance',1),
(3, 'Charlie', 'IT',1),
(4, 'David', 'Finance',2),
(5, 'Eve', 'IT',3),
(6, 'Frank', 'HR',1);
SELECT E1. Ename AS [EMPLOYEE NAME], E1. Department AS [EMPLOYEE DEPT],
E2.Ename AS [MANAGER NAME], E2.Department AS [MANAGER DEPT]
FROM EMPLOYEE_TBL AS E1
LEFT OUTER JOIN
EMPLOYEE_TBL AS E2
E1.ManagerID = E2.EmpID
```

Output:

⊞ F	Results 🗐 Message	es		
	EMPLOYEE NAME	EMPLOYEE DEPT	MANAGER NAME	MANAGER DEPT
1	Alice	HR	NULL	NULL
2	Bob	Finance	Alice	HR
3	Charlie	IT	Alice	HR
4	David	Finance	Bob	Finance
5	Eve	IT	Charlie	IT
6	Frank	HR	Alice	HR
	•			

```
--Hard Level Question
-- Create Year_tbl (holds actual NPV values)
CREATE TABLE Year_tbl (
    ID INT,
    YEAR INT,
    NPV INT
-- Create Queries table (requested values)
CREATE TABLE Queries_tbl (
    ID INT,
    YEAR INT
);
-- Insert data into Year_tbl
INSERT INTO Year_tbl (ID, YEAR, NPV)
VALUES
(1, 2018, 100),
(7, 2020, 30),
(13, 2019, 40),
(1, 2019, 113),
(2, 2008, 121),
(3, 2009, 12),
(11, 2020, 99),
(7, 2019, 0);
-- Insert data into Queries
INSERT INTO Queries_tbl(ID, YEAR)
VALUES
(1, 2019),
(2, 2008),
(3, 2009),
(7, 2018),
(7, 2019),
(7, 2020),
(13, 2019);
SELECT
Q.ID,Q.YEAR,ISNULL(Y.NPV,0) AS NPV
FROM
Queries_tbl AS Q
LEFT OUTER JOIN
Year_tbl AS Y
ON Q.ID = Y.ID AND Q.YEAR = Y.YEAR;
Output:
```

⊞ R	esults	€ M	essages
	ID	YEAR	NPV
1	1	2019	113
2	2	2008	121
3	3	2009	12
4	7	2018	0
5	7	2019	0
6	7	2020	30
7	13	2019	40



4. Learning outcomes:

- You will be able to write basic SQL queries.
- You will learn to perform JOINS in SQL.
- You will understand how to implement foreign keys.