User Acceptance Testing (UAT) Template

Date	16/02/2026
Team ID	69a7fb1de8fb1cec7726dd56
Project Name	Contact Manager
Maximum Marks	

Project Overview

📌 **Project Name:** Contact Manager
📌 **Project Description:** A node js and express based backend to perform user authentication using jwt and perform CRUD operations on the contacts

📌 **Project Version:** v1.0
📌 **Testing Period:** Feb 15 2026- Feb 16 2026

Testing Scope

Features and Functionalities to be Tested

✅ User Registration

✅ User Login

✅ Adding new Contact

✅ Updating the existing contact

✅ Searching for the particular contact

✅ Receiving the current user details

✅ Error handling

✅ Authentication using JWT

User Stories or Requirements to be Tested

📌 Searching and Viewing all the contacts

📌 Adding new contacts

📌 Updating existing contacts

📌 Handling error

Test Cases

Test Case ID	Test Scenario	Test Steps	Expected Result	Actual Result	Pass/Fail
TCI 1	User Registration	Launch Thunder client Use the registration api in the url box Change the method to post In body put the required fields and the values	A json response with the user details	A json response with the user details	**pass**
TCI 2	User Login	Use login api in the url Change the method to post In body put the email and password fields	A json response with the user details and a jwt token	A json response with the user details and a jwt token	**pass**
TCI 3	Adding new contact	Use the create contact api Change the method to post In the body put the contact details	A json response with success true , total contact count , and the contact object	A json response with success true , total contact count , and the contact object	**pass**
TCI 4	Updating the contact	Use the updating contact api Change the method to post In the body put the fields to be updated	A json response with success true , total contact count , and the updated contact object	A json response with success true , total contact count , and the updated contact object	**pass**
TCI 5	Deleting the contact	Use the delete contact api Change the method to delete In the query put the contact id	A json with success true and message saying - contact deleted successfully	A json with success true and message saying - contact deleted successfully	**pass**