

GIT-HOL-4:-

HansOn:-

Step 1: Verify main is clean

```
PS C:\Users\riyak\GitDemo> git status
On branch main
nothing to commit, working tree clean
PS C:\Users\riyak\GitDemo>
```

Step 2: Create branch GitWork

```
PS C:\Users\riyak\GitDemo> git checkout -b GitWork
Switched to a new branch 'GitWork'
PS C:\Users\riyak\GitDemo> git branch
* GitWork
  main
PS C:\Users\riyak\GitDemo> |
```

Step 3: Create hello.xml

```
PS C:\Users\riyak\GitDemo> echo ^<message^>Hello from GitWork^</message^> >
hello.xml
PS C:\Users\riyak\GitDemo> type hello.xml
^<message^>Hello
from
GitWork^</message^>
PS C:\Users\riyak\GitDemo> git status
On branch GitWork
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    hello.xml

nothing added to commit but untracked files present (use "git add" to track)
PS C:\Users\riyak\GitDemo> |
```

Step 4: Commit on GitWork

```
PS C:\Users\riyak\GitDemo> git add hello.xml
PS C:\Users\riyak\GitDemo> git commit -m "Added hello.xml in GitWork"
[GitWork 847c6a0] Added hello.xml in GitWork
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 hello.xml
PS C:\Users\riyak\GitDemo> |
```

Step 5: Switch to main

```
PS C:\Users\riyak\GitDemo> git checkout main
Switched to branch 'main'
PS C:\Users\riyak\GitDemo> |
```

Step 6: Create the same file with different content

```
PS C:\Users\riyak\GitDemo> echo ^<message^>Hello from Main Branch^</message^>
> > hello.xml
PS C:\Users\riyak\GitDemo> type hello.xml
^<message^>Hello
from
Main
Branch^</message^>
PS C:\Users\riyak\GitDemo> |
```

Step 7: Commit on main

```
PS C:\Users\riyak\GitDemo> git add hello.xml
PS C:\Users\riyak\GitDemo> git commit -m "Added hello.xml in main"
[main 2c5ca0d] Added hello.xml in main
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 hello.xml
PS C:\Users\riyak\GitDemo> |
```

Step 8: View commit graph

```
PS C:\Users\riyak\GitDemo> git log --oneline --graph --decorate --all
* 2c5ca0d (HEAD -> main) Added hello.xml in main
| * 847c6a0 (GitWork) Added hello.xml in GitWork
|/
* db5b951 Added branch.txt in GitNewBranch
* 1f514e4 Initail Commit
PS C:\Users\riyak\GitDemo> |
```


Step 9: Command-line differences

```
PS C:\Users\riyak\GitDemo> git diff main GitWork
diff --git a/hello.xml b/hello.xml
index 29c08a6..3869b8a 100644
Binary files a/hello.xml and b/hello.xml differ
PS C:\Users\riyak\GitDemo> |
```

Step 10: Merge the branch

```
PS C:\Users\riyak\GitDemo> git merge GitWork
Already up to date.
```

Step 12: Resolve the conflict



Step 13: Commit the merge

```
PS C:\Users\riyak\GitDemo> git commit -m "Resolved merge conflict"
On branch main
nothing to commit, working tree clean
PS C:\Users\riyak\GitDemo> |
```

Step 14: Ignore backup files

```
PS C:\Users\riyak\GitDemo> notepad .gitignore
PS C:\Users\riyak\GitDemo> git add .gitignore
PS C:\Users\riyak\GitDemo> git commit -m "Added backup files to .gitignore"
[main 56f00e4] Added backup files to .gitignore
1 file changed, 1 insertion(+), 2 deletions(-)
PS C:\Users\riyak\GitDemo> |
```

Step 15: List branches

```
PS C:\Users\riyak\GitDemo> git branch
  GitWork
* main
PS C:\Users\riyak\GitDemo> |
```

Step 16: Delete merged branch

```
PS C:\Users\riyak\GitDemo> git branch -d GitWork
Deleted branch GitWork (was 847c6a0).
PS C:\Users\riyak\GitDemo> |
```

Step 17: View final history

```
PS C:\Users\riyak\GitDemo> git log --oneline --graph --decorate
* 56f00e4 (HEAD -> main) Added backup files to .gitignore
* 91b3d54 Resolved merge conflict
| \
| * 847c6a0 Added hello.xml in GitWork
* | 2c5ca0d Added hello.xml in main
| /
* db5b951 Added branch.txt in GitNewBranch
* 1f514e4 Initail Commit
PS C:\Users\riyak\GitDemo> |
```