

React HandsOn 17:-

Practical:

Code:

```
1 import React, { Component } from "react";
2
3 class Getuser extends Component {
4   constructor(props) {
5     super(props);
6     this.state = {
7       title: "",
8       firstname: "",
9       image: ""
10    };
11  }
12  async componentDidMount() {
13    const response = await fetch("https://api.randomuser.me/");
14    const data = await response.json();
15    this.setState({
16      title: data.results[0].name.title,
17      firstname: data.results[0].name.first,
18      image: data.results[0].picture.large
19    });
20  }
21  render() {
22    return (
23      <div className="container">
24        <h2>User Details</h2>
25        <img
26          src={this.state.image}
27          alt="User"
28          width="200"
29          height="200"
30        />
31        <h3>
32          {this.state.title} {this.state.firstname}
33        </h3>
34      </div>
35    );
36  }
37 }
38 export default Getuser;
```

```
1 import Getuser from "./Getuser";
2 import "./App.css";
3 function App() {
4   return (
5     <div className="App">
6       <Getuser />
7     </div>
8   );
9 }
10 export default App;
```

```
.App{
  text-align:center;
  margin-top:50px;
  font-family:Arial, Helvetica, sans-serif;
}

.container{
  width:350px;
  margin:auto;
  padding:20px;
  border:1px solid gray;
  border-radius:10px;
  box-shadow:0px 0px 10px lightgray;
}

img{
  border-radius:50%;
  margin:20px;
}
```

```
1 import React from "react";
2 import ReactDOM from "react-dom/client";
3 import "./index.css";
4 import App from "./App";
5
6 const root = ReactDOM.createRoot(document.getElementById("root"));
7
8 root.render(
9   <React.StrictMode>
10     <App />
11   </React.StrictMode>
12 );
```

Output:

