



React HandsOn 6:-

- Objectives
 - Explain the need and benefits of React Router
 - Identify the Components in React Router
 - List the types of Router Components
 - Parameter passing via url
- Practical

-> Code ScreenShots:



```
1 function Home() {
2   return (
3     <div>
4       <h2>Welcome to Cognizant Academy</h2>
5
6       <p>
7         Trainers Management Application
8       </p>
9     </div>
10  );
11 }
12
13 export default Home;
```



```
1 import { useParams } from "react-router-dom";
2 import Trainers from "../TrainersMock";
3
4 function TrainerDetails() {
5
6   const { id } = useParams();
7
8   const trainer = Trainers.find(
9     t => t.TrainerId === parseInt(id)
10  );
11
12  if (!trainer) {
13    return <h2>Trainer Not Found</h2>;
14  }
15
16  return (
17    <div>
18      <h2>Trainer Details</h2>
19
20      <p><b>ID :</b> {trainer.TrainerId}</p>
21
22      <p><b>Name :</b> {trainer.Name}</p>
23
24      <p><b>Email :</b> {trainer.Email}</p>
25
26      <p><b>Phone :</b> {trainer.Phone}</p>
27
28      <p><b>Technology :</b> {trainer.Technology}</p>
29
30      <p><b>Skills :</b> {trainer.Skills}</p>
31
32    </div>
33  );
34 }
35
36 export default TrainerDetails;
```

```
s U JS TrainersMock.js U JS Home.js U JS App.js trainersapp\... M {} package.json # App.css M JS index.js M JS TrainersList.js U X
1 import { Link } from "react-router-dom";
2 import Trainers from "../TrainersMock";
3
4 function TrainersList() {
5
6   return (
7
8     <div>
9
10      <h2>Trainer List</h2>
11
12      <ul>
13
14        {Trainers.map((trainer) => (
15
16          <li key={trainer.TrainerId}>
17
18            <Link to={`~/trainer/${trainer.TrainerId}`}>
19
20              {trainer.Name}
21
22            </Link>
23
24          </li>
25
26        ))}
27
28      </ul>
29
30    </div>
31
32  );
33
34 }
35 export default TrainersList;
```

```
s U JS TrainersMock.js U JS Home.js U JS App.js trainersapp\... M {} package.json # App.css M
1 body{
2   font-family: Arial;
3   background: #f5f5f5;
4 }
5
6 .App{
7   width:700px;
8   margin:auto;
9   margin-top:30px;
10  background: white;
11  padding:20px;
12  border-radius:8px;
13  box-shadow:0 0 10px gray;
14 }
15
16 nav{
17   margin:20px 0;
18 }
19
20 nav a{
21   margin-right:20px;
22   text-decoration:none;
23   color: blue;
24   font-weight:bold;
25 }
26
27 ul{
28   list-style:none;
29   padding:0;
30 }
31
32 li{
33   padding:8px;
34 }
```

```

1 import "../App.css";
2
3 import {
4   BrowserRouter,
5   Routes,
6   Route,
7   Link,
8   Navigate
9 } from "react-router-dom";
10
11 import Home from "../components/Home";
12 import TrainersList from "../components/TrainersList";
13 import TrainerDetails from "../components/TrainerDetails";
14
15 function App() {
16   return (
17     <BrowserRouter>
18       <div className="App">
19         <h1> Cognizant Academy </h1>
20         <nav>
21           <Link to="/">Home</Link>
22           {" | "}
23           <Link to="/trainers">Trainer List</Link>
24         </nav>
25         <hr />
26         <Routes>
27           <Route
28             path="/"
29             element={<Navigate to="/home" />}
30           />
31           <Route
32             path="/home"
33             element={<Home />}
34           />
35           <Route
36             path="/trainers"
37             element={<TrainersList />}
38           />

```

```

37             element={<TrainersList />}
38           />
39           <Route
40             path="/trainer/:id"
41             element={<TrainerDetails />}
42           />
43         </Routes>
44       </div>
45     </BrowserRouter>
46   );
47 }
48 export default App;

```

```

1 class Trainer {
2   constructor(id, name, email, phone, technology, skills) {
3     this.TrainerId = id;
4     this.Name = name;
5     this.Email = email;
6     this.Phone = phone;
7     this.Technology = technology;
8     this.Skills = skills;
9   }
10 }
11
12 export default Trainer;


```

```

1  import Trainer from "./trainer";
2
3  const Trainers = [
4      new Trainer(
5          1,
6          "John Smith",
7          "john@gmail.com",
8          "9876543210",
9          "React",
10         "React, JavaScript, HTML, CSS"
11     ),
12     new Trainer(
13         2,
14         "David Miller",
15         "david@gmail.com",
16         "9876543211",
17         "Java",
18         "Java, Spring Boot"
19     ),
20     new Trainer(
21         3,
22         "Sophia",
23         "sophia@gmail.com",
24         "9876543212",
25         "Angular",
26         "Angular, TypeScript"
27     ),
28     new Trainer(
29         4,
30         "Emma",
31         "emma@gmail.com",
32         "9876543213",
33         "Python",
34         "Python, Django"
35     )
36 ];
37 export default Trainers;

```

- Output:



Cognizant Academy

[Home](#) | [Trainer List](#)

Trainer List

[John Smith](#)

[David Miller](#)

[Sophia](#)

[Emma](#)

Cognizant Academy

[Home](#) | [Trainer List](#)

Trainer Details

ID : 2

Name : David Miller

Email : david@gmail.com

Phone : 9876543211

Technology : Java

Skills : Java, Spring Boot