

Step 1: Verify Git Installation

```
(base) riyabachheti@RIyas-MacBook-Air git_handson % git --version
git version 2.50.1 (Apple Git-155)
```

Step 2: Configure Git

```
(base) riyabachheti@RIyas-MacBook-Air git_handson % git config --global user.name "Riya Bachheti"
git config --global user.email "riyabachheti@gmail.com"
(base) riyabachheti@RIyas-MacBook-Air git_handson % git config --global --list
user.name=Riya Bachheti
user.email=riyabachheti@gmail.com
```

Step 3: Default Editor

```
(base) riyabachheti@RIyas-MacBook-Air git_handson % git config --global core.editor "code --wait"
(base) riyabachheti@RIyas-MacBook-Air git_handson % git config --global core.editor "vim"
(base) riyabachheti@RIyas-MacBook-Air git_handson % git config --global -e
hint: Waiting for your editor to close t
o (base) riyabachheti@RIyas-MacBook-Air git_handson %
```

Step 4: Create Local Repository

```
• (base) riyabachheti@RIyas-MacBook-Air GitDemo % mkdir GitDemo
• (base) riyabachheti@RIyas-MacBook-Air GitDemo % cd GitDemo
• (base) riyabachheti@RIyas-MacBook-Air GitDemo % pwd
/Users/riyabachheti/Desktop/git_handson/GitDemo/GitDemo
• (base) riyabachheti@RIyas-MacBook-Air GitDemo % git init
Initialized empty Git repository in /Users/riyabachheti/Desktop/git_handson/GitDemo/GitDemo/.git/
o (base) riyabachheti@RIyas-MacBook-Air GitDemo %
```

Step 5: Check Hidden Files

```
• (base) riyabachheti@RIyas-MacBook-Air GitDemo % ls -la
total 0
drwxr-xr-x@ 3 riyabachheti  staff   96 Jul 23 19:33 .
drwxr-xr-x@ 4 riyabachheti  staff  128 Jul 23 19:32 ..
drwxr-xr-x@ 9 riyabachheti  staff  288 Jul 23 19:33 .git
o (base) riyabachheti@RIyas-MacBook-Air GitDemo %
```

Step 6: Create welcome.txt

```
• (base) riyabachheti@RIyas-MacBook-Air GitDemo % echo "Welcome to Git" > welcome.txt
• (base) riyabachheti@RIyas-MacBook-Air GitDemo % ls
welcome.txt
• (base) riyabachheti@RIyas-MacBook-Air GitDemo % cat welcome.txt
Welcome to Git
```

Step 7: Check Status

```
• (base) riyabachheti@RIyas-MacBook-Air GitDemo % git status
On branch main

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    welcome.txt

nothing added to commit but untracked files present (use "git add" to track)
o (base) riyabachheti@RIyas-MacBook-Air GitDemo %
```

Step 8: Add File

```
• (base) riyabachheti@RIyas-MacBook-Air GitDemo % git add welcome.txt
o (base) riyabachheti@RIyas-MacBook-Air GitDemo %
```

Step 9: Commit

```
• (base) riyabachheti@RIyas-MacBook-Air GitDemo % git commit -m "Initial commit"
[main (root-commit) 7d60f02] Initial commit
1 file changed, 1 insertion(+)
create mode 100644 welcome.txt
```


Step 10: Check Status

```

● (base) riyabachheti@Riyas-MacBook-Air GitDemo % git status
On branch main
nothing to commit, working tree clean
○ (base) riyabachheti@Riyas-MacBook-Air GitDemo %

```

Step 11: Create Remote Repository



Step 12: Connect Remote

```

● (base) riyabachheti@Riyas-MacBook-Air GitDemo % git remote add origin https://github.com/Riyabachheti/GitDemo.git
● (base) riyabachheti@Riyas-MacBook-Air GitDemo % git remote -v
origin https://github.com/Riyabachheti/GitDemo.git (fetch)
origin https://github.com/Riyabachheti/GitDemo.git (push)
● (base) riyabachheti@Riyas-MacBook-Air GitDemo % git push -u origin main
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 234 bytes | 234.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Riyabachheti/GitDemo.git
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.
● (base) riyabachheti@Riyas-MacBook-Air GitDemo % git branch
* main
○ (base) riyabachheti@Riyas-MacBook-Air GitDemo %

```