


1. Git commands and workspace:



The screenshot shows the VS Code interface with the Explorer sidebar on the left showing the file structure of a project named 'GitDemo'. The files listed are 'logs', '.gitignore', 'app.log', and 'welcome.txt'. The main editor window displays the content of the '.gitignore' file, which contains the following lines:

```
1
2 # Ignore all log files
3 *.log
4
5 # Ignore logs directory
6 logs/
```

Below the editor, the TERMINAL panel shows the output of several Git commands executed in a shell (zsh - GitDemo):

```
(base) riyabachheti@Riyas-MacBook-Air GitDemo % git status
Your branch is up to date with 'origin/main'.

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        .gitignore

nothing added to commit but untracked files present (use "git add" to track)
(base) riyabachheti@Riyas-MacBook-Air GitDemo % git add .gitignore
git commit -m "Add .gitignore to ignore log files"
[main 18aa87d] Add .gitignore to ignore log files
1 file changed, 2 insertions(+)
create mode 100644 .gitignore
(base) riyabachheti@Riyas-MacBook-Air GitDemo % git push
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 10 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 305 bytes | 305.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Riyabachheti/GitDemo.git
7d60f02..18aa87d main -> main
(base) riyabachheti@Riyas-MacBook-Air GitDemo %
```

2. Resulting github repo: <https://github.com/Riyabachheti/GitDemo.git>

