GD GOENKA UNIVERSITY
BACHELOR OF TECHNOLOGY · COMPUTER SCIENCE ENGINEERING

PHASE 1 — REQUIREMENTS & UX DESIGN

AI-Powered Recruitment & Applicant Tracking System

Requirements traceability, information architecture, screen inventory, user flows, design system, AI UX, and Figma preparation — every decision traceable to Master PRD v3.0

TRACEABILITY · INFORMATION ARCHITECTURE · SCREEN INVENTORY · USER FLOWS · DESIGN SYSTEM · AI UX · ACCESSIBILITY

SUBMITTED BY
Riya Jaiswal

PHASE 1 VERSION
1.0

GOVERNING DOCUMENT
Master PRD v3.0

ACADEMIC YEAR
2026–27

DATE
August 8, 2026

PHASE
P1 · 3 weeks · PRD §29

0. Conflict Register — read before proceeding

Per the working rule, the following discrepancies between the Phase 1 brief and the Master PRD are identified rather than silently resolved. Each states the resolution applied and how to revert it.

Table 0.1 — Conflicts between brief and PRD

#	BRIEF STATES	PRD STATES	IMPACT	RESOLUTION APPLIED
X1	"Map every major functional requirement **FR1–FR5**"	PRD §11 defines **FR1.1–FR8.4** across eight groups	Restricting to FR1–FR5 would drop Interview Scheduling (FR6), Analytics (FR7), and **Access Control & Administration (FR8)**. FR8 is load-bearing: the brief's own Task 6 flows #11 (Enable/Disable AI) and #12 (Export Audit Log) depend on FR8.2 and FR8.3, and Tasks 11–12 require them.	**Covered FR1–FR8 in full.** This is additive to the brief, not a change to the PRD. If you want the matrix narrowed to FR1–FR5, say so — the rows are individually tagged and removable, but flows #11–#12 and the Administrator screens would have to be cut with them.
X2	"Create detailed user flows based strictly on **Section 6** of the PRD"	PRD **§6 is Business Goals**. User journeys are **§9**; user stories are **§10**	Section 6 contains no flow content; following the brief literally would yield nothing	**Used §9 (User Journey), §10 (User Stories), and §11 (Functional Requirements)** as the flow basis. Read as a cross-reference typo.
X3	"Target = Finalized PRD and **Figma High-Fidelity Mockups**"	PRD §29 P1 key outputs = "Approved PRD; system architecture; **UX designs**; schema design"	The PRD names *UX designs*, not Figma specifically; it also assigns **system architecture and schema design** to P1, which the brief omits from the Phase 1 objectives	**Figma treated as the chosen tool for the PRD's "UX designs"** — a tool selection, not a requirement change. Recorded as *NOT SPECIFIED IN PRD*. System architecture (§15) and schema design (§17) are **already complete in the PRD** and are therefore carried into Phase 1 as design-documentation inputs (Task 2, Category C) rather than re-derived.

Table 0.2 — Items marked NOT SPECIFIED IN PRD in this document

REF	ITEM	WHERE IT APPEARS
NS-01	Figma as the design tool	§0 X3, Task 13
NS-02	Brand identity — colour palette, typeface selection, logo	Task 8
NS-03	Password reset / forgot-password flow	Task 5 (SC-03)
NS-04	Email template design for notifications (FR2.3)	Task 5 (CA-07)
NS-05	Specific confidence threshold surface behaviour in the candidate UI (PRD gives the 0.75 model threshold in §20, not the UI treatment)	Task 9 §9.2
NS-06	Onboarding / company sign-up flow	Task 2 §2.4
NS-07	Billing and subscription management	Task 2 §2.4
NS-08	Exact pagination page sizes	Task 8 §8.18
NS-09	Candidate-facing explanation UI (PRD §22.3 says the stored rationale is the *source* for candidate explanation requests, but specifies no candidate-facing screen)	Task 9 §9.13
NS-10	Hiring Manager comparison view layout (US-12 exists at "Could" priority; no detail given)	Task 5 (HM-05)

TASK 1 — Requirements Traceability Matrix

Every row traces to a PRD clause. No requirement is invented. Phase column values: **P1** = represented in Phase 1 design; **P2–P6** per PRD §29.

1.1 Functional requirements

Table 1.1 — Functional requirements traceability

ID	PRD §	REQUIREMENT	TYPE	PRIORITY	AFFECTED USER	AFFECTED MODULE	ACCEPTANCE CRITERIA (PRD §30 / §11)	PHASE
FR1.1	§11.1	Create, edit, publish, close job postings	Functional	Must	Recruiter, Admin	JobsModule	All §11 FRs implemented and verified by test case (§30.1)	P1 design → P2
FR1.2	§11.1	Job captures title, department, location, employment type, required skills, experience level, description	Functional	Must	Recruiter, Admin	JobsModule	Structured fields persisted per §17.1 `jobs`	P1 design → P2
FR1.3	§11.1	Duplicate an existing posting as a template	Functional	Should	Recruiter, Admin	JobsModule	`POST /v1/jobs/:id/duplicate` returns new draft (§23.2)	P1 design → P2
FR1.4	§11.1	Each job carries independent `ai_scoring_enabled`, settable only by Administrator	Functional	Must	Admin	JobsModule, AdminModule	Recruiter token receives 403 on the toggle (§26 BR-04 test)	P1 design → P2
FR2.1	§11.2	Apply via resume upload (PDF/DOCX) with auto-filled structured fields	Functional	Must	Candidate	ApplicationsModule	Auto-fill populated from `parsed_profiles`	P1 design → P2/P3
FR2.2	§11.2	Candidate can review and correct any auto-filled field before submission	Functional	Must	Candidate	ApplicationsModule	Corrected values persist over parsed values	P1 design → P2
FR2.3	§11.2	Confirmation and status-change notifications by email	Functional	Must	Candidate	NotificationsModule	Email dispatched on submit and on stage change	P1 design → P2
FR2.4	§11.2	Application flow meets WCAG 2.1 AA	Non-functional (functional gate)	Must	Candidate	Web	WCAG 2.1 AA audit passed (§30.2)	**P1 design** → P4 audit
FR2.5	§11.2	Submission succeeds regardless of parsing outcome; parsing failure never blocks intake	Functional	Must	Candidate	ApplicationsModule	201 returned before parse completes (§A.2 sequence)	P1 design → P2
FR3.1	§11.3	Extract contact info, work history, education, skills, certifications	Functional (AI)	Must	System	ParserService	Fields present in `parsed_profiles`	P3
FR3.2	§11.3	Per-field confidence score; sub-threshold fields flagged for review, not silently accepted	Functional (AI)	Must	Candidate, Recruiter	ParserService	Fields <0.75 flagged (§20 stage 5)	**P1 design** → P3
FR3.3	§11.3	Support PDF and DOCX, single- and multi-column	Functional (AI)	Must	Candidate	ParserService	Parsing field-level F1 ≥0.90 (§19.6)	P3
FR3.4	§11.3	Scanned/image resumes routed to OCR fallback, not rejected	Functional (AI)	Must	Candidate	ParserService	Text-density branch to Tesseract (§20)	P3
FR4.1	§11.4	Match score with human-readable rationale describing top contributing factors	Functional (AI)	Must	Recruiter, HM	RankingService, ExplainabilityService	Rationale shown in 100% of scored cases (§30.1)	**P1 design** → P3
FR4.2	§11.4	Recruiter can adjust ranking weights per job	Functional (AI)	Should	Recruiter	RankingService	Re-score appends new `match_scores` rows (§21.3)	P1 design → P3
FR4.3	§11.4	Recruiter can override any AI rank/score, supplying a reason	Functional	Must	Recruiter, Admin	RankingService, AuditModule	Override reflected immediately and audited (§30.1)	**P1 design** → P2/P3
FR4.4	§11.4	Every score persisted with model version and input feature vector	Functional	Must	System	RankingService	`model_version_id`, `feature_vector` NOT NULL (§17.3)	P3
FR4.5	§11.4	Where `ai_scoring_enabled` is false, candidates shown reverse-chronologically with no score	Functional	Must	Recruiter, HM	JobsModule, RankingService	No score component rendered (§21.3)	**P1 design** → P2
FR5.1	§11.5	Kanban pipeline view per job with configurable stages	Functional	Must	Recruiter	PipelineModule	Board renders `pipeline_stages` by position	**P1 design** → P2

ID	PRD §	REQUIREMENT	TYPE	PRIORITY	AFFECTED USER	AFFECTED MODULE	ACCEPTANCE CRITERIA (PRD §30 / §11)	PHASE
FR5.2	§11.5	Bulk actions (stage change, rejection, tagging) across multiple candidates	Functional	Should	Recruiter	PipelineModule	Bulk operation audited per candidate	P1 design → P2
FR5.3	§11.5	Comments and scorecards visible to the full hiring team	Functional	Must	Recruiter, HM	PipelineModule	Scorecards listed on candidate detail	P1 design → P2
FR5.4	§11.5	Every stage transition recorded with actor and timestamp	Functional	Must	System	PipelineModule, AuditModule	`stage_history` row written (§17.2)	P2
FR6.1	§11.6	Calendar integration (Google, Outlook) surfaces interviewer availability	Functional	Must	Recruiter	InterviewsModule	Availability rendered from provider	P1 design → P2
FR6.2	§11.6	Candidate receives self-service scheduling link	Functional	Must	Candidate	InterviewsModule	Link issued on interview creation	P1 design → P2
FR6.3	§11.6	Graceful degradation to manual scheduling if provider unavailable	Functional	Must	Recruiter	InterviewsModule	Manual entry path available (R-06 mitigation)	**P1 design** → P2
FR7.1	§11.7	Hiring funnel dashboard displays conversion rates by stage	Functional	Must	Recruiter, Admin	AnalyticsModule	Funnel renders per §23.2 `/analytics/funnel`	P1 design → P2
FR7.2	§11.7	Time-to-hire and time-in-stage tracked per role	Functional	Must	Recruiter, Admin	AnalyticsModule	Metrics computed per role	P2
FR7.3	§11.7	Source-of-hire tracked and reported	Functional	Must	Recruiter, Admin	AnalyticsModule	Source attributed per application	P2
FR8.1	§11.8	RBAC enforced for Administrator, Recruiter, Hiring Manager, Candidate	Functional	Must	All	AuthModule, AdminModule	RBAC verified across all four roles incl. negative cases (§30.1)	**P1 design** → P2
FR8.2	§11.8	Administrators can enable/disable AI scoring per job	Functional	Must	Admin	AdminModule	Only Admin role passes `RolesGuard` (BR-04)	**P1 design** → P2
FR8.3	§11.8	Complete, exportable audit log of all user actions and AI-influenced decisions	Functional	Must	Admin	AuditModule	Export verified generate → export → reconcile (§30.1)	**P1 design** → P2
FR8.4	§11.8	Administrators can revoke all active sessions for a user immediately	Functional	Must	Admin	AuthModule, AdminModule	All refresh tokens revoked (§24.1)	P1 design → P2

1.2 Non-functional requirements with Phase 1 design impact

Table 1.2 — NFR traceability

ID	PRD §	REQUIREMENT	PRIORITY	AFFECTED MODULE	PHASE 1 DESIGN OBLIGATION	PHASE
NFR1	§12	Parsing ≤10 s p95; page load ≤2 s p95; scoring ≤400 ms p95	Must	All	Loading states must be designed for every async surface (Task 7)	P1 design → P4 verify
NFR2	§12	99.5% uptime	Must	Infra	Degraded-service states designed (Task 9 §9.12)	P4/P6
NFR3	§12	500 concurrent sessions; 50,000 applications/month; 3× headroom	Must	Infra	Table/list designs must assume high row counts — pagination, virtualisation	P4
NFR4	§12	WCAG 2.1 AA across all candidate- and recruiter-facing flows	Must	Web	**Full Phase 1 obligation** — Task 10	**P1** → P4 audit
NFR5	§12	Data residency in declared operating region	Must	Infra	Region shown on admin/company settings (read-only)	P6
NFR6	§12	PII encrypted; RBAC at API layer not only UI	Must	All	UI must not be the only gate — design shows role-gated states, not hidden-only controls (Task 10 §10.11)	**P1 design** → P2
NFR7	§12	No AI score displayed without rationale	Must	Web, AI	**Core Phase 1 obligation** — Task 9 §9.4–9.6	**P1**
NFR8	§12	AI decisions retained and exportable	Must	AuditModule	Audit browser + export UI (AD-04, AD-05)	**P1 design** → P2
NFR9	§12	RTO 4 h; RPO 15 min	Must	Infra	No UI surface	P6
NFR10	§12	≥80% unit coverage; IaC	Must	All	No UI surface	P2–P6
NFR11	§12	Every request traceable by correlation ID incl. async	Must	All	Correlation ID surfaced in audit log detail view (AD-04)	**P1 design** → P2

1.3 Business rules

All seven rules in PRD §13 constrain Phase 1 design. BR-01, BR-02, BR-03, BR-04, and BR-06 have direct UI consequences.

Table 1.3 — Business rule traceability to design

ID	PRD §	RULE	PHASE 1 DESIGN CONSEQUENCE	WHERE DESIGNED
BR-01	§13	No automatic AI rejection without human review	No UI control anywhere issues a system-actor rejection; every terminal stage transition originates from an authenticated human action with confirmation	Task 6 flows 5–7, 10; Task 9 §9.1
BR-02	§13	Rankings always presented with rationale; score without explanation may not be surfaced	Score component and rationale component are a **single indivisible unit** — no design permits rendering one without the other	Task 8 §8.20–8.21; Task 9 §9.4–9.6
BR-03	§13	Every override logged with reason where provided	Override modal makes reason a required field before submit is enabled	Task 6 flow 6; Task 9 §9.10
BR-04	§13	Administrators, not recruiters, control per-job AI scoring	Toggle exists **only** in the Administrator IA; recruiter surfaces show state read-only with an explanatory note	Task 4; Task 5 AD-03; Task 9 §9.11
BR-05	§13	Candidate data purpose-limited and deletable on request	Erasure action in admin candidate view; UI reflects soft-delete without breaking audit references	Task 11 §11.4
BR-06	§13	PII restricted by role; candidates see only their own data	Candidate IA is fully separate; cross-candidate navigation impossible by construction; 404 not 403 on foreign records	Task 4; Task 10 §10.11
BR-07	§13	No protected attribute as model input	Rationale component may only render features from PRD Table 19.1; design includes an explicit disallowed-feature note for developers	Task 9 §9.7

1.4 User stories

All twelve stories from PRD Table 10.1 are carried. Phase 1 designs the surface for each.

Table 1.4 — User story to screen traceability

STORY	PRD §	PRIORITY	PRIMARY SCREEN(S)	FLOW
US-01	§10	Must	RC-05, RC-06	Flow 5
US-02	§10	Must	RC-07	Flow 6
US-03	§10	Must	RC-09	Flow 7
US-04	§10	Should	RC-08	Flow 5a
US-05	§10	Must	HM-04	Flow 9
US-06	§10	Must	CA-02, CA-03	Flow 3
US-07	§10	Must	CA-05	Flow 2
US-08	§10	Must	CA-03	Flow 3
US-09	§10	Must	AD-03	Flow 11
US-10	§10	Must	AD-04, AD-05	Flow 12
US-11	§10	Should	RC-09, RC-10	Flow 7
US-12	§10	**Could**	HM-05	Flow 9a — designed at low fidelity only (see Task 2 §2.3)

TASK 2 — Product Scope for Phase 1

No PRD requirement is removed. This task partitions requirements by **what Phase 1 designs** versus **what later phases implement**.

2.1 Category A — Must be represented in UX/UI design during Phase 1

Table 2.1 — Category A: in Phase 1 design scope

REQUIREMENT	RATIONALE FOR PHASE 1 INCLUSION
FR1.1–FR1.4	Job lifecycle is the entry point of the recruiter journey (§9.1 steps 1–2)
FR2.1–FR2.5	Entire candidate journey (§9.2); FR2.4 is a WCAG gate that must be designed in, not retrofitted
FR3.2	Confidence flagging has a mandatory human-review surface
FR4.1, FR4.3, FR4.5	The product's defining interaction — score, rationale, override, and the AI-disabled variant
FR4.2	Weight configuration surface
FR5.1–FR5.3	Pipeline board, bulk actions, collaboration surfaces
FR6.1–FR6.3	Scheduling including the degraded manual path
FR7.1	Funnel dashboard
FR8.1–FR8.4	All four role surfaces, AI toggle, audit browser and export, session revocation
NFR4	WCAG 2.1 AA — designed, then audited in P4
NFR7	No score without rationale — a design-level invariant
BR-01 – BR-07	All rules with UI consequences (Table 1.3)

2.2 Category B — Belongs to later development phases

Table 2.2 — Category B: not designed in Phase 1

REQUIREMENT	PHASE	REASON
FR3.1, FR3.3, FR3.4	P3	Extraction accuracy is a model concern with no distinct UI beyond FR3.2's flagging surface
FR4.4	P3	Persistence of model version and feature vector is invisible to the user; surfaced only through AD-04
FR5.4	P2	Server-side write; its *output* appears in AD-04
FR7.2, FR7.3	P2	Metric computation; the dashboard shell is designed in P1
NFR1, NFR2, NFR3, NFR9, NFR10	P4–P6	Performance, availability, recoverability, coverage — verified, not designed
§19 AI/ML pipeline (all)	P3	Training, registry, promotion gates have no end-user UI in v1
§21.4 Fairness auditing	P3/P4	Offline process; results presented to the compliance stakeholder, not through a v1 screen
§26 Testing strategy	P4	Execution phase
§27 Deployment	P6	Execution phase

2.3 Category C — Architecture/infrastructure concerns represented in design documentation only

These are **already specified in the PRD** and are not re-derived. Phase 1 carries them forward as constraints on the design and as developer-handoff context (Task 13, page 12).

Table 2.3 — Category C: documented, not designed as screens

PRD §	CONCERN	HOW IT APPEARS IN PHASE 1
§15.1–15.4	Architectural principles, HLA, LLA, system flow	Referenced in handoff; the async-parse principle drives CA-04's design (confirmation before parse completes)
§16	Technology stack	Constrains component choices — React 18 + TailwindCSS informs the design-system token model (Task 8)
§17	Database design and indexing	Drives Task 11 UI-data mapping; field names in wireframes match `snake_case` columns
§23.1	API conventions — cursor pagination, RFC 7807 errors	Drives pagination component (Task 8 §8.18) and error-message patterns (Task 10 §10.5)
§24.1–24.4	Auth, authorisation matrix, data protection	Drives Task 4 IA partitioning and Task 10 §10.11
§25	Monitoring and logging	Correlation ID displayed in AD-04 detail
§29	Timeline and milestones	Drives Task 15

2.4 Out of Phase 1 scope and NOT SPECIFIED IN PRD

Company sign-up/onboarding (NS-06), billing/subscription (NS-07), password reset (NS-03), and email template visual design (NS-04) are **not specified in the PRD**. They are not designed in Phase 1. If they are required for a coherent demonstrable prototype, they must be added to the PRD first.

TASK 3 — User Personas

Derived strictly from PRD §8.1–8.4 and Table 8.1. No demographic information is invented.

3.1 Recruiter — primary user

ATTRIBUTE	DETAIL (PRD §8.1, TABLE 8.1)
Role	Manages multiple open requisitions simultaneously, often 8–15 concurrently
Frequency of use	Daily, sustained
Goals	Spend screening time on the twenty candidates worth reading rather than the two hundred that arrived
Needs	Fast, trustworthy candidate shortlists; ability to override AI recommendations without friction; clear visibility into pipeline status across all active roles
Pain points	Manual triage of large applicant pools consumes days (§4.1); screening quality degrades with fatigue (§4.2); no record of decision basis (§4.3)
Main tasks	Create and publish jobs; review ranked candidates with rationale; adjust weights or override scores; move candidates through stages; schedule interviews; collaborate with hiring managers; track funnel; record final decision (§9.1)
Permissions (§24.2)	Create/edit jobs ✓ · View AI rankings + rationale ✓ · Override AI score ✓ · Move pipeline stage ✓ · Submit scorecard ✓ · Enable/disable AI scoring ✗ · Export audit log ✗
Key UX requirements	Efficiency of *repeated* actions matters more than onboarding polish (§8.1) → keyboard shortcuts, bulk actions (FR5.2), dense information display, minimal clicks from shortlist to decision. Rationale must be reachable without leaving the list context.

3.2 Hiring Manager

ATTRIBUTE	DETAIL (PRD §8.2, TABLE 8.1)
Role	Reviews shortlisted candidates and provides structured feedback
Frequency of use	Weekly, brief — often only a few minutes per candidate
Goals	Give useful, comparable feedback without a training session
Needs	Simple, focused views; asynchronous collaboration through comments and scorecards
Pain points	Feedback stays in email and pipeline data is incomplete when the tool is too complex to adopt (Table 8.1)
Main tasks	Review shortlisted candidates; submit structured scorecards; read rationale for assigned jobs
Permissions (§24.2)	View AI rankings + rationale ✓ **(assigned jobs only)** · Submit scorecard ✓ · Create/edit jobs ✗ · Override AI score ✗ · Move pipeline stage ✗
Key UX requirements	Should never need to learn the pipeline mechanics (§8.2) → no Kanban in the HM navigation; a linear review queue instead. Self-evident scorecard form. Zero-configuration entry from an email link.

3.3 Candidate

ATTRIBUTE	DETAIL (PRD §8.3, TABLE 8.1)
Role	Applies to open roles
Frequency of use	Once per application; interacts rarely and under stress
Goals	Applying in under three minutes and never wondering whether the application was received
Needs	Fast, low-friction, mobile-friendly application; transparent status updates; where local regulation grants it, ability to understand the basis of any AI-influenced decision affecting them
Pain points	Long forms requiring re-entry of resume information; no status visibility; no explanation of outcomes (§4.4)
Main tasks	Discover role; upload resume; review and correct auto-filled data; submit; track status; self-schedule interview; receive outcome (§9.2)
Permissions (§24.2)	View own application status ✓ **only** — all other rows ✗
Key UX requirements	Mobile-first (§8.3). Minimum steps to submit. Correction of parsed data must feel like *verification*, not data entry (FR2.2, US-08). Submission confirmation must be immediate and independent of parsing (FR2.5).

3.4 Platform Administrator

ATTRIBUTE	DETAIL (PRD §8.4, TABLE 8.1)
Role	Manages the company account, user roles and permissions, integrations, and compliance configuration
Frequency of use	Monthly, plus on demand
Goals	Being able to answer "how was this candidate assessed?" with an exported record rather than a reconstruction
Needs	Control and auditability
Pain points	Cannot demonstrate compliance without a reconstructable record (Table 8.1)
Main tasks	Manage users and roles; enable/disable AI scoring per job; filter and export the audit log; reconcile scores against model versions; revoke sessions (§9.3, FR8.1–8.4)
Permissions (§24.2)	**All rows ✓** — the only role with Enable/disable AI scoring, Export audit log, and Manage users and roles
Key UX requirements	Infrequent use → discoverability outweighs speed; the reverse of the Recruiter. Audit filtering must map directly onto the §9.3 journey: filter by job, date range, action type → export → reconcile against model version. Model-version provenance must be visible in the export, not merely stored.

TASK 4 — Information Architecture

Navigation is partitioned by role. Partitioning is not cosmetic: PRD §24.2 and BR-06 require role separation enforced at the API layer, and the IA mirrors that boundary so that no role's navigation exposes another's actions.

4.1 Recruiter IA

```
TalentLens (Recruiter)
│
├── Dashboard                                [RC-01]
│     ├── Active requisitions summary
│     ├── Awaiting-review count
│     └── Funnel snapshot                    → Analytics
│
├── Jobs                                     [RC-02]
│     ├── All jobs (filter: status, department)
│     ├── + Create job                       [RC-03]
│     └── Job detail                         [RC-04]
│           ├── Overview / edit              [RC-03]
│           ├── Candidates (ranked)          [RC-05]
│           │     ├── Candidate detail       [RC-06]
│           │     │     ├── Rationale panel
│           │     │     ├── Override score   [RC-07 modal]
│           │     │     ├── Scorecards       [RC-13]
│           │     │     └── Schedule interview [RC-11]
│           │     └── Ranking weights        [RC-08]
│           ├── Pipeline (Kanban)            [RC-09]
│           │     └── Bulk actions           [RC-10]
│           └── Job settings
│                 └── AI scoring status      (read-only — BR-04)
│
├── Review queue                             [RC-14]
│     └── Low-confidence parsed fields       (FR3.2)
│
├── Interviews                               [RC-11]
│
├── Analytics                                [RC-12]
│     └── Hiring funnel                      (FR7.1)
│
└── Account
      └── Profile / sign out
```

Secondary navigation: global search (jobs, candidates); notifications; breadcrumb `Jobs › {Job title} › Candidates › {Candidate}`.

4.2 Hiring Manager IA

Deliberately shallow. §8.2 requires that this persona never learn pipeline mechanics, so **no Kanban and no stage controls appear**.

```
TalentLens (Hiring Manager)
│
├── My reviews                                  [HM-01]
│     ├── Awaiting my feedback
│     └── Completed
│
├── Assigned jobs                               [HM-02]
│     └── Shortlist for job                     [HM-02]
│           └── Candidate review                [HM-03]
│                 ├── Rationale panel           (read-only)
│                 ├── Submit scorecard          [HM-04]
│                 └── Comments
│
├── Compare candidates                          [HM-05]   (US-12, Could)
│
└── Account
```

4.3 Candidate IA

Public and unauthenticated up to submission; authenticated thereafter for status. Contains no navigation to any other candidate's data (BR-06).

```
TalentLens Careers (Candidate)
│
├── Job listing (public)                        [CA-01]
│     └── Job detail                            [CA-01]
│           └── Apply                           [CA-02]
│                 ├── Upload resume
│                 ├── Review parsed data        [CA-03]
│                 └── Submit → Confirmation     [CA-04]
│
├── My application                              [CA-05]
│     ├── Status timeline
│     └── Schedule interview                    [CA-06]
│
└── Help / contact
```

4.4 Platform Administrator IA

```
TalentLens (Administrator)
│
├── Admin dashboard                             [AD-01]
│
├── Users & roles                               [AD-02]
│     ├── User list (role filter)
│     ├── Assign / change role
│     └── Revoke sessions                       [AD-06]  (FR8.4)
│
├── AI configuration                            [AD-03]
│     └── Per-job AI scoring toggle             (FR8.2, BR-04)
│
├── Audit log                                   [AD-04]
│     ├── Filter: job, date range, action type  (§9.3 step 2)
│     ├── Entry detail (before/after, correlation ID)
│     └── Export                                [AD-05]  (FR8.3)
│
├── Company settings
│     └── Data region                           (read-only, NFR5)
│
└── Account
```

Administrators also hold all Recruiter permissions (§24.2). The Administrator shell therefore includes a role-switch to the Recruiter IA rather than duplicating those screens.

4.5 Workflow-to-IA coverage check

Table 4.1 — Every PRD workflow has a UI location

PRD WORKFLOW STEP	IA LOCATION
§9.1.1 Create job posting	Jobs › Create job [RC-03]
§9.1.2 Publish and monitor	Job detail [RC-04]
§9.1.3 Review rankings with rationale	Candidates (ranked) [RC-05] → [RC-06]
§9.1.4 Adjust weights / override	Ranking weights [RC-08]; Override [RC-07]
§9.1.5 Move through stages	Pipeline [RC-09]
§9.1.6 Schedule interviews	Interviews [RC-11]
§9.1.7 Collaborate via comments/scorecards	Candidate detail [RC-06] / [RC-13]
§9.1.8 Track funnel analytics	Analytics [RC-12]
§9.1.9 Record final decision	Pipeline [RC-09] terminal stages
§9.2.1–9.2.4 Discover → submit	[CA-01] → [CA-02] → [CA-03] → [CA-04]
§9.2.5 Status updates	[CA-05] + email (FR2.3)
§9.2.6 Self-service scheduling	[CA-06]
§9.2.7 Outcome notification	Email (FR2.3) + [CA-05]
§9.3.1–9.3.3 Audit request → filter → export	[AD-04] → [AD-05]
§9.3.4 Reconcile against model versions	[AD-04] entry detail
§9.3.5 Provide export	[AD-05]

TASK 5 — Screen Inventory

Table 5.1 — Complete screen inventory

ID	SCREEN	ROLE	PURPOSE	PRD REF	MAIN COMPONENTS	PRIMARY ACTIONS	SECONDARY ACTIONS	DATA DISPLAYED	STATES / EDGE CASES
SC-01	Login	All	Authenticate	§24.1, §23.2 `/auth/login`	Email/password form, SSO buttons	Sign in	SSO (Google, Microsoft)	—	Invalid credentials; account locked MFA required (Admin)
SC-02	MFA challenge	Admin (required), others optional	TOTP verification	§24.1	6-digit code input	Verify	Resend / recovery	—	Wrong code; expired code
SC-03	Password reset	All	*NOT SPECIFIED IN PRD* — placeholder only	—	—	—	—	—	Not designed i Phase 1
Recruiter									
RC-01	Recruiter dashboard	Recruiter, Admin	Cross-requisition overview	§8.1, §9.1.2	Stat tiles, active-jobs table, funnel snapshot	Open job	Create job	Open req count, awaiting review, funnel	Empty (no jobs); loading skeleton
RC-02	Job list	Recruiter, Admin	Manage requisitions	FR1.1, §23.2 `GET /v1/jobs`	Filter bar, data table, pagination	Open job, Create	Duplicate, Close	Title, dept, status, applicant count, AI status	Empty; filtered-empty; loading
RC-03	Job create / edit	Recruiter, Admin	Author a requisition	FR1.1, FR1.2	Multi-section form, skill tag input, stage config	Save draft, Publish	Duplicate as template (FR1.3)	All §17 `jobs` fields	Validation errors; unsaved-changes guard; publish confirm
RC-04	Job detail	Recruiter, Admin	Job hub	FR1.1	Header, tab bar (Candidates / Pipeline / Settings)	Navigate tabs	Edit, Close job	Job meta, AI scoring status (read-only)	Closed-job read-only state
RC-05	Ranked candidate list	Recruiter, HM, Admin	Review shortlist	**FR4.1**, FR4.5, §23.2 `GET /v1/jobs/:id/candidates`	Ranked table, **score + rationale unit**, filters, cursor pagination	Open candidate	Adjust weights, Bulk select	Name, stage, composite score, rationale summary	**AI-disabled variant (FR4.5)**; AI-unavailable; no candidates; loading
RC-06	Candidate detail	Recruiter, HM, Admin	Full assessment	FR4.1, FR5.3	Profile panel, **rationale panel**, scorecards, timeline	Move stage, Override score	Schedule interview, Comment	Parsed profile, score, rationale factors, model version, history	Low-confidence fiel flags; no-score state; overridden state
RC-07	Score override modal	Recruiter, Admin	Override AI score	**FR4.3, BR-03**	Original score (read-only), new score input, **required reason**	Confirm override	Cancel	Original vs proposed score	Submit disabled until reason entered validation
RC-08	Ranking weights	Recruiter	Tune per-job weighting	FR4.2	Weight sliders per feature (Table 19.1), preview	Apply and re-score	Reset to default	Current weights, affected candidate count	Re-score confirmation; in-progress
RC-09	Pipeline (Kanban)	Recruiter, Admin	Stage management	**FR5.1**, FR5.4	Columns per `pipeline_stages`, draggable cards	Move stage (drag)	Bulk select, Filter	Candidate cards with score badge	Empty column optimistic-update rollback; **terminal-stage confirm (BR-01)**
RC-10	Bulk action panel	Recruiter	Act on many candidates	FR5.2	Selection count, action menu, confirm dialog	Change stage, Reject, Tag	Clear selection	Selected count	Partial failure; **rejection confirm (BR-01)**
RC-11	Interview scheduling	Recruiter, Admin	Book interviews	FR6.1–FR6.3	Availability grid, interviewer picker, link generator	Send scheduling link	Manual entry	Interviewer availability	**Provider-unavailable → manual fallback (FR6.3)**; loading

ID	SCREEN	ROLE	PURPOSE	PRD REF	MAIN COMPONENTS	PRIMARY ACTIONS	SECONDARY ACTIONS	DATA DISPLAYED	STATES / EDGE CASES
RC-12	Analytics — funnel	Recruiter, Admin	Track conversion	FR7.1, §23.2 `/analytics/funnel`	Funnel chart, stage conversion table, date filter	Change range	Export view	Conversion by stage	No data; single stage; loading
RC-13	Scorecard (recruiter view)	Recruiter, HM, Admin	Read/submit feedback	FR5.3	Rating control, feedback text, author list	Submit	Edit own	Ratings, feedback, authors	No scorecards yet
RC-14	Parse review queue	Recruiter, Admin	Resolve flagged fields	**FR3.2**	Queue table, field-level diff, confidence indicator	Accept / correct field	Skip	Flagged fields, confidence values	Empty queue; parse-failed items (FR2.5)
Hiring Manager									
HM-01	My reviews	HM	Work queue	§8.2	Awaiting/Completed tabs, candidate list	Open review	—	Candidate, job, requested date	Empty; loading
HM-02	Assigned shortlist	HM	Review job shortlist	§24.2 (assigned jobs only)	Ranked list, score + rationale (read-only)	Open candidate	—	Same as RC-05, read-only	**Not-assigned → 404 (BR-06)**
HM-03	Candidate review	HM	Assess one candidate	FR4.1, FR5.3	Profile, **rationale (read-only)**, scorecard entry	Submit scorecard	Comment	Profile, score, rationale	No override control visible (§24.2)
HM-04	Scorecard form	HM	Structured feedback	**FR5.3, US-05**	Rating scale, structured prompts, free text	Submit	Save draft	Own draft	Validation; already-submitted
HM-05	Compare candidates	HM	Side-by-side	US-12 (**Could**)	Column-per-candidate comparison	—	—	Score, rationale, scorecards	*Low-fidelity only in Phase 1 (Task 2 §2.3)*
Candidate									
CA-01	Job listing / detail	Candidate (public)	Discover role	§9.2.1	Job description, requirements, Apply CTA	Apply	Share	Job fields	Closed job; not found
CA-02	Application form	Candidate (public)	Upload and apply	**FR2.1**, §23.2 `POST /v1/applications`	Dropzone, contact fields, consent	Upload resume → Continue	—	—	Wrong file type; too large; **AV-scan failure**; upload progress
CA-03	Review parsed data	Candidate	Verify auto-fill	**FR2.2, FR3.2, US-08**	Editable parsed fields, **confidence flags** on low-confidence fields	Confirm and submit	Edit field, Back	Parsed contact, work history, education, skills	**Parse failed → manual entry (FR2.5)**; flagged fields; loading while parsing
CA-04	Submission confirmation	Candidate	Acknowledge receipt	**FR2.5**, FR2.3	Confirmation panel, application reference, next steps	View status	—	Reference ID	**Must render even if parsing incomplete**
CA-05	Application status	Candidate	Track progress	**FR2.3, US-07**, §23.2 `GET /v1/applications/:id`	Status timeline, job summary	Schedule interview (if invited)	Withdraw *(NOT SPECIFIED IN PRD)*	Own application only (BR-06)	**Foreign ID — 404 not 403**; no updates yet
CA-06	Self-service scheduling	Candidate	Book interview slot	**FR6.2**	Slot picker, timezone	Confirm slot	Request alternative	Available slots	No slots; slot taken concurrently; provider down
CA-07	Outcome notification	Candidate	Final decision	FR2.3	*Email — NOT SPECIFIED IN PRD (template design)*	—	—	—	Not designed in Phase 1
Administrator									
AD-01	Admin dashboard	Admin	Governance overview	§8.4	Stat tiles, recent audit activity, AI status summary	Open audit log	Manage users	Jobs with AI enabled/disabled, recent actions	Empty; loading
AD-02	Users & roles	Admin	Manage access	**FR8.1**	User table, role selector, invite	Change role	Invite user, Revoke sessions	Email, role, last active	Last-admin guard; confirm on role change

ID	SCREEN	ROLE	PURPOSE	PRD REF	MAIN COMPONENTS	PRIMARY ACTIONS	SECONDARY ACTIONS	DATA DISPLAYED	STATES / EDGE CASES
AD-03	AI configuration	Admin	Per-job AI toggle	**FR8.2, BR-04, US-09**	Job list with AI toggle, effect explainer	Enable / disable AI	Filter jobs	Job, AI state, last changed by	**Confirmation showing FR4.5 consequence** audited on change
AD-04	Audit log browser	Admin	Investigate and reconcile	**FR8.3, NFR8, NFR11, §9.3**	Filters (job, date range, action type), log table, detail drawer	Filter	Open entry, Export	Actor, action, resource, before/after, **model version**, correlation ID	Empty result; large result warning; loading
AD-05	Audit export	Admin	Produce evidence	**FR8.3, US-10**, `GET /v1/audit-logs/export`	Scope summary, format selector (CSV/JSON)	Export	Cancel	Row count, applied filters	Export too large; generation in progress; failure
AD-06	Session revocation	Admin	Immediate offboarding	**FR8.4**	Active session list, revoke-all control	Revoke all sessions	Revoke one	Session count, last seen	Confirm dialog self-revocation guard
System									
SY-01	Error states	All	403 / 404 / 500	§23.1 RFC 7807	Message, recovery action	Return	Contact support	Problem `title`, `detail`	**404 for foreign candidate records (BR-06)**
SY-02	AI unavailable	Recruiter, HM	Degraded scoring	**NFR7 + §15.1 principle 1**	Inline banner; list falls back to unranked	Continue unranked	Retry	—	**No score and no rationale rendered (BR-02)**

Count: 30 screens — 2 auth, 14 recruiter, 5 hiring manager, 7 candidate (1 not designed), 6 administrator, 2 system. Three are explicitly not designed in Phase 1 (SC-03, CA-07, HM-05 low-fidelity only).

TASK 6 — User Flows

Basis: PRD §9 (User Journey), §10 (User Stories), §11 (Functional Requirements) — see conflict X2. Each flow states success, error, empty, and loading states, permission restrictions, and human-in-the-loop points.

Flow 1 — Recruiter: Create job → Publish

Trace: §9.1 steps 1–2 · FR1.1, FR1.2, FR1.3, FR1.4

1. Recruiter → RC-02 Job list → **Create job**
2. RC-03: enter title, department, location, employment type, required skills, experience level, description (FR1.2)
3. Configure pipeline stages (defaults: Applied → Screening → Interview → Offer → Hired/Rejected, §14.1)
4. *Optional:* **Duplicate as template** from an existing posting (FR1.3) — pre-fills steps 2–3
5. Save draft → validation
6. **Publish** → confirmation dialog stating the job becomes publicly visible
7. `jobs.published_at` set — this timestamp starts the North Star metric (§7)
8. → RC-04 Job detail

STATE	DESIGN
Success	Toast “Job published”; redirect to RC-04; public URL shown
Error	Field-level RFC 7807 messages inline (§23.1); publish blocked on missing required fields
Empty	First-time RC-02 shows an empty state with a single Create job CTA
Loading	Save button spinner; form disabled during submit
Permissions	Recruiter, Admin only (§24.2). **AI scoring toggle is absent from this form** — Admin-only (BR-04); job settings display the inherited state read-only
Human-in-the-loop	Publish is an explicit confirmed action, never automatic

Flow 2 — Candidate: Discover job → Apply

Trace: §9.2 steps 1–2 · FR2.1

1. Candidate opens CA-01 (public, unauthenticated)
2. Reads job detail → **Apply**
3. → CA-02 application form
4. Continues into Flow 3

STATE	DESIGN
Success	Transition to CA-02
Error	Closed or withdrawn job → SY-01 with "This role is no longer accepting applications"
Empty	No open roles → careers-page empty state
Loading	Skeleton for job body
Permissions	Public; no authentication required to view or start
Human-in-the-loop	n/a

Flow 3 — Candidate: Resume upload → Parsing → Review → Submit

Trace: §9.2 steps 2–4 · **FR2.1, FR2.2, FR2.5, FR3.2, US-06, US-08** · §20 pipeline · §A.2 sequence

1. CA-02: candidate uploads PDF/DOCX
2. Client validates type and size → upload with progress
3. Server: AV scan (ClamAV, §20 stage 1) → persist to S3 → create `applications` + `resumes` rows
4. `resume.uploaded` published to SQS → **201 Created returned immediately** (FR2.5)
5. CA-03 shows parsed fields as they resolve; while parsing is in flight, a non-blocking progress indicator is shown
6. Low-confidence fields (<0.75, §20 stage 5) are **visually flagged for review**, not silently accepted (FR3.2)
7. Candidate reviews and corrects any field (FR2.2, US-08)
8. **Submit** → CA-04 confirmation with reference ID
9. Confirmation email dispatched (FR2.3)

STATE	DESIGN
Success	CA-04 renders with reference ID and next steps
Error	Unsupported type → inline error naming accepted formats; AV failure → "We couldn't process this file" with re-upload; **parse failure → CA-03 falls back to manual entry and submission still succeeds (FR2.5)**
Empty	No parsed fields returned → manual-entry form with all fields blank
Loading	Per-field skeletons on CA-03; upload progress bar on CA-02
Permissions	Public
Human-in-the-loop	**Step 7 is mandatory** — the candidate is the human check on extraction accuracy before the profile enters scoring

Flow 4 — AI screening workflow (system)

Trace: §15.4 · §20 · §21.1–21.2 · **BR-02** · FR4.1, FR4.4

1. Worker consumes `resume.uploaded` from SQS
2. ParserService: text extraction → OCR fallback if text density insufficient (FR3.4) → structural segmentation → spaCy NER → per-field confidence → normalisation
3. `parsed_profiles` written; `resume.parsed` emitted
4. EmbeddingService generates candidate embedding; job embedding fetched from cache
5. RankingService: cosine similarity → weighted sub-scores → per-job recruiter weights (FR4.2) → LightGBM composite score
6. ExplainabilityService: SHAP attribution → top 3 positive + top 1 negative → templated rationale (§22.2)
7. **Gate:** rationale present?
   - **No → transaction aborted; nothing persisted; nothing displayed (BR-02)**
   - Yes → persist score + rationale + feature vector + model version **atomically** (FR4.4)
8. Score becomes visible in RC-05

STATE	DESIGN
Success	Score + rationale unit appears in the ranked list
Error	Any stage failure → application remains valid and unscored; RC-05 shows it in an "Unscored" group with the reason; **no partial score is ever shown**
Empty	`ai_scoring_enabled = false` → pipeline is not invoked at all (FR4.5)
Loading	RC-05 rows show "Scoring in progress" placeholders
Permissions	System-internal; endpoints cluster-only with per-request service JWT (§23.2 Table 23.2)
Human-in-the-loop	**None in this flow by design** — and critically, this flow has **no path that rejects or removes a candidate (BR-01)**. Its only output is an advisory score.

Flow 5 — Recruiter: Review AI ranking

Trace: §9.1 step 3 · **FR4.1, FR4.5, US-01** · NFR7

1. Recruiter → RC-04 → Candidates tab → RC-05
2. Candidates listed by descending composite score
3. Each row renders the **score + rationale unit** — the summary sentence is visible in the row itself (§8.1: rationale reachable without leaving list context)
4. Expand a row, or open RC-06, to see the full factor breakdown with positive/negative contributions
5. Model version displayed on RC-06

STATE	DESIGN
Success	Ranked list with rationale on every scored row
Error	Fetch failure → retry affordance; **partial data never renders a bare score**
Empty	No applications → empty state; all unscored → unranked list with explanation
Loading	Row skeletons; score badge shimmer
Permissions	Recruiter, Admin, and HM (assigned jobs only, §24.2). HM sees no override control
Human-in-the-loop	The entire screen is advisory. No candidate is removed by ranking position

Flow 5a — Adjust ranking weights *(FR4.2, US-04, Should)*

1. RC-05 → **Adjust weights** → RC-08
2. Set weights across features from Table 19.1
3. Apply → confirmation showing how many candidates will be re-scored
4. Re-score appends **new** `match_scores` rows; prior scores retained (§21.3, FR4.4)
5. Return to RC-05, re-ranked

Flow 6 — Recruiter: Override AI score

Trace: §9.1 step 4 · **FR4.3, BR-03, US-02** · §23.3 payload

1. RC-06 → **Override score**
2. RC-07 modal opens showing the original AI score read-only
3. Recruiter enters the new score and a **reason (required)**
4. Confirm is **disabled until the reason is non-empty** (BR-03)
5. `PATCH /v1/applications/:id/score` with `overrideScore` and `reason`
6. Response returns `overridden: true`, `overriddenBy`, and `originalScore` preserved
7. RC-05/RC-06 show an **"Overridden" badge**; the original AI score remains visible alongside
8. `AuditInterceptor` writes before/after state before the response returns (BR-03)

STATE	DESIGN
Success	Modal closes; badge appears; list re-orders; toast confirms
Error	Write failure → modal stays open, entered reason preserved, error shown
Empty	n/a
Loading	Confirm button spinner; modal locked
Permissions	Recruiter, Admin only. **Hiring Manager has no override control anywhere (§24.2)**
Human-in-the-loop	This flow *is* the human-in-the-loop mechanism. The reason field is what makes the override auditable

Flow 7 — Recruiter: Move candidate through pipeline

Trace: §9.1 step 5 · **FR5.1, FR5.2, FR5.4, BR-01, US-03, US-11**

1. RC-09 Kanban; columns from `pipeline_stages` ordered by `position`
2. Drag a card to a new stage → **optimistic update**
3. `PATCH /v1/applications/:id/stage`
4. `stage_history` row written with actor and timestamp (FR5.4)
5. Candidate status-change email dispatched (FR2.3)
6. **Bulk path (US-11):** multi-select → RC-10 → apply stage change to selection

STATE	DESIGN
Success	Card settles in the new column; count badges update
Error	API failure → **card animates back to origin** with an error toast (optimistic rollback)
Empty	Empty column shows a drop-target placeholder
Loading	Card shows a subtle in-flight indicator
Permissions	Recruiter, Admin only
Human-in-the-loop	**Moving a candidate to Rejected requires an explicit confirmation dialog.** Per BR-01 no system actor may perform this transition; the confirm makes the human authorship unambiguous and is the UI counterpart to the API-level guarantee

Flow 8 — Interview scheduling

Trace: §9.1 step 6, §9.2 step 6 · **FR6.1, FR6.2, FR6.3**

1. RC-06 or RC-11 → **Schedule interview**
2. Select interviewers → availability fetched from Google/Outlook (FR6.1)
3. Propose slots → send self-service scheduling link to candidate (FR6.2)
4. Candidate opens CA-06 → selects a slot → confirmed
5. Calendar event created; `interviews.calendar_event_id` stored

STATE	DESIGN
Success	Interview appears on RC-11 and CA-05
Error	**Provider unavailable → UI degrades to manual scheduling: recruiter enters date/time directly and the flow completes without calendar integration (FR6.3, risk R-06)**
Empty	No availability in range → widen-range prompt
Loading	Availability grid skeleton
Permissions	Recruiter, Admin schedule; Candidate self-selects only within issued slots
Human-in-the-loop	Slot selection is candidate-driven; no automatic booking

Flow 9 — Hiring Manager: Review candidate → Submit feedback

Trace: §9.1 step 7 · **FR5.3, US-05**

1. HM opens an email link or HM-01 My reviews
2. → HM-02 assigned shortlist → HM-03 candidate review
3. Reads profile and **read-only rationale**
4. → HM-04 scorecard: rating + structured feedback
5. Submit → visible to the full hiring team (FR5.3)

STATE	DESIGN
Success	Scorecard appears on RC-06 and HM-01 Completed
Error	Validation on required rating; submit failure preserves draft
Empty	No assigned reviews → empty state
Loading	Skeleton
Permissions	**HM sees only assigned jobs (§24.2). A non-assigned job returns 404, not 403 (BR-06 pattern, §26)**
Human-in-the-loop	Structured human judgement feeding the recruiter's decision

Flow 9a — Compare candidates *(US-12, Could)* — low fidelity only in Phase 1.

Flow 10 — Recruiter: Final hiring decision

Trace: §9.1 step 9 · **BR-01**, FR5.1, FR5.4

1. RC-09 → move candidate to **Hired** or **Rejected**

2. **Confirmation dialog required for both terminal stages**
3. `stage_history` written; outcome notification dispatched (FR2.3)
4. Recruiter closes the requisition on RC-04

STATE	DESIGN
Success	Job status → Closed; candidate outcome recorded
Error	Failure leaves stage unchanged with error toast
Empty	n/a
Loading	Dialog confirm spinner
Permissions	Recruiter, Admin
Human-in-the-loop	**The decisive control point of the entire product.** No AI-originated path reaches this transition (BR-01)

Flow 11 — Administrator: Enable/disable AI scoring

Trace: FR8.2, BR-04, US-09

1. Admin → AD-03 AI configuration
2. Locate the job → toggle AI scoring
3. **Confirmation dialog states the consequence explicitly:** disabling means candidates are presented in reverse-chronological order with no score displayed (FR4.5)
4. `PATCH /v1/admin/jobs/:id/ai-scoring`
5. Change written to `audit_logs` (BR-03 pattern); RC-05 for that job switches to the unscored variant

STATE	DESIGN
Success	Toggle state updates; audit entry created; toast confirms
Error	Failure reverts the toggle with an error message
Empty	No jobs → empty state
Loading	Toggle disabled in flight
Permissions	**Administrator only. A Recruiter token receives 403 (BR-04, §26 test).** No toggle appears in any recruiter surface
Human-in-the-loop	Deliberate governance control, exercised by a human administrator

Flow 12 — Administrator: Export audit log

Trace: §9.3, FR8.3, NFR8, US-10

1. Admin → AD-04 audit log
2. Filter by **job, date range, action type** (§9.3 step 2)
3. Inspect an entry: actor, action, before/after state, **model version**, correlation ID (NFR11)
4. → AD-05 export: select CSV or JSON, review scope summary
5. `GET /v1/audit-logs/export` → file generated
6. Admin reconciles exported scores against the model versions active in that period (§9.3 step 4)

STATE	DESIGN
Success	File downloads; scope summary matches applied filters
Error	Generation failure → retry with the same filters preserved
Empty	No matching entries → “No activity matches these filters” with a filter-reset action
Loading	Progress indicator; large exports show an in-progress state
Permissions	**Administrator only (§24.2)**
Human-in-the-loop	Reconciliation (step 6) is a human verification step; the system does not assert correctness on the admin’s behalf

TASK 7 — Wireframe Specifications

Reproducible in Figma directly. Layout grid: **12-column, 72 px max gutter, 1440 px desktop frame**; breakpoints per §7.13.

7.1 Global shell — Recruiter / Admin

REGION	SPECIFICATION
Header (64 px)	Left: product mark + role indicator. Centre: global search. Right: notifications bell, account avatar → menu (Profile, Sign out)
Sidebar (240 px, collapsible to 64 px)	Vertical nav per Task 4; active item marked by a 3 px left accent bar **and** a label weight change (colour is never the sole indicator — Task 10 §10.3)
Content	Page title row (title + primary action, right-aligned), optional tab bar, then content
Breadcrumb	Above the title on nested pages: `Jobs › {Job} › Candidates › {Candidate}`
Responsive	≥1280 px sidebar expanded; 768–1279 px collapsed to icons; <768 px sidebar becomes a drawer behind a hamburger

7.2 RC-05 — Ranked candidate list *(most important recruiter screen)*



ELEMENT	SPECIFICATION
Score column	**Score + rationale are one column group and cannot be separated** — enforcing BR-02 structurally in the design, not by convention
Score visual	Horizontal 5-segment meter + numeric value to 2 dp; meter is **not** the only encoding (Task 10 §10.3)
Rationale cell	Summary sentence, max 3 lines, with **Show factors** disclosure expanding to the factor list
Overridden badge	Amber badge; original AI score shown on hover and in RC-06
Filters	Search, stage, score range, flagged-fields toggle
Pagination	**Cursor-based** per §23.1 — "Load more", not numbered pages
AI-disabled variant (FR4.5)	Score and Why columns are **removed entirely** (not greyed); list sorts reverse-chronologically; an info banner reads "AI scoring is disabled for this job by your administrator"
AI-unavailable variant	Same column removal + SY-02 banner with retry
Empty	Illustration + "No applications yet. Share the job link to start receiving candidates."
Loading	8 skeleton rows; score meter shimmer
Error	Inline retry panel replacing the table body
Responsive	<1024 px: table → stacked cards, each card showing name, score meter, rationale summary, stage chip

7.3 RC-06 — Candidate detail

REGION	SPECIFICATION
Header	Candidate name, applied date, current stage chip, actions: **Move stage**, **Override score**, Schedule interview
Left column (8 cols)	Parsed profile: contact, work history, education, skills, certifications. **Low-confidence fields carry an amber flag icon + "Needs review" text label**
Right column (4 cols)	**Rationale panel** (§7.4), scorecards list, activity timeline
Footer	Comment composer
States	No score → panel shows "Not scored" with reason; overridden → both values shown; parse-failed → manual-entry prompt
Responsive	<1024 px: single column, rationale panel moves directly beneath the score

7.4 Rationale panel *(component — BR-02, FR4.1, NFR7)*



RULE	ENFORCEMENT IN DESIGN
BR-02	The panel has **no valid state that renders a score without the WHY section.** If rationale is absent, the entire panel renders as "Not scored — no rationale available" with no numeric value anywhere
BR-07	Factor rows may only display features from PRD Table 19.1. A developer note on the Figma component lists the disallowed inputs
Direction encoding	▲/▼ glyph **and** sign **and** colour — three redundant encodings (Task 10 §10.3)
Override entry	Recruiter/Admin only; **absent for Hiring Manager** (§24.2)

7.5 RC-07 — Override modal *(BR-03)*

ELEMENT	SPECIFICATION
Title	"Override AI score"
Body	Original AI score (read-only, with its rationale summary); new score input (0.00–1.00, validated); **Reason for override** textarea, marked required with an asterisk *and* the text "Required"
Helper text	"This override and your reason are recorded in the audit log." — sets the expectation created by BR-03
Footer	Cancel · **Confirm override (disabled until reason is non-empty)**
A11y	Focus trapped; focus moves to the title on open; Escape cancels; returns focus to the trigger
Error	Inline validation; entered text preserved on failure

7.6 RC-09 — Pipeline Kanban *(FR5.1)*

ELEMENT	SPECIFICATION
Columns	One per `pipeline_stages` ordered by `position`; header shows stage name + count
Card	Candidate name, score badge (if scored), stage-age indicator, flag icon if fields need review
Interaction	Drag to move (dnd-kit per §16); **keyboard alternative required** — card menu with "Move to…" (Task 10 §10.1)
Terminal-stage guard	Dropping onto **Rejected** or **Hired** opens a confirmation dialog (BR-01)
Bulk	Checkbox select → RC-10 action bar docks to the bottom
Empty column	Dashed drop-target with stage name
Loading	Column skeletons
Error	Card returns to origin with a toast
Responsive	<1024 px: columns become a horizontally scrollable carousel with a stage switcher; drag replaced by the "Move to…" menu

7.7 CA-02 / CA-03 — Candidate application *(mobile-first per §8.3)*

CA-02

ELEMENT	SPECIFICATION
Layout	Single column, max 640 px, centred
Progress	3 steps: Upload → Review → Submit
Dropzone	Large tap target; "PDF or DOCX, up to 10 MB"; file picker fallback button
Consent	Explicit statement of purpose limitation (BR-05)
Errors	Type, size, and AV-scan failures each with distinct recovery text

CA-03

ELEMENT	SPECIFICATION
Framing	"We read your resume — please check we got it right." Positions the task as *verification*, not data entry
Field group	Contact · Work history · Education · Skills
Confidence flag	Low-confidence fields render with an amber left border, a flag icon, and the label "Please confirm" — never silently accepted (FR3.2)
Edit	Every field is inline-editable (FR2.2, US-08)
Parse-failed state	Full manual-entry form with the message "We couldn't read this file automatically — please enter your details." **Submission remains available (FR2.5)**
Loading	Per-field skeletons while parsing is in flight; the Submit control is never blocked by parsing
Responsive	Single column at all widths; 44 px minimum touch targets

7.8 CA-04 — Confirmation *(FR2.5)*

Confirmation panel, application reference ID, "What happens next" list, link to CA-05. **Must render successfully even when parsing has not completed** — this screen never waits on the AI pipeline.

7.9 CA-05 — Application status *(US-07)*

Vertical timeline of stages with the current stage emphasised; job summary; conditional "Schedule interview" CTA. Shows **only the authenticated candidate's own application** (BR-06); a foreign ID returns 404, not 403.

7.10 AD-03 — AI configuration *(FR8.2, BR-04)*

ELEMENT	SPECIFICATION
Table	Job · Department · AI scoring toggle · Last changed by · Last changed at
Explainer	Persistent panel: "Disabling AI scoring means candidates for that job are shown in reverse-chronological order with no score or rationale." (FR4.5)
Confirmation	Dialog restating the consequence before the change commits
Audit note	"This change will be recorded in the audit log."

7.11 AD-04 — Audit log browser *(FR8.3, §9.3, NFR11)*

ELEMENT	SPECIFICATION
Filter bar	**Job · Date range · Action type** — exactly the three filters named in §9.3 step 2
Table	Timestamp · Actor · Action · Resource type · Resource ID
Detail drawer	Before/after state as a JSON diff; **model version**; **correlation ID**; override reason where present
Export	Button → AD-05 carrying the current filter scope
Large result	Warning above the table when the result set exceeds the export threshold
Empty	"No activity matches these filters" + reset
Responsive	<1024 px: table → stacked entries; drawer becomes a full-screen sheet

7.12 SY-02 — AI unavailable

Full-width banner above the candidate list: "AI scoring is temporarily unavailable. Candidates are shown in the order they applied." with a Retry action. **No score and no rationale are rendered in this state (BR-02).** This is distinct from the AI-disabled state (FR4.5), which is an administrative choice rather than a fault, and carries different copy.

7.13 Responsive behaviour — global

BREAKPOINT	BEHAVIOUR
≥1440 px	Full desktop; sidebar expanded; tables at full column set
1024–1439 px	Sidebar collapsed to icons; secondary table columns hidden
768–1023 px	Tables → stacked cards; Kanban → carousel
<768 px	Mobile. Candidate flows fully supported (§8.3 mobile-friendly). **Recruiter Kanban and Analytics are read-only at this width** — *this restriction is a design decision, NOT SPECIFIED IN PRD*, and is flagged for your approval

TASK 8 — High-Fidelity Design System

Branding note: the PRD specifies **no** colour palette, typeface, or logo (NS-02). Nothing below is invented for decoration — every value is derived from a stated PRD constraint, principally WCAG 2.1 AA (NFR4) and the semantic needs of score, fairness, and audit display. Substitute institutional branding if required.

8.1 Typography

TOKEN	VALUE	USAGE
`font/sans`	Inter (or system UI stack)	All interface text
`font/mono`	JetBrains Mono / SF Mono	IDs, correlation IDs, JSON diffs in AD-04
`text/display`	32 / 40, 600	Page titles
`text/h1`	24 / 32, 600	Section headers
`text/h2`	20 / 28, 600	Card titles
`text/h3`	16 / 24, 600	Sub-sections
`text/body`	14 / 22, 400	Default
`text/body-strong`	14 / 22, 600	Emphasis
`text/small`	12 / 18, 400	Metadata, timestamps
`text/mono-sm`	12 / 18, 400	Identifiers

Minimum body size 14 px. Line length capped at 75 characters in rationale text.

8.2 Colour system

All pairings below meet **≥4.5:1** for text and **≥3:1** for UI components and graphical objects (WCAG 2.1 AA, NFR4).

TOKEN	HEX	CONTRAST ON WHITE	USAGE
`neutral/900`	`#111827`	16.1:1	Primary text
`neutral/700`	`#374151`	10.3:1	Secondary text
`neutral/500`	`#6B7280`	4.8:1	Tertiary text, placeholders
`neutral/300`	`#D1D5DB`	—	Borders
`neutral/100`	`#F3F4F6`	—	Surfaces
`neutral/0`	`#FFFFFF`	—	Base
`primary/700`	`#1D4ED8`	6.3:1	Primary actions, links
`primary/600`	`#2563EB`	5.2:1	Hover
`primary/50`	`#EFF6FF`	—	Selected rows
`success/700`	`#15803D`	5.1:1	Positive factors, Hired
`warning/700`	`#B45309`	4.9:1	**Low-confidence flags, Overridden badge**
`danger/700`	`#B91C1C`	6.4:1	Errors, Rejected
`info/700`	`#0369A1`	5.6:1	AI-disabled notices

Semantic separation rule: score magnitude uses the neutral/primary ramp, **never** success/danger. Encoding a low score in red would imply a rejection recommendation the system is forbidden to make (BR-01).

8.3 Spacing

4 px base: `space/1` =4, `2` =8, `3` =12, `4` =16, `5` =20, `6` =24, `8` =32, `10` =40, `12` =48, `16` =64.

8.4 Border radius

`radius/sm` =4 (inputs, badges) · `radius/md` =8 (cards, buttons) · `radius/lg` =12 (modals) · `radius/full` =9999 (chips, avatars).

8.5 Shadows

`shadow/sm` `0 1px 2px rgba(17,24,39,.06)` · `shadow/md` `0 4px 12px rgba(17,24,39,.08)` (cards, dropdowns) · `shadow/lg` `0 16px 40px rgba(17,24,39,.16)` (modals).

8.6 Buttons

VARIANT	SPEC
Primary	`primary/700` fill, white text, `radius/md`, 40 px height, 16 px horizontal padding
Secondary	`neutral/0` fill, `neutral/300` border, `neutral/900` text
Tertiary	Text only, `primary/700`
Danger	`danger/700` fill — used only on confirmed destructive actions
States	Default · Hover · **Focus (2 px `primary/700` ring, 2 px offset)** · Active · Disabled (40% opacity, `aria-disabled`) · Loading (spinner, label retained)
Sizes	sm 32 · md 40 · lg 48

8.7 Inputs

40 px height, `radius/sm`, `neutral/300` border, 12 px padding. **Label always visible above the field — placeholder is never the label** (Task 10 §10.4). Error state: `danger/700` border + message with an icon, linked by `aria-describedby`. Required fields marked with an asterisk **and** the word “Required”.

8.8 Dropdowns

Trigger matches input styling; menu on `shadow/md`, max height 320 px with scroll; keyboard: ↑/↓ navigate, Enter select, Escape close; `role="listbox"` with `aria-activedescendant`.

8.9 Checkboxes

20 × 20, `radius/sm`, 2 px border; checked = `primary/700` fill + white tick; indeterminate state for table select-all; label clickable; 44 × 44 minimum touch target.

8.10 Radio buttons

20 × 20 circle; grouped in `fieldset` with a `legend`; arrow keys move within the group.

8.11 Tables

Header `neutral/100`, `text/small` uppercase 600, sticky on scroll; 48 px rows; 12 px vertical / 16 px horizontal cell padding; row hover `neutral/100`; selected `primary/50`; zebra striping optional; sortable headers carry `aria-sort`. Numeric columns use tabular figures. Responsive: → stacked cards below 1024 px.

8.12 Cards

`neutral/0` surface, `neutral/300` 1 px border, `radius/md`, `shadow/sm`, 20 px padding. Header/body/footer slots.

8.13 Badges

Height 20, `radius/full`, 8 px horizontal padding, `text/small` 600. Variants: neutral (stage), warning (**Overridden**, **Needs review**), success (Hired), danger (Rejected), info (AI disabled). **Every badge carries a text label — never colour alone.**

8.14 Alerts

Full-width banner or inline. Icon + title + body + optional action. Variants: info (AI disabled), warning (low-confidence fields present), danger (error), success. `role="status"` for non-critical, `role="alert"` for errors.

8.15 Modals

Max 560 px (RC-07: 480 px), `radius/lg`, `shadow/lg`, 24 px padding, scrim `rgba(17,24,39,.5)`. Header with title + close; footer right-aligned with secondary then primary. **Focus trapped; focus to title on open; Escape closes; focus returns to trigger.**

8.16 Navigation

Sidebar 240 px expanded / 64 px collapsed. Item 40 px, 12 px padding, `radius/sm`. Active: `primary/50` background + 3 px `primary/700` left bar + 600 weight. `aria-current="page"`.

8.17 Tabs

40 px height, 2 px bottom indicator on the active tab, `text/body-strong`. `role="tablist"`; arrow keys move between tabs; used on RC-04 and HM-01.

8.18 Pagination

Cursor-based per §23.1 — a "Load more" control plus a result count, *not* numbered pages. Page size **NOT SPECIFIED IN PRD** (NS-08); 25 proposed.

8.19 Progress indicators

Linear bar (upload), circular spinner (in-flight actions), skeleton blocks (initial load), step indicator (candidate 3-step flow). All carry `aria-live="polite"` status text.

8.20 AI score visualisation

PROPERTY	SPEC
Form	5-segment horizontal meter + numeric value to 2 dp
Colour	Neutral/primary ramp only — **never** red/green (§8.2 semantic separation rule)
Text	Numeric value always present; the meter is decorative reinforcement
A11y	`role="img"` with `aria-label="Match score 0.87 out of 1.00"`
Coupling	**This component cannot be placed in Figma without the rationale component — they are published as a single combined component to make BR-02 violations structurally impossible**

8.21 Match explanation / rationale component

Per §7.4. Slots: summary sentence (required), factor list (3 positive + 1 negative per §22.2), model version, scored-at timestamp. Factor bar length encodes magnitude; ▲/▼ + sign + colour encode direction. **Empty variant** = "Not scored — no rationale available", rendering no numeric value.

8.22 Kanban components

Column (header + count + scrollable body + drop target), card (name, score badge, age, flags), drag ghost at 80% opacity, drop indicator as a 2 px `primary/700` line, bulk-select action bar docked to the bottom. **Every drag interaction has a keyboard-accessible menu equivalent.**

8.23 Accessibility considerations built into the system

- Focus ring on **every** interactive component: 2 px `primary/700`, 2 px offset, never removed.
- No colour-only encoding anywhere — scores, stages, factor directions, and flags all carry text or glyph.
- Touch targets ≥44 × 44 px.
- All contrast ratios verified in §8.2.
- Motion respects `prefers-reduced-motion`; Kanban drag animation disabled under it.

TASK 9 — AI UX Design

Governed by PRD §13 (BR-01–BR-07), §20, §21, §22, and NFR7.

9.1 Governing constraint — no automatic rejection *(BR-01)*

No AI-originated control in any screen removes, rejects, or hides a candidate. The AI's total UI authority is **ordering and annotation**. Terminal transitions (Rejected, Hired) exist only in RC-09/RC-10 behind explicit human confirmation (Flows 7, 10).

9.2 Resume parsing UX *(§20, FR2.5)*

Parsing runs asynchronously and never gates submission. The candidate sees progressive field resolution on CA-03 with per-field skeletons; the Submit control is enabled throughout. *The UI treatment of the 0.75 threshold is NOT SPECIFIED IN PRD (NS-05)* — the flag-based treatment below is proposed.

9.3 Parsed-field confidence *(FR3.2)*

CONFIDENCE	TREATMENT
≥0.75	Normal field, editable
<0.75	Amber left border + flag icon + "Please confirm" label; counted in a summary banner: "3 fields need your confirmation"
Extraction absent	Empty field with "We couldn't find this — please add it"

Recruiter-side, RC-14 aggregates flagged fields across applications into a review queue.

9.4 AI match score *(FR4.1)*

Per §8.20. Always accompanied by rationale. Always shows the numeric value, never a bare visual.

9.5 Candidate ranking *(FR4.1)*

Descending composite score on RC-05. Unscored candidates appear in a clearly separated "Not yet scored" group **below** the ranked set — never hidden, since hiding would be a de facto filter and would edge toward BR-01.

9.6 AI rationale *(FR4.1, BR-02, NFR7, §22.2)*

Templated, not free-text generated (§22.2 rationale: a generated sentence could drift from the actual SHAP values). Summary sentence in the list row; full factor breakdown in the panel. **If rationale is absent, the score is not displayed at all** — the component's empty variant is the only permitted rendering.

9.7 Skill matching *(Table 19.1)*

Matched skills displayed as chips against the job's `required_skills`. Only features from Table 19.1 may be shown. **Disallowed as displayed factors (BR-07):** name, gender, age, date of birth, address, nationality, institution prestige ranking, photograph — and institution *name*, excluded because it functions as a socio-economic proxy (§19.3). This exclusion list is attached to the Figma component as a developer note.

9.8 Missing requirements

Required skills with no candidate match render as outlined chips labelled "Not evidenced" — phrasing chosen deliberately over "Missing", which implies a deficiency judgement the system is not making.

9.9 Recruiter-defined skill weights *(FR4.2)*

RC-08: one slider per Table 19.1 feature, normalised so weights sum to 1.0. Apply shows the count of candidates to be re-scored and warns that re-scoring appends new rows while retaining prior scores (§21.3).

9.10 Manual override and reason *(FR4.3, BR-03)*

Per §7.5. Reason required; Confirm disabled until non-empty. Post-override, **both** the original AI score and the override remain visible and queryable (§15.4 invariant 3).

9.11 AI-disabled state *(FR4.5, BR-04)*

Score and rationale columns **removed entirely** — not greyed, not zeroed. Info banner names the administrator as the source of the setting. No enable control appears in any recruiter surface.

9.12 AI unavailable / graceful degradation

SY-02 (§7.12). Distinct copy from the disabled state: this is a fault, not a policy. List remains fully usable in unranked order; the recruiter workflow never blocks on AI availability (§15.1 principle 1).

9.13 Auditability

Every AI-influenced decision surfaces in AD-04 with model version and correlation ID. **A candidate-facing explanation screen is NOT SPECIFIED IN PRD (NS-09)** — §22.3 states only that the stored rationale is the *source* for explanation requests. Not designed in Phase 1.

9.14 Compliance cross-check

Table 9.1 — The six named rules against their design enforcement

RULE FROM BRIEF	PRD REF	DESIGN ENFORCEMENT	VERIFIED IN
AI must not automatically reject	BR-01	No AI-originated terminal transition exists in any screen; human confirmation on Rejected/Hired	Flows 4, 7, 10
Human retains final authority	BR-01	Override always available to Recruiter/Admin; ranking is advisory ordering only	Flows 5, 6, 10
Score must have a rationale	BR-02, NFR7	Score and rationale published as a **single Figma component**	§8.20, §9.6
No rationale → no score displayed	BR-02	Component empty variant renders no numeric value	§7.4, §9.6
Overrides require a reason	BR-03	Confirm disabled until reason non-empty	§7.5, Flow 6
AI enable/disable is Administrator-only	BR-04	Toggle exists only in Administrator IA; recruiter surfaces read-only	Task 4, AD-03, Flow 11

TASK 10 — Accessibility Checklist

Target: **WCAG 2.1 Level AA** (PRD NFR4, FR2.4), audited in P4 with axe-core in CI plus a manual screen-reader pass (§26.6).

10.1 Keyboard navigation

- ☐ Every interactive element reachable by Tab in a logical DOM order
- ☐ No keyboard traps except intentional modal focus traps (escapable by Escape)
- ☐ **Kanban drag-and-drop has a full keyboard equivalent** ("Move to…" menu) — RC-09
- ☐ Skip-to-content link as the first focusable element
- ☐ Table sort, filter, and pagination fully operable by keyboard
- ☐ Dropdowns: ↑/↓/Enter/Escape; tabs: arrow keys

10.2 Focus states

- ☐ Visible focus indicator on every interactive element (2 px ring, 2 px offset), never suppressed
- ☐ Focus ring ≥3:1 against adjacent colours
- ☐ Modal open → focus to title; close → focus returns to trigger
- ☐ Focus is never lost to `document.body` after a route change

10.3 Contrast and non-colour encoding

- ☐ Text ≥4.5:1; large text ≥3:1; UI components and graphics ≥3:1 (verified §8.2)
- ☐ **Score meters carry a numeric value** — never colour or length alone
- ☐ **Factor direction uses glyph + sign + colour** (triple encoding)
- ☐ **Stage, Overridden, and Needs-review badges all carry text labels**
- ☐ Active navigation marked by an accent bar **and** weight change, not colour alone
- ☐ Interface remains usable at 200% zoom and in Windows High Contrast Mode

10.4 Labels

- ☐ Every input has a persistent visible `<label>` — placeholder is never the label
- ☐ Icon-only buttons have `aria-label`
- ☐ Required fields marked with an asterisk **and** the word "Required"
- ☐ Related controls grouped in `fieldset` / `legend`
- ☐ Link text is self-describing (no bare "click here")

10.5 Error messages

- ☐ Errors identified in text, not colour alone
- ☐ Error text names the problem **and** the fix (PRD §23.1 RFC 7807 `title` + `detail`)
- ☐ Field errors linked by `aria-describedby`
- ☐ Form-level error summary at the top, focus moved to it on failed submit
- ☐ **RC-07 preserves the entered override reason on failure**

10.6 Screen readers

- ☐ Semantic landmarks: `header`, `nav`, `main`, `aside`, `footer`
- ☐ One `h1` per page; heading levels never skipped

- [ ] Live regions: `aria-live="polite"` for status, `role="alert"` for errors
- [ ] **Score announced as "Match score 0.87 out of 1.00"**, followed by the rationale summary — the rationale must be in the reading order, satisfying BR-02 for non-visual users
- [ ] Decorative graphics `aria-hidden`
- [ ] Async completion (parse finished, score ready) announced politely

10.7 Form accessibility

- [ ] Errors surfaced on blur and on submit, not on every keystroke
- [ ] Autocomplete attributes on contact fields (CA-02/CA-03)
- [ ] No time limits on form completion
- [ ] Unsaved-changes warning on navigation away (RC-03)
- [ ] File input reachable by keyboard with a visible button, not drag-only

10.8 Tables

- [ ] `<th>` with correct `scope`
- [ ] `<caption>` or `aria-label` describing the table
- [ ] `aria-sort` on sortable headers
- [ ] Row selection state announced
- [ ] Stacked-card responsive variant preserves the header-to-value relationship

10.9 Modals

- [ ] `role="dialog"` with `aria-modal="true"` and `aria-labelledby`
- [ ] Focus trapped; Escape closes; background inert
- [ ] Background scroll locked

10.10 Responsive and reflow

- [ ] No horizontal scrolling at 320 px width (WCAG 1.4.10 Reflow)
- [ ] Touch targets ≥44 × 44 px
- [ ] Content reflows without loss of function
- [ ] Orientation not locked
- [ ] `prefers-reduced-motion` honoured

10.11 Permission-related accessibility *(NFR6, BR-06)*

- [ ] Unauthorised actions are **absent from the DOM**, not merely visually hidden — the UI must not be the only gate (NFR6)
- [ ] **Foreign candidate records return 404, not 403**, to avoid existence disclosure (§26 BR-06 test); the error page must not reveal that the record exists
- [ ] Role changes are reflected in navigation without a stale cached menu

---

TASK 11 — Database / UI Data Mapping

Uses PRD §17 exactly. The schema is not redesigned.

Table 11.1 — Entity to UI mapping

ENTITY	SCREENS USING IT	INFORMATION DISPLAYED	ACTIONS THAT MODIFY IT	ROLES WITH ACCESS (§24.2)
`companies`	AD-01, Company settings	`name`, `data_region` (read-only, NFR5)	None in v1	Admin
`users`	SC-01, AD-02, AD-06, RC-13, HM-04	`email`, `role`, last active; author attribution on scorecards and audit entries	Invite; change `role`; revoke sessions (FR8.4)	Admin manages; all authenticate
`jobs`	RC-02, RC-03, RC-04, RC-05, RC-09, AD-03, CA-01	`title`, `department`, `employment_type`, `required_skills`, `status`, `ai_scoring_enabled`	Create/edit/publish/close (FR1.1); duplicate (FR1.3); **`ai_scoring_enabled` by Admin only (BR-04)**	Recruiter/Admin write; HM read (assigned); Candidate reads published only
`candidates`	RC-05, RC-06, RC-09, HM-02, HM-03, CA-05	`full_name`, `email`, `phone`	Created on application submit; **erasure via soft delete (BR-05)**	Recruiter/HM/Admin read within tenant; **Candidate reads own only (BR-06)**
`applications`	RC-05, RC-06, RC-09, RC-10, HM-02, CA-04, CA-05	`current_stage`, applied date, linkage to job and candidate	Create (FR2.1); stage change (FR5.1, FR5.4); bulk change (FR5.2)	Recruiter/Admin write; HM read; Candidate reads own
`resumes`	CA-02, CA-03, RC-06, RC-14	`parse_status`, file reference	Created on upload; `parse_status` updated by worker	Candidate uploads; Recruiter/HM/Admin read
`parsed_profiles`	CA-03, RC-06, RC-14	`skills`, `work_history`, `education`, `confidence_score`	Written by ParserService; **corrected by candidate (FR2.2)**; confirmed by recruiter (RC-14)	Candidate corrects own; Recruiter/HM/Admin read
`match_scores`	RC-05, RC-06, HM-02, HM-03, AD-04	`composite_score`, `rationale`, `model_version_id`, override fields	Written by RankingService; **overridden by Recruiter/Admin with reason (FR4.3, BR-03)**; re-score appends new rows (§21.3)	Recruiter/Admin override; HM read; **Candidate never sees this entity in v1**
`ai_model_versions`	RC-06 (version label), AD-04 (provenance)	`version_tag`, `status`	Not modified through the UI	Recruiter/HM/Admin read
`pipeline_stages`	RC-03, RC-09	`name`, `position`	Configured during job creation (FR5.1)	Recruiter/Admin
`stage_history`	RC-06 timeline, AD-04, RC-12	`from_stage`, `to_stage`, `changed_by`, timestamp	**Append-only**, written on every transition (FR5.4)	Recruiter/HM/Admin read
`scorecards`	RC-06, RC-13, HM-03, HM-04, HM-05	`rating`, `feedback`, author	Submitted by HM/Recruiter (FR5.3)	Recruiter/HM/Admin
`interviews`	RC-11, CA-05, CA-06	`scheduled_at`, status	Created by recruiter; slot selected by candidate (FR6.2)	Recruiter/Admin write; Candidate selects own slot
`audit_logs`	AD-04, AD-05	`actor_id`, `action`, `before_state`, `after_state`, `correlation_id`, model version	**Append-only — no UI can modify or delete** (§17.3 `REVOKE UPDATE, DELETE`)	**Admin only (§24.2)**

Design consequences drawn from the schema, not added to it: - `match_scores` is one-to-many per application (§18) → RC-06 must show **score history**, not a single current value. - `audit_logs` has no update or delete grant → AD-04 has **no edit or delete affordance anywhere**; designing one would misrepresent the system. - Soft delete via `deleted_at` (BR-05) → erased candidates disappear from recruiter lists while audit entries remain resolvable.

TASK 12 — API / UI Mapping

Endpoints exactly as PRD §23.2 Tables 23.1 and 23.2. No endpoints invented.

Table 12.1 — Public API to screen mapping

ENDPOINT	METHOD	ROLE	SCREEN	TRIGGER	REQUEST PURPOSE	EXPECTED RESPONSE	UI RESULT	ERROR HANDLING
`/v1/auth/login`	POST	Public	SC-01	Submit credentials / SSO	Authenticate	Access + refresh token	Redirect to role dashboard	401 → "Email or password is incorrect"; MFA required → SC-02
`/v1/auth/refresh`	POST	Valid refresh cookie	Global	Access token expiry	Rotate refresh, issue access	New access token	Transparent to user	Failure → silent sign-out to SC-01
`/v1/auth/logout`	POST	Authenticated	Global	Sign out	Revoke refresh token	204	Return to SC-01	Non-blocking; clear client state regardless
`/v1/jobs`	POST	Recruiter, Admin	RC-03	Save / Publish	Create job	Created job	Redirect to RC-04	400 → field-level RFC 7807 messages
`/v1/jobs`	GET	Recruiter, HM, Admin	RC-02	Page load, filter	List tenant jobs	Cursor page of jobs	Table populated	5xx → retry panel; empty → empty state
`/v1/jobs/:id`	PATCH	Recruiter, Admin	RC-03, RC-04	Edit / publish / close	Mutate job	Updated job	Toast + refreshed view	403 → SY-01; 409 → reload prompt
`/v1/jobs/:id/duplicate`	POST	Recruiter, Admin	RC-02, RC-03	Duplicate as template	Clone as draft (FR1.3)	New draft job	Open RC-03 pre-filled	4xx → toast, no navigation
`/v1/applications`	POST	Public	CA-02 → CA-03	Submit application	Create application + resume	**201 with application ID**	CA-04 confirmation	AV/type/size failures each with distinct copy; **`Idempotency-Key` prevents duplicate submission (§23.1)**
`/v1/applications/:id`	GET	Candidate (owner)	CA-05	Page load	Own application status	Application + stage	Timeline rendered	**404 for foreign ID (BR-06)** — never 403
`/v1/jobs/:id/candidates`	GET	Recruiter, HM, Admin	RC-05, HM-02	Page load, filter, load more	Ranked list with score + rationale	Cursor page incl. `score.rationale`	Ranked table	**If `rationale` absent, the row renders unscored (BR-02)**; 5xx → SY-02
`/v1/applications/:id/stage`	PATCH	Recruiter, Admin	RC-09, RC-06, RC-10	Drag / menu / bulk	Move stage	Updated application	Card settles; counts update	**Failure → optimistic rollback**; 403 → SY-01
`/v1/applications/:id/score`	PATCH	Recruiter, Admin	RC-07	Confirm override	Override with reason (BR-03)	`overridden: true`, `overriddenBy`, `originalScore`	Overridden badge; both values retained	Validation → inline; **reason preserved on failure**
`/v1/applications/:id/scorecards`	POST	Recruiter, HM, Admin	HM-04, RC-13	Submit feedback	Structured feedback (FR5.3)	Created scorecard	Appears in list, visible to team	Validation inline; draft preserved
`/v1/interviews`	POST	Recruiter, Admin	RC-11	Schedule	Create interview, sync calendar	Interview + scheduling link	Appears on RC-11 and CA-05	**Provider failure → manual-scheduling fallback (FR6.3)**
`/v1/analytics/funnel`	GET	Recruiter, Admin	RC-12	Page load, range change	Funnel conversion metrics	Stage conversion data	Chart + table	Empty → no-data state
`/v1/audit-logs/export`	GET	**Admin**	AD-05	Export	Export filtered audit trail	CSV/JSON file	Download begins	Too large → narrow-filter guidance; failure → retry with filters intact
`/v1/admin/jobs/:id/ai-scoring`	PATCH	**Admin**	AD-03	Toggle	Enable/disable per job (FR8.2)	Updated job	Toggle updates; audit entry created	**403 for Recruiter token (BR-04)**; failure reverts toggle

Table 12.2 — Internal endpoints (no direct UI binding)

ENDPOINT	METHOD	ACCESS	RELATIONSHIP TO UI
`/internal/ai/parse`	POST	Cluster-internal, per-request service JWT	Result surfaces on CA-03 and RC-14; never called from the browser
`/internal/ai/rank`	POST	Cluster-internal	Result surfaces on RC-05/RC-06
`/internal/ai/explain`	POST	Cluster-internal	Supplies the rationale panel content

Table 12.3 — UI needs with no specified endpoint

Flagged rather than invented. Each is *required but not currently specified* in PRD §23.2.

UI NEED	SCREEN	STATUS
List candidates awaiting HM review	HM-01	**NOT SPECIFIED IN PRD** — future/required
Ranking weight read/write	RC-08	**NOT SPECIFIED IN PRD** — FR4.2 exists but no endpoint is listed; future/required
Flagged parsed-field review queue	RC-14	**NOT SPECIFIED IN PRD** — FR3.2 exists but no endpoint is listed; future/required
Audit log **query** (as distinct from export)	AD-04	**NOT SPECIFIED IN PRD** — §23.2 lists only `/audit-logs/export` ; the §9.3 filter journey implies a query endpoint; future/required
User and role management	AD-02	**NOT SPECIFIED IN PRD** — FR8.1 exists but no endpoint is listed; future/required
Session revocation	AD-06	**NOT SPECIFIED IN PRD** — FR8.4 exists but no endpoint is listed; future/required
Candidate self-service slot selection	CA-06	**NOT SPECIFIED IN PRD** — FR6.2 exists but no endpoint is listed; future/required

Recommendation: these seven gaps should be added to PRD §23.2 before Phase 2 begins, since each backs a Must-priority requirement. This is a gap in the PRD's API table, not a gap in its requirements.

TASK 13 — Figma File Structure

Figma as the tool is NOT SPECIFIED IN PRD (NS-01) — see conflict X3.

Table 13.1 — Figma page structure

PAGE	CONTENTS
01 — Cover	Project title, student and university details, PRD version reference (v3.0), Phase 1 version and date, status
02 — Design System	Typography scale (§8.1), colour tokens with contrast ratios annotated (§8.2), spacing, radius, shadow, iconography
03 — Components	All components from Task 8 as published Figma components with variants and states. **The score + rationale pair is published as one combined component (BR-02)**
04 — Recruiter	RC-01 … RC-14 at high fidelity, each with default / empty / loading / error variants, plus the AI-disabled variant of RC-05
05 — Hiring Manager	HM-01 … HM-04 high fidelity; HM-05 low fidelity only (US-12 Could)
06 — Candidate	CA-01 … CA-06, **mobile frames first** (§8.3), then desktop
07 — Administrator	AD-01 … AD-06, with the AD-03 confirmation dialog and AD-04 detail drawer
08 — User Flows	All 12 flows from Task 6 as flow diagrams, annotated with success / error / empty / loading, permission gates, and **human-in-the-loop markers**
09 — Responsive Designs	Each key screen at 1440 / 1024 / 768 / 375 px per §7.13
10 — Prototype	Wired click-through flows per Task 14
11 — Accessibility	Contrast evidence table, focus-order overlays on key screens, keyboard-path annotations, screen-reader announcement notes, the Task 10 checklist as a Figma board
12 — Developer Handoff	Component-to-API mapping (Task 12), component-to-entity mapping (Task 11), business-rule annotations on the screens that enforce BR-01–BR-07, the Table 12.3 endpoint-gap list, and the open questions register

Conventions: frames named `{ScreenID} – {Screen Name} – {State}` (e.g. `RC-05 – Ranked Candidate List – AI Disabled`); components in `Category/Component/Variant`; colour and type styles as shared library styles only — no loose hex values.

TASK 14 — Prototype Plan

Four clickable flows, exactly as prioritised in the brief.

Table 14.1 — Prototype flows

#	FLOW	SCREEN SEQUENCE	INTERACTIONS TO WIRE	DEMONSTRATES
P-1	**Recruiter core**	SC-01 → RC-01 → RC-02 → RC-03 → publish confirm → RC-04 → RC-05 → RC-06 → rationale expand → RC-07 override modal → RC-09 pipeline	Form entry, publish confirmation, row expand, modal open/close, **reason-required validation**, drag to stage, **terminal-stage confirm**	FR1.1, FR4.1, FR4.3, FR5.1, **BR-01, BR-02, BR-03**
P-2	**Candidate**	CA-01 → CA-02 upload → CA-03 parsed review (with flagged fields) → submit → CA-04 → CA-05 status	Upload simulation, parsing progress, field correction, flag confirmation, submit, status timeline	FR2.1, FR2.2, FR2.5, FR3.2, **US-06, US-08**
P-3	**Administrator**	SC-01 → SC-02 MFA → AD-01 → AD-03 AI configuration → toggle + consequence confirm → AD-04 audit log → filter → entry detail → AD-05 export	MFA entry, toggle with confirmation, three-filter application, drawer open, export dialog	FR8.2, FR8.3, **BR-04**, §9.3
P-4	**Hiring Manager**	SC-01 → HM-01 → HM-02 → HM-03 → HM-04 scorecard → submit	Queue navigation, read-only rationale, scorecard entry, submit confirmation	FR5.3, **US-05**; demonstrates the **absence** of override and stage controls (§24.2)

Required state demonstrations — at least one prototype branch must show each: RC-05 AI-disabled variant (FR4.5); SY-02 AI-unavailable (BR-02); CA-03 parse-failed manual entry (FR2.5); RC-11 calendar-provider-down manual fallback (FR6.3); an empty state and a loading state.

Fidelity: high-fidelity for P-1 through P-4 happy paths; the state demonstrations may be static frames reached from a state-switcher, not fully wired.

TASK 15 — Three-Week Phase 1 Plan

Matches PRD §29 Table 29.1 — P1, 3 weeks, cumulative Week 3.

Week 1 — Requirements, Information Architecture, User Flows

ITEM	DETAIL
Tasks	Finalise the Requirements Traceability Matrix; agree the Phase 1 scope partition; write the four UX personas; construct role-partitioned IA; produce the screen inventory; draft all 12 user flows with their four states, permission gates, and human-in-the-loop points; **resolve conflicts X1–X3 and the Table 12.3 endpoint gaps with the supervisor**
Deliverables	D1 Traceability Matrix · D2 Scope document · D3 Personas · D4 IA diagrams (4 roles) · D5 Screen inventory (30 screens) · D6 Flow diagrams (12) · D7 Open-questions register
PRD sections covered	§5, §6, §7, §8, §9, §10, §11, §12, §13, §14, §24.2
Completion criteria	Every FR1.1–FR8.4 appears in the matrix with a screen and an acceptance criterion · Every §9 journey step has an IA location (Table 4.1) · Every flow states success/error/empty/loading, permissions, and human-in-the-loop · Conflicts X1–X3 signed off

Week 2 — Wireframes, Design System, Component Design

ITEM	DETAIL
Tasks	Low-fidelity wireframes for all Category A screens; build the design system (tokens through components); design the AI-specific components; **verify every colour pairing against WCAG 2.1 AA before applying it**; build the combined score + rationale component; specify responsive behaviour at four breakpoints
Deliverables	D8 Wireframes (all Category A screens, all four states) · D9 Design-system specification · D10 Figma component library · D11 AI UX specification · D12 Responsive specification
PRD sections covered	§11, §12 (NFR4, NFR7), §13, §16, §20, §21, §22, §23.1
Completion criteria	Every Category A screen wireframed with all four states · All contrast ratios documented and passing · **Score component cannot be placed without rationale (BR-02 structurally enforced)** · Keyboard equivalent designed for every drag interaction

Week 3 — High-Fidelity, Prototype, UX Review, Developer Handoff

ITEM	DETAIL
Tasks	High-fidelity screens across pages 04–07; responsive frames; wire prototypes P-1 to P-4; complete the accessibility checklist with evidence; assemble developer handoff including the API and entity mappings and the business-rule annotations; conduct UX review against the PRD
Deliverables	D13 High-fidelity mockups · D14 Responsive designs · D15 Clickable prototypes (4) · D16 Accessibility checklist with evidence · D17 Developer handoff pack · D18 Phase 1 review report
PRD sections covered	All Phase 1 sections; §17 and §23 for handoff mapping; §30 acceptance criteria alignment
Completion criteria	All four prototypes navigable end to end · Every screen has documented states · Accessibility checklist complete with contrast evidence and focus-order annotation · Handoff maps every screen to its endpoints and entities · **Milestone M2 "Design complete" satisfied (PRD §29 Table 29.2)**

Dependencies and risks

RISK	SOURCE	MITIGATION
Conflicts X1–X3 unresolved	§0	Resolve in Week 1; X1 blocks the Administrator screens
Seven API gaps (Table 12.3)	§12	Log as PRD amendments in Week 1; do **not** invent endpoints
Branding undefined (NS-02)	§8	Proceed with the WCAG-derived neutral system; substitutable via Figma styles in one operation
Scope creep	PRD R-04	Scope locked by Task 2; new requests route to PRD §31

TASK 16 — Phase 1 Deliverable Checklist

#	DELIVERABLE	TASK	STATUS
1	[x] Requirements Traceability Matrix	Task 1	Complete — FR1.1–FR8.4, NFR1–NFR11, BR-01–BR-07, US-01–US-12
2	[x] Product Scope (Categories A / B / C)	Task 2	Complete — no PRD requirement removed
3	[x] User Personas	Task 3	Complete — 4 personas, no invented demographics
4	[x] Information Architecture	Task 4	Complete — 4 role trees + workflow coverage check
5	[x] Screen Inventory	Task 5	Complete — 30 screens
6	[x] User Flows	Task 6	Complete — 12 flows + 2 sub-flows
7	[x] Wireframe Specifications	Task 7	Complete — key screens + global shell + responsive
8	[x] Design System	Task 8	Complete — 23 sections; branding flagged NS-02
9	[x] AI UX Specification	Task 9	Complete — 14 sections + compliance cross-check
10	[x] Accessibility Checklist	Task 10	Complete — 11 sections, WCAG 2.1 AA
11	[x] Database / UI Mapping	Task 11	Complete — 14 entities
12	[x] API / UI Mapping	Task 12	Complete — 17 public + 3 internal + 7 flagged gaps
13	[x] Figma Structure	Task 13	Complete — 12 pages
14	[x] Prototype Plan	Task 14	Complete — 4 flows + required state demos
15	[x] 3-Week Phase 1 Schedule	Task 15	Complete — matches PRD §29 P1
16	[x] Developer Handoff Requirements	Task 13 page 12 + Tasks 11–12	Specified; produced as artefact D17 in Week 3

Open items requiring your decision before Week 2

#	ITEM	REFERENCE
1	Confirm FR1–FR8 coverage rather than the brief's FR1–FR5	Conflict X1
2	Confirm §9 as the flow basis rather than the brief's §6	Conflict X2
3	Confirm Figma as the tool for the PRD's "UX designs"	Conflict X3 / NS-01
4	Approve or replace the WCAG-derived neutral palette	NS-02
5	Approve adding the seven missing endpoints to PRD §23.2	Table 12.3
6	Approve the recruiter mobile read-only restriction	§7.13
7	Confirm password reset, onboarding, and billing remain out of scope	NS-03, NS-06, NS-07

Phase 1 planning package complete. Phase 2 not started — no application code, backend APIs, database implementation, or model training has been produced, per the working rule.

AI-Powered Recruitment & Applicant Tracking System — Phase 1: Requirements & UX Design v1.0 Riya Jaiswal · GD Goenka University · B.Tech CSE · 2026–27 · Traceable to Master PRD v3.0