

American bollworm on pulses - Myanmar

Helicoverpa armigera

 American bollworm caterpillar feeding on beans (PPD, Myanmar)	Prevention	Monitoring	Direct Control	Direct Control	Restrictions
	- Cultural practice: Deep ploughing & sun drying for 1 week, Burning alternative host plants (stubbles, weeds), Planting trap crops (e.g. maize) 15 days before sowing, Planting border crop (e.g. marigold, okra) as repellent crops - Use resistant varieties such as ICCV7 for chickpea or Yezin 2 for mung bean	- Use light traps to monitor for adults - When to look: Carry out weekly observations beginning 20 days after planting until fruit setting - What to look for: Skeletonised leaves, Fruits with faeces, small holes and small larvae - Where to look: Leaves, buds, new shoots, flowers, fruits - Look at the base of the stem in the evening	- Remove and destroy infested leaves and fruits - Hand pick the larvae - Release natural enemies (wasps, <i>Camponotus chlorideae</i>, predatory bug, <i>Eocanthecona furcellata</i>, earwigs; available from Mandalay biocontrol station) - Spot spraying of Neem pesticide two times at 2 week intervals at flowering time (80cc/ 4 gallon of water) - Neem oil + detergent powder (250cc + 60g per acre 20 DAS)	- Alternate botanical and chemical pesticides - Apply systemic pesticides 2 times: 35 DAS and 50 DAS	
				Apply acephate at a rate of 500cc/acre	WHO Class II (Moderately hazardous), Maximum 2-3 times, 2 weeks PHI and REI, Systemic and contact action, Use personal protection equipment
				Apply deltamethrin (e.g. Decis) at a rate of 500cc/acre	WHO Class II (Moderately hazardous), Maximum 2 -3 times, 2 weeks PHI or REI, Systemic and contact action, Use personal protection equipment

American bollworm caterpillar feeding on beans (PPD, Myanmar)



Adult of the American bollworm (PPD, Myanmar)

Myanmar

CREATED/UPDATED: June 2014

AUTHOR(S): Plant Protection Division, Myanmar

EDITED BY: Plantwise



LOSE LESS, FEED MORE

PlantwisePlus is a CABI-led global initiative www.plantwise.org
©CAB International. Published under a CC BY-NC-SA 4.0 licence