PRAKTIKUM BASIS DATA

MODUL 2

(DDL/DML, Data types, Authorization)

Oleh:

(Riyan Hidayat Taufik) (103122400050)

PROGRAM STUDI S1 REKAYASA PERANGKAT LUNAK

DIREKTORAT KAMPUS PURWOKERTO

UNIVERSITAS TELKOM

2026

JURNAL/TP

1. **Soal 1**
   a. **Table film**

      Source code :

      create table film (id_film number primary key,judul varchar(100), sinopsis varchar(255), tahun number,durasi number);

```
SQL> desc film
 Name                                      Null?    Type
 ----------------------------------------- -------- ------------------------
----
 ID_FILM                                   NOT NULL NUMBER
 JUDUL                                              VARCHAR2(100)
 SINOPSIS                                           VARCHAR2(255)
 TAHUN                                              NUMBER
 DURASI                                             NUMBER

SQL> |
```

   b. **Table theater**

      Source code :

      create table theater (id_theater number primary key, harga number, kapasitas number,kelas varchar(50));

```
SQL> desc theater
 Name                                      Null?    Type
 ----------------------------------------- -------- ------------------------
----
 ID_THEATER                                NOT NULL NUMBER
 HARGA                                              NUMBER
 KAPASITAS                                          NUMBER
 KELAS                                              VARCHAR2(50)

SQL> |
```

c. **Table member**

Source code :

create table member (id_member number primary key,nama varchar(100), no_hp number, tgl_lahir date,email varchar(100));

```
SQL> desc member
 Name                                      Null?    Type
 ----------------------------------------- -------- ------------------------
----
 ID_MEMBER                                 NOT NULL NUMBER
 NAMA                                               VARCHAR2(100)
 NO_HP                                              NUMBER
 TGL_LAHIR                                          DATE
 EMAIL                                              VARCHAR2(100)

SQL> |
```

d. **Table jadwal**

Source code :

create table jadwal (id_jadwal number primary key,id_film number, id_theater number,periode_start date,periode_end date, constraint fk_film foreign key (id_film)references film(id_film), constraint fk_theater foreign key (id_theater)references theater(id_theater));

```
SQL> desc jadwal
 Name                                      Null?    Type
 ----------------------------------------- -------- ------------------------
----
 ID_JADWAL                                 NOT NULL NUMBER
 ID_FILM                                            NUMBER
 ID_THEATER                                         NUMBER
 PERIODE_START                                      DATE
 PERIODE_END                                        DATE
```

e. **Table inventaris**

Source code :

create table inventaris (id_inventaris number primary key,id_theater number, nomor_kursi number,constraint fk_theater_invforeign key (id_theater)references theater(id_theater));

```
SQL> desc inventaris
 Name                                      Null?    Type
 ----------------------------------------- -------- ------------------------
----
 ID_INVENTARIS                             NOT NULL NUMBER
 ID_THEATER                                         NUMBER
 NOMOR_KURSI                                        NUMBER

SQL> |
```

f. **Table transaksi**

Source code :

create table transaksi (kode_pemesanan number primary key,id_jadwal number,id_member number,status varchar(50),tanggal date,total_harga number,constraint fk_jadwalforeign key (id_jadwal)references jadwal(id_jadwal),constraint fk_memberforeign key (id_member) references member(id_member));

```
SQL> desc transaksi
 Name                                      Null?    Type
 ----------------------------------------- -------- ------------------------
----
 KODE_PEMESANAN                            NOT NULL NUMBER
 ID_JADWAL                                          NUMBER
 ID_MEMBER                                          NUMBER
 STATUS                                             VARCHAR2(50)
 TANGGAL                                            DATE
 TOTAL_HARGA                                        NUMBER

SQL> |
```

2. **Soal 2**

   a. **Insert film**

```
SQL> select * from film
  2  ;

   ID_FILM
---------
JUDUL
--------------------------------------------------------------------------------
SINOPSIS
--------------------------------------------------------------------------------
     TAHUN     DURASI
--------- ---------
         1
Avengers: Endgame
Film superhero Marvel
      2019        180
```

insert into film (id_film, judul, sinopsis, tahun, durasi)
values (1, 'Avengers: Endgame', 'Film superhero Marvel', 2019, 180);

b. Insert theater

```
SQL> insert into theater (id_theater, harga, kapasitas, kelas)
  2  values (1, 50000, 100, 'Reguler');

1 row created.

SQL> select * from theater
  2  ;

ID_THEATER      HARGA  KAPASITAS
---------- ---------- ----------
KELAS
--------------------------------------------------
         1      50000        100
Reguler
```

c. Insert inventaris

```
SQL> insert into inventaris (id_inventaris, id_theater, nomor_kursi)
  2  values (1, 1, '1');

1 row created.

SQL> select * from inventaris
  2  ;

ID_INVENTARIS ID_THEATER NOMOR_KURSI
------------- ---------- -----------
            1          1           1
```

d. **Insert member**

```
SQL> insert into member (id_member, nama, no_hp, tgl_lahir, email)
  2  values (1, 'Riyan', '08123456789', DATE '2000-05-10', 'riyan@example.co
m');

1 row created.

SQL> select * from member;

 ID_MEMBER
----------
NAMA
--------------------------------------------------------------------------------
----
     NO_HP TGL_LAHIR
---------- ---------
EMAIL
--------------------------------------------------------------------------------
----
         1
Riyan
8123456789 10-MAY-00
riyan@example.com
```

e. **Insert jadwal**

```
SQL> insert into jadwal Jadwal (id_jadwal, id_film, id_theater, periode_star
t, periode_end)
  2  values (1, 1, 1, DATE '2026-03-10', DATE '2026-03-20');

1 row created.

SQL> select * from jadwal
  2  ;

 ID_JADWAL    ID_FILM ID_THEATER PERIODE_S PERIODE_E
---------- ---------- ---------- --------- ---------
         1          1          1 10-MAR-26 20-MAR-26
```

f. **Insert transaksi**

```
KODE_PEMESANAN  ID_JADWAL  ID_MEMBER
-------------- ---------- ----------
STATUS                                             TANGGAL   TOTAL_HARGA
-------------------------------------------------- --------- -----------
          1001          1          1
paid                                               11-MAR-26       50000
```

3. **Update data**

   a. **Update judul film dan durasi**

Source code :
UPDATE film
SET judul = 'doraemon'
WHERE id_film = 1;
UPDATE film
SET durasi = 100
WHERE id_film = ;

```
SQL> select id_film, judul, tahun, durasi from film;

   ID_FILM JUDUL                    TAHUN     DURASI
---------- -------------------- ---------- ----------
         1 doraemon                   2019        100
```

b. **Update harga theater**
   Source code :
   update theater
   set harga = 1000
   where id_theater = 1;

```
SQL> select * from theater
  2  ;

ID_THEATER      HARGA  KAPASITAS KELAS
---------- ---------- ---------- ----------
         1       1000        100 Reguler
```

c. **Update no hp member**
   Source code :
   update member
   set no_hp = 01010101
   where id_member = 1;

```
SQL> select * from member;

 ID_MEMBER NAMA                    NO_HP TGL_LAHIR EMAIL
---------- -------------------- ---------- --------- ----------------------
-------
         1 Riyan                   1010101 10-MAY-00 riyan@example.com
```

d. **Update status menjadi lunas**
   Soure code :

update transaksi
set status = 'lunas'
where kode_pemesanan = 1001;

```
SQL> select * from transaksi;

KODE_PEMESANAN  ID_JADWAL  ID_MEMBER STATUS          TANGGAL      TOTAL_HARGA
-------------- ---------- ---------- --------------- ------------ -----------
          1001          1          1 lunas           11-MAR-26          50000
```

4. **Delete**
   a. **Row 1 transaksi**
      Delete from transaksi
      Where kode_pemesan = 1001;

```
SQL> delete from transaksi
  2  where kode_pemesanan = 1001;

1 row deleted.

SQL> select * from transaksi;

no rows selected
```

   b. **Row 1 member**
      delete from member
      where id_member = 1;

```
SQL> select * from member;

 ID_MEMBER NAMA                    NO_HP TGL_LAHIR EMAIL
---------- -------------------- ---------- --------- ----------------------
-------
         1 Riyan                   1010101 10-MAY-00 riyan@example.com

SQL> delete from member
  2  where id_member = 1;

1 row deleted.

SQL> select * from member;

no rows selected
```