

PRAKTIKUM BASIS DATA

MODUL 11

(NoSQL_Key_Value_Database)



Oleh:

(Riyan Hidayat Taufik)

(103122400050)

PROGRAM STUDI S1 REKAYASA PERANGKAT LUNAK

DIREKTORAT KAMPUS PURWOKERTO

UNIVERSITAS TELKOM

2026

JURNAL

1. Soal 2

Jawaban:

```
Connected to Test Cluster at 127.0.0.1:9042.
[cqlsh 5.0.1 | Cassandra 2.2.3 | CQL spec 3.3.1 | Native protocol v4]
Use HELP for help.
WARNING: pyreadline dependency missing.  Install to enable tab completion.
cqlsh> CREATE KEYSPACE spotifine_0802
... WITH replication = {
...   'class': 'SimpleStrategy',
...   'replication_factor': 1
... };
cqlsh> USE spotifine_0802;
cqlsh:spotifine_0802> |
```

```
cqlsh:spotifine_0802> CREATE TABLE musician_data (
...   artist_id UUID PRIMARY KEY,
...   artist_name TEXT,
...   followers INT,
...   origin TEXT,
...   genres SET<TEXT>
... );
cqlsh:spotifine_0802> INSERT INTO musician_data (artist_id, artist_name, followers, origin, genres)
... VALUES (uuid(), 'Taylor Swift', 95000000, 'United States', {'Pop', 'Country'});
cqlsh:spotifine_0802>
cqlsh:spotifine_0802> INSERT INTO musician_data (artist_id, artist_name, followers, origin, genres)
... VALUES (uuid(), 'The Weeknd', 78000000, 'Canada', {'R&B', 'Pop'});
cqlsh:spotifine_0802>
cqlsh:spotifine_0802> INSERT INTO musician_data (artist_id, artist_name, followers, origin, genres)
... VALUES (uuid(), 'Tulus', 12000000, 'Indonesia', {'Pop'});
cqlsh:spotifine_0802> select * from musician_data;

artist_id | artist_name | followers | genres | origin
-----+-----+-----+-----+-----
23600c6b-15a1-4850-a648-5d3116b29fb1 | Tulus | 12000000 | {'Pop'} | Indonesia
208342de-ea76-4723-b801-7d6c8ff11f32 | Taylor Swift | 95000000 | {'Country', 'Pop'} | United States
6453d58b-36f6-4d5f-8e12-412140fabebae | The Weeknd | 78000000 | {'Pop', 'R&B'} | Canada

(3 rows)
cqlsh:spotifine_0802> |
```

2. Soal 3

Jawaban:

Keuntungan utama menggunakan tipe data `set<text>` pada kolom `genres` Adalah, karna 1 musisi dapat memiliki lebih dari 1 genre. Dengan menggunakan `set`, Cassandra dapat menyimpan banyak genre dalam 1 kolom tanpa terjadi duplikasi data. Dan jika genre yang sama dimasukkan Kembali, Cassandra otomatis menyimpan 1 data genre saja, karna `set` hanya menerima nilai unik.