Georgetown Community Imaging
3201 S Austin Ave, Georgetown, TX 78626
Phone (512) 555-0143 | Fax (512) 555-0144

DIAGNOSTIC IMAGING REPORT

PATIENT	JENSEN, Harold	DOB / AGE / SEX	07/09/1957 / 69 / Male
MRN	GCI-1128840	ACCESSION	GCI-26-0922-0710
ORDERING PROVIDER	Ruth Sandoval, MD, Georgetown Family Physicians	EXAM DATE	09/22/2026 08:15 AM
INSURANCE	Pecan Health Plans, Pecan Senior Advantage (HMO)	MEMBER ID	PSA-1167-4402
REPORT STATUS	Final	REPORTED	09/22/2026 03:02 PM

EXAM:

MRI LUMBAR SPINE WITHOUT CONTRAST

CLINICAL INDICATION:

Low back pain with right leg pain and numbness for 4 months, not improved with 6 weeks of physical therapy.

TECHNIQUE:

Multiplanar, multisequence MRI of the lumbar spine was performed without intravenous contrast on a 1.5 T magnet.

COMPARISON:

Lumbar spine radiographs dated 06/12/2026.

FINDINGS:

Alignment: Grade 1 anterolisthesis of L4 on L5 (4 mm). Otherwise normal alignment.

Vertebral bodies and marrow: Vertebral body heights are maintained. Type 2 Modic endplate changes at L4-L5. No suspicious marrow lesion.

Conus: The conus medullaris terminates at L1 and is normal in signal.

L1-L2 and L2-L3: No disc herniation, canal stenosis, or foraminal narrowing.

L3-L4: Mild disc bulge and mild facet arthropathy. Mild bilateral foraminal narrowing. No canal stenosis.

L4-L5: Disc bulge, facet hypertrophy, and ligamentum flavum thickening result in moderate central canal stenosis and narrowing of the right subarticular recess, which may affect the traversing right L5 nerve root. Moderate right foraminal narrowing. Mild left foraminal narrowing.

L5-S1: Mild disc desiccation. No stenosis.

Paraspinal and visualized abdomen: Paraspinal soft tissues are unremarkable. Incidentally noted, the infrarenal abdominal aorta measures up to 3.4 cm in AP dimension on sagittal images. 2.1 cm simple-appearing cyst in the lower pole of the left kidney (T2 hyperintense, no septations or solid component).

IMPRESSION:

1. L4-L5 degenerative grade 1 anterolisthesis with moderate central canal stenosis and moderate right foraminal stenosis, which could account for right-sided symptoms.
2. Mild L3-L4 degenerative changes without significant stenosis.

Electronically signed by: Carl Nystrom, MD
Signed: 09/22/2026 03:02 PM
Interpreting facility: Georgetown Community Imaging

SYNTHETIC TEST DOCUMENT. Fictional patient. Hackathon prototype, not medical advice.