scanota

From paper receipts to restock decisions

Reads handwritten notes, merges them with online orders, and tells small merchants what to reorder.



AMD Developer Hackathon: Act III · *Reinvent Commerce*

Indonesia runs on small merchants

65.5M
MSMEs in Indonesia

61.9%
share of national GDP


119M
workers, about 97% of the workforce

The gap


Many of these merchants still log sales in paper receipt books. The data stays locked away: nobody can see what sells, what is running out, or what to reorder.

Source: Ministry of MSMEs (citing BPS), reported by ANTARA, 2025.

Paper in, decisions out




See it work




1 Upload a receipt photo

The vision model reads items, quantities and totals.



2 Review flagged receipts


Totals that do not add up go to a review queue.




3 Act on the restock list

Forecast, reorder point and a plain-language reason.

Measured on a held-out backtest





−3.6 points stockout rate (9.8% to 6.2%), about 37% fewer stockouts

Synthetic data: 38 SKUs, last 26 weeks, same safety-stock z for both. A check of the method, not a promise. Source: scanota README (make backtest).

Where AMD fits

LLM layer · AMD Token Factory

MiniCPM-V-4.7-35B-A3B
reads receipt photos

DeepSeek-V4.1-Flash
optional fallback reader

MinerU2.5-Pro
OCR hints for the vision model

Qwen3.8-27B
data queries and explanations

Deterministic layer · no LLM

OpenCV
cleans and deskews receipt photos

rapidfuzz
matches “SMN 3R” to the right SKU

Validation rules
qty × price = total, date, price checks

statsforecast
Croston/TSB forecast, safety stock

FastAPI · PostgreSQL · Docker Compose · Streamlit

What comes next

Live marketplace connections

Today online orders arrive by webhook and CSV simulation.

AMD Token Factory

Open source LLM models via AMD Token Factory.

Batch and expiry tracking

Needed before fresh-food shops can use shelf-life warnings.

scanota

https://github.com/RiyanNaffa/scanota

Live demo

https://scanota.indonesiacentral.cloudapp.azure.com

Team

burayot garut

Demo data is synthetic. Stock levels are entered manually.