



VISHAL ENTERPRISE & VRISHAL ENGINEERING PRIVATE LIMITED

GROUP OF COMPANIES

PROJECT MATERIAL ISSUE ACCEPTANCE

| MIA NO. | | VE/LINDE _Panipat_HGU/STR/MIA/4 | | | | | | | | | DATE | | 07/01/2025 | | | | | |
|-----------|----------|---------------------------------|---------------------------------------|------------|--------------|-----------|--------------------|----------------|------------------|-----------------------|----------------------|---------------------|--------------------|-------------------|------------------|----------------------------------|-------------|---------|
| CLIENT | | Linde Engineering India Limited | | | PROJECT NAME | | LINDE _Panipat_HGU | | | | CONTRACTOR NAME | | ISHIKA ENGINEERING | | | | | |
| SR No. | GRID NO. | GRID QTY | DRAWING NO./LINE NO. | DATE | REV.NO. | SHEET NO. | ASSEMBLY NUMBER | ITEM NUMBER | PROFILE | REQUESTED LENGTH (MM) | REQUESTED WIDTH (MM) | REQUESTED Qty. (KG) | ISSUED LENGTH (MM) | ISSUED WIDTH (MM) | ISSUED Qty. (KG) | IMIR NO. | HEAT NO. | REMARKS |
| 1 | B/1-2 | 2 | &VHS-(941FX-SR1)-N-ZP 2042.BE301 (EN) | 07/01/2025 | 1 | 2 of 2 | 941FX-SR1-BE301 | 941FX-R1-BE301 | NPB200X100X25.09 | 934 | -- | 1 | 934 | -- | 1 | VE/LINDE _Panipat_HGU/STR/IMIR/1 | A1234D5-099 | -- |
| 2 | B/1-2 | 2 | &VHS-(941FX-SR1)-N-ZP 2042.BE301 (EN) | 07/01/2025 | 1 | 2 of 2 | 941FX-SR1-BE301 | 941FX-R1-C2 | ISMC100 | 649 | -- | 1 | 649 | -- | 1 | VE/LINDE _Panipat_HGU/STR/IMIR/1 | ADE3458-1 | -- |
| 3 | B/1-2 | 2 | &VHS-(941FX-SR1)-N-ZP 2042.BE301 (EN) | 07/01/2025 | 1 | 2 of 2 | 941FX-SR1-BE301 | 941FX-R1-C3 | ISMC100 | 499 | -- | 2 | 499 | -- | 2 | VE/LINDE _Panipat_HGU/STR/IMIR/1 | ADE3458-1 | -- |
| 4 | B/1-2 | 2 | &VHS-(941FX-SR1)-N-ZP 2042.BE301 (EN) | 07/01/2025 | 1 | 2 of 2 | 941FX-SR1-BE301 | 941FX-R1-P127 | PL16 | 220 | 180 | 1 | 220 | 180 | 1 | VE/LINDE _Panipat_HGU/STR/IMIR/3 | V3747473 | -- |
| 5 | B/2-3 | 1 | &VHS-(941FX-SR1)-N-ZP 2042.BE301 (EN) | 07/01/2025 | 1 | 2 of 2 | 941FX-SR1-BE301 | 941FX-R1-BE301 | NPB200X100X25.09 | 934 | -- | 1 | 934 | -- | 1 | VE/LINDE _Panipat_HGU/STR/IMIR/1 | A1234D5-099 | -- |
| 6 | B/2-3 | 1 | &VHS-(941FX-SR1)-N-ZP 2042.BE301 (EN) | 07/01/2025 | 1 | 2 of 2 | 941FX-SR1-BE301 | 941FX-R1-C2 | ISMC100 | 649 | -- | 1 | 649 | -- | 1 | VE/LINDE _Panipat_HGU/STR/IMIR/1 | ADE3458-1 | -- |
| | | ISSUED BY | | | | | | | | | | | | | | | | |
| SIGNATURE | | | | | | | | | | | | | | | | | | |

| | |
|------------------|------------|
| NAME | SONU KUMAR |
| DATE | 07/01/2025 |
| VE-DOC-08 REV.00 | |



VISHAL ENTERPRISE & VRISHAL ENGINEERING PRIVATE LIMITED GROUP OF COMPANIES

| PROJECT MATERIAL ISSUE ACCEPTANCE | | | | | | | | | | | | | | 07/01/2025 | | | | |
|-----------------------------------|----------|---------------------------------|---------------------------------------|------------|--------------|-----------|--------------------|----------------|------------------|-----------------------|----------------------|---------------------|--------------------|-------------------|------------------|----------------------------------|-------------|---------|
| MIA NO. | | VE/LINDE _Panipat_HGU/STR/MIA/4 | | | | | | | | DATE | | 07/01/2025 | | | | | | |
| CLIENT | | Linde Engineering India Limited | | | PROJECT NAME | | LINDE _Panipat_HGU | | | | CONTRACTOR NAME | | ISHIKA ENGINEERING | | | | | |
| SR No. | GRID NO. | GRID QTY | DRAWING NO./LINE NO. | DATE | REV.NO. | SHEET NO. | ASSEMBLY NUMBER | ITEM NUMBER | PROFILE | REQUESTED LENGTH (MM) | REQUESTED WIDTH (MM) | REQUESTED Qty. (KG) | ISSUED LENGTH (MM) | ISSUED WIDTH (MM) | ISSUED Qty. (KG) | IMIR NO. | HEAT NO. | REMARKS |
| 7 | B/2-3 | 1 | &VHS-(941FX-SR1)-N-ZP 2042.BE301 (EN) | 07/01/2025 | 1 | 2 of 2 | 941FX-SR1-BE301 | 941FX-R1-C3 | ISMC100 | 499 | -- | 2 | 499 | -- | 2 | VE/LINDE _Panipat_HGU/STR/IMIR/1 | ADE3458-1 | -- |
| 8 | B/2-3 | 1 | &VHS-(941FX-SR1)-N-ZP 2042.BE301 (EN) | 07/01/2025 | 1 | 2 of 2 | 941FX-SR1-BE301 | 941FX-R1-P127 | PL16 | 220 | 180 | 1 | 220 | 180 | 1 | VE/LINDE _Panipat_HGU/STR/IMIR/2 | A6767 | -- |
| 9 | B/3-4 | 1 | &VHS-(941FX-SR1)-N-ZP 2042.BE301 (EN) | 07/01/2025 | 1 | 2 of 2 | 941FX-SR1-BE301 | 941FX-R1-BE301 | NPB200X100X25.09 | 934 | -- | 1 | 934 | -- | 1 | VE/LINDE _Panipat_HGU/STR/IMIR/1 | A1234D5-099 | -- |
| 10 | B/3-4 | 1 | &VHS-(941FX-SR1)-N-ZP 2042.BE301 (EN) | 07/01/2025 | 1 | 2 of 2 | 941FX-SR1-BE301 | 941FX-R1-C2 | ISMC100 | 649 | -- | 1 | 649 | -- | 1 | VE/LINDE _Panipat_HGU/STR/IMIR/1 | ADE3458-1 | -- |
| 11 | B/3-4 | 1 | &VHS-(941FX-SR1)-N-ZP 2042.BE301 (EN) | 07/01/2025 | 1 | 2 of 2 | 941FX-SR1-BE301 | 941FX-R1-C3 | ISMC100 | 499 | -- | 2 | 499 | -- | 2 | VE/LINDE _Panipat_HGU/STR/IMIR/1 | ADE3458-1 | -- |

| | | | | | | | | | | | | | | | | | | |
|------------------|-------|---|---|------------|---|--------|-----------------|---------------|------|-----|-----|---|-----|-----|---|-------------------------------------|-------|----|
| 12 | B/3-4 | 1 | &VHS-(941FX-SR1)-N-ZP 2042.BE301 (EN) | 07/01/2025 | 1 | 2 of 2 | 941FX-SR1-BE301 | 941FX-R1-P127 | PL16 | 220 | 180 | 1 | 220 | 180 | 1 | VE/LINDE _Panipat_HGU/STR/IMIR/2 | A6767 | -- |
| ISSUED BY | | | | | | | | | | | | | | | | | | |
| SIGNATURE | | | | | | | | | | | | | | | | | | |
| NAME | | | | | | | | | | | | | | | | | | |
| DATE | | | | | | | | | | | | | | | | | | |
| VE-DOC-08 REV.00 | | | | | | | | | | | | | | | | | | |

|  <p style="text-align: center;">VISHAL ENTERPRISE & VRISHAL ENGINEERING PRIVATE LIMITED GROUP OF COMPANIES</p> | | | | | | | | | | | | | | | | | | |
|--|----------|---------------------------------|---|------------|--------------|-----------|--------------------|----------------|------------------|-----------------------|----------------------|---------------------|--------------------|-------------------|------------------|-------------------------------------|-----------|---------|
| PROJECT MATERIAL ISSUE ACCEPTANCE | | | | | | | | | | | | | | | | | | |
| MIA NO. | | VE/LINDE _Panipat_HGU/STR/MIA/4 | | | | | | | | | DATE | | 07/01/2025 | | | | | |
| CLIENT | | Linde Engineering India Limited | | | PROJECT NAME | | LINDE _Panipat_HGU | | | | CONTRACTOR NAME | | ISHIKA ENGINEERING | | | | | |
| SR No. | GRID NO. | GRID QTY | DRAWING NO./LINE NO. | DATE | REV.NO. | SHEET NO. | ASSEMBLY NUMBER | ITEM NUMBER | PROFILE | REQUESTED LENGTH (MM) | REQUESTED WIDTH (MM) | REQUESTED Qty. (KG) | ISSUED LENGTH (MM) | ISSUED WIDTH (MM) | ISSUED Qty. (KG) | IMIR NO. | HEAT NO. | REMARKS |
| 13 | B/4-5 | 1 | &VHS-(941FX-SR1)-N-ZP 2042.BE301 (EN) | 07/01/2025 | 1 | 2 of 2 | 941FX-SR1-BE301 | 941FX-R1-BE301 | NPB200X100X25.09 | 934 | -- | 1 | 934 | -- | 1 | VE/LINDE _Panipat_HGU/STR/IMIR/3 | a74646 | -- |
| 14 | B/4-5 | 1 | &VHS-(941FX-SR1)-N-ZP 2042.BE301 (EN) | 07/01/2025 | 1 | 2 of 2 | 941FX-SR1-BE301 | 941FX-R1-C2 | ISMC100 | 649 | -- | 1 | 649 | -- | 1 | VE/LINDE _Panipat_HGU/STR/IMIR/1 | ADE3458-1 | -- |
| 15 | B/4-5 | 1 | &VHS-(941FX-SR1)-N-ZP 2042.BE301 (EN) | 07/01/2025 | 1 | 2 of 2 | 941FX-SR1-BE301 | 941FX-R1-C3 | ISMC100 | 499 | -- | 2 | 499 | -- | 2 | VE/LINDE _Panipat_HGU/STR/IMIR/1 | ADE3458-1 | -- |

| | | | | | | | | | | | | | | | | | | |
|------------------|-------|---|---|------------|---|--------|-----------------|----------------|------------------|------|-----|---|------|-----|---|-------------------------------------|------------|----|
| 16 | B/4-5 | 1 | &VHS-(941FX-SR1)-N-ZP 2042.BE301 (EN) | 07/01/2025 | 1 | 2 of 2 | 941FX-SR1-BE301 | 941FX-R1-P127 | PL16 | 220 | 180 | 1 | 220 | 180 | 1 | VE/LINDE _Panipat_HGU/STR/IMIR/1 | A1234D5-90 | -- |
| 17 | A-B/1 | 1 | &VHS-(941FX-SR1)-N-ZP 2042.BE113 (EN) | 07/01/2025 | 1 | 2 of 2 | 941FX-SR1-BE113 | 941FX-R1-BE113 | NPB300X150X42.24 | 3579 | -- | 1 | 3579 | -- | 1 | VE/LINDE _Panipat_HGU/STR/IMIR/3 | H27272 | -- |
| 18 | A-B/1 | 1 | &VHS-(941FX-SR1)-N-ZP 2042.BE113 (EN) | 07/01/2025 | 1 | 2 of 2 | 941FX-SR1-BE113 | 941FX-R1-P98 | PL12 | 300 | 180 | 2 | 300 | 180 | 2 | VE/LINDE _Panipat_HGU/STR/IMIR/3 | K19191991 | -- |
| ISSUED BY | | | | | | | | | | | | | | | | | | |
| SIGNATURE | | | | | | | | | | | | | | | | | | |
| NAME | | | | | | | | | | | | | | | | | | |
| DATE | | | | | | | | | | | | | | | | | | |
| VE-DOC-08 REV.00 | | | | | | | | | | | | | | | | | | |

|  | VISHAL ENTERPRISE & VRISHAL ENGINEERING PRIVATE LIMITED GROUP OF COMPANIES | | | | | | | | | | | | | | | | | |
|---|---|---------------------------------|---|------------|---------------------|-----------|--------------------|---------------|---------|-----------------------|------------------------|---------------------|--------------------|-------------------|------------------|-------------------------------------|----------|---------|
| PROJECT MATERIAL ISSUE ACCEPTANCE | | | | | | | | | | | | | | | | | | |
| MIA NO. | | VE/LINDE _Panipat_HGU/STR/MIA/4 | | | | | | | | | | DATE | | 07/01/2025 | | | | |
| CLIENT | | Linde Engineering India Limited | | | PROJECT NAME | | LINDE _Panipat_HGU | | | | CONTRACTOR NAME | | ISHIKA ENGINEERING | | | | | |
| SR No. | GRID NO. | GRID QTY | DRAWING NO./LINE NO. | DATE | REV.NO. | SHEET NO. | ASSEMBLY NUMBER | ITEM NUMBER | PROFILE | REQUESTED LENGTH (MM) | REQUESTED WIDTH (MM) | REQUESTED Qty. (KG) | ISSUED LENGTH (MM) | ISSUED WIDTH (MM) | ISSUED Qty. (KG) | IMIR NO. | HEAT NO. | REMARKS |
| 19 | A-B/1 | 1 | &VHS-(941FX-SR1)-N-ZP 2042.BE113 (EN) | 07/01/2025 | 1 | 2 of 2 | 941FX-SR1-BE113 | 941FX-R1-P147 | PL12 | 279 | 71 | 4 | 279 | 71 | 4 | VE/LINDE _Panipat_HGU/STR/IMIR/4 | O9999 | -- |

| | | | | | | | | | | | | | | | | | | |
|------------------|-------|---|---|------------|---|--------|-----------------|----------------|------------------|------|-----|---|------|-----|---|-------------------------------------|-----------|----|
| 20 | A-B/1 | 1 | &VHS-(941FX-SR1)-N-ZP 2042.BE113 (EN) | 07/01/2025 | 1 | 2 of 2 | 941FX-SR1-BE113 | 941FX-R1-P179 | PL16 | 320 | 205 | 2 | 320 | 205 | 2 | VE/LINDE _Panipat_HGU/STR/IMIR/3 | V3747473 | -- |
| 21 | A-B/3 | 1 | &VHS-(941FX-SR1)-N-ZP 2042.BE113 (EN) | 07/01/2025 | 1 | 2 of 2 | 941FX-SR1-BE113 | 941FX-R1-BE113 | NPB300X150X42.24 | 3579 | -- | 1 | 3579 | -- | 1 | VE/LINDE _Panipat_HGU/STR/IMIR/3 | H27272 | -- |
| 22 | A-B/3 | 1 | &VHS-(941FX-SR1)-N-ZP 2042.BE113 (EN) | 07/01/2025 | 1 | 2 of 2 | 941FX-SR1-BE113 | 941FX-R1-P98 | PL12 | 300 | 180 | 2 | 300 | 180 | 2 | VE/LINDE _Panipat_HGU/STR/IMIR/3 | K19191991 | -- |
| 23 | A-B/3 | 1 | &VHS-(941FX-SR1)-N-ZP 2042.BE113 (EN) | 07/01/2025 | 1 | 2 of 2 | 941FX-SR1-BE113 | 941FX-R1-P147 | PL12 | 279 | 71 | 4 | 279 | 71 | 4 | VE/LINDE _Panipat_HGU/STR/IMIR/3 | K19191991 | -- |
| 24 | A-B/3 | 1 | &VHS-(941FX-SR1)-N-ZP 2042.BE113 (EN) | 07/01/2025 | 1 | 2 of 2 | 941FX-SR1-BE113 | 941FX-R1-P179 | PL16 | 320 | 205 | 2 | 320 | 205 | 2 | VE/LINDE _Panipat_HGU/STR/IMIR/2 | A6767 | -- |
| ISSUED BY | | | | | | | | | | | | | | | | | | |
| SIGNATURE | | | | | | | | | | | | | | | | | | |
| NAME | | | | | | | | | | | | | | | | | | |
| DATE | | | | | | | | | | | | | | | | | | |
| VE-DOC-08 REV.00 | | | | | | | | | | | | | | | | | | |



VISHAL ENTERPRISE & VRISHAL ENGINEERING PRIVATE LIMITED GROUP OF COMPANIES

| PROJECT MATERIAL ISSUE ACCEPTANCE | | | | | | | | | | | | | | | | | | |
|-----------------------------------|----------|---------------------------------|---------------------------------------|------------|--------------|-----------|--------------------|----------------|------------------|-----------------------|----------------------|---------------------|--------------------|--------------------|------------------|----------------------------------|-----------|---------|
| MIA NO. | | VE/LINDE _Panipat_HGU/STR/MIA/4 | | | | | | | | | | DATE | | 07/01/2025 | | | | |
| CLIENT | | Linde Engineering India Limited | | | PROJECT NAME | | LINDE _Panipat_HGU | | | | | CONTRACTOR NAME | | ISHIKA ENGINEERING | | | | |
| SR No. | GRID NO. | GRID QTY | DRAWING NO./LINE NO. | DATE | REV.NO. | SHEET NO. | ASSEMBLY NUMBER | ITEM NUMBER | PROFILE | REQUESTED LENGTH (MM) | REQUESTED WIDTH (MM) | REQUESTED Qty. (KG) | ISSUED LENGTH (MM) | ISSUED WIDTH (MM) | ISSUED Qty. (KG) | IMIR NO. | HEAT NO. | REMARKS |
| 25 | A-B/4 | 1 | &VHS-(941FX-SR1)-N-ZP 2042.BE113 (EN) | 07/01/2025 | 1 | 2 of 2 | 941FX-SR1-BE113 | 941FX-R1-BE113 | NPB300X150X42.24 | 3579 | -- | 1 | 3579 | -- | 1 | VE/LINDE _Panipat_HGU/STR/IMIR/3 | H27272 | -- |
| 26 | A-B/4 | 1 | &VHS-(941FX-SR1)-N-ZP 2042.BE113 (EN) | 07/01/2025 | 1 | 2 of 2 | 941FX-SR1-BE113 | 941FX-R1-P98 | PL12 | 300 | 180 | 2 | 300 | 180 | 2 | VE/LINDE _Panipat_HGU/STR/IMIR/3 | K19191991 | -- |
| 27 | A-B/4 | 1 | &VHS-(941FX-SR1)-N-ZP 2042.BE113 (EN) | 07/01/2025 | 1 | 2 of 2 | 941FX-SR1-BE113 | 941FX-R1-P147 | PL12 | 279 | 71 | 4 | 279 | 71 | 4 | VE/LINDE _Panipat_HGU/STR/IMIR/3 | K19191991 | -- |
| 28 | A-B/4 | 1 | &VHS-(941FX-SR1)-N-ZP 2042.BE113 (EN) | 07/01/2025 | 1 | 2 of 2 | 941FX-SR1-BE113 | 941FX-R1-P179 | PL16 | 320 | 205 | 2 | 320 | 205 | 2 | VE/LINDE _Panipat_HGU/STR/IMIR/2 | A6767 | -- |
| 29 | A-B/5 | 1 | &VHS-(941FX-SR1)-N-ZP 2042.BE113 (EN) | 07/01/2025 | 1 | 2 of 2 | 941FX-SR1-BE113 | 941FX-R1-BE113 | NPB300X150X42.24 | 3579 | -- | 1 | 3579 | -- | 1 | VE/LINDE _Panipat_HGU/STR/IMIR/3 | H27272 | -- |
| 30 | A-B/5 | 1 | &VHS-(941FX-SR1)-N-ZP 2042.BE113 (EN) | 07/01/2025 | 1 | 2 of 2 | 941FX-SR1-BE113 | 941FX-R1-P98 | PL12 | 300 | 180 | 2 | 300 | 180 | 2 | VE/LINDE _Panipat_HGU/STR/IMIR/2 | A7878 | -- |
| | | ISSUED BY | | | | | | | | | | | | | | | | |
| SIGNATURE | | | | | | | | | | | | | | | | | | |

| | |
|------------------|------------|
| NAME | SONU KUMAR |
| DATE | 07/01/2025 |
| VE-DOC-08 REV.00 | |

|  VISHAL ENTERPRISE & VRISHAL ENGINEERING PRIVATE LIMITED GROUP OF COMPANIES | | | | | | | | | | | | | | | | | | |
|---|----------|---------------------------------|---------------------------------------|------------|--------------|-----------|--------------------|----------------|------------------|-----------------------|----------------------|---------------------|--------------------|-------------------|------------------|----------------------------------|-----------|---------|
| PROJECT MATERIAL ISSUE ACCEPTANCE | | | | | | | | | | | | | | | | | | |
| MIA NO. | | VE/LINDE _Panipat_HGU/STR/MIA/4 | | | | | | | | | DATE | | 07/01/2025 | | | | | |
| CLIENT | | Linde Engineering India Limited | | | PROJECT NAME | | LINDE _Panipat_HGU | | | | CONTRACTOR NAME | | ISHIKA ENGINEERING | | | | | |
| SR No. | GRID NO. | GRID QTY | DRAWING NO./LINE NO. | DATE | REV.NO. | SHEET NO. | ASSEMBLY NUMBER | ITEM NUMBER | PROFILE | REQUESTED LENGTH (MM) | REQUESTED WIDTH (MM) | REQUESTED Qty. (KG) | ISSUED LENGTH (MM) | ISSUED WIDTH (MM) | ISSUED Qty. (KG) | IMIR NO. | HEAT NO. | REMARKS |
| 31 | A-B/5 | 1 | &VHS-(941FX-SR1)-N-ZP 2042.BE113 (EN) | 07/01/2025 | 1 | 2 of 2 | 941FX-SR1-BE113 | 941FX-R1-P147 | PL12 | 279 | 71 | 4 | 279 | 71 | 4 | VE/LINDE _Panipat_HGU/STR/IMIR/3 | K19191991 | -- |
| 32 | A-B/5 | 1 | &VHS-(941FX-SR1)-N-ZP 2042.BE113 (EN) | 07/01/2025 | 1 | 2 of 2 | 941FX-SR1-BE113 | 941FX-R1-P179 | PL16 | 320 | 205 | 2 | 320 | 205 | 2 | VE/LINDE _Panipat_HGU/STR/IMIR/3 | V3747473 | -- |
| 33 | A-B/6 | 1 | &VHS-(941FX-SR1)-N-ZP 2042.BE113 (EN) | 07/01/2025 | 1 | 2 of 2 | 941FX-SR1-BE113 | 941FX-R1-BE113 | NPB300X150X42.24 | 3579 | -- | 1 | 3579 | -- | 1 | VE/LINDE _Panipat_HGU/STR/IMIR/3 | H27272 | -- |
| 34 | A-B/6 | 1 | &VHS-(941FX-SR1)-N-ZP 2042.BE113 (EN) | 07/01/2025 | 1 | 2 of 2 | 941FX-SR1-BE113 | 941FX-R1-P98 | PL12 | 300 | 180 | 2 | 300 | 180 | 2 | VE/LINDE _Panipat_HGU/STR/IMIR/3 | K19191991 | -- |
| 35 | A-B/6 | 1 | &VHS-(941FX-SR1)-N-ZP 2042.BE113 (EN) | 07/01/2025 | 1 | 2 of 2 | 941FX-SR1-BE113 | 941FX-R1-P147 | PL12 | 279 | 71 | 4 | 279 | 71 | 4 | VE/LINDE _Panipat_HGU/STR/IMIR/3 | K19191991 | -- |

| | | | | | | | | | | | | | | | | | | |
|------------------|-------|---|---|------------|---|--------|-----------------|---------------|------|-----|-----|---|-----|-----|---|-------------------------------------|----------|----|
| 36 | A-B/6 | 1 | &VHS-(941FX-SR1)-N-ZP 2042.BE113 (EN) | 07/01/2025 | 1 | 2 of 2 | 941FX-SR1-BE113 | 941FX-R1-P179 | PL16 | 320 | 205 | 2 | 320 | 205 | 2 | VE/LINDE _Panipat_HGU/STR/IMIR/3 | V3747473 | -- |
| ISSUED BY | | | | | | | | | | | | | | | | | | |
| SIGNATURE | | | | | | | | | | | | | | | | | | |
| NAME | | | | | | | | | | | | | | | | | | |
| DATE | | | | | | | | | | | | | | | | | | |
| VE-DOC-08 REV.00 | | | | | | | | | | | | | | | | | | |



VISHAL ENTERPRISE & VRISHAL ENGINEERING PRIVATE LIMITED GROUP OF COMPANIES

| PROJECT MATERIAL ISSUE ACCEPTANCE | | | | | | | | | | | | | | | | | | |
|-----------------------------------|----------|---------------------------------|---|------------|--------------|-----------|--------------------|----------------|------------------|-----------------------|----------------------|---------------------|--------------------|-------------------|------------------|-------------------------------------|-------------|---------|
| MIA NO. | | VE/LINDE _Panipat_HGU/STR/MIA/4 | | | | | | | | | DATE | | 07/01/2025 | | | | | |
| CLIENT | | Linde Engineering India Limited | | | PROJECT NAME | | LINDE _Panipat_HGU | | | | CONTRACTOR NAME | | ISHIKA ENGINEERING | | | | | |
| SR No. | GRID NO. | GRID QTY | DRAWING NO./LINE NO. | DATE | REV.NO. | SHEET NO. | ASSEMBLY NUMBER | ITEM NUMBER | PROFILE | REQUESTED LENGTH (MM) | REQUESTED WIDTH (MM) | REQUESTED Qty. (KG) | ISSUED LENGTH (MM) | ISSUED WIDTH (MM) | ISSUED Qty. (KG) | IMIR NO. | HEAT NO. | REMARKS |
| 37 | B/1-2 | 1 | &VHS-(941FX-SR1)-N-ZP 2042.BE102 (EN) | 07/01/2025 | 1 | 2 of 2 | 941FX-SR1-BE102 | 941FX-R1-BE102 | NPB300X150X42.24 | 5457 | -- | 1 | 5457 | -- | 1 | VE/LINDE _Panipat_HGU/STR/IMIR/3 | H27272 | -- |
| 38 | B/1-2 | 1 | &VHS-(941FX-SR1)-N-ZP 2042.BE102 (EN) | 07/01/2025 | 1 | 2 of 2 | 941FX-SR1-BE102 | 941FX-R1-C13 | ISMC150 | 324 | -- | 1 | 324 | -- | 1 | VE/LINDE _Panipat_HGU/STR/IMIR/1 | A1234D5-01 | -- |
| 39 | B/1-2 | 1 | &VHS-(941FX-SR1)-N-ZP 2042.BE102 (EN) | 07/01/2025 | 1 | 2 of 2 | 941FX-SR1-BE102 | 941FX-R1-P31 | PL10 | 279 | 71 | 3 | 279 | 71 | 3 | VE/LINDE _Panipat_HGU/STR/IMIR/1 | KHJ8999-876 | -- |

| | | | | | | | | | | | | | | | | | | |
|------------------|-------|---|---|------------|---|--------|-----------------|--------------|------|-----|-----|---|-----|-----|---|-------------------------------------|--------------|----|
| 40 | B/1-2 | 1 | &VHS-(941FX-SR1)-N-ZP 2042.BE102 (EN) | 07/01/2025 | 1 | 2 of 2 | 941FX-SR1-BE102 | 941FX-R1-P60 | PL8 | 166 | 120 | 6 | 166 | 120 | 6 | VE/LINDE _Panipat_HGU/STR/IMIR/1 | AWE4567-8484 | -- |
| 41 | B/1-2 | 1 | &VHS-(941FX-SR1)-N-ZP 2042.BE102 (EN) | 07/01/2025 | 1 | 2 of 2 | 941FX-SR1-BE102 | 941FX-R1-P76 | PL12 | 283 | 150 | 1 | 283 | 150 | 1 | VE/LINDE _Panipat_HGU/STR/IMIR/3 | K19191991 | -- |
| 42 | B/1-2 | 1 | &VHS-(941FX-SR1)-N-ZP 2042.BE102 (EN) | 07/01/2025 | 1 | 2 of 2 | 941FX-SR1-BE102 | 941FX-R1-P79 | PL12 | 283 | 150 | 1 | 283 | 150 | 1 | VE/LINDE _Panipat_HGU/STR/IMIR/2 | A7878 | -- |
| ISSUED BY | | | | | | | | | | | | | | | | | | |
| SIGNATURE | | | | | | | | | | | | | | | | | | |
| NAME | | | | | | | | | | | | | | | | | | |
| DATE | | | | | | | | | | | | | | | | | | |
| VE-DOC-08 REV.00 | | | | | | | | | | | | | | | | | | |

|  <p>VISHAL ENTERPRISE & VRISHAL ENGINEERING PRIVATE LIMITED GROUP OF COMPANIES</p> | | | | | | | | | | | | | | | | | | |
|--|----------|---------------------------------|---|------------|---------------------|-----------|-------------------|--------------|---------|-----------------------|------------------------|---------------------|--------------------|-------------------|------------------|-------------------------------------|----------|---------|
| PROJECT MATERIAL ISSUE ACCEPTANCE | | | | | | | | | | | | | | | | | | |
| MIA NO. | | VE/LINDE_Panipat_HGU/STR/MIA/4 | | | | | | | | | DATE | | 07/01/2025 | | | | | |
| CLIENT | | Linde Engineering India Limited | | | PROJECT NAME | | LINDE_Panipat_HGU | | | | CONTRACTOR NAME | | ISHIKA ENGINEERING | | | | | |
| SR No. | GRID NO. | GRID QTY | DRAWING NO./LINE NO. | DATE | REV.NO. | sheet no. | ASSEMBLY NUMBER | ITEM NUMBER | PROFILE | REQUESTED LENGTH (MM) | REQUESTED WIDTH (MM) | REQUESTED Qty. (KG) | ISSUED LENGTH (MM) | ISSUED WIDTH (MM) | ISSUED Qty. (KG) | IMIR NO. | HEAT NO. | REMARKS |
| 43 | B/1-2 | 1 | &VHS-(941FX-SR1)-N-ZP 2042.BE102 (EN) | 07/01/2025 | 1 | 2 of 2 | 941FX-SR1-BE102 | 941FX-R1-P99 | PL16 | 286 | 150 | 1 | 286 | 150 | 1 | VE/LINDE _Panipat_HGU/STR/IMIR/2 | A6767 | -- |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------|------------|---|---|------------|---|--------|-----------------|---------------|------|-----|-----|---|-----|-----|---|-------------------------------------|--------------|----|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| 44 | B/1-2 | 1 | &VHS-(941FX-SR1)-N-ZP 2042.BE102 (EN) | 07/01/2025 | 1 | 2 of 2 | 941FX-SR1-BE102 | 941FX-R1-P101 | PL12 | 279 | 71 | 4 | 279 | 71 | 4 | VE/LINDE _Panipat_HGU/STR/IMIR/2 | A7878 | -- | | | | | | | | | | | | | | | | | |
| 45 | B/1-2 | 1 | &VHS-(941FX-SR1)-N-ZP 2042.BE102 (EN) | 07/01/2025 | 1 | 2 of 2 | 941FX-SR1-BE102 | 941FX-R1-P102 | PL12 | 286 | 142 | 1 | 286 | 142 | 1 | VE/LINDE _Panipat_HGU/STR/IMIR/2 | A7878 | -- | | | | | | | | | | | | | | | | | |
| 46 | B/1-2 | 1 | &VHS-(941FX-SR1)-N-ZP 2042.BE102 (EN) | 07/01/2025 | 1 | 2 of 2 | 941FX-SR1-BE102 | 941FX-R1-P204 | PL8 | 140 | 159 | 1 | 140 | 159 | 1 | VE/LINDE _Panipat_HGU/STR/IMIR/1 | AWE4567-8484 | -- | | | | | | | | | | | | | | | | | |
| 47 | B/1-2 | 1 | &VHS-(941FX-SR1)-N-ZP 2042.BE102 (EN) | 07/01/2025 | 1 | 2 of 2 | 941FX-SR1-BE102 | 941FX-R1-P214 | PL12 | 286 | 160 | 2 | 286 | 160 | 2 | VE/LINDE _Panipat_HGU/STR/IMIR/3 | K19191991 | -- | | | | | | | | | | | | | | | | | |
| ISSUED BY | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SIGNATURE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| NAME | SONU KUMAR | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| DATE | 07/01/2025 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VE-DOC-08 REV.00 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |