













98-BVJ+0011CS11-PM4-TPT-104-FAB-B6 ON 9MD		
GRID LOCATION (TABLE-1)		
B6	A-B/2	EL.+108.750



MATERIAL LIST FOR ONE ASSEMBLY MK'D B6- 1 NOS.Required						
MARK	DESCRIPTION	GRADE	LENGTH	QTY.	UNIT WT(Kg)	TOTAL WT(Kg)
CLT1	ISA90X90X8	IS2062	300	4	3.25	13.000
CLT4	L75X75X8	IS2062	200	2	1.78	3.567
CLT5	L110X100X8	IS2062	78	2	0.99	1.979
M2	NPB400X180X57.38	IS2062	4230	1	242.73	242.732
TOTAL FOR ONE ASSEMBLY IN Kg					=	261.278
TOTAL FOR 1 ASSEMBLIES IN Kg					=	261.278

BOLT LIST FOR ONE ASSEMBLY			
Type	Size	Length (mm)	Qty
Gr.8.8	M24	65	8

- NOTES :
1. ALL DIMENSIONS ARE IN MILLIMETERS, ELEVATIONS ARE IN METERS UNLESS OTHERWISE NOTED.
 2. ALL STRUCTURAL STEEL SHALL CONFIRM TO IS : 2062 (GRADE 250BR)
 3. ALL CONCRETE GRADE SHALL BE M30.
 4. FILLET WELD SHALL BE OF MINIMUM 6MM SIZE FOR SHOP WELD AND 8MM FOR SITE WELD UNLESS NOTED OTHERWISE.
 5. COLUMNS SHALL HAVE FULL BEARING ON BASE PLATES U.N.O.
 6. WORKING POINTS SHALL BE W.R.T. CG LINES FOR WELDED CONSTRUCTION AND W.R.T. GAUGE LINES FOR BOLTED CONSTRUCTION.
 7. GRATING THICKNESS TO BE 25 MM

0	19.03.2025	ISSUED FOR CONSTRUCTION	SKJ	ABH	CS
REV	DATE	DESCRIPTION	DRAWN. BY	CHK. BY	APP. BY
<div>CLIENT: AARTI INDUSTRIES LIMITED. (EMERALD OFFICE) - Block No. 1, 3rd Floor, Keval Corporate Park, Opp. to Channi GEB Sub-station, Chhani, Vadodara - 390002, Gujarat, In Tel : (0260) 2400366, 2400153, 2400059, Website : www.aarti-industries.com</div> <div>CONSULTANT : TECHIN PROCESS TECHNOLOGIES PVT. LTD. Unit No. 402-B, Universal Business Park, Chandivali Farm Road, Chandivali, Andheri-E, Mumbai-400072.</div> <div>PROJECT NO : PJ-3014 PROJECT NAME : PIN-084 PLANT DRAWING TITLE : FABRICATION DRAWING OF FIRST FLOOR MEZZANINE AIL PROJECT NO : PIN-084</div> <div>SIZE A1 DWG NO. PIN-084-TPT-PM4-CS11-004-FAB-B6 SHEET 1 OF 1 REV NO. 0</div>					

ONE-BEAM MARKED AS B6