




VISHAL ENTERPRISE & VRISHAL ENGINEERING PRIVATE LIMITED GROUP OF COMPANIES

FIT-UP INSPECTION REPORT (STRUCTURE)

| CLIENT | | Linde Engineering India Limited | | PROJECT | | LINDE _Panipat_HGU | | | | REPORT NO. | VE/LINDE _Panipat_HGU/STR/FIT_UP/4 | | | |
|---------------|---------------------------------------|---------------------------------|-----------|-----------------|-------------|--------------------|----------|------------------|----------------------------------|------------|------------------------------------|--------------|---------|---------|
| WO NO./PO NO. | | 2910A70M | | PROJECT PO NO. | | 2910A70M | | | | DATE : | 08/01/2025 | | | |
| SR No. | DRAWING NO. | REV.NO. | SHEET NO. | ASSEMBLY NUMBER | GRID NUMBER | ITEM NUMBER | QTY(NOS) | PROFILE | IMIR NO. | HEAT NO. | JOINT TYPE | WPS NO. | ACC/REJ | REMARKS |
| 1 | &VHS-(941FX-SR1)-N-ZP 2042.BE113 (EN) | 1 | 2 of 2 | 941FX-SR1-BE113 | A-B/1 | 941FX-R1-BE113 | 1 | NPB300X150X42.24 | VE/LINDE _Panipat_HGU/STR/IMIR/3 | H27272 | CJP | VEPL/WPS/006 | ACC | -- |
| 2 | &VHS-(941FX-SR1)-N-ZP 2042.BE113 (EN) | 1 | 2 of 2 | 941FX-SR1-BE113 | A-B/1 | 941FX-R1-P98 | 2 | PL12 | VE/LINDE _Panipat_HGU/STR/IMIR/3 | K19191991 | FILLET | VEPL/WPS/006 | ACC | -- |
| 3 | &VHS-(941FX-SR1)-N-ZP 2042.BE113 (EN) | 1 | 2 of 2 | 941FX-SR1-BE113 | A-B/1 | 941FX-R1-P147 | 4 | PL12 | VE/LINDE _Panipat_HGU/STR/IMIR/4 | O9999 | FILLET | VEPL/WPS/006 | ACC | -- |
| 4 | &VHS-(941FX-SR1)-N-ZP 2042.BE113 (EN) | 1 | 2 of 2 | 941FX-SR1-BE113 | A-B/1 | 941FX-R1-P179 | 2 | PL16 | VE/LINDE _Panipat_HGU/STR/IMIR/3 | V3747473 | FILLET | VEPL/WPS/006 | ACC | -- |
| 5 | &VHS-(941FX-SR1)-N-ZP 2042.BE113 (EN) | 1 | 2 of 2 | 941FX-SR1-BE113 | A-B/3 | 941FX-R1-BE113 | 1 | NPB300X150X42.24 | VE/LINDE _Panipat_HGU/STR/IMIR/3 | H27272 | CJP | VEPL/WPS/006 | ACC | -- |

| | | | | | | | | | | | | | | |
|--|---|---|--------|--|-------|---|---|--|-------------------------------------|----------------|--------|--------------|-----|----|
| 6 | &VHS- (941FX- SR1)-N-ZP 2042.BE113 (EN) | 1 | 2 of 2 | 941FX- SR1-BE113 | A-B/3 | 941FX- R1-P98 | 2 | PL12 | VE/LINDE _Panipat_HGU/STR/IMIR/3 | K19191991 | FILLET | VEPL/WPS/006 | ACC | -- |
| INSPECTION CHECK | | | | | | | | | | REMARKS | | | | |
| <input type="checkbox"/> DIR & ORIENTATION <input type="checkbox"/> FLANGE STRADLING <input type="checkbox"/> PAINTING LINES FOR ERECTED SPOOLS | | <input type="checkbox"/> W.E.P AS PER WPS <input type="checkbox"/> EREC. COORDINATES | | <input type="checkbox"/> DIMENSIONS <input type="checkbox"/> PHYSICAL CONDITION <input type="checkbox"/> EREC. VERTICALITY | | <input type="checkbox"/> SQUARENESS <input type="checkbox"/> ARC STRIKE <input type="checkbox"/> PRESERVATION | | <input type="checkbox"/> OFFSET <input type="checkbox"/> SLOPE <input type="checkbox"/> VISUAL | | | | | | |
| | | VE QC | | | | CLIENT QC/TPI | | | | | | | | |
| SIGNATURE | | | | | | | | | | | | | | |
| NAME | | SHIVANG DIWAKAR | | | | | | | | | | | | |
| DATE | | 08/01/2025 | | | | | | | | | | | | |
| VE-STR-10 | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | |
|---|--------------------|---------------------------------|------------------|------------------------|-----------------------|--------------------|--------------------|----------------|-----------------|-------------------|-------------------|------------------------------------|----------------|----------------|
|  <div style="text-align: center;"> VISHAL ENTERPRISE & VRISHAL ENGINEERING PRIVATE LIMITED GROUP OF COMPANIES </div> | | | | | | | | | | | | | | |
| FIT-UP INSPECTION REPORT (STRUCTURE) | | | | | | | | | | | | | | |
| CLIENT | | Linde Engineering India Limited | | | PROJECT | | LINDE _Panipat_HGU | | | REPORT NO. | | VE/LINDE _Panipat_HGU/STR/FIT_UP/4 | | |
| WO NO./PO NO. | | 2910A70M | | | PROJECT PO NO. | | 2910A70M | | | DATE : | | 08/01/2025 | | |
| SR No. | DRAWING NO. | REV.NO. | SHEET NO. | ASSEMBLY NUMBER | GRID NUMBER | ITEM NUMBER | QTY(NOS) | PROFILE | IMIR NO. | HEAT NO. | JOINT TYPE | WPS NO. | ACC/REJ | REMARKS |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---------------------|--|------------------------|---|----------------------|--|----------------|--------|--------------|-----|----|--|--|--|--|--|--|--|--|--|--|
| 7 | &VHS- (941FX- SR1)-N-ZP 2042.BE113 (EN) | 1 | 2 of 2 | 941FX- SR1-BE113 | A-B/3 | 941FX- R1-P147 | 4 | PL12 | VE/LINDE _Panipat_HGU/STR/IMIR/3 | K19191991 | FILLET | VEPL/WPS/006 | ACC | -- | | | | | | | | | | |
| 8 | &VHS- (941FX- SR1)-N-ZP 2042.BE113 (EN) | 1 | 2 of 2 | 941FX- SR1-BE113 | A-B/3 | 941FX- R1-P179 | 2 | PL16 | VE/LINDE _Panipat_HGU/STR/IMIR/2 | A6767 | FILLET | VEPL/WPS/006 | ACC | -- | | | | | | | | | | |
| 9 | &VHS- (941FX- SR1)-N-ZP 2042.BE113 (EN) | 1 | 2 of 2 | 941FX- SR1-BE113 | A-B/4 | 941FX- R1- BE113 | 1 | NPB300X150X42.24 | VE/LINDE _Panipat_HGU/STR/IMIR/3 | H27272 | CJP | VEPL/WPS/006 | ACC | -- | | | | | | | | | | |
| 10 | &VHS- (941FX- SR1)-N-ZP 2042.BE113 (EN) | 1 | 2 of 2 | 941FX- SR1-BE113 | A-B/4 | 941FX- R1-P98 | 2 | PL12 | VE/LINDE _Panipat_HGU/STR/IMIR/3 | K19191991 | FILLET | VEPL/WPS/006 | ACC | -- | | | | | | | | | | |
| 11 | &VHS- (941FX- SR1)-N-ZP 2042.BE113 (EN) | 1 | 2 of 2 | 941FX- SR1-BE113 | A-B/4 | 941FX- R1-P147 | 4 | PL12 | VE/LINDE _Panipat_HGU/STR/IMIR/3 | K19191991 | FILLET | VEPL/WPS/006 | ACC | -- | | | | | | | | | | |
| 12 | &VHS- (941FX- SR1)-N-ZP 2042.BE113 (EN) | 1 | 2 of 2 | 941FX- SR1-BE113 | A-B/4 | 941FX- R1-P179 | 2 | PL16 | VE/LINDE _Panipat_HGU/STR/IMIR/2 | A6767 | FILLET | VEPL/WPS/006 | ACC | -- | | | | | | | | | | |
| INSPECTION CHECK | | | | | | | | | | REMARKS | | | | | | | | | | | | | | |
| <input type="checkbox"/> DIR & ORIENTATION <input type="checkbox"/> FLANGE STRADLING <input type="checkbox"/> PAINTING LINES FOR ERECTED SPOOLS | | | <input type="checkbox"/> W.E.P AS PER WPS <input type="checkbox"/> EREC. COORDINATES | | <input type="checkbox"/> DIMENSIONS <input type="checkbox"/> PHYSICAL CONDITION <input type="checkbox"/> EREC. VERTICALITY | | <input type="checkbox"/> SQUARENESS <input type="checkbox"/> ARC STRIKE <input type="checkbox"/> PRESERVATION | | <input type="checkbox"/> OFFSET <input type="checkbox"/> SLOPE <input type="checkbox"/> VISUAL | | | | | | | | | | | | | | | |
| | VE QC | | | | | | | CLIENT QC/TPI | | | | | | | | | | | | | | | | |
| SIGNATURE | | | | | | | | | | | | | | | | | | | | | | | | |

| | | |
|-----------|-----------------|--|
| NAME | SHIVANG DIWAKAR | |
| DATE | 08/01/2025 | |
| VE-STR-10 | | |



VISHAL ENTERPRISE & VRISHAL ENGINEERING PRIVATE LIMITED GROUP OF COMPANIES

FIT-UP INSPECTION REPORT (STRUCTURE)

| CLIENT | | Linde Engineering India Limited | | | PROJECT | LINDE _Panipat_HGU | | | | REPORT NO. | VE/LINDE _Panipat_HGU/STR/FIT_UP/4 | | | |
|----------------------|---------------------------------------|---------------------------------|-----------|-----------------|-----------------------|--------------------|----------|------------------|----------------------------------|-------------------|------------------------------------|--------------|---------|---------|
| WO NO./PO NO. | | 2910A70M | | | PROJECT PO NO. | 2910A70M | | | | DATE : | 08/01/2025 | | | |
| SR No. | DRAWING NO. | REV.NO. | SHEET NO. | ASSEMBLY NUMBER | GRID NUMBER | ITEM NUMBER | QTY(NOS) | PROFILE | IMIR NO. | HEAT NO. | JOINT TYPE | WPS NO. | ACC/REJ | REMARKS |
| 13 | &VHS-(941FX-SR1)-N-ZP 2042.BE113 (EN) | 1 | 2 of 2 | 941FX-SR1-BE113 | A-B/5 | 941FX-R1-BE113 | 1 | NPB300X150X42.24 | VE/LINDE _Panipat_HGU/STR/IMIR/3 | H27272 | CJP | VEPL/WPS/006 | ACC | -- |
| 14 | &VHS-(941FX-SR1)-N-ZP 2042.BE113 (EN) | 1 | 2 of 2 | 941FX-SR1-BE113 | A-B/5 | 941FX-R1-P98 | 2 | PL12 | VE/LINDE _Panipat_HGU/STR/IMIR/2 | A7878 | FILLET | VEPL/WPS/006 | ACC | -- |
| 15 | &VHS-(941FX-SR1)-N-ZP 2042.BE113 (EN) | 1 | 2 of 2 | 941FX-SR1-BE113 | A-B/5 | 941FX-R1-P147 | 4 | PL12 | VE/LINDE _Panipat_HGU/STR/IMIR/3 | K19191991 | FILLET | VEPL/WPS/006 | ACC | -- |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---------------------|--|------------------------|---|----------------------|--|----------------|--------|--------------|-----|----|--|--|--|--|--|--|--|--|--|--|
| 16 | &VHS- (941FX- SR1)-N-ZP 2042.BE113 (EN) | 1 | 2 of 2 | 941FX- SR1-BE113 | A-B/5 | 941FX- R1-P179 | 2 | PL16 | VE/LINDE _Panipat_HGU/STR/IMIR/3 | V3747473 | FILLET | VEPL/WPS/006 | ACC | -- | | | | | | | | | | |
| 17 | &VHS- (941FX- SR1)-N-ZP 2042.BE113 (EN) | 1 | 2 of 2 | 941FX- SR1-BE113 | A-B/6 | 941FX- R1- BE113 | 1 | NPB300X150X42.24 | VE/LINDE _Panipat_HGU/STR/IMIR/3 | H27272 | CJP | VEPL/WPS/006 | ACC | -- | | | | | | | | | | |
| 18 | &VHS- (941FX- SR1)-N-ZP 2042.BE113 (EN) | 1 | 2 of 2 | 941FX- SR1-BE113 | A-B/6 | 941FX- R1-P98 | 2 | PL12 | VE/LINDE _Panipat_HGU/STR/IMIR/3 | K19191991 | FILLET | VEPL/WPS/006 | ACC | -- | | | | | | | | | | |
| INSPECTION CHECK | | | | | | | | | | REMARKS | | | | | | | | | | | | | | |
| <input type="checkbox"/> DIR & ORIENTATION <input type="checkbox"/> FLANGE STRADLING <input type="checkbox"/> PAINTING LINES FOR ERECTED SPOOLS | | | <input type="checkbox"/> W.E.P AS PER WPS <input type="checkbox"/> EREC. COORDINATES | | <input type="checkbox"/> DIMENSIONS <input type="checkbox"/> PHYSICAL CONDITION <input type="checkbox"/> EREC. VERTICALITY | | <input type="checkbox"/> SQUARENESS <input type="checkbox"/> ARC STRIKE <input type="checkbox"/> PRESERVATION | | <input type="checkbox"/> OFFSET <input type="checkbox"/> SLOPE <input type="checkbox"/> VISUAL | | | | | | | | | | | | | | | |
| | VE QC | | | | | | | CLIENT QC/TPI | | | | | | | | | | | | | | | | |
| SIGNATURE | | | | | | | | | | | | | | | | | | | | | | | | |
| NAME | SHIVANG DIWAKAR | | | | | | | | | | | | | | | | | | | | | | | |
| DATE | 08/01/2025 | | | | | | | | | | | | | | | | | | | | | | | |
| VE-STR-10 | | | | | | | | | | | | | | | | | | | | | | | | |




VISHAL ENTERPRISE & VRISHAL ENGINEERING PRIVATE LIMITED GROUP OF COMPANIES

FIT-UP INSPECTION REPORT (STRUCTURE)

| CLIENT | | Linde Engineering India Limited | | | PROJECT | LINDE _Panipat_HGU | | | | REPORT NO. | VE/LINDE _Panipat_HGU/STR/FIT_UP/4 | | | |
|---------------|---------------------------------------|---------------------------------|-----------|-----------------|----------------|--------------------|----------|------------------|----------------------------------|-------------|------------------------------------|--------------|---------|---------|
| WO NO./PO NO. | | 2910A70M | | | PROJECT PO NO. | 2910A70M | | | | DATE : | 08/01/2025 | | | |
| SR No. | DRAWING NO. | REV.NO. | SHEET NO. | ASSEMBLY NUMBER | GRID NUMBER | ITEM NUMBER | QTY(NOS) | PROFILE | IMIR NO. | HEAT NO. | JOINT TYPE | WPS NO. | ACC/REJ | REMARKS |
| 19 | &VHS-(941FX-SR1)-N-ZP 2042.BE113 (EN) | 1 | 2 of 2 | 941FX-SR1-BE113 | A-B/6 | 941FX-R1-P147 | 4 | PL12 | VE/LINDE _Panipat_HGU/STR/IMIR/3 | K19191991 | FILLET | VEPL/WPS/006 | ACC | -- |
| 20 | &VHS-(941FX-SR1)-N-ZP 2042.BE113 (EN) | 1 | 2 of 2 | 941FX-SR1-BE113 | A-B/6 | 941FX-R1-P179 | 2 | PL16 | VE/LINDE _Panipat_HGU/STR/IMIR/3 | V3747473 | FILLET | VEPL/WPS/006 | ACC | -- |
| 21 | &VHS-(941FX-SR1)-N-ZP 2042.BE301 (EN) | 1 | 2 of 2 | 941FX-SR1-BE301 | B/1-2 | 941FX-R1-BE301 | 1 | NPB200X100X25.09 | VE/LINDE _Panipat_HGU/STR/IMIR/1 | A1234D5-099 | CJP | VEPL/WPS/006 | ACC | -- |
| 22 | &VHS-(941FX-SR1)-N-ZP 2042.BE301 (EN) | 1 | 2 of 2 | 941FX-SR1-BE301 | B/1-2 | 941FX-R1-C2 | 1 | ISMC100 | VE/LINDE _Panipat_HGU/STR/IMIR/1 | ADE3458-1 | FILLET | VEPL/WPS/006 | ACC | -- |
| 23 | &VHS-(941FX-SR1)-N-ZP 2042.BE301 (EN) | 1 | 2 of 2 | 941FX-SR1-BE301 | B/1-2 | 941FX-R1-C3 | 2 | ISMC100 | VE/LINDE _Panipat_HGU/STR/IMIR/1 | ADE3458-1 | FILLET | VEPL/WPS/006 | ACC | -- |

| | | | | | | | | | | | | | | |
|--|---|---|--------|--|-------|---|---|--|-------------------------------------|----------|--------|--------------|-----|----|
| 24 | &VHS- (941FX- SR1)-N-ZP 2042.BE301 (EN) | 1 | 2 of 2 | 941FX- SR1-BE301 | B/1-2 | 941FX- R1-P127 | 1 | PL16 | VE/LINDE _Panipat_HGU/STR/IMIR/3 | V3747473 | FILLET | VEPL/WPS/006 | ACC | -- |
| INSPECTION CHECK | | | | | | | | | | REMARKS | | | | |
| <input type="checkbox"/> DIR & ORIENTATION <input type="checkbox"/> FLANGE STRADLING <input type="checkbox"/> PAINTING LINES FOR ERECTED SPOOLS | | <input type="checkbox"/> W.E.P AS PER WPS <input type="checkbox"/> EREC. COORDINATES | | <input type="checkbox"/> DIMENSIONS <input type="checkbox"/> PHYSICAL CONDITION <input type="checkbox"/> EREC. VERTICALITY | | <input type="checkbox"/> SQUARENESS <input type="checkbox"/> ARC STRIKE <input type="checkbox"/> PRESERVATION | | <input type="checkbox"/> OFFSET <input type="checkbox"/> SLOPE <input type="checkbox"/> VISUAL | | | | | | |
| | | VE QC | | | | CLIENT QC/TPI | | | | | | | | |
| SIGNATURE | | | | | | | | | | | | | | |
| NAME | | SHIVANG DIWAKAR | | | | | | | | | | | | |
| DATE | | 08/01/2025 | | | | | | | | | | | | |
| VE-STR-10 | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | |
|--|-------------|---------------------------------|-----------|-----------------|----------------|-------------|--------------------|---------|----------|------------|------------|------------------------------------|---------|---------|
|  VISHAL ENTERPRISE & VRISHAL ENGINEERING PRIVATE LIMITED GROUP OF COMPANIES | | | | | | | | | | | | | | |
| FIT-UP INSPECTION REPORT (STRUCTURE) | | | | | | | | | | | | | | |
| CLIENT | | Linde Engineering India Limited | | | PROJECT | | LINDE _Panipat_HGU | | | REPORT NO. | | VE/LINDE _Panipat_HGU/STR/FIT_UP/4 | | |
| WO NO./PO NO. | | 2910A70M | | | PROJECT PO NO. | | 2910A70M | | | DATE : | | 08/01/2025 | | |
| SR No. | DRAWING NO. | REV.NO. | SHEET NO. | ASSEMBLY NUMBER | GRID NUMBER | ITEM NUMBER | QTY(NOS) | PROFILE | IMIR NO. | HEAT NO. | JOINT TYPE | WPS NO. | ACC/REJ | REMARKS |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|--------------|---|---------------------|--|------------------------|---|----------------------|--|-----------------|--------|--------------|-----|----|--|--|--|--|--|--|--|--|--|--|
| 25 | &VHS- (941FX- SR1)-N-ZP 2042.BE301 (EN) | 1 | 2 of 2 | 941FX- SR1-BE301 | B/2-3 | 941FX- R1- BE301 | 1 | NPB200X100X25.09 | VE/LINDE _Panipat_HGU/STR/IMIR/1 | A1234D5- 099 | CJP | VEPL/WPS/006 | ACC | -- | | | | | | | | | | |
| 26 | &VHS- (941FX- SR1)-N-ZP 2042.BE301 (EN) | 1 | 2 of 2 | 941FX- SR1-BE301 | B/2-3 | 941FX- R1-C2 | 1 | ISM100 | VE/LINDE _Panipat_HGU/STR/IMIR/1 | ADE3458- 1 | FILLET | VEPL/WPS/006 | ACC | -- | | | | | | | | | | |
| 27 | &VHS- (941FX- SR1)-N-ZP 2042.BE301 (EN) | 1 | 2 of 2 | 941FX- SR1-BE301 | B/2-3 | 941FX- R1-C3 | 2 | ISM100 | VE/LINDE _Panipat_HGU/STR/IMIR/1 | ADE3458- 1 | FILLET | VEPL/WPS/006 | ACC | -- | | | | | | | | | | |
| 28 | &VHS- (941FX- SR1)-N-ZP 2042.BE301 (EN) | 1 | 2 of 2 | 941FX- SR1-BE301 | B/2-3 | 941FX- R1-P127 | 1 | PL16 | VE/LINDE _Panipat_HGU/STR/IMIR/2 | A6767 | FILLET | VEPL/WPS/006 | ACC | -- | | | | | | | | | | |
| 29 | &VHS- (941FX- SR1)-N-ZP 2042.BE301 (EN) | 1 | 2 of 2 | 941FX- SR1-BE301 | B/3-4 | 941FX- R1- BE301 | 1 | NPB200X100X25.09 | VE/LINDE _Panipat_HGU/STR/IMIR/1 | A1234D5- 099 | CJP | VEPL/WPS/006 | ACC | -- | | | | | | | | | | |
| 30 | &VHS- (941FX- SR1)-N-ZP 2042.BE301 (EN) | 1 | 2 of 2 | 941FX- SR1-BE301 | B/3-4 | 941FX- R1-C2 | 1 | ISM100 | VE/LINDE _Panipat_HGU/STR/IMIR/1 | ADE3458- 1 | FILLET | VEPL/WPS/006 | ACC | -- | | | | | | | | | | |
| INSPECTION CHECK | | | | | | | | | | REMARKS | | | | | | | | | | | | | | |
| <input type="checkbox"/> DIR & ORIENTATION <input type="checkbox"/> FLANGE STRADLING <input type="checkbox"/> PAINTING LINES FOR ERECTED SPOOLS | | | <input type="checkbox"/> W.E.P AS PER WPS <input type="checkbox"/> EREC. COORDINATES | | <input type="checkbox"/> DIMENSIONS <input type="checkbox"/> PHYSICAL CONDITION <input type="checkbox"/> EREC. VERTICALITY | | <input type="checkbox"/> SQUARENESS <input type="checkbox"/> ARC STRIKE <input type="checkbox"/> PRESERVATION | | <input type="checkbox"/> OFFSET <input type="checkbox"/> SLOPE <input type="checkbox"/> VISUAL | | | | | | | | | | | | | | | |
| | | VE QC | | | | | | CLIENT QC/TPI | | | | | | | | | | | | | | | | |
| SIGNATURE | | | | | | | | | | | | | | | | | | | | | | | | |

| | | |
|-----------|-----------------|--|
| NAME | SHIVANG DIWAKAR | |
| DATE | 08/01/2025 | |
| VE-STR-10 | | |



VISHAL ENTERPRISE & VRISHAL ENGINEERING PRIVATE LIMITED GROUP OF COMPANIES

FIT-UP INSPECTION REPORT (STRUCTURE)

| CLIENT | | Linde Engineering India Limited | | | PROJECT | LINDE _Panipat_HGU | | | | REPORT NO. | VE/LINDE _Panipat_HGU/STR/FIT_UP/4 | | | |
|---------------|---------------------------------------|---------------------------------|-----------|-----------------|----------------|--------------------|----------|------------------|----------------------------------|------------|------------------------------------|--------------|---------|---------|
| WO NO./PO NO. | | 2910A70M | | | PROJECT PO NO. | 2910A70M | | | | DATE : | 08/01/2025 | | | |
| SR No. | DRAWING NO. | REV.NO. | SHEET NO. | ASSEMBLY NUMBER | GRID NUMBER | ITEM NUMBER | QTY(NOS) | PROFILE | IMIR NO. | HEAT NO. | JOINT TYPE | WPS NO. | ACC/REJ | REMARKS |
| 31 | &VHS-(941FX-SR1)-N-ZP 2042.BE301 (EN) | 1 | 2 of 2 | 941FX-SR1-BE301 | B/3-4 | 941FX-R1-C3 | 2 | ISMC100 | VE/LINDE _Panipat_HGU/STR/IMIR/1 | ADE3458-1 | FILLET | VEPL/WPS/006 | ACC | -- |
| 32 | &VHS-(941FX-SR1)-N-ZP 2042.BE301 (EN) | 1 | 2 of 2 | 941FX-SR1-BE301 | B/3-4 | 941FX-R1-P127 | 1 | PL16 | VE/LINDE _Panipat_HGU/STR/IMIR/2 | A6767 | FILLET | VEPL/WPS/006 | ACC | -- |
| 33 | &VHS-(941FX-SR1)-N-ZP 2042.BE301 (EN) | 1 | 2 of 2 | 941FX-SR1-BE301 | B/4-5 | 941FX-R1-BE301 | 1 | NPB200X100X25.09 | VE/LINDE _Panipat_HGU/STR/IMIR/3 | a74646 | CJP | VEPL/WPS/006 | ACC | -- |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---------------------|--|-------------------|---|----------------------|--|----------------|--------|--------------|-----|----|--|--|--|--|--|--|--|--|--|--|
| 34 | &VHS- (941FX- SR1)-N-ZP 2042.BE301 (EN) | 1 | 2 of 2 | 941FX- SR1-BE301 | B/4-5 | 941FX- R1-C2 | 1 | ISMC100 | VE/LINDE _Panipat_HGU/STR/IMIR/1 | ADE3458- 1 | FILLET | VEPL/WPS/006 | ACC | -- | | | | | | | | | | |
| 35 | &VHS- (941FX- SR1)-N-ZP 2042.BE301 (EN) | 1 | 2 of 2 | 941FX- SR1-BE301 | B/4-5 | 941FX- R1-C3 | 2 | ISMC100 | VE/LINDE _Panipat_HGU/STR/IMIR/1 | ADE3458- 1 | FILLET | VEPL/WPS/006 | ACC | -- | | | | | | | | | | |
| 36 | &VHS- (941FX- SR1)-N-ZP 2042.BE301 (EN) | 1 | 2 of 2 | 941FX- SR1-BE301 | B/4-5 | 941FX- R1-P127 | 1 | PL16 | VE/LINDE _Panipat_HGU/STR/IMIR/1 | A1234D5- 90 | FILLET | VEPL/WPS/006 | ACC | -- | | | | | | | | | | |
| INSPECTION CHECK | | | | | | | | | | REMARKS | | | | | | | | | | | | | | |
| <input type="checkbox"/> DIR & ORIENTATION <input type="checkbox"/> FLANGE STRADLING <input type="checkbox"/> PAINTING LINES FOR ERECTED SPOOLS | | | <input type="checkbox"/> W.E.P AS PER WPS <input type="checkbox"/> EREC. COORDINATES | | <input type="checkbox"/> DIMENSIONS <input type="checkbox"/> PHYSICAL CONDITION <input type="checkbox"/> EREC. VERTICALITY | | <input type="checkbox"/> SQUARENESS <input type="checkbox"/> ARC STRIKE <input type="checkbox"/> PRESERVATION | | <input type="checkbox"/> OFFSET <input type="checkbox"/> SLOPE <input type="checkbox"/> VISUAL | | | | | | | | | | | | | | | |
| | VE QC | | | | | | | CLIENT QC/TPI | | | | | | | | | | | | | | | | |
| SIGNATURE | | | | | | | | | | | | | | | | | | | | | | | | |
| NAME | SHIVANG DIWAKAR | | | | | | | | | | | | | | | | | | | | | | | |
| DATE | 08/01/2025 | | | | | | | | | | | | | | | | | | | | | | | |
| VE-STR-10 | | | | | | | | | | | | | | | | | | | | | | | | |