











Z68-BVJ+P00-11SC+M4-1dL+P80-Nld ON 9MD		
GRID LOCATION (TABLE-1)		
B32	A-B/2-3	EL.+108.750



ONE-BEAM MARKED AS B32

MATERIAL LIST FOR ONE ASSEMBLY MK'D B32- 1 NOS.Required						
MARK	DESCRIPTION	GRADE	LENGTH	QTY.	UNIT WT(Kg)	TOTAL WT(Kg)
CLT3	L75X75X8	IS2062	200	2	1.78	3.567
CLT4	L75X75X8	IS2062	200	1	1.78	1.784
M18	NPB300X150X49.32	IS2062	2573	1	126.88	126.880
P4	PL10*72	IS2062	279	4	1.57	6.299

TOTAL FOR ONE ASSEMBLY IN Kg				=	138.529
TOTAL FOR 1 ASSEMBLIES IN Kg				=	138.529

BOLT LIST FOR ONE ASSEMBLY

Type	Size	Length (mm)	Qty
Gr.8.8	M20	55	6
Gr.8.8	M20	60	6

- NOTES :**
- ALL DIMENSIONS ARE IN MILLIMETERS, ELEVATIONS ARE IN METERS UNLESS OTHERWISE NOTED.
 - ALL STRUCTURAL STEEL SHALL CONFIRM TO IS : 2062 (GRADE 250BR)
 - ALL CONCRETE GRADE SHALL BE M30.
 - FILLET WELD SHALL BE OF MINIMUM 6MM SIZE FOR SHOP WELD AND 8MM FOR SITE WELD UNLESS NOTED OTHERWISE.
 - COLUMNS SHALL HAVE FULL BEARING ON BASE PLATES U.N.O.
 - WORKING POINTS SHALL BE W.R.T. CG LINES FOR WELDED CONSTRUCTION AND W.R.T. GAUGE LINES FOR BOLTED CONSTRUCTION.
 - GRATING THICKNESS TO BE 25 MM

0	19.03.2025	ISSUED FOR CONSTRUCTION	SKJ	ABH	CS
REV	DATE	DESCRIPTION	DRAWN. BY	CHK. BY	APP. BY
CLIENT: AARTI INDUSTRIES LIMITED. (EMERALD OFFICE) - Block No. 1, 3rd Floor, Keval Corporate Park, Opp. to Channi GEB Sub-station, Chhani, Vadodara - 390002, Gujarat, In Tel : (0260) 2400366, 2400153, 2400059, Website : www.aarti-industries.com					
CONSULTANT : TECHIN PROCESS TECHNOLOGIES PVT. LTD. Unit No. 402-B, Universal Business Park, Chandivali Farm Road, Chandivali, Andheri-E, Mumbai-400072.					
PROJECT NO : PJ-3014 PROJECT NAME : PIN-084 PLANT DRAWING TITLE : FABRICATION DRAWING OF FIRST FLOOR MEZZANINE AIL PROJECT NO : PIN-084					
SIZE	DWG NO.			SHEET	REV NO.
A1	PIN-084-TPT-PM4-CS11-004-FAB-B32			1 OF 1	0