





BOLT LIST FOR ONE ASSEMBLY			
Type	Size	Length (mm)	Qty
Gr.8.8	M24	55	6

1. ALL DIMENSIONS ARE IN MILLIMETERS, ELEVATIONS ARE IN METERS UNLESS OTHERWISE NOTED.
2. ALL STRUCTURAL STEEL SHALL CONFORM TO IS : 2062 (GRADE 250BR)
3. ALL CONCRETE GRADE SHALL BE M30.
4. FILLET WELD SHALL BE OF MINIMUM 6MM SIZE FOR SHAP WELD AND 8MM FOR SITE WELD UNLESS NOTED OTHERWISE.
5. ALL SHALL HAVE FULL BEARING ON BASE PLATES U.N.O.
6. WORKING POINTS SHALL BE W.R.T. CG LINES FOR WELDED CONSTRUCTION AND W.R.T. GAUGE LINES FOR BOLTED CONSTRUCTION.
7. GRATING THICKNESS TO BE 25 MM
8. FOR GRATING/CHEQUERED PLATE ARRANGEMENT REFER TYP. SKETCH GIVEN BY ALL.

	<p>(EMERALD OFFICE) - Block No. 1, 3rd Floor, Keval Corporate Park, Opp. to Channi GEB Sub-station, Chhanni, Vadodra - 390002, Gujarat, In Tel : (0260) 2400366, 2400153, 2400059. Website : <a href="http://www.oartli-industries.com">www.oartli-industries.com</a></p>
	<p><b>CONSULTANT :</b> <b>TECHIN PROCESS TECHNOLOGIES PVT. LTD.</b> Unit No. 402-B, Universal Business Park, Chandivali Farm Road, Chandivali, Andheri-E, Mumbai-400072.</p>
PROJECT NO :	PJ-3014
PROJECT NAME :	PIN-084 PLANT
DRAWING TITLE :	FABRICATION DRAWING OF STRUCTURAL LAYOUT & DETAIL OF SLAB AND BEAM OF 1ST,2ND,3RD & 4TH FLOOR
A/C NO :	PIN-084
SIZE :	DWG NO.
A1	PIN-084-TPT-PM1-CS2-102-FAB-1B38
	SHEET
	1 OF 1
	REV NO.
	0