










P10-084-TPT-CM1-CS11-002-FAB-C14		
ON 9MD		
GRID LOCATION (TABLE-1)		
C14	F/3-2	EL.+103.984




ONE-COLUMN MARKED AS C14

MATERIAL LIST FOR ONE ASSEMBLY MK'D C14- 1 NOS.Required					
MARK	DESCRIPTION	GRADE	LENGTH	QTY.	TOTAL WT(Kg)
CL10	L75X75X8	IS2062	200	1	1.78
CL11	L75X75X8	IS2062	200	1	1.78
M71	UC203X203X52	IS2062	4868	1	253.28
P2	PL10*159	IS2062	250	4	3.12
P5	PL16*550	IS2062	550	1	37.99
P6	PL12*250	IS2062	550	2	12.95
TOTAL FOR ONE ASSEMBLY IN Kg				=	333.233
TOTAL FOR 1 ASSEMBLIES IN Kg				=	333.233

BOLT LIST FOR ONE ASSEMBLY			
Type	Size	Length (mm)	Qty
Gr.8.8	M20	60	2

- NOTES :
- ALL DIMENSIONS ARE IN MILLIMETERS, ELEVATIONS ARE IN METERS UNLESS OTHERWISE NOTED.
 - ALL STRUCTURAL STEEL SHALL CONFIRM TO IS : 2062 (GRADE 250BR)
 - ALL CONCRETE GRADE SHALL BE M30.
 - FILLET WELD SHALL BE OF MINIMUM 6MM SIZE FOR SHOP WELD AND 8MM FOR SITE WELD UNLESS NOTED OTHERWISE.
 - COLUMNS SHALL HAVE FULL BEARING ON BASE PLATES U.N.O.
 - WORKING POINTS SHALL BE W.R.T. CG LINES FOR WELDED CONSTRUCTION AND W.R.T. GAUGE LINES FOR BOLTED CONSTRUCTION.
 - GRATING THICKNESS TO BE 25 MM

0	13.03.2025	ISSUED FOR CONSTRUCTION	SKJ	ABH	CS
REV	DATE	DESCRIPTION	DRAWN. BY	CHK. BY	APP. BY
<div><div></div><div>CLIENT: AARTI INDUSTRIES LIMITED. (EMERALD OFFICE) - Block No. 1, 3rd Floor, Keval Corporate Park, Opp. to Channi GEB Sub-station, Chhani, Vadodara - 390002, Gujarat, In Tel : (0260) 2400366, 2400153, 2400059, Website : www.aarti-industries.com</div></div>					
<div><div></div><div>CONSULTANT : TECHIN PROCESS TECHNOLOGIES PVT. LTD. Unit No. 402-B, Universal Business Park, Chandivali Farm Road, Chandivali, Andheri-E, Mumbai-400072.</div></div>					
PROJECT NO : PJ-3014					
PROJECT NAME : PIN-084 PLANT					
DRAWING TITLE : FABRICATION DRAWING OF PIPE RACK SUPERSTRUCTURE					
AIL PROJECT NO : PIN-084					
SIZE	DWG NO.			SHEET	REV NO.
A1	PIN-084-TPT-CM1-CS11-002-FAB-C14			1 OF 1	0