


NOTES :

1. ALL DIMENSIONS ARE IN MILLIMETERS, ELEVATIONS ARE IN METERS UNLESS OTHERWISE NOTED.
2. ALL STRUCTURAL STEEL SHALL CONFIRM TO IS : 2062 (GRADE 250BR)
3. ALL CONCRETE GRADE SHALL BE M30.
4. FILLET WELD SHALL BE OF MINIMUM 6MM SIZE FOR SHOP WELD AND 8MM FOR SITE WELD UNLESS NOTED OTHERWISE.
5. COLUMNS SHALL HAVE FULL BEARING ON BASE PLATES U.O.
6. WORKING POINTS SHALL BE W.R.T. CG LINES FOR WELDED CONSTRUCTION AND W.R.T. GAUGE LINES FOR BOLTED CONSTRUCTION.
7. GRATING THICKNESS TO BE 25 MM
8. FOR GRATING/CHEQUERED PLATE ARRANGEMENT REFER TYP. SKETCH GIVEN BY ALL.

	CLIENT : AARTI INDUSTRIES LIMITED. (EMERALD OFFICE) - Block No. 1, 3rd Floor, Keval Corporate Park, Opp. to Chhanni GEB Sub-station, Chhanni, Vadodara - 390002, Gujarat, In Tel No: (0260) 2400366, 2400153, 2400059. Website : www.aarti-industries.com		
	CONSULTANT : TECHIN PROCESS TECHNOLOGIES PVT. LTD. Unit No. 402-B, Universal Business Park, Chandivali Farm Road, Chandivali, Andheri-E, Mumbai-400072.		
PROJECT NO : PJ-3014 PROJECT NAME : FABRICATION PLANT DRAWING TITLE : OBSERVATION DRAWING OF STRUCTURAL LAYOUT & DETAIL OF SLAB AND BEAM OF 1ST,2ND,3RD & 4TH FLOOR AIL PROJECT NO : PIN-084			
SIZE A1		DWG NO. PIN-084-TPT-PM1-CS12-002-FAB-1SC7	
		SHEET 1 OF 1	REV NO. 0

Tekla structures
 WITHOUT THE WRITTEN CONSENT OF TECHIN PROCESS TECHNOLOGIES PVT LTD, CONTRAVENTION WILL BE PROSECUTED.
 THE DESIGN ACCORDING TO THIS DRAWING IS THE PROPERTY OF TECHIN PROCESS TECHNOLOGIES PVT LTD. AND
 MUST NOT BE DISCLOSED TO ANY THIRD PARTY, COPIED, REPRODUCED OR USED IN ANY MANNER, HOWEVER,