


WG. NO.	W-084-TP-PM4-CS11-004-FAB-STR2
GRID LOCATION (TABLE-1)	

MATERIAL LIST FOR ONE ASSEMBLY MK'D STR2- 1 NOS.Required						
K	DESCRIPTION	GRADE	LENGTH	QTY.	UNIT WT(KG)	TOTAL WT(KG)
	ISMC200	IS2062	519	1	11.49	11.494
	ISMC200	IS2062	144	1	3.19	3.187
TOTAL FOR ONE ASSEMBLY IN Kg					=	14.681
TOTAL FOR 1 ASSEMBLIES IN Kg					=	14.681
				BOLT LIST FOR ONE ASSEMBLY		



ONE-STRINGER MARKED AS STR2

S :
DIMENSIONS ARE IN MILLIMETERS, ELEVATIONS ARE IN METERS
UNLESS OTHERWISE NOTED.
STRUCTURAL STEEL SHALL CONFIRM TO IS : 2062 (GRADE 250BR)
CONCRETE GRADE SHALL BE M30.

WELD SHALL BE OF MINIMUM 6MM SIZE FOR SHOP WELD AND 8MM FOR SITE
WELD UNLESS NOTED OTHERWISE.

ANCHORS SHALL HAVE FULL BEARING ON BASE PLATES U.N.O.

ANCHOR POINTS SHALL BE W.R.T. CG LINES FOR WELDED CONSTRUCTION AND
GAUGE LINES FOR BOLTED CONSTRUCTION.

ANCHOR THICKNESS TO BE 25 MM.

03.2025	ISSUED FOR CONSTRUCTION	SKJ	ABH	CS
DATE	DESCRIPTION	DRAWN. BY	CHK. BY	APP. BY
CLIENT: AARTI INDUSTRIES LIMITED.				
(EMERALD OFFICE) - Block No. 1, 3rd Floor, Keval Corporate Park, Opp. to Chann GEB Sub-station, Chhani, Vadodara - 390002, Gujarat, In				
Tel : (0260) 2400366, 2400153, 2400059, Website : www.aarti-industries.com				
CONSULTANT : TECHIN PROCESS TECHNOLOGIES PVT. LTD.				
Unit No. 402-B, Universal Business Park, Chandivali Farm Road, Chandivali, Andheri-E, Mumbai-400072.				
NO : PJ-3044				
NAME : PIN-084 PLANT				
TITLE : FABRICATION DRAWING OF FIRST FLOOR MEZZANINE				
CT NO : PIN-084				
DWG NO.				SHEET
-084-TPT-PM4-CS11-004-FAB-STR2				REV NO
				1 OF 1
				0