SQL PROJECT

Hi there,
I am Riya,
In this project, I have used SQL queries to find insights of Pizza sales.

Queries

Retrieve the total number of orders placed.
Calculate the total revenue generated from pizza sales.
Identify the highest-priced pizza.
Identify the most common pizza size ordered.
List the top 5 most ordered pizza types along with their quantities.

Join the necessary tables to find the total quantity of each pizza category ordered.
Determine the distribution of orders by hour of the day.
Join relevant tables to find the category-wise distribution of pizzas.
Group the orders by date and calculate the average number of pizzas ordered per day.
Determine the top 3 most ordered pizza types based on revenue.

Calculate the percentage contribution of each pizza type to total revenue.
Analyze the cumulative revenue generated over time.
Determine the top 3 most ordered pizza types based on revenue for each pizza category.

Retrieve the total number of orders placed.

```sql
SELECT
    COUNT(order_id) AS total_orders
FROM
    orders;
```

Result Grid

	total_orders
▶	21350

Calculate the total revenue generated from pizza sales.

```
SELECT
    ROUND(SUM(order_details.quantity * pizzas.price),
            2) AS total_sales
FROM
    order_details
        JOIN
    pizzas ON pizzas.pizza_id = order_details.pizza_id;
```

Result Grid

	total_sales
▶	817860.05

Identify the highest-priced pizza.

```sql
Select pizza_types.name, pizzas.price
from pizza_types join pizzas
On pizza_types.pizza_type_id = pizzas.pizza_type_id
Order by pizzas.price DESC limit 1;
```

Result Grid | Filter Rows:

	name	price
▶	The Greek Pizza	35.95

Identify the most common pizza size ordered.

```sql
Select pizzas.size, count(order_details.order_details_id) as order_count
from pizzas join order_details
on pizzas.pizza_id = order_details.pizza_id
group by pizzas.size order by order_count desc limit 1 ;
```

Result Grid | Filter Ro

size	order_count
L	18526

List the top 5 most ordered pizza types along with their quantities.

```sql
Select pizza_types.name,
sum(order_details.quantity) as quantity
from pizza_types join pizzas
on pizza_types.pizza_type_id = pizzas.pizza_type_id
join order_details
on order_details.pizza_id = pizzas.pizza_id
group by pizza_types.name order by quantity desc limit 5;
```

Result Grid | Filter Rows:

name	quantity
The Classic Deluxe Pizza	2453
The Barbecue Chicken Pizza	2432
The Hawaiian Pizza	2422
The Pepperoni Pizza	2418
The Thai Chicken Pizza	2371

Join the necessary tables to find the total quantity of each pizza category ordered.

```sql
Select pizza_types.category,
sum(order_details.quantity) as total_quantity
from pizza_types join pizzas
on pizza_types.pizza_type_id = pizzas.pizza_type_id
join order_details
on order_details.pizza_id = pizzas.pizza_id
group by pizza_types.category;
```

Result Grid | Filter Rows:

category	total_quantity
Classic	14888
Veggie	11649
Supreme	11987
Chicken	11050

Determine the distribution of orders by hour of the day.

```sql
Select hour(order_time) as hour, count(order_id) as order_count from orders
group by hour(order_time);
```

hour	order_count
11	1231
12	2520
13	2455
14	1472
15	1468
16	1920
17	2336
18	2399
19	2009
20	1642
21	1198
22	663
23	28
10	8
9	1

Join relevant tables to find the category-wise distribution of pizzas.

```
Select category,count(category) from pizza_types group by category;
```

Result Grid | Filter Rows:

category	count(category)
Chicken	6
Classic	8
Supreme	9
Veggie	9

Group the orders by date and calculate the average number of pizzas ordered per day.

```sql
Select Round (avg(quantity),0) as avg_pizza_ordered_per_day from
(select orders.order_date, sum(order_details.quantity) as quantity
from orders
join order_details
On orders.order_id = order_details.order_id
group by orders.order_date) as order_quantity ;
```

Result Grid | Filter Rows:

	avg_pizza_ordered_per_day
▶	138

Determine the top 3 most ordered pizza types based on revenue.

```sql
Select pizza_types.name, sum(pizzas.price*order_details.quantity) as revenue
from pizza_types join pizzas
on pizza_types.pizza_type_id = pizzas.pizza_type_id
join order_details
on order_details.pizza_id = pizzas.pizza_id
group by pizza_types.name order by revenue desc limit 3;
```

Result Grid | Filter Rows:

name	revenue
The Thai Chicken Pizza	43434.25
The Barbecue Chicken Pizza	42768
The California Chicken Pizza	41409.5

Calculate the percentage contribution of each pizza type to total revenue.

```
select pizza_types.category, (sum((order_details.quantity * pizzas.price))/ (Select
round (sum(order_details.quantity * pizzas.price),2) as total_sales
from order_details join pizzas
On pizzas.pizza_id = order_details.pizza_id)) *100  as revenue
from pizza_types join pizzas
on pizza_types.pizza_type_id = pizzas.pizza_type_id
join order_details
on order_details.pizza_id = pizzas.pizza_id
group by pizza_types.category order by revenue desc;
```

Result Grid | Filter Rows:

category	revenue
Classic	26.9059602556967
Supreme	25.45631126009862
Chicken	23.955137556847287
Veggie	23.682590927384577

Analyze the cumulative revenue generated over time.

```sql
select order_date,
sum(revenue) over(order by order_date) as cum_revenue
from
(select orders.order_date,
sum(order_details.quantity * pizzas.price) as revenue
from order_details join pizzas
on order_details.pizza_id = pizzas.pizza_id
join orders
on orders.order_id = order_details.order_id
group by orders.order_date) as sales;
```

Result Grid | Filter Rows:

order_date	cum_revenue
2015-01-01	2713.8500000000004
2015-01-02	5445.75
2015-01-03	8108.15
2015-01-04	9863.6
2015-01-05	11929.55
2015-01-06	14358.5
2015-01-07	16560.7

Determine the top 3 most ordered pizza types based on revenue for each pizza category.

```
select name, revenue
from
(select category, name, revenue,
rank() over( partition by category order by revenue desc) as rn
from
(Select pizza_types.category, pizza_types.name,
sum(pizzas.price * order_details.quantity) as revenue
from pizza_types join pizzas
on pizza_types.pizza_type_id = pizzas.pizza_type_id
join order_details
on order_details.pizza_id = pizzas.pizza_id
group by pizza_types.category, pizza_types.name ) as a) as b
where rn <=3;
```

Result Grid | Filter Rows: | Exp

name	revenue
The Thai Chicken Pizza	43434.25
The Barbecue Chicken Pizza	42768
The California Chicken Pizza	41409.5
The Classic Deluxe Pizza	38180.5
The Hawaiian Pizza	32273.25
The Pepperoni Pizza	30161.75
The Spicy Italian Pizza	34831.25
The Italian Supreme Pizza	33476.75
The Sicilian Pizza	30940.5
The Four Cheese Pizza	32265.7000000065

The Four Cheese Pizza	32265.7000000065
The Mexicana Pizza	26780.75
The Five Cheese Pizza	26066.5

THANK YOU