Statistics 1

Name	Value
Updated Rows	0
Execute time	0.527s
Start time	Tue Oct 20 22:25:01 WIB 2026
Finish time	Tue Oct 20 22:25:01 WIB 2026
Query	CREATE DATABASE db_praktikum

WIB | en | Writable | Smart Insert | 1 : 30 : 29

Results 1

SELECT current_database() | Enter a SQL expression to filter results (use Ctrl

Grid | Text | Record | Panels


	current_database
1	postgres


Statistics 1


Name	Value
Updated Rows	0
Execute time	0.025s
Start time	Tue Oct 20 22:26:16 WIB 2026
Finish time	Tue Oct 20 22:26:16 WIB 2026
Query	CREATE TABLE products (product_id INT GENERATED ALWAYS AS IDENTITY PRIMARY KEY, name VARCHAR(100) NOT NULL, category VARCHAR(50) NOT NULL, price DECIMAL(12,2) NOT NULL, stock_quantity INT NOT NULL); CREATE TABLE customers (customer_id INT GENERATED ALWAYS AS IDENTITY PRIMARY KEY, first_name VARCHAR(50) NOT NULL,


Statistics 1


Name	Value
Updated Rows	0
Execute time	0.025s
Start time	Tue Oct 20 22:26:16 WIB 2026
Finish time	Tue Oct 20 22:26:16 WIB 2026
Query	CREATE TABLE products (
	product_id INT GENERATED ALWAYS AS IDENTITY PRIMARY KEY,
	name VARCHAR(100) NOT NULL,
	category VARCHAR(50) NOT NULL,
	price DECIMAL(12,2) NOT NULL,
	stock_quantity INT NOT NULL
	);
	CREATE TABLE customers (
	customer_id INT GENERATED ALWAYS AS IDENTITY PRIMARY KEY,
	first_name VARCHAR(50) NOT NULL,
	last_name VARCHAR(50) NOT NULL,
	city VARCHAR(50) NOT NULL
	);
	CREATE TABLE orders (
	order_id INT GENERATED ALWAYS AS IDENTITY PRIMARY KEY,
	customer_id INT NOT NULL,
	order_date DATE NOT NULL,
	total_amount DECIMAL(12,2) NOT NULL,
	CONSTRAINT fk_orders_customer
	FOREIGN KEY (customer_id)
	REFERENCES customers(customer_id)
	)



tables 1
SELECT table_name FROM ir
Enter a SQL expression to filter results (use C
Grid
Text
Record
Panels
table_name
1
customers
2
orders
3
products


products 1
SELECT COUNT(*) AS jumlah
Enter a SQL expression to filter results (use C
Grid
Text
Record
Panels
jumlah_products
1
40
Refresh
Save
Cancel
Export data
200
1
1 row(s) fetched - 0.001s, on 2026-10-20 at 22:35:32


customers 1
SELECT COUNT(*) AS jumlah
Enter a SQL expression to filter results (use C
Grid
Text
Record
123 jumlah_customers
1
30
Panels
Refresh
Save
Cancel
Export data
200
1
1 row(s) fetched - 0.004s, on 2026-10-20 at 22:36:15


orders 1
SELECT COUNT(*) AS jumlah
Enter a SQL expression to filter results (use C
Grid
Text
Record
123 jumlah_orders
1
60
Panels
Refresh
Save
Cancel
Export data
200
1
1 row(s) fetched - 0.001s, on 2026-10-20 at 22:36:55
WIB
en
Writable
Smart Insert
237 : 13 : 8843


SELECT 'products' AS tabel,
Enter a SQL expression to filter results (use C
Grid
Text
Record
A-Z tabel
123 jumlah
1 products 40
2 customers 30
3 orders 60
Panels
Refresh
Save
Cancel
Export data
200


products 1
SELECT MIN(price) AS harga
Enter a SQL expression to filter results (use C
Grid
Text
Panels
123 harga_minimum
123 harga_maksimum
123 harga_rata_rata
1
85,000
8,500,000
2,251,000
Statistics 1
Output
Enter a part of a message to search for here
relation "idx_products_category" already exists, skipping
relation "idx_products_category" already exists, skipping
relation "idx_products_price" already exists, skipping
relation "idx_products_price" already exists, skipping
relation "idx_orders_date" already exists, skipping
relation "idx_customers_city" already exists, skipping
WIB
en
Writable
Smart Insert
284 : 21 : 968
pg_indexes 1
Output
SELECT indexname, indexdef
Enter a SQL expression to filter results (use C
Grid
Text
Record
Panels
A-Z indexname
A-Z indexdef
1
orders_pkey
CREATE UNIQUE INDEX orders_pkey ON public.orders USING btree (order_id)
2
idx_orders_date
CREATE INDEX idx_orders_date ON public.orders USING btree (order_date)
3
idx_orders_customer_da
CREATE INDEX idx_orders_customer_date ON public.orders USING btree (custome
Refresh
Save
Cancel
Export data
200
3
3 row(s) fetched - 0.001s, on 2026-10-20 at 22:43:29