

FIELD REPORT OF TRANSFORMER SURVEY

▲ TXM

TXM SERVICES SDN BHD

No.5, Jalan Jurutera U1/23, Seksyen U1, Hicom Glenmarie Industrial Park, 40150 Shah Alam, Selangor Darul Ehsan

TX UNIT NO.

M A I N T R A F O U N I T 1

TC 4

SERIAL
NUMBER

(Use Main Tank)

1 0 0 6 9 1

OFFICE USE

TC No

Customer

☐ Current ☐ NewOIL QUANTITY : 27 gall. l. ltr ☐ tonne ☒ kg. l. 10

Customer Number

CUSTOMER INFORMATION

Date

02 10 2019

Customer Name

PT IP UJP PLTU JERANJANG

City / State

MATARAM, LOMBOK

Substation Name

NAMEPLATE INFORMATION

Manufacturer

WOLONG

Country of Origin

CHINA

Year Made

2011

Rating

40

☐ KVA☒ MVA

Primary Volts

165

☒ KV☐ V

Secondary Volts

6.3

☒ KV☐ V

Transformer Mass

81

lbs ☐kg ☐tonne ☒

Cooling Type

ONAN ☐ONAF ☐OFAF ☒OWAF ☐☐

Impedance

13.1

%

Phase/Cycle

1/50 Hz ☐3/50 Hz ☒

LOCATION

☐ Indoor

Outdoor

☐ Others: _____

LIQUID TYPE

☒ Oil☐ Silicone☐ Midel☐ Others: _____

EQUIPMENT TYPE

☒ Main tank Transformer☐ LTC Compartment☐ Conservator for _____☐ Rectifier☐ Cable Box _____☐ Regulator☐ Switch☐ Precipitator☐ Others: _____

TREATMENT HISTORY

Date of Latest Treatment Done: _____

Treatment Done

Filtration ☐Oil Change ☐Regeneration ☐

REASON FOR TESTING

☒ Routine☐ Proof: Purification / Reclamation☐ Retest☐ Others: _____

Plant No: _____

Date Start: _____

Date Finish: _____

WEATHER / TIME SAMPLING

☐ Clear☐ AM☐ Cloudy☐ PM☐ Raining

KARL FISCHER

Note: Oil temperature in sample bottle during sampling

Temperature

32 °C

TRANSFORMER INFORMATION

Transformer

Energized ☒Not Energized ☐

Radiators

Y ☒N ☐

Fans

Y ☒N ☐

Water Cooled

Y ☐N ☒

Oil Pumps

Y ☒N ☐

Top FPV

_____ inch

SV ☐F ☐P ☐V ☐☐

Bottom FPV

_____ inch

SV ☐F ☐P ☐V ☐☐

Conservator

Y ☒N ☐

Bucholz

Y ☒N ☐*Functioning Y ☐ N ☐

Nitrogen/Gas Seal

Y ☒N ☐

Reading: _____

LTC Compartment

Y ☒N ☐

Bushing Location

Top ☒Side ☐Enclosed ☐

Free Breather

Y ☒N ☐

Power Available

Y ☒N ☐

If Yes, Load Amp : 100 Amp

Power Cable Length : 150 ft

Hose Length : 50 ft

VISUAL INSPECTION

Oil Level

High ☐Normal ☐Low ☐

Oil Temperature

_____ °C

Winding Temperature

_____ °C

Paint

Good ☐Fair ☐Poor ☐

LEAKS

a) Main tank cover

Y ☐N ☐

b) Bucholz relay

Y ☐N ☐

c) Outlet filter valve

Y ☐N ☐

d) Inlet filter valve

Y ☐N ☐

e) Radiator

Y ☐N ☐

f) Pressure Release Device

Y ☐N ☐

g) Conservator

Y ☐N ☐

h) Cable box

Y ☐N ☐

i) LTC Compartment

Y ☐N ☐

j) Others, please specify location: _____

SILICA GEL

☐ Good☐ Bad☐ None

Name of samplers:

Verified by client:

FIELD REPORT OF TRANSFORMER SURVEY

TXM

TXM SERVICES SDN BHD

No 5, Jalan Jernang 11/123, Seksyen 03, Ploam 5, Industrial Park, 40150 Shah Alam, Selangor Darul Ehsan

TX UNIT NO.

T R A F O 1 E S P U N I T 1

TC 5

SERIAL

NUMBER

1 0 9 3 7

(Use Main Tank)

OFFICE USE

TC No

Customer

☐ Current

New

Customer Number

OIL QUANTITY 630 gal ☐ lbs ☒ tonne ☐ kg 0

CUSTOMER INFORMATION

Date

10/2/2019

Customer Name

PT IP UJP PLTU JERANJANG

City / State

MATARAM, LOMBOK

Substation Name

LOCATION

☐ Indoor☒ Outdoor☐ Others

LIQUID TYPE

☒ Oil

Silicone

☐ Midel☐ Others

NAMEPLATE INFORMATION

Manufacturer

FUJIAN

Country of Origin

CHINA

Year Made

2010

Rating

72

KVA

MVA

Primary Voltage

72

KV

V

Secondary Voltage

380

KV

V

Transformer Mass

1,000

lbs

☒ tonne ☐ kg

Type

ONAN

☒ ONAF

OFAP

☐ OWAF

Impedance

2%

Phase/Cycle

1/50 Hz

☐ 3/50 Hz☒

EQUIPMENT TYPE

☒ Main tank Transformer☐ LTC Compartment☐ Conservator for☐ Rectifier☐ Cable Box☐ Regulator☐ Switch☐ Precipitator☐ Others

TREATMENT HISTORY

Date of Latest Treatment Done

Treatment Done

Filtration

Oil Change

Regeneration

REASON FOR TESTING

☒ Routine☐ Re-test☐ Others☐ Proof: Purification / Reclamation

Plant No

Date Start

Date Finish

TRANSFORMER INFORMATION

Transformer

Energized

Not Energized

Radiators

☒

Fans

☒

Water Cooler

☒

Oil Pumps

☒

Top FPV

inch

SV

F

V

TO

Bottom FPV

inch

SV

F

V

TO

Conservator

☒

N

☐

Bucholz

☒

N

☐

*Functioning

Y

N

Nitrogen/Gas Seal

☒

N

☐

Reaching

LTC Compartment

☐

N

☒

Bushing Location

Top

☒

Side

Enclosed

Free Breather

☒

N

☐

Power Available

☒

N

☒

If Yes Load Amp

Amp

Power Cable Length

Length

ft

WEATHER / TIME SAMPLING

☐ Clear☐ Cloudy☐ Raining

AM

PM

KARL FISCHER

Note Oil temperature in sample bottle during sampling

Temperature

30

C

VISUAL INSPECTION

Oil Level

High

Normal

Low

Oil Temperature

C

Winding Temperature

C

Paint

Good

Fair

Poor

LEAKS

a) Main tank cover

Y

N

b) Bucholz relay

Y

N

c) Outlet filter valve

Y

N

d) Inlet filter valve

Y

N

e) Radiator

Y

N

f) Pressure Release Device

Y

N

g) Conservator

Y

N

h) Cable box

Y

N

i) LTC Compartment

Y

N

j) Others please specify location

...

SILICA GEL

Name of samplers

☐ None

Verified by client

J2

FIELD REPORT OF TRANSFORMER SURVEY



TXM SERVICES SDN BHD

No. 3 Jalan Lestari 1/3, Persiaran 1, Medan Sempena Industrial Park, 40150 Shah Alam, Selangor Darul Ehsan

TX UNIT NO

T R A F O 2 E S P U N I T 1

TC 6

SERIAL
NUMBER

(Use Main Tank)

1 0 0 3 5

OFFICE USE

TC No

Customer

☐ Current ☐ New

Customer Number

OIL QUANTITY

630

gal ☐litre ☒tonne ☐kg ☐lb ☐

CUSTOMER INFORMATION

Date

09 10 2019

Customer Name

PT IP UJP PLTU JERANJANG

City / State

MATARAM, LOMBOK

Substation Name

LOCATION

Indoor ☐☒ Outdoor☐ Others

LIQUID TYPE

☒ Oil☐ Mide☐ Silicone☐ Others

NAMEPLATE INFORMATION

Manufacturer

FUJIAN

Country of Origin

CHINA

Year Made

2010

Rating

☐ kVA☐ MVA

Primary V

☒ kV☐ V

Secondary V

380

☐ kV☒ V

Transformer Mass

1,000

lb

☒ tonne☐ kg

Cooling Type

ONAN ☒ONAF ☐OFAF ☐ONAR ☐O ☐

Impedance

%

Phase/Cycle

1/50 Hz

3/50 Hz ☒

EQUIPMENT TYPE

☐ Main tank Transformer☐ LTC Compartment☐ Conservator for☐ Rectifier☐ Cable Box☐ Regulator☐ Switch☐ Precipitator☐ Others

TREATMENT HISTORY

Date of Latest Treatment Done

Treatment Done

Filtration ☐Oil Change ☐Regeneration ☐

REASON FOR TESTING

☒ Routine☐ Retest☐ Others☐ Proof Purification / Reclamation

Plant No

Date Start

Date Finish

TRANSFORMER INFORMATION

Transformer

Energized ☐Not Energized ☒

Radiators

Y ☒N ☐

Fans

Y ☐N ☒

Water Cooled

Y ☐N ☒

Oil Pumps

Y ☐N ☒

Top FPV

inch

SV ☐F ☐F ☐V ☐Q ☐

Bottom FPV

inch

SV ☐F ☐F ☐V ☐Q ☐

Conservator

Y ☒N ☐

Bucholz

Y ☐N ☐

*Functioning

Y ☐N ☐

Nitrogen/Gas Seal

Y ☒N ☐

Reading

LTC Compartment

Y ☐N ☒

Bushing Location

Top ☒Side ☐Enclosed ☐

Free Breather

Y ☒N ☐

Power Available

Y ☐N ☒

If Yes Load Amp _____ Amp

Power Cable Length _____ ft

Hose Length _____ ft

WEATHER / TIME SAMPLING

☐ Clear☐ Cloudy☐ Raining

AM

PM

KARL FISCHER

Note Oil temperature in sample bottle during sampling

Temperature

29 °C

VISUAL INSPECTION

Oil Level

High ☐Normal ☐Low ☐

Oil Temperature

_____ °C

Winding Temperature

_____ °C

Paint

Good ☐Fair ☐Poor ☐

LEAKS

a) Main tank cover

Y ☐N ☐

b) Bucholz relay

Y ☐N ☐

c) Outlet filter valve

Y ☐N ☐

d) Inlet filter valve

Y ☐N ☐

e) Radiator

Y ☐N ☐

f) Pressure Release Device

Y ☐N ☐

g) Conservator

Y ☐N ☐

h) Cable box

Y ☐N ☐

i) LTC Compartment

Y ☐N ☐

j) Others please specify location

SILICA GEL

Good ☐Bad ☐☐ None

Name of samplers

Verified by client

FIELD REPORT OF TRANSFORMER SURVEY

TXM

TXM SERVICES SDN BHD

No 6, Jalan Juyutera, 41123, Selangor, UT - 3km, Cyberjaya Industrial Park, 40150 Shah Alam, Selangor Darul Ehsan

TX UNIT NO

T R A F O 3 E S P U N I T 1

TC 7

SERIAL
NUMBER

1 0 0 3 1

(Use Main Tank)

OIL QUANTITY 630 gal ☐ litre ☒ tonne ☐ kg ☐

OFFICE USE

TC No

Customer

Current ☐ New ☐

Customer Number

CUSTOMER INFORMATION

Date

12/10/2019

LOCATION

Indoor

Outdoor

Others: ☐

Customer Name PT IP UJP PLTU JERANJANG

City/State MATARAM, LOMBOK

Substation Name

LIQUID TYPE

☒ Oil☐ Silicone☐ Model☐ Others: ☐

NAMEPLATE INFORMATION

Manufacturer FUJIAN
Country of Origin CHINA
Year Made 2010Rating ☐ KVA ☐ MVAPrimary Volts 72 ☒ KV ☐ VSecondary Volts 380 ☐ KV ☒ VTransformer Mass 1,000 lbs ☒ kg ☐ tonne ☐ lbCooling Type ONAN ☒ ONAF ☐ OFAF ☐ OWAF ☐ LO ☐

Impedance %

Phase/Cycle 1/50 Hz 3/50 Hz ☒

EQUIPMENT TYPE

☒ Main tank Transformer☐ LTC Compartment☐ Conservator for ☐☐ Rectifier☐ Cable Box ☐☐ Regulator☐ Switch☐ Precipitator☐ Others

TREATMENT HISTORY

Date of Latest Treatment Done: ☐

Treatment Done

Filtration ☐Oil Change ☐Regeneration ☐

REASON FOR TESTING

Routine

☐ Retest☐ Others: ☐☐ Proof : Purification : RedamationPlant No : ☐Date Start : ☐Date Finish : ☐

TRANSFORMER INFORMATION

Transformer Energized ☐ Not Energized ☒Radiators Y ☒ N ☐Fans Y ☐ N ☒Water Cooled Y ☐ N ☒Oil Pumps Y ☐ N ☒Top FPV ☐ inch SV ☐ F ☐ F ☐ W ☐ L ☐Bottom FPV ☐ inch SV ☐ F ☐ F ☐ V ☐ L ☐Conservator Y ☒ N ☐Bucholz Y ☒ N ☐ Functioning Y ☐ N ☐Nitrogen/Gas Seal Y ☒ N ☐ Reading ☐LTC Compartment Y ☐ N ☒Bushing Location Top ☒ Side ☐ Enclosed ☐Free Breather Y ☒ N ☐Power Available Y ☐ N ☒If Yes Load Amp ☐ AmpPower Cable Length ☐ ftHose Length ☐ ft

WEATHER / TIME SAMPLING

☐ Clear☐ Cloudy☐ Raining

AM

PM

KARL FISCHER

Note Oil temperature in sample bottle during sampling

Temperature 3.7 °C

VISUAL INSPECTION

Oil Level High ☐ Normal ☐ Low ☐Oil Temperature ☐ °CWinding Temperature ☐ °CPaint Good ☐ Fair ☐ Poor ☐

LEAKS

a) Main tank cover Y ☐ N ☐b) Bucholz relay Y ☐ N ☐c) Outlet filter valve Y ☐ N ☐d) Inlet filter valve Y ☐ N ☐e) Radiator Y ☐ N ☐f) Pressure Release Device Y ☐ N ☐g) Conservator Y ☐ N ☐h) Cable box Y ☐ N ☐i) LTC Compartment Y ☐ N ☐j) Others please specify location ☐

SILICA GEL

☐ Good☐ Bad☐ None

Name of samplers

Verified by client

FIELD REPORT OF TRANSFORMER SURVEY

TXM

TXM SERVICES SDN BHD

No. 5, Jalan Juntera UT/33, Seksyen UT, Muzon Damansara Industrial Park, 47155 Shah Alam, Selangor Darul Ehsan

TX UNIT NO

T R A F O 4 E S P U N I T 1

TC 8

SERIAL
NUMBER

1 0 0 3 4

OFFICE USE

TC No

Customer

☐ Current ☐ New

Customer Number

OIL QUANTITY

630

litre

X

tonne

kg

0

CUSTOMER INFORMATION

1 0 2 0 1 9

Customer Name

PT IP UJP PLTU JERANJANG

City / State

MATARAM, LOMBOK

Substation Name

LOCATION

Indoor

X Outdoor

Others

LIQUID TYPE

X Oil

Madel

Silicone

Others

NAMEPLATE INFORMATION

Manufacturer

FUJIAN

Country of Origin

CHINA

Year Made

2010

Rating

72

KVA

MVA

Primary Volts

72

X KV

Secondary Volts

380

KV

X V

Transformer Mass

1,000

lbs

X

tonne

0

Cooling Type

ONAN X

ONAF

OFAF

OWAF

Oil

Impedance

%

Phase/Cycle

1/50 Hz

3/50 Hz

X

EQUIPMENT TYPE

X

Main tank Transformer

LTC Compartment

Conservator for

Resistor

Cable Box

Regulator

Switch

Precipitator

Others

TREATMENT HISTORY

Date of Latest Treatment Done

Treatment Done

Filtration

Oil Change

Regeneration

REASON FOR TESTING

X

Routine

Retest

Others

Oil Purification / Redoxant

Plant No

Date Start

Date Finish

TRANSFORMER INFORMATION

Transformers

Energized

Not Energized

X

Radiators

X

Fans

N

Water Cooling

N

Oil Pumps

N

Top FPV

inch

SV

F

P

V

C

Bottom FPV

inch

SV

F

P

V

C

Conservator

X

N

Buchholz

X

N

Functioning

Y

N

Nitrogen/Gas Seal

X

N

Roading

Y

N

LTC Compartment

Y

N

X

Bushing Location

Top

X

Side

Enclosed

Free Breather

X

N

Power Available

Y

N

X

If Yes, Load Amp

Amp

Power Cable Length

ft

Hose Length

ft

WEATHER / TIME SAMPLING

Clear

AM

Cloudy

PM

Raining

KARL FISCHER

Note: Oil temperature in sample bottle during sampling

Temperature

32

VISUAL INSPECTION

Oil Level

High

Normal

Low

Oil Temperature

C

Winding Temperature

C

Paint

Good

Fair

Poor

LEAKS

a) Main tank cover

Y

N

b) Buchholz relay

Y

N

c) Outlet filter valve

Y

N

d) Inlet filter valve

Y

N

e) Petrol

Y

N

f) Pressure Release Device

Y

N

g) Conservator

Y

N

h) Cable box

Y

N

i) LTC Compartment

Y

N

j) Others please specify location

SILICA GEL

Good

Bad

None

Name of sampler

Verified by client

FIELD REPORT OF TRANSFORMER SURVEY

TXM

TXM SERVICES SDN BHD

No 5, Jalan Gunung 11103, Seksyen 11, Pusat Perdagangan Industri Park, 40150 Shah Alam, Selangor Darul Ehsan

TX UNIT NO

M A I N T R A F O U N I T 3

TC 23

SERIAL
NUMBER

3 0 1 1 1 6 0 1 9 2

Use Main Tank

OIL QUANTITY

26,410

gal

litre

tonne

kg

0

OFFICE USE

TC No

Customer

Current

New

Customer Number

CUSTOMER INFORMATION

Date

12 10 2019

Customer Name

PT IP UJP PLTU JERANJANG

City / State

MATARAM, LOMBOK

Substation Name

LOCATION

Indoor

Outdoor

Others

LIQUID TYPE

Oil

Silicone

Mistel

Others

NAMEPLATE INFORMATION

Manufacturer

PAUWES Trafo

Country of Origin

INDONESIA

Year Made

2018

Rating

60

KVA

MVA

Primary Volts

157

KV

V

Secondary Volts

6.3

KV

V

Transformer Mass

103,500

lbs

kg

tonne

0

Cooling Type

ONAN

ONAF

OFAF

OWAF

0

Impedance

13.171

%

Phase/Cycle

1/50 Hz

3/50 Hz

EQUIPMENT TYPE

Main tank Transformer

LTC Compartment

Conservator for

Rectifier

Cable Box

Regulator

Switch

Preparator

Others

TREATMENT HISTORY

Date of Latest Treatment Done

Treatment Done

Filtration

Oil Change

Regeneration

REASON FOR TESTING

Routine

Relief

Proof / Purification / Reclamation

Plant No

Date Start

Finish

TRANSFORMER INFORMATION

Transformer

Energized

Not Energized

Radiators

X

N

Fans

X

N

Water Cooled

Y

N

Oil Pumps

X

N

Top FPU

inch

SW

F

F

V

O

Bottom FPU

inch

SW

F

F

V

O

Conservator

X

N

Buchholz

Y

N

Functioning

Y

N

Pressure

X

N

Regulating

Y

N

LTC Compartment

X

N

Bushing Location

Top

Side

Enclosed

Free Breather

Y

N

Power Available

X

N

If Yes Load Amp

100

Amp

Power Cable Length

150

ft

Hose Length

100

ft

WEATHER / TIME SAMPLING

Clear

Cloudy

Raining

4:1

PM

KARL FISCHER

Note Oil temperature in sample bottle during sampling

Temperature

43

VISUAL INSPECTION

Oil Level

High

Normal

Low

Oil Temperature

C

Winding Temperature

C

Paint

Good

Fair

Poor

LEAKS

a) Main tank cover

Y

N

b) Buchholz relay

Y

N

c) Outlet filter valve

Y

N

d) Inlet filter valve

Y

N

e) Radiator

Y

N

f) Pressure Release Device

Y

N

g) Conservator

Y

N

h) Cable box

Y

N

i) LTC Compartment

Y

N

j) Others please specify location

SILICA GEL

Good

Bad

None

Name of samplers

Verified by client

FIELD REPORT OF TRANSFORMER SURVEY

TXM

TXM SERVICES SDN BHD

No. 5, Jalan Jusuf, UIC3, Seksyen 111, Hicom Glenmarie Industrial Park, 40150 Shah Alam, Selangor, Darul Ehsan

TX UNIT NO

U A T 3

TC 22

SERIAL
NUMBER

P X 1 8 - 0 0 8 2

OFFICE USE

TC No

Customer

Current

New

Customer Number

OIL QUANTITY 10,500

gal

litre

tonne

kg

0

CUSTOMER INFORMATION

Date

02 10 2019

Customer Name

PT IP UJP PLTU JERANJANG

City / State

MATARAM, LOMBOK

Substation Name

LOCATION

Indoor

Outdoor

Others

LIQUID TYPE

Oil

Midel

Silicone

Others

NAMEPLATE INFORMATION

Manufacturer

B D

Country of Origin

INDONESIA

Year Made

2018

Rating

6.3

KVA

MVA

Primary Volts

6.3

KV

V

Secondary Volts

6.3

KV

V

Transformer Mass

52,000

lbs

kg

tonne

0

Type

ONAN

ONAF

OFAP

OWAF

0

Impedance

5.78

%

Phase/Cyc

1/50 Hz

3/50 Hz

EQUIPMENT TYPE

Main lock Transformer

LTC Compartment

Conservator for

Regulator

Cable Box

Regulator

Switch

Precipitator

Others

TREATMENT HISTORY

Date of Latest Treatment Done

Treatment Done

Filtration

Oil Change

Regeneration

REASON FOR TESTING

Routine

Rerest

Others

Proof Purification / Redamation

Plant No

Date Start

Date Finish

TRANSFORMER INFORMATION

Transformer

Energized

Not Energized

Radiators

Y

N

Fans

Y

N

Water Cooled

Y

N

Oil Pumps

Y

N

Tap PPV

inch

SV

F

F

V

0

FF

inch

SV

F

F

V

0

Conservator

X

N

Buchholz

X

N

Functioning

Y

N

Nitrogen/Gas Seal

Y

N

Reading

Y

N

LTC Compartment

Y

N

Bushing Location

Top

Side

Enclosed

Free Breather

Y

N

Power Available

Y

N

If Yes, Load Amp

100

Amp

Power Cable Length

150

ft

Hose Length

100

ft

WEATHER / TIME SAMPLING

Clear

Cloudy

Raining

AM

KARL FISCHER

Note Oil temperature in sample bottle during sampling

Temperature

37

C

VISUAL INSPECTION

Oil Level

High

Normal

Low

Oil Temperature

C

Winding Temperature

C

Paint

Good

Fair

Poor

LEAKS

a) Main tank cover

Y

N

b) Buchholz relay

Y

N

c) Outlet filter valve

Y

N

d) Inlet filter valve

Y

N

e) Radiator

Y

N

f) Pressure Release Device

Y

N

g) Conservator

Y

N

h) Cable box

Y

N

i) LTC Compartment

Y

N

j) Others, please specify location

SILICA GEL

Good

Bad

None

Name of samplers

Verified by client

FIELD REPORT OF TRANSFORMER SURVEY



TXM SERVICES SDN BHD

No 8, Jalan Jurutera 1/23, Seksyen 11, Micon Glenmarie Industrial Park, 40150 Shah Alam, Selangor Darul Ehsan

TX UNIT NO.

T R A F O 1 E S P U N I T 3

TC 11

SERIAL
NUMBER

0 0 7 3 0 8 4 2 0 8

(Use Main Tank)

OIL QUANTITY : 640 gal ☐ litre ☐ tonne ☒ kg ☐ L.O. _____

OFFICE USE

TC No

Customer

☐ Current ☐ New

Customer Number

CUSTOMER INFORMATION

Date

9 2 1 0 2 0 1 9

Customer Name

PT IP UJP PLTU JERANJANG

City / State

MATARAM, LOMBOK

Substation Name

LOCATION

Indoor

☒ Outdoor☐ Others _____

LIQUID TYPE

☒ Oil☐ Silicone☐ Midei☐ Others: _____

NAMEPLATE INFORMATION

Manufacturer

ZHEJIAN

Country of Origin

CHINA

Year Made

2010

Rating

72

KVA

☐ MVA

Primary Volts

416

☒ KV☐ V

Secondary Volts

416

☐ KV☒ V

Transformer Mass

1,350

lbs

☒ kg

tonne

☐ L.O.

Cooling Type

ONAN

☒ ONAF☐ OFAF☐ OWAF☐ CO

Impedance

_____ %

Phase/Cycle

1/50 Hz

☐ 3/50 Hz☒

EQUIPMENT TYPE

☒

Main tank Transformer

☐ LTC Compartment☐ Conservator for _____☐ Rectifier☐ Cable Box☐ Regulator☐ Switch☐ Predictor☐ Others: _____

TREATMENT HISTORY

Date of Latest Treatment Done

Treatment Done

Filtration ☐Oil Change ☐Regeneration ☐

REASON FOR TESTING

☒

Routine

☐ Retest☐

Others: _____

Proof Purification / Regeneration

Plant No

Date Start

Date Finish

TRANSFORMER INFORMATION

Transformer

Energized ☐Not Energized ☒

Radiators

Y ☒N ☐

Fans

Y ☐N ☒

Water Cooled

Y ☐N ☒

Oil Pumps

Y ☐N ☒

Top FPL

_____ inch

SW ☐

F

F

V

O

Bottom FPL

_____ inch

SW ☐

F

F

V

O

Conservator

Y ☒

N

Buchholz

Y ☒

N

*Functioning

Y

N

Nitrogen/Oil Seal

Y ☒

N

Reacting

LTC Compartment

Y ☐

N

☒

Bushing Location

Top ☒

Side

Enclosed ☐

Free Breather

Y ☒

N

Power Available

Y ☐

N

☒

If Yes Load Amp _____ Amp

Power Cable Length : _____ ft

Hose Length : _____ ft

WEATHER / TIME SAMPLING

☐

Clear

AM

☐

Cloudy

PM

☐

Raining

KARL FISCHER

Note Oil temperature in sample bottle during sampling

Temperature

2 9 °C

VISUAL INSPECTION

Oil Level

High

Normal

Low

Oil Temperature

°C

Winding Temperature

°C

Paint

Good

Fair

Poor

LEAKS

a) Main tank cover

Y

N

b) Buchholz relay

Y

N

c) Outlet filter valve

Y

N

d) Inlet filter valve

Y

N

Radiators

Y

N

f) Pressure Release Device

Y

N

g) Conservator

Y

N

h) Cable box

Y

N

i) LTC Compartment

Y

N

j) Others please specify location

SILICA GEL

☐ Good☐ Bad☐ None

Name of samplers

Verified by client

FIELD REPORT OF TRANSFORMER SURVEY

TXM

TXM SERVICES SDN BHD

No 5, Jalan Junjere LH/23, Seksyen U1, Hicom Glenmarie Industrial Park, 40150 Shah Alam, Selangor Darul Ehsan

TX UNIT NO

T A F O 2 E S P U N I T 3

SERIAL
NUMBER

0 0 7 0 0 8 4 2 0 8

(Use Main Tank)

OIL QUANTITY

640

gal ☐litre ☐tonne ☐kg ☒LO ☐

OFFICE USE

TO No

Customer

☐ Current☐ New

Customer Number

CUSTOMER INFORMATION

Date

6/9/10 2019

Customer Name

PT IP UJP PLTU JERANJANG

City / State

MATARAM, LOMBOK

Substation Name

LOCATION

☐ Indoor☒ Outdoor☐ Others

LIQUID TYPE

☒ Oil☐ Silicone☐ Other☐ Others

NAMEPLATE INFORMATION

Manufacturer

ZHEJIAN

Country of Origin

CHINA

Year Made

2010

Rating

72

KVA

MVA

Primary Volts

72

KV

V

Secondary Volts

415

KV

V

Transformer Mass

1,350

kg

tonne ☒LO ☐

Cooling Type

ONAN ☒ ONAF ☐ OFAF ☐ ONAFL ☐ O: ☐

Impedance

%

Phase/Cycle

1/50 Hz ☐ 3/50 Hz ☒

EQUIPMENT TYPE

☒

Main tank Transformer

☐

LTC Compartment

☐

Conservator for

☐

Rectifier

☐

Cable Box

☐

Regulator

☐

Switch

☐

Precipitator

☐

Others

TREATMENT HISTORY

Date of Latest Treatment Done

Treatment Done

Filtration ☐Oil Change ☐Regeneration ☐

REASON FOR TESTING

☒

Routine

☐ Proof / Purification / Redamation☐

Retest

☐

Others

Plant No

Date Start

Date Finish

TRANSFORMER INFORMATION

Transformer

Energized ☐Not Energized ☒

Radiators

Y ☒N ☐

Fans

Y ☐N ☒

Water Cooled

Y ☐N ☒

Oil Pumps

Y ☐N ☒

Top FPV

inch

SV ☐F ☐P ☐V ☐Q ☐

Bottom FPV

inch

SV ☐F ☐P ☐V ☐Q ☐

Conservator

Y ☒N ☐

Bucholz

Y ☒N ☐

*Functioning

Y ☐N ☐

Nitrogen/Gas Seal

Y ☒N ☐

Reading

LTC Compartment

Y ☐N ☒

Bushing Location

Top ☒Side ☐Enclosed ☐

Free Breather

Y ☒N ☐

Power Available

Y ☐N ☒

WEATHER / TIME SAMPLING

☐

Clear

☐ AM☐

Cloudy

☐ PM☐

Raining

KARL FISCHER

Note Oil temperature in sample bottle during sampling

Temperature

34 °C

VISUAL INSPECTION

Oil Level

High ☐Normal ☐Low ☐

Oil Temperature

_____ °C

Winding Temperature

_____ °C

Paint

Good ☐Fair ☐Poor ☐

LEAKS

a) Main tank cover

Y ☐N ☐

b) Bucholz relay

Y ☐N ☐

c) Outlet filter valve

Y ☐N ☐

d) Inlet filter valve

Y ☐N ☐

e) Radiator

Y ☐N ☐

f) Pressure Release Device

Y ☐N ☐

g) Conservator

Y ☐N ☐

h) Cable box

Y ☐N ☐

i) LTC Compartment

Y ☐N ☐

j) Others, please specify location

SILICA GEL

☐ Good☐ Bad☐ None

Name of samplers

Verified by client:

If Yes, Load Amp : _____ Amp

Power Cable Length : _____ ft

Hose Length : _____ ft

FIELD REPORT OF TRANSFORMER SURVEY

TXM

TXM SERVICES SDN BHD

No 5, Jalan Juniera U1/23, Seksyen U1, Hizam Glenmarie Industrial Park, 40150 Shah Alam, Selangor Darul Ehsan

TX UNIT NO

T R A F O 3 E S P U N I T 3

TC 13

SERIAL
NUMBER

(Use Main Tank)

0 0 7 2 0 8 4 2 0 8

OFFICE USE

TC No

Customer

☐ Current ☐ New

Customer Number

OIL QUANTITY

640

gal ☐litre ☐tonne ☐kg ☒

CUSTOMER INFORMATION

Date

13/10/2019

Customer Name

PT IP UJP PLTU JERANJANG

City / State

MATARAM, LOMBOK

Substation Name

LOCATION

Indoor

☒ Outdoor☐ Others

LIQUID TYPE

☒ Oil

Silicone

☐ Water☐ Others

NAMEPLATE INFORMATION

Manufacturer

ZHEJIAN

Country of Origin

CHINA

Year Made

2010

Rating

☐ KVA☐ MVA

Primary Volts

72

☒ KV☐ V

Secondary Volts

415

☐ KV☒ V

Transformer Mass

1,350

lbs

kg ☒tonne ☐

Cooling Type

ONAN ☒ONAF ☐OFAF ☐ONAF ☐

Impedance

%

Phase/Cycle

1/50 Hz ☐3/50 Hz ☒

EQUIPMENT TYPE

☒

Main tank Transformer

☐

LTC Compartment

Conservator for

☐

Rectifier

☐

Cable Box

☐

Regulator

☐

Switch

☐

Precipitator

☐

Others

TREATMENT HISTORY

Date of Latest Treatment Done

Treatment Done

Filtration ☐Oil Change ☐Regeneration ☐

REASON FOR TESTING

☒

Routine

☐

Re-test

☐

Others

Proof Purification / Reclamation

Plant No

Date Start

Date Finish

TRANSFORMER INFORMATION

Transformer

Energized ☒Not Energized ☐

Radiators

☒N ☐

Fans

☐N ☒

Water Cooler

☐N ☒

Oil Pumps

☐N ☒

Top FPV

inch

Syl ☐F ☐V ☐

Bottom FPV

inch

Syl ☐F ☐V ☐

Conservator

☒N ☐

Bucholz

☒N ☐Functioning ☐N ☐

Nitrogen/Gas Seal

☒N ☐

Reading

LTC Compartment

☐N ☒

Bushing Location

Top ☒Side ☐Enclosed ☐

Free Breather

☒N ☐

Power Available

☐N ☒

If Yes, Load Amp _____ Amp

Power Cable Length _____ ft

Pose Length _____ ft

WEATHER / TIME SAMPLING

☐

Clear

AM

☐

Cloudy

PM

☐

Raining

KARL FISCHER

Note: Oil temperature in sample bottle during sampling

Temperature

42

VISUAL INSPECTION

Oil Level

High ☐Normal ☐Low ☐

Oil Temperature

_____ C

Winding Temperature

_____ C

Paint

Good ☐Fair ☐Poor ☐

LEAKS

a) Main tank cover

☐

b) Bucholz relay

☐

c) Outlet filler valve

☐

d) Inlet filler valve

☐

e) Radiator

☐

f) Pressure Release Device

☐

g) Conservator

☐

h) Cable box

☐

i) LTC Compartment

☐

j) Others, please specify location

☐

SILICA GEL

☐

Good

☐

Bad

☐

None

Name of samplers

Verified by client

FIELD REPORT OF TRANSFORMER SURVEY

TXM

TXM SERVICES SDN BHD

No 5 Jalan Juruat, 02, Seksyen 01, Nicon Glenmarie Industrial Park, 40150 Shah Alam, Selangor Darul Ehsan

TX UNIT NO.

T R A F O 4 E S P U N I T 3

SERIAL
NUMBER

0 0 7 1 0 8 4 2 0 8

Use Main Term

OFFICE USE

TC No

Customer

Current

New

Customer Number

OIL QUANTITY 640 gal ☐ litre ☐ tonne ☒ kg 0

CUSTOMER INFORMATION

Date

6 9 1 0 2 0 1 9

Customer Name

PT IP UJP PLTU JERANJANG

City / State

MATARAM, LOMBOK

Substation Name

LOCATION

Indoor

☒ Outdoor

Others

LIQUID TYPE

☒ Oil

Silicone

Water

Others

NAMEPLATE INFORMATION

Manufacturer

ZHEJIAN

Country of origin

CHINA

Year Made

2010

Rating

72

KVA

MVA

Primary Voltage

72

V

V

Secondary Voltage

415

KV

V

Transformer Mass

1,350

kg

☒ tonne

C

Cooling Type

ONAN

☒ ONAF

ONAF

☐ ONAN☐ ONAF☐ ONAN☐ ONAF☐ ONAN☐ ONAF☐ ONAN

Impedance

%

Phase/Cycle

1/50 Hz

☐ 3/50 Hz☒ 3/50 Hz

EQUIPMENT TYPE

☒

Main tank Transformer

LTC Compartment

Conservator for

Rectifier

Cable Box

Regulator

Switch

Precipitator

Others

TREATMENT HISTORY

Date of Latest Treatment Done

Treatment Done

Filtration

Oil Change

Regeneration

REASON FOR TESTING

☒

Routine

☐

Reltest

☐

Others

Pump Purification / Regeneration

Plant No

Date Start

Date Finish

TRANSFORMER INFORMATION

Transformer

Energized

Not Energized

Radiators

☒

N

Fans

☐

N

Water Cooling

☐

N

Oil Pumps

☐

N

Top FPV

inch

SV

F

F

V

O

Bottom FPA

inch

SV

F

F

V

O

Conservator

☒

N

Buchholz

☒

N

Functioning

Y

N

Nitrogen/Gas Seal

☒

N

Reading

Y

N

LTC Compartment

☐

N

☒

Bushing Location

Top

☒

Side

☐

Enclosed

Free Breather

☒

N

Power Available

☐

N

If Yes Load Amp Amp

Power Cable Length ft

Hose Length ft

WEATHER / TIME SAMPLING

☐

Clear

AM

☐

Cloudy

PM

☐

Raining

KARL FISCHER

Note Oil temperature in sample bottle during sampling

Temperature

27 °C

VISUAL INSPECTION

Oil Level

High

Normal

Low

Oil Temperature

°C

Winding Temperature

°C

Paint

Good

Fair

Poor

LEAKS

a) Main tank cover

Y

N

b) Buchholz relay

Y

N

c) Outlet filler valve

Y

N

d) Inlet filler valve

Y

N

e) Radiator

Y

N

f) Pressure Release Device

Y

N

g) Conservator

Y

N

h) Cable box

Y

N

i) LTC Compartment

Y

N

j) Others please specify location

SILICA GEL

☐

Good

☐

Bad

☐

None

Name of samplers:

Verified by client:

FIELD REPORT OF TRANSFORMER SURVEY

TXM

TXM SERVICES SDN BHD

No 5, Jalan Juniera 111123, Sakowar III, Hicom Glenmarie Industrial Park 40150 Shah Alam, Selangor Darul Ehsan

TX UNIT NO.

A S H H A N D L I N G

TC 15

SERIAL
NUMBER

1 0 8 2 0 1 0 8

(Use Main Tank)

OFFICE USE

TC No.

Customer

☐ Current ☐ New

Customer Number

OIL QUANTITY 895 gal. lbs. tonne. kg ☒ 0

CUSTOMER INFORMATION

Date

10/2019

Customer Name

PT IP UIP PLTU JERANJANG

City / State

MATARAM, LOMBOK

Substation Name

LOCATION

Indoor

☒ Outdoor

Others

LIQUID TYPE

☒ Oil
Midei☐ Silicone☐ Others

NAMEPLATE INFORMATION

Manufacturer

WOLONG

Country of Origin

CHINA

Year Made

2011

Rating

1,600

☒ kVA☐ MVA

Primary Volts

6,300

☐ kV☒ V

Secondary Volts

400

☐ kV

Transformer Mass

4,505

lbs

kg ☒ tonne

Type

☒ ONAN☐ ONAF☐ OFAF☐ OWAF☐ IC

Impedance

5.56

%

Phase

150 Hz

3/50 Hz ☒

EQUIPMENT TYPE

☐ Main tank Transformer☐ LTC Compartment☐ Conservator for☐ Radiator☐ Cable Box☐ Regulator☐ Switch☐ Precipitator☐ Others

TREATMENT HISTORY

Date of Latest Treatment Done

Treatment Done

Filtration

Oil Change

Regeneration

REASON FOR TESTING

☒ Routine☐ Rerest☐ Others☐ Proof Insulation / Sealed

Plant No.

Date Start

Date Finish

TRANSFORMER INFORMATION

Transformer

Energized ☒

Not Energized

Radiators

☒ Y☐ N

Fans

☐ Y☒ N

Water Cooled

☐ Y☒ N

Oil Pumps

☐ Y☒ N

Top FPV

inch

SV

F

F

V

G

Bottom FPV

inch

SV

F

F

V

G

Conservator

☒ Y☐ N

Buchholtz

☒ Y☐ N

*Functioning

☐ Y☐ N

Nitrogen/Gas Seal

☒ Y☐ N

Reading

LTC Compartment

☐ Y☒ N

Bushing Location

☒ Top☐ Side

Enclosed

Free Breather

☒ Y☐ N

Power Available

☒ Y☐ N

If Yes, Load Amp

50

Amp

Power Cable Length

150

ft

Hose Length

100

ft

WEATHER / TIME SAMPLING

☐ Clear☐ Cloudy☐ Raining☐ AM☐ PM

KARL FISCHER

Note Oil temperature in sample bottle during sampling

Temperature

36

VISUAL INSPECTION

Oil Level

High

Normal

Low

Oil Temperature

Winding Temperature

Paint

Good

Fair

Poor

LEAKS

a) Main tank cover

☐ Y☐ N

b) Buchholz relay

☐ Y☐ N

c) Outlet filter valve

☐ Y☐ N

d) Inlet filter valve

☐ Y☐ N

e) Radiator

☐ Y☐ N

f) Pressure Release Device

☐ Y☐ N

g) Conservator

☐ Y☐ N

h) Cable box

☐ Y☐ N

i) LTC Compartment

☐ Y☐ N

j) Others please specify location

SILICA GEL

☐ Good☐ Bad☐ None

*Name of samplers

Verified by client

FIELD REPORT OF TRANSFORMER SURVEY

TXM

TXM SERVICES SDN BHD

No 8, Jalan Jurutera, 11/23, Seksyen 11, Ploam Glenmarie Industrial Park, 40160 Shah Alam, Selangor Darul Ehsan

TX UNIT NO

A S H H A N D L I N G

TC 16

SERIAL
NUMBER

1 0 8 2 0 1 0 7

(Use Main Tank)

OIL QUANTITY 895 gal ☐ Pre ☐ tonne ☐ kg ☒ 0

OFFICE USE

TO: No

Customer

Current

New

Customer Number

CUSTOMER INFORMATION

Date

07-10-2019

Customer Name

PT IP UIP PLTU JERANJANG

City / State

MATARAM, LOMBOK

Substation Name

LOCATION

☐ Indoor☒ Outdoor☐ Others

LIQUID TYPE

☒ Oil
☐ Midei☐ Silicone
☐ Others

NAMEPLATE INFORMATION

Manufacturer

WOLONG

Country of Origin

CHINA

Year Made

2011

Ratio

1,600

☒ KVA☐ MVA

Primary Voltage

6,300

☐ kV☒ V

Secondary Voltage

400

☐ kV☒ VTransformer Mass 4,505 lbs ☐ kg ☒ tonne ☐ O

Cooling Type

ONAN ☒ ONAF☐ OFAF☐ ODAF☐ O

Impedance

5.60

☐ %

Phase/Cycle

150 Hz

☐ 350 Hz☒ X

EQUIPMENT TYPE

☒ Main tank Transformer
☐ LTC Compartment
☐ Conservator for
☐ Rectifier
☐ Cable Box
☐ Regulator
☐ Switch
☐ Precipitator
☐ Others

TREATMENT HISTORY

Date of Latest Treatment Done

Treatment Done

Filtration

Oil Change

Regeneration

REASON FOR TESTING

☒ Routine
☐ Retest
☐ Others

Proof, Purification / Reclamation

Plant No

Date Start

Date Finish

TRANSFORMER INFORMATION

Transformer

Energized ☒Not Energized ☐

Radiators

☒ Y☐ N

Fans

☐ Y☒ N

Water Cooled

☐ Y☒ N

Oil Pumps

☐ Y☒ NTop FPV inch SV ☐ F ☐ F ☐ V ☐ OBottom FPV inch SV ☐ F ☐ F ☐ V ☐ O

Conservator

☒ Y☐ N

Buchholz

☒ Y☐ N

Functioning

☐ Y☐ N

Inertrogen Oil Seal

☒ Y☐ N

Reaching

☐ Y☐ N

LTC Compartment

☐ Y☒ N

Bushing Location

☒ Top☐ Sds

Enclosed

Free Breather

☒ Y☐ N

Power Available

☒ Y☐ N

If Yes, Load Amp 50 Amp

Power Cable Length 150 ft

Hose Length 100 ft

WEATHER / TIME SAMPLING

☐ Clear
☐ Cloudy
☐ Raining☐ AM
☐ PM

KARL FISCHER

Note Oil temperature in sample bottle during sampling

Temperature

33

VISUAL INSPECTION

Oil Level High ☐ Normal ☐ Low ☐
Oil Temperature ☐ °C
Winding Temperature ☐ °C
Paint Good ☐ Fair ☐ Poor ☐

LEAKS

a) Main tank cover Y ☐ N ☐
b) Buchholz relay Y ☐ N ☐
c) Outlet filter valve Y ☐ N ☐
d) Inlet filter valve Y ☐ N ☐
e) Radiator Y ☐ N ☐
f) Pressure Release Device Y ☐ N ☐
g) Conservator Y ☐ N ☐
h) Cable box Y ☐ N ☐
i) LTC Compartment Y ☐ N ☐
j) Others, please specify location

SILICA GEL

☐ Good
☐ Bad
☐ None

Name of samplers

Verified by client

Jw

FIELD REPORT OF TRANSFORMER SURVEY

TXM

TXM SERVICES SDN BHD

No 5, Jalan Juntera U1/23, Seksyen U1, Hicom Glenmarie Industrial Park, 40150 Shah Alam, Selangor Darul Ehsan

TX UNIT NO

T R A F O 1 E S P U N I T 2

TC 17

SERIAL
NUMBER

1 0 0 3 7

(Use Main Tank)

OIL QUANTITY 630 gal ☐ litre ☒ tonne ☐ kg ☐ LD

OFFICE USE

TC No

Customer

Li Current

New

Customer Number

CUSTOMER INFORMATION

Date

12 10 2019

Customer Name

PT IP UJP PLTU JERANJANG

City / State

MATARAM, LOMBOK

Substation Name

LOCATION

☐ Indoor☒ Outdoor☐ Others

LIQUID TYPE

☒ Oil☐ Midei☐ Silicone☐ Others

NAMEPLATE INFORMATION

Manufacturer

FUJIAN

Country of Origin

CHINA

Year Made

2010

Rating

72

☐ KVA☐ MVA

Primary Volts

380

☒ KV☐ V

Secondary Volts

380

☐ KV☒ VTransformer Mass 1,000 lbs ☐ kg ☒ tonne ☐ Li

Cooling Type

ONAN ☒ ONAF ☐ OFAF ☐ OFWF ☐ O

Impedance

%

Phase/Cycle

1/50 Hz ☐ 3/50 Hz ☒

EQUIPMENT TYPE

☒ Main tank Transformer☐ LTC Compartment☐ Conservator for☐ Rectifier☐ Cable Box☐ Regulator☐ Switch☐ Precipitator☐ Others

TREATMENT HISTORY

Date of Latest Treatment Done

Treatment Done

Filtration ☐Oil Change ☐Regeneration ☐

REASON FOR TESTING

☒ Routine

Releat

☐ Others☐ Proof Purification / Reclamation

Plant No

Date Start

Date Finish

TRANSFORMER INFORMATION

Transformer Energized ☒ Not Energized ☐

Radiators

Y ☒N ☐

Fans

Y ☐N ☒

Water Cooled

Y ☐N ☒

Oil Pumps

Y ☐N ☒Top FPV inch SV ☐ F ☐ F ☐ V ☐ QBottom FPV inch SV ☐ F ☐ F ☐ V ☐

Conservator

Y ☒N ☐

Bucholz

Y ☒N ☐*Functioning Y ☐ N ☐

Nitrogen/Gas Seal

Y ☒N ☐

Reading

LTC Compartment

Y ☐N ☒

Bushing Location

Top ☒Side ☐Enclosed ☐

Free Breather

Y ☒N ☐

Power Available

Y ☒N ☐

If Yes, Load Amp Amp

Power Cable Length ft

Hose Length ft

WEATHER / TIME SAMPLING

☐ Clear☐ Cloudy☐ Raining☐ AM☐ PM

KARL FISCHER

Note: Oil temperature in sample bottle during sampling

Temperature

34 °C

VISUAL INSPECTION

Oil Level High ☐ Normal ☐ Low ☐

Oil Temperature °C

Winding Temperature °C

Paint Good ☐ Fair ☐ Poor ☐

LEAKS

a) Main tank cover

Y ☐N ☐

b) Bucholz relay

Y ☐N ☐

c) Outlet filter valve

Y ☐N ☐

d) Inlet filter valve

Y ☐N ☐

e) Radiator

Y ☐N ☐

f) Pressure Release Device

Y ☐N ☐

g) Conservator

Y ☐N ☐

h) Cable box

Y ☐N ☐

i) LTC Compartment

Y ☐N ☐

j) Others, please specify location

SILICA GEL

☐ Good☐ Bad☐ None

Name of samplers:

Verified by client

FIELD REPORT OF TRANSFORMER SURVEY

TXM

TXM SERVICES SDN BHD

No 5, Jalan Jurulera U11/23, Seksyen U11, Hicom Glenmarie Industrial Park, 40150 Shah Alam, Selangor Darul Ehsan

TX UNIT NO.

T R A F O 2 E S P U N I T 2

TC 18

SERIAL
NUMBER

1 0 0 3 6

(Use Main Tank)

OFFICE USE

TC No

Customer

Current

Max

Customer Number

OIL QUANTITY 630 gal ☐ litre ☒ tonne ☐ kg ☐ L

CUSTOMER INFORMATION

Date

12 10 2019

Customer Name

PT IP UJP PLTU JERANJANG

City / State

MATARAM, LOMBOK

Substation Name

LOCATION

Indoor

☒ Outdoor

Others

LIQUID TYPE

☒ Oil

Silicone

☐ M-dol

Others

NAMEPLATE INFORMATION

Manufacturer

FUJIAN

Country of Origin

CHINA

Year Made

2010

Rating

KVA

MVA

Primary volts

72

☒ kV

V

Secondary volts

380

☐ kV☒ VTransformer Mass 1,000 lbs ☐ kg ☒ tonne ☐ O

Cooling Type

ONAN ☒ ONAF

OFAD

LOWAF

LO

Impedance

%

Phase/Cycle

1/50 Hz

3/50 Hz ☒

EQUIPMENT TYPE

☒

Main tank Transformer

☐

LTC Compartment

☐

Conservator for

☐

Rectifier

☐

Cable Box

☐

Regulator

☐

Switch

☐

Precipitator

☐

Others

TREATMENT HISTORY

Date of Latest Treatment Done

Treatment Done

Filtration

☐

Oil Change

☐

Regeneration

☐

REASON FOR TESTING

☒

Routine

☐

Retest

☐

Others

Proof Purification / Regeneration

Plant No

Date Start

Date Finish

TRANSFORMER INFORMATION

Transformer

Energized ☒Not Energized ☐

Radiators

☒ Y☐ N

Fans

☐ Y☒ N

Water Cooled

☐ Y☒ N

Oil Pumps

☐ Y☒ NTop FPV inch SV ☐ F ☐ P ☐ V ☐ OBottom FPV inch SV ☐ F ☐ P ☐ V ☐ O

Conservator

☒ Y☐ N

Bucholz

☒ Y☐ N*Functioning ☐ Y ☐ N

Nitrogen/Gas Seal

☒ Y☐ N

Reading

LTC Compartment

☐ Y☒ N

Bushing Location

Top ☒Side ☐Enclosed ☐

Free Breather

☒ Y☐ N

Power Available

☐ Y☒ N

If Yes, Load Amp Amp

Power Cable Length ft

Hose Length ft

WEATHER / TIME SAMPLING

☐ Clear

AM

☐ Cloudy

PM

☐ Raining

KARL FISCHER

Note: Oil temperature in sample bottle during sampling

Temperature

13.21 °C

VISUAL INSPECTION

Oil Level

High

Normal

Low

Oil Temperature

°C

Winding Temperature

°C

Paint

Good

Fair

Poor

LEAKS

a) Main tank cover

Y ☐N ☐

b) Bucholz relay

Y ☐N ☐

c) Outlet filter valve

Y ☐N ☐

d) Inlet filter valve

Y ☐N ☐

e) Radiator

Y ☐N ☐

f) Pressure Release Device

Y ☐N ☐

g) Conservator

Y ☐N ☐

h) Cable box

Y ☐N ☐

i) LTC Compartment

Y ☐N ☐

j) Others, please specify location

SILICA GEL

☐ Good☐ Bad☐ None

Name of samplers

Verified by client:

FIELD REPORT OF TRANSFORMER SURVEY

TXM

TXM SERVICES SDN BHD

1, Jalan Junedra 11/23, Seksyen U1, Hicom Glenmarie Industrial Park, 40150 Shah Alam, Selangor Darul Ehsan

TX UNIT NO:

T R A F O 3 E S P U N I T 2

TC 19

SERIAL
NUMBER

(Use Main Tank)

1 0 0 3 3

OFFICE USE

TC No

Customer

☐ Current ☐ New

Customer Number

OIL QUANTITY

630

gal ☐litre ☒tonna ☐kg ☐LO ☐

CUSTOMER INFORMATION

Date

12/10/2019

Customer Name

PT IP UJP PLTU JERANJANG

City / State

MATARAM, LOMBOK

Substation Name

LOCATION

☐ Indoor☒ Outdoor☐ Others

LIQUID TYPE

☒ Oil

Silicone

☐ M-dol☐ Others

NAMEPLATE INFORMATION

Manufacturer

FUJIAN

Country of Origin

CHINA

Year Made

2010

Rating

72

☐ KVA☐ MVA

Primary Volts

☒ KV☐ V

Secondary Volts

380

☐ KV☒ V

Transformer Mass

1,000

lbs ☐kg ☒tonne ☐

Cooling Type

ONAN ☒ONAF ☐OFAF ☐OWAF ☐LO ☐

Impedance

%

Phase/Cycle

1/50 Hz

3/50 Hz ☒

EQUIPMENT TYPE

☒ Main tank Transformer☐ LTC Compartment☐ Conservator for☐ Rectifier☐ Cable Box☐ Regulator☐ Switch☐ Precipitator☐ Others

TREATMENT HISTORY

Date of Latest Treatment Done

Treatment Done

Filtration ☐Oil Change ☐Regeneration ☐

REASON FOR TESTING

☒ Routine

Retest

Others

☐ Proof Purification / Reclamation

Plant No

Date Start

Date Finish

TRANSFORMER INFORMATION

Transformer

Energized ☒Not Energized ☐

Radiators

☒N/A ☐

Fans

☐N/A ☒

Water Cooled

☐N/A ☒

Oil Pumps

☐N/A ☒

Top FFV

inch

SV ☐F ☐P ☐V ☐LO ☐

Bottom FFV

inch

SV ☐F ☐P ☐V ☐LO ☐

Conservator

☒N ☐

Bucholz

☒N ☐Functioning ☐Y ☐N ☐

Nitrogen/Gas Seal

☒N ☐

Reading

LTC Compartment

☐N ☒

Bushing Location

Top ☒Side ☐Enclosed ☐

Free Breather

☒N ☐

Power Available

☐N ☒

If Yes, Load Amp

Amp

Power Cable Length

ft

Hose Length

ft

WEATHER / TIME SAMPLING

☐ Clear☐ Cloudy☐ Raining

AM

PM

KARL FISCHER

Note Oil temperature in sample bottle during sampling

Temperature

33.1 °C

VISUAL INSPECTION

Oil Level

High ☐Normal ☐Low ☐

Oil Temperature

°C

Winding Temperature

°C

Paint

Good ☐Fair ☐Poor ☐

LEAKS

a) Main tank cover

Y ☐N ☐

b) Bucholz relay

Y ☐N ☐

c) Outlet filter valve

Y ☐N ☐

d) Inlet filter valve

Y ☐N ☐

e) Radiator

Y ☐N ☐

f) Pressure Release Device

Y ☐N ☐

g) Conservator

Y ☐N ☐

h) Cable box

Y ☐N ☐

i) LTC Compartment

Y ☐N ☐

j) Others, please specify location

SILICA GEL

Good ☐Bad ☐None ☐

Name of samplers

Verified by client

FIELD REPORT OF TRANSFORMER SURVEY



TXM SERVICES SDN BHD

No. 6, Jalan Jandera, MC3 Seksyen U1, Hicom Glenmarie Industrial Park, 40150 Shah Alam, Selangor Darul Ehsan

TX UNIT NO.

T R A F O 4 E S P U N I T 2

TC 20

SERIAL
NUMBER

1 0 0 3 2

(Use Main Tank)

OIL QUANTITY 630 gal ☐ litre ☒ kg ☐ D

OFFICE USE

TC No

Customer

Current ☐ New ☐

Customer Number

CUSTOMER INFORMATION

Date

10/10/2019

Customer Name

PT IP UJP PLTU JERANJANG

City / State

MATARAM, LOMBOK

Substation Name

LOCATION

Indoor ☐☒ OutdoorOthers ☐

LIQUID TYPE

☒ Oil

Silicone

☐ Midei☐ Others

NAMEPLATE INFORMATION

Manufacturer

FUJIAN

Country of Origin

CHINA

Year Made

2010

Rating

72

☐ KVA☐ MVA

Primary Volts

72

☒ kV☐ V

Secondary Volts

380

☐ kV☒ VTransformer Mass 1,000 lbs ☒ kg ☐ tonne

Cooling Type

ONAN ☒ONAF ☐OFAF ☐OWAH ☐☐

Impedance

%

Phase/Cycle

1/50 Hz

3/50 Hz ☒

EQUIPMENT TYPE

☒ Main tank Transformer

LTC Compartment

Conservator for

Radiator

Cable Box

Regulator

Switch

Precipitator

Others

TREATMENT HISTORY

Date of Latest Treatment Done

Treatment Done

Filtration ☐Oil Change ☐Regeneration ☐

REASON FOR TESTING

☒ Routine

Re-test

☐ Others

Pre-t. Purification / Remediation

Plant No

Date Start

Date Finish

TRANSFORMER INFORMATION

Transformer

Energized ☒Not Energized ☐

Sensors

Y ☒N ☐

Fans

Y ☐N ☒

Water Cooled

Y ☐N ☒

Oil Pumps

Y ☐N ☒Top FPV inch SV ☐ F ☐ P ☐ V ☐ OBottom FPV inch SV ☐ F ☐ P ☐ V ☐ O

Conservator

Y ☒N ☐

Buchholz

Y ☒N ☐*Functioning Y ☐ N ☐

Nitrogen/Gas Seal

Y ☒N ☐

Reading

LTC Compartment

Y ☐N ☒

Bushing Location

Top ☒Side ☐Enclosed ☐

Free Breather

Y ☒N ☐

Power Available

Y ☐N ☒

If Yes Load Amp Amp

Cable Length ft

Hose Length ft

WEATHER / TIME SAMPLING

☐ Clear☐ Cloudy☐ Raining☐ AM☐ PM

KARL FISCHER

Note Oil temperature in sample bottle during sampling

Temperature

34 °C

VISUAL INSPECTION

Oil Level

High ☐Normal ☐Low ☐

Oil Temperature

°C

Winding Temperature

°C

Paint

Good ☐Fair ☐Poor ☐

LEAKS

a) Main tank cover

Y ☐N ☐

b) Bucholz relay

Y ☐N ☐

c) Outlet filter valve

Y ☐N ☐

d) Inlet filter valve

Y ☐N ☐

e) Radiator

Y ☐N ☐

f) Pressure Release Device

Y ☐N ☐

Conservator

Y ☐N ☐

h) Cable box

Y ☐N ☐

i) LTC Compartment

Y ☐N ☐

j) Others, please specify location

Y ☐N ☐

SILICA GEL

Good

Bad

☐ None

Name of samplers

Verified by client

FIELD REPORT OF TRANSFORMER SURVEY

TXM

TXM SERVICES SDN BHD

No.5, Jalan Jurdan 1/K23, Seksyen 11, Pusat Komersial Industrial Park, 40150 Shah Alam, Selangor Darul Ehsan

TX UNIT NO.

M A I N T R A F O U N I T 2

TC 21

SERIAL
NUMBER

(Use Main Tank)

1 0 0 6 9 0 2

OFFICE USE

TC No

Customer

☐ Current ☐ New

Customer Number

OIL QUANTITY 27 gal ☐ litre ☐ tonne ☒ kg ☐

CUSTOMER INFORMATION

Date

10/20

Customer Name

PT IP UJP PLTU JERANJANG

City / State

MATARAM, LOMBOK

Supplier Name

LOCATION

☐ Indoor☒ Outdoor☐ Others

LIQUID TYPE

☒ Oil☐ Midei☐ Silicone☐ Others

NAMEPLATE INFORMATION

Manufacturer

WOLONG

Country of Origin

CHINA

Year Made

2011

Rating

33

☐ KVA☒ MVA

Primary Volts

170

☒ kV☐ V

Secondary Volts

6.3

☒ kV☐ V

Transformer Mass

81

lbs ☐kg ☐tonne ☒☐

Cooling Type

ONAN ☐ONAF ☐OFAF ☒OWAF ☐☐

Impedance

13.03

%

Phase/Cycle

1/50 Hz ☐3/50 Hz ☒

EQUIPMENT TYPE

☒ Main tank Transformer☐ LTC Compartment☐ Conservator for☐ Rectifier☐ Cable Box☐ Regulator☐ Switch☐ Precipitator☐ Others

TREATMENT HISTORY

Date of Latest Treatment Done

Treatment Done

Filtration ☐Oil Change ☐Regeneration ☐

REASON FOR TESTING

☒ Routine

Retest

Others

Test Purification / Reclamation

Plant No

Date Start

Date Finish

TRANSFORMER INFORMATION

Transformer

Energized ☒Not Energized ☐

Radiators

Y ☒N ☐

Fans

Y ☒N ☐

Water Cooled

Y ☐N ☒

Oil Pumps

Y ☒N ☐

Top FPV

inch

SV ☐F ☐P ☐V ☐☐

Bottom FPV

inch

SV ☐F ☐P ☐V ☐☐

Conservator

Y ☒N ☐

Bucholz

Y ☒N ☐

*Functioning

Y ☐N ☐

Nitrogen/Gas Seal

Y ☒N ☐

Reading

LTC Compartment

Y ☒N ☐

Bushing Location

Top ☒Side ☐Enclosed ☐

Free Breather

Y ☒N ☐

Power Available

Y ☒N ☐

If Yes, Load Amp

100

Amp

Power Cable Length

150

ft

Hose Length

50

ft

WEATHER / TIME SAMPLING

☐ Clear☐ Cloudy☐ Raining☐ AM☐ PM

KARL FISCHER

Note: Oil temperature in sample bottle during sampling

Temperature

37

°C

VISUAL INSPECTION

Oil Level

High ☐Normal ☐Low ☐

Oil Temperature

°C

Winding Temperature

°C

Paint

Good ☐Fair ☐Poor ☐

LEAKS

a) Main tank cover

Y ☐

b) Bucholz relay

Y ☐N ☐

c) Outlet filter valve

Y ☐N ☐

d) Inlet filter valve

Y ☐N ☐

e) Radiator

Y ☐N ☐

f) Pressure Release Device

Y ☐N ☐

g) Conservator

Y ☐N ☐

h) Cable box

Y ☐N ☐

i) LTC Compartment

Y ☐N ☐

j) Others, please specify location

SILICA GEL

☐ Good☐ Bad☐ None

Name of samplers

Verified by client