

**Data Type: Predictive and Descriptive:** Nominal / categorical, binary and continuous

**Task:** Classification

**Attribute Type:** Categorical, continuous and binary

**Area:** Medical, health and social science

**Format Type:** Non-Matrix

**Does your data set contain missing values?** No

**Number of Instances (records in your data set):** 1054

**Number of Attributes (fields within each record):** 18 including the class variable

**Attribute Information:** For Further information about the attributes/feature see below table.

#### Attributes:

A1-A10: Items within [Q-Chat-10](#) in which questions possible answers : “Always, Usually, Sometimes, Rarely & Never” items’ values are mapped to “1” or “0” in the dataset. For questions 1-9 (A1-A9) in Q-chat-10, if the response was Sometimes / Rarely / Never “1” is assigned to the question (A1-A9). However, for question 10 (A10), if the response was Always / Usually / Sometimes then “1” is assigned to that question. If the user obtained More than 3 Add points together for all ten questions. If your child scores more than 3 (Q-chat-10- score) then there is a potential ASD traits otherwise no ASD traits are observed.

The remaining features in the datasets are collected from the “submit” screen in the [ASDTests screening app](#). It should be noted that the class variable was assigned automatically based on the score obtained by the user while undergoing the screening process using the ASDTests app.

#### Relevant Papers:

- 1) Tabtah, F. (2017). Autism Spectrum Disorder Screening: Machine Learning Adaptation and DSM-5 Fulfillment. Proceedings of the 1st International Conference on Medical and Health Informatics 2017, pp.1-6. Taichung City, Taiwan, ACM.
- 2) Tabtah, F. (2017). ASDTests. A mobile app for ASD screening. [www.asdtests.com](http://www.asdtests.com) [accessed December 20th, 2017].
- 3) Tabtah, F. (2017). Machine Learning in Autistic Spectrum Disorder Behavioural Research: A Review. Informatics for Health and Social Care Journal.
- 4) Tabtah F, Kamalov F., Rajab K (2018) A new computational intelligence approach to detect autistic features for autism screening. International Journal of Medical Informatics, Volume 117, pp. 112-124.

Table 1: Details of variables mapping to the Q-Chat-10 screening methods

Variable in Dataset	Corresponding Q-chat-10-Toddler Features
A1	Does your child look at you when you call his/her name?
A2	How easy is it for you to get eye contact with your child?
A3	Does your child point to indicate that s/he wants something? (e.g. a toy that is out of reach)
A4	Does your child point to share interest with you? (e.g. poin9ng at an interes9ng sight)
A5	Does your child pretend? (e.g. care for dolls, talk on a toy phone)
A6	Does your child follow where you're looking?
A7	If you or someone else in the family is visibly upset, does your child show signs of wan9ng to comfort them? (e.g. stroking hair, hugging them)
A8	Would you describe your child's first words as:
A9	Does your child use simple gestures? (e.g. wave goodbye)
A10	Does your child stare at nothing with no apparent purpose?

Table 2: Features collected and their descriptions

Feature	Type	Description
A1: Question 1 Answer	Binary (0, 1)	The answer code of the question based on the screening method used
A2: Question 2 Answer	Binary (0, 1)	The answer code of the question based on the screening method used
A3: Question 3 Answer	Binary (0, 1)	The answer code of the question based on the screening method used
A4: Question 4 Answer	Binary (0, 1)	The answer code of the question based on the screening method used
A5: Question 5 Answer	Binary (0, 1)	The answer code of the question based on the screening method used
A6: A6: Question 6 Answer	Binary (0, 1)	The answer code of the question based on the screening method used
A7: Question 7 Answer	Binary (0, 1)	The answer code of the question based on the screening method used
A8: Question 8 Answer	Binary (0, 1)	The answer code of the question based on the screening method used
A9: Question 9 Answer	Binary (0, 1)	The answer code of the question based on the screening method used
A:10 Question 10 Answer	Binary (0, 1)	The answer code of the question based on the screening method used
Age	Number	Toddlers (months)
Score by Q-chat-10	Number	1-10 (Less than or equal 3 no ASD traits; > 3 ASD traits)
Sex	Character	Male or Female
Ethnicity	String	List of common ethnicities in text format
Born with jaundice	Boolean (yes or no)	Whether the case was born with jaundice
Family member with ASD history	Boolean (yes or no)	Whether any immediate family member has a PDD
Who is completing the test	String	Parent, self, caregiver, medical staff, clinician ,etc.
Why_are_you_taken_the_screening	String	Use input textbox
Class variable	String	ASD traits or No ASD traits (automatically assigned by the ASDTests app). (Yes / No)