



Dokumentasi Postman

1. Register berhasil

Untuk penjual diinput rolenya karna dibikin default untuk pembeli.



Untuk pembeli



Register gagal

marketplace / User / register

POST http://127.0.0.1:8000/api/register

Params Authorization Headers (8) Body Pre-request Script Tests Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL

Key	Value	Description
<input checked="" type="checkbox"/> name	rizki	
<input checked="" type="checkbox"/> email	rizki@gmail.com	
<input checked="" type="checkbox"/> password	rizki1	
<input type="checkbox"/> role	penjual	

Body Cookies Headers (9) Test Results Status: 400 Bad Request Time: 253 ms Size: 454 B Save as example

Pretty Raw Preview Visualize JSON

```
1 {
2   "status": false,
3   "message": "Validation process failed",
4   "data": {
5     "email": [
6       "The email has already been taken."
7     ],
8     "password": [
9       "The password field must be at least 8 characters."
10    ]
11  }
12 }
```

Postbot Runner Start Proxy Cookies Trash ?

2. Login sukses

marketplace / User / login

POST http://127.0.0.1:8000/api/login

Params Authorization Headers (8) Body Pre-request Script Tests Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL

Key	Value	Description
<input checked="" type="checkbox"/> email	admin@gmail.com	
<input checked="" type="checkbox"/> password	admin123	
Key	Value	Description

Body Cookies Headers (9) Test Results Status: 200 OK Time: 573 ms Size: 376 B Save as example

Pretty Raw Preview Visualize JSON

```
1 {
2   "status": true,
3   "message": "Login Successful",
4   "token": "2|jQxrjGe1ej4U98fphC9pk2Geni4q5E9YXuGi48CZae89bce1"
5 }
```

Login gagal

marketplace / User / login

POST http://127.0.0.1:8000/api/login

Params Authorization Headers (8) **Body** Pre-request Script Tests Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL

Key	Value	Description
email	admin@gmail.com	
password	admn123	

Body Cookies Headers (9) Test Results Status: 401 Unauthorized Time: 554 ms Size: 354 B Save as example

Pretty Raw Preview Visualize JSON

```

1 {
2   "status": false,
3   "message": "The email and password entered are incorrect"
4 }
```

Postbot Runner Start Proxy Cookies Trash

3. Logout

marketplace / User / logout

POST http://127.0.0.1:8000/api/logout

Params **Authorization** Headers (8) Body Pre-request Script Tests Settings Cookies

Type Bearer T...
The authorization header will be automatically generated when you send the request. Learn more about [authorization](#)

Heads up! These parameters hold sensitive data. To keep this data secure while working in a collaborative environment, we recommend using variables. Learn more about [variables](#)

Token 3|LSa1Q7PoymKIVwVevDw4jjlwTym1vaJvk ...

Body Cookies Headers (9) Test Results Status: 200 OK Time: 212 ms Size: 304 B Save as example

Pretty Raw Preview Visualize JSON

```

1 {
2   "message": "Successfully Logout"
3 }
```

4. Create product sukses Penjual

marketplace / product / **product create**

POST http://127.0.0.1:8000/api/product **Send**

Params Authorization Headers (9) **Body** Pre-request Script Tests Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL

	Key	Value	Description	...	Bulk Edit
<input checked="" type="checkbox"/>	name	shampo			
<input checked="" type="checkbox"/>	price	25000			
<input checked="" type="checkbox"/>	description	250 ml			
	Key	Value	Description		

Body Cookies Headers (9) Test Results Status: 201 Created Time: 263 ms Size: 489 B Save as example

Pretty Raw Preview Visualize JSON

```
1 {
2   "status": true,
3   "message": "Product created successfully",
4   "data": {
5     "name": "shampo",
6     "price": "25000",
7     "description": "250 ml",
8     "updated_at": "2023-12-01T02:10:05.000000Z",
9     "created_at": "2023-12-01T02:10:05.000000Z",
10    "id": 1
11  }
```

Pembeli tidak ada akses

marketplace / product / **product create**

POST http://127.0.0.1:8000/api/product **Send**

Params **Authorization** Headers (9) Body Pre-request Script Tests Settings Cookies

Type Bearer T... *Heads up! These parameters hold sensitive data. To keep this data secure while working in a collaborative environment, we recommend using variables. Learn more about [variables](#)*

The authorization header will be automatically generated when you send the request. Learn more about [authorization](#)

Token 3|LSa1Q7PoymKIVwVevDw4jllwTym1vaJvk ...

Body Cookies Headers (9) Test Results Status: 401 Unauthorized Time: 237 ms Size: 319 B Save as example

Pretty Raw Preview Visualize JSON

```
1 {
2   "message": "Unauthorized | no access"
3 }
```

Postbot Runner Start Proxy Cookies Trash

Create product gagal

marketplace / product / **product create**

POST http://127.0.0.1:8000/api/product

Params Authorization Headers (9) **Body** Pre-request Script Tests Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL

Key	Value	Description
name	shamp	
price		
description		

Body Cookies Headers (9) Test Results Status: 400 Bad Request Time: 270 ms Size: 437 B Save as example

Pretty Raw Preview Visualize JSON

```
1 {
2   "status": false,
3   "message": "Validation process failed",
4   "data": {
5     "price": [
6       "The price field is required."
7     ],
8     "description": [
9       "The description field is required."
10    ]
11  }
```

5. Product list

marketplace / product / **product list**

GET http://127.0.0.1:8000/api/product

Params Authorization Headers (7) Body Pre-request Script Tests Settings Cookies

Type Bearer T... Heads up! These parameters hold sensitive data. To keep this data secure while working in a collaborative environment, we recommend using variables. Learn more about [variables](#)

The authorization header will be automatically generated when you send the request. Learn more about [authorization](#)

Token 2||QxrrjGelej4U98fphC9pk2Geni4q5E9YXuG...

Body Cookies Headers (9) Test Results Status: 200 OK Time: 235 ms Size: 1.03 KB Save as example

Pretty Raw Preview Visualize JSON

```
1 {
2   "status": true,
3   "message": "Data Product",
4   "data": [
5     {
6       "id": 3,
7       "name": "pisau",
8       "price": "5000",
9       "description": "-",
10      "created_at": "2023-12-01T02:18:05.000000Z",
11      "updated_at": "2023-12-01T02:18:05.000000Z"
12    },
13  ]
14 }
```

Postbot Runner Start Proxy Cookies Trash

6. Show satu product

marketplace / product / **product show**

GET http://127.0.0.1:8000/api/product/2 Send

Params Authorization Headers (7) Body Pre-request Script Tests Settings Cookies

Type Bearer T... Heads up! These parameters hold sensitive data. To keep this data secure while working in a collaborative environment, we recommend using variables. Learn more about [variables](#)

The authorization header will be automatically generated when you send the request. Learn more about [authorization](#)

Token 2||QxrfGelej4U98fphC9pk2Geni4q5E9YXuG...

Body Cookies Headers (9) Test Results Status: 200 OK Time: 217 ms Size: 467 B Save as example

Pretty Raw Preview Visualize JSON

```
1 {
2   "status": true,
3   "message": "Product details",
4   "data": {
5     "id": 2,
6     "name": "sabun",
7     "price": "5000",
8     "description": "nuvo",
9     "created_at": "2023-12-01T02:17:54.000000Z",
10    "updated_at": "2023-12-01T02:17:54.000000Z"
11  }
12 }
```

7. Product update Penjual :

marketplace / product / **product update**

PUT http://127.0.0.1:8000/api/product/2 Send

Params Authorization Headers (9) **Body** Pre-request Script Tests Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL

	Key	Value	Description	...	Bulk Edit
<input checked="" type="checkbox"/>	name	laptop asuz			
<input checked="" type="checkbox"/>	price	2000000			
<input checked="" type="checkbox"/>	description	core i5 gen 9			
	Key	Value	Description		

Body Cookies Headers (9) Test Results Status: 200 OK Time: 281 ms Size: 498 B Save as example

Pretty Raw Preview Visualize JSON

```
1 {
2   "status": true,
3   "message": "Product updated successfully",
4   "data": {
5     "id": 2,
6     "name": "laptop asuz",
7     "price": "2000000",
8     "description": "core i5 gen 9",
9     "created_at": "2023-12-01T02:17:54.000000Z",
10    "updated_at": "2023-12-01T02:21:26.000000Z"
11  }
12 }
```

Pembeli :

HTTP marketplace / product / **product update** Save Send

PUT http://127.0.0.1:8000/api/product/2 Send

Params **Authorization** Headers (9) Body Pre-request Script Tests Settings Cookies

Type Bearer T...

The authorization header will be automatically generated when you send the request. Learn more about [authorization](#)

Heads up! These parameters hold sensitive data. To keep this data secure while working in a collaborative environment, we recommend using variables. Learn more about [variables](#)

Token 3|LSal1Q7PoymKIVwVevDw4jllwTym1vaJvk ...

Body Cookies Headers (9) Test Results Status: 401 Unauthorized Time: 229 ms Size: 319 B Save as example

Pretty Raw Preview Visualize JSON Send

```

1
2  "message": "Unauthorized | no access"
3

```

8. Delete Product Penjual :

HTTP marketplace / product / **product delete** Save Send

DELETE http://127.0.0.1:8000/api/product/4 Send

Params **Authorization** Headers (7) Body Pre-request Script Tests Settings Cookies

Type Bearer T...

The authorization header will be automatically generated when you send the request. Learn more about [authorization](#)

Heads up! These parameters hold sensitive data. To keep this data secure while working in a collaborative environment, we recommend using variables. Learn more about [variables](#)

Token 2|jQxrjGelej4U98fphC9pk2Geni4q5E9YXuG ...

Body Cookies Headers (9) Test Results Status: 200 OK Time: 262 ms Size: 327 B Save as example

Pretty Raw Preview Visualize JSON Send

```

1
2  "status": true,
3  "message": "Product deleted successfully"
4

```

Pembeli :

HTTP marketplace / product / **product delete**

DELETE

http://127.0.0.1:8000/api/product/3

Send

Params

Authorization

Headers (7)

Body

Pre-request Script

Tests

Settings

Cookies

Type

Bearer T...

The authorization header will be automatically generated when you send the request. Learn more about [authorization](#)

Heads up! These parameters hold sensitive data. To keep this data secure while working in a collaborative environment, we recommend using variables. Learn more about [variables](#)

Token

3|LSa1Q7PoymKIVwVevDw4jjlwTym1vaJvk ...

Body

Cookies

Headers (9)

Test Results

Status: 401 Unauthorized

Time: 237 ms

Size: 319 B

Save as example

Pretty

Raw

Preview

Visualize

JSON

1


2

3

"message": "Unauthorized | no access"

Dokumentasi Testing

Berikut hasil testing :



The screenshot shows an IDE with a file explorer at the top containing: `hp`, `productController.php`, `ProductTest.php` (active), `Kernel.php`, `CheckPembeli.php`, `README.md`, and `TestCase.php`. The editor displays the following PHP code in `ProductTest.php`:

```
1 <?php
2
3 namespace Tests\Feature;
4
5 use App\Models\product;
6 use Illuminate\Foundation\Testing\RefreshDatabase;
7 use Illuminate\Foundation\Testing\WithFaker;
8 use Tests\TestCase;
9
```

The bottom panel shows the `TERMINAL` tab with the following output:

```
2019_08_19_000000_create_failed_jobs_table ..... 45ms DONE
2019_12_14_000001_create_personal_access_tokens_table ..... 54ms DONE
2023_11_30_214222_create_products_table ..... 7ms DONE

PS E:\laravel\marketplace> php artisan test

[WARN] Class ProductTest cannot be found in E:\laravel\marketplace\tests\Feature\ProductTest.php

[PASS] Tests\Unit\ExampleTest
✓ that true is true 0.01s

[PASS] Tests\Feature\UserTest
✓ it can register a user 0.56s
✓ it returns error on invalid login 0.23s

Tests: 3 passed (7 assertions)
Duration: 0.98s

PS E:\laravel\marketplace>
```

On the right side of the terminal, there is a dropdown menu with `php` and `powershell` options.