

SOURCE CODES

Login

```
<!--LOGIN PAGE-->

<!doctype html>

<html lang="en">

<head>

  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>
    GreenWood
  </title>
  <meta name="viewport" content="width=device-width, initial-scale=1">

  <link
href="https://cdn.jsdelivrivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet"
  integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTWfSpd3yD65VohhpuuCOMLASjC"
crossorigin="anonymous">
  <script
src="https://cdn.jsdelivrivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min
.js"
  integrity="sha384-
MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
crossorigin="anonymous"></script>

</head>

<body>

  <div class="bg m-15px"
```

```

    style="width: 100vw; height:100vh; background-color: rgb(8, 133, 21);
background-size: 100%; padding-top: 5vh;padding-bottom: 16vh;">

<!--MEMBER LOGIN FORM START FROM HERE -->

<section class="main_heading my-5">
  <div class="text-center">
    <h1 class="display-5" style="font-family:Tahoma, Geneva, Verdana,
sans-serif; color: rgb(210, 241, 210);">
      <b>Green Wood</b>
    </h1>
    <hr class="w-25 mx-auto" />
  </div>
</section>

<div class="container-fluid"
  style="background-color:white; height: auto; width : 444px; padding-
left: 72px; padding-right: 72px;padding-top: 1px; padding-bottom: 3px; border-
radius: 23px;">
  <section class="main_heading my-5">
    <div class="text-center">
      <h2 style="font-family:'Segoe UI', Tahoma, Geneva, Verdana, sans-
serif; color: rgb(40, 122, 7);"><b>Member
      Login</b></h2>

    </div>
  </section>

  <div class="form-floating mb-3">
    <input type="text" class="form-control" id="username"
placeholder="Username">
    <label for="floatingInput" id="username">Username</label>
  </div>
  <div style="margin-top: 25px;"></div>
  <div class="form-floating">
    <input type="password" class="form-control" id="password"
placeholder="Password">
    <label for="floatingPassword">Password</label>
  </div>
  <div class=lgn style="margin-top: 35px; margin-bottom: 75px;">
    <button type="button" class="btn btn-outline-success"
onclick="validate();" style="width: 300px;">Login</button>
  </div>
</div>

<!--MEMBER LOGIN FORM END HERE -->

```

```
</body>

<!--JAVA SCRIPT -->

<script>

    // FUNCTION FOR MEMBER LOGIN :

    function validate() {
        var id = document.getElementById("username").value;
        var ps = document.getElementById("password").value;

        if (id == 'green' && ps == '12345') {

            window.close("Login.html");

            window.open("Home.html");

        }
        else {

            alert("Wrong Username or Password!!");

        }
    }

</script>

</html>
```

Home Page

```
<!--HOME PAGE-->

<!doctype html>

<html lang="en">

<head>

  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>
    GreenWood
  </title>
  <meta name="viewport" content="width=device-width, initial-scale=1">

  <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet"
  integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTWfSpd3yD65VohhpuuCOMLASjC"
crossorigin="anonymous">
  <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min
.js"
  integrity="sha384-
Mrcw6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
  crossorigin="anonymous"></script>

</head>

<body>

  <div class="bg m-15px"
    style="width: 100vw; height:100vh; background-color: rgb(230, 238, 231);
background-size: 100%;padding-bottom: 16vh;">

    <!--NAVBAR START FROM HERE-->

    <nav class="navbar navbar-expand-lg navbar-dark" style="background-
color:rgb(21, 99, 5);">
      <div class="container-fluid">
        <a class="navbar-brand" href="Home.html"></a>
```

```

        <a href="Home.html" <p class="navbar-brand" style="color:white ;
height: 40px;width:auto;">Home</p>
        <button class="navbar-toggler" type="button" data-bs-
toggle="collapse"
        data-bs-target="#navbarSupportedContent" aria-
controls="navbarSupportedContent" aria-expanded="false"
        aria-label="Toggle navigation">
        <span class="navbar-toggler-icon"></span></a>
    </button>
    <div class="collapse navbar-collapse" id="navbarSupportedContent">
        <ul class="navbar-nav me-auto mb-2 mb-lg-0" style="margin-left:
20px;">

            <li class="nav-item dropdown">
                <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"
                aria-expanded="false">
                    Create Master
                </a>
                <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
                    <li><a class="dropdown-item" href="Product_Entry.html">Product
Entry</a></li>
                    <li><a class="dropdown-item"
href="Customer_Entry.html">Customer Entry</a></li>
                    <li><a class="dropdown-item"
href="Supplier_Entry.html">Supplier Entry</a></li>

                </ul>
            </li>
            <li class="nav-item dropdown">
                <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"
                aria-expanded="false">
                    Transaction
                </a>
                <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
                    <li><a class="dropdown-item"
href="Purchase_Entry.html">Purchase Entry</a></li>
                    <li><a class="dropdown-item" href="Sales_Entry.html">Sales
Entry</a></li>

                </ul>
            </li>
            <li class="nav-item dropdown">
                <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"

```

```

        aria-expanded="false">
        Master
    </a>
    <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
        <li><a class="dropdown-item"
href="CustomerMaster.html">Customer Master</a></li>
        <li><a class="dropdown-item"
href="SupplierMaster.html">Supplier Master</a></li>
        <li><a class="dropdown-item" href="ProductMaster.html">Product
Master</a></li>

    </ul>
</li>
<li class="nav-item dropdown">
    <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"
    aria-expanded="false">
        Report
    </a>
    <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
        <li><a class="dropdown-item" href="SalesRegister.html">Sales
Register</a></li>
        <li><a class="dropdown-item"
href="PurchaseRegister.html">Purchase Register</a></li>
        <li><a class="dropdown-item" href="StockStatus.html">Stock
Status</a></li>
        <li><a class="dropdown-item" href="StockIn.html">Stock In
Report</a></li>
        <li><a class="dropdown-item" href="StockOut.html">Stock Out
Report</a></li>
    </ul>
</li>
<li class="nav-item dropdown">
    <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"
    aria-expanded="false">
        Documents
    </a>
    <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
        <li><a class="dropdown-item"
href="PurchaseInvoice.html">Purchase Invoice</a></li>
        <li><a class="dropdown-item" href="SalesInvoice.html">Sales
Invoice</a></li>

    </ul>
<li class="nav-item">

```

```

        <a class="nav-link ms-2" aria-current="page"
href="UserManual.pdf" target="_blank">Help</a>
    </li>
</ul>

    <form class="d-flex" style="margin-right: 25px;">

        <a href="Login.html" <button class="btn btn-outline-success"
style="color: white;"
        type="submit">Logout</button>
    </form></a>
    </form>
</div>
</div>
</nav>

<!--NAVBAR END HERE-->

<div>

    <!--CAROUSEL START FROM HERE-->

    <div id="carouselExampleCaptions" class="carousel slide" data-bs-
ride="carousel">
        <div class="carousel-indicators">
            <button type="button" data-bs-target="#carouselExampleCaptions"
data-bs-slide-to="0" class="active"
                aria-current="true" aria-label="Slide 1"></button>
            <button type="button" data-bs-target="#carouselExampleCaptions"
data-bs-slide-to="1"
                aria-label="Slide 2"></button>
            <button type="button" data-bs-target="#carouselExampleCaptions"
data-bs-slide-to="2"
                aria-label="Slide 3"></button>
            <button type="button" data-bs-target="#carouselExampleCaptions"
data-bs-slide-to="3"
                aria-label="Slide 4"></button>
            <button type="button" data-bs-target="#carouselExampleCaptions"
data-bs-slide-to="4"
                aria-label="Slide 5"></button>
            <button type="button" data-bs-target="#carouselExampleCaptions"
data-bs-slide-to="5"
                aria-label="Slide 6"></button>
            <button type="button" data-bs-target="#carouselExampleCaptions"
data-bs-slide-to="6"
                aria-label="Slide 7"></button>

```

```

        <button type="button" data-bs-target="#carouselExampleCaptions"
data-bs-slide-to="7"
        aria-label="Slide 8"></button>
        <button type="button" data-bs-target="#carouselExampleCaptions"
data-bs-slide-to="8"
        aria-label="Slide 9"></button>

    </div>

    <div class="carousel-inner">
        <div class="carousel-item active">
            
            <div class="carousel-caption d-none d-md-block">
                <h5
                    style="background-color:rgb(21, 99, 5) ; width: 250px; border-
radius: 15px; border: solid; border-color: white; padding-top:15px;">
                    Green Wood
                    <pre>The Furniture World</pre>
                </h5>
            </div>
        </div>
        <div class="carousel-item">
            
            <div class="carousel-caption d-none d-md-block">
                <h5
                    style="background-color:rgb(21, 99, 5) ; width: 250px; border-
radius: 15px; border: solid; border-color: white; padding-top:15px;">
                    Green Wood
                    <pre>The Furniture World</pre>
                </h5>
            </div>
        </div>
        <div class="carousel-item">
            
            <div class="carousel-caption d-none d-md-block">
                <h5
                    style="background-color:rgb(21, 99, 5) ; width: 250px; border-
radius: 15px; border: solid; border-color: white; padding-top:15px;">
                    Green Wood
                    <pre>The Furniture World</pre>
                </h5>
            </div>
        </div>
    </div>

```



```

        </div>
    </div>
    <div class="carousel-item">
        
        <div class="carousel-caption d-none d-md-block">
            <h5
                style="background-color:rgb(21, 99, 5) ; width: 250px; border-
radius: 15px; border: solid; border-color: white; padding-top:15px;">
                Green Wood
            <pre>The Furniture World</pre>
            </h5>
        </div>
    </div>

    <div class="carousel-item">
        
        <div class="carousel-caption d-none d-md-block">
            <h5
                style="background-color:rgb(21, 99, 5) ; width: 250px; border-
radius: 15px; border: solid; border-color: white; padding-top:15px;">
                Green Wood
            <pre>The Furniture World</pre>
            </h5>
        </div>
    </div>

    <div class="carousel-item">
        
        <div class="carousel-caption d-none d-md-block">
            <h5
                style="background-color:rgb(21, 99, 5) ; width: 250px; border-
radius: 15px; border: solid; border-color: white; padding-top:15px;">
                Green Wood
            <pre>The Furniture World</pre>
            </h5>
        </div>
    </div>

    <div class="carousel-item">
        
        <div class="carousel-caption d-none d-md-block">
            <h5
                style="background-color:rgb(21, 99, 5) ; width: 250px; border-
radius: 15px; border: solid; border-color: white; padding-top:15px;">
                Green Wood
            <pre>The Furniture World</pre>
            </h5>
        </div>
    </div>

```

```

        </h5>
      </div>
    </div>
    <div class="carousel-item">
      
      <div class="carousel-caption d-none d-md-block">
        <h5
          style="background-color:rgb(21, 99, 5) ; width: 250px; border-
radius: 15px; border: solid; border-color: white; padding-top:15px;">
          Green Wood
          <pre>The Furniture World</pre>
        </h5>
      </div>
    </div>
    <div class="carousel-item">
      
      <div class="carousel-caption d-none d-md-block">
        <h5
          style="background-color:rgb(21, 99, 5) ; width: 250px; border-
radius: 15px; border: solid; border-color: white; padding-top:15px;">
          Green Wood
          <pre>The Furniture World</pre>
        </h5>
      </div>
    </div>
    </div>
    <button class="carousel-control-prev" type="button" data-bs-
target="#carouselExampleCaptions"
    data-bs-slide="prev">
      <span class="carousel-control-prev-icon" aria-hidden="true"></span>
      <span class="visually-hidden">Previous</span>
    </button>
    <button class="carousel-control-next" type="button" data-bs-
target="#carouselExampleCaptions"
    data-bs-slide="next">
      <span class="carousel-control-next-icon" aria-hidden="true"></span>
      <span class="visually-hidden">Next</span>
    </button>
  </div>
</div>
<!--CAROUSEL END HERE-->

</body>

<!--JAVASCRIPT-->

```

```
<script>

  //CAROUSEL SETTINGS:

  var myCarousel = document.querySelector('#carouselExampleCaptions')
  var carousel = new bootstrap.Carousel(myCarousel, {
    interval: 3000,

  })</script>

</html>
```

Customer Entry

```
<!--CUSTOMER DETAILS ENTRY PAGE-->

<!doctype html>

<html lang="en">

<head>

  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>
    GreenWood
  </title>
  <meta name="viewport" content="width=device-width, initial-scale=1">

  <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet"
  integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous">
  <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min
.js"
  integrity="sha384-
Mrcw6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
  crossorigin="anonymous"></script>

</head>

<body>

  <div class="bg m-15px"
  style="width: 100vw; height:100vh; background-color: rgb(230, 238, 231);
background-size: 100%;padding-bottom: 16vh;">

    <!--NAVBAR START FROM HERE-->

    <nav class="navbar navbar-expand-lg navbar-dark" style="background-
color:rgb(21, 99, 5);">
      <div class="container-fluid">
        <a class="navbar-brand" href="Home.html"></a>
```

```

        <a href="Home.html" <p class="navbar-brand" style="color:white ;
height: 40px;width:auto;">Home</p>
        <button class="navbar-toggler" type="button" data-bs-
toggle="collapse"
        data-bs-target="#navbarSupportedContent" aria-
controls="navbarSupportedContent" aria-expanded="false"
        aria-label="Toggle navigation">
        <span class="navbar-toggler-icon"></span></a>
    </button>
    <div class="collapse navbar-collapse" id="navbarSupportedContent">
        <ul class="navbar-nav me-auto mb-2 mb-lg-0" style="margin-left:
20px;">

            <li class="nav-item dropdown">
                <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"
                aria-expanded="false">
                    Create Master
                </a>
                <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
                    <li><a class="dropdown-item" href="Product_Entry.html">Product
Entry</a></li>
                    <li><a class="dropdown-item"
href="Customer_Entry.html">Customer Entry</a></li>
                    <li><a class="dropdown-item"
href="Supplier_Entry.html">Supplier Entry</a></li>

                </ul>
            </li>
            <li class="nav-item dropdown">
                <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"
                aria-expanded="false">
                    Transaction
                </a>
                <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
                    <li><a class="dropdown-item"
href="Purchase_Entry.html">Purchase Entry</a></li>
                    <li><a class="dropdown-item" href="Sales_Entry.html">Sales
Entry</a></li>

                </ul>
            </li>
            <li class="nav-item dropdown">
                <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"

```

```

        aria-expanded="false">
        Master
    </a>
    <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
        <li><a class="dropdown-item"
href="CustomerMaster.html">Customer Master</a></li>
        <li><a class="dropdown-item"
href="SupplierMaster.html">Supplier Master</a></li>
        <li><a class="dropdown-item" href="ProductMaster.html">Product
Master</a></li>

    </ul>
</li>
<li class="nav-item dropdown">
    <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"
    aria-expanded="false">
    Report
    </a>
    <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
        <li><a class="dropdown-item" href="SalesRegister.html">Sales
Register</a></li>
        <li><a class="dropdown-item"
href="PurchaseRegister.html">Purchase Register</a></li>
        <li><a class="dropdown-item" href="StockStatus.html">Stock
Status</a></li>
        <li><a class="dropdown-item" href="StockIn.html">Stock In
Report</a></li>
        <li><a class="dropdown-item" href="StockOut.html">Stock Out
Report</a></li>
    </ul>
</li>
<li class="nav-item dropdown">
    <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"
    aria-expanded="false">
    Documents
    </a>
    <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
        <li><a class="dropdown-item"
href="PurchaseInvoice.html">Purchase Invoice</a></li>
        <li><a class="dropdown-item" href="SalesInvoice.html">Sales
Invoice</a></li>

    </ul>
<li class="nav-item">

```

```

        <a class="nav-link ms-2" aria-current="page"
href="UserManual.pdf" target="_blank">Help</a>
    </li>
</ul>

    <form class="d-flex" style="margin-right: 25px;">

        <a href="Login.html" <button class="btn btn-outline-success"
style="color: white;"
        type="submit">Logout</button>
    </form></a>
    </form>
</div>
</div>
</nav>

<!--NAVBAR END HERE-->

<div class="bg m-15px"
    style="width: 100vw; height:90vh; background-color: rgb(244, 245, 227);
background-size: 100%; padding-top: 9vh;">

    <!--CUSTOMER DETAILS ENTRY FORM START FROM HERE-->

    <div class="container-fluid"
        style="background-color:white; height: auto; width : 550px; padding-
left: 72px; padding-right: 72px;padding-top: 1px; padding-bottom: px; border-
radius: 23px; border-style: solid; border-color: rgb(22, 109, 4);">
        <section class="main_heading my-5">
            <div class="text-center">
                <h2 style="font-family:'Segoe UI', Tahoma, Geneva, Verdana, sans-
serif; color: rgb(40, 122, 7);"><b>Customer
                Entry</b></h2>

            </div>
        </section>

        <form class="row g-3">
            <div class="col-md-6">
                <label for="inputEmail4" class="form-label"></label>
                <input type="email" class="form-control" id="cn"
placeholder="Name">
            </div>

```

```

        <div class="col-md-6">
            <label for="inputEmail4" class="form-label"></label>
            <input type="email" class="form-control" id="cgst"
placeholder="GSTIN">
        </div>
        <div class="col-12">
            <label for="inputAddress" class="form-label"></label>
            <input type="text" class="form-control" id="cad"
placeholder=Address>
        </div>
        <div class="col-12">
            <label for="inputAddress2" class="form-label"> </label>
            <input type="text" class="form-control" id="cln"
placeholder=Line2>
        </div>
        <div class="col-md-4">
            <label for="inputCity" class="form-label"></label>
            <input type="text" class="form-control" id="ccity"
placeholder="City">
        </div>
        <div class="col-md-4">
            <label for="inputZip" class="form-label"></label>
            <input type="text" class="form-control" id="cpin"
placeholder="Pincode">
        </div>
        <div class="col-md-4">
            <label for="inputZip" class="form-label"></label>
            <input type="text" class="form-control" id="cmob"
placeholder="Mobile No.">
        </div>

        <div class="row g-3" style="margin-left:35px ;">
            <div class="col-6">
                <button type="button" class="btn btn-outline-success"
onclick="InsertCustomerDetails();"
                style="width: 100px;margin-bottom: 40px; margin-top:
40px;">Save</button>
            </div>

            <div class="col-6">
                <button type="button" class="btn btn-outline-success"
onclick="clr();"
                style="width: 100px; margin-bottom: 40px; margin-top:
40px;">Clear</button>
            </div>
        </div>

```



```
        </form>
    </div>

    <!--CUSTOMER DETAILS ENTRY FORM END HERE-->

</body>

<!--JAVA SCRIPT :-->

<script>

    // CONNECTING TO DATABASE:

    var db = openDatabase('FS', '1.0', 'Test DB', 2 * 1024 * 1024);

    // FUNCTION FOR INSERTING CUSTOMER DETIALS INTO DATABASE:
    function InsertCustomerDetails() {

        var cn = document.getElementById("cn").value;
        var cgst = document.getElementById("cgst").value;
        var cadd = document.getElementById("cad").value;
        var cadd2 = document.getElementById("cIn").value;
        var ccity = document.getElementById("ccity").value;
        var cpin = document.getElementById("cpin").value;
        var cmob = document.getElementById("cmob").value;

        if (cn == "" || cgst == "" || cadd == "" || cadd2 == "" || ccity == "" ||
cpin == "" || cmob == "") {

            window.alert("Please Fill All The Details Properly!")
        }

        else {

            db.transaction(function (tx) {
```

```
        tx.executeSql('CREATE TABLE IF NOT EXISTS Customer(cname, cgst,
caddress, cline, ccity, cpincode,cmobile)');
        tx.executeSql('INSERT INTO Customer (cname, cgst, caddress, cline,
ccity, cpincode,cmobile) VALUES("'" + cn + "','" + cgst + "','" + cadd + "','"
+ cadd2 + "','" + ccity + "','" + cpin + "','" + cmob + "'"');
        window.alert("Customer Details Added!!")

        clr();

    });
}

}

// FUNCTION FOR CLEARING THE RECORD:

function clr() {
    document.getElementById("cn").value = ""
    document.getElementById("cgst").value = ""
    document.getElementById("cad").value = ""
    document.getElementById("cln").value = ""
    document.getElementById("ccity").value = ""
    document.getElementById("cpin").value = ""
    document.getElementById("cmob").value = ""

}

</script>

</html>
```

Supplier Entry

```
<!--SUPPLIER DETAILS ENTRY PAGE-->

<!doctype html>

<html lang="en">

<head>

  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>
    GreenWood
  </title>
  <meta name="viewport" content="width=device-width, initial-scale=1">

  <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet"
    integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTWfSpd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous">
  <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min
.js"
    integrity="sha384-
Mrcw6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
    crossorigin="anonymous"></script>

</head>

<body>

  <div class="bg m-15px"
    style="width: 100vw; height:100vh; background-color: rgb(230, 238, 231);
background-size: 100%;padding-bottom: 16vh;">

    <!--NAVBAR START FROM HERE-->

    <nav class="navbar navbar-expand-lg navbar-dark" style="background-
color:rgb(21, 99, 5);">
      <div class="container-fluid">
        <a class="navbar-brand" href="Home.html"></a>
```

```

        <a href="Home.html" <p class="navbar-brand" style="color:white ;
height: 40px;width:auto;">Home</p>
        <button class="navbar-toggler" type="button" data-bs-
toggle="collapse"
        data-bs-target="#navbarSupportedContent" aria-
controls="navbarSupportedContent" aria-expanded="false"
        aria-label="Toggle navigation">
        <span class="navbar-toggler-icon"></span></a>
    </button>
    <div class="collapse navbar-collapse" id="navbarSupportedContent">
        <ul class="navbar-nav me-auto mb-2 mb-lg-0" style="margin-left:
20px;">

            <li class="nav-item dropdown">
                <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"
                aria-expanded="false">
                    Create Master
                </a>
                <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
                    <li><a class="dropdown-item" href="Product_Entry.html">Product
Entry</a></li>
                    <li><a class="dropdown-item"
href="Customer_Entry.html">Customer Entry</a></li>
                    <li><a class="dropdown-item"
href="Supplier_Entry.html">Supplier Entry</a></li>

                </ul>
            </li>
            <li class="nav-item dropdown">
                <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"
                aria-expanded="false">
                    Transaction
                </a>
                <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
                    <li><a class="dropdown-item"
href="Purchase_Entry.html">Purchase Entry</a></li>
                    <li><a class="dropdown-item" href="Sales_Entry.html">Sales
Entry</a></li>

                </ul>
            </li>
            <li class="nav-item dropdown">
                <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"

```

```

        aria-expanded="false">
        Master
    </a>
    <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
        <li><a class="dropdown-item"
href="CustomerMaster.html">Customer Master</a></li>
        <li><a class="dropdown-item"
href="SupplierMaster.html">Supplier Master</a></li>
        <li><a class="dropdown-item" href="ProductMaster.html">Product
Master</a></li>

    </ul>
</li>
<li class="nav-item dropdown">
    <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"
    aria-expanded="false">
        Report
    </a>
    <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
        <li><a class="dropdown-item" href="SalesRegister.html">Sales
Register</a></li>
        <li><a class="dropdown-item"
href="PurchaseRegister.html">Purchase Register</a></li>
        <li><a class="dropdown-item" href="StockStatus.html">Stock
Status</a></li>
        <li><a class="dropdown-item" href="StockIn.html">Stock In
Report</a></li>
        <li><a class="dropdown-item" href="StockOut.html">Stock Out
Report</a></li>
    </ul>
</li>
<li class="nav-item dropdown">
    <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"
    aria-expanded="false">
        Documents
    </a>
    <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
        <li><a class="dropdown-item"
href="PurchaseInvoice.html">Purchase Invoice</a></li>
        <li><a class="dropdown-item" href="SalesInvoice.html">Sales
Invoice</a></li>

    </ul>
<li class="nav-item">

```

```

        <a class="nav-link ms-2" aria-current="page"
href="UserManual.pdf" target="_blank">Help</a>
    </li>
</ul>

    <form class="d-flex" style="margin-right: 25px;">

        <a href="Login.html" <button class="btn btn-outline-success"
style="color: white;"
        type="submit">Logout</button>
    </form></a>
    </form>
</div>
</div>
</nav>

<!--NAVBAR END HERE-->

<div class="bg m-15px"
    style="width: 100vw; height:90vh; background-color: rgb(244, 245, 227);
background-size: 100%; padding-top: 9vh;">

    <!--SUPPLIER DETAILS ENTRY FORM START FROM HERE-->

    <div class="container-fluid"
        style="background-color:white; height: auto; width : 550px; padding-
left: 72px; padding-right: 72px;padding-top: 1px; padding-bottom: px; border-
radius: 23px; border-style: solid; border-color: rgb(22, 109, 4);">
        <section class="main_heading my-5">
            <div class="text-center">
                <h2 style="font-family:'Segoe UI', Tahoma, Geneva, Verdana, sans-
serif; color: rgb(40, 122, 7);"><b>Supplier
                Entry</b></h2>

            </div>
        </section>

        <form class="row g-3">
            <div class="col-md-6">
                <label for="inputEmail4" class="form-label"></label>
                <input type="email" class="form-control" id="snm"
placeholder="Name">
            </div>

```

```

        <div class="col-md-6">
            <label for="inputEmail4" class="form-label"></label>
            <input type="email" class="form-control" id="sgst"
placeholder="GSTIN">
        </div>
        <div class="col-12">
            <label for="inputAddress" class="form-label"></label>
            <input type="text" class="form-control" id="sad"
placeholder=Address>
        </div>
        <div class="col-12">
            <label for="inputAddress2" class="form-label"> </label>
            <input type="text" class="form-control" id="sln"
placeholder=Line2>
        </div>
        <div class="col-md-4">
            <label for="inputCity" class="form-label"></label>
            <input type="text" class="form-control" id="scity"
placeholder="City">
        </div>
        <div class="col-md-4">
            <label for="inputZip" class="form-label"></label>
            <input type="text" class="form-control" id="spin"
placeholder="Pincode">
        </div>
        <div class="col-md-4">
            <label for="inputZip" class="form-label"></label>
            <input type="text" class="form-control" id="smob"
placeholder="Mobile No.">
        </div>

        <div class="row g-3" style="margin-left:35px ;">
            <div class="col-6">
                <button type="button" class="btn btn-outline-success"
onclick="InsertSupplierDetails();"
                style="width: 100px;margin-bottom: 40px; margin-top:
40px;">Save</button>
            </div>

            <div class="col-6">
                <button type="button" class="btn btn-outline-success"
onclick="clr();"
                style="width: 100px; margin-bottom: 40px; margin-top:
40px;">Clear</button>
            </div>
        </div>

```

```
        </form>
    </div>

    <!--SUPPLIER DETAILS ENTRY FORM END HERE-->
</body>

<!--JAVA SCRIPT :-->

<script>

    // CONNECTING TO DATABASE:

    var db = openDatabase('FS', '1.0', 'Test DB', 2 * 1024 * 1024);

    // FUNCTION FOR INSERTING SUPPLIER DETIALS INTO DATABASE:

    function InsertSupplierDetails() {

        var sn = document.getElementById("snm").value;
        var sgst = document.getElementById("sgst").value;
        var sadd = document.getElementById("sad").value;
        var sadd2 = document.getElementById("sln").value;
        var scity = document.getElementById("scity").value;
        var spin = document.getElementById("spin").value;
        var smob = document.getElementById("smob").value;

        if (sn == "" || sgst == "" || sadd == "" || sadd2 == "" || scity == "" ||
spin == "" || smob == "") {

            window.alert("Please Fill All The Details Properly!")
        }

        else {

            db.transaction(function (tx) {
                tx.executeSql('CREATE TABLE IF NOT EXISTS Supplier(sname, sgst,
saddress, sline, scity, spincode,smobile)');
            });
        }
    }
}
```



```
        tx.executeSql('INSERT INTO Supplier (sname, sgst, saddress, sline,
scity, spincod,smobile) VALUES('' + sn + ',' + sgst + ',' + sadd + ',' +
+ sadd2 + ',' + scity + ',' + spin + ',' + smob + ')');
        window.alert("Supplier Details Added!!")

        window.open("Supplier_Entry.html");
        window.close("Supplier_Entry.html");

    });
}

}

// FUNCTION FOR CLEARING THE RECORD:

function clr() {

    document.getElementById("snm").value = ""
    document.getElementById("sgst").value = ""
    document.getElementById("sad").value = ""
    document.getElementById("sln").value = ""
    document.getElementById("scity").value = ""
    document.getElementById("spin").value = ""
    document.getElementById("smob").value = ""

}

</script>

</html>
```

Product Entry

```
<!--PRODUCT DETAILS ENTRY PAGE -->

<!doctype html>

<html lang="en">

<head>

  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>
    GreenWood
  </title>
  <meta name="viewport" content="width=device-width, initial-scale=1">

  <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet"
    integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTWfSpd3yD65VohhpuuCOMLASjC"
crossorigin="anonymous">
  <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min
.js"
    integrity="sha384-
Mrcw6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
    crossorigin="anonymous"></script>

</head>

<body>

  <div class="bg m-15px"
    style="width: 100vw; height:100vh; background-color: rgb(230, 238, 231);
background-size: 100%;padding-bottom: 16vh;">

    <!--NAVBAR START FROM HERE-->

    <nav class="navbar navbar-expand-lg navbar-dark" style="background-
color:rgb(21, 99, 5);">
      <div class="container-fluid">
        <a class="navbar-brand" href="Home.html"></a>
```

```

        <a href="Home.html" <p class="navbar-brand" style="color:white ;
height: 40px;width:auto;">Home</p>
        <button class="navbar-toggler" type="button" data-bs-
toggle="collapse"
        data-bs-target="#navbarSupportedContent" aria-
controls="navbarSupportedContent" aria-expanded="false"
        aria-label="Toggle navigation">
        <span class="navbar-toggler-icon"></span></a>
    </button>
    <div class="collapse navbar-collapse" id="navbarSupportedContent">
        <ul class="navbar-nav me-auto mb-2 mb-lg-0" style="margin-left:
20px;">

            <li class="nav-item dropdown">
                <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"
                aria-expanded="false">
                    Create Master
                </a>
                <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
                    <li><a class="dropdown-item" href="Product_Entry.html">Product
Entry</a></li>
                    <li><a class="dropdown-item"
href="Customer_Entry.html">Customer Entry</a></li>
                    <li><a class="dropdown-item"
href="Supplier_Entry.html">Supplier Entry</a></li>

                </ul>
            </li>
            <li class="nav-item dropdown">
                <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"
                aria-expanded="false">
                    Transaction
                </a>
                <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
                    <li><a class="dropdown-item"
href="Purchase_Entry.html">Purchase Entry</a></li>
                    <li><a class="dropdown-item" href="Sales_Entry.html">Sales
Entry</a></li>

                </ul>
            </li>
            <li class="nav-item dropdown">
                <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"

```

```

        aria-expanded="false">
        Master
    </a>
    <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
        <li><a class="dropdown-item"
href="CustomerMaster.html">Customer Master</a></li>
        <li><a class="dropdown-item"
href="SupplierMaster.html">Supplier Master</a></li>
        <li><a class="dropdown-item" href="ProductMaster.html">Product
Master</a></li>

    </ul>
</li>
<li class="nav-item dropdown">
    <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"
    aria-expanded="false">
        Report
    </a>
    <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
        <li><a class="dropdown-item" href="SalesRegister.html">Sales
Register</a></li>
        <li><a class="dropdown-item"
href="PurchaseRegister.html">Purchase Register</a></li>
        <li><a class="dropdown-item" href="StockStatus.html">Stock
Status</a></li>
        <li><a class="dropdown-item" href="StockIn.html">Stock In
Report</a></li>
        <li><a class="dropdown-item" href="StockOut.html">Stock Out
Report</a></li>
    </ul>
</li>
<li class="nav-item dropdown">
    <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"
    aria-expanded="false">
        Documents
    </a>
    <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
        <li><a class="dropdown-item"
href="PurchaseInvoice.html">Purchase Invoice</a></li>
        <li><a class="dropdown-item" href="SalesInvoice.html">Sales
Invoice</a></li>

    </ul>
<li class="nav-item">

```

```

        <a class="nav-link ms-2" aria-current="page"
href="UserManual.pdf" target="_blank">Help</a>
    </li>
</ul>

    <form class="d-flex" style="margin-right: 25px;">

        <a href="Login.html" <button class="btn btn-outline-success"
style="color: white;"
        type="submit">Logout</button>
    </form></a>
    </form>
</div>
</div>
</nav>

<!--NAVBAR END HERE-->

<div class="bg m-15px"
    style="width: 100vw; height:90vh; background-color: rgb(244, 245, 227);
background-size: 100%; padding-top: 20vh;">

    <!--PRODUCT DETAILS ENTRY FORM START FROM HERE-->

    <div class="container-fluid"
        style="background-color:white; height: auto; width : 470px; padding-
left: 72px; padding-right: 72px;padding-top: 1px; padding-bottom: px; border-
radius: 23px; border-style: solid; border-color: rgb(22, 109, 4);">
        <section class="main_heading my-5">
            <div class="text-center">
                <h2 style="font-family:'Segoe UI', Tahoma, Geneva, Verdana, sans-
serif; color: rgb(40, 122, 7);"><b>Product
                Entry</b></h2>

            </div>
        </section>

        <div class="row g-3">
            <div class="col">
                <input type="text" class="form-control" id="pn"
placeholder="Product Name" aria-label="Product Name">
            </div>

```

```

        <div class="row g-3">
            <div class="col-4">
                <input type="text" class="form-control" id="hsn"
placeholder="HSN Code" aria-label="HSN Code"
                style="width:110px ;">
            </div>
            <div class="col" style="margin-left:50px ; margin-right: px;">
                <input type="number" class="form-control" id="mrp"
placeholder="MRP" aria-label="MRP" style="width:92px">
            </div>

            <div class="row g-3">
                <div class="col">
                    <input type="number" class="form-control" id="pr"
placeholder="Purchase Rate" aria-label="Purchase Rate"
                    style="width:140px ;">
                </div>

                <div class="col">
                    <input type="number" class="form-control" id="sr"
placeholder="Sales Rate" aria-label="Sales Rate"
                    style="width:120px; margin-left: 3px;">
                </div>
            </div>
            <div class="row g-3" style="margin-left:20px ;">
                <div class="col">
                    <button type="button" class="btn btn-outline-success"
onclick="InsertProduct();"
                    style="width: 100px;margin-bottom: 40px; margin-top:
40px;">Save</button>
                </div>

                <div class="col">
                    <button type="button" class="btn btn-outline-success"
onclick="clr();"
                    style="width: 100px; margin-bottom: 40px; margin-top:
40px;">Clear</button>
                </div>
            </div>

            <!--PRODUCT DETAILS ENTRY FORM END HERE-->

</body>

```

```
<!--JAVA SCRIPT-->

<script>

//CONNECTING TO DATABASE:

var db = openDatabase('FS', '1.0', 'Test DB', 2 * 1024 * 1024);

// FUNCTION FOR INSERTING PRODUCT DETAILS INTO DATABASE:

function InsertProduct() {

    var pn = document.getElementById("pn").value;
    var hsn = document.getElementById("hsn").value;
    var mrp = document.getElementById("mrp").value;

    var pr = document.getElementById("pr").value;
    var sr = document.getElementById("sr").value;

    if (pn == "" || hsn == "" || mrp == "" || pr == "" || sr == "") {

        window.alert("Please Fill All The Details Properly!")
    }

    else {
        var quantity = 0;
        db.transaction(function (tx) {
            tx.executeSql('CREATE TABLE IF NOT EXISTS ProductMaster(pname,
hsncode, mrp, qty, prate, srate)');
            tx.executeSql('INSERT INTO ProductMaster (pname, hsncode, mrp, qty,
prate, srate) VALUES(' + pn + ', ' + hsn + ', ' + mrp + ', ' + quantity +
', ' + pr + ', ' + sr + ')');
            window.alert("Product Added!!")

            clr();
        });
    }
}
```

```
    });  
  }  
  
}  
  
// FUNCTION FOR CLEARING THE FORM:  
  
function clr() {  
  
    document.getElementById("pn").value = ""  
    document.getElementById("hsn").value = ""  
    document.getElementById("mrp").value = ""  
    document.getElementById("pr").value = ""  
    document.getElementById("sr").value = ""  
  
}  
  
</script>  
</html>
```


Purchase Entry

```
<!--PURCHASE ENTRY PAGE -->

<!doctype html>

<html lang="en">

<head>

  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>
    GreenWood
  </title>
  <meta name="viewport" content="width=device-width, initial-scale=1">

  <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet"
    integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTWfSpd3yD65VohhpuuCOMLASjC"
crossorigin="anonymous">
  <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min
.js"
    integrity="sha384-
Mrcw6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
    crossorigin="anonymous"></script>

</head>

<body>

  <div class="bg m-15px"
    style="width: 100vw; height:100vh; background-color: rgb(230, 238, 231);
background-size: 100%;padding-bottom: 16vh;">

    <!--NAVBAR START FROM HERE-->

    <nav class="navbar navbar-expand-lg navbar-dark" style="background-
color:rgb(21, 99, 5);">
      <div class="container-fluid">
        <a class="navbar-brand" href="Home.html"></a>
```

```

        <a href="Home.html" <p class="navbar-brand" style="color:white ;
height: 40px;width:auto;">Home</p>
        <button class="navbar-toggler" type="button" data-bs-
toggle="collapse"
        data-bs-target="#navbarSupportedContent" aria-
controls="navbarSupportedContent" aria-expanded="false"
        aria-label="Toggle navigation">
        <span class="navbar-toggler-icon"></span></a>
    </button>
    <div class="collapse navbar-collapse" id="navbarSupportedContent">
        <ul class="navbar-nav me-auto mb-2 mb-lg-0" style="margin-left:
20px;">

            <li class="nav-item dropdown">
                <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"
                aria-expanded="false">
                    Create Master
                </a>
                <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
                    <li><a class="dropdown-item" href="Product_Entry.html">Product
Entry</a></li>
                    <li><a class="dropdown-item"
href="Customer_Entry.html">Customer Entry</a></li>
                    <li><a class="dropdown-item"
href="Supplier_Entry.html">Supplier Entry</a></li>

                </ul>
            </li>
            <li class="nav-item dropdown">
                <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"
                aria-expanded="false">
                    Transaction
                </a>
                <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
                    <li><a class="dropdown-item"
href="Purchase_Entry.html">Purchase Entry</a></li>
                    <li><a class="dropdown-item" href="Sales_Entry.html">Sales
Entry</a></li>

                </ul>
            </li>
            <li class="nav-item dropdown">
                <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"

```

```

        aria-expanded="false">
        Master
    </a>
    <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
        <li><a class="dropdown-item"
href="CustomerMaster.html">Customer Master</a></li>
        <li><a class="dropdown-item"
href="SupplierMaster.html">Supplier Master</a></li>
        <li><a class="dropdown-item" href="ProductMaster.html">Product
Master</a></li>

    </ul>
</li>
<li class="nav-item dropdown">
    <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"
    aria-expanded="false">
        Report
    </a>
    <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
        <li><a class="dropdown-item" href="SalesRegister.html">Sales
Register</a></li>
        <li><a class="dropdown-item"
href="PurchaseRegister.html">Purchase Register</a></li>
        <li><a class="dropdown-item" href="StockStatus.html">Stock
Status</a></li>
        <li><a class="dropdown-item" href="StockIn.html">Stock In
Report</a></li>
        <li><a class="dropdown-item" href="StockOut.html">Stock Out
Report</a></li>
    </ul>
</li>
<li class="nav-item dropdown">
    <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"
    aria-expanded="false">
        Documents
    </a>
    <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
        <li><a class="dropdown-item"
href="PurchaseInvoice.html">Purchase Invoice</a></li>
        <li><a class="dropdown-item" href="SalesInvoice.html">Sales
Invoice</a></li>

    </ul>
<li class="nav-item">

```

```

        <a class="nav-link ms-2" aria-current="page"
href="UserManual.pdf" target="_blank">Help</a>
    </li>
</ul>

    <form class="d-flex" style="margin-right: 25px;">

        <a href="Login.html" <button class="btn btn-outline-success"
style="color: white;"
        type="submit">Logout</button>
    </form></a>
    </form>
</div>
</div>
</nav>

<!--NAVBAR END HERE-->

<div class="bg m-15px"
    style="width: 100vw; height:auto; background-color: rgb(244, 245, 227);
background-size: 100%; padding-top: 5vh;">

    <!--PURCHASE ENTRY FORM START FROM HERE-->

    <div class="container-fluid"
        style="background-color:white; height: auto; width : 700px; padding-
left: 72px; padding-right: 72px; border-radius: 23px; border-style: solid;
border-color: rgb(22, 109, 4);">
        <section class="main_heading" style="margin-top:15px ;">
            <div class="text-center">
                <h2 style="font-family:'Segoe UI', Tahoma, Geneva, Verdana, sans-
serif; color: rgb(40, 122, 7);"><b>Purchase
                    Entry</b></h2>

            </div>
        </section>

        <form class="row g">
            <div class="col-md-6">
                <label for="inputEmail4" class="form-label"></label>
                <class="form-control" id="inputEmail4">

```

```

        <select class="form-select" id="slct" onchange="pn();" aria-
label="Default select example">
            <option selected>Supplier Name</option>

        </select>
    </div>
    <div class="col-md-6">
        <label for="inputEmail4" class="form-label"></label>
        <input type="email" class="form-control" id="gstn"
placeholder="GSTIN">
    </div>
    <div class="col-12">
        <label for="inputAddress" class="form-label"></label>
        <input type="text" class="form-control" id="adr"
placeholder=Address>
    </div>
    <div class="col-12">
        <label for="inputAddress2" class="form-label"> </label>
        <input type="text" class="form-control" id="adr2"
placeholder=Line2>
    </div>
    <div class="col-md-4">
        <label for="inputCity" class="form-label"></label>
        <input type="text" class="form-control" id="city"
placeholder="City">
    </div>
    <div class="col-md-4">
        <label for="inputZip" class="form-label"></label>
        <input type="text" class="form-control" id="zip"
placeholder="Pincode">

    </div>
    <div class="col-md-4">
        <label for="inputZip" class="form-label"></label>
        <input type="text" class="form-control" id="mob"
placeholder="Mobile No.">
    </div>

    <table class="table" style="margin-top: 15px;margin-bottom: -10px;">
        <thead>
            <tr>
                <th scope="col">Sr.No</th>
                <th scope="col">Product Description</th>
                <th scope="col">QTY</th>

            </tr>
        </thead>

```

```
<tbody>

</tbody>
</table>

<div class="col-md-2">
  <label for="inputCity" class="form-label"></label>
  <input type="text" class="form-control" id="sr1" placeholder="">
</div>
<div class="col-md-8">
  <label for="inputZip" class="form-label"></label>
  <select class="form-select" id="select1" onchange="pn1();" aria-label="Default select example">
    <option selected></option>

  </select>

</div>
<div class="col-md-2">
  <label for="inputZip" class="form-label"></label>
  <input type="number" class="form-control" id="qt1" placeholder="">
</div>

<div class="col-md-2">
  <label for="inputCity" class="form-label"></label>
  <input type="text" class="form-control" id="sr2" placeholder="">
</div>
<div class="col-md-8">
  <label for="inputZip" class="form-label"></label>
  <select class="form-select" id="select2" onchange="pn2();" aria-label="Default select example">
    <option selected></option>

  </select>

</div>
<div class="col-md-2">
  <label for="inputZip" class="form-label"></label>
  <input type="number" class="form-control" id="qt2" placeholder="">
</div>

<div class="col-md-2">
  <label for="inputCity" class="form-label"></label>
  <input type="text" class="form-control" id="sr3" placeholder="">
</div>
```

```

        <div class="col-md-8">
            <label for="inputZip" class="form-label"></label>
            <select class="form-select" id="select3" onchange="pn3();" aria-
label="Default select example">
                <option selected></option>

            </select>

        </div>
        <div class="col-md-2">
            <label for="inputZip" class="form-label"></label>
            <input type="number" class="form-control" id="qt3" placeholder="">
        </div>

        <div class="col-md-2">
            <label for="inputCity" class="form-label"></label>
            <input type="text" class="form-control" id="sr4" placeholder="">
        </div>
        <div class="col-md-8">
            <label for="inputZip" class="form-label"></label>
            <select class="form-select" id="select4" onchange="pn4();" aria-
label="Default select example">
                <option selected></option>

            </select>

        </div>
        <div class="col-md-2">
            <label for="inputZip" class="form-label"></label>
            <input type="number" class="form-control" id="qt4" placeholder="">
        </div>

        <div class="col-md-2">
            <label for="inputCity" class="form-label"></label>
            <input type="text" class="form-control" id="sr5" placeholder="">
        </div>
        <div class="col-md-8">
            <label for="inputZip" class="form-label"></label>
            <select class="form-select" id="select5" onchange="pn5();" aria-
label="Default select example">
                <option selected></option>

            </select>

        </div>
        <div class="col-md-2">
            <label for="inputZip" class="form-label"></label>

```

```

        <input type="number" class="form-control" id="qt5" placeholder="">
    </div>

    <div class="row g" style="margin-left:35px ;">
        <div class="col-6">
            <button type="button" class="btn btn-outline-success"
onclick="GenerateInvoice();"
            style="width: 200px;margin-bottom: 40px; margin-top:
40px;">Save</button>
        </div>

        <div class="col-6">
            <button type="button" class="btn btn-outline-success"
onclick="clr();"
            style="width: 200px; margin-bottom: 40px; margin-top:
40px;">Clear</button>
        </div>

    </div>
</form>
</div>

<!--PURCHASE ENTRY FORM END HERE-->

</body>

<!--JAVA SCRIPT-->

<script>

    //CONNECTING TO DATABASE AND EXECUTING QUIRIES:
    var db = openDatabase('FS', '1.0', 'Test DB', 2 * 1024 * 1024);

    db.transaction(function (tx) {
        tx.executeSql('SELECT * FROM Supplier', [], function (tx, results) {
            var len = results.rows.length, i, srn;
            var str = '';
            for (i = 0; i < len; i++) {

                srn = i + 1;

```



```

        sname = results.rows.item(i).sname;

        str += "<option value= " + srn + ">" + sname + "</td>";

        document.getElementById("slct").innerHTML += str;
        str = '';
    }

    }, null);
});

```

```
// DESABLE FUNCTION:
```

```

function disable() {
    document.getElementById("select1").disabled = true;
    document.getElementById("sr1").disabled = true;
    document.getElementById("qt1").disabled = true;

    document.getElementById("select2").disabled = true;
    document.getElementById("sr2").disabled = true;
    document.getElementById("qt2").disabled = true;

    document.getElementById("select3").disabled = true;
    document.getElementById("sr3").disabled = true;
    document.getElementById("qt3").disabled = true;

    document.getElementById("select4").disabled = true;
    document.getElementById("sr4").disabled = true;
    document.getElementById("qt4").disabled = true;

    document.getElementById("select5").disabled = true;
    document.getElementById("sr5").disabled = true;
    document.getElementById("qt5").disabled = true;

}

```

```
disable();
```

```
//FUNCTION FOR THE SUPPLIER DETAILS:
```

```

function pn() {

    var select = document.getElementById('slct');
    var sn = select.options[select.selectedIndex].text;

```

```
if (sn == "Supplier Name") {

    document.getElementById("gstn").value = ""
    document.getElementById("adr").value = ""
    document.getElementById("adr2").value = ""
    document.getElementById("city").value = ""
    document.getElementById("zip").value = ""
    document.getElementById("mob").value = ""

    disable();

}

else {
    db.transaction(function (tx) {
        tx.executeSql('SELECT * FROM Supplier WHERE sname=?', [sn], function
(tx, results) {
            var len = results.rows.length, i, srn;
            var str = '';

            srn = 1

            ssnames = results.rows.item(i).sname;
            ssgst = results.rows.item(i).sgst;
            ssadress = results.rows.item(i).saddress;
            ssline = results.rows.item(i).sline;
            sscity = results.rows.item(i).scity;
            sspin = results.rows.item(i).spincode;
            ssmob = results.rows.item(i).smobile;

            document.getElementById("gstn").value = "" + ssgst + ""
            document.getElementById("adr").value = "" + ssadress + ""
            document.getElementById("adr2").value = "" + ssline + ""
            document.getElementById("city").value = "" + sscity + ""
            document.getElementById("zip").value = "" + sspin + ""
            document.getElementById("mob").value = "" + ssmob + ""

        }, null);
    });
}
```

```

    if (sn == "Supplier Name" || gstn == "" || adr == "" || adr2 == "" || city
== "" || zip == "" || mob == "") {
        document.getElementById("sr1").value = "";
        document.getElementById("select1").value = "";
        document.getElementById("qt1").value = "";

        document.getElementById("sr2").value = "";
        document.getElementById("select2").value = "";
        document.getElementById("qt2").value = "";

        document.getElementById("sr3").value = "";
        document.getElementById("select3").value = "";
        document.getElementById("qt3").value = "";

        document.getElementById("sr4").value = "";
        document.getElementById("select4").value = "";
        document.getElementById("qt4").value = "";

        document.getElementById("sr5").value = "";
        document.getElementById("select5").value = "";
        document.getElementById("qt5").value = "";

        disable();
    }
    else {

        document.getElementById("select1").disabled = false;
        document.getElementById("sr1").disabled = false;
        document.getElementById("qt1").disabled = false;

    }
}

db.transaction(function (tx) {
    tx.executeSql('SELECT * FROM ProductMaster', [], function (tx, results) {
        var len = results.rows.length, i, srn;
        var str = '';
        for (i = 0; i < len; i++) {

            srn = i + 1;
            ppname = results.rows.item(i).pname;

```

```

        str += "<option value= " + srn + ">" + ppname + "</td>";

        document.getElementById("select1").innerHTML += str;
        document.getElementById("select2").innerHTML += str;
        document.getElementById("select3").innerHTML += str;
        document.getElementById("select4").innerHTML += str;
        document.getElementById("select5").innerHTML += str;

        str = '';
    }

    }, null);
});

//FUNCTIONS FOR THE PRODUCTS SELECTION:

function pn1() {

    var select = document.getElementById('select1');
    var pnam = select.options[select.selectedIndex].text;

    if (pnam == "") {

        document.getElementById("sr1").value = "";
        document.getElementById("qt1").value = ""

        document.getElementById("sr2").value = "";
        document.getElementById("select2").value = "";
        document.getElementById("qt2").value = "";

        document.getElementById("sr3").value = "";
        document.getElementById("select3").value = "";
        document.getElementById("qt3").value = "";

        document.getElementById("sr4").value = "";
        document.getElementById("select4").value = "";
        document.getElementById("qt4").value = "";

        document.getElementById("sr5").value = "";
        document.getElementById("select5").value = "";
    }
}

```

```
document.getElementById("qt5").value = "";

document.getElementById("select2").disabled = true;
document.getElementById("sr2").disabled = true;
document.getElementById("qt2").disabled = true;
document.getElementById("select3").disabled = true;
document.getElementById("sr3").disabled = true;
document.getElementById("qt3").disabled = true;
document.getElementById("select4").disabled = true;
document.getElementById("sr4").disabled = true;
document.getElementById("qt4").disabled = true;
document.getElementById("select5").disabled = true;
document.getElementById("sr5").disabled = true;
document.getElementById("qt5").disabled = true;

}

else {

    document.getElementById("sr1").value = "    1"

}

if (pnam == "") {

}
else {

    document.getElementById("select2").disabled = false;
    document.getElementById("sr2").disabled = false;
    document.getElementById("qt2").disabled = false;

}

}

function pn2() {
```

```
var select = document.getElementById('select2');
var pnam1 = select.options[select.selectedIndex].text;

if (pnam1 == "") {

    document.getElementById("sr2").value = "";
    document.getElementById("qt2").value = "";
    document.getElementById("sr3").value = "";
    document.getElementById("select3").value = "";
    document.getElementById("qt3").value = "";

    document.getElementById("sr4").value = "";
    document.getElementById("select4").value = "";
    document.getElementById("qt4").value = "";

    document.getElementById("sr5").value = "";
    document.getElementById("select5").value = "";
    document.getElementById("qt5").value = "";

    document.getElementById("select3").disabled = true;
    document.getElementById("sr3").disabled = true;
    document.getElementById("qt3").disabled = true;
    document.getElementById("select4").disabled = true;
    document.getElementById("sr4").disabled = true;
    document.getElementById("qt4").disabled = true;
    document.getElementById("select5").disabled = true;
    document.getElementById("sr5").disabled = true;
    document.getElementById("qt5").disabled = true;

}
else {

    document.getElementById("sr2").value = "    2"

}

if (pnam1 == "") {

}
else {
```

```
document.getElementById("select3").disabled = false;
document.getElementById("sr3").disabled = false;
document.getElementById("qt3").disabled = false;

}

}
function pn3() {

var select = document.getElementById('select3');
var pnam3 = select.options[select.selectedIndex].text;

if (pnam3 == "") {

document.getElementById("sr3").value = ""
document.getElementById("qt3").value = ""
document.getElementById("sr4").value = "";
document.getElementById("select4").value = "";
document.getElementById("qt4").value = "";

document.getElementById("sr5").value = "";
document.getElementById("select5").value = "";
document.getElementById("qt5").value = "";

document.getElementById("select4").disabled = true;
document.getElementById("sr4").disabled = true;
document.getElementById("qt4").disabled = true;
document.getElementById("select5").disabled = true;
document.getElementById("sr5").disabled = true;
document.getElementById("qt5").disabled = true;
}

else {

document.getElementById("sr3").value = " 3"
```

```
}

if (pnam3 == "") {

}
else {

    document.getElementById("select4").disabled = false;
    document.getElementById("sr4").disabled = false;
    document.getElementById("qt4").disabled = false;

}
}

function pn4() {

    var select = document.getElementById('select4');
    var pnam4 = select.options[select.selectedIndex].text;

    if (pnam4 == "") {

        document.getElementById("sr4").value = ""
        document.getElementById("qt4").value = ""
        document.getElementById("sr5").value = "";
        document.getElementById("select5").value = "";
        document.getElementById("qt5").value = "";
        document.getElementById("select5").disabled = true;
        document.getElementById("sr5").disabled = true;
        document.getElementById("qt5").disabled = true;
    }

    else {

        document.getElementById("sr4").value = "    4"

    }
    if (pnam4 == "") {
```



```
}
else {

    document.getElementById("select5").disabled = false;
    document.getElementById("sr5").disabled = false;
    document.getElementById("qt5").disabled = false;

}

}

function pn5() {

    var select = document.getElementById('select5');
    var pnam5 = select.options[select.selectedIndex].text;

    if (pnam5 == "") {

        document.getElementById("sr5").value = ""
        document.getElementById("qt5").value = ""

    }

    else {

        document.getElementById("sr5").value = "    5"

    }

}

// FUNCTION FOR SAVING THE INVOICE:

function GenerateInvoice() {

    var currentdate = new Date();
var datetime = currentdate.getDate() + "/" + (currentdate.getMonth()+1)
```

```

+ "/" + currentdate.getFullYear() + " "
+ currentdate.getHours() + ":"
+ currentdate.getMinutes() + ":" + currentdate.getSeconds();

    qt1 = document.getElementById("qt1").value;
    var qtt1 = parseInt(qt1);
    qt2 = document.getElementById("qt2").value;
    var qtt2 = parseInt(qt2);
    qt3 = document.getElementById("qt3").value;
    var qtt3 = parseInt(qt3);
    qt4 = document.getElementById("qt4").value;
    var qtt4 = parseInt(qt4);
    qt5 = document.getElementById("qt5").value;
    var qtt5 = parseInt(qt5);
    var select = document.getElementById('slct');
    var sn = select.options[select.selectedIndex].text;

    var select = document.getElementById('select1');
    var pnam = select.options[select.selectedIndex].text;

    var select = document.getElementById('select2');
    var pnam1 = select.options[select.selectedIndex].text;

    var select = document.getElementById('select3');
    var pnam3 = select.options[select.selectedIndex].text;

    var select = document.getElementById('select4');
    var pnam4 = select.options[select.selectedIndex].text;

    var select = document.getElementById('select5');
    var pnam5 = select.options[select.selectedIndex].text;

    if (sn == "Supplier Name" || gstn == "" || adr == "" || adr2 == "" || city
    == "" || zip == "" || mob == "") {

        alert("Please Fill Supplier Details Properly!");
    }

    else if (sr1 == "" || select1 == "" || qt1 == "") {

        alert("Please Add Product");
    }

```

```

    }

    else if (sr2 == "" || select2 == "" || qt2 == "") {

        //PRODUCT 1:

        db.transaction(function (tx) {
            tx.executeSql('SELECT * FROM ProductMaster WHERE pname=?', [pnam],
function (tx, results) {
                var len = results.rows.length, i;
                quantity1 = results.rows.item(i).qty;
                var qty1 = parseInt(quantity1);

                prate1 = results.rows.item(i).prate;
                txbl1 = (prate1 * qt1);

                tax = (txbl1 * 18 / 100);
                total = (txbl1 + tax);
                qty1 = (qty1 + qtt1);
            });
        });

        db.transaction(function (tx) {
            tx.executeSql('CREATE TABLE IF NOT EXISTS PurchaseInvoice(date,
partyname, taxable, tax,total)');
            tx.executeSql('CREATE TABLE IF NOT EXISTS
PorductWisePurchaseInvoice(date,partyname, product,qty)');
            tx.executeSql('INSERT INTO PorductWisePurchaseInvoice(date,partyname,
product,qty) VALUES (" + datetime + "','" + sn + "','" + pnam + "','" + qt1 +
'")');
            tx.executeSql('update ProductMaster set qty=? where  pname=?', [qty1,
pnam]);
            tx.executeSql('INSERT INTO PurchaseInvoice(date, partyname, taxable,
tax,total) VALUES(" + datetime + "','" + sn + "','" + txbl1 + "','" + tax +
'"," + total + '")');

            alert("Purchase Invoice Generated");
            clr();

        });

    }

    else if (sr3 == "" || select3 == "" || qt3 == "") {

```

```

    db.transaction(function (tx) {

        //PRODUCT 1:

        tx.executeSql('SELECT * FROM ProductMaster WHERE pname=?', [pname],
function (tx, results) {
            var len = results.rows.length, i;
            quantity1 = results.rows.item(i).qty;
            var qty1 = parseInt(quantity1);

            prate1 = results.rows.item(i).prate;
            txbl1 = (prate1 * qt1);

            tax1 = (txbl1 * 18 / 100);

            total1 = (txbl1 + tax1);

            qty1 = (qty1 + qtt1);

        });
    });

    db.transaction(function (tx) {
        tx.executeSql('CREATE TABLE IF NOT EXISTS PurchaseInvoice(date,
partyname, taxable, tax,total)');
        tx.executeSql('CREATE TABLE IF NOT EXISTS
PorductWisePurchaseInvoice(date,partyname, product,qty)');
        tx.executeSql('INSERT INTO PorductWisePurchaseInvoice(date,partyname,
product,qty) VALUES (" + datetime + "," + sn + "," + pname + "," + qt1 +
"')');
        tx.executeSql('update ProductMaster set qty=? where  pname=?', [qty1,
pname]);
    });

    //PRODUCT 2:
    db.transaction(function (tx) {
        tx.executeSql('SELECT * FROM ProductMaster WHERE pname=?', [pname1],
function (tx, results) {
            var len = results.rows.length, i;
            quantity2 = results.rows.item(i).qty;
            var qty2 = parseInt(quantity2);

```

```

        prate2 = results.rows.item(i).prate;
        txbl2 = (prate2 * qt2);
        tax2 = (txbl2 * 18 / 100);
        total2 = (txbl2 + tax2);
        txbl = (txbl1 + txbl2);
        tax = (tax1 + tax2);
        total = (total1 + total2);
        qty2 = (qnty2 + qtt2);
    });
});

    db.transaction(function (tx) {
        tx.executeSql('INSERT INTO PorductWisePurchaseInvoice(date,partyname,
product,qty) VALUES (' + datetime + ',' + sn + ',' + pnam1 + ',' + qt2
+ '"));
        tx.executeSql('update ProductMaster set qty=? where pname=?', [qty2,
pnam1]);

        tx.executeSql('INSERT INTO PurchaseInvoice(date, partyname, taxable,
tax,total) VALUES(' + datetime + ',' + sn + ',' + txbl + ',' + tax +
',' + total + '"));

        alert("Purchase Invoice Generated");
        clr();

    });

}

else if (sr4 == "" || select4 == "" || qt4 == "") {

    db.transaction(function (tx) {

        //PRODUCT 1:

        tx.executeSql('SELECT * FROM ProductMaster WHERE pname=?', [pnam],
function (tx, results) {
            var len = results.rows.length, i;
            quantity1 = results.rows.item(i).qty;
            var qnty1 = parseInt(quantity1);

```

```

        prate1 = results.rows.item(i).prate;
        txbl1 = (prate1 * qt1);

        tax1 = (txbl1 * 18 / 100);

        total1 = (txbl1 + tax1);

        qty1 = (qnty1 + qtt1);

    });
});

db.transaction(function (tx) {
    tx.executeSql('CREATE TABLE IF NOT EXISTS PurchaseInvoice(date,
partyname, taxable, tax,total)');
    tx.executeSql('CREATE TABLE IF NOT EXISTS
PorductWisePurchaseInvoice(date,partyname, product,qty)');
    tx.executeSql('INSERT INTO PorductWisePurchaseInvoice(date,partyname,
product,qty) VALUES (" + datetime + "'," + sn + "'," + pnam + "'," + qt1 +
"')');
    tx.executeSql('update ProductMaster set qty=? where pname=?', [qty1,
pnam]);
});

//PRODUCT 2:
db.transaction(function (tx) {
    tx.executeSql('SELECT * FROM ProductMaster WHERE pname=?', [pnam1],
function (tx, results) {
        var len = results.rows.length, i;
        quantity2 = results.rows.item(i).qty;
        var qnty2 = parseInt(quantity2);

        prate2 = results.rows.item(i).prate;
        txbl2 = (prate2 * qt2);

        tax2 = (txbl2 * 18 / 100);

        total2 = (txbl2 + tax2);

        qty2 = (qnty2 + qtt2);

    });
});

```

```

        db.transaction(function (tx) {
            tx.executeSql('CREATE TABLE IF NOT EXISTS PurchaseInvoice(date,
partyname, taxable, tax,total)');
            tx.executeSql('CREATE TABLE IF NOT EXISTS
PorductWisePurchaseInvoice(date,partyname, product,qty)');
            tx.executeSql('INSERT INTO PorductWisePurchaseInvoice(date,partyname,
product,qty) VALUES (' + datetime + ',' + sn + ',' + pnam1 + ',' + qt2
+ '")');
            tx.executeSql('update ProductMaster set qty=? where pname=?', [qty2,
pnam1]);
        });

        //PRODUCT 3:
        db.transaction(function (tx) {
            tx.executeSql('SELECT * FROM ProductMaster WHERE pname=?', [pnam3],
function (tx, results) {
                var len = results.rows.length, i;
                quantity3 = results.rows.item(i).qty;
                var qnty3 = parseInt(quantity3);

                prate3 = results.rows.item(i).prate;
                txbl3 = (prate3 * qt3);
                tax3 = (txbl3 * 18 / 100);
                total3 = (txbl3 + tax3);
                txbl = (txbl1 + txbl2 + txbl3);
                tax = (tax1 + tax2 + tax3);
                total = (total1 + total2 + total3);
                qty3 = (qnty3 + qtt3);
            });
        });

        db.transaction(function (tx) {
            tx.executeSql('INSERT INTO PorductWisePurchaseInvoice(date,partyname,
product,qty) VALUES (' + datetime + ',' + sn + ',' + pnam3 + ',' + qt3
+ '")');
            tx.executeSql('update ProductMaster set qty=? where pname=?', [qty3,
pnam3]);

            tx.executeSql('INSERT INTO PurchaseInvoice(date, partyname, taxable,
tax,total) VALUES(' + datetime + ',' + sn + ',' + txbl + ',' + tax +
',' + total + '")');

            alert("Purchase Invoice Generated");
            clr();
        });
    }
}

```

```

    });

    }

    else if (sr5 == "" || select5 == "" || qt5 == "") {

        db.transaction(function (tx) {

            //PRODUCT 1:

            tx.executeSql('SELECT * FROM ProductMaster WHERE pname=?', [pname],
function (tx, results) {
                var len = results.rows.length, i;
                quantity1 = results.rows.item(i).qty;
                var qty1 = parseInt(quantity1);

                prate1 = results.rows.item(i).prate;
                txbl1 = (prate1 * qt1);

                tax1 = (txbl1 * 18 / 100);

                total1 = (txbl1 + tax1);

                qty1 = (qty1 + qtt1);

            });
        });

        db.transaction(function (tx) {
            tx.executeSql('CREATE TABLE IF NOT EXISTS PurchaseInvoice(date,
partyname, taxable, tax,total)');
            tx.executeSql('CREATE TABLE IF NOT EXISTS
PorductWisePurchaseInvoice(date,partyname, product,qty)');
            tx.executeSql('INSERT INTO PorductWisePurchaseInvoice(date,partyname,
product,qty) VALUES (' + datetime + ',' + sn + ',' + pname + ',' + qt1 +
'')');
            tx.executeSql('update ProductMaster set qty=? where  pname=?', [qty1,
pname]);
        });

        //PRODUCT 2:

```



```

        db.transaction(function (tx) {
            tx.executeSql('SELECT * FROM ProductMaster WHERE pname=?', [pnam1],
function (tx, results) {
                var len = results.rows.length, i;
                quantity2 = results.rows.item(i).qty;
                var qty2 = parseInt(quantity2);

                prate2 = results.rows.item(i).prate;
                txbl2 = (prate2 * qt2);

                tax2 = (txbl2 * 18 / 100);

                total2 = (txbl2 + tax2);

                qty2 = (qty2 + qtt2);

            });
        });

        db.transaction(function (tx) {
            tx.executeSql('CREATE TABLE IF NOT EXISTS PurchaseInvoice(date,
partyname, taxable, tax,total)');
            tx.executeSql('CREATE TABLE IF NOT EXISTS
PorductWisePurchaseInvoice(date,partyname, product,qty)');
            tx.executeSql('INSERT INTO PorductWisePurchaseInvoice(date,partyname,
product,qty) VALUES (' + datetime + ',' + sn + ',' + pnam1 + ',' + qt2
+ ')');
            tx.executeSql('update ProductMaster set qty=? where  pname=?', [qty2,
pnam1]);
        });

        //PRODUCT 3:
        db.transaction(function (tx) {
            tx.executeSql('SELECT * FROM ProductMaster WHERE pname=?', [pnam3],
function (tx, results) {
                var len = results.rows.length, i;
                quantity3 = results.rows.item(i).qty;
                var qty3 = parseInt(quantity3);

                prate3 = results.rows.item(i).prate;
                txbl3 = (prate3 * qt3);

                tax3 = (txbl3 * 18 / 100);

                total3 = (txbl3 + tax3);
            });
        });

```

```

        qty3 = (qty3 + qtt3);

    });
});

db.transaction(function (tx) {
    tx.executeSql('CREATE TABLE IF NOT EXISTS PurchaseInvoice(date,
partyname, taxable, tax,total)');
    tx.executeSql('CREATE TABLE IF NOT EXISTS
PorductWisePurchaseInvoice(date,partyname, product,qty)');
    tx.executeSql('INSERT INTO PorductWisePurchaseInvoice(date,partyname,
product,qty) VALUES (' + datetime + ',' + sn + ',' + pnam3 + ',' + qt3
+ '")');
    tx.executeSql('update ProductMaster set qty=? where pname=?', [qty3,
pnam3]);
});

//PRODUCT 4:
db.transaction(function (tx) {
    tx.executeSql('SELECT * FROM ProductMaster WHERE pname=?', [pnam4],
function (tx, results) {
        var len = results.rows.length, i;
        quantity4 = results.rows.item(i).qty;
        var qty4 = parseInt(quantity4);

        prate4 = results.rows.item(i).prate;
        txbl4 = (prate4 * qt4);
        tax4 = (txbl4 * 18 / 100);
        total4 = (txbl4 + tax4);
        txbl = (txbl1 + txbl2 + txbl3 + txbl4);
        tax = (tax1 + tax2 + tax3 + tax4);
        total = (total1 + total2 + total3 + total4);
        qty4 = (qty4 + qtt4);
    });
});

db.transaction(function (tx) {
    tx.executeSql('INSERT INTO PorductWisePurchaseInvoice(date,partyname,
product,qty) VALUES (' + datetime + ',' + sn + ',' + pnam4 + ',' + qt4
+ '")');
    tx.executeSql('update ProductMaster set qty=? where pname=?', [qty4,
pnam4]);
});

```

```

        tx.executeSql('INSERT INTO PurchaseInvoice(date, partyname, taxable,
tax,total) VALUES("' + datetime + '", "' + sn + '", "' + txbl + '", "' + tax +
"', "' + total + '")');

        alert("Purchase Invoice Generated");
        clr();

    });

}

else {

    db.transaction(function (tx) {

        //PRODUCT 1:

        tx.executeSql('SELECT * FROM ProductMaster WHERE pname=?', [pname],
function (tx, results) {
            var len = results.rows.length, i;
            quantity1 = results.rows.item(i).qty;
            var qty1 = parseInt(quantity1);

            prate1 = results.rows.item(i).prate;
            txbl1 = (prate1 * qt1);

            tax1 = (txbl1 * 18 / 100);

            total1 = (txbl1 + tax1);

            qty1 = (qty1 + qtt1);

        });
    });

    db.transaction(function (tx) {
        tx.executeSql('CREATE TABLE IF NOT EXISTS PurchaseInvoice(date,
partyname, taxable, tax,total)');
        tx.executeSql('CREATE TABLE IF NOT EXISTS
PorductWisePurchaseInvoice(date,partyname, product,qty)');
        tx.executeSql('INSERT INTO PorductWisePurchaseInvoice(date,partyname,
product,qty) VALUES ("' + datetime + '", "' + sn + '", "' + pname + '", "' + qt1 +
'")');
    });
}

```

```

        tx.executeSql('update ProductMaster set qty=? where pname=?', [qty1,
pnam]);
    });

    //PRODUCT 2:
    db.transaction(function (tx) {
        tx.executeSql('SELECT * FROM ProductMaster WHERE pname=?', [pnam1],
function (tx, results) {
            var len = results.rows.length, i;
            quantity2 = results.rows.item(i).qty;
            var qty2 = parseInt(quantity2);

            prate2 = results.rows.item(i).prate;
            txbl2 = (prate2 * qt2);

            tax2 = (txbl2 * 18 / 100);

            total2 = (txbl2 + tax2);

            qty2 = (qty2 + qtt2);

        });
    });

    db.transaction(function (tx) {
        tx.executeSql('CREATE TABLE IF NOT EXISTS PurchaseInvoice(date,
partyname, taxable, tax,total)');
        tx.executeSql('CREATE TABLE IF NOT EXISTS
PorductWisePurchaseInvoice(date,partyname, product,qty)');
        tx.executeSql('INSERT INTO PorductWisePurchaseInvoice(date,partyname,
product,qty) VALUES (' + datetime + ',' + sn + ',' + pnam1 + ',' + qt2
+ ',)');
        tx.executeSql('update ProductMaster set qty=? where pname=?', [qty2,
pnam1]);
    });

    //PRODUCT 3:
    db.transaction(function (tx) {
        tx.executeSql('SELECT * FROM ProductMaster WHERE pname=?', [pnam3],
function (tx, results) {
            var len = results.rows.length, i;
            quantity3 = results.rows.item(i).qty;
            var qty3 = parseInt(quantity3);

            prate3 = results.rows.item(i).prate;
            txbl3 = (prate3 * qt3);

```

```

        tax3 = (txbl3 * 18 / 100);

        total3 = (txbl3 + tax3);

        qty3 = (qnty3 + qtt3);

    });
});

db.transaction(function (tx) {
    tx.executeSql('CREATE TABLE IF NOT EXISTS PurchaseInvoice(date,
partyname, taxable, tax,total)');
    tx.executeSql('CREATE TABLE IF NOT EXISTS
PorductWisePurchaseInvoice(date,partyname, product,qty)');
    tx.executeSql('INSERT INTO PorductWisePurchaseInvoice(date,partyname,
product,qty) VALUES (' + datetime + ',' + sn + ',' + pnam3 + ',' + qt3
+ '")');
    tx.executeSql('update ProductMaster set qty=? where pname=?', [qty3,
pnam3]);
});

//PRODUCT 4:
db.transaction(function (tx) {
    tx.executeSql('SELECT * FROM ProductMaster WHERE pname=?', [pnam4],
function (tx, results) {
        var len = results.rows.length, i;
        quantity4 = results.rows.item(i).qty;
        var qnty4 = parseInt(quantity4);

        prate4 = results.rows.item(i).prate;
        txbl4 = (prate4 * qt4);
        tax4 = (txbl4 * 18 / 100);
        total4 = (txbl4 + tax4);

        qty4 = (qnty4 + qtt4);

    });
});

db.transaction(function (tx) {
    tx.executeSql('CREATE TABLE IF NOT EXISTS PurchaseInvoice(date,
partyname, taxable, tax,total)');

```

```

        tx.executeSql('CREATE TABLE IF NOT EXISTS
PorductWisePurchaseInvoice(date,partyname, product,qty)');
        tx.executeSql('INSERT INTO PorductWisePurchaseInvoice(date,partyname,
product,qty) VALUES ('' + datetime + ',' + sn + ',' + pnam4 + ',' + qt4
+ '")');
        tx.executeSql('update ProductMaster set qty=? where pname=?', [qty4,
pnam4]);
    });

    //PRODUCT 5:
    db.transaction(function (tx) {
        tx.executeSql('SELECT * FROM ProductMaster WHERE pname=?', [pnam5],
function (tx, results) {
            var len = results.rows.length, i;
            quantity5 = results.rows.item(i).qty;
            var qty5 = parseInt(quantity5);

            prate5 = results.rows.item(i).prate;
            txbl5 = (prate5 * qt5);
            tax5 = (txbl5 * 18 / 100);
            total5 = (txbl5 + tax5);
            txbl = (txbl1 + txbl2 + txbl3 + txbl4 + txbl5);
            tax = (tax1 + tax2 + tax3 + tax4 + tax5);
            total = (total1 + total2 + total3 + total4 + total5);
            qty5 = (qty5 + qtt5);
        });
    });

    db.transaction(function (tx) {
        tx.executeSql('INSERT INTO PorductWisePurchaseInvoice(date,partyname,
product,qty) VALUES ('' + datetime + ',' + sn + ',' + pnam5 + ',' + qt5
+ '")');
        tx.executeSql('update ProductMaster set qty=? where pname=?', [qty5,
pnam5]);

        tx.executeSql('INSERT INTO PurchaseInvoice(date, partyname, taxable,
tax,total) VALUES('' + datetime + ',' + sn + ',' + txbl + ',' + tax +
',' + total + '")');

        alert("Purchase Invoice Generated");
        clr();

    });

```

```
}

}

// FUNCTION FOR CLEARING THE FORM:

function clr() {

    document.getElementById("slct").value = "Supplier Name";
    document.getElementById("gstn").value = "";
    document.getElementById("adr").value = "";
    document.getElementById("adr2").value = "";
    document.getElementById("city").value = "";
    document.getElementById("zip").value = "";
    document.getElementById("mob").value = "";

    document.getElementById("sr1").value = "";
    document.getElementById("select1").value = "";
    document.getElementById("qt1").value = "";

    document.getElementById("sr2").value = "";
    document.getElementById("select2").value = "";
    document.getElementById("qt2").value = "";

    document.getElementById("sr3").value = "";
    document.getElementById("select3").value = "";
    document.getElementById("qt3").value = "";

    document.getElementById("sr4").value = "";
    document.getElementById("select4").value = "";
    document.getElementById("qt4").value = "";

    document.getElementById("sr5").value = "";
    document.getElementById("select5").value = "";
```

```
document.getElementById("qt5").value = "";

disable();
}

</script>

</html>
```


Sales Entry

```

<!--SALES ENTRY PAGE -->

<!doctype html>

<html lang="en">

<head>

  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>
    GreenWood
  </title>
  <meta name="viewport" content="width=device-width, initial-scale=1">

  <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet"
    integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTWfSpd3yD65VohhpuuCOMLASjC"
crossorigin="anonymous">
  <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min
.js"
    integrity="sha384-
Mrcw6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
    crossorigin="anonymous"></script>

</head>

<body>

  <div class="bg m-15px"
    style="width: 100vw; height:100vh; background-color: rgb(230, 238, 231);
background-size: 100%;padding-bottom: 16vh;">

    <!--NAVBAR START FROM HERE-->

    <nav class="navbar navbar-expand-lg navbar-dark" style="background-
color:rgb(21, 99, 5);">
      <div class="container-fluid">
        <a class="navbar-brand" href="Home.html"></a>

```

```

        <a href="Home.html" <p class="navbar-brand" style="color:white ;
height: 40px;width:auto;">Home</p>
        <button class="navbar-toggler" type="button" data-bs-
toggle="collapse"
        data-bs-target="#navbarSupportedContent" aria-
controls="navbarSupportedContent" aria-expanded="false"
        aria-label="Toggle navigation">
        <span class="navbar-toggler-icon"></span></a>
    </button>
    <div class="collapse navbar-collapse" id="navbarSupportedContent">
        <ul class="navbar-nav me-auto mb-2 mb-lg-0" style="margin-left:
20px;">

            <li class="nav-item dropdown">
                <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"
                aria-expanded="false">
                    Create Master
                </a>
                <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
                    <li><a class="dropdown-item" href="Product_Entry.html">Product
Entry</a></li>
                    <li><a class="dropdown-item"
href="Customer_Entry.html">Customer Entry</a></li>
                    <li><a class="dropdown-item"
href="Supplier_Entry.html">Supplier Entry</a></li>

                </ul>
            </li>
            <li class="nav-item dropdown">
                <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"
                aria-expanded="false">
                    Transaction
                </a>
                <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
                    <li><a class="dropdown-item"
href="Purchase_Entry.html">Purchase Entry</a></li>
                    <li><a class="dropdown-item" href="Sales_Entry.html">Sales
Entry</a></li>

                </ul>
            </li>
            <li class="nav-item dropdown">
                <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"

```

```

        aria-expanded="false">
        Master
    </a>
    <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
        <li><a class="dropdown-item"
href="CustomerMaster.html">Customer Master</a></li>
        <li><a class="dropdown-item"
href="SupplierMaster.html">Supplier Master</a></li>
        <li><a class="dropdown-item" href="ProductMaster.html">Product
Master</a></li>

    </ul>
</li>
<li class="nav-item dropdown">
    <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"
    aria-expanded="false">
    Report
    </a>
    <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
        <li><a class="dropdown-item" href="SalesRegister.html">Sales
Register</a></li>
        <li><a class="dropdown-item"
href="PurchaseRegister.html">Purchase Register</a></li>
        <li><a class="dropdown-item" href="StockStatus.html">Stock
Status</a></li>
        <li><a class="dropdown-item" href="StockIn.html">Stock In
Report</a></li>
        <li><a class="dropdown-item" href="StockOut.html">Stock Out
Report</a></li>
    </ul>
</li>
<li class="nav-item dropdown">
    <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"
    aria-expanded="false">
    Documents
    </a>
    <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
        <li><a class="dropdown-item"
href="PurchaseInvoice.html">Purchase Invoice</a></li>
        <li><a class="dropdown-item" href="SalesInvoice.html">Sales
Invoice</a></li>

    </ul>
<li class="nav-item">

```

```

        <a class="nav-link ms-2" aria-current="page"
href="UserManual.pdf" target="_blank">Help</a>
    </li>
</ul>

    <form class="d-flex" style="margin-right: 25px;">

        <a href="Login.html" <button class="btn btn-outline-success"
style="color: white;"
        type="submit">Logout</button>
    </form></a>
    </form>
</div>
</div>
</nav>

<!--NAVBAR END HERE-->

<div class="bg m-15px"
    style="width: 100vw; height:auto; background-color: rgb(244, 245, 227);
background-size: 100%; padding-top: 5vh;">

    <!--SALES ENTRY FORM START FROM HERE-->

    <div class="container-fluid"
        style="background-color:white; height: auto; width : 700px; padding-
left: 72px; padding-right: 72px; border-radius: 23px; border-style: solid;
border-color: rgb(22, 109, 4);">
        <section class="main_heading" style="margin-top:15px ;">
            <div class="text-center">
                <h2 style="font-family:'Segoe UI', Tahoma, Geneva, Verdana, sans-
serif; color: rgb(40, 122, 7);"><b>Sales
                Entry</b></h2>

            </div>
        </section>

        <form class="row g">
            <div class="col-md-6">
                <label for="inputEmail4" class="form-label"></label>
                <class="form-control" id="inputEmail4">
                    <select class="form-select" id="slct" onchange="pn();" aria-
label="Default select example">
                        <option selected>Customer Name</option>

```

```

        </select>
    </div>
    <div class="col-md-6">
        <label for="inputEmail4" class="form-label"></label>
        <input type="email" class="form-control" id="gstn"
placeholder="GSTIN">
    </div>
    <div class="col-12">
        <label for="inputAddress" class="form-label"></label>
        <input type="text" class="form-control" id="adr"
placeholder=Address>
    </div>
    <div class="col-12">
        <label for="inputAddress2" class="form-label"> </label>
        <input type="text" class="form-control" id="adr2"
placeholder=Line2>
    </div>
    <div class="col-md-4">
        <label for="inputCity" class="form-label"></label>
        <input type="text" class="form-control" id="city"
placeholder="City">
    </div>
    <div class="col-md-4">
        <label for="inputZip" class="form-label"></label>
        <input type="text" class="form-control" id="zip"
placeholder="Pincode">
    </div>
    <div class="col-md-4">
        <label for="inputZip" class="form-label"></label>
        <input type="text" class="form-control" id="mob"
placeholder="Mobile No.">
    </div>

<table class="table" style="margin-top: 15px;margin-bottom: -10px;">
    <thead>
        <tr>
            <th scope="col">Sr.No</th>
            <th scope="col">Product Description</th>
            <th scope="col">QTY</th>

        </tr>
    </thead>
    <tbody>

    </tbody>

```

```

</table>

<div class="col-md-2">
  <label for="inputCity" class="form-label"></label>
  <input type="text" class="form-control" id="sr1" placeholder="">
</div>
<div class="col-md-8">
  <label for="inputZip" class="form-label"></label>
  <select class="form-select" id="select1" onchange="pn1();" aria-
label="Default select example">
    <option selected></option>

  </select>

</div>
<div class="col-md-2">
  <label for="inputZip" class="form-label"></label>
  <input type="number" class="form-control" id="qt1" placeholder="">
</div>

<div class="col-md-2">
  <label for="inputCity" class="form-label"></label>
  <input type="text" class="form-control" id="sr2" placeholder="">
</div>
<div class="col-md-8">
  <label for="inputZip" class="form-label"></label>
  <select class="form-select" id="select2" onchange="pn2();" aria-
label="Default select example">
    <option selected></option>

  </select>

</div>
<div class="col-md-2">
  <label for="inputZip" class="form-label"></label>
  <input type="number" class="form-control" id="qt2" placeholder="">
</div>

<div class="col-md-2">
  <label for="inputCity" class="form-label"></label>
  <input type="text" class="form-control" id="sr3" placeholder="">
</div>
<div class="col-md-8">
  <label for="inputZip" class="form-label"></label>

```

```

        <select class="form-select" id="select3" onchange="pn3();" aria-label="Default select example">
            <option selected></option>

        </select>

    </div>
    <div class="col-md-2">
        <label for="inputZip" class="form-label"></label>
        <input type="number" class="form-control" id="qt3" placeholder="">
    </div>

    <div class="col-md-2">
        <label for="inputCity" class="form-label"></label>
        <input type="text" class="form-control" id="sr4" placeholder="">
    </div>
    <div class="col-md-8">
        <label for="inputZip" class="form-label"></label>
        <select class="form-select" id="select4" onchange="pn4();" aria-label="Default select example">
            <option selected></option>

        </select>

    </div>
    <div class="col-md-2">
        <label for="inputZip" class="form-label"></label>
        <input type="number" class="form-control" id="qt4" placeholder="">
    </div>

    <div class="col-md-2">
        <label for="inputCity" class="form-label"></label>
        <input type="text" class="form-control" id="sr5" placeholder="">
    </div>
    <div class="col-md-8">
        <label for="inputZip" class="form-label"></label>
        <select class="form-select" id="select5" onchange="pn5();" aria-label="Default select example">
            <option selected></option>

        </select>

    </div>
    <div class="col-md-2">
        <label for="inputZip" class="form-label"></label>
        <input type="number" class="form-control" id="qt5" placeholder="">
    </div>

```

```

        <div class="row g" style="margin-left:35px ;">
            <div class="col-6">
                <button type="button" class="btn btn-outline-success"
onclick="GenerateInvoice();"
                style="width: 200px;margin-bottom: 40px; margin-top:
40px;">Generate Invoice</button>
            </div>

            <div class="col-6">
                <button type="button" class="btn btn-outline-success"
onclick="clr();"
                style="width: 200px; margin-bottom: 40px; margin-top:
40px;">Clear</button>
            </div>

        </form>
    </div>

    <!--SALES ENTRY FORM END HERE-->

</body>

<!--JAVA SCRIPT-->

<script>

    //CONNECTING TO DATABASE AND EXECUTING QUIRIES:

    var db = openDatabase('FS', '1.0', 'Test DB', 2 * 1024 * 1024);

    db.transaction(function (tx) {
        tx.executeSql('SELECT * FROM Customer', [], function (tx, results) {
            var len = results.rows.length, i, srn;
            var str = '';
            for (i = 0; i < len; i++) {

```



```
        srn = i + 1;

        sname = results.rows.item(i).cname;

        str += "<option value= " + srn + ">" + sname + "</td>";

        document.getElementById("slct").innerHTML += str;
        str = '';
    }

    }, null);
});

// DESABLE FUNCTION:

function disable() {
    document.getElementById("select1").disabled = true;
    document.getElementById("sr1").disabled = true;
    document.getElementById("qt1").disabled = true;

    document.getElementById("select2").disabled = true;
    document.getElementById("sr2").disabled = true;
    document.getElementById("qt2").disabled = true;

    document.getElementById("select3").disabled = true;
    document.getElementById("sr3").disabled = true;
    document.getElementById("qt3").disabled = true;

    document.getElementById("select4").disabled = true;
    document.getElementById("sr4").disabled = true;
    document.getElementById("qt4").disabled = true;

    document.getElementById("select5").disabled = true;
    document.getElementById("sr5").disabled = true;
    document.getElementById("qt5").disabled = true;

}

disable();
```

```
//FUNCTION FOR THE CUSTOMER DETAILS:

function pn() {

    var select = document.getElementById('slct');
    var sn = select.options[select.selectedIndex].text;
    if (sn == "Customer Name") {

        document.getElementById("gstn").value = ""
        document.getElementById("adr").value = ""
        document.getElementById("adr2").value = ""
        document.getElementById("city").value = ""
        document.getElementById("zip").value = ""
        document.getElementById("mob").value = ""

        disable();

    }

    else {
        db.transaction(function (tx) {
            tx.executeSql('SELECT * FROM Customer WHERE cname=?', [sn], function
(tx, results) {
                var len = results.rows.length, i, srn;
                var str = '';

                srn = 1

                ssnname = results.rows.item(i).cname;
                ssgst = results.rows.item(i).cgst;
                ssadress = results.rows.item(i).caddress;
                ssline = results.rows.item(i).cline;
                sscity = results.rows.item(i).ccity;
                sspin = results.rows.item(i).cpincode;
                ssmob = results.rows.item(i).cmobile;

                document.getElementById("gstn").value = "" + ssgst + ""
                document.getElementById("adr").value = "" + ssadress + ""
                document.getElementById("adr2").value = "" + ssline + ""
                document.getElementById("city").value = "" + sscity + ""
                document.getElementById("zip").value = "" + sspin + ""
                document.getElementById("mob").value = "" + ssmob + ""
            });
        });
    }
}
```

```

    }, null);
  });

}

if (sn == "Customer Name" || gstn == "" || adr == "" || adr2 == "" || city
== "" || zip == "" || mob == "") {
  document.getElementById("sr1").value = "";
  document.getElementById("select1").value = "";
  document.getElementById("qt1").value = "";

  document.getElementById("sr2").value = "";
  document.getElementById("select2").value = "";
  document.getElementById("qt2").value = "";

  document.getElementById("sr3").value = "";
  document.getElementById("select3").value = "";
  document.getElementById("qt3").value = "";

  document.getElementById("sr4").value = "";
  document.getElementById("select4").value = "";
  document.getElementById("qt4").value = "";

  document.getElementById("sr5").value = "";
  document.getElementById("select5").value = "";
  document.getElementById("qt5").value = "";

  disable();
}
else {

  document.getElementById("select1").disabled = false;
  document.getElementById("sr1").disabled = false;
  document.getElementById("qt1").disabled = false;

}
}

db.transaction(function (tx) {
  tx.executeSql('SELECT * FROM ProductMaster', [], function (tx, results) {
    var len = results.rows.length, i, srn;
    var str = '';
    for (i = 0; i < len; i++) {

      srn = i + 1;

```

```
ppname = results.rows.item(i).pname;

str += "<option value= " + srn + ">" + pname + "</td>";

document.getElementById("select1").innerHTML += str;
document.getElementById("select2").innerHTML += str;
document.getElementById("select3").innerHTML += str;
document.getElementById("select4").innerHTML += str;
document.getElementById("select5").innerHTML += str;

str = '';
}

}, null);
});

//FUNCTIONS FOR THE PRODUCTS SELECTION:

function pn1() {

var select = document.getElementById('select1');
var pnam = select.options[select.selectedIndex].text;

if (pnam == "") {

document.getElementById("sr1").value = ""
document.getElementById("qt1").value = ""

document.getElementById("sr2").value = "";
document.getElementById("select2").value = "";
document.getElementById("qt2").value = "";

document.getElementById("sr3").value = "";
document.getElementById("select3").value = "";
document.getElementById("qt3").value = "";

document.getElementById("sr4").value = "";
document.getElementById("select4").value = "";
document.getElementById("qt4").value = "";

document.getElementById("sr5").value = "";
```

```
document.getElementById("select5").value = "";
document.getElementById("qt5").value = "";

document.getElementById("select2").disabled = true;
document.getElementById("sr2").disabled = true;
document.getElementById("qt2").disabled = true;
document.getElementById("select3").disabled = true;
document.getElementById("sr3").disabled = true;
document.getElementById("qt3").disabled = true;
document.getElementById("select4").disabled = true;
document.getElementById("sr4").disabled = true;
document.getElementById("qt4").disabled = true;
document.getElementById("select5").disabled = true;
document.getElementById("sr5").disabled = true;
document.getElementById("qt5").disabled = true;

}

else {

    document.getElementById("sr1").value = "    1"

}

if (pnam == "") {

}
else {

    document.getElementById("select2").disabled = false;
    document.getElementById("sr2").disabled = false;
    document.getElementById("qt2").disabled = false;

}

}

function pn2() {
```

```
var select = document.getElementById('select2');
var pnam1 = select.options[select.selectedIndex].text;

if (pnam1 == "") {

    document.getElementById("sr2").value = "";
    document.getElementById("qt2").value = "";
    document.getElementById("sr3").value = "";
    document.getElementById("select3").value = "";
    document.getElementById("qt3").value = "";

    document.getElementById("sr4").value = "";
    document.getElementById("select4").value = "";
    document.getElementById("qt4").value = "";

    document.getElementById("sr5").value = "";
    document.getElementById("select5").value = "";
    document.getElementById("qt5").value = "";

    document.getElementById("select3").disabled = true;
    document.getElementById("sr3").disabled = true;
    document.getElementById("qt3").disabled = true;
    document.getElementById("select4").disabled = true;
    document.getElementById("sr4").disabled = true;
    document.getElementById("qt4").disabled = true;
    document.getElementById("select5").disabled = true;
    document.getElementById("sr5").disabled = true;
    document.getElementById("qt5").disabled = true;

}
else {

    document.getElementById("sr2").value = "    2"

}

if (pnam1 == "") {

}
else {
```

```
document.getElementById("select3").disabled = false;
document.getElementById("sr3").disabled = false;
document.getElementById("qt3").disabled = false;

}

}
function pn3() {

var select = document.getElementById('select3');
var pnam3 = select.options[select.selectedIndex].text;

if (pnam3 == "") {

document.getElementById("sr3").value = ""
document.getElementById("qt3").value = ""
document.getElementById("sr4").value = "";
document.getElementById("select4").value = "";
document.getElementById("qt4").value = "";

document.getElementById("sr5").value = "";
document.getElementById("select5").value = "";
document.getElementById("qt5").value = "";

document.getElementById("select4").disabled = true;
document.getElementById("sr4").disabled = true;
document.getElementById("qt4").disabled = true;
document.getElementById("select5").disabled = true;
document.getElementById("sr5").disabled = true;
document.getElementById("qt5").disabled = true;
}

else {

document.getElementById("sr3").value = " 3"
```

```
}

if (pnam3 == "") {

}
else {

    document.getElementById("select4").disabled = false;
    document.getElementById("sr4").disabled = false;
    document.getElementById("qt4").disabled = false;

}
}

function pn4() {

    var select = document.getElementById('select4');
    var pnam4 = select.options[select.selectedIndex].text;

    if (pnam4 == "") {

        document.getElementById("sr4").value = ""
        document.getElementById("qt4").value = ""
        document.getElementById("sr5").value = "";
        document.getElementById("select5").value = "";
        document.getElementById("qt5").value = "";
        document.getElementById("select5").disabled = true;
        document.getElementById("sr5").disabled = true;
        document.getElementById("qt5").disabled = true;
    }

    else {

        document.getElementById("sr4").value = "    4"

    }
    if (pnam4 == "") {
```



```
}
else {

    document.getElementById("select5").disabled = false;
    document.getElementById("sr5").disabled = false;
    document.getElementById("qt5").disabled = false;

}

}

function pn5() {

    var select = document.getElementById('select5');
    var pnam5 = select.options[select.selectedIndex].text;

    if (pnam5 == "") {

        document.getElementById("sr5").value = ""
        document.getElementById("qt5").value = ""

    }

    else {

        document.getElementById("sr5").value = "    5"

    }

}

// FUNCTION FOR SAVING THE INVOICE:

function GenerateInvoice() {

    var currentdate = new Date();
var datetime = currentdate.getDate() + "/" + (currentdate.getMonth()+1)
```

```

+ "/" + currentdate.getFullYear() + " "
+ currentdate.getHours() + ":"
+ currentdate.getMinutes() + ":" + currentdate.getSeconds();

    qt1 = document.getElementById("qt1").value;
    var qtt1 = parseInt(qt1);
    qt2 = document.getElementById("qt2").value;
    var qtt2 = parseInt(qt2);
    qt3 = document.getElementById("qt3").value;
    var qtt3 = parseInt(qt3);
    qt4 = document.getElementById("qt4").value;
    var qtt4 = parseInt(qt4);
    qt5 = document.getElementById("qt5").value;
    var qtt5 = parseInt(qt5);
    var select = document.getElementById('slct');
    var sn = select.options[select.selectedIndex].text;

    var select = document.getElementById('select1');
    var pnam = select.options[select.selectedIndex].text;

    var select = document.getElementById('select2');
    var pnam1 = select.options[select.selectedIndex].text;

    var select = document.getElementById('select3');
    var pnam3 = select.options[select.selectedIndex].text;

    var select = document.getElementById('select4');
    var pnam4 = select.options[select.selectedIndex].text;

    var select = document.getElementById('select5');
    var pnam5 = select.options[select.selectedIndex].text;

    if (sn == "Customer Name" || gstn == "" || adr == "" || adr2 == "" || city
== "" || zip == "" || mob == "") {

        alert("Please Fill Customer Details Properly!");
    }

    else if (sr1 == "" || select1 == "" || qt1 == "") {

        alert("Please Add Product");
    }

```

```

    }

    else if (sr2 == "" || select2 == "" || qt2 == "") {

        //PRODUCT 1:

        db.transaction(function (tx) {
            tx.executeSql('SELECT * FROM ProductMaster WHERE pname=?', [pnam],
function (tx, results) {
                var len = results.rows.length, i;
                quantity1 = results.rows.item(i).qty;
                var qty1 = parseInt(quantity1);

                prate1 = results.rows.item(i).srate;
                txbl1 = (prate1 * qt1);

                tax = (txbl1 * 18 / 100);
                total = (txbl1 + tax);
                qty1 = (qty1 - qtt1);
            });
        });

        db.transaction(function (tx) {
            tx.executeSql('CREATE TABLE IF NOT EXISTS SalesInvoice(date,
partyname, taxable, tax,total)');
            tx.executeSql('CREATE TABLE IF NOT EXISTS
PorductWiseSalesInvoice(date,partyname, product,qty)');
            tx.executeSql('INSERT INTO PorductWiseSalesInvoice(date,partyname,
product,qty) VALUES (' + datetime + ',' + sn + ',' + pnam + ',' + qt1 +
'')');
            tx.executeSql('update ProductMaster set qty=? where  pname=?', [qty1,
pnam]);
            tx.executeSql('INSERT INTO SalesInvoice(date, partyname, taxable,
tax,total) VALUES(' + datetime + ',' + sn + ',' + txbl1 + ',' + tax +
',' + total + '')');

            alert("Sales Invoice Generated");
            clr();

        });
    }

```

```

    }

    else if (sr3 == "" || select3 == "" || qt3 == "") {

        db.transaction(function (tx) {

            //PRODUCT 1:

            tx.executeSql('SELECT * FROM ProductMaster WHERE pname=?', [pname],
function (tx, results) {
                var len = results.rows.length, i;
                quantity1 = results.rows.item(i).qty;
                var qnty1 = parseInt(quantity1);

                prate1 = results.rows.item(i).srate;
                txbl1 = (prate1 * qt1);

                tax1 = (txbl1 * 18 / 100);

                total1 = (txbl1 + tax1);

                qty1 = (qnty1 - qtt1);

            });
        });

        db.transaction(function (tx) {
            tx.executeSql('CREATE TABLE IF NOT EXISTS SalesInvoice(date,
partyname, taxable, tax,total)');
            tx.executeSql('CREATE TABLE IF NOT EXISTS
PorductWiseSalesInvoice(date,partyname, product,qty)');
            tx.executeSql('INSERT INTO PorductWiseSalesInvoice(date,partyname,
product,qty) VALUES (' + datetime + ',' + sn + ',' + pname + ',' + qt1 +
'')');
            tx.executeSql('update ProductMaster set qty=? where pname=?', [qty1,
pname]);
        });
    }

```

```

//PRODUCT 2:
db.transaction(function (tx) {
    tx.executeSql('SELECT * FROM ProductMaster WHERE pname=?', [pnam1],
function (tx, results) {
    var len = results.rows.length, i;
    quantity2 = results.rows.item(i).qty;
    var qnty2 = parseInt(quantity2);

    prate2 = results.rows.item(i).srate;
    txbl2 = (prate2 * qt2);
    tax2 = (txbl2 * 18 / 100);
    total2 = (txbl2 + tax2);
    txbl = (txbl1 + txbl2);
    tax = (tax1 + tax2);
    total = (total1 + total2);
    qty2 = (qnty2 - qtt2);
    });
});

db.transaction(function (tx) {
    tx.executeSql('INSERT INTO PorductWiseSalesInvoice(date,partyname,
product,qty) VALUES ('' + datetime + ',' + sn + ',' + pnam1 + ',' + qt2
+ '')');
    tx.executeSql('update ProductMaster set qty=? where pname=?', [qty2,
pnam1]);

    tx.executeSql('INSERT INTO SalesInvoice(date, partyname, taxable,
tax,total) VALUES('' + datetime + ',' + sn + ',' + txbl + ',' + tax +
',' + total + '')');

    alert("Sales Invoice Generated");
    clr();

});

}

else if (sr4 == "" || select4 == "" || qt4 == "") {

db.transaction(function (tx) {

```

```

//PRODUCT 1:

    tx.executeSql('SELECT * FROM ProductMaster WHERE pname=?', [pname],
function (tx, results) {
    var len = results.rows.length, i;
    quantity1 = results.rows.item(i).qty;
    var qty1 = parseInt(quantity1);

    prate1 = results.rows.item(i).srate;
    txbl1 = (prate1 * qt1);

    tax1 = (txbl1 * 18 / 100);

    total1 = (txbl1 + tax1);

    qty1 = (qty1 - qtt1);

});
});

db.transaction(function (tx) {
    tx.executeSql('CREATE TABLE IF NOT EXISTS SalesInvoice(date,
partyname, taxable, tax,total)');
    tx.executeSql('CREATE TABLE IF NOT EXISTS
PorductWiseSalesInvoice(date,partyname, product,qty)');
    tx.executeSql('INSERT INTO PorductWiseSalesInvoice(date,partyname,
product,qty) VALUES (" + datetime + "'," + sn + "'," + pname + "'," + qt1 +
"')');
    tx.executeSql('update ProductMaster set qty=? where  pname=?', [qty1,
pname]);
});

//PRODUCT 2:
db.transaction(function (tx) {
    tx.executeSql('SELECT * FROM ProductMaster WHERE pname=?', [pname1],
function (tx, results) {
    var len = results.rows.length, i;
    quantity2 = results.rows.item(i).qty;
    var qty2 = parseInt(quantity2);

    prate2 = results.rows.item(i).srate;
    txbl2 = (prate2 * qt2);

    tax2 = (txbl2 * 18 / 100);

    total2 = (txbl2 + tax2);

```

```

        qty2 = (qty2 - qtt2);

    });
});

db.transaction(function (tx) {
    tx.executeSql('CREATE TABLE IF NOT EXISTS SalesInvoice(date,
partyname, taxable, tax,total)');
    tx.executeSql('CREATE TABLE IF NOT EXISTS
PorductWiseSalesInvoice(date,partyname, product,qty)');
    tx.executeSql('INSERT INTO PorductWiseSalesInvoice(date,partyname,
product,qty) VALUES (' + datetime + ',' + sn + ',' + pnam1 + ',' + qt2
+ '")');
    tx.executeSql('update ProductMaster set qty=? where pname=?', [qty2,
pnam1]);
});

//PRODUCT 3:
db.transaction(function (tx) {
    tx.executeSql('SELECT * FROM ProductMaster WHERE pname=?', [pnam3],
function (tx, results) {
        var len = results.rows.length, i;
        quantity3 = results.rows.item(i).qty;
        var qty3 = parseInt(quantity3);

        prate3 = results.rows.item(i).srate;
        txbl3 = (prate3 * qt3);
        tax3 = (txbl3 * 18 / 100);
        total3 = (txbl3 + tax3);
        txbl = (txbl1 + txbl2 + txbl3);
        tax = (tax1 + tax2 + tax3);
        total = (total1 + total2 + total3);
        qty3 = (qty3 - qtt3);
    });
});

db.transaction(function (tx) {
    tx.executeSql('INSERT INTO PorductWiseSalesInvoice(date,partyname,
product,qty) VALUES (' + datetime + ',' + sn + ',' + pnam3 + ',' + qt3
+ '")');
    tx.executeSql('update ProductMaster set qty=? where pname=?', [qty3,
pnam3]);
});

```

```

        tx.executeSql('INSERT INTO SalesInvoice(date, partyname, taxable,
tax,total) VALUES("' + datetime + '", "' + sn + '", "' + txbl + '", "' + tax +
"', "' + total + '")');

        alert("Sales Invoice Generated");
        clr();

    });

}

else if (sr5 == "" || select5 == "" || qt5 == "") {

    db.transaction(function (tx) {

        //PRODUCT 1:

        tx.executeSql('SELECT * FROM ProductMaster WHERE pname=?', [pnam],
function (tx, results) {
            var len = results.rows.length, i;
            quantity1 = results.rows.item(i).qty;
            var qnty1 = parseInt(quantity1);

            prate1 = results.rows.item(i).srate;
            txbl1 = (prate1 * qt1);

            tax1 = (txbl1 * 18 / 100);

            total1 = (txbl1 + tax1);

            qty1 = (qnty1 - qtt1);

        });
    });

    db.transaction(function (tx) {
        tx.executeSql('CREATE TABLE IF NOT EXISTS SalesInvoice(date,
partyname, taxable, tax,total)');
        tx.executeSql('CREATE TABLE IF NOT EXISTS
PorductWiseSalesInvoice(date,partyname, product,qty)');
    });
}

```



```

        tx.executeSql('INSERT INTO PorductWiseSalesInvoice(date,partyname,
product,qty) VALUES (' + datetime + ',' + sn + ',' + pnam + ',' + qt1 +
'')');
        tx.executeSql('update ProductMaster set qty=? where pname=?', [qty1,
pnam]);
    });

    //PRODUCT 2:
    db.transaction(function (tx) {
        tx.executeSql('SELECT * FROM ProductMaster WHERE pname=?', [pnam1],
function (tx, results) {
            var len = results.rows.length, i;
            quantity2 = results.rows.item(i).qty;
            var qty2 = parseInt(quantity2);

            prate2 = results.rows.item(i).srate;
            txbl2 = (prate2 * qt2);

            tax2 = (txbl2 * 18 / 100);

            total2 = (txbl2 + tax2);

            qty2 = (qty2 - qtt2);

        });
    });

    db.transaction(function (tx) {
        tx.executeSql('CREATE TABLE IF NOT EXISTS SalesInvoice(date,
partyname, taxable, tax,total)');
        tx.executeSql('CREATE TABLE IF NOT EXISTS
PorductWiseSalesInvoice(date,partyname, product,qty)');
        tx.executeSql('INSERT INTO PorductWiseSalesInvoice(date,partyname,
product,qty) VALUES (' + datetime + ',' + sn + ',' + pnam1 + ',' + qt2
+ '')');
        tx.executeSql('update ProductMaster set qty=? where pname=?', [qty2,
pnam1]);
    });

    //PRODUCT 3:
    db.transaction(function (tx) {
        tx.executeSql('SELECT * FROM ProductMaster WHERE pname=?', [pnam3],
function (tx, results) {
            var len = results.rows.length, i;
            quantity3 = results.rows.item(i).qty;
            var qty3 = parseInt(quantity3);

```

```

        prate3 = results.rows.item(i).srate;
        txbl3 = (prate3 * qt3);

        tax3 = (txbl3 * 18 / 100);

        total3 = (txbl3 + tax3);

        qty3 = (qnty3 - qtt3);

    });
});

db.transaction(function (tx) {
    tx.executeSql('CREATE TABLE IF NOT EXISTS SalesInvoice(date,
partyname, taxable, tax,total)');
    tx.executeSql('CREATE TABLE IF NOT EXISTS
PorductWiseSalesInvoice(date,partyname, product,qty)');
    tx.executeSql('INSERT INTO PorductWiseSalesInvoice(date,partyname,
product,qty) VALUES (' + datetime + ',' + sn + ',' + pnam3 + ',' + qt3
+ ')');
    tx.executeSql('update ProductMaster set qty=? where pname=?', [qty3,
pnam3]);
});

//PRODUCT 4:
db.transaction(function (tx) {
    tx.executeSql('SELECT * FROM ProductMaster WHERE pname=?', [pnam4],
function (tx, results) {
        var len = results.rows.length, i;
        quantity4 = results.rows.item(i).qty;
        var qnty4 = parseInt(quantity4);

        prate4 = results.rows.item(i).srate;
        txbl4 = (prate4 * qt4);
        tax4 = (txbl4 * 18 / 100);
        total4 = (txbl4 + tax4);
        txbl = (txbl1 + txbl2 + txbl3 + txbl4);
        tax = (tax1 + tax2 + tax3 + tax4);
        total = (total1 + total2 + total3 + total4);
        qty4 = (qnty4 - qtt4);
    });
});
});

```

```

        db.transaction(function (tx) {
            tx.executeSql('INSERT INTO PorductWiseSalesInvoice(date,partyname,
product,qty) VALUES (" + datetime + "','" + sn + "','" + pnam4 + "','" + qt4
+ '")');
            tx.executeSql('update ProductMaster set qty=? where pname=?', [qty4,
pnam4]);

            tx.executeSql('INSERT INTO SalesInvoice(date, partyname, taxable,
tax,total) VALUES(" + datetime + "','" + sn + "','" + txbl + "','" + tax +
',' + total + '")');

            alert("Sales Invoice Generated");
            clr();

        });

    }

    else {

        db.transaction(function (tx) {

            //PRODUCT 1:

            tx.executeSql('SELECT * FROM ProductMaster WHERE pname=?', [pnam],
function (tx, results) {
                var len = results.rows.length, i;
                quantity1 = results.rows.item(i).qty;
                var qnty1 = parseInt(quantity1);

                prate1 = results.rows.item(i).srate;
                txbl1 = (prate1 * qt1);

                tax1 = (txbl1 * 18 / 100);

                total1 = (txbl1 + tax1);

                qty1 = (qnty1 - qtt1);
            });
        });
    }
}

```

```

    });
  });

  db.transaction(function (tx) {
    tx.executeSql('CREATE TABLE IF NOT EXISTS SalesInvoice(date,
partyname, taxable, tax,total)');
    tx.executeSql('CREATE TABLE IF NOT EXISTS
PorductWiseSalesInvoice(date,partyname, product,qty)');
    tx.executeSql('INSERT INTO PorductWiseSalesInvoice(date,partyname,
product,qty) VALUES (' + datetime + ',' + sn + ',' + pnam + ',' + qt1 +
'')');
    tx.executeSql('update ProductMaster set qty=? where pname=?', [qty1,
pnam]);
  });

  //PRODUCT 2:
  db.transaction(function (tx) {
    tx.executeSql('SELECT * FROM ProductMaster WHERE pname=?', [pnam1],
function (tx, results) {
      var len = results.rows.length, i;
      quantity2 = results.rows.item(i).qty;
      var qty2 = parseInt(quantity2);

      prate2 = results.rows.item(i).srate;
      txbl2 = (prate2 * qt2);

      tax2 = (txbl2 * 18 / 100);

      total2 = (txbl2 + tax2);

      qty2 = (qnty2 - qtt2);

    });
  });

  db.transaction(function (tx) {
    tx.executeSql('CREATE TABLE IF NOT EXISTS SalesInvoice(date,
partyname, taxable, tax,total)');
    tx.executeSql('CREATE TABLE IF NOT EXISTS
PorductWiseSalesInvoice(date,partyname, product,qty)');
    tx.executeSql('INSERT INTO PorductWiseSalesInvoice(date,partyname,
product,qty) VALUES (' + datetime + ',' + sn + ',' + pnam1 + ',' + qt2
+ '')');
  });

```

```

        tx.executeSql('update ProductMaster set qty=? where pname=?', [qty2,
pnam1]);
    });

    //PRODUCT 3:
    db.transaction(function (tx) {
        tx.executeSql('SELECT * FROM ProductMaster WHERE pname=?', [pnam3],
function (tx, results) {
            var len = results.rows.length, i;
            quantity3 = results.rows.item(i).qty;
            var qty3 = parseInt(quantity3);

            prate3 = results.rows.item(i).srate;
            txbl3 = (prate3 * qt3);

            tax3 = (txbl3 * 18 / 100);

            total3 = (txbl3 + tax3);

            qty3 = (qnty3 - qtt3);

        });
    });

    db.transaction(function (tx) {
        tx.executeSql('CREATE TABLE IF NOT EXISTS SalesInvoice(date,
partyname, taxable, tax,total)');
        tx.executeSql('CREATE TABLE IF NOT EXISTS
PorductWiseSalesInvoice(date,partyname, product,qty)');
        tx.executeSql('INSERT INTO PorductWiseSalesInvoice(date,partyname,
product,qty) VALUES (" + datetime + "'," + sn + "'," + pnam3 + "'," + qt3
+ "')');
        tx.executeSql('update ProductMaster set qty=? where pname=?', [qty3,
pnam3]);
    });

    //PRODUCT 4:
    db.transaction(function (tx) {
        tx.executeSql('SELECT * FROM ProductMaster WHERE pname=?', [pnam4],
function (tx, results) {
            var len = results.rows.length, i;
            quantity4 = results.rows.item(i).qty;
            var qty4 = parseInt(quantity4);

            prate4 = results.rows.item(i).srate;
            txbl4 = (prate4 * qt4);

```



```

        tx.executeSql('INSERT INTO PorductWiseSalesInvoice(date,partyname,
product,qty) VALUES (' + datetime + ',' + sn + ',' + pnam5 + ',' + qt5
+ '');"');
        tx.executeSql('update ProductMaster set qty=? where pname=?', [qty5,
pnam5]);

        tx.executeSql('INSERT INTO SalesInvoice(date, partyname, taxable,
tax,total) VALUES(' + datetime + ',' + sn + ',' + txbl + ',' + tax +
',' + total + '');"');

        alert("Sales Invoice Generated");
        clr();

    });

}

}

// FUNCTION FOR CLEARING THE FORM:

function clr() {

    document.getElementById("slct").value = "Customer Name";
    document.getElementById("gstn").value = "";
    document.getElementById("adr").value = "";
    document.getElementById("adr2").value = "";
    document.getElementById("city").value = "";
    document.getElementById("zip").value = "";
    document.getElementById("mob").value = "";

    document.getElementById("sr1").value = "";
    document.getElementById("select1").value = "";
    document.getElementById("qt1").value = "";

    document.getElementById("sr2").value = "";
    document.getElementById("select2").value = "";

```

```
document.getElementById("qt2").value = "";

document.getElementById("sr3").value = "";
document.getElementById("select3").value = "";
document.getElementById("qt3").value = "";

document.getElementById("sr4").value = "";
document.getElementById("select4").value = "";
document.getElementById("qt4").value = "";

document.getElementById("sr5").value = "";
document.getElementById("select5").value = "";
document.getElementById("qt5").value = "";

    disable();
}

</script>

</html>
```


Product Master

```
<!--PRODUCT MASTER REPORT PAGE-->

<!doctype html>

<html lang="en">

<head>

  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>
    GreenWood
  </title>
  <meta name="viewport" content="width=device-width, initial-scale=1">

  <link
href="https://cdn.jsdelivrivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet"
  integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTWfSpd3yD65VohhpuuCOMLASjC"
crossorigin="anonymous">
  <script
src="https://cdn.jsdelivrivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min
.js"
  integrity="sha384-
Mrcw6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
  crossorigin="anonymous"></script>

</head>

<body>

  <div class="bg m-15px"
  style="width: 100vw; height:100vh; background-color: rgb(230, 238, 231);
background-size: 100%;padding-bottom: 16vh;">

    <!--NAVBAR START FROM HERE-->

    <nav class="navbar navbar-expand-lg navbar-dark" style="background-
color:rgb(21, 99, 5);">
      <div class="container-fluid">
        <a class="navbar-brand" href="Home.html"></a>
```

```

        <a href="Home.html" <p class="navbar-brand" style="color:white ;
height: 40px;width:auto;">Home</p>
        <button class="navbar-toggler" type="button" data-bs-
toggle="collapse"
        data-bs-target="#navbarSupportedContent" aria-
controls="navbarSupportedContent" aria-expanded="false"
        aria-label="Toggle navigation">
        <span class="navbar-toggler-icon"></span></a>
    </button>
    <div class="collapse navbar-collapse" id="navbarSupportedContent">
        <ul class="navbar-nav me-auto mb-2 mb-lg-0" style="margin-left:
20px;">

            <li class="nav-item dropdown">
                <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"
                aria-expanded="false">
                    Create Master
                </a>
                <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
                    <li><a class="dropdown-item" href="Product_Entry.html">Product
Entry</a></li>
                    <li><a class="dropdown-item"
href="Customer_Entry.html">Customer Entry</a></li>
                    <li><a class="dropdown-item"
href="Supplier_Entry.html">Supplier Entry</a></li>

                </ul>
            </li>
            <li class="nav-item dropdown">
                <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"
                aria-expanded="false">
                    Transaction
                </a>
                <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
                    <li><a class="dropdown-item"
href="Purchase_Entry.html">Purchase Entry</a></li>
                    <li><a class="dropdown-item" href="Sales_Entry.html">Sales
Entry</a></li>

                </ul>
            </li>
            <li class="nav-item dropdown">
                <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"

```

```

        aria-expanded="false">
        Master
    </a>
    <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
        <li><a class="dropdown-item"
href="CustomerMaster.html">Customer Master</a></li>
        <li><a class="dropdown-item"
href="SupplierMaster.html">Supplier Master</a></li>
        <li><a class="dropdown-item" href="ProductMaster.html">Product
Master</a></li>

    </ul>
</li>
<li class="nav-item dropdown">
    <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"
    aria-expanded="false">
    Report
    </a>
    <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
        <li><a class="dropdown-item" href="SalesRegister.html">Sales
Register</a></li>
        <li><a class="dropdown-item"
href="PurchaseRegister.html">Purchase Register</a></li>
        <li><a class="dropdown-item" href="StockStatus.html">Stock
Status</a></li>
        <li><a class="dropdown-item" href="StockIn.html">Stock In
Report</a></li>
        <li><a class="dropdown-item" href="StockOut.html">Stock Out
Report</a></li>
    </ul>
</li>
<li class="nav-item dropdown">
    <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"
    aria-expanded="false">
    Documents
    </a>
    <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
        <li><a class="dropdown-item"
href="PurchaseInvoice.html">Purchase Invoice</a></li>
        <li><a class="dropdown-item" href="SalesInvoice.html">Sales
Invoice</a></li>

    </ul>
<li class="nav-item">

```

```

        <a class="nav-link ms-2" aria-current="page"
href="UserManual.pdf" target="_blank">Help</a>
    </li>
</ul>

    <form class="d-flex" style="margin-right: 25px;">

        <a href="Login.html" <button class="btn btn-outline-success"
style="color: white;"
        type="submit">Logout</button>
    </form></a>
    </form>
</div>
</div>
</nav>

<!--NAVBAR END HERE-->

<div class="bg m-15px"
    style="width: 100vw; height:90vh; background-color: rgb(244, 245, 227);
background-size: 100%; padding-top: 9vh;">

    <!--PRODUCT MASTER TABLE DESIGN START FROM HERE-->

    <div class="container-fluid"
        style="background-color:white; height: auto; width : 80vw; padding-
left: 72px; padding-right: 72px;padding-top: 1px; padding-bottom:42px; border-
radius: 23px; border-style: solid; border-color: rgb(22, 109, 4);">
        <section class="main_heading my-5">
            <div class="text-center">
                <h2 style="font-family:'Segoe UI', Tahoma, Geneva, Verdana, sans-
serif; color: rgb(40, 122, 7);"><b>Product
                Master</b></h2>

            </div>
        </section>

        <div class="table-responsive" style="height:40vh;">

            <table class="table" id="tbl" border="2">

                <tr class="sticky-top" style="background-color: rgb(40, 122, 7);
color: white;">
                    <th scope="row">Sr.No.</th>
                    <th scope="col">Product_Name</th>

```

```

        <th scope="col">HSNCode</th>
        <th scope="col">MRP</th>
        <th scope="col">Purchase_Rate</th>
        <th scope="col">Sales_Rate</th>

    </tr>
</div>
</table>

</div>
</div>
<!--PRODUCT MASTER TABLE DESIGN END HERE-->

<!--BUTTONS FOR EXPORTING AND PRINTING THE REPORT-->

<div style="margin-left:65vw; margin-top: 20px;">
    

    
    <pre style=color:rgb(3,56,3)><b> Export      Print</b></pre>
</div>

</div>
</div>

</body>

<!--JAVA SCRIPT-->

<script>

    // FUNCTIONS FOR EXPORTING AND PRINTING CUSTOMER MASTER REPORT :

    function Export(tbl) {
        var htmltable = document.getElementById('tbl');
        var html = htmltable.outerHTML;
        window.open('data:application/vnd.ms-excel,' + encodeURIComponent(html));
    }

    function Print() {
        var divToPrint = document.getElementById("tbl");

```

```

newWin = window.open("");
newWin.document.write(divToPrint.outerHTML);
newWin.print();
newWin.close();
}

//CONNECTING TO DATABASE AND EXECUTING QUIRIES:

var db = openDatabase('FS', '1.0', 'Test DB', 2 * 1024 * 1024);

db.transaction(function (tx) {
    tx.executeSql('SELECT * FROM ProductMaster', [], function (tx, results) {
        var len = results.rows.length, i, srn;
        var str = '';
        for (i = 0; i < len; i++) {

            srn = i + 1;
            pname = results.rows.item(i).pname;
            hsnocode = results.rows.item(i).hsnocode;
            mrp = results.rows.item(i).mrp;
            mrp1 = (mrp * 1).toFixed(2);
            prate = results.rows.item(i).prate;
            prate1 = (prate * 1).toFixed(2);
            srate = results.rows.item(i).srate;
            srate1 = (srate * 1).toFixed(2);

            str += "<tr>";
            str += "<th>" + srn + "</th>"
            str += "<td>" + pname + "</td>";
            str += "<td>" + hsnocode + "</td>";
            str += "<td>" + mrp1 + "</td>";
            str += "<td>" + prate1 + "</td>";
            str += "<td>" + srate1 + "</td>";

            str += "</tr>";
            document.getElementById("tbl1").innerHTML += str;
            str = '';
        }
    }, null);
});

</script>
</html>

```

Supplier Master

```

<!--SUPPLIER MASTER REPORT PAGE -->

<!doctype html>

<html lang="en">

<head>

  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>
    GreenWood
  </title>
  <meta name="viewport" content="width=device-width, initial-scale=1">

  <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet"
  integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTWfSpd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous">
  <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min
.js"
  integrity="sha384-
Mrcw6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
  crossorigin="anonymous"></script>

</head>

<body>

  <div class="bg m-15px"
  style="width: 100vw; height:100vh; background-color: rgb(230, 238, 231);
background-size: 100%;padding-bottom: 16vh;">

    <!--NAVBAR START FROM HERE-->

    <nav class="navbar navbar-expand-lg navbar-dark" style="background-
color:rgb(21, 99, 5);">
      <div class="container-fluid">
        <a class="navbar-brand" href="Home.html"></a>

```

```

        <a href="Home.html" <p class="navbar-brand" style="color:white ;
height: 40px;width:auto;">Home</p>
        <button class="navbar-toggler" type="button" data-bs-
toggle="collapse"
        data-bs-target="#navbarSupportedContent" aria-
controls="navbarSupportedContent" aria-expanded="false"
        aria-label="Toggle navigation">
        <span class="navbar-toggler-icon"></span></a>
    </button>
    <div class="collapse navbar-collapse" id="navbarSupportedContent">
        <ul class="navbar-nav me-auto mb-2 mb-lg-0" style="margin-left:
20px;">

            <li class="nav-item dropdown">
                <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"
                aria-expanded="false">
                    Create Master
                </a>
                <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
                    <li><a class="dropdown-item" href="Product_Entry.html">Product
Entry</a></li>
                    <li><a class="dropdown-item"
href="Customer_Entry.html">Customer Entry</a></li>
                    <li><a class="dropdown-item"
href="Supplier_Entry.html">Supplier Entry</a></li>

                </ul>
            </li>
            <li class="nav-item dropdown">
                <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"
                aria-expanded="false">
                    Transaction
                </a>
                <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
                    <li><a class="dropdown-item"
href="Purchase_Entry.html">Purchase Entry</a></li>
                    <li><a class="dropdown-item" href="Sales_Entry.html">Sales
Entry</a></li>

                </ul>
            </li>
            <li class="nav-item dropdown">
                <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"

```



```

        aria-expanded="false">
        Master
    </a>
    <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
        <li><a class="dropdown-item"
href="CustomerMaster.html">Customer Master</a></li>
        <li><a class="dropdown-item"
href="SupplierMaster.html">Supplier Master</a></li>
        <li><a class="dropdown-item" href="ProductMaster.html">Product
Master</a></li>

    </ul>
</li>
<li class="nav-item dropdown">
    <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"
    aria-expanded="false">
        Report
    </a>
    <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
        <li><a class="dropdown-item" href="SalesRegister.html">Sales
Register</a></li>
        <li><a class="dropdown-item"
href="PurchaseRegister.html">Purchase Register</a></li>
        <li><a class="dropdown-item" href="StockStatus.html">Stock
Status</a></li>
        <li><a class="dropdown-item" href="StockIn.html">Stock In
Report</a></li>
        <li><a class="dropdown-item" href="StockOut.html">Stock Out
Report</a></li>
    </ul>
</li>
<li class="nav-item dropdown">
    <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"
    aria-expanded="false">
        Documents
    </a>
    <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
        <li><a class="dropdown-item"
href="PurchaseInvoice.html">Purchase Invoice</a></li>
        <li><a class="dropdown-item" href="SalesInvoice.html">Sales
Invoice</a></li>

    </ul>
<li class="nav-item">

```

```

        <a class="nav-link ms-2" aria-current="page"
href="UserManual.pdf" target="_blank">Help</a>
    </li>
</ul>

    <form class="d-flex" style="margin-right: 25px;">

        <a href="Login.html" <button class="btn btn-outline-success"
style="color: white;"
        type="submit">Logout</button>
    </form></a>
    </form>
</div>
</div>
</nav>

<!--NAVBAR END HERE-->

<div class="bg m-15px"
    style="width: 100vw; height:90vh; background-color: rgb(244, 245, 227);
background-size: 100%; padding-top: 9vh;">

    <!--SUPPLIER MASTER REPORT TABLE DESIGN START FROM HERE-->

    <div class="container-fluid"
        style="background-color:white; height: auto; width : 80vw; padding-
left: 72px; padding-right: 72px;padding-top: 1px; padding-bottom:42px; border-
radius: 23px; border-style: solid; border-color: rgb(22, 109, 4);">
        <section class="main_heading my-5">
            <div class="text-center">
                <h2 style="font-family:'Segoe UI', Tahoma, Geneva, Verdana, sans-
serif; color: rgb(40, 122, 7);"><b>Supplier
                Master</b></h2>

            </div>
        </section>

        <div class="table-responsive" style="height:40vh;">

            <table class="table" id="tbl" border="2">

                <tr class="sticky-top" style="background-color: rgb(40, 122, 7);
color: white;">
                    <th scope="row">Sr.No.</th>

```

```

        <th scope="col">Supplier_Name</th>
        <th scope="col">GSTIN</th>
        <th scope="col">Address</th>
        <th scope="col">Line2</th>
        <th scope="col">City</th>
        <th scope="col">Pincode</th>
        <th scope="col">Mobile_No.</th>

    </tr>
</div>
</table>

</div>
</div>

<!--SUPPLIER MASTER REPORT TABLE DESIGN START FROM HERE-->

<!--BUTTONS FOR EXPORTING AND PRINTING THE REPORT-->

<div style="margin-left:65vw; margin-top: 20px;">
    

    
    <pre style=color:rgb(3,56,3)><b> Export      Print</b></pre>
</div>

</div>
</div>

</body>

<!--JAVA SCRIPT-->

<script>

    // FUNCTIONS FOR EXPORTING AND PRINTING CUSTOMER MASTER REPORT :

    function Export(tbl) {
        var htmltable = document.getElementById('tbl');
        var html = htmltable.outerHTML;
        window.open('data:application/vnd.ms-excel,' + encodeURIComponent(html));
    }

```

```
function Print() {
    var divToPrint = document.getElementById("tbl");
    newWin = window.open("");
    newWin.document.write(divToPrint.outerHTML);
    newWin.print();
    newWin.close();
}

//CONNECTING TO DATABASE AND EXECUTING QUIRIES:

var db = openDatabase('FS', '1.0', 'Test DB', 2 * 1024 * 1024);

db.transaction(function (tx) {
    tx.executeSql('SELECT * FROM Supplier', [], function (tx, results) {
        var len = results.rows.length, i, srn;
        var str = '';
        for (i = 0; i < len; i++) {
            srn = i + 1;

            str += "<tr>";
            str += "<th>" + srn + "</th>"
            str += "<td>" + results.rows.item(i).sname + "</td>";
            str += "<td>" + results.rows.item(i).sgst + "</td>";
            str += "<td>" + results.rows.item(i).saddress + "</td>";
            str += "<td>" + results.rows.item(i).sline + "</td>";
            str += "<td>" + results.rows.item(i).scity + "</td>";
            str += "<td>" + results.rows.item(i).spincode + "</td>";
            str += "<td>" + results.rows.item(i).smobile + "</td>";
            str += "</tr>";
            document.getElementById("tbl").innerHTML += str;
            str = '';
        }
    }, null);
});

</script>

</html>
```

Customer Entry

```

<!--CUSTOMER MASTER PAGE-->

<!doctype html>

<html lang="en">

<head>

  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>
    GreenWood
  </title>
  <meta name="viewport" content="width=device-width, initial-scale=1">

  <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet"
  integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTWfSpd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous">
  <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min
.js"
  integrity="sha384-
MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
  crossorigin="anonymous"></script>

</head>

<body>

  <div class="bg m-15px"
    style="width: 100vw; height:100vh; background-color: rgb(230, 238, 231);
background-size: 100%;padding-bottom: 16vh;">

    <!--NAVBAR START FROM HERE-->

    <nav class="navbar navbar-expand-lg navbar-dark" style="background-
color:rgb(21, 99, 5);">
      <div class="container-fluid">
        <a class="navbar-brand" href="Home.html"></a>
        <a href="Home.html" <p class="navbar-brand" style="color:white ;
height: 40px;width:auto;">Home</p>
        <button class="navbar-toggler" type="button" data-bs-
toggle="collapse"
        data-bs-target="#navbarSupportedContent" aria-
controls="navbarSupportedContent" aria-expanded="false"
        aria-label="Toggle navigation">
        <span class="navbar-toggler-icon"></span></a>
    </button>
    <div class="collapse navbar-collapse" id="navbarSupportedContent">
        <ul class="navbar-nav me-auto mb-2 mb-lg-0" style="margin-left:
20px;">

            <li class="nav-item dropdown">
                <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"
                aria-expanded="false">
                    Create Master
                </a>
                <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
                    <li><a class="dropdown-item" href="Product_Entry.html">Product
Entry</a></li>
                    <li><a class="dropdown-item"
href="Customer_Entry.html">Customer Entry</a></li>
                    <li><a class="dropdown-item"
href="Supplier_Entry.html">Supplier Entry</a></li>

                </ul>
            </li>
            <li class="nav-item dropdown">
                <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"
                aria-expanded="false">
                    Transaction
                </a>
                <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
                    <li><a class="dropdown-item"
href="Purchase_Entry.html">Purchase Entry</a></li>
                    <li><a class="dropdown-item" href="Sales_Entry.html">Sales
Entry</a></li>

                </ul>
            </li>
            <li class="nav-item dropdown">

```

```

        <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"
        aria-expanded="false">
            Master
        </a>
        <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
            <li><a class="dropdown-item"
href="CustomerMaster.html">Customer Master</a></li>
            <li><a class="dropdown-item"
href="SupplierMaster.html">Supplier Master</a></li>
            <li><a class="dropdown-item" href="ProductMaster.html">Product
Master</a></li>

            </ul>
        </li>
        <li class="nav-item dropdown">
            <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"
            aria-expanded="false">
                Report
            </a>
            <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
                <li><a class="dropdown-item" href="SalesRegister.html">Sales
Register</a></li>
                <li><a class="dropdown-item"
href="PurchaseRegister.html">Purchase Register</a></li>
                <li><a class="dropdown-item" href="StockStatus.html">Stock
Status</a></li>
                <li><a class="dropdown-item" href="StockIn.html">Stock In
Report</a></li>
                <li><a class="dropdown-item" href="StockOut.html">Stock Out
Report</a></li>
            </ul>
        </li>
        <li class="nav-item dropdown">
            <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"
            aria-expanded="false">
                Documents
            </a>
            <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
                <li><a class="dropdown-item"
href="PurchaseInvoice.html">Purchase Invoice</a></li>
                <li><a class="dropdown-item" href="SalesInvoice.html">Sales
Invoice</a></li>

```

```

        </ul>
        <li class="nav-item">
            <a class="nav-link ms-2" aria-current="page"
href="UserManual.pdf" target="_blank">Help</a>
        </li>
    </ul>

    <form class="d-flex" style="margin-right: 25px;">

        <a href="Login.html" <button class="btn btn-outline-success"
style="color: white;"
        type="submit">Logout</button>
    </form></a>
    </form>
</div>
</div>
</nav>

<!--NAVBAR END HERE-->

<div class="bg m-15px"
    style="width: 100vw; height:90vh; background-color: rgb(244, 245, 227);
background-size: 100%; padding-top: 9vh;">

    <!--CUSTOMER MASTER REPORT TABLE DESIGN START FROM HERE-->

    <div class="container-fluid"
        style="background-color:white; height: auto; width : 80vw; padding-
left: 72px; padding-right: 72px;padding-top: 1px; padding-bottom:42px; border-
radius: 23px; border-style: solid; border-color: rgb(22, 109, 4);">
        <section class="main_heading my-5">
            <div class="text-center">
                <h2 style="font-family:'Segoe UI', Tahoma, Geneva, Verdana, sans-
serif; color: rgb(40, 122, 7);"><b>Customer
                Master</b></h2>

            </div>
        </section>

        <div class="table-responsive" style="height:40vh;">

            <table class="table" id="tbl" border="2">

```



```

        <tr class="sticky-top" style="background-color: rgb(40, 122, 7);
color: white;">
            <th scope="row">Sr.No.</th>
            <th scope="col">Customer_Name</th>
            <th scope="col">GSTIN</th>
            <th scope="col">Address</th>
            <th scope="col">Line2</th>
            <th scope="col">City</th>
            <th scope="col">Pincode</th>
            <th scope="col">Mobile_No.</th>

        </tr>
    </div>
</table>

</div>
</div>
<!--CUSTOMER MASTER REPORT TABLE DESIGN END HERE-->

<!--BUTTONS FOR EXPORTING AND PRINTING THE REPORT-->

    <div style="margin-left:65vw; margin-top: 20px;">
        

        
        <pre style=color:rgb(3,56,3)><b> Export      Print</b></pre>
    </div>

</div>
</div>

</body>

<!--JAVA SCRIPT-->

<script>

    // FUNCTIONS FOR EXPORTING AND PRINTING CUSTOMER MASTER REPORT :

    function Export(tbl) {
        var htmltable = document.getElementById('tbl');

```

```

    var html = htmltable.outerHTML;
    window.open('data:application/vnd.ms-excel,' + encodeURIComponent(html));
}

function Print() {
    var divToPrint = document.getElementById("tbl");
    newWin = window.open("");
    newWin.document.write(divToPrint.outerHTML);
    newWin.print();
    newWin.close();
}

//CONNECTING TO DATABASE AND EXECUTING QUIRIES:

var db = openDatabase('FS', '1.0', 'Test DB', 2 * 1024 * 1024);

db.transaction(function (tx) {
    tx.executeSql('SELECT * FROM Customer', [], function (tx, results) {
        var len = results.rows.length, i, srn;
        var str = '';
        for (i = 0; i < len; i++) {
            srn = i + 1;

            str += "<tr>";
            str += "<th>" + srn + "</th>"
            str += "<td>" + results.rows.item(i).cname + "</td>";
            str += "<td>" + results.rows.item(i).cgst + "</td>";
            str += "<td>" + results.rows.item(i).caddress + "</td>";
            str += "<td>" + results.rows.item(i).cline + "</td>";
            str += "<td>" + results.rows.item(i).ccity + "</td>";
            str += "<td>" + results.rows.item(i).cpincode + "</td>";
            str += "<td>" + results.rows.item(i).cmobile + "</td>";
            str += "</tr>";
            document.getElementById("tbl").innerHTML += str;
            str = '';
        }
    }, null);
});

</script>

</html>

```

Sales Register

```
<!--SALES REGISTER PAGE -->

<!doctype html>

<html lang="en">

<head>

  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>
    GreenWood
  </title>
  <meta name="viewport" content="width=device-width, initial-scale=1">

  <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet"
    integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTWfSpd3yD65VohhpuuCOMLASjC"
crossorigin="anonymous">
  <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min
.js"
    integrity="sha384-
Mrcw6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
    crossorigin="anonymous"></script>

</head>

<body>

  <div class="bg m-15px"
    style="width: 100vw; height:100vh; background-color: rgb(230, 238, 231);
background-size: 100%;padding-bottom: 16vh;">

    <!--NAVBAR START FROM HERE-->

    <nav class="navbar navbar-expand-lg navbar-dark" style="background-
color:rgb(21, 99, 5);">
      <div class="container-fluid">
        <a class="navbar-brand" href="Home.html"></a>
```

```

        <a href="Home.html" <p class="navbar-brand" style="color:white ;
height: 40px;width:auto;">Home</p>
        <button class="navbar-toggler" type="button" data-bs-
toggle="collapse"
        data-bs-target="#navbarSupportedContent" aria-
controls="navbarSupportedContent" aria-expanded="false"
        aria-label="Toggle navigation">
        <span class="navbar-toggler-icon"></span></a>
    </button>
    <div class="collapse navbar-collapse" id="navbarSupportedContent">
        <ul class="navbar-nav me-auto mb-2 mb-lg-0" style="margin-left:
20px;">

            <li class="nav-item dropdown">
                <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"
                aria-expanded="false">
                    Create Master
                </a>
                <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
                    <li><a class="dropdown-item" href="Product_Entry.html">Product
Entry</a></li>
                    <li><a class="dropdown-item"
href="Customer_Entry.html">Customer Entry</a></li>
                    <li><a class="dropdown-item"
href="Supplier_Entry.html">Supplier Entry</a></li>

                </ul>
            </li>
            <li class="nav-item dropdown">
                <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"
                aria-expanded="false">
                    Transaction
                </a>
                <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
                    <li><a class="dropdown-item"
href="Purchase_Entry.html">Purchase Entry</a></li>
                    <li><a class="dropdown-item" href="Sales_Entry.html">Sales
Entry</a></li>

                </ul>
            </li>
            <li class="nav-item dropdown">
                <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"

```

```

        aria-expanded="false">
        Master
    </a>
    <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
        <li><a class="dropdown-item"
href="CustomerMaster.html">Customer Master</a></li>
        <li><a class="dropdown-item"
href="SupplierMaster.html">Supplier Master</a></li>
        <li><a class="dropdown-item" href="ProductMaster.html">Product
Master</a></li>

    </ul>
</li>
<li class="nav-item dropdown">
    <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"
    aria-expanded="false">
        Report
    </a>
    <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
        <li><a class="dropdown-item" href="SalesRegister.html">Sales
Register</a></li>
        <li><a class="dropdown-item"
href="PurchaseRegister.html">Purchase Register</a></li>
        <li><a class="dropdown-item" href="StockStatus.html">Stock
Status</a></li>
        <li><a class="dropdown-item" href="StockIn.html">Stock In
Report</a></li>
        <li><a class="dropdown-item" href="StockOut.html">Stock Out
Report</a></li>
    </ul>
</li>
<li class="nav-item dropdown">
    <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"
    aria-expanded="false">
        Documents
    </a>
    <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
        <li><a class="dropdown-item"
href="PurchaseInvoice.html">Purchase Invoice</a></li>
        <li><a class="dropdown-item" href="SalesInvoice.html">Sales
Invoice</a></li>

    </ul>
<li class="nav-item">

```

```

        <a class="nav-link ms-2" aria-current="page"
href="UserManual.pdf" target="_blank">Help</a>
    </li>
</ul>

    <form class="d-flex" style="margin-right: 25px;">

        <a href="Login.html" <button class="btn btn-outline-success"
style="color: white;"
        type="submit">Logout</button>
    </form></a>
    </form>
</div>
</div>
</nav>

<!--NAVBAR END HERE-->

<div class="bg m-15px"
    style="width: 100vw; height:90vh; background-color: rgb(244, 245, 227);
background-size: 100%; padding-top: 9vh;">

    <!--SALES REGISTER TABLE DESIGN START FROM HERE-->

    <div class="container-fluid"
        style="background-color:white; height: auto; width : 80vw; padding-
left: 72px; padding-right: 72px;padding-top: 1px; padding-bottom:42px; border-
radius: 23px; border-style: solid; border-color: rgb(22, 109, 4);">
        <section class="main_heading my-5">
            <div class="text-center">
                <h2 style="font-family:'Segoe UI', Tahoma, Geneva, Verdana,
sans-serif; color: rgb(40, 122, 7);"><b>Sales
                Register</b></h2>

            </div>
        </section>

        <div class="table-responsive" style="height:40vh;">

            <table class="table" id="tbl" border="2">

                <tr class="sticky-top" style="background-color: rgb(40, 122, 7);
color: white;">

```

```

        <th scope="row">Sr.No.</th>
        <th scope="row">Date&Time</th>
        <th scope="col">Invoice No</th>
        <th scope="col">Party Name</th>
        <th scope="col">Place</th>
        <th scope="col">GSTIN</th>
        <th scope="col">Taxable Amount</th>
        <th scope="col">Tax Amount</th>
        <th scope="col">Total</th>

    </tr>
</div>
</table>

</div>
</div>
<!--SALES REGISTER TABLE DESIGN END HERE-->

<!--BUTTONS FOR EXPORTING AND PRINTING THE REPORT-->

<div style="margin-left:65vw; margin-top: 20px;">
    

    
    <pre style=color:rgb(3,56,3)><b> Export      Print</b></pre>
</div>

</div>

</div>
</body>

<!--JAVA SCRIPT-->

<script>

    // FUNCTIONS FOR EXPORTING AND PRINTING CUSTOMER MASTER REPORT :

    function Export(tbl) {
        var htmltable = document.getElementById('tbl');
        var html = htmltable.outerHTML;
        window.open('data:application/vnd.ms-excel,' + encodeURIComponent(html));
    }

```

```

function Print() {
    var divToPrint = document.getElementById("tbl");
    newWin = window.open("");
    newWin.document.write(divToPrint.outerHTML);
    newWin.print();
    newWin.close();
}

//CONNECTING TO DATABASE AND EXECUTING QUIRIES:

var db = openDatabase('FS', '1.0', 'Test DB', 2 * 1024 * 1024);

db.transaction(function (tx) {
    tx.executeSql('SELECT SalesInvoice.date, SalesInvoice.partyname,
SalesInvoice.taxable,
SalesInvoice.tax,SalesInvoice.total,Customer.ccity,Customer.cgst FROM
SalesInvoice INNER JOIN Customer ON SalesInvoice.partyname = Customer.cname',
[], function (tx, results) {
        var len = results.rows.length, i, srn;
        var str = '';

        for (i = 0; i < len; i++) {

            srn = i + 1;
            inv = ("SI000" + srn);

            date = results.rows.item(i).date;
            pname = results.rows.item(i).partyname;
            txbl = results.rows.item(i).taxable;
            txbl1 = (txbl * 1).toFixed(2);
            tax = results.rows.item(i).tax;
            tax1 = (tax * 1).toFixed(2);
            total = results.rows.item(i).total
            total1 = (total * 1).toFixed(2);
            place = results.rows.item(i).ccity;
            gst = results.rows.item(i).cgst;

            str += "<tr>";
            str += "<th>" + srn + "</th>"

```



```
        str += "<th>" + date + "</th>"
        str += "<td>" + inv + "</td>";
        str += "<td>" + pname + "</td>";
        str += "<td>" + place + "</td>";
        str += "<td>" + gst + "</td>";
        str += "<td>" + txbl1 + "</td>";
        str += "<td>" + tax1 + "</td>";
        str += "<td>" + total1 + "</td>";

        str += "</tr>";
        document.getElementById("tbl").innerHTML += str;
        str = '';

    }

    }, null);

});

</script>

</html>

</body>

</html>
```

Purchase Register

```
<!--PURCHASE REGISTER PAGE -->

<!doctype html>

<html lang="en">

<head>

  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>
    GreenWood
  </title>
  <meta name="viewport" content="width=device-width, initial-scale=1">

  <link
href="https://cdn.jsdelivrivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet"
    integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTWfSpd3yD65VohhpuuCOMLASjC"
crossorigin="anonymous">
  <script
src="https://cdn.jsdelivrivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min
.js"
    integrity="sha384-
Mrcw6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
    crossorigin="anonymous"></script>

</head>

<body>

  <div class="bg m-15px"
    style="width: 100vw; height:100vh; background-color: rgb(230, 238, 231);
background-size: 100%;padding-bottom: 16vh;">

    <!--NAVBAR START FROM HERE-->

    <nav class="navbar navbar-expand-lg navbar-dark" style="background-
color:rgb(21, 99, 5);">
      <div class="container-fluid">
        <a class="navbar-brand" href="Home.html"></a>
```

```

        <a href="Home.html" <p class="navbar-brand" style="color:white ;
height: 40px;width:auto;">Home</p>
        <button class="navbar-toggler" type="button" data-bs-
toggle="collapse"
        data-bs-target="#navbarSupportedContent" aria-
controls="navbarSupportedContent" aria-expanded="false"
        aria-label="Toggle navigation">
        <span class="navbar-toggler-icon"></span></a>
    </button>
    <div class="collapse navbar-collapse" id="navbarSupportedContent">
        <ul class="navbar-nav me-auto mb-2 mb-lg-0" style="margin-left:
20px;">

            <li class="nav-item dropdown">
                <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"
                aria-expanded="false">
                    Create Master
                </a>
                <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
                    <li><a class="dropdown-item" href="Product_Entry.html">Product
Entry</a></li>
                    <li><a class="dropdown-item"
href="Customer_Entry.html">Customer Entry</a></li>
                    <li><a class="dropdown-item"
href="Supplier_Entry.html">Supplier Entry</a></li>

                </ul>
            </li>
            <li class="nav-item dropdown">
                <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"
                aria-expanded="false">
                    Transaction
                </a>
                <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
                    <li><a class="dropdown-item"
href="Purchase_Entry.html">Purchase Entry</a></li>
                    <li><a class="dropdown-item" href="Sales_Entry.html">Sales
Entry</a></li>

                </ul>
            </li>
            <li class="nav-item dropdown">
                <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"

```

```

        aria-expanded="false">
        Master
    </a>
    <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
        <li><a class="dropdown-item"
href="CustomerMaster.html">Customer Master</a></li>
        <li><a class="dropdown-item"
href="SupplierMaster.html">Supplier Master</a></li>
        <li><a class="dropdown-item" href="ProductMaster.html">Product
Master</a></li>

    </ul>
</li>
<li class="nav-item dropdown">
    <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"
    aria-expanded="false">
        Report
    </a>
    <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
        <li><a class="dropdown-item" href="SalesRegister.html">Sales
Register</a></li>
        <li><a class="dropdown-item"
href="PurchaseRegister.html">Purchase Register</a></li>
        <li><a class="dropdown-item" href="StockStatus.html">Stock
Status</a></li>
        <li><a class="dropdown-item" href="StockIn.html">Stock In
Report</a></li>
        <li><a class="dropdown-item" href="StockOut.html">Stock Out
Report</a></li>
    </ul>
</li>
<li class="nav-item dropdown">
    <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"
    aria-expanded="false">
        Documents
    </a>
    <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
        <li><a class="dropdown-item"
href="PurchaseInvoice.html">Purchase Invoice</a></li>
        <li><a class="dropdown-item" href="SalesInvoice.html">Sales
Invoice</a></li>

    </ul>
<li class="nav-item">

```

```

        <a class="nav-link ms-2" aria-current="page"
href="UserManual.pdf" target="_blank">Help</a>
    </li>
</ul>

    <form class="d-flex" style="margin-right: 25px;">

        <a href="Login.html" <button class="btn btn-outline-success"
style="color: white;"
        type="submit">Logout</button>
    </form></a>
    </form>
</div>
</div>
</nav>

<!--NAVBAR END HERE-->

<div class="bg m-15px"
    style="width: 100vw; height:90vh; background-color: rgb(244, 245, 227);
background-size: 100%; padding-top: 9vh;">

    <!--PURCHASE REGISTER TABLE DESIGN START FROM HERE-->

    <div class="container-fluid"
        style="background-color:white; height: auto; width : 80vw; padding-
left: 72px; padding-right: 72px;padding-top: 1px; padding-bottom:42px; border-
radius: 23px; border-style: solid; border-color: rgb(22, 109, 4);">
        <section class="main_heading my-5">
            <div class="text-center">
                <h2 style="font-family:'Segoe UI', Tahoma, Geneva, Verdana, sans-
serif; color: rgb(40, 122, 7);"><b>Purchase
                Register</b></h2>

            </div>
        </section>

        <div class="table-responsive" style="height:40vh;">

            <table class="table" id="tbl" border="2">

                <tr class="sticky-top" style="background-color: rgb(40, 122, 7);
color: white;">
                    <th scope="row">Sr.No.</th>
                    <th scope="row">Date&Time</th>

```

```

        <th scope="col">Invoice No</th>
        <th scope="col">Party Name</th>
        <th scope="col">Place</th>
        <th scope="col">GSTIN</th>
        <th scope="col">Taxable Amount</th>
        <th scope="col">Tax Amount</th>
        <th scope="col">Total</th>

    </tr>
</div>
</table>

</div>
</div>
<!--PURCHASE REGISTER TABLE DESIGN END HERE-->

<!--BUTTONS FOR EXPORTING AND PRINTING THE REPORT-->

<div style="margin-left:65vw; margin-top: 20px;">
    

    
    <pre style=color:rgb(3,56,3)><b> Export      Print</b></pre>
</div>

</div>
</div>

</body>

<!--JAVA SCRIPT-->

<script>

    // FUNCTIONS FOR EXPORTING AND PRINTING CUSTOMER MASTER REPORT :

    function Export(tbl) {
        var htmltable = document.getElementById('tbl');
        var html = htmltable.outerHTML;
        window.open('data:application/vnd.ms-excel,' + encodeURIComponent(html));
    }

    function Print() {
        var divToPrint = document.getElementById("tbl");

```

```

newWin = window.open("");
newWin.document.write(divToPrint.outerHTML);
newWin.print();
newWin.close();
}

```

```

//CONNECTING TO DATABASE AND EXECUTING QUIRIES:

```

```

var db = openDatabase('FS', '1.0', 'Test DB', 2 * 1024 * 1024);

```

```

db.transaction(function (tx) {
    tx.executeSql('SELECT PurchaseInvoice.date, PurchaseInvoice.partyname,
PurchaseInvoice.taxable,
PurchaseInvoice.tax,PurchaseInvoice.total,Supplier.scity,Supplier.sgst FROM
PurchaseInvoice INNER JOIN Supplier ON PurchaseInvoice.partyname =
Supplier.sname', [], function (tx, results) {
    var len = results.rows.length, i, srn;
    var str = '';
    for (i = 0; i < len; i++) {

        srn = i + 1;
        inv = ("PI000" + srn);

        date = results.rows.item(i).date;
        pname = results.rows.item(i).partyname;
        txbl = results.rows.item(i).taxable;
        txbl1 = (txbl * 1).toFixed(2);
        tax = results.rows.item(i).tax;
        tax1 = (tax * 1).toFixed(2);
        total = results.rows.item(i).total
        total1 = (total * 1).toFixed(2);
        place = results.rows.item(i).scity;
        gst = results.rows.item(i).sgst;

```

```

        str += "<tr>";
        str += "<th>" + srn + "</th>"
        str += "<th>" + date + "</th>"

```

```
        str += "<td>" + inv + "</td>";
        str += "<td>" + pname + "</td>";
        str += "<td>" + place + "</td>";
        str += "<td>" + gst + "</td>";
        str += "<td>" + txbl1 + "</td>";
        str += "<td>" + tax1 + "</td>";
        str += "<td>" + total1 + "</td>";

        str += "</tr>";
        document.getElementById("tbl").innerHTML += str;
        str = '';

    }

    }, null);

});

</script>

</html>

</body>

</html>
```


Stock Status

```

<!--STOCK STATUS REPORT PAGE -->

<!doctype html>

<html lang="en">

<head>

  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>
    GreenWood
  </title>
  <meta name="viewport" content="width=device-width, initial-scale=1">

  <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet"
    integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTWfSpd3yD65VohhpuuCOMLASjC"
crossorigin="anonymous">
  <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min
.js"
    integrity="sha384-
Mrcw6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
    crossorigin="anonymous"></script>

</head>

<body>

  <div class="bg m-15px"
    style="width: 100vw; height:100vh; background-color: rgb(230, 238, 231);
background-size: 100%;padding-bottom: 16vh;">

    <!--NAVBAR START FROM HERE-->

    <nav class="navbar navbar-expand-lg navbar-dark" style="background-
color:rgb(21, 99, 5);">
      <div class="container-fluid">
        <a class="navbar-brand" href="Home.html"></a>

```

```

        <a href="Home.html" <p class="navbar-brand" style="color:white ;
height: 40px;width:auto;">Home</p>
        <button class="navbar-toggler" type="button" data-bs-
toggle="collapse"
        data-bs-target="#navbarSupportedContent" aria-
controls="navbarSupportedContent" aria-expanded="false"
        aria-label="Toggle navigation">
        <span class="navbar-toggler-icon"></span></a>
    </button>
    <div class="collapse navbar-collapse" id="navbarSupportedContent">
        <ul class="navbar-nav me-auto mb-2 mb-lg-0" style="margin-left:
20px;">

            <li class="nav-item dropdown">
                <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"
                aria-expanded="false">
                    Create Master
                </a>
                <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
                    <li><a class="dropdown-item" href="Product_Entry.html">Product
Entry</a></li>
                    <li><a class="dropdown-item"
href="Customer_Entry.html">Customer Entry</a></li>
                    <li><a class="dropdown-item"
href="Supplier_Entry.html">Supplier Entry</a></li>

                </ul>
            </li>
            <li class="nav-item dropdown">
                <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"
                aria-expanded="false">
                    Transaction
                </a>
                <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
                    <li><a class="dropdown-item"
href="Purchase_Entry.html">Purchase Entry</a></li>
                    <li><a class="dropdown-item" href="Sales_Entry.html">Sales
Entry</a></li>

                </ul>
            </li>
            <li class="nav-item dropdown">
                <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"

```

```

        aria-expanded="false">
        Master
    </a>
    <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
        <li><a class="dropdown-item"
href="CustomerMaster.html">Customer Master</a></li>
        <li><a class="dropdown-item"
href="SupplierMaster.html">Supplier Master</a></li>
        <li><a class="dropdown-item" href="ProductMaster.html">Product
Master</a></li>

    </ul>
</li>
<li class="nav-item dropdown">
    <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"
    aria-expanded="false">
        Report
    </a>
    <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
        <li><a class="dropdown-item" href="SalesRegister.html">Sales
Register</a></li>
        <li><a class="dropdown-item"
href="PurchaseRegister.html">Purchase Register</a></li>
        <li><a class="dropdown-item" href="StockStatus.html">Stock
Status</a></li>
        <li><a class="dropdown-item" href="StockIn.html">Stock In
Report</a></li>
        <li><a class="dropdown-item" href="StockOut.html">Stock Out
Report</a></li>
    </ul>
</li>
<li class="nav-item dropdown">
    <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"
    aria-expanded="false">
        Documents
    </a>
    <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
        <li><a class="dropdown-item"
href="PurchaseInvoice.html">Purchase Invoice</a></li>
        <li><a class="dropdown-item" href="SalesInvoice.html">Sales
Invoice</a></li>

    </ul>
<li class="nav-item">

```

```

        <a class="nav-link ms-2" aria-current="page"
href="UserManual.pdf" target="_blank">Help</a>
    </li>
</ul>

    <form class="d-flex" style="margin-right: 25px;">

        <a href="Login.html" <button class="btn btn-outline-success"
style="color: white;"
        type="submit">Logout</button>
    </form></a>
    </form>
</div>
</div>
</nav>

<!--NAVBAR END HERE-->

<div class="bg m-15px"
    style="width: 100vw; height:90vh; background-color: rgb(244, 245, 227);
background-size: 100%; padding-top: 9vh;">

    <!--STOCK STATUS REPORT TABLE DESIGN START FROM HERE-->

    <div class="container-fluid"
        style="background-color:white; height: auto; width : 80vw; padding-
left: 72px; padding-right: 72px;padding-top: 1px; padding-bottom:42px; border-
radius: 23px; border-style: solid; border-color: rgb(22, 109, 4);">
        <section class="main_heading my-5">
            <div class="text-center">
                <h2 style="font-family:'Segoe UI', Tahoma, Geneva, Verdana, sans-
serif; color: rgb(40, 122, 7);"><b>Stock
                Status</b></h2>

            </div>
        </section>

        <div class="table-responsive" style="height:40vh;">

            <table class="table" id="tbl" border="2">

                <tr class="sticky-top" style="background-color: rgb(40, 122, 7);
color: white;">
                    <th scope="row">Sr.No.</th>
                    <th scope="col">Product_Name</th>
                    <th scope="col">MRP</th>
                    <th scope="col">Quantity</th>

```

```

        <th scope="col">Rate</th>
        <th scope="col">Value</th>
    </tr>
</div>
</table>

</div>
</div>
<!--STOCK STATUS REPORT TABLE DESIGN END HERE-->

<!--BUTTONS FOR EXPORTING AND PRINTING THE REPORT-->

<div style="margin-left:65vw; margin-top: 20px;">
    

    
    <pre style=color:rgb(3,56,3)><b> Export      Print</b></pre>
</div>

</div>
</div>

</body>

<!--JAVASCRIPT-->

<script>

    // FUNCTIONS FOR EXPORTING AND PRINTING CUSTOMER MASTER REPORT :

    function Export(tbl) {
        var htmltable = document.getElementById('tbl');
        var html = htmltable.outerHTML;
        window.open('data:application/vnd.ms-excel,' + encodeURIComponent(html));
    }

    function Print() {
        var divToPrint = document.getElementById("tbl");
        newWin = window.open("");
        newWin.document.write(divToPrint.outerHTML);
        newWin.print();
        newWin.close();
    }

```

```

//CONNECTING TO DATABASE AND EXECUTING QUIRIES:

var db = openDatabase('FS', '1.0', 'Test DB', 2 * 1024 * 1024);

db.transaction(function (tx) {
    tx.executeSql('SELECT * FROM ProductMaster', [], function (tx, results) {
        var len = results.rows.length, i, srn;
        var str = '';
        for (i = 0; i < len; i++) {

            srn = i + 1;
            pname = results.rows.item(i).pname;
            mrp = results.rows.item(i).mrp;
            mrp1 = (1 * mrp).toFixed(2);
            qty = results.rows.item(i).qty;
            rate = results.rows.item(i).prate;
            rate1 = (rate * 1).toFixed(2);
            value = (qty * rate).toFixed(2);

            str += "<tr>";
            str += "<th>" + srn + "</th>"
            str += "<td>" + pname + "</td>";
            str += "<td>" + mrp1 + "</td>";
            str += "<td>" + qty + "</td>";
            str += "<td>" + rate1 + "</td>";
            str += "<td>" + value + "</td>";

            str += "</tr>";
            document.getElementById("tbl").innerHTML += str;
            str = '';
        }
    }, null);
});

</script>

</html>

```

Stock In Report

```

<!--STOCK IN REPORT PAGE -->

<!doctype html>

<html lang="en">

<head>

  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>
    GreenWood
  </title>
  <meta name="viewport" content="width=device-width, initial-scale=1">

  <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet"
    integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTWfSpd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous">
  <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min
.js"
    integrity="sha384-
Mrcw6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
    crossorigin="anonymous"></script>

</head>

<body>

  <div class="bg m-15px"
    style="width: 100vw; height:100vh; background-color: rgb(230, 238, 231);
background-size: 100%;padding-bottom: 16vh;">

    <!--NAVBAR START FROM HERE-->

    <nav class="navbar navbar-expand-lg navbar-dark" style="background-
color:rgb(21, 99, 5);">
      <div class="container-fluid">
        <a class="navbar-brand" href="Home.html"></a>

```

```

        <a href="Home.html" <p class="navbar-brand" style="color:white ;
height: 40px;width:auto;">Home</p>
        <button class="navbar-toggler" type="button" data-bs-
toggle="collapse"
        data-bs-target="#navbarSupportedContent" aria-
controls="navbarSupportedContent" aria-expanded="false"
        aria-label="Toggle navigation">
        <span class="navbar-toggler-icon"></span></a>
    </button>
    <div class="collapse navbar-collapse" id="navbarSupportedContent">
        <ul class="navbar-nav me-auto mb-2 mb-lg-0" style="margin-left:
20px;">

            <li class="nav-item dropdown">
                <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"
                aria-expanded="false">
                    Create Master
                </a>
                <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
                    <li><a class="dropdown-item" href="Product_Entry.html">Product
Entry</a></li>
                    <li><a class="dropdown-item"
href="Customer_Entry.html">Customer Entry</a></li>
                    <li><a class="dropdown-item"
href="Supplier_Entry.html">Supplier Entry</a></li>

                </ul>
            </li>
            <li class="nav-item dropdown">
                <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"
                aria-expanded="false">
                    Transaction
                </a>
                <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
                    <li><a class="dropdown-item"
href="Purchase_Entry.html">Purchase Entry</a></li>
                    <li><a class="dropdown-item" href="Sales_Entry.html">Sales
Entry</a></li>

                </ul>
            </li>
            <li class="nav-item dropdown">
                <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"

```



```

        aria-expanded="false">
        Master
    </a>
    <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
        <li><a class="dropdown-item"
href="CustomerMaster.html">Customer Master</a></li>
        <li><a class="dropdown-item"
href="SupplierMaster.html">Supplier Master</a></li>
        <li><a class="dropdown-item" href="ProductMaster.html">Product
Master</a></li>

    </ul>
</li>
<li class="nav-item dropdown">
    <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"
    aria-expanded="false">
        Report
    </a>
    <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
        <li><a class="dropdown-item" href="SalesRegister.html">Sales
Register</a></li>
        <li><a class="dropdown-item"
href="PurchaseRegister.html">Purchase Register</a></li>
        <li><a class="dropdown-item" href="StockStatus.html">Stock
Status</a></li>
        <li><a class="dropdown-item" href="StockIn.html">Stock In
Report</a></li>
        <li><a class="dropdown-item" href="StockOut.html">Stock Out
Report</a></li>
    </ul>
</li>
<li class="nav-item dropdown">
    <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"
    aria-expanded="false">
        Documents
    </a>
    <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
        <li><a class="dropdown-item"
href="PurchaseInvoice.html">Purchase Invoice</a></li>
        <li><a class="dropdown-item" href="SalesInvoice.html">Sales
Invoice</a></li>

    </ul>
<li class="nav-item">

```

```

        <a class="nav-link ms-2" aria-current="page"
href="UserManual.pdf" target="_blank">Help</a>
    </li>
</ul>

    <form class="d-flex" style="margin-right: 25px;">

        <a href="Login.html" <button class="btn btn-outline-success"
style="color: white;"
        type="submit">Logout</button>
    </form></a>
    </form>
</div>
</div>
</nav>

<!--NAVBAR END HERE-->

<div class="bg m-15px"
    style="width: 100vw; height:90vh; background-color: rgb(244, 245, 227);
background-size: 100%; padding-top: 9vh;">

    <!--STOCK IN REPORT TABLE DESIGN START FROM HERE-->
    <div class="container-fluid"
        style="background-color:white; height: auto; width : 80vw; padding-
left: 72px; padding-right: 72px;padding-top: 1px; padding-bottom:42px; border-
radius: 23px; border-style: solid; border-color: rgb(22, 109, 4);">
        <section class="main_heading my-5">
            <div class="text-center">
                <h2 style="font-family:'Segoe UI', Tahoma, Geneva, Verdana, sans-
serif; color: rgb(40, 122, 7);"><b>Stock In
                Report</b></h2>

            </div>
        </section>

        <div class="table-responsive" style="height:40vh;">

            <table class="table" id="tbl" border="2">

                <tr class="sticky-top" style="background-color: rgb(40, 122, 7);
color: white;">
                    <th scope="row">Sr.No.</th>
                    <th scope="row">Date&Time</th>
                    <th scope="col">Party Name</th>
                    <th scope="col">Place</th>

```

```

        <th scope="col">Product Name</th>
        <th scope="col">Quantity</th>

    </tr>
</div>
</table>

</div>
</div>

<!--STOCK IN REPORT TABLE DESIGN END HERE-->

<!--BUTTONS FOR EXPORTING AND PRINTING THE REPORT-->
<div style="margin-left:65vw; margin-top: 20px;">
    

    
    <pre style=color:rgb(3,56,3)><b> Export      Print</b></pre>
</div>

</div>
</div>

</body>

<!--JAVA SCRIPT-->

<script>

    // FUNCTIONS FOR EXPORTING AND PRINTING CUSTOMER MASTER REPORT :

    function Export(tbl) {
        var htmltable = document.getElementById('tbl');
        var html = htmltable.outerHTML;
        window.open('data:application/vnd.ms-excel,' + encodeURIComponent(html));
    }

    function Print() {
        var divToPrint = document.getElementById("tbl");
        newWin = window.open("");
        newWin.document.write(divToPrint.outerHTML);
        newWin.print();
    }

```

```
newWin.close();
}

//CONNECTING TO DATABASE AND EXECUTING QUIRIES:

var db = openDatabase('FS', '1.0', 'Test DB', 2 * 1024 * 1024);

db.transaction(function (tx) {
    tx.executeSql('SELECT PorductWisePurchaseInvoice.date,
PorductWisePurchaseInvoice.partyname, PorductWisePurchaseInvoice.product,
PorductWisePurchaseInvoice.qty,Supplier.scity FROM PorductWisePurchaseInvoice
INNER JOIN Supplier ON PorductWisePurchaseInvoice.partyname = Supplier.sname',
[], function (tx, results) {
    var len = results.rows.length, i, srn;
    var str = '';
    for (i = 0; i < len; i++) {

        srn = i + 1;

        date = results.rows.item(i).date;
        pname = results.rows.item(i).partyname;
        product = results.rows.item(i).product;
        qty = results.rows.item(i).qty;
        place = results.rows.item(i).scity;

        str += "<tr>";
        str += "<th>" + srn + "</th>"
        str += "<th>" + date + "</th>"
        str += "<td>" + pname + "</td>";
        str += "<td>" + place + "</td>";
        str += "<td>" + product + "</td>";
        str += "<td>" + qty + "</td>";

        str += "</tr>";
        document.getElementById("tbl").innerHTML += str;
        str = '';
    }
});
```

```
    }  
  
    }, null);  
});  
  
</script>  
  
</html>  
  
</body>  
  
</html>
```

Stock Out Report

```
<!--STOCK OUT REPORT PAGE -->

<!doctype html>

<html lang="en">

<head>

  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>
    GreenWood
  </title>
  <meta name="viewport" content="width=device-width, initial-scale=1">

  <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet"
    integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTWfSpd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous">
  <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min
.js"
    integrity="sha384-
Mrcw6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
    crossorigin="anonymous"></script>

</head>

<body>

  <div class="bg m-15px"
    style="width: 100vw; height:100vh; background-color: rgb(230, 238, 231);
background-size: 100%;padding-bottom: 16vh;">

    <!--NAVBAR START FROM HERE-->

    <nav class="navbar navbar-expand-lg navbar-dark" style="background-
color:rgb(21, 99, 5);">
      <div class="container-fluid">
        <a class="navbar-brand" href="Home.html"></a>
```

```

        <a href="Home.html" <p class="navbar-brand" style="color:white ;
height: 40px;width:auto;">Home</p>
        <button class="navbar-toggler" type="button" data-bs-
toggle="collapse"
        data-bs-target="#navbarSupportedContent" aria-
controls="navbarSupportedContent" aria-expanded="false"
        aria-label="Toggle navigation">
        <span class="navbar-toggler-icon"></span></a>
    </button>
    <div class="collapse navbar-collapse" id="navbarSupportedContent">
        <ul class="navbar-nav me-auto mb-2 mb-lg-0" style="margin-left:
20px;">

            <li class="nav-item dropdown">
                <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"
                aria-expanded="false">
                    Create Master
                </a>
                <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
                    <li><a class="dropdown-item" href="Product_Entry.html">Product
Entry</a></li>
                    <li><a class="dropdown-item"
href="Customer_Entry.html">Customer Entry</a></li>
                    <li><a class="dropdown-item"
href="Supplier_Entry.html">Supplier Entry</a></li>

                </ul>
            </li>
            <li class="nav-item dropdown">
                <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"
                aria-expanded="false">
                    Transaction
                </a>
                <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
                    <li><a class="dropdown-item"
href="Purchase_Entry.html">Purchase Entry</a></li>
                    <li><a class="dropdown-item" href="Sales_Entry.html">Sales
Entry</a></li>

                </ul>
            </li>
            <li class="nav-item dropdown">
                <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"

```

```

        aria-expanded="false">
        Master
    </a>
    <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
        <li><a class="dropdown-item"
href="CustomerMaster.html">Customer Master</a></li>
        <li><a class="dropdown-item"
href="SupplierMaster.html">Supplier Master</a></li>
        <li><a class="dropdown-item" href="ProductMaster.html">Product
Master</a></li>

    </ul>
</li>
<li class="nav-item dropdown">
    <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"
    aria-expanded="false">
        Report
    </a>
    <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
        <li><a class="dropdown-item" href="SalesRegister.html">Sales
Register</a></li>
        <li><a class="dropdown-item"
href="PurchaseRegister.html">Purchase Register</a></li>
        <li><a class="dropdown-item" href="StockStatus.html">Stock
Status</a></li>
        <li><a class="dropdown-item" href="StockIn.html">Stock In
Report</a></li>
        <li><a class="dropdown-item" href="StockOut.html">Stock Out
Report</a></li>
    </ul>
</li>
<li class="nav-item dropdown">
    <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"
    aria-expanded="false">
        Documents
    </a>
    <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
        <li><a class="dropdown-item"
href="PurchaseInvoice.html">Purchase Invoice</a></li>
        <li><a class="dropdown-item" href="SalesInvoice.html">Sales
Invoice</a></li>

    </ul>
<li class="nav-item">

```



```

        <a class="nav-link ms-2" aria-current="page"
href="UserManual.pdf" target="_blank">Help</a>
    </li>
</ul>

    <form class="d-flex" style="margin-right: 25px;">

        <a href="Login.html" <button class="btn btn-outline-success"
style="color: white;"
        type="submit">Logout</button>
    </form></a>
    </form>
</div>
</div>
</nav>

<!--NAVBAR END HERE-->

<div class="bg m-15px"
    style="width: 100vw; height:90vh; background-color: rgb(244, 245, 227);
background-size: 100%; padding-top: 9vh;">

    <!--STOCK OUT REPORT TABLE DESIGN START FROM HERE-->

    <div class="container-fluid"
        style="background-color:white; height: auto; width : 80vw; padding-
left: 72px; padding-right: 72px;padding-top: 1px; padding-bottom:42px; border-
radius: 23px; border-style: solid; border-color: rgb(22, 109, 4);">
        <section class="main_heading my-5">
            <div class="text-center">
                <h2 style="font-family:'Segoe UI', Tahoma, Geneva, Verdana, sans-
serif; color: rgb(40, 122, 7);"><b>Stock
                Out Report</b></h2>

            </div>
        </section>

        <div class="table-responsive" style="height:40vh;">

            <table class="table" id="tbl1" border="2">

                <tr class="sticky-top" style="background-color: rgb(40, 122, 7);
color: white;">
                    <th scope="row">Sr.No.</th>
                    <th scope="row">Date&Time</th>
                    <th scope="col">Party Name</th>

```

```

        <th scope="col">Place</th>
        <th scope="col">Product Name</th>
        <th scope="col">Quantity</th>

    </tr>
</div>
</table>

</div>

</div>

<!--STOCK OUT REPORT TABLE DESIGN END HERE-->

<!--BUTTONS FOR EXPORTING AND PRINTING THE REPORT-->

<div style="margin-left:65vw; margin-top: 20px;">
    

    
    <pre style=color:rgb(3,56,3)><b> Export      Print</b></pre>
</div>
</div>
</div>

</body>

<!--JAVA SCRIPT-->

<script>

    // FUNCTIONS FOR EXPORTING AND PRINTING CUSTOMER MASTER REPORT :

    function Export(tbl) {
        var htmltable = document.getElementById('tbl');
        var html = htmltable.outerHTML;
        window.open('data:application/vnd.ms-excel,' + encodeURIComponent(html));
    }

    function Print() {

```

```

var divToPrint = document.getElementById("tbl");
newWin = window.open("");
newWin.document.write(divToPrint.outerHTML);
newWin.print();
newWin.close();
}

//CONNECTING TO DATABASE AND EXECUTING QUIRIES:

var db = openDatabase('FS', '1.0', 'Test DB', 2 * 1024 * 1024);

db.transaction(function (tx) {
    tx.executeSql('SELECT PorductWiseSalesInvoice.date,
PorductWiseSalesInvoice.partyname, PorductWiseSalesInvoice.product,
PorductWiseSalesInvoice.qty, Customer.ccity FROM PorductWiseSalesInvoice INNER
JOIN Customer ON PorductWiseSalesInvoice.partyname = Customer.cname', [],
function (tx, results) {
    var len = results.rows.length, i, srn;
    var str = '';
    for (i = 0; i < len; i++) {

        srn = i + 1;

        date = results.rows.item(i).date;
        pname = results.rows.item(i).partyname;
        product = results.rows.item(i).product;
        qty = results.rows.item(i).qty;
        place = results.rows.item(i).ccity;

        str += "<tr>";
        str += "<th>" + srn + "</th>"
        str += "<th>" + date + "</th>"
        str += "<td>" + pname + "</td>";
        str += "<td>" + place + "</td>";
        str += "<td>" + product + "</td>";
        str += "<td>" + qty + "</td>";
    }
}

```

```
        str += "</tr>";
        document.getElementById("tbl").innerHTML += str;
        str = '';

    }

    }, null);
});

</script>

</html>

</body>

</html>
```

Purchase Invoice

```
<!--PURCHASE INVOICE PAGE -->

<!doctype html>

<html lang="en">

<head>

  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>
    GreenWood
  </title>
  <meta name="viewport" content="width=device-width, initial-scale=1">

  <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet"
    integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTWfSpd3yD65VohhpuuCOMLASjC"
crossorigin="anonymous">
  <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min
.js"
    integrity="sha384-
Mrcw6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
    crossorigin="anonymous"></script>

</head>

<body>

  <div class="bg m-15px"
    style="width: 100vw; height:100vh; background-color: rgb(230, 238, 231);
background-size: 100%;padding-bottom: 16vh;">

    <!--NAVBAR START FROM HERE-->

    <nav class="navbar navbar-expand-lg navbar-dark" style="background-
color:rgb(21, 99, 5);">
      <div class="container-fluid">
        <a class="navbar-brand" href="Home.html"></a>
```

```

        <a href="Home.html" <p class="navbar-brand" style="color:white ;
height: 40px;width:auto;">Home</p>
        <button class="navbar-toggler" type="button" data-bs-
toggle="collapse"
        data-bs-target="#navbarSupportedContent" aria-
controls="navbarSupportedContent" aria-expanded="false"
        aria-label="Toggle navigation">
        <span class="navbar-toggler-icon"></span></a>
    </button>
    <div class="collapse navbar-collapse" id="navbarSupportedContent">
        <ul class="navbar-nav me-auto mb-2 mb-lg-0" style="margin-left:
20px;">

            <li class="nav-item dropdown">
                <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"
                aria-expanded="false">
                    Create Master
                </a>
                <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
                    <li><a class="dropdown-item" href="Product_Entry.html">Product
Entry</a></li>
                    <li><a class="dropdown-item"
href="Customer_Entry.html">Customer Entry</a></li>
                    <li><a class="dropdown-item"
href="Supplier_Entry.html">Supplier Entry</a></li>

                </ul>
            </li>
            <li class="nav-item dropdown">
                <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"
                aria-expanded="false">
                    Transaction
                </a>
                <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
                    <li><a class="dropdown-item"
href="Purchase_Entry.html">Purchase Entry</a></li>
                    <li><a class="dropdown-item" href="Sales_Entry.html">Sales
Entry</a></li>

                </ul>
            </li>
            <li class="nav-item dropdown">
                <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"

```

```

        aria-expanded="false">
        Master
    </a>
    <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
        <li><a class="dropdown-item"
href="CustomerMaster.html">Customer Master</a></li>
        <li><a class="dropdown-item"
href="SupplierMaster.html">Supplier Master</a></li>
        <li><a class="dropdown-item" href="ProductMaster.html">Product
Master</a></li>

    </ul>
</li>
<li class="nav-item dropdown">
    <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"
    aria-expanded="false">
        Report
    </a>
    <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
        <li><a class="dropdown-item" href="SalesRegister.html">Sales
Register</a></li>
        <li><a class="dropdown-item"
href="PurchaseRegister.html">Purchase Register</a></li>
        <li><a class="dropdown-item" href="StockStatus.html">Stock
Status</a></li>
        <li><a class="dropdown-item" href="StockIn.html">Stock In
Report</a></li>
        <li><a class="dropdown-item" href="StockOut.html">Stock Out
Report</a></li>
    </ul>
</li>
<li class="nav-item dropdown">
    <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"
    aria-expanded="false">
        Documents
    </a>
    <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
        <li><a class="dropdown-item"
href="PurchaseInvoice.html">Purchase Invoice</a></li>
        <li><a class="dropdown-item" href="SalesInvoice.html">Sales
Invoice</a></li>

    </ul>
<li class="nav-item">

```

```

        <a class="nav-link ms-2" aria-current="page"
href="UserManual.pdf" target="_blank">Help</a>
    </li>
</ul>

    <form class="d-flex" style="margin-right: 25px;">

        <a href="Login.html" <button class="btn btn-outline-success"
style="color: white;"
        type="submit">Logout</button>
    </form></a>
    </form>
</div>
</div>
</nav>

<!--NAVBAR END HERE-->

<div class="bg m-15px"
    style="width: 99.4vw; height:auto; background-color: rgb(244, 245, 227);
background-size: 100%; padding-top: 5vh;">

    <div class="row g" style="margin-top: 20px;">

        <div class="col-md-4" style="margin-top: 65px;">

            <div class="container-fluid"
                style="background-color:white; height: auto; width : 400px;
padding: 72px; border-radius: 23px; border-style: solid; border-color: rgb(22,
109, 4);">

                <!--INVOICE SELECTION FORM START FROM HERE-->

                <form class="row g">

                    <select class="form-select" id="slct" onchange="Selectt();"
aria-label="Default select example"
                    style="width:12vw ; margin-left: 10px; margin-top: 10px;
border-style: solid; border-radius: 2px; border-color: rgb(8, 173, 22);">
                        <option selected>Select Invoice Number</option>

                    </select>
                    <div style="margin-left: 10px; margin-top: 40px;">

```



```

        <button type="button" class="btn btn-outline-success"
style="margin-right: 20px; width:5vw; "
        onclick="Open();">Open</button>
        <button type="button" class="btn btn-outline-success"
style="width: 5vw;"
        onclick="clr();">Clear</button>
        <div id="invdet" style="margin-top: 30px;">

        </div>
    </div>

    </form>
</div>

</div>

<!--INVOICE SELECTION FORM END HERE-->

<div class="col-md-8">

    <!--INVOICE FORMAT START FROM HERE-->

    <div class="container-fluid"
        style="background-color:white; height: auto; width : 750px;
padding-left: 72px; padding-right: 72px; border-radius: 23px; border-style:
solid; border-color: rgb(22, 109, 4);">

        <form class="row g" id="bill">

            <div class="col-md-6">
                <section class="main_heading" style="margin-top:15px ;">
                    <div class="text-center">
                        <h5
                            style="background-color:rgb(18, 85, 5) ; color: white;
width: 250px; border-radius: 15px; border: solid; border-color: rgb(7, 141,
18); padding-top:15px;">
                            Green Wood

```

```

        <pre>The Furniture World</pre>
    </h5>

    </div>
</section>
</div>

<div class="col-md-6">
    <h2
        style="font-family:'Segoe UI', Tahoma, Geneva, Verdana,
sans-serif; color: rgb(18, 85, 5);margin-left:40px; margin-top:35px">
        <b>Purchase Invoice</b></h2>
    </div>

    <div class="col-md-7" style=" border-top-style:ridge; border-
bottom-style: ridge; padding-bottom: 25px;">
        <div id="custdet">

        </div>

        <div id="gm" style="margin-top: 25px;">

        </div>
    </div>

    <div class="col-md-5"
        style="border-top-style:ridge; border-bottom-style:
ridge;padding-bottom: 25px; padding-top: 25px;">

        <div id="inv">
            <h6></h6>
            <h5></h5>
        </div>

        <div id="dte" style="margin-top:35px;">
            <h6></h6>
            <h5> </h5>
        </div>

    </div>

    <div class="" box-sizing: border-box;">

        <table class="table" id="tbl">

            <tr class="sticky-top">

```

```

        <th scope="row">Sr.No.</th>
        <th scope="col">Product_Name</th>
        <th scope="col">HSNCode</th>
        <th scope="col">MRP</th>
        <th scope="col">Qty</th>
        <th scope="col">Rate</th>
        <th scope="col">Amount</th>

    </tr>
</div>
</table>

</div>

<div style="border-top-style:ridge;">
    <div class="row g" style="margin-top: 20px; border-bottom-style:
ridge; margin-bottom: 20px;">

        <div class="col-md-4" style="margin-top: 100px;">

            <div class="container-fluid"
                style="background-color:white; height: 10vh; width :
13vw; border-radius: 23px; border-style: solid; border-color: rgb(22, 109,
4);">

                <form class="row g">
                    <p style="text-align:center; margin-top:6vh"><b> Sign &
Stamp</b></p>

                </form>
            </div>

        </div>

        <div class="col-md-8">

```

```

        <div class="container-fluid" id="amt" style="width: 15vw;
margin-left: 250px;">

            </div>
        </div>
    </div>
</div>

<!--INVOICE FORMAT END HERE-->

</body>

<!--JAVA SCRIPT-->

<script>

    // CONNECTING TO DATABASE AND EXECUTING QUIRIES :

    var db = openDatabase('FS', '1.0', 'Test DB', 2 * 1024 * 1024);

    db.transaction(function (tx) {
        tx.executeSql('SELECT * FROM PurchaseInvoice', [], function (tx, results)
    {
        var len = results.rows.length, i, srn;
        var str = '';
        for (i = 0; i < len; i++) {

            srn = i + 1;
            inv = ("PI000" + srn);

            str += "<option value= " + srn + ">" + inv + "</td>";

            document.getElementById("slct").innerHTML += str;

            str = '';

```

```

    }

    }, null);
});

// FUNCTION FOR SELECTING THE INVOICE:

function Selectt() {

    var select = document.getElementById('slct');
    var sn = select.options[select.selectedIndex].value;
    var sll = select.options[select.selectedIndex].text;
    snp = parseInt(sn);
    sn1 = snp - 1;
    sn2 = snp;

    if (sn == "Select Invoice Number") {

        document.getElementById("invdet").innerHTML = ""

    }

    else {
        db.transaction(function (tx) {
            tx.executeSql('SELECT * FROM PurchaseInvoice', [], function (tx,
results) {
                var len = results.rows.length, i;
                var str = '';
                for (i = sn1; i < sn2; i++) {

                    dt = results.rows.item(i).date
                    amount = results.rows.item(i).total
                    document.getElementById("invdet").innerHTML = "<div><p><b>Invoice
No      : </b>" + sll + "</p><p><b>Invoice Date : </b>" + dt +
"</p><p><b>Invoice Amount : </b>" + amount + "</p> </div>"

                }

            }, null);

```

```

    });

}

}

//FUNCTION FOR OPEINING THE SELECTED INVOICE :

function Open() {

    document.getElementById("tbl").innerHTML = "
<table><tr><th>Sr.No.</th><th>Product_Name</th><th>HSNCode</th><th>MRP</th><th>
>Qty</th><th>Rate</th><th>Amount</th></tr>";

    var select = document.getElementById('slct');
    var sn = select.options[select.selectedIndex].value;
    var sll = select.options[select.selectedIndex].text;

    if (sn == "Select Invoice Number") {

        alert("Please Select Invoice Number : ");
        document.getElementById("custdet").innerHTML = ""
        document.getElementById("gm").innerHTML = ""

        document.getElementById("inv").innerHTML = ""
        document.getElementById("dte").innerHTML = ""

        document.getElementById("amt").innerHTML = ""
    }

    else {

        db.transaction(function (tx) {
            tx.executeSql('SELECT PurchaseInvoice.date, PurchaseInvoice.partyname,
PurchaseInvoice.taxable,
PurchaseInvoice.tax,PurchaseInvoice.total,Supplier.sname, Supplier.sgst,
Supplier.saddress, Supplier.sline, Supplier.scity,
Supplier.spincode,Supplier.smobile FROM PurchaseInvoice INNER JOIN Supplier ON
PurchaseInvoice.partyname = Supplier.sname WHERE date=?', [dt], function (tx,
results) {
                var len = results.rows.length, i, srn;
                var str = '';

                for (i = 0; i < len; i++) {

                    srn = i + 1;
                    inv = ("PI000" + srn);

```

```

        pname = results.rows.item(i).partyname;

        gst = results.rows.item(i).sgst
        adr = results.rows.item(i).saddress
        ln = results.rows.item(i).sline
        city = results.rows.item(i).scity
        pin = results.rows.item(i).spincode
        mob = results.rows.item(i).smobile

        txbl = results.rows.item(i).taxable;
        txbl1 = (txbl * 1).toFixed(2);
        tax = results.rows.item(i).tax;
        tax1 = (tax * 1).toFixed(2);
        total = results.rows.item(i).total
        total1 = (total * 1).toFixed(2);

        document.getElementById("custdet").innerHTML =
"<div><b>From</b><h5>" + pname + "</h5><h6>" + adr + "</h6><h6>" + ln +
"</h6><h6>" + city + "-" + pin + "</h6>"
        document.getElementById("gm").innerHTML = "<h6>Mob: + 91 " + mob +
"</h6> <h6>GSTIN: " + gst + "</h6></div>"

        document.getElementById("inv").innerHTML = "<div><h6>Invoice
No:</h6><h5>" + sll + "</h5> </div>";
        document.getElementById("dte").innerHTML =
"<div><h6>Date&Time:</h6><h5>" + dt + "</h5></div>";

        document.getElementById("amt").innerHTML = "<p><b>Txbl Amount
:</b> <p>" + txbl1 + "</p> </p><p><b>Tax Amount :</b> <p> " + tax1 + "</p>
</p><p><b>Grand Total : </b><p>" + total1 + "</p></p>"

    }

    }, null);

});

```

```

db.transaction(function (tx) {
    tx.executeSql('SELECT PorductWisePurchaseInvoice.date,
PorductWisePurchaseInvoice.partyname, PorductWisePurchaseInvoice.product,
PorductWisePurchaseInvoice.qty,ProductMaster.hsncode,ProductMaster.mrp,Product
Master.prate FROM PorductWisePurchaseInvoice INNER JOIN ProductMaster ON
PorductWisePurchaseInvoice.product = ProductMaster.pname WHERE date=?', [dt],
function (tx, results) {
    var len = results.rows.length, i, srn;
    var str = '';
    for (i = 0; i < len; i++) {

        srn = i + 1;

        date = results.rows.item(i).date;
        pname = results.rows.item(i).partyname;
        product = results.rows.item(i).product;
        qty = results.rows.item(i).qty;
        place = results.rows.item(i).scity;
        hsn = results.rows.item(i).hsncode;
        mrp = results.rows.item(i).mrp;
        mrp1 = (1 * mrp).toFixed(2);
        rat = results.rows.item(i).prate;
        rate = (1 * rat).toFixed(2);
        rate1 = parseInt(rate);
        qty1 = parseInt(qty);
        amt = (qty * rate).toFixed(2);

        str += "<tr>";

        str += "<th>" + srn + "</th>"
        str += "<th>" + product + "</th>"
        str += "<th>" + hsn + "</th>"
        str += "<td>" + mrp1 + "</td>";
        str += "<td>" + qty + "</td>";
        str += "<td>" + rate + "</td>";
        str += "<td>" + amt + "</td>";

        str += "</tr>";
        document.getElementById("tbl1").innerHTML += str;
        str = '';
    }
});

```



```
    }

    }, null);

});

}

}

// FUNCTION FOR CLEARING THE SELECTION :

function clr() {
    document.getElementById("slct").value = "Select Invoice Number";
    document.getElementById("invdet").innerHTML = ""

}

</script>

</html>
```

Sales Invoice

```
<!--SALES INVOICE PAGE -->

<!doctype html>

<html lang="en">

<head>

  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>
    GreenWood
  </title>
  <meta name="viewport" content="width=device-width, initial-scale=1">

  <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet"
    integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTWfSpd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous">
  <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min
.js"
    integrity="sha384-
Mrcw6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
    crossorigin="anonymous"></script>

</head>

<body>

  <div class="bg m-15px"
    style="width: 100vw; height:100vh; background-color: rgb(230, 238, 231);
background-size: 100%;padding-bottom: 16vh;">

    <!--NAVBAR START FROM HERE-->

    <nav class="navbar navbar-expand-lg navbar-dark" style="background-
color:rgb(21, 99, 5);">
      <div class="container-fluid">
        <a class="navbar-brand" href="Home.html"></a>
```

```

        <a href="Home.html" <p class="navbar-brand" style="color:white ;
height: 40px;width:auto;">Home</p>
        <button class="navbar-toggler" type="button" data-bs-
toggle="collapse"
        data-bs-target="#navbarSupportedContent" aria-
controls="navbarSupportedContent" aria-expanded="false"
        aria-label="Toggle navigation">
        <span class="navbar-toggler-icon"></span></a>
    </button>
    <div class="collapse navbar-collapse" id="navbarSupportedContent">
        <ul class="navbar-nav me-auto mb-2 mb-lg-0" style="margin-left:
20px;">

            <li class="nav-item dropdown">
                <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"
                aria-expanded="false">
                    Create Master
                </a>
                <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
                    <li><a class="dropdown-item" href="Product_Entry.html">Product
Entry</a></li>
                    <li><a class="dropdown-item"
href="Customer_Entry.html">Customer Entry</a></li>
                    <li><a class="dropdown-item"
href="Supplier_Entry.html">Supplier Entry</a></li>

                </ul>
            </li>
            <li class="nav-item dropdown">
                <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"
                aria-expanded="false">
                    Transaction
                </a>
                <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
                    <li><a class="dropdown-item"
href="Purchase_Entry.html">Purchase Entry</a></li>
                    <li><a class="dropdown-item" href="Sales_Entry.html">Sales
Entry</a></li>

                </ul>
            </li>
            <li class="nav-item dropdown">
                <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"

```

```

        aria-expanded="false">
        Master
    </a>
    <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
        <li><a class="dropdown-item"
href="CustomerMaster.html">Customer Master</a></li>
        <li><a class="dropdown-item"
href="SupplierMaster.html">Supplier Master</a></li>
        <li><a class="dropdown-item" href="ProductMaster.html">Product
Master</a></li>

    </ul>
</li>
<li class="nav-item dropdown">
    <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"
    aria-expanded="false">
    Report
    </a>
    <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
        <li><a class="dropdown-item" href="SalesRegister.html">Sales
Register</a></li>
        <li><a class="dropdown-item"
href="PurchaseRegister.html">Purchase Register</a></li>
        <li><a class="dropdown-item" href="StockStatus.html">Stock
Status</a></li>
        <li><a class="dropdown-item" href="StockIn.html">Stock In
Report</a></li>
        <li><a class="dropdown-item" href="StockOut.html">Stock Out
Report</a></li>
    </ul>
</li>
<li class="nav-item dropdown">
    <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
role="button" data-bs-toggle="dropdown"
    aria-expanded="false">
    Documents
    </a>
    <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
        <li><a class="dropdown-item"
href="PurchaseInvoice.html">Purchase Invoice</a></li>
        <li><a class="dropdown-item" href="SalesInvoice.html">Sales
Invoice</a></li>

    </ul>
<li class="nav-item">

```

```

        <a class="nav-link ms-2" aria-current="page"
href="UserManual.pdf" target="_blank">Help</a>
    </li>
</ul>

    <form class="d-flex" style="margin-right: 25px;">

        <a href="Login.html" <button class="btn btn-outline-success"
style="color: white;"
        type="submit">Logout</button>
    </form></a>
    </form>
</div>
</div>
</nav>

<!--NAVBAR END HERE-->

<div class="bg m-15px"
    style="width: 99.4vw; height:auto; background-color: rgb(244, 245, 227);
background-size: 100%; padding-top: 5vh;">

    <div class="row g" style="margin-top: 20px;">

        <div class="col-md-4" style="margin-top: 65px;">

            <div class="container-fluid"
                style="background-color:white; height: auto; width : 400px;
padding: 72px; border-radius: 23px; border-style: solid; border-color: rgb(22,
109, 4);">

                <!--INVOICE SELECTION FORM START FROM HERE-->

                <form class="row g">

                    <select class="form-select" id="slct" onchange="Selectt();"
aria-label="Default select example"
                        style="width:12vw ; margin-left: 10px; margin-top: 10px;
border-style: solid; border-radius: 2px; border-color: rgb(8, 173, 22);">
                        <option selected>Select Invoice Number</option>

                    </select>
                    <div style="margin-left: 10px; margin-top: 40px;">

```

```

        <button type="button" class="btn btn-outline-success"
style="margin-right: 20px; width:5vw; "
        onclick="Open();">Open</button>
        <button type="button" class="btn btn-outline-success"
style="width: 5vw;"
        onclick="clr();">Clear</button>
        <div id="invdet" style="margin-top: 30px;">

        </div>
    </div>

    </form>
</div>

</div>
<!--INVOICE SELECTION FORM END HERE-->

<div class="col-md-8">

    <!--INVOICE FORMAT START FROM HERE-->

    <div class="container-fluid"
        style="background-color:white; height: auto; width : 750px;
padding-left: 72px; padding-right: 72px; border-radius: 23px; border-style:
solid; border-color: rgb(22, 109, 4);">

        <form class="row g" id="bill">

            <div class="col-md-6">
                <section class="main_heading" style="margin-top:15px ;">
                    <div class="text-center">
                        <h5
                            style="background-color:rgb(18, 85, 5) ; color: white;
width: 250px; border-radius: 15px; border: solid; border-color: rgb(7, 141,
18); padding-top:15px;">
                            Green Wood
                            <pre>The Furniture World</pre>
                        </h5>
                    </div>
                </section>
            </div>

```

```

</section>
</div>

<div class="col-md-6">
  <h2
    style="font-family:'Segoe UI', Tahoma, Geneva, Verdana,
sans-serif; color: rgb(18, 85, 5);margin-left:40px; margin-top:35px">
    <b>Tax Invoice</b></h2>
</div>

<div class="col-md-7" style=" border-top-style:ridge; border-
bottom-style: ridge; padding-bottom: 25px;">
  <div id="custdet">

</div>

  <div id="gm" style="margin-top: 25px;">

</div>
</div>

<div class="col-md-5"
  style="border-top-style:ridge; border-bottom-style:
ridge;padding-bottom: 25px; padding-top: 25px;">

  <div id="inv">
    <h6></h6>
    <h5></h5>
  </div>

  <div id="dte" style="margin-top:35px;">
    <h6></h6>
    <h5> </h5>
  </div>

</div>

<div class="" box-sizing: border-box;">

  <table class="table" id="tbl">

    <tr class="sticky-top">
      <th scope="row">Sr.No.</th>
      <th scope="col">Product_Name</th>
      <th scope="col">HSNCode</th>
      <th scope="col">MRP</th>

```

```

        <th scope="col">Qty</th>
        <th scope="col">Rate</th>
        <th scope="col">Amount</th>

    </tr>
</div>
</table>

</div>

<div style="border-top-style:ridge;">
    <div class="row g" style="margin-top: 20px; border-bottom-style:
ridge; margin-bottom: 20px;">

        <div class="col-md-4" style="margin-top: 100px;">

            <div class="container-fluid"
                style="background-color:white; height: 10vh; width :
13vw; border-radius: 23px; border-style: solid; border-color: rgb(22, 109,
4);">

                <form class="row g">
                    <p style="text-align:center; margin-top:6vh"><b> Sign &
Stamp</b></p>

                </form>
            </div>

        </div>

        <div class="col-md-8">

            <div class="container-fluid" id="amt" style="width: 15vw;
margin-left: 250px;">

            </div>

```



```
        </div>
    </div>
</div>
</div>

    <!--INVOICE FORMAT END HERE-->
</body>

<!--JAVA SCRIPT-->

<script>

    // CONNECTING TO DATABASE AND EXECUTING QUIRIES :

    var db = openDatabase('FS', '1.0', 'Test DB', 2 * 1024 * 1024);

    db.transaction(function (tx) {
        tx.executeSql('SELECT * FROM SalesInvoice', [], function (tx, results) {
            var len = results.rows.length, i, srn;
            var str = '';
            for (i = 0; i < len; i++) {

                srn = i + 1;
                inv = ("SI000" + srn);

                str += "<option value= " + srn + ">" + inv + "</td>";

                document.getElementById("slct").innerHTML += str;

                str = '';

            }

        }, null);
```

```

});

// FUNCTION FOR SELECTING THE INVOICE:

function Selectt() {

    var select = document.getElementById('slct');
    var sn = select.options[select.selectedIndex].value;
    var sll = select.options[select.selectedIndex].text;
    snp = parseInt(sn);
    sn1 = snp - 1;
    sn2 = snp;

    if (sn == "Select Invoice Number") {

        document.getElementById("invdet").innerHTML = ""

    }

    else {
        db.transaction(function (tx) {
            tx.executeSql('SELECT * FROM SalesInvoice', [], function (tx, results)
{
                var len = results.rows.length, i;
                var str = '';
                for (i = sn1; i < sn2; i++) {

                    dt = results.rows.item(i).date
                    amount = results.rows.item(i).total
                    document.getElementById("invdet").innerHTML = "<div><p><b>Invoice
No      : </b>" + sll + "</p><p><b>Invoice Date : </b>" + dt +
"</p><p><b>Invoice Amount : </b>" + amount + "</p> </div>"

                }

            }, null);

        });
    }
}

```

```

}

//FUNCTION FOR OPEINING THE SELECTED INVOICE :

function Open() {

    document.getElementById("tbl").innerHTML = "
<table><tr><th>Sr.No.</th><th>Product_Name</th><th>HSNCode</th><th>MRP</th><th>
>Qty</th><th>Rate</th><th>Amount</th></tr>";

    var select = document.getElementById('slct');
    var sn = select.options[select.selectedIndex].value;
    var sll = select.options[select.selectedIndex].text;

    if (sn == "Select Invoice Number") {

        alert("Please Select Invoice Number : ");
        document.getElementById("custdet").innerHTML = ""
        document.getElementById("gm").innerHTML = ""

        document.getElementById("inv").innerHTML = ""
        document.getElementById("dte").innerHTML = ""

        document.getElementById("amt").innerHTML = ""
    }

    else {

        db.transaction(function (tx) {
            tx.executeSql('SELECT SalesInvoice.date, SalesInvoice.partyname,
SalesInvoice.taxable, SalesInvoice.tax,SalesInvoice.total,Customer.cname,
Customer.cgst, Customer.caddress, Customer.cline, Customer.ccity,
Customer.cpincode,Customer.cmobile FROM SalesInvoice INNER JOIN Customer ON
SalesInvoice.partyname = Customer.cname WHERE date=?', [dt], function (tx,
results) {
                var len = results.rows.length, i, srn;
                var str = '';

                for (i = 0; i < len; i++) {

                    srn = i + 1;
                    inv = ("SI000" + srn);

                    pname = results.rows.item(i).partyname;

                    gst = results.rows.item(i).cgst

```

```

        adr = results.rows.item(i).caddress
        ln = results.rows.item(i).cline
        city = results.rows.item(i).ccity
        pin = results.rows.item(i).cpincode
        mob = results.rows.item(i).cmobile

        txbl = results.rows.item(i).taxable;
        txbl1 = (txbl * 1).toFixed(2);
        tax = results.rows.item(i).tax;
        tax1 = (tax * 1).toFixed(2);
        total = results.rows.item(i).total
        total1 = (total * 1).toFixed(2);

        document.getElementById("custdet").innerHTML =
"<div><b>To</b><h5>" + pname + "</h5><h6>" + adr + "</h6><h6>" + ln +
"</h6><h6>" + city + "-" + pin + "</h6>"
        document.getElementById("gm").innerHTML = "<h6>Mob: + 91 " + mob +
"</h6> <h6>GSTIN: " + gst + "</h6></div>"

        document.getElementById("inv").innerHTML = "<div><h6>Invoice
No:</h6><h5>" + sll + "</h5> </div>";
        document.getElementById("dte").innerHTML =
"<div><h6>Date&Time:</h6><h5>" + dt + "</h5></div>";

        document.getElementById("amt").innerHTML = "<p><b>Txbl Amount
:</b> <p>" + txbl1 + "</p> </p><p><b>Tax Amount :</b> <p> " + tax1 + "</p>
</p><p><b>Grand Total : </b><p>" + total1 + "</p></p>"

    }

    }, null);

});

db.transaction(function (tx) {
    tx.executeSql('SELECT PorductWiseSalesInvoice.date,
PorductWiseSalesInvoice.partyname, PorductWiseSalesInvoice.product,
PorductWiseSalesInvoice.qty,ProductMaster.hsncode,ProductMaster.mrp,ProductMas

```

```

ter.srate FROM PorductWiseSalesInvoice INNER JOIN ProductMaster ON
PorductWiseSalesInvoice.product = ProductMaster.pname WHERE date=?', [dt],
function (tx, results) {
    var len = results.rows.length, i, srn;
    var str = '';
    for (i = 0; i < len; i++) {

        srn = i + 1;

        date = results.rows.item(i).date;
        pname = results.rows.item(i).partynname;
        product = results.rows.item(i).product;
        qty = results.rows.item(i).qty;
        place = results.rows.item(i).ccity;
        hsn = results.rows.item(i).hsncode;
        mrp = results.rows.item(i).mrp;
        mrp1 = (1 * mrp).toFixed(2);
        rat = results.rows.item(i).srate;
        rate = (1 * rat).toFixed(2);
        rate1 = parseInt(rate);
        qty1 = parseInt(qty);
        amt = (qty * rate).toFixed(2);

        str += "<tr>";

        str += "<th>" + srn + "</th>"
        str += "<th>" + product + "</th>"
        str += "<th>" + hsn + "</th>"
        str += "<td>" + mrp1 + "</td>";
        str += "<td>" + qty + "</td>";
        str += "<td>" + rate + "</td>";
        str += "<td>" + amt + "</td>";

        str += "</tr>";
        document.getElementById("tbl").innerHTML += str;
        str = '';

    }
}

```

```
    }, null);

    });

}

}

// FUNCTION FOR CLEARING THE SELECTION :

function clr() {
    document.getElementById("slct").value = "Select Invoice Number";
    document.getElementById("invdet").innerHTML = ""

}

</script>

</html>
```