

# PROJECT REPORT

## PORTFOLIO



### *Developed by*

Name : MD. RIZWAN FATMI

Address : Patna,Bihar-800 006

Mobile : + 91 8210006010

## ACKNOWLEDGEMENT


*My acknowledgment extends to all those who teach me to code and prepare projects. I am thankful to all of my teachers who give me valuable and very important guidance and information to make this Project Report Successful.*

*I am grateful to other members of my study center and regional center, Patna for imparting to me the required & necessary training, information, guidelines, sympathy, and criticism which upgraded my programming skills and troubleshooting while doing this project very much.*

*Lastly, I would like to thank my family, my friends, and my respected seniors for their moral support and other precious co-operations.*

*Place: Patna.*

*Date: 31/10/2022.*

A handwritten signature in black ink, appearing to read 'Rizwan', with a horizontal line extending from the end.

*Signature*

## PROJECT SUMMARY

**SUBJECT / TITLE** : “PORTFOLIO”

**PROJECT CATEGORIES** : WEB BASED PROJECT.

**PREPARED BY** : MD.RIZWAN FATMI.

**ADDRESS** : PATNA, BIHAR

**MOBILE NO.** : + 91 8210006010.

**EMAIL** : rizwanfatmi@gmail.com.

**DATE** : 31/10/2022.

## TABLE OF CONTENTS

1	Project Title .....	4
2	Problem Statement.....	4
3	Project Description .....	4
3.1	Scope of the Work .....	4
3.2	Project Modules .....	5
3.3	Context Diagram (High Level) .....	5
4	Implementation Methodology.....	6
5	Technologies to be used .....	8
5.1	Software Platform .....	8
5.2	Hardware Platform .....	8
5.3	Tools.....	8
6	Advantages of this Project .....	8
7	Assumptions, if any.....	8
8	Future Scope and further enhancement of Project.....	9
9	Source Code.....	10

### **‘Appendix’**

**A: Data Flow Diagram (DFD)**

**B: Entity Relationship Diagram(ERD)**

**C: Screen Shots**

## 1 Project Title

***"PORTFOLIO"***

## 2 Problem Statement

We submit the resume for job application in which we mention details about our personality, experience, capabilities and Education, but sometimes it is hard to mention all those details in a single paper, so that time we can use portfolio website. The goal of this to showcase my work and let others know about myself.

## 3 Project Description

It is a web-based application specially built to showcase my work and let others know about me. In addition, it is one of the best ways to express my personality, experience, and capabilities. On this website you can have all the information about me, my education, my skills, and my projects.

### 3.1 Scope of the Work


This application-based project is design to show the details about my personality, experience, and capabilities.

## 3.2 Project Modules

### User Module: -

In this module user can have all the details about my personality, experience, and capabilities.


## 3.3 Context Diagram (High Level)



## 4 Implementation Methodology

This is a web-based application. This project is built to show case my work and experiences. With the help of this website anyone can have my details, We made this project dynamic so that any person who wants to know about me can use this website.

Context Level/0 Level DFD of Portfolio:



**DATABASE:**

This is a portfolio website, so there is no need to add any database.



## 5 Technologies to be used

### 5.1 Software Platform

a) **Front-end**

HTML 5, CSS3, Bootstrap5, JavaScript

b) **Back-end**

JavaScript

c) **Database:**

Not Any

### 5.2 Hardware Platform

- **RAM:** 512MB
- **Hard Disk:** 20GB
- **OS:** Windows and Mac
- **Editor:** Visual Studio Code

### 5.3 Tools

- **LANGUAGES:** JavaScript
- **DATABASE:** Not Any
- **IDE:** Visual Studio Code

## 6 Advantages of this Project

- Help users to have my information easily.
- User-friendly interface.
- Easy to retrieve information.

## 7 Any Assumptions

None

## 8 Future Scope and further enhancement of the Project

The future scope and the further enhancement of the project have been given below:-

- More user-friendly interface
- Easy to use.

## 9. Source Code:

# HOME

```
<!--HOME PAGE-->

<!doctype html>

<html lang="en">

<head>

  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>
    PortFolio
  </title>
  <meta name="viewport" content="width=device-width, initial-scale=1">

  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet"
  integrity="sha384-EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous">
  <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js"
  integrity="sha384-MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
  crossorigin="anonymous"></script>

</head>

<body>

  <!--BACKGROUND IMAGE SETTINGS-->

  <div class="bg" style="width: 100vw; height:100vh; background:url(Background.jpg);
background-size: 100%;">
    <nav class="navbar navbar-expand-lg navbar-dark" style="background-color:rgb(172, 9,
17);">
      <div class="container-fluid">

        <!--NAVBAR DESING-->
        <a class="navbar-brand" href="Home.html">
```

```

        <svg xmlns="http://www.w3.org/2000/svg" width="23" height="23" fill="currentColor"
class="bi bi-house-door"
        style="margin-left: 2px; margin-right:4px; margin-bottom:3px" viewBox="0 0 16
16">
            <path
                d="M8.354 1.146a.5.5 0 0 0-.708 0l-6 6A.5.5 0 0 0 1.5 7.5v7a.5.5 0 0 0
.5.5h4.5a.5.5 0 0 0 .5-.5v-4h2v4a.5.5 0 0 0 .5.5H14a.5.5 0 0 0 .5-.5v-7a.5.5 0 0 0-.146-
.354L13 5.793V2.5a.5.5 0 0 0-.5-.5h-1a.5.5 0 0 0-.5.5v1.293L8.354 1.146z" data-bbox="8.354 1.146 14.646 8.354"/>
            </svg>PortFolio</a>
            <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-
target="#navbarSupportedContent"
                aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle
navigation">
                <span class="navbar-toggler-icon"></span>
            </button>
            <div class="collapse navbar-collapse" id="navbarSupportedContent">
                <ul class="navbar-nav ms-auto mb-lg-0">
                    <li class="nav-item">
                        <a class="nav-link ms-2" aria-current="page" href="Home.html">Home</a>
                    </li>
                    <li class="nav-item">
                        <a class="nav-link ms-2" aria-current="page" href="About.html">About</a>
                    </li>
                    <li class="nav-item">
                        <a class="nav-link ms-2" aria-current="page" href="Projects.html">Projects</a>
                    </li>
                    <li class="nav-item">
                        <a class="nav-link ms-2" aria-current="page" href="Skills.html">Skills</a>
                    </li>
                    <li class="nav-item">
                        <a class="nav-link ms-2" aria-current="page"
href="Education.html">Education</a>
                    </li>
                    <li class="nav-item">
                        <a class="nav-link ms-2" aria-current="page" href="Contact.html">Contact</a>
                    </li>
                </ul>
            </div>
        </div>
    </nav>

    <!--HOME PAGE DESIGN-->

    <div class="info" style="padding-left: 10%; padding-top:1%;">

```

```


  <div class="tx" style="font-size: 280%; font-family: 'Courier New', Courier,
monospace;">
    <p>Hello, My name is</p>
    <p><b><i>Md.Rizwan Fatmi</i></b></p>
    <p>I am a Web Developer and Software Engineer.</p>
  </div>

  <a href="About.html"><button type="button" class="btn btn-outline-danger"
    style="border-radius:50px ; margin-right: 19px; margin-bottom: 7px;    border-
width: 4px;">More About
    Me</button></a>
  <a href="CV.pdf" target="_blank"><button type="button" class="btn btn-outline-danger"
    style="border-radius:50px ; border-width: 4px; margin-bottom: 7px;">Download
CV</button></a>
</div>

<div class="row" style="width: 60vw; margin-left: 35vw;">

  <div class="col-2" style="width: 80px;">
    <a href="https://www.facebook.com/profile.php?id=100004652531819"
target="_blank"></a>
  </div>
  <div class="col-2" style="width: 80px;">
    <a href="https://www.instagram.com/rizwanfatmi2232/" target="_blank"></a>
  </div>
  <div class="col-2" style="width: 80px;">
    <a href="https://twitter.com/rizwan_fatmi" target="_blank"></a>
  </div>
  <div class="col-2" style="width: 80px;">
    <a href="https://github.com/rizwanfatmi" target="_blank"></a>
  </div>
  <div class="col-2" style="width: 80px;">
    <a href="https://www.linkedin.com/in/rizwan-fatmi-56270424b/" target="_blank"></a>
  </div>
</div>
</div>

```

```
</body>

<!--JAVA SCRIPT-->

<style>
.col-2 img:hover {
    width: 60px;
    height: auto;
}
</style>

</html>
```

# ABOUT

```
<!--ABOUT PAGE-->

<!doctype html>

<html lang="en">

<head>

  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>
    PortFolio
  </title>
  <meta name="viewport" content="width=device-width, initial-scale=1">

  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet"
  integrity="sha384-EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTWfSpd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous">
  <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js"
  integrity="sha384-MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
  crossorigin="anonymous"></script>

  <link rel="stylesheet" href="\CSS_File\style.css">
</head>

<body>

  <!--NAVBAR DESIGN-->

  <nav class="navbar navbar-expand-lg navbar-dark" style="background-color:rgb(172, 9,
17);">
    <div class="container-fluid">
      <a class="navbar-brand" href="Home.html">
        <svg xmlns="http://www.w3.org/2000/svg" width="23" height="23" fill="currentColor"
class="bi bi-house-door"
        style="margin-left: 2px; margin-right:4px; margin-bottom:3px" viewBox="0 0 16 16">
          <path
            d="M8.354 1.146a.5.5 0 0 0-.708 0l-6 6A.5.5 0 0 0 1.5 7.5v7a.5.5 0 0 0
.5.5h4.5a.5.5 0 0 0 .5-.5v-4h2v4a.5.5 0 0 0 .5.5H14a.5.5 0 0 0 .5-.5v-7a.5.5 0 0 0-.146-
.354L13 5.793V2.5a.5.5 0 0 0-.5-.5h-1a.5.5 0 0 0-.5.5v1.293L8.354 1.146zM2.5 14V7.707l5.5-
5.5 5.5 5.5V14H10v-4a.5.5 0 0 0-.5-.5h-3a.5.5 0 0 0-.5.5v4H2.5z" />
          </svg>PortFolio</a>
```

```

    <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-
target="#navbarSupportedContent"
    aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle
navigation">
    <span class="navbar-toggler-icon"></span>
</button>
<div class="collapse navbar-collapse" id="navbarSupportedContent">
    <ul class="navbar-nav ms-auto mb-lg-0">
        <li class="nav-item">
            <a class="nav-link ms-2" aria-current="page" href="Home.html">Home</a>
        </li>
        <li class="nav-item">
            <a class="nav-link ms-2" aria-current="page" href="About.html">About</a>
        </li>
        <li class="nav-item">
            <a class="nav-link ms-2" aria-current="page" href="Projects.html">Projects</a>
        </li>
        <li class="nav-item">
            <a class="nav-link ms-2" aria-current="page" href="Skills.html">Skills</a>
        </li>
        <li class="nav-item">
            <a class="nav-link ms-2" aria-current="page" href="Education.html">Education</a>
        </li>
        <li class="nav-item">
            <a class="nav-link ms-2" aria-current="page" href="Contact.html">Contact</a>
        </li>
    </ul>
</div>
</div>
</nav>

<!--ABOUT ME PAGE DESIGN-->

<section class="main_heading my-5">
    <div class="text-center">
        <h1 class="display-5"
            style="font-family:'Segoe UI', Tahoma, Geneva, Verdana, sans-serif; color: rgb(56,
55, 54);"><b>About Me</b>
        </h1>
        <hr class="w-25 mx-auto" />
    </div>
</section>

<div class="container">
    <div class="row">
        <div class="col">

```



```

        
    </div>
    <div class="col" id="content">
        <h1 style="font-family:Times New Roman ;">I am Md Rizwan Fatmi</h1>
        <p>I am a Web Developer and Software Engineer. I completed my MCA (Master of
Computer Application) in 2022, in
        this course I have learned many computer languages and technologies like- Java,
HTML, CSS, JavaScript, SQL,
        Bootstrap, etc. By using these languages and technologies I have created some
projects which you can check out
        in my GitHub Account. In this course, I have also learned some of the other useful
topics like- Introduction
        to Programming, Advanced Programming (Oops), Data Structure & Algorithms, Database
Management System,
        Operating System, Networking, etc. </p>
        <button type="button" class="btn btn-outline-danger"
        style="border-radius:50px ; margin-right: 19px; margin-bottom: 7px;      border-
width: 4px; width: 122px;"
        onclick="more();">More</button>
    </div>
</div>

</body>

<!--JAVA SCRIPT-->

<script>

    // FUNCTION FOR MORE BUTTON :

    function more() {

        document.getElementById("content").innerHTML = ' <h1 style="font-family:Times New Roman
;">I am Md Rizwan Fatmi</h1><p >I am a web designer and software engineer. I completed my
MCA (Master of Computer Application) in 2022, in this course I have learned many computer
languages and technologies like- Java, HTML, CSS, JavaScript, SQL, Bootstrap, etc. By
using these languages and technologies I have created some projects which you can check
out in my GitHub Account. In this course, I have also learned some of the other useful
topics like- Introduction to Programming, Advanced Programming (Oops), Data Structure &
Algorithms, Database Management System, Operating System, Networking, etc.<p> I completed
my graduation in 2015 with Accounts Honors and worked in a medicine company (Sarraf
Enterprises) as a manager for three years, there my job is to manage my team and daily
operations, so I have good knowledge of accountancy, bookkeeping, and management quality

```

```
like- Problem Solving, Team Work, and Communications Skills.</p></p><button type="button"
class="btn btn-outline-danger" style="border-radius:50px ; margin-right: 19px; margin-
bottom: 7px;      border-width: 4px; width: 122px;" onclick="less();">Less</button>'

}

// FUNCTION FOR LESS BUTTON :

function less() {
    document.getElementById("content").innerHTML = '<h1 style="font-family:Times New Roman
;">I am Md Rizwan Fatmi</h1><p >I am a web designer and software engineer. I completed my
MCA (Master of Computer Application) in 2022, in this course I have learned many computer
languages and technologies like- Java, HTML, CSS, JavaScript, SQL, Bootstrap, etc. By
using these languages and technologies I have created some projects which you can check
out in my GitHub Account. In this course, I have also learned some of the other useful
topics like- Introduction to Programming, Advanced Programming (Oops), Data Structure &
Algorithms, Database Management System, Operating System, Networking, etc. </p><button
type="button" class="btn btn-outline-danger" style="border-radius:50px ; margin-right:
19px; margin-bottom: 7px;      border-width: 4px; width: 122px;"
onclick="more();">More</button>'

}

</script>

</html>
```

# PROJECT

```

<!--PROJECT PAGE-->

<!doctype html>

<html lang="en">

<head>

  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>
    PortFolio
  </title>
  <meta name="viewport" content="width=device-width, initial-scale=1">

  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet"
  integrity="sha384-EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous">
  <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js"
  integrity="sha384-MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
  crossorigin="anonymous"></script>

  <link rel="stylesheet" href="\CSS_File\style.css">
</head>

<body>

  <!--NAVBAR DESIGN-->

  <nav class="navbar navbar-expand-lg navbar-dark" style="background-color:rgb(172, 9,
17);">
    <div class="container-fluid">
      <a class="navbar-brand" href="Home.html">
        <svg xmlns="http://www.w3.org/2000/svg" width="23" height="23" fill="currentColor"
class="bi bi-house-door"
        style="margin-left: 2px; margin-right:4px; margin-bottom:3px" viewBox="0 0 16 16">
          <path
            d="M8.354 1.146a.5.5 0 0 0-.708 0l-6 6A.5.5 0 0 0 1.5 7.5v7a.5.5 0 0 0
.5.5h4.5a.5.5 0 0 0 .5-.5v-4h2v4a.5.5 0 0 0 .5.5H14a.5.5 0 0 0 .5-.5v-7a.5.5 0 0 0-.146-

```

```

.354L13 5.793V2.5a.5.5 0 0 0-.5-.5h-1a.5.5 0 0 0-.5.5v1.293L8.354 1.146zM2.5 14V7.70715.5-
5.5 5.5 5.5V14H10v-4a.5.5 0 0 0-.5-.5h-3a.5.5 0 0 0-.5.5v4H2.5z" />
</svg>PortFolio</a>
<button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-
target="#navbarSupportedContent"
    aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle
navigation">
    <span class="navbar-toggler-icon"></span>
</button>
<div class="collapse navbar-collapse" id="navbarSupportedContent">
    <ul class="navbar-nav ms-auto mb-lg-0">
        <li class="nav-item">
            <a class="nav-link ms-2" aria-current="page" href="Home.html">Home</a>
        </li>
        <li class="nav-item">
            <a class="nav-link ms-2" aria-current="page" href="About.html">About</a>
        </li>
        <li class="nav-item">
            <a class="nav-link ms-2" aria-current="page" href="Projects.html">Projects</a>
        </li>
        <li class="nav-item">
            <a class="nav-link ms-2" aria-current="page" href="Skills.html">Skills</a>
        </li>
        <li class="nav-item">
            <a class="nav-link ms-2" aria-current="page" href="Education.html">Education</a>
        </li>
        <li class="nav-item">
            <a class="nav-link ms-2" aria-current="page" href="Contact.html">Contact</a>
        </li>
    </ul>
</div>
</div>
</nav>

<!--PROJECT PAGE DESIGN-->

<section class="main_heading my-5">
    <div class="text-center">
        <h1 class="display-5"
            style="font-family:'Segoe UI', Tahoma, Geneva, Verdana, sans-serif; color: rgb(56,
55, 54);"><b>My Projects</b>
        </h1>
        <hr class="w-25 mx-auto" />
    </div>

```

```

<!--PROJECT CARD DESIGN-->

<div style="width:90vw ; margin-left: 10vh; margin-top: 65px;">
  <div class="row row-cols-1 row-cols-md-3 g-4">
    <div class="col">
      <div class="card">
        
        <div class="card-body">
          <h5 class="card-title">Library Management System</h5>
          <p class="card-text">This is a java based program with sqlite database, which
is design for all the common
              operations of Library. Like:- Enter Student Details, Enter Book Details,
Enter Book Issue Details, Enter
              Book Return Details and Generate Different Report etc.
          </p>
          <a href="https://github.com/rizwanfatmi/Library_Management_System"
target="_blank"
              class="btn btn-outline-danger"
              style="border-radius:50px ; margin-right: 19px; margin-bottom:
7px; border-width: 4px; width: 155px;">GitHub</a>
          <a href="lmspr.pdf" target="_blank" class="btn btn-outline-danger"
              style="border-radius:50px ; margin-right: 19px; margin-bottom:
7px; border-width: 4px; width: 155px;">Project
              Report</a>
        </div>
      </div>
    </div>
    <div class="col">
      <div class="card">
        
        <div class="card-body">
          <h5 class="card-title">Customer Register(CRUD Operation)</h5>
          <p class="card-text">It is a simple Java-based program. It has been
implemented for make ease of
              management of customer information. Here, an individual can enter/update and
delete the customer details
              and can also see the customer register table at the same time. </p>
          <a href="https://github.com/rizwanfatmi/Customer_Register_CRUD_Operation"
target="_blank"
              class="btn btn-outline-danger"
              style="border-radius:50px ; margin-right: 19px; margin-bottom:
7px; border-width: 4px; width: 155px;">GitHub</a>
          <a href="crpr.pdf" target="_blank" class="btn btn-outline-danger"
              style="border-radius:50px ; margin-right: 19px; margin-bottom:
7px; border-width: 4px; width: 155px;">Project
              Report</a>
        </div>
      </div>
    </div>
  </div>

```

```

        </div>
    </div>
    <div class="col">
        <div class="card">
            
            <div class="card-body">
                <h5 class="card-title">Inventory Management System</h5>
                <p class="card-text">This is a web based program with WebSQL database. Through
this project, we simply
                know all the related common operations about furniture store like:-
Maintaining product details,
                customer details, and supplier details and entry of purchase and sales.</p>
                <a
href="https://github.com/rizwanfatmi/Inventory_Management_System_For_Furniture_Store"
target="_blank"
                class="btn btn-outline-danger"
                style="border-radius:50px ; margin-right: 19px; margin-bottom:
7px; border-width: 4px; width: 155px;">GitHub</a>
                <a href="imspr.pdf" target="_blank" class="btn btn-outline-danger"
                style="border-radius:50px ; margin-right: 19px; margin-bottom:
7px; border-width: 4px; width: 155px;">Project
                Report</a>

            </div>
        </div>
    </div>
    <div class="col">
        <div class="card">
            
            <div class="card-body">
                <h5 class="card-title">To Do List (CRUD Operation)</h5>
                <p class="card-text">It is a web-based application specially built to keep
track of tasks that need to be
                done. This application will be like a task keeper where the user would be
able to enter the tasks that
                they need to do. Once they are done with their tasks they can also remove
them from the list. </p>
                <a href="https://github.com/rizwanfatmi/ToDo_List_CRUD_Operation"
target="_blank"
                class="btn btn-outline-danger"
                style="border-radius:50px ; margin-right: 19px; margin-bottom:
7px; border-width: 4px; width: 155px;">GitHub</a>
                <a href="tdpr.pdf" target="_blank" class="btn btn-outline-danger"
                style="border-radius:50px ; margin-right: 19px; margin-bottom:
7px; border-width: 4px; width: 155px;">Project
                Report</a>
            </div>
        </div>
    </div>

```

```

</div>
</div>
<div class="col">
  <div class="card">
    
    <div class="card-body">
      <h5 class="card-title">PortFolio</h5>
      <p class="card-text">This is a web based project which is design to showcase
my work and let others know
      about myself. In addition, it is one of the best ways to express my
personality, experience, and
      capabilities.In this website you can have all the information about me, my
education, my skills, and my
      projects.</p>
      <a href="https://github.com/rizwanfatmi/PortFolio" target="_blank" class="btn
btn-outline-danger"
      style="border-radius:50px ; margin-right: 19px; margin-bottom:
7px; border-width: 4px; width: 155px;">GitHu</a>
      <a href="ppr.pdf" target="_blank" class="btn btn-outline-danger"
      style="border-radius:50px ; margin-right: 19px; margin-bottom:
7px; border-width: 4px; width: 155px;">Project
      Report</a>
    </div>
  </div>
</div>
</div>
</div>
</div>
</body>
</html>

```

## SKILLS

```
<!--SKILLS PAGE-->

<!doctype html>

<html lang="en">

<head>

  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>
    PortFolio
  </title>
  <meta name="viewport" content="width=device-width, initial-scale=1">

  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet"
  integrity="sha384-EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTWFspd3yD65VohhpooC0mLASjC"
crossorigin="anonymous">
  <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js"
  integrity="sha384-MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
  crossorigin="anonymous"></script>

</head>

<body>

  <!--NAVBAR DESIGN-->

  <div style="height: 100vh;">
    <nav class="navbar navbar-expand-lg navbar-dark" style="background-color:rgb(172, 9,
17);">
      <div class="container-fluid">
        <a class="navbar-brand" href="Home.html">
          <svg xmlns="http://www.w3.org/2000/svg" width="23" height="23" fill="currentColor"
class="bi bi-house-door"
            style="margin-left: 2px; margin-right:4px; margin-bottom:3px" viewBox="0 0 16
16">
              <path
                d="M8.354 1.146a.5.5 0 0 0-.708 0l-6 6A.5.5 0 0 0 1.5 7.5v7a.5.5 0 0 0
.5.5h4.5a.5.5 0 0 0 .5-.5v-4h2v4a.5.5 0 0 0 .5.5H14a.5.5 0 0 0 .5-.5v-7a.5.5 0 0 0-.146-
.354L13 5.793V2.5a.5.5 0 0 0-.5-.5h-1a.5.5 0 0 0-.5.5v1.293L8.354 1.146zM2.5 14V7.707l5.5-
5.5 5.5 5.5V14H10v-4a.5.5 0 0 0-.5-.5h-3a.5.5 0 0 0-.5.5v4H2.5z" />
            </path>
          </svg>
        </a>
      </div>
    </nav>
  </div>
```



```

    </svg>PortFolio</a>
    <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-
target="#navbarSupportedContent"
    aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle
navigation">
    <span class="navbar-toggler-icon"></span>
</button>
<div class="collapse navbar-collapse" id="navbarSupportedContent">
    <ul class="navbar-nav ms-auto mb-lg-0">
        <li class="nav-item">
            <a class="nav-link ms-2" aria-current="page" href="Home.html">Home</a>
        </li>
        <li class="nav-item">
            <a class="nav-link ms-2" aria-current="page" href="About.html">About</a>
        </li>
        <li class="nav-item">
            <a class="nav-link ms-2" aria-current="page" href="Projects.html">Projects</a>
        </li>
        <li class="nav-item">
            <a class="nav-link ms-2" aria-current="page" href="Skills.html">Skills</a>
        </li>
        <li class="nav-item">
            <a class="nav-link ms-2" aria-current="page"
href="Education.html">Education</a>
        </li>
        <li class="nav-item">
            <a class="nav-link ms-2" aria-current="page" href="Contact.html">Contact</a>
        </li>
    </ul>
</div>
</div>
</nav>

<!--SKILLS PAGE DESIGN-->

<section class="main_heading my-5">
    <div class="text-center">
        <h1 class="display-5"
            style="font-family:'Segoe UI', Tahoma, Geneva, Verdana, sans-serif; color: rgb(56,
55, 54);"><b>My Skills</b>
        </h1>
        <hr class="w-25 mx-auto" />
    </div>

    <div class="container" style="margin-top:4% ;">
        <div class="row">

```

```

<div class="col" style="padding-right: 122px; " id="cont">
  <h1 style="font-family:Times New Roman ;">My creative skills and
experiences.</h1>
  <p>I have learned some computer languages and technologies like- Java, HTML,
CSS, JavaScript, SQL,
    Bootstrap, etc. By using these languages and technologies I have created some
projects. I have created two
    projects named "Library Management System" and "Customer Register" which are
totally based on Java, for
    the database I have to use SQLite because it is portable and people can use my
program without installing
    much software. I have also created two more projects named "Inventory
Management System" and "To-Do List"
    in which I used HTML, CSS, Bootstrap, and JavaScript for the front end.
JavaScript and WebSQL for the back
    end and database. You can check out all those projects in my GitHub
Account.</p>
  <button type="button" class="btn btn-outline-danger"
    style="border-radius:50px ; margin-right: 19px; margin-bottom:
7px; border-width: 4px; width: 122px;"
    onclick="more();">More</button>
</div>
<div class="col">
  <div class=pg>
    <h6 class="hd" ; style="font-family: Times New Roman;"><b>HTML:</b></h6>
    <div class="progress">
      <div class="progress-bar progress-bar-striped bg-danger" role="progressbar"
style="width: 75%;"
        aria-valuenow="25" aria-valuemin="0" aria-valuemax="100">75%</div>
    </div>
    <pre>
</pre>
    <div class=pg>
      <h6 class="hd" ; style="font-family: Times New Roman;"><b>CSS:</b></h6>
      <div class="progress">
        <div>
          </div>
          <div class="progress-bar progress-bar-striped bg-danger"
role="progressbar" style="width: 65%;"
            aria-valuenow="25" aria-valuemin="0" aria-valuemax="100">65%</div>
        </div>
        <pre>
</pre>
        <div class=pg>

```



```

        </div>

</body>

<!--JAVA SCRIPT-->

<script>

    // FUNCTION FOR MORE BUTTON :

    function more() {

        document.getElementById("cont").innerHTML = ' <h1 style="font-family:Times New Roman
        ;">My creative skills and expriences.</h1><p>I have learned some computer languages and
        technologies like- Java, HTML, CSS, JavaScript, SQL, Bootstrap, etc. By using these
        languages and technologies I have created some projects. I have created two projects named
        "Library Management System" and "Customer Register" which are totally based on Java, for
        the database I have to use SQLite because it is portable and people can use my program
        without installing much software. I have also created two more projects named "Inventory
        Management System" and "To-Do List" in which I used HTML, CSS, Bootstrap, and JavaScript
        for the front end. JavaScript and WebSQL for the back end and database. You can check out
        all those projects in my GitHub Account.<p>I worked in a medicine company (Sarraf
        Enterprises) as a manager for three years, where my job is to manage my team and daily
        operations, so I have three-year experience in accountancy, bookkeeping, and management
        quality like- Problem Solving, Team Work, and Communications Skills.</p></p><button
        type="button" class="btn btn-outline-danger" style="border-radius:50px ; margin-right:
        19px; margin-bottom: 7px; border-width: 4px; width: 122px;"
        onclick="less();">Less</button>'

    }

    // FUNCTION FOR LESS BUTTON :

    function less() {

        document.getElementById("cont").innerHTML = ' <h1 style="font-family:Times New Roman
        ;">My creative skills and expriences.</h1><p>I have learned some computer languages and
        technologies like- Java, HTML, CSS, JavaScript, SQL, Bootstrap, etc. By using these
        languages and technologies I have created some projects. I have created two projects named
        "Library Management System" and "Customer Register" which are totally based on Java, for
        the database I have to use SQLite because it is portable and people can use my program
        without installing much software. I have also created two more projects named "Inventory
        Management System" and "To-Do List" in which I used HTML, CSS, Bootstrap, and JavaScript
        for the front end. JavaScript and WebSQL for the back end and database. You can check out

```

```
all those projects in my GitHub Account.</p><button type="button" class="btn btn-outline-  
danger" style="border-radius:50px ; margin-right: 19px; margin-bottom: 7px;    border-  
width: 4px; width: 122px;" onclick="more();">More</button>  
  
}  
</script>  
  
</html>
```

# EDUCATION

```
<!--EDUCATION PAGE-->

<!doctype html>

<html lang="en">

<head>

  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>
    PortFolio
  </title>
  <meta name="viewport" content="width=device-width, initial-scale=1">

  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet"
  integrity="sha384-EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTWFspD3yD65VohhpooC0mLASjC"
crossorigin="anonymous">
  <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js"
  integrity="sha384-MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
  crossorigin="anonymous"></script>

</head>

<body>

  <!--NAVBAR DESIGN-->

  <nav class="navbar navbar-expand-lg navbar-dark" style="background-color:rgb(172, 9,
17);">
    <div class="container-fluid">
      <a class="navbar-brand" href="Home.html">
        <svg xmlns="http://www.w3.org/2000/svg" width="23" height="23" fill="currentColor"
class="bi bi-house-door"
        style="margin-left: 2px; margin-right:4px; margin-bottom:3px" viewBox="0 0 16 16">
          <path
            d="M8.354 1.146a.5.5 0 0 0-.708 0l-6 6A.5.5 0 0 0 1.5 7.5v7a.5.5 0 0 0
.5.5h4.5a.5.5 0 0 0 .5-.5v-4h2v4a.5.5 0 0 0 .5.5H14a.5.5 0 0 0 .5-.5v-7a.5.5 0 0 0-.146-
.354L13 5.793V2.5a.5.5 0 0 0-.5-.5h-1a.5.5 0 0 0-.5.5v1.293L8.354 1.146zM2.5 14V7.707l5.5-
5.5 5.5 5.5V14H10v-4a.5.5 0 0 0-.5-.5h-3a.5.5 0 0 0-.5.5v4H2.5z" />

```

```

    </svg>PortFolio</a>
    <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-
target="#navbarSupportedContent"
    aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle
navigation">
    <span class="navbar-toggler-icon"></span>
</button>
<div class="collapse navbar-collapse" id="navbarSupportedContent">
    <ul class="navbar-nav ms-auto mb-lg-0">
        <li class="nav-item">
            <a class="nav-link ms-2" aria-current="page" href="Home.html">Home</a>
        </li>
        <li class="nav-item">
            <a class="nav-link ms-2" aria-current="page" href="About.html">About</a>
        </li>
        <li class="nav-item">
            <a class="nav-link ms-2" aria-current="page" href="Projects.html">Projects</a>
        </li>
        <li class="nav-item">
            <a class="nav-link ms-2" aria-current="page" href="Skills.html">Skills</a>
        </li>
        <li class="nav-item">
            <a class="nav-link ms-2" aria-current="page" href="Education.html">Education</a>
        </li>
        <li class="nav-item">
            <a class="nav-link ms-2" aria-current="page" href="Contact.html">Contact</a>
        </li>
    </ul>
</div>
</div>
</nav>

<!--EDUCATION PAGE DESIGN-->

<section class="main_heading my-5">
    <div class="text-center">
        <h1 class="display-5"
            style="font-family:'Segoe UI', Tahoma, Geneva, Verdana, sans-serif; color: rgb(56,
55, 54);"><b>My Education</b>
        </h1>
        <hr class="w-25 mx-auto" />
    </div>

    <div class="container" style="margin-top:3% ;">
        <div class="row">

```

```

<div class="col" id="cont">
  <h1 style="font-family:Times New Roman ;">My Education Details.</h1>
  <p>I passed the MCA (Master of Computer Application) from Indra Gandhi National
Open University in 2022.
  <p>I passed graduation (B.Com) from Magadh University in 2015. </p>
  <p>I passed Intermediate (I.Com) from Bihar School Examination Board in 2012. </p>
  <p>I passed the Matriculation from Bihar School Examination Board in 2010. </p>
  </p>
  <button type="button" class="btn btn-outline-danger"
    style="border-radius:50px ; margin-right: 19px; margin-bottom: 7px;    border-
width: 4px; width: 122px;"
    onclick="more();">More</button>

</div>

<div class="col" style="margin-left:100px">

</div>
</div>

</body>

<!--JAVASCRIPT-->

<script>

  // FUNCTION FOR MORE BUTTON :

  function more() {

    document.getElementById("cont").innerHTML = ' <h1 style="font-family:Times New Roman
;">My Education Details.</h1><p>I passed the MCA (Master of Computer Application) from
Indra Gandhi National Open University in 2022.<p>I passed graduation (B.Com) from Magadh
University in 2015. </p><p>I passed Intermediate (I.Com) from Bihar School Examination
Board in 2012. </p><p>I passed the Matriculation from Bihar School Examination Board in
2010. </p></p> <table class="table" border="2"><thead><tr><th scope="col">Exam</th><th
scope="col">Board/University</th><th scope="col">Year</th><th

```



```

scope="col">Percentage</th></tr></thead><tbody><tr><td>Matriculation</td><td>Bihar School
Examination
Board</td><td>2010</td><td>63.80%</td></tr><tr><td>Intermediate(I.Com)</td><td>Bihar
School Examination
Board</td><td>2012</td><td>65.00%</td></tr><tr><td>Graduation(I.Com)</td><td>Magadh
University</td><td>2015</td><td>68.38%</td></tr><tr><td>Post Graduation(MCA)</td><td>Indra
Gandhi National Open
University</td><td>2022</td><td>66.55%</td></tr></tbody></table><button type="button"
class="btn btn-outline-danger" style="border-radius:50px ; margin-right: 19px; margin-
bottom: 7px;      border-width: 4px; width: 122px;" onclick="less();">Less</button>'

}

// FUNCTION FOR LESS BUTTON :

function less() {

    document.getElementById("cont").innerHTML = ' <h1 style="font-family:Times New Roman
;">My Education Details.</h1><p>I passed the MCA (Master of Computer Application) from
Indra Gandhi National Open University in 2022.<p>I passed graduation (B.Com) from Magadh
University in 2015. </p><p>I passed Intermediate (I.Com) from Bihar School Examination
Board in 2012. </p><p>I passed the Matriculation from Bihar School Examination Board in
2010. </p></p><button type="button" class="btn btn-outline-danger" style="border-
radius:50px ; margin-right: 19px; margin-bottom: 7px;      border-width: 4px; width:
122px;" onclick="more();">More</button>'

}
</script>

</html>

```

## CONTACT

```
<!--CONTACT PAGE-->

<!doctype html>

<html lang="en">

<head>

  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>
    PortFolio
  </title>
  <meta name="viewport" content="width=device-width, initial-scale=1">

  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet"
  integrity="sha384-EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous">
  <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js"
  integrity="sha384-MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
  crossorigin="anonymous"></script>

  <link rel="stylesheet" href="\CSS_File\style.css">
</head>

<body>

  <!--NAVBAR DESIGN-->

  <nav class="navbar navbar-expand-lg navbar-dark" style="background-color:rgb(172, 9,
17);">
    <div class="container-fluid">
      <a class="navbar-brand" href="Home.html">
        <svg xmlns="http://www.w3.org/2000/svg" width="23" height="23" fill="currentColor"
class="bi bi-house-door"
        style="margin-left: 2px; margin-right:4px; margin-bottom:3px" viewBox="0 0 16 16">
          <path
            d="M8.354 1.146a.5.5 0 0 0-.708 0l-6 6A.5.5 0 0 0 1.5 7.5v7a.5.5 0 0 0
.5.5h4.5a.5.5 0 0 0 .5-.5v-4h2v4a.5.5 0 0 0 .5.5H14a.5.5 0 0 0 .5-.5v-7a.5.5 0 0 0-.146-
```

```

.354L13 5.793V2.5a.5.5 0 0 0-.5-.5h-1a.5.5 0 0 0-.5.5v1.293L8.354 1.146zM2.5 14V7.70715.5-
5.5 5.5 5.5V14H10v-4a.5.5 0 0 0-.5-.5h-3a.5.5 0 0 0-.5.5v4H2.5z" />
    </svg>PortFolio</a>
    <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-
target="#navbarSupportedContent"
    aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle
navigation">
    <span class="navbar-toggler-icon"></span>
</button>
<div class="collapse navbar-collapse" id="navbarSupportedContent">
    <ul class="navbar-nav ms-auto mb-lg-0">
        <li class="nav-item">
            <a class="nav-link ms-2" aria-current="page" href="Home.html">Home</a>
        </li>
        <li class="nav-item">
            <a class="nav-link ms-2" aria-current="page" href="About.html">About</a>
        </li>
        <li class="nav-item">
            <a class="nav-link ms-2" aria-current="page" href="Projects.html">Projects</a>
        </li>
        <li class="nav-item">
            <a class="nav-link ms-2" aria-current="page" href="Skills.html">Skills</a>
        </li>
        <li class="nav-item">
            <a class="nav-link ms-2" aria-current="page" href="Education.html">Education</a>
        </li>
        <li class="nav-item">
            <a class="nav-link ms-2" aria-current="page" href="Contact.html">Contact</a>
        </li>
    </ul>
</div>
</div>
</nav>

<!--CONTACT ME PAGE DESIGN-->

<section class="main_heading my-5">
    <div class="text-center">
        <h1 class="display-5"
            style="font-family:'Segoe UI', Tahoma, Geneva, Verdana, sans-serif; color: rgb(56,
55, 54);"><b>Contact Me</b>
        </h1>
        <hr class="w-25 mx-auto" />
    </div>

```

```

<div class="container" style="margin-top:6% ;">
  <div class="row">

    <!--CONTACT DETAILS DESIGN-->

    <div class="col" style="padding-right: 60px;">
      <h1 style="font-family:Times New Roman ;">Get in touch.</h1>
      <div class="container" style="margin-top:6% ;">
        <div class="row">
          <div class="col-1" style=" width: 60px; padding-top: 4px;">
            <svg xmlns="http://www.w3.org/2000/svg" width="45" height="45"
fill="currentColor"
            class="bi bi-person-fill" viewBox="0 0 16 16" style="color:rgb(172, 9, 17)
;">
              <path d="M3 14s-1 0-1-1 1-4 6-4 6 3 6 4-1 1-1 1H3zm5-6a3 3 0 1 0 0-6 3 3 0
0 0 0 6z" />
            </svg>
            <pre></pre>
            <svg xmlns="http://www.w3.org/2000/svg" width="45" height="45"
fill="currentColor"
            class="bi bi-geo-alt-fill" viewBox="0 0 16 16"
            style="color:rgb(172, 9, 17); padding-top:8px; margin-top:12px">
              <path d="M8 16s6-5.686 6-10A6 6 0 0 2 6c0 4.314 6 10 6 10zm0-7a3 3 0 1 1
0-6 3 3 0 0 1 0 6z" />
            </svg>
            <pre></pre>
            <svg xmlns="http://www.w3.org/2000/svg" width="45" height="45"
fill="currentColor"
            class="bi bi-telephone-fill" viewBox="0 0 16 16"
            style="color:rgb(172, 9, 17);padding-top:8px; margin-top:10px">
              <path fill-rule="evenodd"
                d="M1.885.511a1.745 1.745 0 0 1 2.61.163L6.29 2.98c.329.423.445.974.315
1.494l-.547 2.19a.678.678 0 0 0 .178.643l2.457 2.457a.678.678 0 0 0 .644.178l2.189-
.547a1.745 1.745 0 0 1 1.494.315l2.306 1.794c.829.645.905 1.87.163 2.611l-1.034 1.034c-
.74.74-1.846 1.065-2.877.702a18.634 18.634 0 0 1-7.01-4.42 18.634 18.634 0 0 1-4.42-
7.009c-.362-1.03-.037-2.137.703-2.877L1.885.511z" />
            </svg>

            <pre></pre>
            <svg xmlns="http://www.w3.org/2000/svg" width="45" height="45"
fill="currentColor"
            class="bi bi-envelope-fill" viewBox="0 0 16 16"
            style="color:rgb(172, 9, 17);padding-top:8px; margin-top:10px">
              <path

```

```

d="M.05 3.555A2 2 0 0 1 2 2h12a2 2 0 0 1 1.95 1.555L8 8.414.05 3.555ZM0
4.697v7.104l5.803-3.558L0 4.697ZM6.761 8.831-6.57 4.027A2 2 0 0 0 2 14h12a2 2 0 0 0 1.808-
1.144l-6.57-4.027L8 9.586l-1.239-.757Zm3.436-.586L16 11.801V4.697l-5.803 3.546Z" />
</svg>

</div>
<div class="col-5" style=" padding-left: 0%; margin-bottom: 122px;">
  <h5 style="color:rgb(0, 0, 0) ;">Name:</h5>
  <h6 style="color:rgb(58, 56, 56);">Md Rizwan Fatmi</h6>

  <pre></pre>
  <h5 style="color:rgb(0, 0, 0) ;">Address:</h5>
  <h6 style="color:rgb(58, 56, 56) ;">Mahendru,Patna,Bihar</h6>
  <pre></pre>
  <h5 style="color:rgb(0, 0, 0) ;">Mobile:</h5>
  <h6 style="color:rgb(58, 56, 56) ;">+91 8210006010</h6>
  <pre></pre>
  <h5 style="color:rgb(0, 0, 0) ;">Email:</h5>
  <h6 style="color:rgb(58, 56, 56) ;">rizwanfatmi@gmail.com</h6>

</div>
</div>

</div>
</div>

<!--MESSAGE ME FORM DESIGN-->

<div class="col">
  <h1 style="font-family:Times New Roman ; color:rgb(172, 9, 17) ;"><b>Message
Me</b></h1>
  <form class="row g-3">
    <div class="col-md-6">
      <label for="inputEmail4" class="form-label"></label>
      <input type="email" class="form-control" id="n1" placeholder="Name">
    </div>
    <div class="col-md-6">
      <label for="inputPassword4" class="form-label"></label>
      <input type="email" class="form-control" id="e1" placeholder="Email">
    </div>
    <div class="col-12">
      <label for="inputAddress" class="form-label"></label>
      <input type="text" class="form-control" id="s1" placeholder="Subject">
    </div>
    <div class="col-12">

```

```

        <label for="exampleFormControlTextarea1" class="form-label"></label>
        <textarea class="form-control" id="m1" rows="3" placeholder="Message
me..."></textarea>
    </div>

    <div class="col-12">
        <button type="button" onclick="send();" class="btn btn-outline-danger"
            style="border-radius:50px ; margin-right: 19px; margin-bottom:
7px; border-width: 4px; width:222px;">Send
            Message</button></a>
    </div>
</div>
</form>

</div>
</div>

</body>

<!--JAVASCRIPT-->

<script src="https://smtpjs.com/v3/smtp.js"></script>

<script>

    // FUNCTION FOR SEND BUTTON :

    function send() {

        n = document.getElementById("n1").value
        e = document.getElementById("e1").value

        s = document.getElementById("s1").value

        m = document.getElementById("m1").value

        if (n == "" || e == "" || s == "" || m == "") {

            alert("Please Fill All The Details!")

```

```
}

else {

    Email.send({
        Host: "smtp.elasticemail.com", m,
    })

    Username: "test821000@gmail.com",
    Password: "7A6035959EAFB3B9C00D505F50AAAB6F63F",
    To: 'rizwanfatmi@gmail.com',
    From: "test821000@gmail.com",
    Subject: s,
    Body: "Name : " + n + "<br/> Email : " + e + "<br/> " +
    .then(

        message => alert(message)

    );

    document.getElementById("n1").value = "";
    document.getElementById("e1").value = "";
    document.getElementById("s1").value = "";
    document.getElementById("m1").value = "";
}

}


</script>

</html>
```

## Annexure A

### Data Flow Diagram (DFD)

#### 0 – Level DFDs





## **Annexure B**


### **Entity-Relationship Diagram (ERD)**

As I mentioned earlier this is a portfolio website and users cannot enter/update/delete anything in it, so there is no need for a database. Without the database, we cannot draw Entity Relationship Diagram (ERD).


## Annexure C

### Screen Shots


## HOME




# ABOUT




# PROJECT



## SKILLS



## EDUCATION



# CONTACT

Portfolio

Home About Projects Skills Education Contact

## Contact Me

Get in touch.

**Name:**  
Md Rizwan Fatmi

**Address:**  
Mahendru, Patna, Bihar

**Mobile:**  
+91 8210006010

**Email:**  
rizwanfatmi@gmail.com

**Message Me**

Name

Email

Subject

Message me...

Send Message

Type here to search

23°C

12:09 AM  
31-10-2022