

Document Number	OI-PI-20250916
Document status	PUBLISHED
Document owner	@Rizwan Zaffar @Arsalan Pervez @Muhammad Taimoor
Solutions Architect	@Maqsood Ali @Owais Khalid @Saqlain Raza
Project Manager	@Rashid Raees
Priority	URGENT
Region	Uzbekistan & Kazakhstan
Operator	8B
Product	PAYIN


Product Checklist


 Attach filled and signed product checklist here.

Testing Credentials

Items	Details
Base URL	https://secure-test.8b.world
Dashboard URL	https://secure-test.8b.world
Login	shayan.rasheed@simpaisa.com
Password	W4p\$7eQn
UZS api_key	442c53d0-538b-013e-69d7-02420a00095d
UZS secret_key	c893bcfdab80665d1ca8c5620b5a63444a455777292dc444
KZT api_key	2abaf7a0-538b-013e-69d7-02420a00095d
KZT secret_key	ef5113c772dee6e466d28d567c5bb088a701ee3d3fc1144b

Sequence Diagram





API Documentation

✖ While testing we have found discrepancies in the API documentation and postman collection. The tested postman collection is attached below.

1. Postman Collection

- 8B - Card Payments.postman_collection.json

2. API Documentation

- Getting Started with the System

📌 Base64-encode the API request parameters added below in each API to create the `data` payload, then generate a `sign` using the Base64-encoded payload and the `secret_key` provided above. For every request this needs to be created again.

- `data` : A base64-encoded JSON document string.
- `sign` : A signature created based on the `data` string using hash_hmac for data validity confirmation.

Initialize Payment Request

Description: This api will initiate Card Payment by providing HTML in response which will show a payment processing screen to capture card details.

METHOD : POST

Endpoint: {Base Url}/pay

Request Parameters

Parameter	Data Type	Mandatory	Sample	Fixed/Variable	Description
api_key	String	M	442c53d0-538b-013e-69d7-02420a00095d	F	Shop key (identifier)
expiration	String	M	2025-09-22 18:00 (YYYY-MM-DD HH:mm)	V	Maximum duration till when a payment can be provided
amount	float	M	20.85	V	Payment amount. Format: positive number with "." as a separator, no more than two digits after the dot
currency	String	M	UZS	V	Payment currency. Possible values: EUR, USD, UZS. Max length 3
reference	String	M	3362488188	V	Unique Shop order Number
description	String	M	test	V	Order Description
success_url	String	M	https://www.goole.com	V	URL where user would be redirected after successful payment
failure_url	String	M	https://www.simpaisa.com	V	URL where user would be redirected after unsuccessful payment
lang	String	M	en,uk	V	Language of Payment page

Parameter	Data Type	Mandatory/Optional	Sample	Fixed/Variable	Description
pay_token	String	O	<Provided by 8B >	F	Payment token for recurrent payments
params.user_id	String	O	test_user	V	User ID within Partner's system
params.pay_token_flag	Integer	O	0 or 1 (0 as a default)	F	Payment token flag. See Recurrent Payments section for a detailed description.
params.flag_get_url	Integer	O	0 or 1 (0 as a default)	F	Flag used to receive payment form link in response to payment request
params.user_phone	String	O	+371234567890	V	User's phone number
params.country_iso_code	String	O	GB	V	ISO 3166-1 Alpha-2 formatted User's country of residence
params.billing_city	String	O	London	V	User's city of residence

params.billing_address	String	O	Example Street, 1, 23	V	User's billing address
params.billing_state	String	O	England	V	User's state/region of residence
params.billing_postcode	String	O	1001	V	User's ZIP/Postal code
params.extra_params	JSON	O	{ "merchant_field1": "val1", "merchant_field2": "val2" }	V	Custom Merchant parameters
params.extra_params.merchant_site	String	O	www.realsite.com	V	Merchant website address

Response Parameters

Parameters	Data Type	Mandatory	Sample Values	Remarks
_____	HTML	M	 8B.html	In response HTML will be provided which will open a payment processing page of 8B.

Sample Request

```
1 curl --location 'https://secure-test.8b.world/pay' \  
2 --data '{  
3  
4   "data": "ewogICAgImFwaV9rZXkiOiAiNDQyYzUzZDAtNTM4Yi0wMTNlLTYSZDctMDI0MjBhMDAwOTVhIiwKICAgICJleHBpcmF0aW9uIjogIjIwMjUtMDktMjIyMTg6MDAiLAogICAgImFtb3VudCI6IyMC44NSIsCiAgICAgIyY3VycmVuY3kiOiAiVWpTiiwKICAgICJyZWZlcmVuY2UiOiAiMzY2MjQ0DE40CIsCiAgICAgIzGVzY3JpcHRpb24iOiAidGVzdCIscisCiAgICAgIzVjY2Vzc191cmwiOiAiAHR0cHM6Ly93d3cuZ29vbGUuY29tIiwKICAgICJmYWlsdXJlX3VyYyBCI6ICJodHRwczovL3d3dy5zaWw1wYw1zYSSjY2b2IiLAogICAgImxhbmciOiAiaWZw4sdWsiCn0=",  
5   "sign": "b13383511581f48a268548b4f9c348ca"  
6 }'  
7
```

Sample Response

```
1 <!DOCTYPE html>  
2 <html>  
3   <head>  
4     <title>secure-test.8b.world</title>  
5     <meta name="viewport" content="width=device-width, user-scalable=yes" />  
6     <link href="/assets/styles-9b5fa0fb5cf58ca3f0f0a10bce1dc797.css?body=1" media="screen" rel="stylesheet" />  
7     <link href="/assets/payment_page-3a36ed8a82a37d799d328f60f2b37248.css?body=1" media="screen" rel="stylesheet" />  
8     <link href="/assets/new_payment_page-e7e3f6d969949d312b52a2c28178b861.css?body=1" media="screen" rel="stylesheet" />  
9     <link href="/assets/payment_page_adaptive-bce6ffbe6664a0f508b035da53b17982.css?body=1" media="screen" rel="stylesheet" />  
10    <link href="/assets/main_itpartners-dfa94b95d517d1637d093ec8d1bfd7e5.css?body=1" media="screen" rel="stylesheet" />  
11    <script src="/assets/jquery-3.7.1.min-bfd2b78e08f0ed1bdabaabdcdf7415d79.js?body=1"></script>  
12    <script src="/assets/jquery-ui.min-f6f9ee6a48dcd0a9fb4461699e9bbf75.js?body=1"></script>  
13    <script src="/assets/bjqs-1.3-0c82d20454c5a4b36fbdd2502e2130d.js?body=1"></script>  
14    <script src="/assets/jquery.validate.min-bf0bd39731eae69efe8e49281acb8dad.js?body=1"></script>  
15    <script src="/assets/jquery.autotab-9ba9d756c6b2adb72837891ea369f8c4.js?body=1"></script>  
16    <script src="/assets/jquery.payment-e33e4c88adea34dc61b19aa7f2dfa5db.js?body=1"></script>  
17    <script src="/assets/cufon-yui-6ee4186e3c82a8fb755e42d7665f14db.js?body=1"></script>  
18    <script src="/assets/jquery.popupwindow-380cd4b3aadfe0977ab515732ff89281.js?body=1"></script>  
19    <script src="/assets/lib/default-84ff05f467cfa5051cb574ddd8780a44.js?body=1"></script>  
20    <script src="/assets/jquery.inputmask.min-57d5d68f4dede8f9e748532889ad0ccb.js?body=1"></script>  
21    <script src="/assets/jquery.inputmask-multi.min-d4641f7a97194a8ff5fac72aada66b04.js?body=1"></script>  
22    <script src="/assets/cufon/Calibri-B_700.font-444b9f9eebb9c26815e24562afe4c7ed.js?body=1"></script>  
23    <script src="/assets/cufon/Helvetica-B_700.font-e6e6519165c1cdab9aeb26c650023656.js?body=1"></script>  
24    <script src="/assets/cufon/Helvetica-L_400.font-3c36bf8884b91309603ec81f85f62738.js?body=1"></script>  
25    <script src="/assets/cufon/cufon-settings-526cbc902bcb7532996b252c2d1d00ce.js?body=1"></script>  
26    <script src="/assets/lib/common-1f4dd6ccb78d0d9302654a3ce8b4e371.js?body=1"></script>  
27    <script src="/assets/lib/default-84ff05f467cfa5051cb574ddd8780a44.js?body=1"></script>  
28    <script src="/assets/lib/new_payment_card-b8e19be1c87b9d52408b11806148a073.js?body=1"></script>  
29    <script src="/assets/localization/en-6a7bedaa400f41aded692caff0b568ec.js?body=1"></script>  
30    <script src="/assets/controllers/payment/newpay_controller-9755fb63e7a31fe11d48a2b34e54a190.js?body=1"></script>  
31    <script src="/assets/jquery.parseparams-1e80e37b8140c49435e5d873b9b870cc.js?body=1"></script>  
32    <script src="/assets/lib/csrf-a0d1fd8612afaf1b1edf994ca59b4fc.js?body=1"></script>  
33    <meta content="authenticity_token" name="csrf-param" />  
34    <meta content="Lv0feUchGfBrQps5DUikmYh/Wt0Bwx12921hTh7Mo=" name="csrf-token" />  
35  </head>  
36  <body class="frame_body_transparent" locale="en">  
37    <div class="all_pages " data-auto-controller="Payment/payController" data-popup="true">  
38      <script type="text/javascript">
```

```

39     var js_params = {"redirect_in_popup":0};
40 </script>
41     <div class="all_pages">
42         <div class="payment_page">
43             <div class="top_block">
44                 <div class="logo_panel">
45                     <table>
46                         <tr>
47                             <td>
48
49
50
51
52
53                             <td>
54                                 <a href="#" class="logo">
55                                     
56
57                                 </a>
58                             </td>
59                         </tr>
60                     </table>
61                 </div>
62                 <div class="payment_info">
63                     <div class="full_info">
64
65                         test
66                         </div>
67
68                         <div class="total_amount">
69                             <span class="reference">Order №3362488188</span>
70                             <br>
71                             <span class="val">20.85 UZS</span>
72                             <br>
73                             <span class="commission_val"></span>
74                         </div>
75                         <div class="cc"></div>
76                     </div>
77                 </div>
78                 <p class="way_title">Please select payment method</p>
79                 <div class="payment_block">
80                     <input name="session_id" type="hidden" value="46539-
81 91432cb4cb3ba1584a87cd0577ef4cfb87fd6d46b4a57034d869a72a6d1f" />
82                     <ul class="payment_way">
83                         <li class="bank_card direct active">
84                             <div class="title" pay_id="117" commission="">
85                                 <span class="way_name">Payment card</span>
86                                 <span class="amount">20.85 UZS</span>
87                             </div>
88                             <div class="card_wrapper">
89                                 <form accept-charset="UTF-8" action="ajax/make_payment?lang=en" by_pay_token="false" class="form-
90 registr profile_form" id="update_attribute" method="post">
91                                     <div style="margin:0;padding:0;display:inline">
92                                         <input name="utf8" type="hidden" value="#x2713;" />
93                                         <input name="authenticity_token" type="hidden"
94 value="Lv0felUchGfbrQps5DUikmYh/+Wt0Bwxi2921hTh7Mo=" />
95                                     </div>
96                                     <div class="card_block">
97                                         <div class="card_bg">
98                                             <div class="cards fat-content_inner">
99                                                 <div class="card card--front">
100                                                     <div class="card__group card__group--inline">
101                                                         <div class="card__item card__item--logo mastercard">
102                                                             
103
104                                                     </div>
105                                                     <div class="card__item card__item--logo maestro">
106                                                         
107
108                                                     </div>
109                                                     <div class="card__item card__item--logo visa">
110                                                         
111
112                                                     </div>
113                                                     <div class="card__item card__item--logo unionpay">
114                                                         
115
116                                                     </div>
117                                                 </div>
118                                                 <div class="card__group">
119                                                     <div class="card_number pay_token_hide">
120                                                         <div class="card_number_top">
121                                                             <div>
122                                                                 <label class="form-label">Card number (16 digits)</label>
123                                                             </div>
124                                                             <div class="card_top_error"></div>
125                                                         </div>
126                                                         <input autocomplete="off" class="form-field number" disabled="disabled"
127 id="post_card_numbers" maxlength="23" name="post[card_numbers]" placeholder="XXXX XXXX XXXX XXXX" size="23" tabindex="1" type="text" />
128                                                         </div>
129                                                     <div class="card__group card__group--inline pay_token_hide">
130                                                         <div class="card__item">
131                                                             <label class="form-label">Expiry</label>
132                                                             <div class="flex-container--inline card_expiry">
133                                                                 <div class="select-editable">
134                                                                     <input autocomplete="off" class="new_date_in number"
135 disabled="disabled" id="post_month" maxlength="2" name="post[month]" oninput="FilterNotNumbers(this)" placeholder="MM" size="2"

```

```

129         tabindex="2" type="text" />
130
131         </div>
132         <div class="new_date_slash"> / </div>
133         <div class="select-editable">
134             <input autocomplete="off" class="new_date_in number"
135             disabled="disabled" id="post_year" maxLength="2" name="post[year]" oninput="FilterNotNumbers(this)" placeholder="YY" size="2"
136             tabindex="3" type="text" />
137         </div>
138         </div>
139         <div class="card__item card_owner">
140             <label class="form-label">Cardholder name</label>
141             <input autocomplete="off" class="new_owner_in form-field"
142             disabled="disabled" id="post_owner" name="post[owner]" placeholder="CARDHOLDER NAME" tabindex="4" type="text" />
143         </div>
144         </div>
145         <div class="card card--back new_cvv_block">
146             <div class="card__group card__group--shape"></div>
147             <div class="card__group new_cvv_block">
148                 <label class="form-label label_cvv">CVV/CVC</label>
149                 <input autocomplete="off" class="form-field number new_cvv_in"
150                 disabled="disabled" id="post_cvv" maxLength="3" name="post[cvv]" placeholder="XXX" size="3" tabindex="5" type="password" />
151                 <div class="cvv_text">CVV or CVC is a three-digit code on the reverse side
152                 of the card.</div>
153             </div>
154         </div>
155         </div>
156         </div>
157         <div class="new_ssl_info">
158             <p class="new_card-security__text">Payment safety is ensured by use of the SSL protocol
159             for the transfer of confidential information from client to server for further processing. The further processing of the retrieved
160             confidential information of customer (card details, registration data, etc.) is conducted in the processing center. Thus, nobody is
161             able to hack your credit card details.</p>
162         </div>
163     </div>
164     </div>
165     </div>
166     </div>
167     </div>
168     </div>
169     </div>
170     </div>
171     </div>
172     </div>
173     </div>
174     </div>
175     </div>
176     </div>
177     </div>
178     </div>
179     </div>
180     </div>
181     </div>
182     </div>
183     </div>
184     </div>
185     </div>
186     </div>
187     </div>
188     </div>
189     </div>
190     </div>
191     </div>
192     </div>
193     </div>
194     </div>
195     </div>
196     </div>
197     </div>
198     </div>
199     </div>
200     </div>

```

Transaction Information Request

Description: Get detailed transactions and orders information

METHOD: POST

URL: {BASE URL}/pay/get_orders_data

Request Parameters

Parameter	Data Type	Mandatory/Optional	Sample	Fixed/Variable	Description
api_key	String	M	2abaf7a0-538b-013e-69d7-02420a00095d	F	Shop Key (Identifier), available in 8B dashboard for both regions.
transaction_id	String	M	TestDOC123	V	unique order number (reference) provided in Initiate API

Response Parameters

 In response base64 encoded data would be received. After decoding, the response will look as follow.

Parameters	Data Type	Mandatory/Conditional	Sample Values	Remarks
items	Array	M	[{ "transaction_id": 37064, "reference": "TestDOC123", "api_key": "2abaf7a0-538b-013e-69d7-02420a00095d", "amount": "100.23", "currency": "KZT", "status": 3, "status_name": "success", "commission": "0.0", "card_number": "411111*****1111", "cardholder": "Card Holder", "processing_error_msg": null, "authorization_code": null, "card_type": "VISA", "success_url": "https://google.com/ ", "failure_url": "https://simpaisa.com/ ", "refund_details": [], "external_reference": null, "system_amount": "100.23", "system_currency": "KZT", "operation_amount": "100.23", "refund_total_amount": 0, "internal_error_reference": null, "external_error_id": null }]	Will include all information against the transaction_id provided in request.
success	Boolean	M	true or false	Indicates whether request is correct or not
time_proc	String	M	<0.92 sec>	Response Process Time
request_id	String	M	<2964304245>	Indicate request Id generated against this particular request

SAMPLE REQUEST

```
1 curl --location 'https://secure-test.8b.world/pay/get_orders_data' \  
2 --header 'Content-Type: application/json' \  
3 --header 'Cookie: session=07784945d1ac2277ffdec7e201565921' \  
4 --data '{  
5     "data": "ewogICJhcG1fa2V5IjogIjJhYmFmN2EwLTUzOGItMDEzZS02OWQ3LTAYnDIwYTAWMDk1ZCIscSiAgInJlZmV5ZW5jZSI6ICJUZXR0RE9DMTIzIgp9Cg==",  
6     "sign": "8f5f3f4e09ba1185c3bcdff867c52da3"  
7 }'
```

SAMPLE RESPONSE

```
1 {  
2     "data":  
3     "eyJpdGVtcyI6W3sidHJhbnNhY3Rpb25faWQiOjM3MDY0LCJyZWZlcmVuY2UiOiJUZXR0RE9DMTIzIiwiaXBPX2tleSI6IjJhYmFmN2EwLTUzOGItMDEzZS02OWQ3LTAYnDIwYTAWMDk1ZCIscSiAgInJlZmV5ZW5jZSI6ICJUZXR0RE9DMTIzIgp9Cg==",  
4     "sign": "694fe83afc07a439a6fe0d30954496d1",  
5     "success": true,  
6     "time_proc": "0.93 sec.",  
7     "request_id": "2964304245"  
8 }
```

Collecting Cardholder Data Details

Description: With this API merchant can conduct direct debit from User.

METHOD: POST

URL: {BASE URL}/pay/direct

Request Parameters

Parameter	Data Type	Mandatory/Optional	Sample	Fixed/Variabile	Description
api_key	String	M	2abaf7a0-538b-013e-69d7-02420a00095d	F	Shop Key (Identifier), available in 8B dashboard for both regions.
expiration	String	M	01/01/2030 0:00 (datetime, YYYY-MM-DD HH:mm)	V	Date and time of expiration
amount	Number (decimal)	M	100.23	V	Amount to be charged
currency	String (ISO 4217 currency code)	M	KZT	V	Currency in which the amount is charged
description	String	M	Order Description	V	Order Description against which the payment is made
reference	String	M	TestDOC123	V	Unique reference to track user transaction via transaction information request API

success_url			String (URL)	M	https://google.com/	V	Success URL where user will be redirected after successful transaction
failure_url			String (URL)	M	https://simpaisa.com/	V	Success URL where user will be redirected after unsuccessful transaction
lang			String (language code)	M	en	V	language in which the page will be shown
card_data	pan		String (card number)	M	4111111111111111	V	16 digit card number
	exp_month		String (MM)	M	12	V	card expiry month
	exp_year		String (YYYY)	M	2030	V	card expiry year
	cardholder		String	M	Card Holder	V	Cardholder name
	cvv		String (3–4 digit security code)	M	333	V	Secret code
params	user_email		String	M	rashid.raees@simpaisa.com	V	user email to store in our DB against reference
	browser	accept_header	String	M	text/plain,text/html,*/*	F	N/A
		language	String	M	en-GB	F	N/A
		screen_color_depth	String (bits)	M	24	F	N/A
		screen_height	String (px)	M	1920	F	N/A
		screen_width	String (px)	M	1280	F	N/A
		timezone	String	M	Europe/London	F	N/A
		user_agent	String	M	Mozilla/5.0 (Macintosh; Intel Mac OS X 11_2_3) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/89.0.4389.90 Safari/537.36	F	N/A
		window_height	String (px)	M	1024	F	N/A
		window_width	String (px)	M	768	F	N/A

Response Parameters

Parameters		Data Type	Mandatory/Conditional	Sample Values	Remarks
Order	transaction_id	Number (integer)	M	37064	8B system transaction id

reference	String	M	TestDOC123	Unique reference to track user transaction via transaction information request API
api_key	String	M	2abaf7a0-538b-013e-69d7-02420a00095d	Shop Key (Identifier), available in 8B dashboard for both regions.
amount	String (decimal as string)	M	100.23	Amount Charged
currency	String (ISO 4217)	M	KZT	Currency in which amount was charged
status	Number (integer)	M	0	Transaction Status code
status_name	String	M	created	Transaction Status description
card_number	String (masked PAN)	M	411111*****1111	16 digit card number
cardholder	String	M	Card Holder	Card holder name
processing_error_msg	Null / String	M	null	Any processing error message
authorization_code	Null / String	M	null	Auth code
card_type	String	M	VISA	Name of Payment Network
success_url	String (URL)	M	https://google.com/	URL on which user would be redirected on successful transaction
failure_url	String (URL)	M	https://simpaisa.com/	URL on which user would be redirected on unsuccessful transaction
refund_details	Array	M	[]	Refund details if any
link_reference	String	M	52f0a50b04831c4e445f19eec5b6d36e	N/A
success	Boolean	M	TRUE	On information generation
error	Null / String	M	null	Error in request if any
url	String (URL)	M	https://secure-test.8b.world/redirect/?link_reference=52f0a50b04831c4e445f19eec5b6d36e	URL for USER to confirm 3DS payment
time_proc	String	M	12.14 sec.	Response Process Time
request_id	String	M	2964304245	Indicate request Id generated against this particular request

SAMPLE REQUEST

```

1 curl --location 'https://secure-test.8b.world/pay/direct' \
2 --header 'Content-Type: application/json' \
3 --header 'Cookie: session=07784945d1ac2277ffdec7e201565921' \
4 --data '{

```

SAMPLE RESPONSE

Time-Limited Transaction Report

METHOD: POST

Request Parameters

Parameter	Data Type	Mandatory/Optional	Sample	Fixed/Variable	Description
api_key	String	M	2abaf7a0-538b-013e-69d7-02420a00095d	F	Shop Key (Identifier), available in 8B dashboard for both regions.
time_start	String	O	2030-09-16 12:44	V	Time and Date from which report is required
time_end	String	O	2030-09-16 20:44	V	Time and Date till which report is required
status	Integer	M	0	V	Processing status: - 0 : Transaction is created (not processed, User is redirected for 3DS verification). - 1 : Successful authorization (funds hold). - 2 : Successful unlock of funds. - 3 : Successful payment. - 4 : Successful

					refund. - 8 : Processing incomplete. - 98 : Expired (transaction expired). - 99 : Processing error (unsuccessful payment).
page	Integer	O	1	V	Page number. Maximum of 1000 elements per page. Optional.

Response Parameters

Parameters		Data Type	Mandatory/Conditional	Sample Values	Remarks
Items	[]	Array	M	N/A	Will return empty incase of nothing exists against status code. IF it does will return mentioned params.
	id	Integer	C	37004	Id in 8B system against the reference
	description	String	C	Order Description	Order Description against which the payment is made
	reference	String	C	123456789	reference number against which payment was created
	status	Integer	C	0	Transaction processing Status • 0 : Transaction is created (not processed, User is redirected for 3DS verification).
	system_amount	String	C	100.23	Transaction amount
	system_currency	String	C	UZS	Transaction Currency
	created_at	String	C	2025-09-15T17:02:39.270+03:00	Date Time in 8B system for the transaction
total_count		Integer	M	5	Total Transaction count against the requested status code and API
pages		Integer	M	1	Total number of pages.

SAMPLE REQUEST

```
1 curl --location 'https://secure-test.8b.world/pay/get_report' \
2 --data '{
```

```
3  "data": "ewoiYXBpX2t1eSI6ICI0NDJjNTNkMC01MzhiLTAxM2UtNjlkNy0wMjQyMGUwMDA5NWQlLAoic3RhdHVzIjogMAp9",
4  "sign": "b20a354d040b3e2c119d2cf04c5c0a91"
5
6  }'
```

SAMPLE RESPONSE

```
1  {
2    "data":
"eyJpdGVtcyI6W3siaWQiOjM3MDA0LCJkZXNjcm1wd61vbiI6Ik9yZGVyIERlc2NyaXB0aW9uIiwicmVmZXJlbnN1IjoimTIzNDU2Nzg5Iiwic3RhdHVzIjowLCJzeXN0ZW1fYW1v
dW50IjoimTAwLjIzIiwic3lzdGVtX2N1cnJlbnN5IjoivVpTIiwiY3JlYXRlZF9hdCI6IjIwMjUtMDktMTVUMTc6MDI6MzkuMjcwKzAzOjAwIn0seyJpZCI6MzcwMDAsImRlc2Nya
XB0aW9uIjoiT3JkZXI6RGVzY3JpcHRpb24iLCJyZWZ1cmVuY2UiOiIxmMjM0NTY3ODkiLCJzdGF0dXMiOjAsInN5c3RlbV9hbW91bnQiOiIxMDAuMjMlLCJzeXN0ZW1fY3VycmVuY3
kiOiJVW1MiLCJjcmVhdGVkX2F0IjoimjAyNS0wOS0xNVQxNjQyMDowOC4zNjcrMDM6MDAifSx7Im1kIjozNjk50SwiZGVzY3JpcHRpb24iOiJpcmlRlc2N1cnJlbnN5IjoimTIzNDU2Nzg5Iiwic3RhdHVzI
jowLCJzeXN0ZW1fYW1vdW50IjoimTAwLjIzIiwic3lzdGVtX2N1cnJlbnN5IjoivVpTIiwiY3JlYXRlZF9hdCI6IjIwMjUtMDktMTVUMTY6MTM6MTMuNDU0KzAzOjAwIn0seyJpZCI6MzY5OTcsImRlc2NyaXB0aW9uIjoiT3JkZXI6RGVzY3JpcHRpb24iLCJyZWZ1cmVuY2UiOiIxmMjM0NTY3ODkiLCJzdGF0dXMiOjAsInN5c3RlbV9hbW91bnQiOiIxMDAuMjMlLCJ
zeXN0ZW1fY3VycmVuY3kiOiJVW1MiLCJjcmVhdGVkX2F0IjoimjAyNS0wOS0xNVQxNjQyMDowOC4zNjcrMDM6MDAifV0sInRvdGFsX2NvdW50Ijo1LCJwYXN0cyI6MX0=",
3    "sign": "0fd909d99406df567e34f53cb8642bc4",
4    "success": true,
5    "time_proc": "0.93 sec.",
6    "request_id": "2964304245"
7  }
```

-  This request can be used for transactions in statuses:
- 3 (success)

Refund Request

Description: Generate refund against specific transaction.

METHOD: POST

URL: {BASE URL}/pay/refund

Request Parameters

Parameter	Data Type	Mandatory/Optional	Sample	Fixed/Variable	Description
api_key	String	M	442c53d0-538b-013e-69d7-02420a00095d	F	Provided by 8B
transaction_id	Integer	M	37009	V	transaction Id in 8B system. Need this saved in our DB using inquire api and save against the reference number.
amount	Float	M	100.23	V	Amount that needs to refunded
refund_reference	String	M	Simref_123	V	Refund reference amount.

Response Parameters

Parameters		Data Type	Mandatory/Condi tional	Sample Values	Remarks
Order	transaction_id	Integer	C	37009	Transaction Refund
	reference	String	C	235489	Details against the provided Transaction ID,
	api_key	String	C	442c53d0-538b-013e-69d7-02420a00095d	amount and Api key, If the transaction id is not found against the api key


```

3  "sign": "50cef5173d252b590ab8c4b2a58e59a9",
4  "success": true,
5  "time_proc": "7.69 sec.",
6  "request_id": "2964304245"
7  }

```

Cancel a Hold

Description: Cancel any transaction that is on hold.

METHOD: POST

URL: {BASE URL}/pay/void

Request Parameters

Parameter	Data Type	Mandatory/Optional	Sample	Fixed/Variable	Description
api_key	String	M	442c53d0-538b-013e-69d7-02420a00095d	F	Provided by 8B
transaction_id	Integer	M	37011	V	transaction Id in 8B system. Need this saved in our DB using inquire api and save against the reference number.

Response Parameters

Parameters		Data Type	Mandatory/Conditional	Sample Values	Remarks
order	transaction_id	Integer	C	37011	Transaction cancelled Details against the provided Transaction ID, and Api key, If the transaction id is not found against the api key it will return error "wrong shop key". IT well provide status .
	reference	String	C	231235489	
	api_key	String	C	442c53d0-538b-013e-69d7-02420a00095d	
	amount	String	C	100.23	
	currency	String	C	UZS	
	status	Integer	C	2	
	status_name	String	C	void	
	commission	String	C	0	
	card_number	String	C	411111*****1111	
	cardholder	String	C	Card Holder	
	processing_error_msg	String	C	null	
	authorization_code	Integer	C	null	
	card_type	String	C	VISA	
	success_url	String	C	https://google.com/	
	failure_url	String	C	https://simpaisa.com /	
	refund_details	Array	C	[]	

	external_reference	String	C	null	
	system_amount	String	C	100.23	
	system_currency	String	C	UZS	
	operation_amount	String	C	100.23	
success		Boolean	M	TRUE	True or False depending on the api response
time_proc		String	M	7.69 sec.	Time taken to process request
request_id		String	M	2964304245	Id generated against the request made.

SAMPLE REQUEST

```
1 curl --location 'https://secure-test.8b.world/pay/void' \  
2 --data '{  
3   "data": "ewogICJhcG1fa2V5IjogIjQ0MmM1M2QwLTUzOGItMDEzZS02OWQ3LTAYnDIwYTAwMDk1ZCIsc1J0cmFuc2FjdG1vb19pZCI6IDM3MDExCn0=",  
4   "sign": "8cc1e5af9454abc295785ad923c572a9"  
5 }'
```

SAMPLE RESPONSE

```
1 {  
2   "data":  
3   "eyJvcnRlciI6eyJ0cmFuc2FjdG1vb19pZCI6MzcvMTESInJlZmVyZW5jZSI6IjAyMzEyMzU0ODkiLCJhcG1fa2V5IjoNDQyYzUzZDAtdm4yI0wMTNlLTU5ZDctMDI0MjBhMDAwOTVkiIiw1YVdW50IjoMTAwLjIzIiw1Y3VycmVuY3kiOiJVVW1mLlJzdG6F0dXMi0jIsInN0YXRlc19uYW11IjoIdm9pZCIsc1ImNvbW1pc3Npb24iOiIwLjAiLCJjYXJkX251bWJlc1IiIjQxMTExMSoqKioqKjExMTESInJlZmVyZW5jZSI6IjQ0MmM1M2QwLTUzOGItMDEzZS02OWQ3LTAYnDIwYTAwMDk1ZCIsc1J0cmFuc2FjdG1vb19pZCI6IDM3MDExCn0=",  
4   "sign": "5bb0c3f7ace1713f0dc0fb10db9a25fc",  
5   "success": true,  
6   "time_proc": "7.46 sec.",  
7   "request_id": "2964304245"  
8 }
```

Deposit a Hold

Description: Make a transaction Hold successful.

METHOD: POST

URL: {BASE URL}/pay/complete

Request Parameters

Parameter	Data Type	Mandatory/Optional	Sample	Fixed/Variable	Description
api_key	String	M	2abaf7a0-538b-013e-69d7-02420a00095d	F	Provided by 8B
transaction_id	Integer	M	37012	V	transaction Id in 8B system. Need this saved in our DB using inquire api and save against the reference number.

Response Parameters

Parameters	Data Type	Mandatory/Conditional	Sample Values	Remarks
------------	-----------	-----------------------	---------------	---------

order	transaction_id	Integer	C	37012	Transaction Deposited Details against the provided Transaction ID, amount and Api key, If the transaction id is not found against the api key it will return error “wrong shop key“ . IT will provide status .
	reference	String	C	1231235489	
	api_key	String	C	2abaf7a0-538b-013e-69d7-02420a00095d	
	amount	String	C	100.23	
	currency	String	C	KZT	
	status	Integer	C	3	
	status_name	String	C	success	
	commission	String	C	0	
	card_number	String	C	411111*****1111	
	cardholder	String	C	Card Holder	
	processing_error_msg	String	C	null	
	authorization_code	Integer	C	null	
	card_type	String	C	VISA	
	success_url	String	C	https://google.com/	
	failure_url	String	C	https://simpaisa.com/ /	
	refund_details	Array	C	[]	
	external_reference	String	C	null	
	system_amount	String	C	100.23	
	system_currency	String	C	KZT	
	operation_amount	String	C	100.23	
success		Boolean	M	TRUE	True or False depending on the api response
time_proc		String	M	7.62 sec.	Time taken to process request
request_id		String	M	2964304245	Id generated against the request made.

SAMPLE REQUEST

```
1 curl --location 'https://secure-test.8b.world/pay/complete' \  
2 --data '{  
3     "data": "ewogICJhc6lfa2V5IjogIjJhYmFmN2EwLTUzOGItMDEZS020WQ3LTAYnDIwYTAwMDk1ZCIsCiAgInRyYW5zYWN0aW9uX2lkIjogMzcwMTIKfQo=",  
4     "sign": "3bb85904e09ff032d726d6167ba8c460"  
5 }'  
6
```

SAMPLE RESPONSE

```
1 {  
2     "data":  
3     "eyJvcnRlciI6eyJ0cmFuc2FjdGlvb19pZCI6MzcwMTIsInJlZmV5ZW5jZSI6IjEyMzU0ODkiLCJhc6lfa2V5IjogIjJhYmFmN2EwLTUzOGItMDEZS020WQ3LTAYnDIwYTAwMDk1ZCIsCiAgInRyYW5zYWN0aW9uX2lkIjogMzcwMTIKfQo=",  
4     "ewogICJhc6lfa2V5IjogIjJhYmFmN2EwLTUzOGItMDEZS020WQ3LTAYnDIwYTAwMDk1ZCIsCiAgInRyYW5zYWN0aW9uX2lkIjogMzcwMTIKfQo=",  
5     "sign": "3bb85904e09ff032d726d6167ba8c460"  
6 }
```

```
3  "sign": "2ce2d22b1921f3a35d847bc2b1d902cb",
4  "success": true,
5  "time_proc": "7.62 sec.",
6  "request_id": "2964304245"
7 }
```

Recurring Payments

⚠ Following recurring payments was not tested due to its unavailability on the test environment, as per 8B team if its available in live terminal it can be tested in live.

Request Parameters

Recurrent payment is a type of payment that does not require re-entering payment details after the initial setup. Full payment details are required for the first payment, and all subsequent payments are processed without needing to re-enter these details. This option is not available by default.

To set up recurrent payments, the merchant can include a special parameter `params.pay_token_flag` when initiating the payment. This flag indicates that the payment is the first in a series of recurring payments. If the payment is successful, the seller will receive a special token that can be used for processing further recurring payments.

Key Points:

- **Initial Payment:** Requires full payment details.
- **Subsequent Payments:** Do not require re-entering payment details.
- **Setup:** Use the `params.pay_token_flag` parameter to indicate the start of a recurring payment chain.
- **Token:** A special token is provided for future recurring payments after the initial payment is successful.

All subsequent recurrent orders should be sent to the URL `https://secure(-test).8b.worlds/pay/recurrent`. The parameters for these orders are the same as those described earlier, with the addition of a re-payment token.

Callback Message Transfer

- ⚠
- Following Callback was not tested due to its unavailability on the test environment, as per 8B team it can be tested in live.
 - As discussed with the 8B team, the above call back params can also be used for error codes.

METHOD: POST

URL: `https://partner.url/{URL_PARTNER_SYSTEM}`

Request Parameters

A server-to-server callback is sent from the payment gateway to the merchant's website to confirm payments and update the payment status. This data is transmitted as an HTTP POST request to the merchant's website.

Parameter	Data Type	Sample Value	Description
id	String	"asdas123"	Transaction ID in the external system
dt	DateTime	2000-01-01 00:00:00	Date and time of the payout operation
amount	String	00.00	Payout transaction amount (to be credited to the account)
result	Integer (int32)	0	Operation status code: 0 = fail, 1 = success

system_amount	Final price, which is paid by User including a payment provider commission.
system_currency	Payment system currency.
operation_amount	Actual transaction's price.
commission	Payment system commission value (currency is system_currency).
payment_system_type	Payment system type.
card_number	Primary Account Number (Optional, depends on connection type and acquirer).
card_pan6	First 6 digits of card number.
card_pan4	Last 4 digits of card number.
cardholder_name	Cardholder name (Optional, depends on connection type and acquirer).
processing_error_msg	Processing error (if the processing status is 99).
authorization_code	Payment system authorization code (Optional).
pay_token	Token for recurrent payment formation (Optional, depends on payment gateway settings).
params	Merchant's parameters.
refund_init_type	During a refund operation, a sign is generated initiator: api ⇒ 0 - Refund via API front ⇒ 1 - Refund via website admin ⇒ 2 - Refund via back-office
refund_reference	Partner's refund reference ID.

The merchant's website should respond to the callback with the OK string.

The payment gateway will resend the callback if the Merchant website doesn't respond with the OK string.

Error Responses

 8B only have the codes specified in the Callback Message. In case of an error with code 99, there may be different values in the **error_msg**, which usually come directly from the acquirer and may vary - 8B does not control them. We will provide them with success messages and codes. We are in process of getting the acquirer response code from 8B. Once we have them we will update this section.

Pre-Integration Testing Document

 Documentation Conducted by Solutions Architect will be added below.