



PO - Agrani Bank Limited - Documentation

Document Number	OI-PO-20250910
Document status	PUBLISHED
Document owner	@Rizwan Zaffar @Arsalan Pervez @Muhammad Taimoor
Solutions Architect	@Maqsood Ali @Owais Khalid @Saqlain Raza
Project Manager	@Ahsan Khan
Priority	HIGH
Region	Bangladesh
Operator	Agrani Bank Limited
Product	PAYOUT REMITTANCE

Product Checklist

📎 Attach filled and signed product checklist here.

Testing Credentials

Base URL: <http://13.215.165.235:8972/remapiuat>


⚠️ The Argani API service has been whitelisted on the following proxy accesible through office Ip's.

The proxy is as follows:

<http://13.215.165.235:8972>

User Flow

Sequence Diagram



API Documentation



1. Add API documentation PDF or Link
2. Postman Collection: [Agrani Bank - Remittance \(Simpaisa\) - Collection.postman_collection.json](#)
3. Bank's Documentation: [ABL_API version_alltrmde_2025_04.pdf](#)

1. T24 Account Validation

Description: Name validation API for Argani.

URL: [Base URL](#)

Request Parameters:

Type	Parameter	Data Type	Mandatory	Fixed/Variable	Sample Value	Description
Header	Content-Type	String	M	Fixed	application/xml	Request format
Header	Username	String	M	Variable	simpaisa_2025	Partner authentication
Header	Expassword	String	M	Variable	simpaisa_uat2025	Partner authentication
Body	beneaccountno	String(64)	M	Variable	0200014001577	Beneficiary account number to validate

Response Parameters:

Type	Parameter	Data Type	Mandatory	Sample Value	Description
Body	ResponseCode	String	M	200	API response code (200=Success)
Body	Responsesdescription	String	M	Successful	Response description
Body	fullname	String	M	CHATAK	Validated account holder's full name

Sample Request

```

1 curl --location 'http://13.215.165.235:8972//remapiuat/t24validation' \
2 --header 'Content-Type: application/xml' \
3 --header 'Username: simpaisa_2025' \
4 --header 'Expassword: simpaisa_uat2025' \
5 --data '<?xml version=\'1.0\' encoding=\'UTF-8\'?>
6 <Transaction>
7   <beneaccountno>0200014001577</beneaccountno>
8 </Transaction>'

```

Sample Response

```

1 <?xml version="1.0" encoding="UTF-8" standalone="yes"?>
2 <Response>
3   <ResponseCode>200</ResponseCode>
4   <Responsesdescription>Successful</Responsesdescription>
5   <fullname>CHATAK</fullname>
6 </Response>

```

2. Bkash Account Validation

Description: Name validation API from Argani for Bkash.

URL: [Base URL/bkashvalidation](#)

Request Parameters:

Parameter	Type	Data Type	Mandatory	Fixed/Variable	Sample Value	Description
Content-Type	Header	String	M	Fixed	application/xml	Request format
Username	Header	String	M	Fixed	simpaisa_2025	Partner authentication
Expassword	Header	String	M	Fixed	simpaisa_uat2025	Partner authentication
benename	Body	String(256)	M	Variable	MOHAMMAD ZIAUL	Beneficiary name
benemname	Body	String(26)	O	Variable	-	Beneficiary middle name

benelname	Body	String(26)	O	Variable	-	Beneficiary last name
benetel	Body	String(64)	M	Variable	01729094251	Beneficiary MSISDN (no +88 prefix)
rem_tel	Body	String(30)	M	Variable	659094251	Remitter phone (with country code)

Response Parameters:

Parameter	Type	Data Type	Mandatory	Sample Value	Description
ResponseCode	Body	String	M	6000	API response code (6000=Validation Success)
Responsesdescription	Body	String	M	Beneficiary MSISDN Validation Success	Response message
SessionId	Body	String	M	VL0Avb51swXQplOe8d	Session ID issued for transaction

Sample Request

```

1 curl --location 'http://13.215.165.235:8972/remapiuat/bkashvalidation' \
2 --header 'Content-Type: application/xml' \
3 --header 'Username: simpaisa_2025' \
4 --header 'Expassword: {{Expassword}}' \
5 --data '<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
6 <Transaction>
7 <benename>MOHAMMAD ZIAUL</benename>>
8 <benemname></benemname>
9 <benlename></benlename>
10 <benetel>01729094251</benetel>
11 <rem_tel>659094251</rem_tel>
12 </Transaction>'

```

Sample Response

```

1 <?xml version="1.0" encoding="UTF-8" standalone="yes"?>
2 <Response>
3   <ResponseCode>6000</ResponseCode>
4   <Responsedescription>Beneficiary MSISDN Validation Success</Responsedescription>
5   <SessionId>VL0AvcMdErI1xzK24</SessionId>
6 </Response>

```

3. Transaction:

Description: Perform transaction

URL: [Base URL/AIRajhi](#)

 The Transaction API requires a signed value to be produced using our private and public key, the public key of the initiating entity needs to share the Public key (Cert) in advance.

Request Parameters:

Parameter	Type	Data Type	Mandatory	Fixed/Variable	Sample Value	Description
Content-Type	Header	String	M	Fixed	application/xml	Request format must be XML
Username	Header	String	M	Variable	simpaisa_2025	Partner-provided authentication username
Expassword	Header	String	M	Variable	simpaisa_uat2025	Partner-provided authentication password
excode	Body	String(20)	M	Variable	7053	Exchange house account no (assigned

						by Agrani Bank)
entereddate time	Body	String(30)	M	Variable	2021-06-01T12:34:31.961	Transaction datetime in YYYY-MM-DDTHH:MM:SS.sss
tranno	Body	String(20)	M	Variable	AR201000007150	Unique transaction number
traninfosl	Body	Number	O	Variable	0	Transaction info serial (default 0)
trmode	Body	String(20)	M	Variable	15	Transaction mode (Annexure I: 15=Other Bank, 16=T24, 17=bKash, etc.)
purpose	Body	String(96)	M	Variable	2	Purpose of remittance (Annexure III codes)
remamounts ource	Body	Float	O	Variable	15600	Source amount (optional)
remamount dest	Body	Float	M	Variable	300.25	Amount payable to recipient
incentiveam ount	Body	Float	O	Variable	15600	Govt. incentive

						(optional)
ratevalue	Body	Float	M (for mode 17)	Variable	1.00	Exchange rate
remid	Body	Number	O	Variable	0	Remitter ID
scurr	Body	String(20)	O	Variable	MYR	Source currency
remfname	Body	String(96)	M	Variable	RAMI ABDULKADER	Remitter first name
remlname	Body	String(26)	O	Variable	LAHM ALAJANJY	Remitter last name
remaddress1	Body	String(256)	M	Variable	12,test test,dubai	Remitter address
remcountry	Body	String(20)	M	Variable	91 (OM)	Remitter country (Annexure IV)
beneid	Body	Number	O	Variable	0	Beneficiary ID
benename	Body	String(256)	M	Variable	THAIMAM HAMAM	Beneficiary first name
benemname	Body	String(26)	O	Variable		Beneficiary middle name
benelname	Body	String(26)	M	Variable	xxx	Beneficiary last name
beneaccountno	Body	String(64)	M (for mode 15,16,18)	Variable	0200011658741	Beneficiary account number
benetel	Body	String(64)	M (for mode 5,17)	Variable	1234567895	Beneficiary telephone

						(bKash/cash payout)
branchcode	Body	String(20)	M (for mode 15,18)	Variable	9EA9WAV3U3	Bank routing code
benebftncode	Body	String(30)	O	Variable		Beneficiary BEFTN code
beneaddresses	Body	String(128)	M	Variable	BANGLADESH	Beneficiary address
benecountry	Body	String(24)	M	Variable	BD	Beneficiary country
signaturevalue	Body	String	M	Generated	(PKCS7 signature)	Digital signature generated from selected fields
counttr	Body	String(30)	O	Variable	0	Transaction counter
transtatus	Body	String	O	Variable	2	Transaction status

Response parameters:

✖ We were unable to get the “200” status code from the API as our sign was not registering with our request. We instead got 202, meaning “sign differ”.

Parameter	Type	Data Type	Mandatory	Sample Value	Description
ResponseCode	Body	String	M	200, 201, 202	API response code (200=Success, 201=Duplicate

					, 202=Sign Differ, etc.)
Responses description	Body	String	M	Transaction Successful	Human-readable message

Sample Request

```

1 curl --location --globoff '{{baseUrl}}remapiuat/AlRajhi' \
2 --header 'Content-Type: application/xml' \
3 --header 'username: simpaisa_2025' \
4 --header 'password: simpaisa_uat2025' \
5 --data '<Transaction>
6     <Header>
7         <excode>7009</excode>
8         <entereddatetime>2021-06-01T12:34:31.961</entereddatetime>
9     </Header>
10
11     <tranno>AR201000007150</tranno>
12     <traninfosl>5</traninfosl>
13     <trmode>16</trmode>
14     <purpose>2</purpose>
15     <remamountsource>0.0</remamountsource>
16     <remamountdest>300.25</remamountdest>
17     <incentiveamount>0.0</incentiveamount>
18     <incentiveamountagr>0.0</incentiveamountagr>
19
20     <ratevalue>1.00</ratevalue> <!-- not in inquiry, keeping from sample -->
21     <remid>0</remid>
22     <scurr>MYR</scurr> <!-- not in inquiry, you can adjust currency if needed -->
23
24     <remfname>MASUD</remfname>
25     <remlname>RANA</remlname>
26     <remitt_tel/> <!-- empty, inquiry doesn't have -->
27     <remaddress1>RUWI</remaddress1>
28     <remcountry>0M</remcountry>
29
30     <beneid>0</beneid>
31     <benename>JASHIM</benename>
32     <benemname>UDDIN</benemname>
33     <benlename/> <!-- inquiry doesn't have -->
34     <beneaccountno>0200000080000</beneaccountno>
35     <benetel>01766197597</benetel>
36     <branchcode>095273642</branchcode>
37     <benebeftncode>0200000080000</benebeftncode>
38     <beneaddress>BANGLADESH</beneaddress>
39     <benecountry>BD</benecountry>
40
41     <excode>7009</excode>
42     <entereddatetime>2021-06-01T12:34:31.961</entereddatetime>
43
44     <signaturevalue>
45 MCxNTQbXg92sd1JWuxMpqEvC1EnhQ037ZuRr0ezb4wLH34ZSBGV2BeSqqb3c6S8HVdZ+wzCVH0Lw48Gs+QQm0qYW+i5/
46 tIgM0s0qmfbQTsfhKyy+n9fDgYWK4cLA2WNzMdhrHu5I3hDjafBA3L2fW22Ao8PNcvom1BK6ui0s2PrHySVjGXzjC219
47 qMQ11/+B/okN8B3THFLAEGncLVoCjWly4/TBzXdt1K8HQ/AJ1rPt114w1/St1dmXLSIKd6/ikmRfmEwJlsmSjh+VSLDG
48 F6xrho3YsTZ0b8DbfP2pc9uzgRRcqXU9TWIrQRJ3nHSa8YTHgU+4ENDW4iLo2Jak+A==
49     </signaturevalue>
50
51     <counttr>0</counttr>

```

```

49     <transtatus>2</transtatus>
50 </Transaction>
51 '

```

Sample Response

```

1  <?xml version="1.0" encoding="UTF-8" standalone="yes"?>
2  <Response>
3      <ResponseCode>202</ResponseCode>
4      <Responsesdescription>Sign Differ</Responsesdescription>
5  </Response>

```

4. Transaction Inquiry:

Description: To inquire transaction, Agent has to provide e transaction number to check whether the transaction is present.

URL: [Base URL/getxmltraninfo](#)byid/{Tranno}

Tranno: [AR201000007150](#) (Use in path)

Request Parameters:

Parameter	Type	Data Type	Mandatory	Fixed/Variable	Sample Value	Description
Username	Header	String	M	Variable	simpaisa_2025	Partner authentication username
Expassword	Header	String	M	Variable	simpaisa_uat2025	Partner authentication password
tranno	Path	String(20)	M	Variable	AR201000007150	Transaction number to enquire

Response Parameters:

Parameter	Type	Data Type	Mandatory	Sample Value	Description
-----------	------	-----------	-----------	--------------	-------------

tranno	Body	String(20)	M	AR201000007 150	Transaction reference number
traninfosl	Body	Number	O	5	Transaction info serial
trmode	Body	String(20)	M	16	Mode of transaction (Annexure I)
purpose	Body	String(96)	M	2	Purpose code
remamountso urce	Body	Float	O	0.0	Source amount
remamountde st	Body	Float	M	300.25	Destination amount
incentiveamo unt	Body	Float	O	0.0	Incentive amount
incentiveamo untagr	Body	Float	O	0.0	Govt. incentive
remid	Body	Number	O	0	Remitter ID
remfname	Body	String(96)	M	MASUD	Remitter first name
remlname	Body	String(26)	O	RANA	Remitter last name
remaddress1	Body	String(256)	M	RUWI	Remitter address
remcountry	Body	String(20)	M	OM	Remitter country
beneid	Body	Number	O	0	Beneficiary ID
benename	Body	String(256)	M	JASHIM	Beneficiary name

benemname	Body	String(26)	O	UDDIN	Beneficiary middle name
benelname	Body	String(26)	O		Beneficiary last name
beneaccountno	Body	String(64)	M (mode 15/16)	0200000080000	Beneficiary account number
benetel	Body	String(64)	M (mode 5/17)	01766197597	Beneficiary phone
branchcode	Body	String(20)	M (mode 15/18)	095273642	Bank routing number
benebeftncode	Body	String(30)	O	0200000080000	BEFTN code
beneaddress	Body	String(128)	M	BANGLADESH	Beneficiary address
benecountry	Body	String(24)	M	BD	Beneficiary country
excode	Body	String(20)	M	7009	Exchange house code
entereddatetime	Body	String(30)	M	2021-06-01T12:34:31	Transaction datetime
signaturevalue	Body	String	M	(PKCS7 signature)	Digital signature
counttr	Body	String(30)	O	0	Transaction counter
transtatus	Body	String	M	2	Transaction status (01=Pending, 02=Paid, 03=Cancel)

ResponseCode	Body	String	M (error case)	505	Response code if error
Responsesdescription	Body	String	M (error case)	Transaction Not Found	Error description

Sample Request

```

1 curl --location --globoff '{{baseUrl}}/remapiuat/getxmltraninfofyid/AR201000007150' \
2 --header 'Username: {{Username}}' \
3 --header 'Expassword: {{Expassword}}'
4
5

```

Sample Response

```

1 <?xml version="1.0" encoding="UTF-8" standalone="yes"?>
2 <TrnOrder>
3   <Transaction>
4     <tranno>AR201000007150</tranno>
5     <traninfos1>5</traninfos1>
6     <trmode>16</trmode>
7     <purpose>2</purpose>
8     <remamountsource>0.0</remamountsource>
9     <remamountdest>300.25</remamountdest>
10    <incentiveamount>0.0</incentiveamount>
11    <incentiveamountagr>0.0</incentiveamountagr>
12    <remid>0</remid>
13    <remfname>MASUD</remfname>
14    <remlname>RANA</remlname>
15    <remaddress1>RUWI</remaddress1>
16    <remcountry>OM</remcountry>
17    <beneid>0</beneid>
18    <benename>JASHIM</benename>
19    <benemname>UDDIN</benemname>
20    <beneaccountno>0200000080000</beneaccountno>
21    <benetel>01766197597</benetel>
22    <branchcode>095273642</branchcode>
23    <benebftncode>0200000080000</benebftncode>
24    <beneaddress>BANGLADESH</beneaddress>
25    <benecountry>BD</benecountry>
26    <excode>7009</excode>
27    <entereddatetime>2021-06-01T12:34:31.961</entereddatetime>
28
29    <signaturevalue>MCxNTQbxg92sd1JWuxMpqEvC1EnhQ037ZuRr0ezb4wLH34ZSBGV2BeSqqb3c6S8HVdZ+wzCVH0Lw
30    48Gs+QQm0qYW+i5/tIgM0s0qmfbQTsfhKyy+n9fDgYWK4cLA2WNzMdhrHu5I3hDjafBA3L2fW22Ao8PNcvom1BK6ui0s
31    2PrHySVjGXzjC219qMQ11/+B/okN8B3THFLAEGncLVoCjWly4/TBzXdt1K8HQ/AJ1rPt114w1/St1dmXLSIKd6/ikmRf
32    mEwJlsmSjh+VSLDGF6xrho3YsTZ0b8DbfP2pc9uzgRRcqXU9TWIrQRJ3nHSa8YTHgU+4ENDW4iLo2Jak+A==
33  </signaturevalue>
34    <counttr>0</counttr>
35    <transtatus>2</transtatus>
36  </Transaction>
37</TrnOrder>

```

Response Codes

API-Specific Response Codes

Transaction – POST

Response Code	Description
200	Transaction Successful
201	Duplicate Transaction Number
202	Signature Mismatch (Sign Differ)
203	Unhandled Exception

Transaction Enquiry – GET

Response Code	Description
200	Success (Transaction Found)
505	Transaction Not Found

bKash Validation – POST

Response Code	Description
6000	Beneficiary MSISDN Validation Success

Overall Error Codes (from API Spec)

These apply generally across APIs, especially **Transaction – POST**.

Error Code	Message / Description
401	Invalid excode

402	Remitter First Name exceeds 96 characters
502	Remitter First Name is null
403	Remitter Last Name exceeds 26 characters
503	Remitter Last Name is null
404	Remitter Address exceeds 256 characters
504	Remitter Address is null
405	Remitter Country must be 2 characters
406	Beneficiary Name exceeds 96 characters
506	Beneficiary Name is null
407	Beneficiary Middle Name exceeds 26 characters
408	Beneficiary Last Name exceeds 26 characters
508	Beneficiary Last Name is null
409	Beneficiary Address exceeds 128 characters
410	Beneficiary Country must be 2 characters
411	Branchcode must be 9 digits
412	Branchcode is wrong
413	Insufficient Balance
414	Beneficiary Account exceeds 64 characters

417	Beneficiary Telephone must be 11 characters
418	Beneficiary Account more than 5 characters (for mode 15)
419	Beneficiary Account must be 13 characters (for mode 16)
420	Beneficiary Telephone format wrong
421	Beneficiary Telephone contains invalid characters
422	Account number is wrong
423	Rate Value is zero
424	Remittance Amount Destination is zero
425	Remitter Telephone contains invalid characters / Account number wrong
430	tranno exceeds 20 characters
530	tranno is null

Pre-Integration Testing Document



Documentation Conducted by Solutions Architect will be added below.