

PO - DIGIT9 - Documentation

Document Number	OI-PO-16112025
Document status	PUBLISHED
Document owner	@Rizwan Zaffar @Arsalan Pervez @Muhammad Taimoor
Solutions Architect	@Maqsood Ali @Owais Khalid @Saqlain Raza
Project Manager	Ahsan Khan
Priority	URGENT
Region	Pakistan
Operator	Digit9
Product	PAYOUT REMITTANCE

Product Checklist

 Attach filled and signed product checklist here.


Testing Credentials

Base URL: <https://drap-sandbox.digitnine.com>

 "IP Whitelisting is required for UAT and production"

User Flow:



Send Money Flow
White-labelled Agent User - Lulu Customer Transaction Flow



Sequence Diagram



API Documentation:



All Tested API DOCUMENTATION needs to follow the below mentioned format.

1. Get Token API

Description: The API will return the access token if the user is successfully authenticated and have the authorization to access these services

METHOD : POST

Endpoint: {Base Url}/auth/realms/cdp/protocol/openid-connect/token

Request Parameters

TYP E	PARAMET ERS	Data Type	Mandatory	Sample Values	Fixed /Vari able	Description
Head er	Content- Type	String	Yes	application/x-www- form-urlencoded	Fixed	Defines acceptable content type
Body (form)	Username	String	Yes	commerceplexltd	Fixed	
Body (form)	Password	String	Yes	Q29tbWVyY2VQbGV 4THRkQGFkbWlu	Fixed	
Body (form)	grant_type	String	Yes	password	Fixed	OAuth2 grant type

Body (form)	client_id	String	Yes	cdp_app	Variable	Assigned by DPS
Body (form)	client_secret	String	Yes	mSh18BPiMZeQqFfO vWhgv8wzvnNVbj3Y	Variable	Assigned by DPS
Body (form)	scope	String	No	-	Fixed	Optional scope

Response Parameters

TYPE	PARAMETERS	Data Type	Mandatory	Sample Values	Fixed / Variable	Description
Body	access_token	String (JWT)	Yes	eyJhbGciOiJIUzI1NiIsInR5cCI6IkpzZW50b3R5IiwiaWF0IjoiMTUxMjM0NTY5In0=	Variable	Main Bearer token used for all authenticated API calls
Body	expires_in	Integer	Yes	900	Fixed	Token validity in seconds (15 minutes)
Body	refresh_expires_in	Integer	Yes	1800	Fixed	Refresh token validity in seconds

						(30 minutes)
Body	refresh_token	String (JWT)	Yes	eyJhbGciOiJIUzUxMiIsInR5cCIgOiAiSldUIiwia2lkIiA6ICJjM2ZjZTY1Ni05MjA2LTRiMmMtODc2OS1IMzgwYTc5Y2I2NmQifQ	Variable	Token used to obtain a new access_token
Body	token_type	String	Yes	Bearer	Fixed	Token type (always Bearer)
Body	not-before-policy	Integer	No	0	Fixed	Policy flag
Body	session_state	String (UUID)	Yes	ea455221-f474-41c8-b11f-13b9d8e4311a	Variable	Keycloak session identifier
Body	scope	String	Yes	email profile	Variable	Scopes included in token

Sample Request

```

1 curl --location --globoff '{{Host}}/auth/realms/cdp/protocol/openid-connect/token' \
2 --header 'Content-Type: application/x-www-form-urlencoded' \
3 --data-urlencode 'username=commerceplexltd' \
4 --data-urlencode 'password=Q29tbWVvY2VQbGV4THRkQGFkbWlu' \
5 --data-urlencode 'grant_type=password' \
6 --data-urlencode 'client_id=cdp_app' \
7 --data-urlencode 'client_secret=mSh18BPiMZeQqFf0vWhgv8wzvnNVbj3Y'

```

Sample Response

```

1 {
2   "access_token":
3     "eyJhbGciOiJSUzI1NiIsInR5cCIgOiAiSldUIiwia2lkIiA6ICJtZ21lWTVhTa25Q0XczRl
4     c0bnJmNDhwa05TVGpWbG9RZFRpYXZjZWZ3FuTTZ3In0.eyJleHAiOjE5NjMxMjg5MzEsIm
5     lhdCI6MTc2MzEyODAzMSwianRpIjoib25ydhJvOmYwZjJmNjFhLTViMmUtOWRmNy1hMjd1L
6     WQzMDIyYmJmODQ2NCIsImZlcyI6Imh0dHBzOi8vY2RwLXNlcnE5sdWx1b251LmNvbS9hdXR
7     oL3JlYWxtcy9jZHAiLCJhdWQiOiJhY2NvdW50Iiwic3ViIjoiiMmM4MzQ1ZjAtNzUyY000
8     GNjLTliYmYtNmRmMTQ1MGMxZmNlIiwidHlwIjoiiQmVhcmVhIiwiaXpwIjoiiY2RwX2FwcCI
9     sInNpZC16ImVhNDU1MjIxLWY0NzQtNDZjOC1iMTFmLTeZyYjlkOGU0MzExYSIsImFjciI6
0     nRlc3QiLCJyZWZfb2VhY2Nlc3MiOinsicm9sZXMiOlsiZGVmYXVsdC1yb2xlcyljZHBfYXB
1     wIiwib2ZmbGluZV9hY2Nlc3MiLCJlbWVfYXV0aG9yaXphdGlvbiJdfSwicmVzb3VyY2VfY
2     WNjZXNzIjpw7ImNkcF9hcHAiOinsicm9sZXMiOlsiZGVmYXVsdC1yb2xlcyljZHBfYXB
3     0cy1tYXN0ZXItZGF0YSIsInBheW11bnRzLWNvbWZpcmc0tdHhu119LCJhY2NvdW50Ijpw7I
4     nJvbGZlZjpwIm1hbmFnZS1hY2NvdW50IiwibWVfYXV0aG9yaXphdGlvbiJdfSwicmVzb3Vy
5     Y2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3VyY2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3Vy
6     Y2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3VyY2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3Vy
7     Y2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3VyY2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3Vy
8     Y2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3VyY2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3Vy
9     Y2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3VyY2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3Vy
0     Y2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3VyY2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3Vy
1     Y2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3VyY2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3Vy
2     Y2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3VyY2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3Vy
3     Y2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3VyY2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3Vy
4     Y2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3VyY2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3Vy
5     Y2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3VyY2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3Vy
6     Y2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3VyY2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3Vy
7     Y2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3VyY2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3Vy
8     Y2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3VyY2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3Vy
9     Y2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3VyY2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3Vy
0     Y2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3VyY2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3Vy
1     Y2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3VyY2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3Vy
2     Y2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3VyY2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3Vy
3     Y2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3VyY2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3Vy
4     Y2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3VyY2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3Vy
5     Y2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3VyY2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3Vy
6     Y2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3VyY2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3Vy
7     Y2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3VyY2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3Vy
8     Y2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3VyY2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3Vy
9     Y2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3VyY2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3Vy
0     Y2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3VyY2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3Vy
1     Y2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3VyY2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3Vy
2     Y2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3VyY2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3Vy
3     Y2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3VyY2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3Vy
4     Y2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3VyY2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3Vy
5     Y2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3VyY2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3Vy
6     Y2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3VyY2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3Vy
7     Y2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3VyY2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3Vy
8     Y2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3VyY2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3Vy
9     Y2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3VyY2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3Vy
0     Y2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3VyY2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3Vy
1     Y2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3VyY2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3Vy
2     Y2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3VyY2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3Vy
3     Y2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3VyY2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3Vy
4     Y2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3VyY2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3Vy
5     Y2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3VyY2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3Vy
6     Y2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3VyY2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3Vy
7     Y2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3VyY2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3Vy
8     Y2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3VyY2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3Vy
9     Y2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3VyY2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3Vy
0     Y2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3VyY2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3Vy
1     Y2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3VyY2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3Vy
2     Y2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3VyY2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3Vy
3     Y2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3VyY2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3Vy
4     Y2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3VyY2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3Vy
5     Y2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3VyY2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3Vy
6     Y2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3VyY2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3Vy
7     Y2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3VyY2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3Vy
8     Y2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3VyY2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3Vy
9     Y2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3VyY2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3Vy
0     Y2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3VyY2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3Vy
1     Y2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3VyY2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3Vy
2     Y2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3VyY2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3Vy
3     Y2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3VyY2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3Vy
4     Y2VfYXV0aG9yaXphdGlvbiJdfSwicmVzb3VyY2VfYXV0aG9yaXphdGlvbiJdf
```

2. Create Quote API

Description: To create and lock the exchange rate and fee for a payment transaction

METHOD: POST

URL: {{Host}}/amr/paas/api/v1_0/paas/quote



Note: In the API documentation sending_amount is Optional but in testing for “BANK” receiving_mode, the sending_amount is mandatory if it is not added, 4000 error is returned.

Request Parameters

TYPE	PARAMETERS	Data Type	Mandatory	Sample Values	Fixed /Variable	Description
Header	Content-type	String	No	application/json	Fixed	
Header	Sender	String	No	commerceplexltd	Variable	Agent / Partner name
Header	Channel	String	No	Direct	Variable	Rippe/Direct
Header	Company	String	No	702800	Variable	
Header	Branch	String	No	702820	Variable	
Header	Authorization	String	yes	Bearer (access token)	Variable	
Body	sending_country_code	String	Yes	SG	Variable	ISO 2-char code of the sender's country
Body	sending_currency_code	String	Yes	USD	Variable	ISO currency used by sender
Body	service_type	String	Yes	C2C	Fixed (for this flow)	Customer to Customer transaction type
Body	receiving_country_	String	Yes	PK	Fixed (Paki	Receiver country

	code				stan corrid or)	
Body	receiving_currency_code	String	Yes	PKR	Fixed	Receiver's payout currency
Body	sending_amount	BigDecimal	Yes	200	Variable	Amount entered by sender (required if receiving_amount not provided)
Body	receiving_mode	String	Yes	BANK	Variable	BANK / CASH / WALLET
Body	type	String	Yes	SEND	Fixed	Indicates a send transaction
Body	instrument	String	Yes	REMITTANCE	Fixed	Product type for cross-border transfer

Response Parameters

TYPE	PARAMETERS	Data Type	Mandatory	Sample Values	Fixed /Variable	Description
Body	status	String	Yes	success	Fixed	Response status
Body	status_code	Integer	Yes	200	Fixed	HTTP - equivalent status

						s code
Body	data	Object	Yes	<i>(See nested fields below)</i>	Variable	Main quote response payload
Body	data.state	String	Yes	INITIATED	Fixed	Quote creation state
Body	data.sub_state	String	Yes	QUOTE_CREATED	Fixed	Detailed lifecycle state
Body	data.quote_id	String	Yes	7028125131859796	Variable	Unique quote identifier
Body	data.created_at	String (DateTime)	Yes	2025-11-14T17:48:25.658+04:00	Variable	Local creation timestamp
Body	data.created_at_gmt	String (DateTime)	Yes	2025-11-14T13:48:25.658Z	Fixed	GMT creation timestamp

Body	data.expires_at	String (DateTime)	Yes	2025-11-14T18:18:25.658+04:00	Variable	Local expiry timestamp
Body	data.expires_at_gmt	String (DateTime)	Yes	2025-11-14T14:18:25.658Z	Fixed	GMT expiry timestamp
Body	data.receiving_country_code	String	Yes	PK	Fixed	Receiving country
Body	data.receiving_currency_code	String	Yes	PKR	Fixed	Receiving currency
Body	data.sending_country_code	String	Yes	SG	Variable	Sender country
Body	data.sending_currency_code	String	Yes	USD	Variable	Sender currency
Body	data.sending_amount	Number	Yes	200	Variable	Entered sending amount

Body	data.receiving_amount	Number	Yes	55986.03	Variable	Amount beneficiary receives
Body	data.total_payin_amount	Number	Yes	200	Variable	Total payable by sender
Body	data.price_guarantee	String	Yes	FIRM	Fixed	Rate type (FIRM/FLOATING)
Body	data.correspondent_id	String	No	11233	Variable	Bank/ correspondent identifier
Body	data.correspondent_location_id	String	No	67752890	Variable	Correspondent location
Body	fx_rates	List	Yes	fx_rates": [{ "rate": 279.93012944, "base_currency_c	Fixed	Lulu exchange rate

				<pre> ode": "USD", "counter_currency_code": "PKR", "type": "SELL" },..... </pre>		
Body	data.fx_rates[].rate	Number	Yes	279.93012944	Variable	FX rate value
Body	data.fx_rates[].base_currency_code	String	Yes	USD	Variable	Base currency for the rate
Body	data.fx_rates[].counter_currency_code	String	Yes	PKR	Variable	counter currency for the rate 1[base_currency_code]=xxxx[rate] [counter_currency_code]

Body	data.fx_rates[].type	String	Yes	SELL	Fixed	exchange rate type. buy/sell
Body	fee_details	List	Yes	"type": "COMMISSION", "model": "OUR", "currency_code": "USD", "amount": 0, "description": "Commission"	Variable	Fee details for Lulu Exchange
Body	data.fee_details[].type	String	Yes	COMMISSION	Fixed	fee type like COMMISSION/TAX
Body	data.fee_details[].model	String	Yes	OUR	Variable	Fee type model. Possible values are OUR/BENE

Body	data.fee_details[].currency_code	String	Yes	USD	Variable	fee Currency code; ISO 3 Char currency code depending on the model (OUR/BENE) selected. If OUR - Send Ccy code & if BENE - Receive Ccy code
Body	data.fee_details[].amount	Number	Yes	0	Variable	Charge amount

Body	data.fee_details[].description	String	No	Commission	Variable	Description
Body	settlement_details	List	Yes	settlement_details": [{ "charge_type": "COMMISSION", "value": 0, "currency_code": "USD" }, {	Variable	
Body	data.settlement_details[].charge_type	String	Yes	COMMISSION	Variable	Charge type like COMMISSION/TREASURY MARGIN
Body	data.settlement_details[].value	Number	Yes	0	Variable	Charge value
Body	data.settlement_details[].currency_code	String	Yes	USD	Variable	Charge currency

SAMPLE REQUEST

```
1 curl --location --globoff '{{Host}}/amr/paas/api/v1_0/paas/quote' \  
2 --header 'Content-Type: application/json' \  
3 --header 'sender: commerceplexltd' \  
4 --header 'channel: Direct' \  
5 --header 'company: 702800' \  
6 --header 'branch: 702820' \  
7 --header 'Authorization: Bearer {{access_token}}' \  
8 --data '{  
9     "sending_country_code": "SG",  
10    "sending_currency_code": "USD",  
11    "service_type": "C2C",  
12    "receiving_country_code": "PK",  
13    "receiving_currency_code": "PKR",  
14    "sending_amount": 200,  
15    "receiving_mode": "BANK",  
16    "type": "SEND",  
17    "instrument": "REMITTANCE"  
18 }'
```

SAMPLE RESPONSE

```
1 {  
2     "status": "success",  
3     "status_code": 200,  
4     "data": {  
5         "state": "INITIATED",  
6         "sub_state": "QUOTE_CREATED",  
7         "quote_id": "7028125131859796",  
8         "created_at": "2025-11-14T17:48:25.658+04:00",  
9         "created_at_gmt": "2025-11-14T13:48:25.658Z",  
10        "expires_at": "2025-11-14T18:18:25.658+04:00",  
11        "expires_at_gmt": "2025-11-14T14:18:25.658Z",  
12        "receiving_country_code": "PK",  
13        "receiving_currency_code": "PKR",  
14        "sending_country_code": "SG",  
15        "sending_currency_code": "USD",  
16        "sending_amount": 200,  
17        "receiving_amount": 55986.03,  
18        "total_payin_amount": 200,  
19        "fx_rates": [  
20            {  
21                "rate": 279.93012944,  
22                "base_currency_code": "USD",  
23                "counter_currency_code": "PKR",  
24                "type": "SELL"  
25            },  
26            {  
27                "rate": 0.00357232,  
28                "base_currency_code": "PKR",  
29                "counter_currency_code": "USD",  
30                "type": "SELL"  
31            }  
32        ],  
33        "fee_details": [  
34            {  
35                "type": "COMMISSION",  
36                "model": "OUR",  
37                "currency_code": "USD",  
38                "amount": 0,  
39                "description": "Commission"  
40            },  
41            {  
42                "type": "TAX",
```

```

43         "model": "OUR",
44         "currency_code": "USD",
45         "amount": 0,
46         "description": "Tax"
47     },
48 ],
49     "settlement_details": [
50     {
51         "charge_type": "COMMISSION",
52         "value": 0,
53         "currency_code": "USD"
54     },
55     {
56         "charge_type": "TREASURYMARGIN",
57         "value": 0,
58         "currency_code": "USD"
59     },
60     {
61         "charge_type": "INPUTTAX",
62         "value": 0,
63         "currency_code": "USD"
64     }
65 ],
66     "correspondent_rules": [],
67     "price_guarantee": "FIRM",
68     "correspondent_id": "11233",
69     "correspondent_location_id": "67752890"
70 }
71 }

```

3. Create Transaction API

Description: It will create transactions in the lulu system after validating sender, receiver and transaction details.

METHOD: POST

URL: {{Host}}/amr/paas/api/v1_0/paas/createtransaction

Request Parameters:

TYPE	PARAMETERS	Data Type	Mandatory	Sample Values	Fixed / Variable	Description
Header	Content-Type	String	Yes	application/json	Fixed	Request body format
Header	sender	String	Yes	commerceplexltd	Fixed	Identifies sender/agent system
Header	channel	String	Yes	Direct	Fixed	Integration channel

Header	company	String	Yes	702800	Variable	Company code in DRAP
Header	branch	String	Yes	702820	Variable	Branch code mapped in DRAP
Header	Authorization	String	Yes	Bearer {{access_token}}	Variable	OAuth2 access token
Body	type	String	Yes	SEND	Fixed	Transaction type
Body	source_of_income	String	Yes	SLRY	Variable	Income source code
Body	purpose_of_txn	String	Yes	SAVG	Variable	Purpose of the transaction
Body	instrument	String	Yes	REMITTANCE	Fixed	Identifies remittance product
Body	message	String	No	Agency transaction	Variable	Free-text message
Body	sender	Object	Yes	—	—	Sender KYC object
Body	sender.agent_customer_number	String	Yes	123456785fg41vdd	Variable	Customer ID in your system
Body	sender.mobile_number	String	Yes	+971503248026	Variable	Sender mobile
Body	sender.email	String	No	parathanam.ramakrishn	Variable	Sender email

				an@pearldatadirect.com		
Body	sender.first_name	String	Yes	Paranthaman	Variable	Sender first name
Body	sender.last_name	String	Yes	Ramakrishnan	Variable	Sender last name
Body	sender.date_of_birth	Date	Yes	1990-08-22	Variable	Sender DOB
Body	sender.country_of_birth	String	Yes	IN	Variable	Country of birth
Body	sender.nationality	String	Yes	IN	Variable	Nationality
Body	sender.sender_id	Array	Yes	—	Variable	Sender ID list
Body	sender.sender_id[].id_code	String	Yes	15	Variable	ID type code
Body	sender.sender_id[].id	String	Yes	28735653432	Variable	ID number
Body	sender.sender_address	Array	Yes	—	Variable	Sender address list
Body	sender.sender_address[].address_type	String	Yes	PRESENT	Fixed	Address type
Body	sender.sender_address[].address_line	String	Yes	TCR	Variable	Address line

Body	sender.sender_address[].street_name	String	No	TCRTESTE STETSTETS TDTST	Variable	Street name
Body	sender.sender_address[].building_number	String	No	JIJIJJ	Variable	Building number
Body	sender.sender_address[].post_code	String	Yes	9054	Variable	Postal code
Body	sender.sender_address[].pobox	String	No	658595	Variable	PO Box
Body	sender.sender_address[].town_name	String	Yes	THRISSUR	Variable	Town/City
Body	sender.sender_address[].country_subdivision	String	No	KOKOKOKO KK	Variable	State/Region
Body	sender.sender_address[].country_code	String	Yes	AE	Variable	Country ISO code
Body	receiver	Object	Yes	—	—	Receiver object
Body	receiver.mobile_number	String	No	+919586741 508	Variable	Receiver mobile
Body	receiver.first_name	String	Yes	Anija FirstName	Variable	Receiver first name

Body	receiver.last_name	String	Yes	Anija Lastname	Variable	Receiver last name
Body	receiver.middle_name	String	No	" "	Variable	Middle name
Body	receiver.date_of_birth	Date	No	1990-08-22	Variable	Receiver DOB
Body	receiver.gender	String	No	F	Variable	Gender
Body	receiver.receiver_addresses	Array	Yes	—	Variable	Receiver addresses
Body	receiver.receiver_addresses[].address_type	String	Yes	PRESENT	Fixed	Address type
Body	receiver.receiver_addresses[].address_line	String	Yes	TCR	Variable	Address line
Body	receiver.receiver_addresses[].street_name	String	No	TCRTESTE STETSTETS TDTST	Variable	Street
Body	receiver.receiver_addresses[].building_number	String	No	JIJIJJ	Variable	Building number
Body	receiver.receiver_addresses[].post_code	String	No	9054	Variable	Postal code

Body	receiver.receiver_address[].pobox	String	No	658595	Variable	PO Box
Body	receiver.receiver_address[].town_name	String	Yes	THRISSUR	Variable	City
Body	receiver.receiver_address[].country_subdivision	String	No	KOKOKOKO KK	Variable	Region
Body	receiver.receiver_address[].country_code	String	Yes	PK	Variable	Receiver country
Body	receiver.receiver_id	Array	No	[]	Variable	Optional in Pakistan
Body	receiver.nationality	String	No	PK	Variable	Nationality
Body	receiver.relation_code	String	No	32	Variable	Relation to sender
Body	receiver.bank_details	Object	Yes	—	—	Bank payout details
Body	receiver.bank_details.account_type_code	String	Yes	1	Variable	Bank account type
Body	receiver.bank_details.account_number	String	Conditional	670952945 79	Variable	Account number (if not using full IBAN)

Body	receiver.bank_details.iso_code	String	Conditional	ALFHPKKA068	Variable	Bank/Branch ISO/BIC/SWIFT
Body	receiver.bank_details.iban	String	Conditional	PK12ABCD1234567891234567	Variable	IBAN
Body	transaction	Object	Yes	—	—	Transaction pricing details
Body	transaction.quote_id	String	Yes	{{quote_id}}	Variable	Quote obtained earlier
Body	transaction.fx_rates	Array	No	—	Variable	FX rate override
Body	transaction.fx_rates[].rate	Number	No	70.19313243	Variable	FX rate
Body	transaction.fx_rates[].base_currency_code	String	No	AED	Variable	Base currency
Body	transaction.fx_rates[].counter_currency_code	String	No	PKR	Variable	Counter currency
Body	transaction.fx_rates[].type	String	No	SELL	Fixed	Rate type
Body	transaction.fee_details	Array	No	—	Variable	Fee structure

Body	transaction. fee_details[] .type	String	No	COMMISSI ON	Variable	Fee type
Body	transaction. fee_details[] .currency_c ode	String	No	AED	Variable	Fee currency
Body	transaction. fee_details[] .amount	Number	No	11	Variable	Fee amount
Body	transaction. fee_details[] .description	String	No	commission	Variable	Fee description

Response Parameter:

TYPE	PARAMETE R	Data Type	Mandatory	Sample Value	Fixed/Varia ble	Description
Body	status	String	Yes	success	Fixed	API status result
Body	Data	Array	Yes	data": { "state": "ACCEPTED", "sub_state": "ORDER_A CCEPTED", "transaction _ref_numbe r": "702812513 2051520",	Variable	Array of data with nested data

"transaction _date": "2025-11- 16T20:50:0 4.189+04:0 0", "transaction _gmt_date": "2025-11- 16T16:50:04 .189Z", "expires_at" : "2025-11- 16T21:20:04 .189+04:00 ", "expires_at_ gmt": "2025-11- 16T17:20:04 .189Z", "agent_ref_ number": "702812513 2051520", "delivery_re f_number": "702812513 2051520", "receiving_ country_cod
--

```
e": "PK",
```

```
"receiving_currency_code": "PKR",
```

```
"sending_country_code": "SG",
```

```
"sending_currency_code": "USD",
```

```
"sending_a  
mount":  
500,
```

```
"receiving_
amount":
139965.06,
```

```
"total_payin  
_amount":  
500,
```

```
"correspondent_id":  
"11233",
```

```
"correspondent_location_id":  
  "67752890"
```

,

"account_c

				ategory": "UNDEFINE D", "transfer_m ode": "NEFT.....		
Body	status_code	Integer	Yes	200	Fixed	Internal API code
Body	data.state	String	Yes	ACCEPTED	Variable	High-level transaction state
Body	data.sub_st ate	String	Yes	ORDER_AC CEPTED	Variable	Detailed processing state
Body	data.transa ction_ref_nu mber	String	Yes	7028125132 051520	Variable	Unique transaction reference
Body	data.transa ction_date	String	Yes	2025-11- 16T20:50:0 4.189+04:0 0	Variable	Local timestamp
Body	data.transa ction_gmt_d ate	String	Yes	2025-11- 16T16:50:04 .189Z	Variable	GMT timestamp
Body	data.expires _at	String	No	2025-11- 16T21:20:04 .189+04:00	Variable	Local expiry timestamp
Body	data.expires _at_gmt	String	No	2025-11- 16T17:20:04 .189Z	Variable	GMT expiry timestamp
Body	data.agent_ ref_number	String	Yes	7028125132 051520	Variable	Agent reference

						number
Body	data.delivery_ref_number	String	Yes	7028125132051520	Variable	Delivery reference number
Body	data.receiving_country_code	String	Yes	PK	Fixed	Receiving country
Body	data.receiving_currency_code	String	Yes	PKR	Fixed	Receiving currency
Body	data.sending_country_code	String	Yes	SG	Variable	Sending country
Body	data.sending_currency_code	String	Yes	USD	Variable	Sending currency
Body	data.sending_amount	Number	Yes	500	Variable	Amount sent
Body	data.receiving_amount	Number	Yes	139965.06	Variable	Amount to be paid out
Body	data.total_payin_amount	Number	Yes	500	Variable	Total sender charge
Body	data.correspondent_id	String	Yes	11233	Variable	Correspondent partner ID
Body	data.correspondent_location_id	String	Yes	67752890	Variable	Correspondent payout location
Body	data.account_category	String	No	UNDEFINED	Variable	Account category

Body	data.transfer_mode	String	No	NEFT	Variable	Bank transfer mode
Body	data.price_guarantee	String	Yes	FIRM	Fixed	Quote guarantee type
Body	data.fx_rates	Array	Yes	fx_rates": [{ "rate": 279.93012944, "type": "SELL", "base_currency_code": "USD", "counter_currency_code": "PKR" }],	Fixed	FX rate list used for conversion
Body	data.fx_rates[0].rate	Number	Yes	279.93012944	Variable	FX conversion rate
Body	data.fx_rates[0].type	String	Yes	SELL	Fixed	FX rate type
Body	data.fx_rates[0].base_currency_code	String	Yes	USD	Variable	Base currency

Body	data.fx_rates[0].counter_currency_code	String	Yes	PKR	Variable	Counter currency
Body	data.fx_rates[1].rate	Number	Yes	0.00357232	Variable	Reverse FX rate
Body	data.fx_rates[1].type	String	Yes	SELL	Fixed	FX rate type
Body	data.fx_rates[1].base_currency_code	String	Yes	PKR	Variable	Base currency
Body	data.fx_rates[1].counter_currency_code	String	Yes	USD	Variable	Counter currency
Body	data.fee_details	Array	Yes	"fee_details": [{ "type": "COMMISSION", "model": "OUR", "amount": 0, "description": "Commission",	Fixed	Fee components list

				"currency_code": "USD" },		
Body	data.fee_details[0].type	String	Yes	COMMISSION	Fixed	Fee type
Body	data.fee_details[0].model	String	Yes	OUR	Fixed	Fee model
Body	data.fee_details[0].amount	Number	Yes	0	Variable	Fee amount
Body	data.fee_details[0].description	String	No	Commission	Variable	Fee description
Body	data.fee_details[0].currency_code	String	Yes	USD	Variable	Currency
Body	data.fee_details[1].type	String	Yes	TAX	Fixed	Tax type
Body	data.fee_details[1].model	String	Yes	OUR	Fixed	Fee model
Body	data.fee_details[1].amount	Number	Yes	0	Variable	Tax amount
Body	data.fee_details[1].description	String	No	Tax	Variable	Description
Body	data.fee_details[1].currency_code	String	Yes	USD	Variable	Currency

Body	data.settlement_details	Array	Yes	<pre>"settlement_details": [{ "value": 0, "charge_type": "COMMISSION", "currency_code": "USD" }, { "value": 0, "charge_type": "INPUTTAX", "currency_code": "USD" }, { "value": 0, "charge_type": "TREASURY_MARGIN",</pre>	Variable	Settlement calculation details
------	--------------------------------	-------	-----	--	----------	--------------------------------

				<pre> "currency_code": "USD" }], "price_guarantee": "FIRM" } } </pre>		
Body	data.settlement_details[0].charge_type	String	Yes	COMMISSION	Fixed	Settlement charge type
Body	data.settlement_details[0].value	Number	Yes	0	Variable	Charge value
Body	data.settlement_details[0].currency_code	String	Yes	USD	Variable	Currency
Body	data.settlement_details[1].charge_type	String	Yes	INPUTTAX	Fixed	Settlement charge type
Body	data.settlement_details[1].value	Number	Yes	0	Variable	Charge value
Body	data.settlement_details[1].currency_code	String	Yes	USD	Variable	Currency

Body	data.settlement_details[2].charge_type	String	Yes	TREASURY MARGIN	Fixed	Settlement charge type
Body	data.settlement_details[2].value	Number	Yes	0	Variable	Charge value
Body	data.settlement_details[2].currency_code	String	Yes	USD	Variable	Currency

Sample Request:

```

1 curl --location --globoff
2 '{{Host}}/amr/paas/api/v1_0/paas/createtransaction' \
3 --header 'Content-Type: application/json' \
4 --header 'sender: commerceplexltd' \
5 --header 'channel: Direct' \
6 --header 'company: 702800' \
7 --header 'branch: 702820' \
8 --header 'Authorization: Bearer {{access_token}}' \
9 --data '{
10   "type": "SEND",
11   "source_of_income": "SLRY",
12   "purpose_of_txn": "SAVG",
13   "instrument": "REMITTANCE",
14   "sender": {
15     "first_name": "John",
16     "last_name": "Doe",
17     "mobile_number": "+971500000001",
18     "date_of_birth": "1990-01-01",
19     "nationality": "AE",
20   },
21   "sender_id": [
22     {
23       "id_code": "2",
24       "id": "A1234567"
25     }
26   ],
27   "sender_address": [
28     {
29       "address_type": "PRESENT",
30       "address_line": "Street 1",
31       "town_name": "Dubai",
32       "country_code": "AE"
33     }
34   ]
35 },
36 "receiver": {
37   "first_name": "Ali",
38

```

```

40     "last_name": "Khan",
41     "mobile_number": "+923001234567",
42     "nationality": "PK",
43
44     "receiver_address": [
45         {
46             "address_type": "PRESENT",
47             "address_line": "Main Road",
48             "town_name": "Karachi",
49             "country_code": "PK"
50         }
51     ],
52
53     "bank_details": {
54         "account_type_code": "1",
55         "account_number": "1234567890123",
56         "iso_code": "ALFHPKKA068",
57         "iban": "PK12ABCD1234567891234567"
58     }
59 },
60
61 "transaction": {
62     "quote_id": "{{quote_id}}"
63 }
64 }
65 '

```

Sample Response:

```

1  {
2      "status": "success",
3      "status_code": 200,
4      "data": {
5          "state": "ACCEPTED",
6          "sub_state": "ORDER_ACCEPTED",
7          "transaction_ref_number": "7028125132051520",
8          "transaction_date": "2025-11-16T20:50:04.189+04:00",
9          "transaction_gmt_date": "2025-11-16T16:50:04.189Z",
10         "expires_at": "2025-11-16T21:20:04.189+04:00",
11         "expires_at_gmt": "2025-11-16T17:20:04.189Z",
12         "agent_ref_number": "7028125132051520",
13         "delivery_ref_number": "7028125132051520",
14         "receiving_country_code": "PK",
15         "receiving_currency_code": "PKR",
16         "sending_country_code": "SG",
17         "sending_currency_code": "USD",
18         "sending_amount": 500,
19         "receiving_amount": 139965.06,
20         "total_payin_amount": 500,
21         "correspondent_id": "11233",
22         "correspondent_location_id": "67752890",
23         "account_category": "UNDEFINED",
24         "transfer_mode": "NEFT",
25         "fx_rates": [
26             {
27                 "rate": 279.93012944,
28                 "type": "SELL",
29                 "base_currency_code": "USD",
30                 "counter_currency_code": "PKR"
31             },
32             {
33                 "rate": 0.00357232,
34                 "type": "SELL",
35                 "base_currency_code": "PKR",
36                 "counter_currency_code": "USD"
37             }
38         ]
39     }
40 }

```

```

38     ],
39     "fee_details": [
40         {
41             "type": "COMMISSION",
42             "model": "OUR",
43             "amount": 0,
44             "description": "Commission",
45             "currency_code": "USD"
46         },
47         {
48             "type": "TAX",
49             "model": "OUR",
50             "amount": 0,
51             "description": "Tax",
52             "currency_code": "USD"
53         }
54     ],
55     "settlement_details": [
56         {
57             "value": 0,
58             "charge_type": "COMMISSION",
59             "currency_code": "USD"
60         },
61         {
62             "value": 0,
63             "charge_type": "INPUTTAX",
64             "currency_code": "USD"
65         },
66         {
67             "value": 0,
68             "charge_type": "TREASURYMARGIN",
69             "currency_code": "USD"
70         }
71     ],
72     "price_guarantee": "FIRM"
73 }
74 }

```

4. Confirm Transaction API

Description: It will confirm the transaction after validating the transaction number and status.

METHOD: POST

URL: {{Host}}/amr/paas/api/v1_0/paas/confirmtransaction

TYPE	PARAMETER	Data Type	Mandatory	Sample Value	Fixed/Variable	Description
Header	Content-Type	String	Yes	application/json	Fixed	Content type for API request
Header	sender	String	No	commerceptlexltd	Variable	Sender/agent identifier

Header	channel	String	No	Direct	Fixed	Channel from which API is triggered
Header	company	String	No	702800	Variable	Company/Partner code
Header	Authorization	String	Yes	Bearer {{access_token}}	Variable	OAuth access token
Body	transaction_ref_number	String	Yes	7028125132051520	Variable	Reference number returned from Create Transaction

Response Parameters:

TYPE	PARAMETER	Data Type	Mandatory	Sample Value	Fixed/Variable	Description
Body	status	String	Yes	success	Fixed	Overall API status
Body	status_code	Integer	Yes	200	Fixed	API internal status code
Body	data.transaction_ref_number	String	Yes	7028125131927254	Variable	Unique transaction reference
Body	data.state	String	Yes	IN_PROGRESS	Variable	Current processing state
Body	data.sub_state	String	Yes	PAYMENT_SETTLED	Variable	Detailed status/sub-state

Body	data.agent_transaction_ref_number	String	Conditional	TP188999612345	Variable	Agent's reference for this transaction
Body	data.agent_ref_number	String	Conditional	7028125131927254	Variable	Agent's internal reference
Body	data.delivery_ref_number	String	Conditional	7028125131927254	Variable	Delivery/payout reference number

Request Sample:

```

1 curl --location --globoff
2 '{{Host}}/amr/paas/api/v1_0/paas/confirmtransaction' \
3 --header 'Content-Type: application/json' \
4 --header 'sender: commerceplexltd' \
5 --header 'channel: Direct' \
6 --header 'company: 702800' \
7 --header 'Authorization: Bearer {{access_token}}' \
8 --data '{
9   "transaction_ref_number": "{{transaction_ref_number}}"
10 }'
```

Response Sample:

```

1 {
2   "status": "success",
3   "status_code": 200,
4   "data": {
5     "transaction_ref_number": "7028125131927254",
6     "state": "IN_PROGRESS",
7     "sub_state": "PAYMENT_SETTLED",
8     "agent_transaction_ref_number": "TP188999612345",
9     "agent_ref_number": "7028125131927254",
10    "delivery_ref_number": "7028125131927254"
11  }
12 }
```



5. Enquire Transaction API

Description: It will enquire the transaction.

METHOD: POST

URL: {{Host}}/amr/paas/api/v1_0/paas/enquire-transaction?transaction_ref_number={{transaction_ref_number}}

To know about specific substates go here: <https://d9ps.atlassian.net/wiki/spaces/DIGIT9/pages/4554753/DRAP+-+Remittance+as+a+Service+-+Whitelabel+Model#Transaction-States-and-Sub-States> Request access



TYPE	PARAMETER	Data Type	Mandatory	Sample Value	Fixed/Variable	Description

TYPE	PARAMETER	Data Type	Mandatory	Sample Value	Fixed/Variable	Description
Body	status	String	Yes	success	Fixed	High-level API status
Body	status_code	Number	Yes	200	Fixed	API success code
Body	data.state	String	Yes	IN_PROGRESS	Variable	Current processing status of transaction
Body	data.sub_state	String	Yes	TXN_PREPARED	Variable	More detailed transaction state
Body	data.transaction_gmt_date	String (datetime)	Yes	2025-11-15T09:26:37.7849Z	Variable	Transaction timestamp in GMT
Body	data.transaction_date	String (datetime)	Yes	2025-11-15T13:26:37.849+04:00	Variable	Transaction local timestamp
Body	data.type	String	Yes	SEND	Fixed	Transaction type
Body	data.instrument	String	Yes	REMITTANCE	Fixed	Instrument used
Body	data.source_of_income	String	Yes	SLRY	Variable	Declared source of income
Body	data.purpose_of_txn	String	Yes	SAVG	Variable	Purpose of transaction

Body	data.messa ge	String	No	Agency transaction	Variable	Additional remarks
Body	data.sender .agent_cust omer_id	String	No	123456	Variable	Sender's agent-side customer number
Body	data.sender .customer_n umber	String	Yes	702253194 9138963	Variable	Customer ID generated by DRAP
Body	data.sender .first_name	String	Yes	PARANTHA MAN	Variable	Sender first name
Body	data.sender .middle_na me	String	No	" "	Variable	Sender middle name
Body	data.sender .last_name	String	Yes	RAMAKRIS HNAN	Variable	Sender last name
Body	data.receive r.mobile_nu mber	String	Yes	+97150867 4150	Variable	Receiver's mobile
Body	data.receive r.first_name	String	Yes	ANIJA FIRSTNAM E	Variable	Receiver first name
Body	data.receive r.last_name	String	Yes	ANIJA LASTNAME	Variable	Receiver last name
Body	data.receive r.date_of_bir th	String	No	1990-08-22	Variable	Receiver DOB
Body	data.receive r.nationality	String	Yes	AE	Variable	Receiver nationality code

Body	data.receive r.relation_co de	String	Yes	32	Variable	Relationship sender → receiver
Body	data.receive r.bank_detai ls.account_t ype	String	Yes	1	Fixed	Bank account type
Body	data.receive r.bank_detai ls.account_ num	String	Yes	PK12ABCD1 234567891 234567	Variable	Receiver account
Body	data.receive r.bank_detai ls.iso_code	String	Yes	ALFHPKKA 068	Variable	Bank ISO/BIC code
Body	data.receive r.bank_detai ls.iban	String	No	PK12ABCD1 234567891 234567	Variable	IBAN number
Body	data.receive r.bank_detai ls.routing_c ode	String	No	0302	Variable	Routing/bra nch code
Body	data.receive r.bank_detai ls.sort_code	String	No	.	Variable	Sort code (not used PK)
Body	data.receive r.bank_detai ls.account_ category	String	No	UNDEFINE D	Variable	Account category
Body	data.receive r.bank_detai ls.transfer_ mode	String	Yes	NEFT	Variable	Transfer method used in PK

Body	data.transaction.agent_transaction_ref_number	String	Yes	TP188999612345	Variable	Partner reference
Body	data.transaction.quote_id	String	Yes	7028125131927254	Variable	Quote identifier
Body	data.transaction.transaction_ref_number	String	Yes	7028125131927254	Variable	DRAP transaction reference
Body	data.transaction.agent_ref_number	String	No	7028125131927254	Variable	Agent's internal reference
Body	data.transaction.channel_quote_id	String	No	25319092901217189844	Variable	Channel quote if any
Body	data.transaction.delivery_ref_number	String	Yes	7028125131927254	Variable	Delivery reference
Body	data.transaction.receiving_mode	String	Yes	BANK	Fixed	Receiving mode (PK supports BANK only)
Body	data.transaction.payment_mode	String	Yes	AP	Fixed	Payment mode
Body	data.transaction.sending_country_code	String	Yes	SG	Variable	Sender country

Body	data.transaction.receiving_country_code	String	Yes	PK	Fixed	Receiver country
Body	data.transaction.sending_currency_code	String	Yes	USD	Variable	Sending currency
Body	data.transaction.receiving_currency_code	String	Yes	PKR	Fixed	Receiving currency
Body	data.transaction.sending_amount	Number	Yes	200	Variable	Sending amount
Body	data.transaction.receiving_amount	Number	Yes	55986.03	Variable	Converted receiving amount
Body	data.transaction.total_payin_amount	Number	Yes	200	Variable	Total payable amount
Body	data.transaction.correspondent_id	String	Yes	11233	Variable	Correspondent ID
Body	data.transaction.correspondent_location_id	String	Yes	67752890	Variable	Correspondent location
Body Array (fx_rates[])	rate	Number	Yes	279.93012944	Variable	Conversion rate
Body Array (fx_rates[])	base_currency_code	String	Yes	USD	Variable	Base currency

Body Array (fx_rates[])	counter_currency_code	String	Yes	PKR	Variable	Counter currency
Body Array (fx_rates[])	type	String	Yes	SELL	Fixed	Rate direction
Body	ordering_institution.name	String	No	ABC	Variable	Institution name
Body	ordering_institution.address.address_type	String	No	PRESENT	Variable	Address type
Body	ordering_institution.address.address_line	String	No	ZAYED TOWER	Variable	Address line
Body	ordering_institution.address.post_code	String	No	123456	Variable	Postal code
Body	ordering_institution.address.town_name	String	No	HAWALLI	Variable	Town name
Body	ordering_institution.address.country_code	String	No	SG	Variable	Country code

Body Array (fee_details[])	type	String	Yes	COMMISSIO N	Fixed	Fee type
Body Array (fee_details[])	model	String	No	OUR	Variable	Fee model
Body Array (fee_details[])	currency_co de	String	Yes	USD	Variable	Currency
Body Array (fee_details[])	amount	Number	Yes	0	Variable	Fee amount
Body Array (fee_details[])	description	String	No	Commissio n	Variable	Fee description
Body Array (settlement_ details[])	value	Number	Yes	0	Variable	Charge value
Body Array (settlement_ details[])	charge_typ e	String	Yes	COMMISSIO N	Variable	Settlement charge type
Body Array (settlement_ details[])	currency_co de	String	Yes	USD	Variable	Currency

Request Sample:

```

1 curl --location --globoff '{{Host}}/amr/paas/api/v1_0/paas/enquire-
2 transaction?transaction_ref_number={{transaction_ref_number}}' \
3 --header 'Content-Type: application/json' \
4 --header 'sender: commerceplexltd' \
5 --header 'channel: Direct' \
6 --header 'company: 702800' \
7 --header 'branch: 702820' \
  --header 'Authorization: Bearer {{access_token}}'
```


Response Sample:

```
1  {
2    "status": "success",
3    "status_code": 200,
4    "data": {
5      "state": "IN_PROGRESS",
6      "sub_state": "TXN_PREPARED",
7      "transaction_gmt_date": "2025-11-15T09:26:37.849Z",
8      "transaction_date": "2025-11-15T13:26:37.849+04:00",
9      "type": "SEND",
10     "instrument": "REMITTANCE",
11     "source_of_income": "SLRY",
12     "purpose_of_txn": "SAVG",
13     "message": "Agency transaction",
14     "sender": {
15       "agent_customer_id": "123456",
16       "customer_number": "7022531949138963",
17       "first_name": "PARANTHAMAN",
18       "middle_name": " ",
19       "last_name": "RAMAKRISHNAN"
20     },
21     "receiver": {
22       "mobile_number": "+971508674150",
23       "first_name": "ANIJA FIRSTNAME",
24       "last_name": "ANIJA LASTNAME",
25       "date_of_birth": "1990-08-22",
26       "nationality": "AE",
27       "relation_code": "32",
28       "bank_details": {
29         "account_type": "1",
30         "account_num": "PK12ABCD1234567891234567",
31         "iso_code": "ALFHPKKA068",
32         "iban": "PK12ABCD1234567891234567",
33         "routing_code": "0302",
34         "sort_code": ".",
35         "account_category": "UNDEFINED",
36         "transfer_mode": "NEFT"
37       }
38     },
39     "transaction": {
40       "agent_transaction_ref_number": "TP188999612345",
41       "quote_id": "7028125131927254",
42       "transaction_ref_number": "7028125131927254",
43       "agent_ref_number": "7028125131927254",
44       "channel_quote_id": "25319092901217189844",
45       "delivery_ref_number": "7028125131927254",
46       "receiving_mode": "BANK",
47       "payment_mode": "AP",
48       "sending_country_code": "SG",
49       "receiving_country_code": "PK",
50       "sending_currency_code": "USD",
51       "receiving_currency_code": "PKR",
52       "sending_amount": 200,
53       "receiving_amount": 55986.03,
54       "total_payin_amount": 200,
55       "correspondent_id": "11233",
56       "correspondent_location_id": "67752890",
57       "fx_rates": [
58         {
59           "rate": 279.93012944,
60           "base_currency_code": "USD",
61           "counter_currency_code": "PKR",
62           "type": "SELL"
63         },
64       ]
65     }
66   }
67 }
```

```

65         "rate": 0.00357232,
66         "base_currency_code": "PKR",
67         "counter_currency_code": "USD",
68         "type": "SELL"
69     }
70 ],
71 "ordering_institution": {
72     "name": "ABC",
73     "institution_address": {
74         "address_type": "PRESENT",
75         "address_line": "ZAYED TOWER",
76         "post_code": "123456",
77         "town_name": "HAWALLI",
78         "country_code": "SG"
79     }
80 },
81 "fee_details": [
82     {
83         "type": "COMMISSION",
84         "model": "OUR",
85         "currency_code": "USD",
86         "amount": 0,
87         "description": "Commission"
88     },
89     {
90         "type": "TAX",
91         "currency_code": "USD",
92         "amount": 0,
93         "description": "Tax"
94     }
95 ],
96 "settlement_details": [
97     {
98         "value": 0,
99         "charge_type": "COMMISSION",
100        "currency_code": "USD"
101    },
102    {
103        "value": 0,
104        "charge_type": "INPUTTAX",
105        "currency_code": "USD"
106    },
107    {
108        "value": 0,
109        "charge_type": "TREASURYMARGIN",
110        "currency_code": "USD"
111    }
112 ]
113 }
114 }
115 }

```

6. Cancel Transaction API

Description: Cancel a transaction

METHOD: POST

URL: {{Host}}/amr/paas/api/v1_0/paas/confirmtransaction

TYPE	PARAMETER	Data Type	Mandatory	Sample Value	Fixed/Variable	Description
Header	Content-Type	String	Yes	application/json	Fixed	Specifies request body format
Header	sender	String	No	commerceplexltd	Variable	Sender identifier
Header	channel	String	No	Direct	Fixed	Channel through which request is made
Header	company	String	No	702800	Variable	Company code
Header	branch	String	No	702820	Variable	Branch code
Header	Authorization	String	Yes	Bearer {{access_token}}	Variable	OAuth 2.0 access token
Body	transaction_ref_number	String	Yes	7028125132051520	Variable	DRAP transaction reference number to cancel
Body	cancel_reason	String	Yes	R7	Variable	Get this ENUM values from Get codes API by key : cancel_reason_codes_list

Body	remarks	String	Yes	test	Variable	Additional remarks or notes for cancellation
------	---------	--------	-----	------	----------	--

Response Parameters:

TYPE	PARAMETER	Data Type	Mandatory	Sample Value	Fixed/Variable	Description
Body	status	String	Yes	success	Fixed	High-level API status
Body	status_code	Number	Yes	200	Fixed	API success code
Body	data.transaction_ref_number	String	Yes	7028125131927254	Variable	Unique transaction reference number being canceled
Body	data.state	String	Yes	IN_PROGRESS	Variable	Current processing state of the transaction
Body	data.sub_state	String	Yes	CANCELLATION_REQUEST_CREATED	Variable	Detailed sub-state indicating cancellation request has been created

Request Sample:

```
1 curl --location --globoff
   '{{Host}}/amr/paas/api/v1_0/paas/canceltransaction' \
```

```

2 --header 'Content-Type: application/json' \
3 --header 'sender: commerceplexltd' \
4 --header 'channel: Direct' \
5 --header 'company: 702800' \
6 --header 'branch: 702820' \
7 --header 'Authorization: Bearer {{access_token}}' \
8 --data '{
9     "transaction_ref_number": "{{transaction_ref_number}}",
10    "cancel_reason": "R7",
11    "remarks": "test"
12 }'
```

Response Sample:

```

1 {
2     "status": "success",
3     "status_code": 200,
4     "data": {
5         "transaction_ref_number": "7028125131927254",
6         "state": "IN_PROGRESS",
7         "sub_state": "CANCELLATION_REQUEST_CREATED"
8     }
9 }
```

7. Transaction Status Update from Agent (PUT)

Description: This API is used to update the status of the transaction like partner where transaction fulfillment happens in partner network. Since fulfillment happens from partner network, status need to take from partners by this API.

METHOD: PUT

URL: {{Host}}/amr/paas/api/v1_0/paas/status-update

TYPE	PARAMETER	Data Type	Mandatory	Sample Value	Fixed/Variable	Description
Header	Content-Type	String	Yes	application/json	Fixed	Specifies request body format
Header	sender	String	Yes	commerceplexltd	Variable	Sender identifier
Header	channel	String	Yes	Direct	Fixed	Channel through which

						request is made
Header	company	String	Yes	702800	Variable	Company code
Header	branch	String	Yes	702820	Variable	Branch code
Header	Authorization	String	Yes	Bearer {{access_token}}	Variable	OAuth 2.0 access token
Body	transaction_ref_number	String	Yes	70281251 32189112	Variable	DRAP transaction reference number to cancel
Body	Status	String	Yes	Credited	Variable	Transaction status to be updated. Available values are : TRANSMITTED , CREDITED , AVAILABLE_PAID , CANCELLATION_COMPLETED

Response Parameters:

TYPE	PARAMETER	Data Type	Mandatory	Sample Value	Fixed/Variable	Description
Body	status	String	Yes	success	Fixed	High-level API status

Response Sample:

```

1 {
2   "status": "success",
3   "status_code": 200,
4   "data": {
5     "status": "ACKNOWLEDGED"
6   }
7 }

```

8. Get Credit Balance (PUT)

Description: t is an API that shows **your available settlement balance** with DPS.

This balance is used to **fund outgoing remittances**.

METHOD: GET

URL: {{Host}}//raas/masters/v1/accounts/balance

TYPE	PARAMETER	Data Type	Mandatory	Sample Value	Fixed/Variable	Description
Header	Content-Type	String	Yes	application/json	Fixed	Specifies request body format
Header	Authorization	String	Yes	Bearer {{access_token}}	Variable	OAuth 2.0 access token

Response Parameters:

TYPE	PARAMETER	Data Type	Mandatory	Sample Value	Fixed/Variable	Description
Body	status	String	Yes	success	Status description	
Body	status_code	Integer	Yes	200	Status code	

Body	data	Object Array	Yes	{ "closingBalance": 2585055.88 , "currency": "PKR", "correspondent": "BANK AL HABIB LIMITED", "alias": "PKR" },		
Body	closingBalance	Integer	Yes	2585055.88	Closing Balance	
Body	currency	String	Yes	PKR	Currency code	
Body	correspondent	Integer	Yes	BANK AL HABIB LIMITED	Closing Balance	Correspondent Agent
Body	alias	String	Yes	PKR	Currency code	Unique ISO Code

Request Sample:

```
1 | curl --location 'https://drap-sandbox.digitnine.com/raas/masters/v1/accounts/balance?payment_mode=AP' \
```


1 Get Codes

REQUEST (cURL)

```
1 curl --location --request GET
2 '{{base_url}}/amr/ras/api/v1_0/ras/getcodes' \
3 --header 'Content-Type: application/json' \
4 --header 'Authorization: Bearer {{token}}'
```

RESPONSE

```
1 {
2   "status": "success",
3   "status_code": 200,
4   "data": {
5     "cancel_reason_codes_list": [
6       { "code": "R1", "description": "Customer Request" },
7       { "code": "R7", "description": "Incorrect Details" }
8     ],
9     "purpose_of_txn_codes": [],
10    "relation_codes": [],
11    "source_of_income_codes": []
12  }
13 }
```

Notes

- Used to fetch ENUM lists (e.g., **cancel_reason_codes_list** for Cancel Transaction API).
-

2 Get Service Corridor

REQUEST (cURL)

```
1 curl --location --request GET
2 '{{base_url}}/amr/ras/api/v1_0/ras/getservicecorridor' \
3 --header 'Content-Type: application/json' \
4 --header 'Authorization: Bearer {{token}}'
```

RESPONSE

```
1 {
2   "status": "success",
3   "status_code": 200,
4   "data": [
5     {
6       "sending_country_code": "AE",
7       "receiving_country_code": "IN",
8       "enabled": true,
9       "receiving_modes": ["BANK", "CASH PICKUP"],
10      "currencies": ["AED", "INR"]
11    }
12  ]
13 }
```

Notes

- Determines whether a corridor is **enabled/disabled** for your agent.
-

3 Get Bank Master

REQUEST (cURL)

```
1 curl --location --request GET
2 '{{base_url}}/amr/ras/api/v1_0/ras/getbankmaster' \
3 --header 'Content-Type: application/json' \
4 --header 'Authorization: Bearer {{token}}'
```

RESPONSE

```
1 {
2   "status": "success",
3   "status_code": 200,
4   "data": [
5     {
6       "bank_id": "HDFCBANK",
7       "bank_name": "HDFC Bank",
8       "country_code": "IN"
9     }
10  ]
11 }
12 }
```

4 Get Bank By ID

REQUEST (cURL)

```
1 curl --location --request GET
2 '{{base_url}}/amr/ras/api/v1_0/ras/getbankbyid?bank_id={{bank_id}}' \
3 --header 'Content-Type: application/json' \
4 --header 'Authorization: Bearer {{token}}'
```

RESPONSE

```
1 {
2   "status": "success",
3   "status_code": 200,
4   "data": {
5     "bank_id": "HDFCBANK",
6     "bank_name": "HDFC Bank",
7     "country_code": "IN",
8     "branches": []
9   }
10 }
11 }
```

5 Get Branch Master

REQUEST (cURL)

```
1 curl --location --request GET
2 '{{base_url}}/amr/ras/api/v1_0/ras/getbranchmaster' \
3 --header 'Content-Type: application/json' \
4 --header 'Authorization: Bearer {{token}}'
```

RESPONSE

```
1 {
2   "status": "success",
3   "status_code": 200,
4   "data": [
5     {
6       "branch_id": "OP",
7       "branch_name": "Main Branch",
8       "bank_id": "INOPCP",
9       "country_code": "IN"
10    }
11  ]
12 }
13
```

6 Get Branch By ID

REQUEST (cURL)

```
1 curl --location --request GET
2 '{{base_url}}/amr/ras/api/v1_0/ras/getbranchbyid?branch_id=
3 {{branch_id}}' \
4 --header 'Content-Type: application/json' \
5 --header 'Authorization: Bearer {{token}}'
```

RESPONSE

```
1 {
2   "status": "success",
3   "status_code": 200,
4   "data": {
5     "branch_id": "OP",
6     "branch_name": "Main Branch",
7     "bank_id": "INOPCP",
8     "country_code": "IN"
9   }
10 }
11
```

7 Branch Search

REQUEST (cURL)

```
1 curl --location --request GET
2 '{{base_url}}/amr/ras/api/v1_0/ras/branchsearch?
```

```
country_code=IN&bank_id=HDFCBANK' \
2 --header 'Content-Type: application/json' \
3 --header 'Authorization: Bearer {{token}}'
4
```

RESPONSE

```
1 {
2   "status": "success",
3   "status_code": 200,
4   "data": [
5     {
6       "branch_id": "HDFC0000758",
7       "branch_name": "Kochi Branch",
8       "address": "Kochi, Kerala"
9     }
10  ]
11 }
12
```

8 Get Agent Credit Balance

REQUEST (cURL)

```
1 curl --location --request GET
   '{{base_url}}/amr/ras/api/v1_0/ras/getagentcreditbalance' \
2 --header 'Content-Type: application/json' \
3 --header 'Authorization: Bearer {{token}}'
4
```

RESPONSE

```
1 {
2   "status": "success",
3   "status_code": 200,
4   "data": {
5     "balance": 120000.50,
6     "currency": "AED"
7   }
8 }
9
```

Notes

- Mandatory to check before **Create Transaction** to avoid “Insufficient Funds”.

9 Get Rates

REQUEST (cURL)

```
1 curl --location --request GET '{{base_url}}/amr/ras/api/v1_0/ras/rates' \
2 --header 'Content-Type: application/json' \
3 --header 'Authorization: Bearer {{token}}'
4
```

RESPONSE

```
1 {
2   "status": "success",
3   "status_code": 200,
4   "data": [
5     {
6       "sending_country_code": "AE",
7       "sending_currency_code": "AED",
8       "receiving_country_code": "IN",
9       "receiving_currency_code": "INR",
10      "rate": 22.75,
11      "agent_markup": 0.15,
12      "payout_markup": 0.05,
13      "min_amount": 10,
14      "max_amount": 50000,
15      "receiving_modes": ["BANK", "CASHPICKUP"],
16      "timestamp": "2025-11-17T10:33:00Z"
17    }
18  ]
19 }
20
```

Notes

- Shows **final rate after applying agent & corridor markup**.
- If corridor disabled → response may be empty.

1 Get Bank Master

REQUEST (cURL)

```
1 curl --location --request GET
2   '{{base_url}}/amr/ras/api/v1_0/ras/getbankmaster' \
3   --header 'Content-Type: application/json' \
4   --header 'Authorization: Bearer {{token}}'
```

RESPONSE

```
1 {
2   "status": "success",
3   "status_code": 200,
4   "data": [
5     {
6       "bank_id": "INOPCP",
7       "bank_name": "OP Bank",
8       "country_code": "IN"
9     },
10    {
11      "bank_id": "HDFCBANK",
12      "bank_name": "HDFC Bank",
13      "country_code": "IN"
14    }
15  ]
16 }
17
```

2 Get Bank By ID

REQUEST (cURL)

```
1 curl --location --request GET
2 '{{base_url}}/amr/ras/api/v1_0/ras/getbankbyid?bank_id={{bank_id}}' \
3 --header 'Content-Type: application/json' \
4 --header 'Authorization: Bearer {{token}}'
```

RESPONSE

```
1 {
2   "status": "success",
3   "status_code": 200,
4   "data": {
5     "bank_id": "HDFCBANK",
6     "bank_name": "HDFC Bank",
7     "country_code": "IN",
8     "branches": [
9       {
10        "branch_id": "HDFC0000758",
11        "branch_name": "Kochi Branch"
12      }
13     ]
14   }
15 }
```

3 Get Branch Master

REQUEST (cURL)

```
1 curl --location --request GET
2 '{{base_url}}/amr/ras/api/v1_0/ras/getbranchmaster' \
3 --header 'Content-Type: application/json' \
4 --header 'Authorization: Bearer {{token}}'
```

RESPONSE

```
1 {
2   "status": "success",
3   "status_code": 200,
4   "data": [
5     {
6       "branch_id": "OP",
7       "branch_name": "OP Branch",
8       "bank_id": "INOPCP",
9       "country_code": "IN"
10    },
11    {
12      "branch_id": "HDFC0000758",
13      "branch_name": "Kochi Branch",
14      "bank_id": "HDFCBANK",
15      "country_code": "IN"
16    }
17  ]
18 }
```

4 Get Branch By ID

REQUEST (cURL)

```
1 curl --location --request GET
2 '{{base_url}}/amr/ras/api/v1_0/ras/getbranchbyid?branch_id=
3 {{branch_id}}' \
4 --header 'Content-Type: application/json' \
5 --header 'Authorization: Bearer {{token}}'
```

RESPONSE

```
1 {
2   "status": "success",
3   "status_code": 200,
4   "data": {
5     "branch_id": "HDFC0000758",
6     "branch_name": "Kochi Branch",
7     "bank_id": "HDFCBANK",
8     "country_code": "IN"
9   }
10 }
11
```

5 Branch Search

REQUEST (cURL)

```
1 curl --location --request GET
2 '{{base_url}}/amr/ras/api/v1_0/ras/branchsearch?country_code=
3 {{country_code}}&bank_id={{bank_id}}' \
4 --header 'Content-Type: application/json' \
5 --header 'Authorization: Bearer {{token}}'
```

RESPONSE

```
1 {
2   "status": "success",
3   "status_code": 200,
4   "data": [
5     {
6       "branch_id": "HDFC0000758",
7       "branch_name": "Kochi Branch",
8       "address": "Kochi, Kerala"
9     }
10  ]
11 }
12
```

Notes (Only Where Important)

✓ Get Bank Master

Returns all banks mapped to your corridor & agent.

✓ Get Bank By ID

Useful to fetch **specific bank details + available branches**.

✓ Branch Search

Filters branches using parameters:

- `country_code`
- `bank_id`
- sometimes additional filters depending on corridor

Response Codes

Paste Response Codes of the relevant operator below in a table

General Error Codes

Error	HTTP status code	Error Code	Message	Reason
INVALID_PAYLOAD	100	10000	"Invalid payload"	The payload passed in the request is invalid
BAD_REQUEST	400	40000	"Bad Request" / Payload parameter is missing or corrupt	The request is not correct or is missing required elements like headers parameters etc.
UNAUTHORIZED	401	40001	Not authorized/access denied	Not authorized/access denied
NOT_FOUND	404	40004	Not found	Data's or Configurations or Rules are not found

METHOD_NOT_ALLOWED	405	40005	"Method not allowed"	The HTTP method used in the request isn't allowed for that activity. eg: making a POST request instead of a GET request where GET is expected.
UNPROCESSABLE_CONTENT / ENTITY	422	8076000	Service disruption during processing request or processor flow	Service disruption during processing request or processor flow
INTERNAL_SERVICE_ERROR	500	50000	Unable to service your request at this moment. Kindly retry after sometime	Unable to service your request at this moment. Kindly retry after sometime
GATEWAY_TIMEOUT	504	50004	Unable to service your request at this moment. Kindly retry after sometime	Unable to service your request at this moment. Kindly retry after sometime

Business Error Codes

API	HTTP status code	Error Code	Message	Reason	Reject /Retry
-----	------------------	------------	---------	--------	---------------

API	HTTP status code	Error Code	Message	Reason	Reject /Retry
Create Quote	404	40004	Partner not found	Partner not found	

404	4000 4	Partner service corridor currencies not found	Partner service corridor currencies not found	
404	4000 4	Bank branch not found	Bank branch not found	
404	4000 4	Partner service corridors not found	Partner service corridors not found	
404	4000 4	Bank not found	Bank not found	
404	4000 4	Quote not found	Quote not found	
404	8076 103	Correspondent service bank not found	Correspondent service bank not found	
404	4000 4	Rates not found	Rates not found	
404	4000 4	Currency not found	Currency not found	
404	4000 4	Charges not found	Charges not found	
404	4000 4	Rebate not found	Rebate not found	
404	4000 4	MTO product not found	MTO product not found	
404	4000 4	Rate / Charges not found	Rate / Charges not found	
404	4000 4	Partner quote or payment expiry limit's not found	Partner quote or payment expiry limit's not found	
404	4000 4	Rate / Charges not found	Rate / Charges not found	
Create Transacti on	404 4	Partner not found	Partner not found	

404	4000 4	Sender subscription not found	Sender subscription not found	
404	4000 4	Sender not found	Sender not found	
406	8076 210	Sender is not acceptable since valid ID not found	Sender is not acceptable since valid ID not found	
406	8076 207	Transaction is not acceptable since yet to accepted	Transaction is not acceptable since yet to accepted	
404	4000 4	Partner service corridors not found	Partner service corridors not found	
404	4000 4	Partner service corridor currencies not found	Partner service corridor currencies not found	
404	4000 4	Bank branch not found	Bank branch not found	
404	4000 4	Currency not found	Currency not found	
406	8076 205	Charge's markup/down is not acceptable	Charge's markup/down is not acceptable	
404	4000 4	Partner allowed address type not found	Partner allowed address type not found	
406	8076 209	Transaction is not acceptable since invalid address type	Transaction is not acceptable since invalid address type	
406	8076 211	Transaction is not acceptable since exceeded the credit limit	Transaction is not acceptable since exceeded the credit limit	
406	8076 214	Transaction not acceptable since invalid sender ID information	Transaction not acceptable since invalid sender ID information	
406	8076 201	Processed transaction for same receiver with same	Processed transaction for same receiver with same	

		amount	amount	
406	8076 202	Transaction is not acceptable since reached sender limit	Transaction is not acceptable since reached sender limit	
406	8076 203	Transaction not allowed to send amount to same receiver	Transaction not allowed to send amount to same receiver	
406	8076 206	Transaction is not acceptable since correspondent rate has changed	Transaction is not acceptable since correspondent rate has changed	
406	8076 212	Quote is not acceptable	Quote is not acceptable	
406	8076 101	Transaction is not acceptable	Transaction is not acceptable	
404	4000 4	Quote not found	Quote not found	
406	8076 213	Quote is not acceptable since expired	Quote is not acceptable since expired	
400	4000 0	Mismatch in quote and transaction request	Mismatch in Quote and transaction CorrespondentId	
400	4000 0	Mismatch in quote and transaction request	Mismatch in Quote and transaction CorrLocationId	
406	8076 215	Transaction is not acceptable since partner transaction reference number already exists	Transaction is not acceptable since partner transaction reference number already exists	
406	8076 208	Transaction is not acceptable since invalid sender information	Transaction is not acceptable since invalid sender information	

Confirm Transaction	404	40004	Partner not found	Partner not found	
	404	40004	Transaction not found	Transaction not found	
	406	8076306	Transaction is not acceptable since expired	Transaction is not acceptable since expired	
	406	8076305	Transaction is not acceptable since already accepted	Transaction is not acceptable since already accepted	
	404	40004	Transaction sender not found	Transaction sender not found	
	404	40004	Transaction receiver not found	Transaction receiver not found	
	404	40004	Partner ledger account not found	Partner ledger account not found	
	404	40004	Partner call back not found	Partner call back not found	
	404	8076103	Correspondent service bank not found	Correspondent service bank not found	
	404	40004	Bank branch not found	Bank branch not found	
	404	40004	Bank not found	Bank not found	
	404	40004	Purpose of the transaction not found	Purpose of the transaction not found	
	404	40004	Correspondent service not found	Correspondent service not found	
	404	40004	Payment mode not found	Payment mode not found	
	406	8076302	Transaction is not acceptable since	Transaction is not acceptable since clearance	

			clearance not accepted yet	not accepted yet	
	406	8076 304	Partner not authorized to generate transaction receipt	Partner not authorized to generate transaction receipt	
	406	8076 301	Transaction is not acceptable since insufficient balance	Transaction is not acceptable since insufficient balance	
	406	8076 218	The correspondent bank details do not match. Please verify the routing configurations and try again	The correspondent bank details do not match. Please verify the routing configurations and try again	
Cancel Transaction	404	4000 4	Partner not found	Partner not found	
	404	4000 4	Transaction not found	Transaction not found	
	406	8076 403	Transaction is not acceptable since payment not yet settled	Transaction is not acceptable since payment not yet settled	
	406	8076 405	Cancellation is not acceptable	Cancellation is not acceptable	
	406	8076 402	Cancellation is not acceptable since already in progress	Cancellation is not acceptable since already in progress	
	406	8076 401	Cancellation is not acceptable since already processed	Cancellation is not acceptable since already processed	
	406	8076 404	Cancel reason is not acceptable	Cancel reason is not acceptable	
	406	8076 406	Cancellation is not acceptable since already cancelled	Cancellation is not acceptable since already cancelled	

Authorize Transaction	404	40004	Partner not found	Partner not found	
	404	40004	Transaction not found	Transaction not found	
	406	8076602	Transaction is not acceptable since external parties not allowed to clearance	Transaction is not acceptable since external parties not allowed to clearance	
	406	8076601	Transaction is not acceptable since already authorized	Transaction is not acceptable since already authorized	
	406	8076303	Transaction is not acceptable since awaiting for clearance	Transaction is not acceptable since awaiting for clearance	
	404	40004	Transaction sender not found	Transaction sender not found	
	404	40004	Transaction receiver not found	Transaction receiver not found	
	404	40004	Purpose of the transaction not found	Purpose of the transaction not found	
	404	40004	Payment mode not found	Payment mode not found	
Enquiry Transaction	404	40004	Partner not found	Partner not found	
	404	40004	Transaction not found	Transaction not found	
	404	40004	Transaction receiver not found	Transaction receiver not found	
	404	40004	Transaction sender not found	Transaction sender not found	
Update Bank	404	40004	Partner not found	Partner not found	

Reference Number	400	40000	Payload parameter is missing or corrupt	Payload parameter is missing or corrupt	
	404	40004	Transaction not found	Transaction not found	
	406	8076207	Transaction is not acceptable since yet to accepted	Transaction is not acceptable since yet to accepted	
	406	8076603	Transaction is not acceptable since invalid payload	Transaction is not acceptable since invalid payload	
	404	40004	Payment mode not found	Payment mode not found	
	406	8076604	Transaction is not acceptable since BRN update already processed	BRN update already happened	
	406	8076605	Transaction is not acceptable since Transaction already cancelled	Cancelled transaction	
	406	8076606	Transaction is not acceptable since bank reference number	Bank reference number is unique for a partner	

 Use this to know about receiving bank validations: <https://d9ps.atlassian.net/wiki/spaces/DIGIT9/pages/4554753/DRAP+--+Remittance+as+a+Service+--+Whitelabel+Model#Bank-Details> [Request access](#)

For API Response Time (Avg): <https://d9ps.atlassian.net/wiki/spaces/DIGIT9/pages/4554753/DRAP+--+Remittance+as+a+Service+--+Whitelabel+Model#API-Response-Time> [Request access](#)

Pre-Integration Testing Document

 Documentation Conducted by Solutions Architect will be added below.