


PO - UCB - Documentation

Document Number	OI-PO-20252909
Document status	PUBLISHED
Document owner	@Rizwan Zaffar @Arsalan Pervez @Muhammad Taimoor
Solutions Architect	@Maqsood Ali @Owais Khalid @Saqlain Raza
Project Manager	@Ahsan Khan
Priority	URGENT HIGH MEDIUM LOW
Region	Bangladesh
Operator	UCB
Product	PAYOUT REMITTANCE

Product Checklist

 Not available at the moment.

Testing Credentials



Base URL: <http://103.117.142.43:1012/RTAService.svc>

 Add such warnings which are necessary part of integration / testing.


"IP Whitelisting is required for this, Current whitelisted IPs are mentioned below:

110.93.241.250 125.209.82.254 103.86.55.56 13.215.165.235 39.34.131.65

User Flow


Yet not provided by Operator.

Sequence Diagram:



API Documentation

❌ Error in this API Document, GET method of URemitJSONBeneficiaryAccountInquiry does not work with params in path:



1. Updated API Document:  URemit Real Time API integration_2025_Update.pdf
2. Collection JSON:  UCB Final Postman Collection
3. Credentials(All):  UCB credentials encrypted and decrypted.txt



Steps to run DLL:

DLL, the cycle is:

Load DLL → Get Class → Encrypt → Hash → Plug into API JSON → Call API

Load the DLL in PowerShell

```
1 Add-Type -Path "C:\path\to\UCBCrypter.dll"
2
```

2. Get the Class Type

```
1 $crypterType = [UCBCrypter]
2
```

3. Encrypt Data

Use the static method **UCBEncryptoEncoder** :

```
1 $encrypted = $crypterType::UCBEncryptoEncoder($tranID, $publicKey)
2
```

👉 This gives you the **encrypted transaction ID (or any field)** in Base64 format.

4. Decrypt Data (for testing)

```
1 $decrypted = $crypterType::DataDecryption($encrypted, $publicKey)
2
```

5. Hash (if supported by DLL)

If your DLL also has a hashing method (sometimes named `GenerateHash`, `SHA256Encoder`, etc.) you can call it like:

```
1 $hash = $crypterType::GenerateHash("$UserID|$tranID|$H2HPass")
2
```

(If no hashing method exists in the DLL, you'll have to use .NET `SHA256` as fallback — but usually payment DLLs have a hash function built-in.)

1. Authentication API

Description: This method will validate money transfer agency's request with their user ID and password.

METHOD : `POST`

Endpoint: `{Base Url}/URemitJSONAuthentication`

 In Order to run this use:

UserID provided in the table below and the encrypted password provided below:

UserID: `SIMPAI-00004124`

Password: `62fc47673d4a0eb9a771b87e8f3e5dc6da9ae5ac`

For first time, the user will be required to decrypt the password provided over email and then hash it to be able to generate the session ID.

 Response codes specific to this are given here [PO - UCB - Documentation | 1. Authentication API:](#)

Request Parameters:

Type	Parameter	Data Type	Mandatory	Sample Value	Fixed Variable	Description
Body	UserID	String	Yes	SIMPAI-00004124	Variable	User identifier

Body	Password(Hashed)	String (hashed)	Yes	62fc47673d4a0eb9a771b87e8f3e5dc6da9ae5ac	Variable	Password hash
Body	QueryType	Integer	Optional	2	Fixed=2	Authentication type

Request Parameters:

Type	Parameter	Data Type	Mandatory	Sample Value	Fixed Variable	Description
Response	UserID	String	Yes	SIMPAI-00004124	Variable	Authenticated user
Response	SessionID	String	Yes	SIMPAI-0000412420250929T17313213393	Variable	Session token
Response	Status	String	Yes	2001	Variable	Status code showing that the request was successful.

Sample Request

```

1 curl --location 'http://103.117.142.43:1012/RTASvc/URemitJSONAuthentication?
  QueryType=2' \
2 --header 'SOAPAction;' \
3 --header 'Content-Type: application/json' \
4 --data '{
5   "UserID": "SIMPAI-00004124",
6   "Password": "62fc47673d4a0eb9a771b87e8f3e5dc6da9ae5ac"
7 }'
```

Sample Response

```

1 {
2   "UserID": "SIMPAI-00004124",
3   "SessionID": "SIMPAI-0000412420250929T19064222387",
4   "Status": "2001"
```


2. Initiate Transaction API

Description: : This method will initiate a transaction to UCBL for both direct account credit and cash out and other..

METHOD: **POST**

URL: [{Base Url}](#)/InitiateJSONURemitTransaction

i Use the values in this txt file for this API, follow directions/notes written in this file.



i Response codes specific to this are given here: [PO - UCB - Documentation | 2. Initiate Transaction API:](#)

Request Parameters

Type	Parameter (Field Name)	Data Type	Mandatory	Encryption	Sample Value	Fixed/Variable	Description / Format
Body	SessionID	Alphanumeric	Yes	Encrypt through UCBEncryptoEncoder	ughV1G0y yG/Pfnj8V QCGpxfafa +/o0LZNJ PDU+PqK1 owae7xX WY/MQ==	Variable	Transaction Authentication Request ID from GetURemittanceAut

							hentication → SessionID
Body	TransactionPassword	Alphanumeric	Yes	Encrypt through ucbEncryptHashing	dd1e9fe5cb050f66575ee4348a484a6da3585c	Variable	Transaction Password provided by UCB
Body	TransactionReferenceID	Alphanumeric	Yes	Encrypt through UCBEncryptEncoder	UntfrOiQS9lq7Zkyk7X/snR2sF96xuU8	Variable	Must be unique. Format: 17-digit Unique ID + 2nd digit of User ID
Body	SenderName	Alphanumeric	Yes	No	Mr. X	Variable	Full name of sender

Body	SenderAddress	Alphanumeric	No	No	Hong Kong	Variable	Sender address
Body	SenderMobileNo	Alphanumeric	No	No	8801712345678	Variable	Sender mobile number
Body	SenderCountryCode	Alphanumeric	Yes	No	BGD / AFG	Fixed (ISO-3166-3)	Sender country code
Body	Beneficiary Name	Alphanumeric	Yes	No	Mr. Y	Variable	Full name of beneficiary
Body	Beneficiary Address	Alphanumeric	Yes	No	X, Dhaka, Bangladesh	Variable	Beneficiary address
Body	Beneficiary MobileNo	Alphanumeric	No	No	01712345678	Variable	Beneficiary mobile number

Body	Beneficiary IdentityType	Alphanumeric	Yes	No	PP / NID / DL / PIN / TT / Other	Fixed	Identity type (Pas sport , Natio nal ID, Drivi ng Lice nse, etc.)
Body	Beneficiary IdentityInfo	Alphanumeric	Yes	No	A1256895 4	Variable	Identity num ber. Must be uniq ue for Mod eOfP aym ent “002 ”
Body	Beneficiary AccountNo	Alphanumeric	Conditional (mandatory for mode 001, 006, 007)	Encrypt through UCBEn cryptoE ncoder		Variable	Acco unt No / Mobi le No depe ndin

							g on mod e. Man dator y for Dire ct Acc ount Cred it, Othe r Bank , Upa y Wall et Dep osit
Body	Beneficiary RoutingNo	Alphanum eric	Yes (for mode 006)	No (only in 006 paymen ts i.e to other banks)		Variable	Bank routi ng no. For mod e “001 ” syste m uses 1st 3 digit s of

							Account No as branch code .
Body	TransactionAmount	Numeric (12,2)	Yes	No	99999999.00	Variable	Transaction amount
Body	ModeOfPayment	Alphanumeric	Yes	No	001 / 002 / 006 / 007	Fixed Codes	001= Direct Account Credit, 002 =Cash Any Branch, 006 =Other Bank , 007= Upay Wall et

							Depo sit
Body	UserID	Alphanum eric	Yes	No	SIMPAI- 00004124	Fixed (from UCB)	15- digit Exch ange Hous e User ID provi ded by UCB
Body	AccountSt atus	Alphanum eric	Yes (for mode 001)	No	7000	Fixed Codes	From URe mitB enefi ciary Acc ount Inqu iry API. If 7000 → acce pted
Body	FreeText	Alphanum eric	No	No	—	Variable	Rese rved. Used base d on situa tion

Body	SenderPas sportNo	Alphanum eric	No	No	B1234567	Variable	Remi tter's Pass port num ber
Body	SenderOth erIDType	Alphanum eric	No	No	Work Permit / Resident Card / BMET Approval No.	Variable	Othe r ID type
Body	SenderOth erIDNo	Alphanum eric	No	No	WP123456	Variable	Remi tter's ID num ber (mat ches Send erOt herI DTyp e)

Response Parameters

Type	Parameter	Data Type	Mandatory	Sample Value	Fixed Variable	Description
Response	StatusCod e	String	Yes	0000	Variable	Show's transaction status, 0000 depicts success,

						for other codes look at response code table at the end.
--	--	--	--	--	--	---

SAMPLE REQUEST

```

1 curl --location 'http://103.117.142.43:1012/RTASvc/InitiateJSONRemittanceTransaction?
  QueryType=2' \
2 --header 'Content-Type: application/json' \
3 --data '{
4   "SessionID": "ughV1G0yyG/Pfnj8VQCgpxfafa+/o0LZNJPDU+PqK1owae7xXWY/MQ==",
5   "TransactionPassword": "dabea91d04fa8c90f095bf9c96fa546097544f2e",
6   "TransactionReferenceID": "Untfr0iQS9lq7Zkyk7X/snR2sF96xuU8",
7   "SenderName": "aaa",
8   "SenderAddress": "Hong Kong",
9   "SenderMobileNo": "88455555555",
10  "SenderCountryCode": "AFG",
11  "BeneficiaryName": "Adam Smith",
12  "BeneficiaryAddress": "Dhaka",
13  "BeneficiaryMobileNo": "01711234168",
14  "BeneficiaryIdentiryType": "TT",
15  "BeneficiaryIdentityInfo": "A123456",
16  "BeneficiaryAccountNo": "sEB1Rmc/vS546Po051qe1C4F0dzT1mrM",
17  "BeneficiaryRoutingNo": "",
18  "TransactionAmount": "21",
19  "UserID": "SIMPAL-00004124",
20  "ModeOfPayment": "001",
21  "AccountStatus": "7000",
22  "FreeText": "UCB Trans",
23  "SenderPassportNo": "",
24  "SenderOtherIDType": "other",
25  "SenderOtherIDNo": "other",
26  "SourceForeignCCY": "SGD",
27  "ConversionRate": "122.0",
28  "RemmitedAmount": "20",
29  "NationalityOfRemmitter": "UAE"
30 }
31 '
```

SAMPLE RESPONSE

```

1 {
2   "StatusCode": "0000"
3 }
```

3. Query Transaction API.

Description: : This method is used to confirm a transaction in URemit system.

METHOD: POST

URL: {[BASE URL](#)}QueryJSONTransactionPost

⚠ On this environment system scheduler is not automated to pull the transaction in the main transaction table, hence requeststatus will be 7002 and data shown will be null, I requested the UCB team to pull the transaction manually, only after which the response was populated.

ℹ Response codes specific to this are given here: [🔴 PO - UCB - Documentation | 3. Query Transaction API:](#)

Request Parameters

Type	Parameter	Data Type	Mandatory	Sample Value	Fixed/Variable	Description
Body	Transaction ReferenceID	String	Yes	UntfrOiQS9Iq7Zkyk7X/snR2sF96xuU8	Variable	Transaction ID
Body	PostedDate	String	Optional	""	Variable	Posting date
Body	UserID	String	Yes	SIMPAI	Variable	User ID

Response Parameters

Type	Parameter	Mandatory	Sample Value	Fixed Variable	Description
Response	Field Name	Type	Mandatory	Value	Description
Response	RequestStatus	Alpha Numeric	Y	7011	7011 – Query Transaction Service Response Successful

					7012 – Please try again
Response	TransactionReferenceNo	Alpha Numeric	N	DACR25093 0080917	CBS Transaction Reference No. Unique ID used for reconciliation , can be Null as well.
Response	TransactionReferenceID	Alpha Numeric	N	SIMPAI- 0000412435 7590010046 59996i	UserID + Transaction Reference ID
Response	PostedDate	Alpha Numeric	N	20250930	Date in format yyyymmdd
Response	AccountNumber	Alpha Numeric	N	09511010000 01094	
Response	TransactionIdentity	Alpha Numeric	N	A123456	
Response	TransactionAmount	Numeric	N	21.00	Example format: 99999999.2 2
Response	BeneficiaryName	Alpha Numeric	N	Adam Smith	
Response	SenderName	Alpha Numeric	N	aaa	
Response	ModeOfPayment	Alpha Numeric	N	001	001 – Direct Account Credit 002 – Cash Out

					Any Branch 006 – Other Bank 007 – Upay Wallet Deposit
Response	TransactionS tatus	Alpha Numeric	N	0100	

SAMPLE REQUEST

```

1 curl --location 'http://103.117.142.43:1012/RTASvc/QueryJSONTransactionPost' \
2 --header 'Content-Type: application/json' \
3 --data '{
4     "TransactionReferenceID": "Untfr0iQS9lq7Zkyk7X/snR2sF96xuU8",
5     "PostedDate": "",
6     "UserID": "SIMPAT-00004124"
7 }'
```

SAMPLE RESPONSE

```

1 [
2   {
3     "RequestStatus": "7011",
4     "TransactionReferenceNo": "DACR250930080917",
5     "TransactionReferenceID": "SIMPAT-0000412435759001004659996i",
6     "PostedDate": "20250930",
7     "AccountNumber": "0951101000001094",
8     "TransactionIdentity": "A123456",
9     "TransactionAmount": 21.00,
10    "BeneficiaryName": "Adam Smith",
11    "SenderName": "aaa",
12    "ModeOfPayment": "001",
13    "TransactionStatus": "0100"
14  }
15 ]
```

4. Beneficiary Account Inquiry

Description: : This method is used to validate beneficiary account numbers

METHOD: POST

URL: [{Base Url}URemitJSONBeneficiaryAccountInquiryPost](#)



Use the POST method as per the updated API doc and have request body, in GET request with params in the path have problems with encryption. This is in the Updated API document.

 Response codes specific to this are given here: [PO - UCB - Documentation](#) | [4. Beneficiary Account Inquiry API:](#)

Request Parameters

Type	Parameter	Data Type	Mandatory	Sample Value	Fixed Variable	Description
Body	UserID	String	Yes	SIMPAI-00004124	Variable	User ID
Body	Password (Encrypted)	String	Yes	62fc47673d4a0eb9a771b87e8f3e5dc6da9ae5ac	Variable	Use the same as in the authentication.
Body	Account Number (Encrypted)	String	Yes	sEB1Rmc/vS54GPo051qeIC4FOdzT1mrM	Variable	Use the same as in Transaction API.
Body	ModeOfPayment	String	Yes	001	Fixed	Payment mode

Response Parameters

Type	Parameter	Data Type	Mandatory	Sample Value	Fixed Variable	Description
Response	StatusCode	String	yes	7000	Fixed	Status code

Response	AccountNo	String	Conditional on status	09511 01000 00109 4	Variable	Account number
Response	AccountName	String	Conditional on Status	BRAC SAAJA N EXCHA NGE LTD.	Variable	Account holder name

SAMPLE REQUEST

```

1 curl --location
2 'http://103.117.142.43:1012/RTASvc/URemitJSONBeneficiaryAccInquiryPost' \
3 --header 'query: 2' \
4 --header 'Content-Type: application/json' \
5 --data '{
6   "UserID": "SIMPai-00004124",
7   "Password": "62fc47673d4a0eb9a771b87e8f3e5dc6da9ae5ac",
8   "AccountNumber": "sEB1Rmc/vS546Po051qe1C4F0dzT1mrM",
9   "AccountMode": "001"
10 }'
11 '

```

SAMPLE RESPONSE

```

1 {
2   "StatusCode": "7000",
3   "AccountNo": "0951101000001094",
4   "AccountName": "BRAC SAAJAN EXCHANGE LTD."
5 }

```

5. MTA Balance

Description: : This method is used to get money transfer agency's account balance

METHOD: POST

URL: {Base Url}/URemitJSONMTABalance/SIMPai-0000412

 Response codes specific to this are given here: [PO - UCB - Documentation](#) | [5. MTA Balance API:](#)

Request Parameters

Type	Parameter	Data Type	Mandatory	Sample Value	Fixed Variable	Description
Path	UserID	String	Yes	SIMPAI-00004124	Fixed	MTA ID provided by UCB

Response Parameters

Type	Parameter	Data Type	Mandatory	Sample Value	Fixed Variable	Description
Response	StatusCode	String	Yes	7024	Variable	Status of balance request
Response	AccountNo	String	Conditional (Null)	Null	Variable	MTA Credit account number (Simpaisa does not possess this)
Response	AccountName	String	Conditional (Null)	Null	Variable	MTA account name
Response	AccountBalance	Decimal	Conditional (Null)	Null	Variable	MTA account balance

SAMPLE REQUEST

```
1 | curl --location 'http://103.117.142.43:1012/RTASvc/URemitJSONMTABalance/SIMPAI-0000412'
```

SAMPLE RESPONSE

```
1 {  
2   "StatusCode": "7024",  
3   "AccountNo": "NA",  
4   "AccountName": "NA",  
5   "AccountBalance": "0"  
6 }
```

6. Get Branch Bank

Description: This method is used to get all the branch information.

METHOD: POST

URL: {{Base Url}}/GetJSONBankBranch

 Response codes specific to this are given here: [PO - UCB - Documentation | 6. Get Bank Branch API:](#)

Request Parameters

Type	Parameter	Data Type	Mandatory	Sample Value	Fixed Variable	Description
Query	QueryType	Number (1)	Yes	2	Fixed	1=Routing Information, 2=Branch Info

Response Parameters

Type	Parameter	Data Type	Mandatory	Sample Value	Fixed Variable	Description
Body	RequestStatus	String		7013	Variable	Status of branch code request
Body	BankCode	String		010	Variable	BB bank code

Body	BankName	String		AGRANI BANK LTD.	Variable	Bank name
Body	BranchCode	String		010010 048	Variable	Branch routing code
Body	BranchName	String		BADHA L BAZAR	Variable	Branch name

SAMPLE REQUEST

```
1 | curl --location 'http://103.117.142.43:1012/RTAService.svc/GetJSONBankBranch?QueryType=2'
```

SAMPLE RESPONSE

```
1 | [
2 |   {
3 |     "RequestStatus": "7013",
4 |     "BankCode": "004",
5 |     "BankName": "AGRANI BANK LTD.",
6 |     "BranchCode": "010010048",
7 |     "BranchName": "BADHAL BAZAR"
8 |   },
9 |   {
10 |     "RequestStatus": "7013",
11 |     "BankCode": "006",
12 |     "BankName": "AGRANI BANK LTD.",
13 |     "BranchCode": "010010064",
14 |     "BranchName": "VAGA BAZAR"
15 |   },
16 |   {
17 |     "RequestStatus": "7013",
18 |     "BankCode": "007",
19 |     "BankName": "AGRANI BANK LTD.",
20 |     "BranchCode": "010010077",
21 |     "BranchName": "BAGERHAT"
22 |   },.....Continued List
```

Response Code

1. Authentication API:

Success Codes

Code	Description
------	-------------

2001	Authentication Successful
------	---------------------------

Error Codes

Code	Description
2002	Invalid Login Credential
2003	Please Try Again Later (Login Service)
2004	Invalid Login Credential at Initiate Transaction
2005	Exchange House Not Permitted to Send Request

2. Initiate Transaction API:

Success Codes

Code	Description
0000	Transaction Received
0100	Transaction Successful

Error Codes

Code	Description
0001	Not Transferred to Beneficiary Yet, But Processed
0002	Wrong / Duplicate Session ID
0003	Wrong / Duplicate Transaction Reference ID
0004	Invalid Mode of Payment
0005	Invalid Beneficiary Name Length

0006	Invalid Account Number Length
0007	Invalid Beneficiary Branch Code
0008	Invalid MTA ID
0009	Invalid Date Format
0010	Invalid Date of Birth
0011	Insufficient Balance
0012	Transaction Not Permitted to This Account Holder
0013	Invalid Sender Name Length
0014	Invalid Sender Country Code
0015	Invalid Transaction Data
0016	Invalid Transaction Date
0017	Invalid Transaction Amount
0018	Transaction Not Found
0019	Invalid Routing No
0020	Transaction Pending
0021	Invalid Input Parameter / Duplicate Reference No
0022	Transaction Already Received with Pending Status
0023	Dynamic Error Reason
0024	Invalid Beneficiary Identity Type
0025	Invalid Beneficiary Mobile No Length
0026	Invalid Beneficiary Address Length
0027	Ucash Account Validation Failed

0028	Invalid Beneficiary Identity Info Length
0029	Upay Account Verification Failed
0030	Duplicate Beneficiary Identity Info
0099	Transaction Reject from UCB CBS
9001	Transaction Failed (Reason in Message)
9002	Transaction Amount Exceeds Max Limit
9003	Transaction Day Close
9004	Transaction Not Allowed at This Moment
9005	Please Try Again
9006	Max Limit Exceeded for Account Inquiry Service
9999	Please Try Again Later

3. Query Transaction API:

Success Codes

Code	Description
7011	Query Transaction Successful

Error Codes

Code	Description
7012	Invalid Query Transaction Input / Retry

4. Beneficiary Account Inquiry API:

Success Codes

Code	Description
7000	Valid Account

Error Codes

Code	Description
7001	Invalid Account
7002	Transaction Not Possible for This Account
7003	Variable Beneficiary Account Status
7005	Account Service Not Allowed
7009	Please Try Again for Account Inquiry Service
7015	Account Status – No Debit
7016	Account Status – Dormant
7017	Invalid Account Currency Code
7018	Account Status – Frozen
7019	Account is Unauthorized
7020	Account Status – Inactive
7021	Account Record Not Open
7022	Invalid Account Inquiry Service Mode
7023	Account Status – No Credit
7024	Money Transfer Agent Not Registered

5. MTA Balance API:

Success Codes

Code	Description
7000	Valid Account

Error Codes

Code	Description
7001	Invalid Account
7004	Variable MTA Account Status
7009	Please Try Again for Account Inquiry Service

6. Get Bank Branch API:

Success Codes

Code	Description
7013	Get Code Service Request Successful

Error Codes

Code	Description
7014	Invalid Get Code Service Input / Retry

General Errors

Error Codes

Code	Description
3001	Invalid Transaction Reference No
3002	Invalid Transaction Reference ID
3003	Matched With Blacklist Customer
4001	Invalid Credential
5001	Server Error
5002	Webservice Offline

Pre-Integration Testing Document

 Documentation Conducted by Solutions Architect will be added below.