

RELEASE-CANDIDATE EDITION / JULY 21, 2026

V2 WEBSITE HANDBOOK

The canonical guide to how Sinister Diesel V2 works, what changed, how it is released, and how the company operates it safely.

V2

MEASURE / VERIFY / RELEASE

MIVA

PLATFORM

REVAM P V2

BRANCH

20

SECTIONS

RC

STATUS

Release evidence

Prepared from direct V2 preview measurement, the supplied legacy baseline, source-level regression evidence, and clearly stated limitations.

DOCUMENT CONTROL

Canonical source

docs/SINISTER-DIESEL-V2-WEBSITE-HANDBOOK.md — update the Markdown first, then regenerate this PDF.

This edition records the release-candidate state of the Revamp_v2 preview. It does not state that V2 is already the production/default storefront. External dependencies, owner-controlled publication, and post-launch measurement remain explicit.

CONTENTS

- 01 Website, Commerce, and Operations Handbook
- 02 Executive Summary
- 03 Company and Brand Context
- 04 Website Mission and Business Value
- 05 Technical Architecture
- 06 Customer Journeys
- 07 Integrations and External Services
- 08 Problems Tackled and Resolutions
- 09 Why the Project Took Time
- 10 Quality Assurance
- 11 Current Release Position
- 12 Remaining Work
- 13 Publication and Rollback Runbook
- 14 Maintenance and Ownership
- 15 30 / 60 / 90-Day Roadmap
- 16 File Map and Command Reference
- 17 Appendix A — SEO and Indexing Policy
- 18 Appendix B — Accessibility and Interaction Standards
- 19 Appendix C — Definition of Done
- 20 Appendix D — Glossary

SINISTER DIESEL V2

Website, Commerce, and Operations Handbook

Document note

Document status: Release-candidate operating handbook **Storefront:** Sinister Diesel V2 (Revamp_v2) **Commerce platform:** Miva Merchant **Prepared:** July 21, 2026 **Canonical file:** docs/SINISTER-DIESEL-V2-WEBSITE-HANDBOOK.md

Release snapshot

Area	State	What that means
V2 implementation	Complete	The principal storefront, catalog, product, cart, checkout, account, help, and editorial page families are implemented in the preview branch.
Automated regression	Passing	The repository's storefront checks pass at the time this handbook was prepared.
Miva synchronization	Clean	The last verified mmt status result was No files modified .
Production activation	Owner-controlled	Revamp_v2 remains a preview branch until the owner explicitly makes it the production/default experience.
External dependencies	Action required	Extend warranty configuration and production integration checks require authorized external owners.
Post-launch measurement	Not yet measurable	Real-user Core Web Vitals and conversion impact require production traffic.

Document note

This document does not claim that V2 is already the production storefront. It records the release-candidate state of the Revamp_v2 preview, the evidence supporting publication, and the owner-controlled steps that remain.

Status language used in this handbook

Label	Definition
Verified	Directly confirmed by source inspection, automated tests, MMT state, or rendered preview review.
Implemented	Present in the V2 code or Miva preview, but may still require owner-controlled launch validation.
External dependency	Cannot be completed from storefront code alone.
Post-launch	Requires production traffic, real devices, or operational data.
Historical	Describes an earlier project phase and is not the current release position.

Executive Summary

Sinister Diesel V2 is a comprehensive modernization of the company's Miva Merchant storefront. It preserves Miva's commerce engine—catalog, pricing, attributes, basket, checkout, customer accounts, orders, URLs, payment gateways, and administrative workflows—while replacing the customer-facing experience with a coherent, fitment-first design system.

The result is not a detached marketing mock-up. It is a working commerce presentation built around live Miva data and the store's real operational paths. Customers can move from truck selection to compatible products, configure product options, manage quantities, use the basket and cart drawer, proceed through checkout, view account and order information, and contact the correct internal team through native forms.

The V2 work addressed problems that became visible only when the entire site was treated as one system: inconsistent typography, mismatched buttons and fields, oversized or undersized controls, navigation overflow, product-list pagination, hidden products that still rendered, configurable products showing misleading zero-dollar calls to action, cart quantity behavior, checkout state styling, account pages that looked disconnected from the storefront, editorial layouts, forms, SEO metadata, mobile behavior, and third-party integration boundaries.

What is better now

- **One visual language:** Oswald display type, Inter body type, IBM Plex Mono technical labels, shared color/spacing/radius/shadow tokens, and repeatable component states.
- **Fitment-first shopping:** garage context follows the customer through navigation, product discovery, product detail, cart, and account experiences.
- **Clearer commerce actions:** consistent primary/secondary buttons, option selection, quantity controls, price hierarchy, cart actions, and checkout progression.
- **Stronger catalog navigation:** platform mega menus, category summaries, filters, compact pagination, vehicle fitment control, and product cards that scale across product counts.
- **A cohesive customer area:** dashboard, orders, addresses, payment, subscriptions, wish lists, rewards, returns, settings, password, and garage use the V2 shell.
- **Native support intake:** help forms post through a server-side relay to Monday.com rather than exposing integration credentials in the browser.
- **Commerce SEO foundation:** canonical metadata, page-specific titles and descriptions, structured data, and noindex, follow treatment for private or transactional routes.
- **Safer release operations:** source-level regression checks, MMT preview deployment, explicit external-dependency tracking, and a documented rollback path.

Current decision

The storefront is at a **release-candidate / owner-validation** stage. Core V2 presentation and commerce behavior are implemented and regression-tested. Publication should proceed only after the release checklist in this handbook is completed, especially:

- 1 preserve a recoverable source-control release point;
- 2 perform the owner-authorized final checkout without using real customer funds accidentally;
- 3 validate every production form route and its Monday.com destination;
- 4 resolve or explicitly accept the Extend warranty configuration dependency;

- 5 complete final cross-browser and physical-device smoke testing; and
 - 6 activate the preview branch through Miva's owner-controlled publishing workflow.
-

Company and Brand Context

Sinister Diesel serves diesel-truck owners who expect parts to fit, perform, and arrive with clear support behind them. The primary vehicle platforms reflected throughout V2 are:

Platform	Storefront language	Customer intent
Ford	Powerstroke	Find performance, cooling, fuel, intake, exhaust, and support parts by generation.
General Motors	Duramax	Shop the correct engine platform and narrow products using vehicle context.
Dodge / Ram	Cummins	Discover compatible upgrades and supporting components without losing truck context.

The brand position expressed by V2 is technical, direct, and performance-led. The interface uses navy and electric blue as the primary system colors, restrained gold for trust and verification moments, large condensed display typography for authority, and quieter body typography for specification-heavy content.

Brand principles translated into interface behavior

Brand principle	Interface expression
Performance you control	Build paths begin with the customer's truck rather than a generic product wall.
Technical confidence	Fitment, SKU, inventory, price, attributes, shipping, and support information have clear hierarchy.
Human support	Help Center routes and native forms identify the type of request before it reaches the team.
American diesel culture	Platform imagery and direct, industrial typography reinforce the company's market without turning the store into a decorative concept site.
Trust through clarity	Prices, selections, quantities, shipping choices, payment steps, and order summaries remain visible and understandable.

What V2 intentionally did not change


V2 did not replace the underlying Miva Merchant business system. It did not invent a separate catalog, create an alternate order database, or bypass established checkout/payment rules. It is a modernization of presentation, navigation, component behavior, metadata, and customer guidance around the existing commerce platform.

Website Mission and Business Value

Mission

The website's mission is to help a diesel owner reach the correct part, understand why it fits, configure it correctly, purchase it confidently, and get support without unnecessary friction.

Business value chain



Expected commercial effects


The following are product hypotheses, not claimed production results:

- Fitment continuity should reduce the number of customers who reach an incompatible product.
- Clear option and quantity controls should reduce configuration mistakes.
- Stronger catalog hierarchy should improve discovery on large category pages.
- Consistent commerce states should reduce hesitation between product detail, basket, and checkout.
- A unified account area should improve post-purchase self-service.
- Better form routing should reduce manual triage and lost inquiries.
- Page-level SEO and structured data should make indexable catalog content easier for search engines to interpret.

These effects must be measured after launch using analytics, Search Console, Core Web Vitals, support-volume trends, form-routing success, conversion rate, and return reasons.

Technical Architecture

System overview



Architectural layers

Layer	Responsibility	Canonical location
Commerce engine	Products, categories, pricing, attributes, inventory, baskets, customers, orders, payments, shipping	Miva Merchant
Page templates	Route-level composition and Miva data bindings	templates/*.mvt
Shared partials	Reusable PDP, cart, checkout, account, fitment, and content components	partials/*.mvt, selected templates/sd2-v2-*.mvt
Design system	Tokens, typography, responsive layout, controls, cards, motion, and presentation	css/sd2-global.css
Interaction layer	Menus, drawers, garage controls, product controls, pagination, accordions, and delegated events	js/sd2-v2-components.js
Help form relay	Validation and server-side Monday.com mapping	integrations/forms-sync/ and deployed forms service
SEO layer	Dynamic titles, descriptions, canonicals, robots policy, and JSON-LD	global head and commerce templates
Release synchronization	Tracks and pushes intended Miva theme changes	.mmt/ metadata and MMT CLI
Regression evidence	Guards high-risk storefront and commerce behavior	tests/*.test.js

Why the architecture is appropriate

Miva pages are server-rendered and data-driven. A single-page application rewrite would have introduced unnecessary catalog, checkout, session, and payment risk. V2 therefore uses Miva-native templates plus dependency-light CSS and JavaScript. This keeps the critical commerce path close to the platform that owns the data while still delivering a bespoke branded experience.

Design system foundation

The global stylesheet is the visual source of truth. Important tokens include:

Token family	Examples	Purpose
Brand	--sd2-blue, --sd2-blue-mid, --sd2-gold	Primary actions, navigation accents, verification cues.
Surfaces	--sd2-bg, --sd2-bg-white, --sd2-bg-subtle	Page, card, and quiet-control backgrounds.
Text	--sd2-text, --sd2-text-mid, --sd2-text-muted	Predictable hierarchy and contrast.
Radius	--sd2-r-sm, --sd2-r, --sd2-r-lg	Consistent controls, cards, and major sections.
Shadows	--sd2-shadow-sm, --sd2-shadow-md, --sd2-shadow-xl	Depth without excessive visual noise.
Typography	--sd2-font-display, --sd2-font-body, --sd2-font-mono	Oswald, Inter, and IBM Plex Mono roles.
Type scale	--sd2-text-xs through --sd2-text-4xl	Repeatable responsive text hierarchy.
Layout	--sd2-max, --sd2-max-narrow, --sd2-gutter	Aligned content widths and page gutters.
Motion	duration and easing tokens	Restrained interaction feedback with reduced-motion support.

Template and page-family map


Experience	Representative implementation	Primary responsibility
Global shell	global header, footer, mega menu, search, garage, cart drawer	Persistent navigation and store context.
Homepage	V2 storefront template and shared story/commerce sections	Brand promise, platform entry, fitment CTA, product discovery.
Category landing	ctgyv2, ctgyengv2, ctgylstv2 families	Platform narrative, category paths, live catalog summary.
Product listing	category listing templates and V2 product cards	Filters, sorting, pagination, fitment, product actions.
Search	V2 search templates and search-result partials	Product discovery, suggestions, empty states.
Product detail	product display template plus partials/sd2-v2-product-*	Media, configuration, price, fitment, quantity, cart, FAQs.
Basket and drawer	baskv2.mvt, basket template, global-minibasket.mvt	Line-item review, quantity changes, removal, subtotal, checkout.
Checkout	ocstv2.mvt and native Miva checkout screens/partial	Information, shipping, payment, review, order submission.
Account	account-dashboard-v2.mvt and account partials/templates	Orders, addresses, payment, subscriptions, wish lists, returns, garage.
Help Center	help hub and native help templates	Route requests by problem type and submit to server-side relay.
Editorial/policy	blog, reviews, policies, notices, dealer, military, rewards, sitemap	Trust, education, compliance, programs, and support content.

Document note

Older files such as V2_STRUCTURE.md, V2_REVAMP_REPORT.md, and portions of DOCUMENTATION.md describe the early V2 build as inactive or not started. Those statements are retained as historical project evidence. They must not override the current verified Revamp_v2 preview state.

Customer Journeys

1. Truck-first discovery



The garage is not only a header label. It supplies a persistent mental model: the store is helping the customer build around a known truck. The interface still requires customers to confirm final product fitment because catalog data and product-specific constraints remain authoritative.

2. Catalog and product discovery

The customer can arrive through a platform mega menu, a category landing, internal search, a promotional/editorial link, or an external search result. V2 keeps the following elements aligned:

- platform and category context;
- product count and listing controls;
- brand, price, fitment, sort, and view options;
- compact pagination rather than an unbounded row of page numbers;
- consistent product imagery and title hierarchy;
- live price and product configuration behavior;
- Choose options for configurable items that cannot truthfully be purchased at a base state.

3. Product configuration and add to cart



Key safeguards include a normalized quantity stepper, clear selected/unselected attribute styling, price hierarchy, availability and shipping information, and a cart drawer that reflects the actual line item and selected options.

4. Checkout

The checkout remains Miva-native and follows the platform's information, shipping, payment, review, and submission responsibilities. V2 supplies a consistent shell, step hierarchy, method cards, form-control styling, order manifest, totals, and responsive layout. It does not circumvent payment-gateway validation.

5. Account and post-purchase service

Authenticated customers can navigate a common V2 account shell for:

- dashboard and account summary;
- order history and order detail;
- addresses and payment methods;
- subscriptions and wish lists;
- rewards and returns;
- settings and password;
- saved vehicles / garage.

Order cards, tracking actions, reorder actions, saved vehicles, wish-list items, tables, pagination, fields, and buttons were brought into the same visual system as the storefront.

6. Help and inquiry routing

SYSTEM FLOW / STATIC RENDER

01 Help Center

02 Sales inquiry

03 Missing or damaged

04 Returns or exchanges

05 Order tracking

06 Technical support

07 Warranty

08 Shipping claim

09 Server-side validation

The browser submits the normalized payload to the shared `sinister-forms-api` endpoint. The server-side service validates it and creates the Monday.com item using credentials that are never shipped to the customer. Until the permanent hostname reaches the correct origin, the preview uses a temporary tunnel only when the primary endpoint explicitly returns HTTP 404; other failures are not retried, which avoids duplicate items after ambiguous responses.

Integrations and External Services

Integration	Role	Current position	Ownership boundary
Miva Merchant	Commerce source of truth	Implemented and previewed	Store owner / Miva administrator
MMT	Theme synchronization and preview deployment	Last verified clean	Development/release owner
Monday.com	Customer inquiry work management	Server-side mapping implemented; each real production workflow still needs one controlled smoke test	Customer service / Monday administrator
Forms relay	Validates help payloads and calls Monday.com	PM2 service healthy; 36/36 integration tests pass; permanent DNS still reaches the wrong origin	Application/server and DNS owners
Google reCAPTCHA	Bot protection for applicable forms	Credentials were verified in Miva; verify rendered production actions	Miva / Google administrator
Extend	Warranty or protection integration	External configuration dependency; vendor request observed returning 404	Extend merchant owner / Miva module administrator
Payment gateways	Card and alternate payment processing	Native Miva path retained	Finance / Miva administrator
Shipping providers	Rates and shipping method selection	Native Miva path retained	Operations / Miva administrator
Search and analytics	Discovery and measurement	SEO foundation implemented; production measurement remains	Marketing / analytics owner

Integration safety rules

- 1 Credentials belong in server or platform-managed configuration, never in templates, documentation, screenshots, tests, or client-side JavaScript.
- 2 A health check proves that a service is running; it does not prove that every external workflow is correctly routed.
- 3 Every help workflow needs one controlled production submission after DNS/proxy publication.
- 4 A browser GET to a POST-only form endpoint may show “Not Found”; that is not evidence that the POST integration is broken.
- 5 Payment verification must use an owner-authorized test method or controlled transaction and must never charge an uninvolved customer.
- 6 Extend failures must be corrected in the merchant/vendor configuration; hiding the error with CSS would not repair the integration.

Forms relay operating model

The repository's `integrations/forms-sync/` package defines the server-side form contract for sales, missing/damaged parts, returns/exchanges, order tracking, technical support, warranty, and shipping claims. The six native Help Center templates preserve their own field names for Miva, while shared JavaScript normalizes those values to `name`, `email`, `phone`, `subject`, `message`, `source`, and `company_website` for `sinister-forms-api`. Workflow-specific order, product, issue, attachment, and notes data is retained in the subject/message sent to Monday.com. Automated tests use a fake provider and do not create real Monday.com items.

Problems Tackled and Resolutions

The matrix below distinguishes visible symptoms from root causes. This matters because many “styling” defects were actually template-state, catalog-data, or integration problems.


Area	Symptom	Root cause	Resolution	Business impact
Typography	Pages looked inconsistent or unfinished	Mixed inherited sizes, weights, colors, and font roles	Centralized Oswald/Inter/mono roles and a shared type scale	Stronger hierarchy and brand consistency
Buttons	Blank, oversized, clipped, or mismatched actions	Broad selectors, inconsistent markup, inherited styles	Normalized button families, sizes, states, text color, and high-risk page overrides	Clearer calls to action
Fields	Native-looking selects, inputs, radio buttons, and outlines	Browser defaults and template-specific rules	Shared control styling, focus states, spacing, and responsive sizing	More trustworthy forms and checkout
Product options	“No Thanks” and option buttons appeared disabled or unreadable	Low-contrast and conflicting option selectors	Rebuilt selected/unselected states with predictable contrast	Fewer configuration errors
Quantity	Cart/product quantities could not be changed reliably	Control markup and event/state handling diverged	Normalized stepper behavior and update path	Restored core commerce control
Cart drawer	Line items lacked quantity controls and visual hierarchy	Drawer-specific rendering and spacing gaps	Repaired line-item layout, selected options, subtotal, and route to basket	Faster cart review
Basket	Quantity input and update action looked like unrelated native controls	Missing component-level sizing and state rules	Unified minus/input/plus/update group	Clearer basket editing
Mega menu	Desktop menu sizing, image, columns, and support rail felt unstable	Viewport assumptions and competing shell rules	Rebalanced grid, navigation state, imagery, and responsive behavior	Better platform discovery
Pagination	Ford listing displayed dozens of page buttons	All pages rendered without compact-window logic	Added compact pagination with current-page context	Less overflow and cognitive load
Hidden products	Products marked hidden still occupied listing space	Card layout rule overrode the HTML hidden behavior	Added an explicit hidden-product rule	Prevented stale/invalid listing cards
Configurable pricing	Two coolant-hose products advertised \$0.00 with direct add	Catalog base price depends on attributes	Listing now uses Choose options; catalog owner must correct base-data presentation	Avoids misleading purchase action
Product cards	Image, title, SKU, price, and actions varied by listing	Multiple inherited presentation paths	Consolidated V2 product-card structure and responsive sizing	More scannable catalog
PDP	Fitment, FAQ, sticky buy bar, attributes, and media felt disconnected	Independent partials lacked a shared composition layer	Unified product hero, summary, controls, tabs, FAQs, and sticky action	More confident product evaluation
FAQ link	A fragment could resolve against the wrong base path	Bare fragment URL behavior	Bound the jump to the live product URL plus #faq	Reliable in-page navigation
Checkout offer	Upsell page had low-contrast savings and unbalanced panels	Overly light text and weak layout constraints	Rebalanced hero, offer panel, savings hierarchy, and buttons	More legible optional offer

Area	Symptom	Root cause	Resolution	Business impact
Checkout methods	Radio/select state and payment controls looked native or ambiguous	Browser controls and Miva markup were not normalized	Styled method cards, selection indicators, fields, and step states	Greater checkout clarity
Account	Customer pages looked separate from the V2 site	Legacy tables, native controls, and inconsistent shells	Unified account header, navigation, cards, tables, pagination, and actions	Stronger post-purchase continuity
Order detail	Track/reorder buttons clipped or floated outside cards	Width and alignment assumptions	Normalized action widths, card flow, and mobile stacking	Usable order self-service
Wish lists	Item layout and buttons were inconsistent	Legacy list markup and inherited action rules	Rebuilt V2 list cards and actions	Clearer saved-product workflow
Editorial pages	Sale restrictions, policies, dealer, military, rewards, blog, reviews, notices, and sitemap varied widely	Legacy content had page-specific structures and embeds	Applied the V2 shell while preserving content purpose	Consistent trust and education layer
Help forms	Email receipt could succeed while Monday.com item was absent	Submission and work-management delivery are separate outcomes	Routed creation through server-side forms API and verified API item creation	Reduced lost inquiries
Form route testing	Opening the endpoint URL displayed "Not Found"	Browser used GET against a POST-only endpoint	Documented correct POST/health-check verification	Avoids false diagnosis
SEO	Public and transactional pages lacked one coherent indexing policy	Metadata evolved page by page	Added dynamic metadata, canonicals, structured data, and private-route noindex, follow	Stronger crawl and index hygiene
Responsive layout	Controls, cards, and page families overflowed or felt oversized	Desktop-first dimensions and inconsistent breakpoints	Audited desktop/mobile routes and tightened responsive behavior	Better usability across devices
Motion	Premium movement risked becoming distracting	Component effects were not centrally constrained	Lightweight dependency-free motion plus reduced-motion fallbacks	Polish without blocking accessibility
Text selection	Default selection became unreadable over blue sections	Browser selection colors conflicted with the palette	Global Technical Blue selection is implemented in the shared V2 CSS	Consistent branded interaction on light and dark surfaces
Extend	Vendor endpoint returned 404	External merchant/module configuration	Escalate to authorized Extend/Miva owner; do not mask with CSS	Prevents false protection promises

Why the Project Took Time

This project took time because it was not a single homepage redesign. It was a storefront-wide commerce migration with dynamic data, many route families, authenticated states, integrations, and release safety requirements.

Delivery timeline by problem class



Why defects surfaced in waves

- 1 Miva renders many states from shared templates.** A CSS rule that fixes one button can unintentionally alter an upsell, wish list, order action, or payment control.
- 2 Catalog data changes the interface.** Products may be simple, configurable, discounted, hidden, unavailable, or dependent on vehicle context.
- 3 Authenticated pages are different applications in practice.** Account, order history, order detail, addresses, returns, wish lists, and garage each expose distinct Miva markup.
- 4 Checkout cannot be judged from a static screenshot.** Shipping choices, payment fields, totals, offers, gateways, and responsive states change with the session.
- 5 Third-party success is multi-stage.** A customer receipt, a server response, and a Monday.com item are separate results; all must be validated.
- 6 Visual polish is cumulative.** Typography, image scale, spacing, borders, contrast, focus, hover, selection, and motion must agree across dozens of page families.
- 7 Release safety required preview-first work.** The team preserved established commerce behavior and used the Miva preview branch instead of making uncontrolled production replacements.

Historical documents versus current reality

Early reports correctly stated that V2 templates were inactive and browser QA had not begun. Later phases activated the design on Revamp_v2, audited rendered pages, repaired live preview defects, and added automated regression coverage. This handbook is the current release reference; older status reports remain valuable for understanding how the work evolved but are not a launch checklist.

Quality Assurance

Test strategy

Quality assurance combines four evidence types:

Evidence	What it proves	What it does not prove
Static/source tests	Required templates, selectors, metadata, links, and protections exist	Browser layout and external service availability
MMT status	Local Miva-managed files match the synchronized preview state	Production branch activation or external integrations
Rendered browser review	Layout, typography, controls, responsive behavior, and dynamic page states render as expected	Every physical browser/device and every catalog permutation
Controlled workflow tests	Forms, cart, checkout, account, and integrations reach expected states	Long-term reliability under production traffic

Automated regression coverage

At handbook preparation, the repository contains checks for:

- shipping policy presentation;
- button and link integrity;
- commerce controls;
- commerce-flow repairs;
- commerce SEO;
- editorial pages;
- encoding integrity;
- final-site audit rules;
- installation instructions;
- premium presentation;
- release-candidate requirements;
- storefront readiness; and
- this handbook's required sections, release language, and secret safety.

Rendered route coverage

The preview audit covered representative desktop and mobile experiences across:

- homepage and global shell;
- Powerstroke, Duramax, and Cummins platform/category pages;
- high-volume product listings, leaf categories, search, new, clearance, scratch-and-dent, and brand routes;
- representative PDP configuration and FAQ behavior;

- cart drawer, basket, special offer, information, shipping, and payment views;
- login/authenticated account, orders, order detail, addresses, wish lists, returns, settings, and garage;
- Help Center and inquiry pages;
- policy, dealer, military, rewards, blog, customer reviews, race-parts notice, sitemap, Sinister notice, sponsor/application, and 404 content.

An earlier automated visual sweep recorded 52 routes. It was followed by additional focused audits and fixes, so it is evidence of breadth rather than a claim that its earliest findings still describe the current preview.

QA rules before sign-off

- Never treat a screenshot as proof that a form or purchase action succeeded.
 - Never create a real charge during automated verification.
 - Verify desktop and mobile widths after any global CSS change.
 - Re-test account and checkout after broad button, input, select, table, or card changes.
 - Re-test configurable and simple products separately.
 - Confirm visible focus and reduced-motion behavior.
 - Check console/network failures and distinguish application defects from blocked third-party services.
 - Run MMT status before and after deployment.
-

Current Release Position

Verified state on July 22, 2026

Dimension	Position	Evidence
Storefront branch	Revamp_v2 preview	Rendered preview sessions and MMT workflow
Core design	Implemented	Shared V2 CSS, templates, partials, and browser review
Commerce presentation	Implemented	PDP, basket, checkout, account, category, and regression checks
Automated tests	Passing at latest verification	20/20 root regressions and 36/36 forms/API integration tests passed on July 22, 2026
MMT working state	Clean	mmt status → No files modified
Git release state	Consolidation required	Many synchronized/deployed source files remain outside one clean release commit
Production/default branch	Not activated by this handbook	Owner-controlled Miva publication remains
Extend	Not release-verified	External configuration returns a vendor 404
Production forms	Storefront contract repaired; DNS/proxy correction and final real-routing smoke test required	Six native Help Center workflows and Sales Inquiry target the shared API contract with a temporary 404-only tunnel fallback; the permanent hostname still reaches the wrong origin
Technical Blue interaction	Implemented	Global branded text selection is live in the Revamp_v2 branch CSS
Real-user performance	Unknown until traffic	Post-launch RUM/Core Web Vitals

Release-readiness interpretation

The preview is suitable for final owner validation. It should not be represented as “finished forever”: commerce sites require ongoing catalog, browser, integration, SEO, accessibility, and performance maintenance. The immediate codebase is substantially more coherent and testable than the legacy presentation, but publication still needs operational ownership.

Remaining Work

Status	Owner	Release impact	Next action
Required	Development / release owner	A clean, recoverable release reference is needed before production	Review the dirty Git tree, include only intended V2 source, create a release commit/tag, and archive the exact MMT state.
Required	Store owner / Miva administrator	Production cannot begin without explicit activation	Complete the checklist below and publish Revamp_v2 through the approved Miva branch workflow.
Required	QA + store owner	Checkout success is not fully proven until an authorized end-to-end transaction is completed	Use an approved test gateway/card or controlled transaction, confirm order creation, email, payment state, and cancellation/refund procedure.
Required	Customer service + forms owner	Source-level and intercepted-browser checks cannot prove the real board/group and customer receipt	After permanent DNS is corrected, submit one controlled request for every production help workflow and confirm the Monday.com item and customer receipt.
Required	DNS / Cloudflare owner	forms-api.sinisterdiesel.com currently reaches an Apache origin instead of the forms server	Point the proxied forms-api DNS record to 163.192.15.136, verify the public POST route, then remove the temporary 404-only tunnel fallback.
External dependency	Extend merchant owner / Miva administrator	Warranty/protection functionality may fail or misrepresent availability	Obtain Extend access or vendor support and correct the configured store/API relationship that returns 404.
Catalog ownership	Merchandising / Miva catalog owner	Two configurable coolant-hose PDPs can display a zero base price before options	Define truthful base/variant pricing behavior in Miva; keep listing CTA as Choose options until corrected.
Recommended	QA	Browser-specific issues may remain outside Chrome preview review	Smoke-test current Chrome, Safari, Firefox, and Edge plus iOS Safari and Android Chrome.
Recommended	Accessibility owner	Automated checks do not replace assistive-technology review	Perform keyboard-only, zoom, contrast, form-label, error, and screen-reader smoke tests.
Post-launch	Marketing / analytics	Search and performance gains cannot be measured in preview	Capture baseline and 30-day Search Console, analytics, conversion, form, error, and Core Web Vitals data.

Explicitly not a storefront-code fix

- Extend account or merchant authorization.
- Vendor-side API configuration.
- Miva production branch publication rights.
- Real payment-gateway credentials.
- Catalog pricing decisions.

- DNS, CDN, or proxy ownership outside the repository.
 - Long-term traffic and conversion measurement.
-

Publication and Rollback Runbook

A. Pre-publication gate

- ■ Confirm the exact Miva preview is Revamp_v2.
- ■ Run the complete regression suite and retain the output.
- ■ Run `mmt status`; expected result: `No files modified`.
- ■ Review Git status and create a scoped release commit/tag containing the intended deployed source.
- ■ Confirm no secrets, preview cookies, customer data, or private keys are in source or documentation.
- ■ Confirm reCAPTCHA renders and validates on applicable forms.
- ■ Confirm all seven help workflows create the expected Monday.com items.
- ■ Complete authorized cart, shipping, payment, and order smoke testing.
- ■ Decide whether Extend is fixed or explicitly accepted as a launch exception.
- ■ Confirm configurable zero-base-price catalog records have an owner and mitigation.
- ■ Smoke-test desktop and physical mobile devices.
- ■ Capture screenshots of the current production experience and export/retain its branch/template assignments.

B. Controlled publication

- 1 Announce the release window and identify the release owner, Miva administrator, QA owner, and rollback decision-maker.
- 2 Freeze unrelated template edits during the window.
- 3 Confirm the preview branch and release commit match the signed-off build.
- 4 Use Miva's branch/template publication controls to promote the approved V2 experience.
- 5 Do not use an unreviewed bulk overwrite or delete legacy templates.
- 6 Immediately verify homepage, navigation, search, one category, one simple PDP, one configurable PDP, cart, checkout entry, login, account, Help Center, and a form submission.
- 7 Watch application logs, form routing, payment/shipping errors, and customer-service reports.

C. First-hour smoke test

Path	Pass condition
Homepage	Header, hero, truck CTA, platform navigation, imagery, and footer render.
Mega menu	Each platform opens, keyboard focus is usable, links reach valid destinations.
Search/category	Results, filters, sort, pagination, images, prices, and product links work.
PDP	Fitment, options, quantity, price, add-to-cart, FAQ, and sticky action work.
Cart/basket	Correct items/options/quantities/totals; increment, decrement, update, remove work.
Checkout	Shipping and payment choices load; totals stay consistent; no console-blocking failure.
Account	Login and representative dashboard/order/garage routes render.
Help	One controlled form reaches receipt and correct Monday.com destination.
SEO	Title, canonical, robots intent, and structured data match the route type.

D. Rollback triggers

Rollback promptly if any of the following occurs and cannot be corrected safely inside the window:

- customers cannot add normal products to the basket;
- quantities, selected attributes, prices, totals, or discounts are wrong;
- checkout or primary payment method cannot proceed;
- authenticated customers cannot access core account/order information;
- global navigation blocks shopping on a major device class;
- production forms lose or misroute requests;
- a security, privacy, or credential exposure is discovered.

E. Rollback procedure

- 1 Stop additional V2 changes and record the time and observed failure.
- 2 In Miva, restore the previously documented production branch/template assignments.
- 3 Re-run the minimum smoke paths on the restored experience.
- 4 Confirm forms, basket, checkout, account, and payment availability.
- 5 Preserve logs, screenshots, route/session details, and the release commit for diagnosis.
- 6 Repair in preview, add a regression test for the failure, and schedule a new controlled window.

Document note

MMT synchronization is not a substitute for a documented Miva branch rollback. The production administrator must know which branch/template assignments were active before publication.

Maintenance and Ownership

Ownership model

Domain	Primary owner	Operating responsibility
Storefront design system	Frontend development	Tokens, shared components, responsive layout, accessibility states.
Miva templates and releases	Miva administrator + release owner	Preview assignment, data binding, publication, rollback.
Catalog and pricing	Merchandising	Products, categories, images, attributes, base/variant prices, visibility.
Checkout and payments	Finance + Miva administrator	Gateways, test methods, fraud controls, order/payment reconciliation.
Shipping	Operations	Methods, rates, delivery messaging, policy alignment.
Customer accounts	Customer service + Miva administrator	Account workflows, returns, order support, customer data handling.
Help forms and Monday.com	Customer service + application owner	Route mapping, board/group ownership, automations, monitoring.
SEO and content	Marketing	Metadata quality, indexing, schema, editorial updates, Search Console.
Analytics/performance	Marketing + development	Measurement, Core Web Vitals, funnel monitoring, regressions.
External vendors	Designated account owner	Extend, Google, payment, shipping, email, and DNS/provider access.

Change rules

- 1 Prefer shared tokens and components over page-specific duplication.
- 2 Keep Miva data and action URLs authoritative; do not replace them with guessed hardcoded values.
- 3 Add or update a regression test for every defect that can be expressed in source.
- 4 Test a global CSS change on storefront, PDP, cart, checkout, account, and editorial representatives.
- 5 Keep credentials and customer data out of the repository.
- 6 Deploy to preview first; verify the rendered result before production.
- 7 Record external dependencies rather than disguising them with visual workarounds.
- 8 Update this handbook when ownership, routes, integrations, or release procedures change.

Recommended operating cadence

Cadence	Checks
Every release	Tests, MMT status, Git scope, desktop/mobile smoke, commerce path, form path, rollback readiness.
Weekly	Broken navigation, form failures, Monday routing, checkout errors, search/indexing anomalies.
Monthly	Core Web Vitals, conversion/funnel, top exits, zero-result searches, catalog image/price quality.
Quarterly	Accessibility review, dependency/vendor audit, stale content, structured data, account/checkout regression.
Annually	Recovery exercise, credential/access review, data retention, design-system and browser support review.

30 / 60 / 90-Day Roadmap

First 30 days — stabilize and measure

- Complete publication using the runbook.
- Monitor checkout, payment, shipping, form, and JavaScript errors daily during the first week.
- Validate Monday.com routing for every inquiry type.
- Resolve the Extend configuration or formally remove/defer the affected offer with stakeholder approval.
- Correct configurable base-price records.
- Establish Search Console, analytics, conversion, and Core Web Vitals baselines.
- Monitor the Technical Blue interaction layer with the rest of the shared design system during regression reviews.

Days 31–60 — optimize the highest-impact friction

- Review zero-result searches and high-exit category/PDP paths.
- Compare truck-selected versus truck-unselected conversion behavior.
- Review product option errors, support reasons, and returns for fitment/configuration signals.
- Improve catalog photography or metadata where product cards remain inconsistent.
- Address real-user performance bottlenecks using measured LCP, INP, and CLS—not assumptions.
- Complete a structured accessibility pass and remediate priority findings.

Days 61–90 — institutionalize the platform

- Create a recurring release checklist in the team's operational system.
- Assign named backups for Miva, forms server, Monday.com, DNS, reCAPTCHA, payments, shipping, and Extend.
- Add regression coverage for the top production incidents or support drivers.
- Review organic landing-page performance and structured-data coverage.
- Decide which editorial or category templates need content—not design—improvements.
- Run a documented rollback/recovery exercise.

File Map and Command Reference

Canonical source map

Path	Purpose
css/sd2-global.css	Global V2 design system, typography, responsive layout, components, and page refinements.
js/sd2-v2-components.js	Shared storefront interactions and delegated behavior.
templates/	Miva route templates, global components, page content, and commerce bindings.
partials/	Reusable PDP, checkout, account, and related component structures.
integrations/forms-sync/	Native help-form validation/mapping service and safe tests.
tests/	Storefront regression suite.
docs/superpowers/specs/	Approved designs and decision records.
docs/superpowers/plans/	Implementation and audit plans.
scratch/visual-audit/	Point-in-time visual-audit artifacts; useful evidence, not current truth by itself.
.mmt/	Tool-managed Miva synchronization metadata.
DOCUMENTATION.md	Earlier architecture/project documentation; some status statements are historical.
V2_STRUCTURE.md	Detailed early V2 inventory and milestone record.
V2_REVAMP_REPORT.md	Early revamp report and rationale.
docs/SINISTER-DIESEL-V2-WEBSITE-HANDBOOK.md	Current canonical operating and release handbook.

Local verification commands (PowerShell)

```
Set-Location "C:\Users\admin\OneDrive\Desktop\Work\sinister-revamp"
```

```
# Run every storefront regression test.
$failed = @()
Get-ChildItem .\tests\*.test.js | Sort-Object Name | ForEach-Object {
    node $_.FullName
    if ($LASTEXITCODE -ne 0) { $failed += $_.Name }
}
if ($failed.Count) { throw "Failed tests: $($failed -join ', ')" }
```

```
# Confirm synchronized Miva source state.
mmt status
```

```
# Inspect Git release scope without changing files.
git status --short
git log -10 --oneline
```

MMT preview deployment

```
# First review the exact MMT scope.
mmt status

# Push only reviewed changes to the configured preview branch.
mmt push --notes "Describe the verified V2 change"

# Expected after a successful synchronized push:
mmt status
# No files modified
```

Do not use a generic note unrelated to the actual change. Do not publish production merely because MMT is clean; production activation is a separate Miva owner action.

Forms service health and restart (server)

```
cd /opt/sinister-forms-api
pm2 status
pm2 logs sinister-forms-api --lines 100
curl -i http://127.0.0.1:3100/healthz

# After an authorized, reviewed deployment only:
npm install --omit=dev
pm2 restart sinister-forms-api --update-env
pm2 save
curl -i http://127.0.0.1:3100/healthz
```

The health endpoint confirms process availability. Use a controlled POST workflow to prove Monday.com delivery; never paste service credentials into shell history, documentation, or chat.

Release evidence to retain

- release commit and tag;
 - MMT status before and after push;
 - regression-test output;
 - signed-off desktop/mobile screenshots;
 - production smoke-test record;
 - form-to-Monday routing results;
 - authorized checkout/order result;
 - known exceptions and their owners;
 - previous production branch/template assignments;
 - rollback decision and outcome if used.
-

Appendix A — SEO and Indexing Policy

Indexable commerce/content routes

Representative public pages should emit a useful title, meta description, canonical URL, and one intentional H1 path.

Product/category data should use dynamic Miva values with safe fallbacks. Structured data must describe the real rendered entity and must not contain placeholder claims.

Private, transactional, and internal routes

Account, login, password, wish-list management, basket, checkout, order, return workflow, internal search-result, print, feed, and similar customer-specific pages use `noindex, follow`. A canonical tag does not make a private page indexable and is not a substitute for robots policy.

Post-launch SEO checks

- submit or confirm the production sitemap in Search Console;
 - inspect representative product, category, editorial, and `noindex` URLs;
 - monitor duplicate titles/descriptions and canonical conflicts;
 - validate product, breadcrumb, organization, and other applicable schema;
 - review crawl errors and soft 404s;
 - track organic landing-page engagement and conversion;
 - update metadata when catalog/content intent changes.
-

Appendix B — Accessibility and Interaction Standards

- All interactive controls need a visible keyboard focus state.
 - Do not remove native focus unless a clear `:focus-visible` replacement exists.
 - Labels and error messages must remain associated with their fields.
 - Selected radio, option, shipping, and payment states need more than color alone where practical.
 - Buttons and links must retain meaningful text and adequate target size.
 - Heading order should communicate the page structure, not merely visual size.
 - Images need useful alternative text when informative and empty alternative text when decorative.
 - Motion must respect `prefers-reduced-motion`.
 - Text must remain readable at browser zoom and on narrow mobile widths.
 - The approved Technical Blue specification now provides a restrained, globally verified text-selection layer; focus, link, button, autofill, scrollbar, and reduced-motion behavior remains governed by the shared V2 design system.
-

Appendix C — Definition of Done

A storefront release is done when all of the following are true:

- ■ The intended requirement is implemented in shared architecture where appropriate.
 - ■ The change has regression coverage proportional to its risk.
 - ■ All automated tests pass.
 - ■ Desktop and mobile rendered behavior is verified.
 - ■ Product, basket, checkout, account, and help implications are considered.
 - ■ MMT contains only intended changes and returns clean after push.
 - ■ Git contains a recoverable scoped release reference.
 - ■ No credentials or customer data are exposed.
 - ■ External dependencies are verified or explicitly accepted by a named owner.
 - ■ Production publication and rollback ownership are clear.
 - ■ Post-release smoke testing is complete.
 - ■ This handbook or the relevant runbook is updated if operating behavior changed.
-

Appendix D — Glossary

Term	Meaning
Miva Merchant	The commerce platform that owns catalog, basket, checkout, customer, and order behavior.
MVT	Miva template language/file used to render storefront pages and components.
MMT	The local synchronization tool used to track and push Miva theme/template changes.
V2	The Sinister Diesel visual, interaction, content, SEO, and commerce-presentation modernization.
Revamp_v2	The Miva preview branch used for the V2 release candidate.
PDP	Product detail page.
PLP	Product listing page.
Fitment	Whether a product is appropriate for the selected truck/engine context.
Garage	The saved/current vehicle context used by the storefront.
CTA	Call to action, such as Add to Cart or Choose Options.
Canonical URL	The preferred public URL for an indexable page.
Structured data	Machine-readable schema describing products, breadcrumbs, organization, or content.
Core Web Vitals	LCP, INP, and CLS user-experience measures collected from lab or real-user data.
RUM	Real-user monitoring from actual production sessions.
Release candidate	A build considered suitable for final owner validation but not yet declared production.

Handbook stewardship

This handbook is deliberately operational. Update it when the production branch changes, an integration owner changes, a new commerce flow is introduced, a known dependency is resolved, or the release process changes. Keep historical reports for traceability, but use this file as the current source of truth for V2 release and maintenance decisions.