

10. The medial femoral circumflex artery is the branch of:

- ☐ External iliac artery
- ☒ Profunda femoris artery
- ☐ Internal iliac artery
- ☐ Femoral artery

12. The largest nerve of the body is:

☒ Sciatic nerve

☐ Radial nerve

☐ Sural nerve

☐ Femoral nerve

13. The subsartorial (adductor canal) is located in:

- ☐ Upper third of thigh
- ☐ Leg
- ☒ Middle third of thigh
- ☐ Lower third of thigh

18. Superficial peroneal nerve

supplies:

- ☐ Anterior compartment of leg
 - ☐ Posterior compartment of leg
 - ☐ Anteromedial surface of leg
 - ☒ Anteriolateral surface of leg
-

17. Iliotibial tract receives the insertion of:

- ☐ Gluteus med. and gluteus min
- ☐ Gluteus max. and gluteus med.
- ☒ Gluteus max. and tensor fascia
- ☐ Gluteus max. and gluteus min.

16. It performs its function in the unlocking of the knee joint:

☒ Popliteus

☐ Plantaris

☐ Gastrocnemius

☐ Soleus

15. The sesmoid bone of the lower limb is:

☒ Patela

☐ Pubis

☐ Ilium

☐ Calcaneum

14. The lateral condyle of tibia possesses articular facet for the head of the fibula on its:

- ☐ B. Posterior aspect
 - ☐ Anterior aspect
 - ☐ C. Medial aspect
 - ☒ D. Lateral aspect
-

20. The medial boundary of the femoral triangle is formed by:

- ☐ Iliopsoas
 - ☐ Sartorius
 - ☐ Adductor magnus
 - ☒ Adductor longus
-

9. Sustentaculum tali is located on_____ of calcaneum.

- ☐ Lateral surface
 - ☐ Superior surface
 - ☐ Anterior surface
 - ☒ Medial surface
-

8. It is situated between superior gemelus and inferior gemelus:

☐ Quadratus femoris

☐ Obturator externus

☐ Piriformis

☒ Obturator internus

.....

7. Which structure does not enter the femoral sheath?

- ☐ Femoral vein
- ☐ Lymph nodes
- ☐ Femoral artery
- ☒ Femoral nerve

2. It is the largest and longest bone of the body:

☐ Tibia

☐ Hip bone

☐ Vertebra

☒ Femur

6. Rectus femoris takes origin from:

- ☐ Posterior inferior iliac spine
- ☒ Anterior inferior iliac spine
- ☐ Anterior superior iliac spine
- ☐ Posterior superior iliac spine

5. The symphysis pubis is:

- ☐ Synovial joint
- ☒ Secondary cartilaginous joint
- ☐ Fibrous joint
- ☐ Primary cartilaginous joint

4. The tubercle separating the tendons of peroneus longus and peroneus brevis is:

- ☐ Posterior tubercle
- ☐ Medial tubercle
- ☒ Peroneal tubercle
- ☐ Anterior tubercle

3. Femoral vein receives blood from?

☐ Internal iliac vein

☐ External iliac vein

☐ Internal thoracic vein

☒ Great saphenous vein

19. Which of the following structure does not take part in the formation of the knee joint?

☐ Lateral femoral condyle

☐ Medial femoral condyle

☐ Condyle of tibia

☒ Head of fibula

14. Which muscle passes through the greater sciatic foramen?

☐ Superior gemelus

☒ Piriformis

☐ Obturator internus

☐ Obturator externus