

Anatomy of upper and lower limb

1-

The anterolateral wall of the adductor canal is formed by which of the following ?



- Vastus medialis muscle
- Adductor longus muscle
- Adductor magnus muscle
- Femoral artery

Anatomy of upper and lower limb

2- All of the following muscles receive nerve from the medial plantar nerve except ..



- Flexor accessoris
- Flexor digitorum brevis
- First lumbrical
- Abductor hallucis

3-

All of the following are part of the ilium bone except



- Pectineal line
- Arcuate line
- Posterior gluteal line
- Anterior gluteal line

4- Which bone is the smallest bone in the Tarsal region?

- Navicular
- Lateral cuneiform
- Cuboid
- Intermediate cuneiform



5- All of the following arteries are involved in the formation of cruciate anastomosis except

- ✓
 - Desending genicular
 - Medial femoral circumflex
 - First perforating
 - Inferior gluteal

6- The gluteus maximus muscle is attached to all the following parts except ..

- ✓
 - Pubis
 - Femur**
 - Sacrotuberous ligament
 - Ilium

7- Acetabular artery is branches from which of the following arteries ?

- ✓
 - Medial femoral circumflex
 - Profunda femoris
 - Second perforating
 - Inferior gluteal artery

8- which of the following nerves is going to innervate inferior cutaneous surface of gluteal region?

- L1,L2,L3
- ✓
 - Branches from posterior cutaneous of thigh
 - S1,S2,S3
 - Iliohypogastric

9- All the following arteries originate from the posterior tibia except ..?

- ✓
 - Posterior tibial recurrent
 - Proneal
 - Circumflex fibular
 - Nutrient artery

10- All of the following muscles attached to greater trochanter of femur except

- ☐ Inferior gemellus
- ☒ Adductor brevis
- ☐ Obturator internus
- ☐ Superior gemellus

11- In the case of the saphenous nerve, all of the following are true except .

- ☐ It is the thickest cutaneous branch of the femoral nerve
- ☐ Enters the adductor canal
- ☐ It has a branch that participates in the sub-sartorial network
- ☒ Innervates Tensor fasciae latae muscle

12- Which of the following muscles is attached to the cuboid bone?

- ☐ Flexor accessoris
- ☒ Flexor Hallucis brevis
- ☐ Abductor hallucis
- ☐ Flexor digitorum brevis

13- All of the following muscles attached to calcaneus except..?

- ☐ Flexor accessoris
- ☐ Gastrocnemius
- ☐ Soleus
- ☒ Second lumbrical

14- There are all the following sides on body of the tibia except ..

- ☒ Posterior
- ☐ Anterior
- ☐ Lateral
- ☐ Medial

15-

All of the following arteries are branches of the femoral artery except ...

- ✓ Superficial Epigastric artery
- Superficial circumflex iliac artery
- Deep external pudendal artery
- ✓ Superior lateral genicular artery

16- In which bone is Sustentaculum tali found?

- Navicular
- ✓ Calcaneus
- Medial cuneiform
- Talus

17- Which muscle forms the oblique popliteal ligament?

- Biceps femoris
- ✓ Semi membranousus
- Semitendinosus
- Adductor magnous

18- Where is the soleus line found in the tibia?

- Inferior end
- ✓ Posterior surface
- Medial surface
- Tibial tuberosity

19- All of the following elements pass through the large sciatic foramen except ..

- Inferior gluteal nerve
- ✓ Internal obturator tendon
- Superior gluteal artery
- Sciatic nerve

20- All of the following muscles are connected to the tibia except

- Sartorius
- Tibialis anterior
- ✓ Extensor hallucis longus

Anatomy of upper and lower limb

21- The insertion of latissimus dorsi in the arm is into the:

- ✓ floor of the intertubercular groove
- posterior border of the proximal humerus
- medial lip of the intertubercular groove
- lateral lip of the intertubercular groove

22- All the following arise from the common extensor origin EXCEPT:

- ✓ extensor carpi radialis longus
- extensor carpi radialis brevis
- extensor digitorum minimi
- extensor digitorum

23- Which of the following pierce the medial intermuscular septum of the arm?

- medial cutaneous nerve of the arm
- basilic nerve
- ✓ ulnar nerve
- median nerve

24- The superficial branch of the ulnar nerve supplies:

- ✓ palmaris brevis
- opponens pollicis
- palmar aspect index finger
- flexor digitorum ulnaris

25- A high ulnar nerve injury might produce:

- weak abduction of the index finger
- triceps paralysis
- weakness of elbow flexion
- ✓ a 'claw hand'

26- The surgical neck of humerus is related to the:

Ulnar nerve

Radial nerve

✓ Axillary nerve

Median nerve

27- The quadrangular space between teres major and subscapularis transmits:

post circumflex humeral artery

profunda brachii vessels

✓ axillary artery

radial nerve

28- Which of the following is INCORRECT? The biceps:

✓ is paralysed by an injury to the posterior cord of the brachial plexus

is a weak flexor of the shoulder

supinates the forearm

is a powerful flexor of the elbow

29- Which is true?

the pisiform bone is the first bone of the carpus to ossify

✓ the flexor synovial sheath is only continuous from wrist to distal phalanx in the thumb

the capitate bone within the carpus is the last of these to ossify

the medial cutaneous nerve is the smallest nerve branch of the brachial plexus

30- Radial nerve innervated all of the following muscles Except:

Triceps

✓ Pronator Teres

Supinator

Brachialis

31- Following muscles produce elevation of scapula *EXCEPT:*

Rhomboid major

- ✓
 - rhomboid minor
 - serratus anterior
 - Trapezius

32- What structure does NOT pierce the clavipectoral fascia?

- thoracoacromial artery
 - cephalic vein
 - ✓ lateral thoracic artery
 - lymphatics

33- The median nerve goes through the heads of which muscle?

- ✓
 - pronator teres
 - biceps brachii
 - supinator
 - flexor digitorum superficialis

34- Brachialis is supplied by:

- median and musculocutaneous nerves
 - radial nerve
 - ✓ musculocutaneous and radial nerves
 - musculocutaneous nerve

35- Branches of the axillary artery DO NOT include:

- posterior circumflex humeral
 - superior thoracic
 - thoracoacromial
 - ✓ medial thoracic

36- The superficial branch of the ulnar nerve supplies:

- palmar aspect index finger
 - opponens pollicis
 - ✓ palmaris brevis
 - flexor digitorum ulnaris

37- Extensor pollicis longus – which is INCORRECT?

forms radial boundary of snuffbox



origin = ulnar just distal to adductor pollicis longus

nerve supply – posterior interosseous nerve (C7, 8)

insertion = base of first distal phalanx

38- Which of the following structures IS NOT one of the contents of the carpal tunnel?

flexor digitorum superficialis



ulnar artery

median nerve

flexor digitorum profundus

39- Which carpal bone is most commonly dislocated?



lunate

scaphoid

capitate

trapezium

40- In the forearm:

the radial artery lies lateral to the radial nerve in the middle third

the anterior interosseous nerve arises from the radial nerve



the posterior interosseous nerve passes between the two layers of the supinator

the brachial artery lies medial to the median nerve in the cubital fossa

41- A 45-year-old man is unable to initiate abduction of the arm following reduction of a dislocated shoulder. Damage to which nerve is most likely to be responsible for this condition:



the suprascapular nerve

the infrascapular nerve

the radial nerve

the long thoracic nerve

42- All of the following muscles attach to dorsal digital expansion Except?

Lumbricals

Dorsal interossei

Palmar interossei



Abductor pollicis

43- Which muscle arises from both the radius and ulna:

extensor indicis

extensor pollicis brevis

extensor pollicis longus



abductor pollicis longus

44- In the cubital fossa:

the ulnar nerve lies medially



the medial wall is formed by pronator teres

the floor is formed mainly by the supinator

the radial nerve lies medial to the biceps tendon

45- As it emerges from the axilla, the median nerve lies where with regards to the brachial artery?



lateral

anterior

medial

posterior